


## CURRICULUM VITAE



**GERALD M. REAVEN, MD**  
**Professor of Medicine (Active Emeritus)**  
**Division of Cardiovascular Medicine**  
**Falk CVRC, Stanford Medical Center**  
**300 Pasteur Drive**  
**Stanford, California, 94305**

Education and Experience:

1947	University of Chicago, A.B.
1949	University of Chicago, B.S.
1953	University of Chicago, M.D.
1953-54	Internship, University of Chicago Hospital
1954-55	Research Fellow in Medicine, Stanford University School of Medicine
1955-57	U.S. Army Medical Corps
1957-59	Internal Medicine Residency, University of Michigan
1959-60	Special USPHS Research Fellow, Stanford University School of Medicine
1960-61	Instructor in Medicine, Stanford University School of Medicine
1961-65	Assistant Professor of Medicine, Stanford University School of Medicine
1965-70	Associate Professor of Medicine, Stanford University School of Medicine
1967-68	Visiting Associate Professor of Medicine, Yale University School of Medicine
1970-95	Professor of Medicine, Stanford University School of Medicine
1974-77	Head, Division of Endocrinology and Metabolic Diseases, Stanford University School of Medicine
1974-90	Director, General Clinical Research Center, Stanford University School of Medicine
1977-90	Head, Division of Gerontology, Stanford University School of Medicine
1977-95	Director, Geriatric Research, Education and Clinical Center, Veterans Affairs Palo Alto Health Care System
1990-95	Head, Division of Endocrinology, Gerontology and Metabolism, Stanford University School of Medicine
1995-present	Professor of Medicine (Active Emeritus), Stanford Univ. School of Medicine

Honors and Awards:

- 1971-77 Medical Investigator, Veterans Administration Hospital, Palo Alto, CA  
1972 Kaiser Award for Excellence in Teaching  
1973 Kaiser Award for Outstanding and Innovative Contributions to Medical Education  
1987 William S. Middleton Award for Outstanding Achievement in Medical Research, Veterans Administration  
1988 Banting Award for Distinguished Scientific Achievement, American Diabetes Association  
1990 Banting Memorial Lecture, British Diabetes Association  
1990 Elliot Proctor Joslin Memorial Lecture, Joslin Diabetes Center  
1991 Seventh Annual Nordisk-McGill Lecturer (Diabetes Mellitus)  
1994 Claude Bernard Lecture, European Association for the Study of Diabetes  
1995 Josiah Kirby Lilly, Sr., Distinguished Service Award  
2000 Novartis Award for Long-Standing Achievement in Diabetes  
2001 Sixth Linus Pauling Functional Medicine Award, The Institute for Functional Medicine  
2002 The Renold Medal of the American Diabetes Association for Distinguished Service in the Training of Diabetes Research Scientists  
2003 Frontiers in Science Award, American Association of Clinical Endocrinologists  
2004 The National Institutes of Health Astute Clinician Lectureship  
2004 Ellen Browning Scripps Medal  
2004 The Dewitt Goodman Memorial Lecture, Columbia Univ School of Med  
2005 Priscilla White Lectureship on Metabolism, Joslin Diabetes Center  
2005 Presidential Lecture of the Canadian Society for Hypertension  
2006 Fred Conrad Koch Award, The Endocrine Society

Service on National Organizations:

- 1971-74 American Diabetes Association, Inc.  
Committee of Statistics
- 1974-77 Endocrine Society  
Editorial Board, Endocrinology
- 1976-80 U.S. Pharmacopeial Convention, Inc.  
USP Advisory Panel on Endocrinology
- 1977-80 Veterans Administration  
Merit Review Board
- 1977-81 National Institutes of Health  
Endocrinology & Metabolic Diseases Advisory Group
- 1979-81 Gerontological Society  
Clinical Medicine Section's Research Committee
- 1981-87 Member of National Diabetes Advisory Board
- 1986-87 Chairman, National Diabetes Advisory Board

## Service on Editorial Boards

1980-85	<u>Diabetologia</u> , Member, Advisory Board Member, Editorial Team
1982-85 & 1995-1999	<u>American Journal of Physiology: Endocrinology &amp; Metabolism</u> Member, Editorial Board
1983-86	<u>Hormone and Metabolic Research</u> Co-Editor
1986-95	Editor-in-Chief
1988-95	<u>Journal of Gerontology: Medical Sciences</u> Member, Editorial Board
1988-93	<u>Diabetic Medicine</u> Member, Editorial Board
1989-present	<u>Journal of Internal Medicine</u> Member, Editorial Board
1991-95	<u>Diabetes/Metabolism Reviews</u> Editor for North America
1992-95	<u>Journal of Clinical Endocrinology and Metabolism</u> Member, Editorial Board
1994-1999	<u>Endocrinology and Metabolism</u> Member, Editorial Board
1994-1998	<u>Diabetologia</u> Member, Editorial Board
1998-Present	<u>Diabetes, Obesity, and Metabolism</u> Member, Editorial Board

## Bibliography:

1. Baker, R., Reaven, G., and Sawyer J. (1953) Effect of toluidine blue on metastatic calcification. Proc. Soc. Exper. Biol. Med. 83:281-284.
2. Baker, R., Reaven, G., and Sawyer, J. (1954) Ground substance and calcification; the influence of dye binding on experimental nephrocalcinosis. J. Urology 71:511-522.
3. Reaven, G. (1955) A comparison of the action of human and rat liver slices on several corticosteroids. Endocrinology 57:580-587.
4. Reaven, G., Schneider, A., and Reaven, E. (1959) Effect of parathyroid extract on *in vitro* uptake of Ca<sup>45</sup> by voluntary muscle. Proc. Soc. Exper. Biol. 102:70-71.
5. Reaven, G., Schneider, A.F., and Reaven, E.P. (1960) Changes in the metabolism of S<sup>35</sup> labeled sulfate associated with renal calcification. Endocrinology 66:665-668.
6. Schneider, A.F., Reaven, E.P., and Reaven, G. (1960) A comparison of renal calcification produced by parathyroid extract or calcium gluconate. Endocrinology 67:733-743.
7. Reaven, G., and Lucas, C. (1962) The use of insulin in the production of L-leucine induced hypoglycemia in normal dogs. J. Clin. Invest. 41:654-659.
8. Lucas, C.P., Grant, N., Daily, W.J., and Reaven, G.M. (1963) Diabetic coma without ketoacidosis. Lancet I: 75-77.
9. Reaven, G., Winkelman, C., and Lucas, C. (1963) Hypoglycemic effect of L-leucine during periods of endogenous hyperinsulinism. Diabetes 12:205-207.
10. Lucas, C., and Reaven, G. (1963) Chlorpropamide-induced leucine hypoglycemia. J. Clin. Invest. 42:230-238.
11. Reaven, G., Calciano, A., Cody, R., Lucas, C., and Miller, R. (1963) Carbohydrate intolerance and hyperlipemia in patients with myocardial infarction without known diabetes mellitus. J. Clin. Endocrinol. Metab. 23:1013-1023.
12. Reaven, G., Salans, L. (1964) Insulin-like activity in insulin-treated patients with diabetes mellitus. Ann. Int. Med. 61:680-687.
13. Salans, L., and Reaven, G. (1965) Effect of oral hypoglycemic agents on serum insulin-like activity of patients with various degrees of carbohydrate intolerance. Metabolism 14:26-30.
14. Reaven, G., and Greenberg, R. (1965) Experimental Leucine-induced hypoglycemia in mice. Metabolism 15:625-631.
15. Farquhar, J., Gross, R., Wagner, R., and Reaven, G. (1965) Validation of an incompletely coupled, two compartment, non-recycling catenary model for turnover of hepatic and plasma triglyceride in man. J. Lipid Res. 6:119-134.
16. Reaven, G.M., Hill, D.B., Gross, R.C., and Farquhar, J.W. (1965) Kinetics of triglyceride turnover of very low density lipoproteins of human plasma. J. Clin. Invest. 44:1826-1833.

17. Greenberg, R., and Reaven, G.M. (1966) Effects of L-leucine on hepatic glucose formation. *Pediatrics* 37:934-941.
18. Salans, L.B., and Reaven, G.M. (1966) Effects of insulin pretreatment on glucose and lipid metabolism of liver slices from normal rats. *Proc. Soc. Exp. Biol. Med.* 122:1208-1213.
19. Farquhar, J.W., Frank, A., Gross, R.C., Reaven, G.M. (1966) Glucose, insulin, and triglyceride responses to high and low carbohydrate diets in man. *J. Clin. Invest.* 45:1648-1656.
20. Marcus, R., and Reaven, G. (1967) Glutamate-induced hyperglycemia. *Proc. Soc. Exp. Biol. Med.* 124:970-976.
21. Reaven, G., and Dray, J. (1967) Effect of chlorpropamide on serum glucose and immunoreactive insulin concentrations in patients with maturity onset diabetes mellitus. *Diabetes* 15:487-492.
22. Reaven, G.M., Lerner, R.L., Stern, M.P., Farquhar, J.W. (1967) Role of insulin in endogenous hypertriglyceridemia. *J. Clin. Invest.* 46:1756-1767.
23. Gross, R.C., Reaven, G.M., Farquhar, J.W. (1968) Turnover of endogenous plasma and liver triglyceride in man and the dog. *Prog. Biol. Pharm.* 4:197-203.
24. Frank, A., Farquhar, J.W., Reaven, G.M., (1968) Response of hepatic alphaglycerophosphate to changes in hepatic glucose formation. *Metabolism* 17:776-785.
25. Stern, M.P., Farquhar, J.W., Silvers, A., Reaven, G.M. (1968) Insulin delivery rate into plasma in normal and diabetic subjects. *J. Clin. Invest.* 47:1947-1957.
26. Reaven, G., Miller, R. (1968) Study of the relationship between glucose and insulin responses to an oral glucose load in man. *Diabetes* 17:560-569.
27. Reaven, G.M., and Farquhar, J.W. (1969) Steady state plasma insulin response to continuous glucose infusion in normal and diabetic subjects. *Diabetes* 18:273-279.
28. Silvers, A., Swenson, R.S., Farquhar, J.W., Reaven, G.M. (1969) Derivation of a three compartment model describing disappearance of plasma insulin. *J. Clin. Invest.* 48:1461-1469.
29. Silvers, A., Farquhar, J.W., Lerner, R.L., Reaven, G.M. (1970) Evaluation of the dog as an experimental model for study of insulin distribution in man. *J. Lab. Clin. Med.* 75:175-184.
30. Reaven, G.M., Remen, N., Greenberg, R.E. (1970) Rates of delivery of insulin into plasma in children with varying carbohydrate tolerance. *Pediatrics* 45:230-234.
31. Reaven, G.M., Silvers, A., Farquhar, J.W. (1970) Study of the relationships between plasma insulin concentrations and efficiency of glucose uptake in normal and mildly diabetic subjects. *Diabetes* 19:571-578.
32. Shen, S. -W., Reaven, G.M., Farquhar, J.W. (1970) Comparison of impedance to insulin mediated glucose uptake in normal and diabetic subjects. *J. Clin. Invest.* 49:2151-2160.
33. Tragl, K.H., Reaven, G.M., (1971) Effect of experimental diabetes mellitus on protein synthesis by liver ribosomes. *Diabetes* 20:27-32.

34. Reaven, G.M., Shen, S-W., Silvers, A., Farquhar, J.W. (1971) Is there a delay in the plasma insulin response of patients with chemical diabetes? *Diabetes* 20:416-423.
35. Swenson, R.S., Silvers, A., Peterson, D.T., Kohatsu, S., Reaven, G.M. (1971) Effect of nephrectomy and acute uremia on plasma insulin-<sup>125</sup>I removal rate. *J. Lab. Clin. Med.* 77:829-837.
36. Peterson, D.T., Green, W.C., and Reaven, G.M. (1971) Effect of experimental diabetes mellitus on kidney ribosomal protein synthesis. *Diabetes* 20:649-654.
37. Peterson, D.T., and Reaven, G.M. (1971) Evidence that glucose load is an important determinant of plasma insulin response in normal subjects. *Diabetes* 20:729-733.
38. Wood, P.D.S., Stern, M.P., Silvers, A., Reaven, G.M., von der Groeben, J. (1972) Prevalence of plasma lipoprotein abnormalities in a free-living population of the Central Valley, California. *Circulation* 45:114-126.
39. Tragl, K.H., Reaven, G.M. (1972) Effect of insulin deficiency on hepatic ribosomal aggregation. *Diabetes* 21:84-88.
40. Frost, P., and Reaven, G.M. (1972) Effect of ammonium chloride acidosis on the oral glucose tolerance and insulin sensitivity in normal rats. *Diabetes* 21:794-796.
41. Olefsky J., Kempson, R., Jones H., Reaven G.M. (1972) "Tertiary" hyperparathyroidism and apparent "cure" of vitamin-D resistant rickets after removal of an ossifying mesenchymal tumor of the pharynx. *New Engl. J. Med.* 286:740-745.
42. Reaven, G.M., Olefsky, J., Farquhar, J.W. (1972) Does hyperglycemia or hyperinsulinemia characterize the patient with chemical diabetes? *Lancet* I:1247-1249.
43. Stern, M.P., Kolterman, O.G., McDevitt, H., Reaven, G.M. (1972) Acquired Type III hyperlipoproteinemia. *Arch. Int. Med.* 130:817-821.
44. Weisinger, J., Swenson, R.S., Greene, W., Taylor, J.B., Reaven, G.M. (1972) Comparison of the effects of metabolic acidosis and acute uremia on carbohydrate tolerance. *Diabetes* 21:1107-1115.
45. Reaven, E.P., Peterson, I.T., Reaven, G.M. (1973) The effect of experimental diabetes mellitus and insulin replacement on hepatic ultrastructure and protein synthesis. *J. Clin. Invest.* 54:248-262.
46. Olefsky, J., Farquhar, J.W., and Reaven, G.M. (1973) Do the oral and intravenous glucose tolerance tests provide similar diagnostic information in patients with chemical diabetes mellitus? *Diabetes* 22:248-262.
47. Tragl, K.H., and Reaven G.M. (1973) Acrylamide electrophoresis and binding ability of hepatic ribosomal protein from normal and from diabetic rats. *Europ. J. Clin. Invest.* 3:35-40.
48. Stern, M.P., Kolterman, O.B., Fries, J.F., McDevitt, H.O., and Reaven, G.M. (1973) Adrenocortical steroid treatment of rheumatic diseases. Effects on lipid metabolism. *Arch. Int. Med.* 132:97-101.

49. Reaven, G.M., Lindley, T.S., Weisinger, J.R., and Swenson, R.S. (1973) A paradoxical effect of chlorpropamide on the plasma glucose and immunoreactive insulin response to intravenous glucose in normal dogs. *Diabetes* 22:367-371.
50. Olefsky, J., Farquhar, J.W., and Reaven, G.M. (1973) Relationship between fasting plasma insulin level and resistance to insulin-mediated glucose uptake in normal and diabetic subjects. *Diabetes* 22:507-513.
51. Olefsky, J., Batchelder, T., Farquhar, J.W., and Reaven, G.M. (1973) Dissociation of the plasma insulin response from the blood glucose concentration during glucose infusions in normal dogs. *Metabolism* 22:1277-1286.
52. Stern, M.P., Olefsky, J., Farquhar, J.W., and Reaven, G.M. (1973) Relationship between fasting plasma lipid levels and adipose tissue morphology. *Metabolism* 22:1311-1317.
53. Swenson, R.S., Peterson, D.T., Eshleman, M., and Reaven, G.M. (1973) Effect of acute uremia on various aspects of carbohydrate metabolism in dogs. *Kidney Int.* 4:267-272.
54. Peterson, D.T., Alford, F.P., Reaven, E.P., Ueyama, I., and Reaven, G.M. (1973) Characteristics of membrane-bound and free hepatic ribosomes from insulin deficient rats. *J. Clin. Invest.* 52:3201-3211.
55. Olefsky, J.M., Reaven, G.M. and Farquhar, J.W. (1974) Effects of weight reduction on obesity: studies of carbohydrate and lipid metabolism. *J. Clin. Invest.* 53:64-76.
56. Reaven, G.M., and Olefsky, J.M. (1974) Increased plasma glucose and insulin responses to high carbohydrate feedings in normal subjects. *J. Clin. Endocr. Metab.* 38:151-154.
57. Reaven, E.P., Kolterman, O.G., and Reaven, G.M. (1974) Ultrastructural and physiological evidence for corticosteroid-induced alterations in hepatic production of very low density lipoprotein particles. *J. Lipid Res.* 15:74-83.
58. Ginsberg, H., Olefsky, J., Farquhar, J.W., and Reaven, G.M. (1974) Moderate ethanol ingestion and plasma triglyceride levels. *Ann. Int. Med.* 80:143-149.
59. Olefsky, J., Farquhar, J.W., and Reaven, G.M. (1974) Sex difference in the kinetics of triglyceride metabolism in normal and hypertriglyceridaemic human subjects. *Europ. J. Clin. Invest.* 4:121-127.
60. Olefsky, J.M., and Reaven, G.M. (1974) The human lymphocyte insulin receptor: a model for the study of human disease. *J. Clin. Endocrinol. Metab.* 38:554-560.
61. Reaven, G.M. and Olefsky, J.M. (1974) Relationship between insulin response during the intravenous glucose tolerance test, rate of fractional glucose removal and the degree of insulin resistance in normal adults. *Diabetes* 23:454-459.
62. Olefsky, J.M., and Reaven, G.M. (1974) Insulin and glucose responses to identical oral glucose tolerance tests performed forty-eight hours apart. *Diabetes* 23:449-453.
63. Olefsky, J.M., Batchelder, T., Colome, S., and Reaven, G.M. (1974) Effect of intravenous glucose infusion on plasma insulin removal rate. *Metabolism* 23:543-548.

64. Olefsky, J.M., Jen, P., and Reaven, G.M. (1974) Insulin binding to isolated human adipocytes. *Diabetes* 23:565-571.
65. Holister, L.E., and Reaven, G.M. (1974) Delta-9-tetrahydrocannabinol and glucose tolerance. *Clin. Pharmacol. Therapy.* 16:297-302.
66. Ginsberg, H., Olefsky, J.M., and Reaven, G.M. (1974) Further evidence that insulin resistance exists in patients with chemical diabetes. *Diabetes* 23:674-678.
67. Swenson, R.S., Weisinger, J., and Reaven, G.M. (1974) Evidence that hemodialysis does not improve the glucose tolerance of patients with chronic renal failure. *Metabolism* 23:929-936.
68. Reaven, E.P. and Reaven, G.M. (1974) Mechanisms for development of diabetic hypertriglyceridemia in streptozotocin-treated rats. *J. Clin. Invest.* 54:1167-1178.
69. Olefsky, J.M., Farquhar, J.W., and Reaven, G.M. (1974) Reappraisal of the role of insulin in hypertriglyceridemia. *Amer. J. Med.* 57:551-560.
70. Olefsky, J.M., and Reaven, G.M. (1974) Decreased insulin binding to lymphocytes from diabetic subjects. *J. Clin. Invest.* 54:1323-1328.
71. Mondon, C.E., Olefsky, J.M., Dolkas, C.B. and Reaven, G.M. (1975) Removal of insulin by perfused rat liver: effect of concentration. *Metabolism* 24:153-160.
72. Swenson, R.S., Weisinger, J.R., Ruggeri, J.L., and Reaven, G.M. (1975) Evidence that parathyroid hormone is not required for phosphate homeostasis in renal failure. *Metabolism* 24:199-204.
73. Ginsberg, H., Kimmerling, G., Olefsky, J.M., and Reaven, G.M. (1975) Demonstration of insulin resistance in untreated adult onset diabetic subjects with fasting hyperglycemia. *J. Clin. Invest.* 55:454-461.
74. Olefsky, J.M., Johnson, J., Liu, F., Jen, P., and Reaven, G.M. (1975) The effects of acute and chronic dexamethasone administration on insulin binding to isolated rat hepatocytes and adipocytes. *Metabolism* 24:517-527.
75. Olefsky, J., Crapo, P.A., Ginsberg, H., and Reaven, G.M. (1975) Metabolic effects of increased caloric intake in man. *Metabolism* 24:495-503.
76. Ginsberg, H., Olefsky, J.M., and Reaven, G.M. (1975) Evaluation of insulin resistance in patients with primary hyperparathyroidism. *Proc. Soc. Exper. Biol. Med.* 148:942-945.
77. Mondon, C.E., Dolkas, C.B., Olefsky, J.M., and Reaven, G.M. (1975) Insulin sensitivity of isolated perfused rat liver. *Diabetes* 24:225-229.
78. Olefsky, J.M., and Reaven, G.M. (1975) Effects of age and obesity on insulin binding to isolated adipocytes. *Endocrinology* 96:1486-1498.
79. Reaven, E.P., and Reaven, G.M. (1975) A quantitative ultrastructural study of microtubule content and secretory granule accumulation in parathyroid glands of phosphate and colchicine-treated rats. *J. Clin. Invest.* 56:49-55.

80. Alford, F.P., Cook, P.S., and Reaven, G.M. (1975) Effect of hypophysectomy on protein synthetic activity of free and bound hepatic ribosomes from insulin-deficient rats. *Diabetologia* 11:181-186.
81. Alford, F.P., Millea, M.E., Reaven, E.P., Shorestein, R.F., and Reaven, G.M. (1975) Effect of duration of insulin deficiency on membrane-bound and free ribosomes from livers of diabetic rats. *Diabetologia* 11:191-200.
82. Alford, F.P., Cook, P.S., Swenson, R.S., and Reaven, G.M. (1975) Protein synthetic activity of membrane-bound and free ribosomes from parathyroid glands of dogs. *Clin. Sci. and Molec. Med.* 48:373-378.
83. Reaven, G.M., Bernstein, R., Davis, B., and Olefsky, J.M. (1976) Non-ketotic diabetes mellitus: insulin deficiency or insulin resistance? *Amer. J. Med.* 60:80-88.
84. Olefsky, J.M., and Reaven, G.M. (1976) Effects of sulfonylurea therapy on insulin binding to mononuclear leukocytes of diabetic patients. *Amer. J. Med.* 60:89-95.
85. Reaven, G.M., Reaven, P.D., and Reaven, E.P. (1976) Hypercalcemia in acute uremia and following citric acid administration: differential effect on parathyroid gland microtubule content. *Metabolism* 25:203-209.
86. Alford, F.P., Millea, M., and Reaven, G.M. (1976) Effect of food deprivation and hypophysectomy on *in vitro* protein synthesis by membrane-bound and free hepatic ribosomes. *Horm. and Metab. Res.* 8:118-122.
87. Ginsberg, H., Olefsky, J.M., Kimmerling, G., Crapo, P. and Reaven, G.M. (1976) Induction of hypertriglyceridemia by a low-fat diet. *J. Clin. Endocrinol. Metab.* 42:729-735.
88. Olefsky, J.M., Crapo, P., and Reaven, G.M. (1976) Postprandial plasma triglyceride and cholesterol responses to a low-fat meal. *Amer. J. Clin. Nutr.* 29:535-539.
89. Olefsky, J.M., and Reaven, G.M. (1976) Insulin binding to monocytes and total mononuclear leukocytes from normal and diabetic patients. *J. Clin. Endocrinol. Metab.* 43:226-228.
90. Kimmerling, G, Javorski, W.C., Olefsky, J.M., and Reaven, G.M. (1976) Locating the site(s) of insulin resistance in patients with nonketotic diabetes mellitus. *Diabetes* 25:673-678.
91. Crapo, P.A., Reaven, G.M., and Olefsky, J.M. (1976) Plasma glucose and insulin responses to orally administered simple and complex carbohydrates. *Diabetes* 25:741-747.
92. Gregg, R., Mondon, C.E., Reaven, E.P., and Reaven, G.M. (1976) Effect of acute uremia on triglyceride kinetics in the rat. *Metabolism* 25:1557-1565.
93. Sanfelippo, M.L., Swenson, R.S., and Reaven, G.M. (1977) Reduction of plasma triglycerides by diet in subjects with chronic renal failure. *Kidney Int.* 11:54-61.
94. Reaven, G.M., and Olefsky, J.M. (1977) Relationship between heterogeneity of insulin responses and insulin resistance in normal subjects and patients with chemical diabetes. *Diabetologia* 13:201-206.

95. Bracho-Romero, E., and Reaven, G.M. (1977) Effect of age and weight on plasma glucose and insulin responses in the rat. *J. Amer. Ger. Soc.* 25:299-302.
96. Olefsky, J.M. and Reaven, G.M. (1977) Insulin binding in diabetes: relationships with plasma insulin levels and insulin sensitivity. *Diabetes* 26:680-688.
97. Gregg, R.C., Diamond, A., Mondon, C.E., and Reaven, G.M. (1977) The effects of chronic uremia and dexamethasone on triglyceride kinetics in the rat. *Metabolism* 26:875-882.
98. Olefsky, J.M., Sperling, M.A., and Reaven, G.M. (1977) Does glucagon play a role in the insulin resistance of patients with adult non-ketotic diabetes? *Diabetologia* 13:327-330.
99. Reaven, G.M., and Reaven, E.P. (1977) Development of fasting hyperglycemia in uremic rats. *Metabolism* 26:1251-1256.
100. Reaven, E.P., and Reaven, G.M. (1977) Distribution and content of microtubules in relation to the transport of lipid. *J. Cell Biol.* 75:559-572.
101. Reaven, G.M., Sageman, W.S., and Swenson, R.S. (1977) Development of insulin resistance in normal dogs following alloxan-induced insulin deficiency. *Diabetologia* 13:459-462.
102. Kimmerling, G., Javorski, W.C., and Reaven, G.M. (1977) Aging and insulin resistance in a group of non-obese male volunteers. *J. Amer. Ger. Soc.* 25:349-353.
103. Crapo, P.A., Reaven, G.M. and Olefsky, J.M. (1977) Postprandial plasma-glucose and -insulin responses to different complex carbohydrates. *Diabetes* 26:1178-1183.
104. Mondon, C.E., Dolkas, C.B., and Reaven, G.M. (1978) Effect of acute uremia on insulin removal by the isolated perfused rat liver and muscle. *Metabolism* 27:133-142.
105. Risser, T.R., Reaven, G.M., and Reaven, E.P. (1978) Intestinal contribution to secretion of very low density lipoproteins into plasma. *Amer. J. Physiol.* 234(3):E277-281.
106. Reaven, G.M. (1978) Effect of age and sex on triglyceride metabolism in the rat. *J. Gerontology* 33:368-371.
107. Bernstein, R.J., Davis, B.M., Olefsky, J.M., and Reaven, G.M. (1978) Hepatic insulin responsiveness in patients with endogenous hypertriglyceridemia. *Diabetologia* 14:249-253.
108. Warth, D.C., Mondon, C.E., and Reaven, G.M. (1978) Insulin responsiveness of isolated perfused livers from rats with streptozotocin-induced diabetes. *Horm. Metab. Res.* 10:110-114.
109. Reaven, E.P., and Reaven, G.M. (1978) Dissociation between rate of hepatic lipoprotein secretion and hepatocyte microtubule content. *J. Cell Biology* 77:735-742.
110. Mondon, C.E., Dolkas, C.B., and Reaven, G.M. (1978) The site of insulin resistance in acute uremia. *Diabetes* 27:571-576.
111. Sanfelippo, M.L., Swenson, R.S., and Reaven, G.M. (1978) Response of plasma triglycerides to dietary change in patients on hemodialysis. *Kidney Int.* 14:180-186.

112. Risser, T.R., Reaven, G.M., and Reaven, E.P. (1978) Intestinal very low density lipoprotein secretion in insulin-deficient rats. *Diabetes* 27:902-908.
113. Reaven, G.M. and Bernstein, R.M. (1978) Effect of obesity on the relationship between very low density lipoprotein production rate and plasma triglyceride concentration in normal and hypertriglyceridemic subjects. *Metabolism* 27:1047-1054.
114. Greenfield, M., Kolterman, O., Olefsky, J.M., and Reaven, G.M. (1978) The effect of ten days of fasting on various aspects of carbohydrate metabolism in obese diabetic subjects with significant fasting hyperglycemia. *Metabolism* 27:1839-1852.
115. Reaven, G.M., and Miller, R.G. (1979) An attempt to define the nature of chemical diabetes using a multidimensional analysis. *Diabetologia* 16:17-24.
116. Davis, B.M., Bernstein, R., Kolterman, O., Olefsky, J.M., and Reaven, G.M. (1979) Defect in glucose removal in nonketotic diabetic patients with fasting hyperglycemia. *Diabetes* 28:32-34.
117. Reaven, G.M., Risser, T.R., Chen, Y-D.I., and Reaven, E.P. (1979) Characterization of a model of dietary-induced hypertriglyceridemia in young, non-obese rats. *J. Lipid Res.* 20:371-378.
118. Weiland, D., Mondon, C.E., and Reaven, G.M. (1979) Prolongation of insulin removal by perfused liver from spontaneously obese rats. *Diabetologia* 16:173-177.
119. Kolterman, O.G., Reaven, G.M., and Olefsky, J.M. (1979) Relationship between *in vivo* insulin resistance and decreased insulin receptors in obese man. *J. Clin. Endocr. Metab.* 48:487-494.
120. Kolterman, O.G., Greenfield, M., Reaven, G.M., Saekow, M., and Olefsky, J.M. (1979) Effect of a high carbohydrate diet on insulin binding to adipocytes and on insulin action *in vivo* in man. *Diabetes* 28:731-736.
121. Reaven, E.P., Gold, G., and Reaven, G.M. (1979) Effect of age on glucose-stimulated insulin release by the beta-cell of the rat. *J. Clin. Invest.* 64:591-599.
122. Chen, Y-C.I., Risser, T.R., Cully, M., and Reaven, G.M. (1979) Is the hypertriglyceridemia associated with insulin deficiency caused by decreased lipoprotein lipase activity? *Diabetes* 28:893-898.
123. Reaven, G.M. (1979) Effect of differences in amount and kind of dietary carbohydrate on plasma glucose and insulin responses in man. *Am. J. Clin. Nutr.* 32:2568-2578.
124. Reaven, E.P., and Reaven, G.M. (1980) Evidence that microtubules play a permissive role in hepatocyte very low density lipoprotein secretion. *J. Cell Biol.* 84:28-39.
125. Reaven, G.M., and Reaven P.D. (1980) Effect of age on glucose oxidation by isolated rat islets. *Diabetologia* 18:69-71.
126. Sleder, J., Chen, Y-D.I., Cully, M.D., and Reaven, G.M. (1980) Hyperinsulinemia in fructose-induced hypertriglyceridemia in the rat. *Metabolism* 29:303-305.
127. Reaven, E., Gold, G., and Reaven, G.M. (1980) Effects of age on leucine-induced insulin secretion by the  $\beta$ -cell. *J. Gerontol.* 34:324-328.

128. Reaven, G.M. (1980) Insulin-independent diabetes mellitus: metabolic characteristics. *Metabolism* 29:445-454.
129. Weiland, D., Mondon, C., and Reaven, G.M. (1980) Evidence for multiple causality in the development of diabetic hypertriglyceridemia. *Diabetologia* 18:335-340.
130. Coulston, A., Greenfield, M., Kraemer, F., Tobey, T., and Reaven, G.M. (1980) Effect of source of dietary carbohydrate on plasma glucose and insulin responses to test meals in normal subjects. *Am. J. Clin. Nutr.* 33:1279-1282.
131. Mondon, C.E., and Reaven, G.M. (1980) Evaluation of enhanced glucagon sensitivity as the cause of glucose intolerance in acutely uremic rats. *Am. J. Clin. Nutr.* 33:1456-1460.
132. Reaven, G.M., Swenson, R.S., and Sanfelippo, M.L. (1980) An inquiry into the mechanism of hypertriglyceridemia in patients with chronic renal failure. *Am. J. Clin. Nutr.* 33:1476-1484.
133. Greenfield, M., Kolterman, O., Olefsky, J.M., and Reaven, G.M. (1980) Mechanism of hypertriglyceridaemia in diabetic patients with fasting hyperglycaemia. *Diabetologia* 18:441-446.
134. Chen, Y-D.I., Howard, J., Huang, V., Kraemer, F.B., and Reaven, G.M. (1980) Dissociation between plasma triglyceride concentration and tissue lipoprotein lipase deficiency in insulin-deficient rats. *Diabetes* 29:643-647.
135. Crapo, P.A., Orville, R.D., Kolterman, G., Waldeck, N., Reaven, G.M., and Olefsky, J.M. (1980) Postprandial hormonal responses to different types of complex carbohydrate in individuals with impaired glucose tolerance. *Am. J. Clin. Nutr.* 33:1723-1728.
136. Mondon, C.E., Dolkas, C.B., and Reaven, G.M. (1980) Site of enhanced insulin sensitivity in exercise-trained rats at rest. *Am. J. Physiol. (Endocrinol. Metab. & G.I. Physiol.)* 2:E169-E177.
137. Chen, Y-D.I., Kraemer, F.B., and Reaven, G.M. (1980) Identification of specific high density lipoprotein-binding sites in rat testis and regulation of binding by human chorionic gonadotropin. *J. Biol. Chem.* 255:9162-9167.
138. Greenfield, M.S., Kraemer, F.B., Tobey T., and Reaven, G.M. (1980) Effect of age on plasma triglyceride concentrations in man. *Metabolism* 29:1095-1099.
139. Zavaroni, I., Sander, S., Scott, S., and Reaven, G.M. (1980) Effect of fructose feeding on insulin secretion and insulin action in the rat. *Metabolism* 29:970-973.
140. Chen, Y-D.I., and Reaven, G.M. (1981) Relationship between plasma triglyceride concentration and adipose tissue lipoprotein lipase activity in rats in different ages. *J. Gerontol.* 36:3-6.
141. Tobey, T.A., Greenfield, M.S., Kraemer, F.B., and Reaven, G.M. (1981) Relationship between insulin resistance, insulin secretion, very low density lipoprotein kinetics and plasma triglyceride levels in normotriglyceridemia in man. *Metabolism* 30:165-171.
142. Crapo, P.A., Reaven, G.M., and Olefsky, J.M. (1981) Hormonal and substrate responses to a standard meal in normal and hypertriglyceridemic subjects. *Metabolism* 30:331-334.
143. Zavaroni, I., and Reaven, G.M. (1981) Inhibition of carbohydrate-induced hypertriglyceridemia by a disaccharidase inhibitor. *Metabolism* 30:417-420.

144. Zavaroni, I., Chen, Y-D.I., Mondon, C.E., and Reaven, G.M. (1981) Ability of exercise to inhibit carbohydrate-induced hypertriglyceridemia in rats. *Metabolism* 30:476-480.
145. Tobey, T.A., Mondon, C.E., and Reaven, G.M. (1981) Age-related changes in very low density lipoprotein metabolism in normal rats. *Metabolism* 30:583-587.
146. Greenfield, M.S., Doberne, L., Kraemer, F.B., Tobey, T.A., and Reaven, G.M. (1981) Assessment of insulin resistance with the insulin suppression test and the euglycemic clamp. *Diabetes* 30:387-392.
147. Gold, G., Reaven, G.M., and Reaven E.P. (1981) Effect of age on proinsulin and insulin secretory patterns in isolated rat islets. *Diabetes* 30:77-82.
148. Bar-On, H., Chen, Y-D.I., and Reaven, G.M. (1981) Evidence for a new cause of defective plasma removal of very low density lipoproteins in insulin-deficient rats. *Diabetes* 30:496-499.
149. Reaven, E.P., and Reaven, G.M. (1981) Structure and function changes in the endocrine pancreas of aging rats with reference to the modulating effects of exercise and caloric restriction. *J. Clin. Invest.* 68:75-84.
150. Reaven, G.M., and Reaven, E.P. (1981) Prevention of age-related hypertriglyceridemia by caloric restriction and exercise training in the rat. *Metabolism* 30:982-986.
151. Doberne, L., Greenfield, M.S., Schulz, B. and Reaven, G.M. (1981) Enhanced glucose utilization during prolonged glucose clamp studies. *Diabetes* 30:829-835.
152. Reaven, G.M., and Chang, F. (1981) Effect of exercise-training on the metabolic manifestations of streptozotocin-induced diabetes in the rat. *Diabetologia* 21:415-417.
153. Reaven, G.M., and Greenfield, M.S. (1981) Diabetic hypertriglyceridemia: Evidence for three clinical syndromes. *Diabetes* 30 (Suppl. 2): 66-75.
154. Coulston, A. Greenfield, M.S., Kraemer, F.B., Tobey, T.A., and Reaven, G.M. (1981) Effect of differences in source of dietary carbohydrate on plasma glucose and insulin responses to meals in patients with impaired carbohydrate tolerance. *Am. J. Clin. Nutr.* 34:2716-2720.
155. Reaven, E.P., Gold, G., Walker, W., and Reaven, G.M. (1981) Effect of variation in islet size and shape on glucose-stimulated insulin secretion. *Horm. Metab. Res.* 13:673-674.
156. Mondon, C., Marcus, R., and Reaven, G.M. (1982) Role of glucagon as a contributor to glucose intolerance in acute and chronic uremia. *Metabolism* 31:374-379.
157. Reaven, G.M. and Dall'Aglio, E. (1982) Prazosin lowers plasma triglyceride concentration in rats: a preliminary report. *J. Cardiovasc. Pharmacol.* 4 (Suppl. 2):S248-S250.
158. Maneatis, T., Condie, R., and Reaven, G.M. (1982) Effect of age on plasma glucose and insulin responses to a test mixed meal. *Am. Geriat. Soc.* 30 (3):178-182.
159. Kraemer, F.B., Greenfield, M., Tobey, T.A., and Reaven, G.M. (1982) Effects of moderate increases in dietary polyunsaturated: saturated fat on plasma triglyceride and cholesterol levels in man. *Br. J. Nutr.* 47:259-266.

160. Verschoor, L., Chen Y-D.I., and Reaven, G.M. (1982) In search of a relationship between physiologically-induced variations in adipose tissue lipoprotein lipase activity and very low density lipoprotein kinetics in normal rats. *Metabolism* 31 (5):499-503.
161. Kraemer, F.B., Chen, Y-D.I., and Reaven, G.M. (1982) Hypertriglyceridemia and lipase activity in experimental uremia. *Nephron* 30:274-278.
162. Tobey, T.A., Mondon, C.E., Zavaroni, I., and Reaven, G.M. (1982) Mechanism of insulin resistance in fructose-fed rats. *Metabolism* 31 (6):608-612.
163. Greenfield, M.S., Doberne, L., Rosenthal, M., Schulz, B., Widstrom, A., and Reaven G.M. (1982) Effect of sulfonylurea treatment on in vivo insulin secretion and action in patients with non-insulin-dependent diabetes mellitus. *Diabetes* 31:307-312.
164. Reaven, G.M., Doberne, L., and Greenfield, M.S. (1982) Comparison of insulin secretion and in vivo insulin action in non-obese and moderately obese individuals with non-insulin-dependent diabetes mellitus. *Diabetes* 31:382-384.
165. Doberne, L., Greenfield, M.S., Rosenthal, M., Widstrom, A., and Reaven, G.M. (1982) Effect of variations in basal plasma glucose concentration on glucose utilization (M) and metabolic clearance rates (MCR) during insulin clamp studies in patients with non-insulin-dependent diabetes mellitus. *Diabetes* 31:396-400.
166. Schulz, P., Reaven, G.M., and Blaschke, T.F. (1982) Growth hormone release after acute amitriptyline administration to normal human subjects. *Phychopharmacology* 76:299-301.
167. Verschoor, L., Chen, Y-D.I., and Reaven, G.M. (1982) Use of estrogen-treated rats as a bioassay for evaluating catabolism of very low density lipoproteins. Preliminary report: *Metabolism* 31:7:699-700.
168. Kraemer, F.B., Chen, Y-D.I., Cheung, R.M.C., and Reaven, G.M. (1982) Are the binding and degradations of low density lipoprotein altered in Type 2 (non-insulin-dependent) diabetes mellitus? *Diabetologia* 23:28-33.
169. Verschoor-Klootwyk, A., Verschoor, L., Azhar, S., and Reaven, G.M. (1982) Role of exogenous cholesterol in regulation of adrenal steroidogenesis in the rat. *Journal of Biological Chemistry* 257 (13):7666-7671.
170. Greenfield, M.S., Doberne, L., Rosenthal, M., Vreman, H.J. and Reaven, G.M. (1982) Lipid metabolism in non-insulin-dependent diabetes mellitus: effect of glipizide therapy. *Arch. Intern. Med.* 142:1498-1500.
171. Reaven, E., Solomon, R., Azhar, S., and Reaven, G. (1982) Functional homogeneity of pancreatic islets of aging rats. *Metabolism* 31(9):859-860.
172. Rosenthal, M., Doberne, L., Greenfield, M., Widstrom, A., and Reaven, G.M. (1982) Effect of age on glucose tolerance, insulin secretion, and in vivo insulin action. *J. Amer. Ger. Soc.* 30:562-567.
173. Zavaroni, I., Chen, Y-D.I., and Reaven, G.M. (1982) Studies of the mechanism of fructose-induced hypertriglyceridemia in the rat. *Metabolism* 31:1077-1083.

174. Reaven, G.M., Greenfield, M.G, Mondon, C.E., Rosenthal, M., Wright, D., and Reaven, E.P., (1982) Does insulin removal rate from plasma decline with age? *Diabetes* 31:670-673.
175. Fielding, C.J., Reaven, G.M., and Fielding, P.E. (1982) Human noninsulin-dependent diabetes: Identification of a defect in plasma cholesterol transport normalized *in vivo* by insulin and *in vitro* by selective immunoabsorption of apolipoprotein E. *Proc. Natl. Acad. Sci. USA* 79:6365-6369.
176. Coulston, A.M., Liu, G.C., Reaven, G.M. (1983) Plasma glucose, insulin and lipid responses to high-carbohydrate low-fat diets in normal humans. *Metabolism* 32:52-56.
177. Dall'Aglio, E., Chang, F., Chang, H., and Reaven, G. (1983) Effect of exercise and diet in triglyceride metabolism in rats with moderate insulin deficiency. *Diabetes* 32(1):46-50.
178. Reaven, E., Wright, D., Mondon, C.E., Solomon, R., Ho, H., and Reaven, G.M. (1983) Effect of age and diet on insulin secretion and insulin action in the rat. *Diabetes* 32:175-180.
179. Reaven, E., Curry, D., Moore, J., and Reaven, G. (1983) Effect of age and environmental factors on insulin release from the perfused pancreas of the rat. *J. Clin. Invest.* 71:345-350.
180. Dall'Aglio, E., Chang, F., Chang, H., Wright, D., and Reaven, G.M. (1983) Effect of exercise training and sucrose feeding on insulin-stimulated glucose uptake in rats with streptozotocin-induced insulin-deficient diabetes. *Diabetes* 32:165-168.
181. Reaven, G.M. (1983) Therapeutic approaches to reducing insulin resistance in patients with noninsulin-dependent diabetes mellitus. *Am. J. Med.* 74:109-112.
182. Reaven, G.M. (1983) Insulin resistance in noninsulin-dependent diabetes mellitus: does it exist and can it be measured? *Am. J. Med* 74(Suppl.1A):3-17.
183. Reaven, G.M., Mejean, L., Villaume, C., Drouin, P., and Debry, G. (1983) Plasma glucose and insulin responses to oral glucose in nonobese subjects and patients with endogenous hypertriglyceridemia. *Metabolism*, 32(5):447-450.
184. Azhar, S., Chen, Y-D.I., and Reaven G.M. (1983) Stimulation of lipoprotein receptors and role of lipoprotein and cellular cholesterol during gonadotropin-induced desensitization of steroidogenic response in luteinized rat ovary. *J. Biol. Chem.* 258:3735-3740.
185. Dall'Aglio, E., Chang, H., and Reaven, G. (1983) Disparate effects of prazosin and propranolol on lipid metabolism in a rat model. *Metabolism* 32(5):510-513.
186. Rosenthal, M., Haskell, W.L., Solomon, R., Widstrom, A., and Reaven, G.M. (1983) Demonstration of a relationship between level of physical training and insulin-stimulated glucose utilization in normal humans. *Diabetes* 32:408-411.
187. Liu, G.C., Coulston, A.M., and Reaven, G.M. (1983) Effect of high-carbohydrate - low-fat diets on plasma glucose, insulin and lipid responses in hypertriglyceridemic humans. *Metabolism* 32(8):750-753.

188. Liu, G., Coulston, A., Chen, Y-D.I., and Reaven, G.M. (1983) Does day-long absolute hypoinsulinemia characterize the patient with non-insulin-dependent diabetes mellitus? *Metabolism* 32(8):754-756.
189. Reaven, G.M., Moore, J., and Greenfield, M. (1983) Quantification of insulin secretion and in vivo insulin action in nonobese and moderately obese individuals with normal glucose tolerance. *Diabetes* 32:600-604.
190. Mondon, C.E., Dolkas, C.B., and Reaven, G.M. (1983) Effect of confinement in small space flight size cages on insulin sensitivity of exercise-trained rats. *Aviation, Space, and Environmental Medicine* 54(10):919-922.
191. Hollenbeck, C.B., Coulston, A.M., Quan, R., Becker, T.R., Vreman, H.J., Stevenson, D.K., and Reaven, G.M. (1983) Effects of a commercial starch blocker preparation on carbohydrate digestion and absorption: in vivo and in vitro studies. *Am. J. Clin. Nutr.* 38:498-503.
192. Kashiwagi, A., Verso, M.A., Andrews, J., Vasquez, B., Reaven, G., and Foley, J.E. (1983) In vitro insulin resistance of human adipocytes isolated from subjects with noninsulin-dependent diabetes mellitus. *J. Clin. Invest.* 72:1246-1254.
193. Azhar, S., Ho, H., Reaven, E.P., and Reaven, G.M. (1983) Evidence of an age related decline in mitochondrial glycerophosphate dehydrogenase activity of isolated rat islets. *Metabolism* 32:1019-1021.
194. Kraemer, F.B., Chen, Y-D.I., Lopez, R.D., and Reaven, G.M. (1983) Characterization of the binding site on thioglycolate-stimulated mouse peritoneal macrophages that mediates the uptake of very low density lipoproteins. *J. Biol. Chem.* 258:12190-12197.
195. Reaven, G.M., Chen, Y-D.I., Coulston, A.M., Greenfield, M.S., Hollenbeck, C., Lardinois, C., Liu, G., and Schwartz, H. (1983) Insulin secretion and action in non-insulin-dependent diabetes mellitus. Is insulin resistance secondary to hypoinsulinemia? *Am. J. Med.* 75 (Proceedings 5B):85-93.
196. Wright, D.W., Hansen, R.I., Mondon, C.E., and Reaven, G.M. (1983) Sucrose-induced insulin resistance in the rat: modulation by exercise and diet. *Am. J. Clin. Nutr.* 38:879-883.
197. Reaven, G.M. (1983) Effect of glipizide treatment on various aspects of glucose, insulin, and lipid metabolism in patients with noninsulin-dependent diabetes mellitus. *Am. J. Med.* 75 (Proceedings 5B):8-14.
198. Foley, J.E., Kashiwagi, A., Verso, M.A., Reaven, G., and Andrews, J. (1983) Improvement in in vitro insulin action after one month of insulin therapy in obese noninsulin-dependent diabetics. *J. Clin. Invest.* 72:1901-1909.
199. Lardinois, C.K., Greenfield, M.S., Schwartz, H.C., Vreman, H.J., and Reaven, G.M. (1984) Acarbose treatment of non-insulin-dependent diabetes mellitus. *Arch. Intern. Med.* 144:345-347.
200. Bogardus, C., Lillioja, S., Mott, D., Reaven, G.M., Kashiwagi, A., and Foley, J.E. (1984) Relationship between obesity and maximal insulin-stimulated glucose uptake in vivo in Pima Indians. *J. Clin. Invest.* 73:800-805.

201. Foley, J.E., Kashiwagi, A., Chang, H., Huecksteadt, T.P., Lillioja, S., Verso, M.A., and Reaven, G., (1984) Sex differences in insulin-stimulated glucose transport in rat and human adipocytes. Am. J. Physiol. 246 (Endocrinol. Metab. 9):E211-E215.
202. Gibori, G., Chen, Y-D.I., Khan, I., Azhar, S., and Reaven, G.M. (1984) Regulation of luteal cell lipoprotein receptors, sterol contents, and steroidogenesis by estradiol in the pregnant rat. Endocrinology 114:609-617.
203. Verschoor, L., Chen, Y-D.I., and Reaven, G.M. (1984) Why does experimental insulin deficiency lead to a decrease in removal of very low density-triglyceride from plasma? Horm. Metab. Res. 16:88-91.
204. Narimiya, M., Azhar, S., Dolkas, C.B., Mondon, C.E., Sims, C., Wright, D.W., and Reaven, G.M. (1984) Insulin resistance in older rats. Am. J. Physiol. 246 (Endocrinol. Metab. 9):E397-E404.
205. Hollenbeck, C.B., Chen, N., Chen, Y-D.I., and Reaven, G.M. (1984) Relationship between the plasma insulin response to oral glucose and insulin-stimulated glucose utilization in normal subjects. Diabetes 33:460-463.
206. Hollenbeck, C.B., Chen, Y-D.I., and Reaven, G.M. (1984) A comparison of the relative effects of obesity and non-insulin-dependent diabetes mellitus on *in vivo* insulin-stimulated glucose utilization. Diabetes 33:622-626.
207. Liu, G., Chen, Y-D.I., Hollenbeck, C.B., Lardinois, C.K., and Reaven, G.M. (1984) Insulin-stimulated glucose disposal increases with time in patients with non-insulin-dependent diabetes mellitus. Diabetes 33:643-647.
208. Reaven, G.M., and Mondon, C.E. (1984) Effect of *in vivo* plasma insulin levels on the relationship between perfusate free fatty acid concentration and triglyceride secretion by perfused rat livers. Horm. Metab. Res. 16:230-232.
209. Andrews, W.J., Vasquez, B., Nagulesparan, M., Klimes, I., Foley, J., Unger, R., and Reaven G.M. (1984) Insulin therapy in obese, non-insulin-dependent diabetes induces improvements in insulin action and secretion that are maintained for two weeks after insulin withdrawal. Diabetes 33:634-642.
210. Fielding, C.J., Reaven, G.M., Liu, G., and Fielding, P.E. (1984) Increased free cholesterol in plasma low and very low density lipoproteins in non-insulin-dependent diabetes mellitus: Its role in the inhibition of cholesteryl ester transfer. Proc. Natl. Acad. Sci. USA 81:2512-2516.
211. Curry, D.L., Reaven, G., and Reaven, E. (1984) Glucose-induced insulin secretion by perfused pancreas of 2- and 12-mo-old Fischer 344 rats. Am. J. Physiol. 247 (Endocrinol. Metab. 10):E385-388.
212. Azhar, S., Chen, Y-D.I., and Reaven, G.M. (1984) Gonadotropin modulation of 3-hydroxy-3-methylglutaryl coenzyme A reductase activity in desensitized luteinized rat ovary. Biochemistry 23(20):4533-4538.
213. Liu, G., Coulston, A., Hollenbeck, C., and Reaven, G. (1984) The effect of sucrose content in high and low carbohydrate diets on plasma glucose, insulin, and lipid responses in hypertriglyceridemic humans. J. Clin. Endocrinol. Metab. 59(4):636-642.

214. Bogardus, C., Lillioja S., Howard, B.V., Reaven, G., and Mott, D. (1984) Relationships between insulin secretion, insulin action and fasting plasma glucose concentration in nondiabetic and noninsulin-dependent diabetic subjects. *J. Clin. Invest.* 74:1238-1246.
215. Coulston, A.M., Hollenbeck, C.B., Liu, G.C., Williams, R.A., Starich, G.H., Mazzaferri, E.L., and Reaven, G.M. (1984) Effect of source of dietary carbohydrate on plasma glucose, insulin, and gastric inhibitory polypeptide responses to test meals in subjects with noninsulin-dependent diabetes mellitus. *Am. J. Clin. Nutr.* 40:965-970.
216. Hoffman, B.B., Chang, H., Farahbakhsh, Z.T., and Reaven, G.M. (1984) Age-related decrement in hormone-stimulated lipolysis. *Am. J. Physiol.* 247 (Endocrinol. Metab. 10):E772-E777.
217. Hoffman, B.B., Chang, H., Farahbakhsh, Z., and Reaven, G.M. (1984) Inhibition of lipolysis by adenosine is potentiated with age. *J. Clin. Invest.* 74:1750-1755.
218. Mondon, C.E., Dolkas, C.B., Tobey, T., and Reaven, G.M. (1984) Causes of the triglyceride-lowering effect of exercise training in rats. *J. Appl. Physiol. Respirat. Environ. Exercise Physiol.* 57(5):1466-1471.
219. Narimiya, M., Chang, H., Azhar, S., and Reaven, G.M. (1984) Amelioration of streptozotocin-induced diabetes in the rat by exercise-training: Role of muscle glycogenolytic and glycolytic enzyme activity. *Horm. Metab. Res.* 16 (Suppl.):67-70.
220. Andrews, J., Klimes, I., Vasquez, B., Nagulesparan, M., and Reaven, G.M. (1984) Can mixed venous blood be used to measure insulin action during the hyperinsulinemic clamp? *Horm. Metab. Res.* 16(Suppl.):164-166.
221. Hollenbeck, C.B., Coulston, A.M., Donner, C.C., Williams, R.A., and Reaven, G.M. (1985) The effects of variations in percent of naturally occurring complex and simple carbohydrates on plasma glucose and insulin response in individuals with noninsulin-dependent diabetes mellitus. *Diabetes* 34:151-155.
222. Reaven, G.M., Staff, Palo Alto GRECC Aging Study Unit. (1985) Beneficial effect of moderate weight loss in older patients with non-insulin-dependent diabetes mellitus poorly controlled with insulin. *J. Am. Geriatr. Soc.* 33:93-95.
223. Bogardus, C., Lillioja, S., Mott, D.M., Hollenbeck, C., and Reaven, G.M. (1985) Relationship between degree of obesity and in vivo insulin action in man. *Am. J. Physiol.* 248 (Endocrinol. Metab. 11):E286-E291.
224. Hollenbeck, C.B., Haskell, W., Rosenthal, M., and Reaven, G.M. (1985) Effect of habitual physical activity on regulation of insulin-stimulated glucose disposal in older males. *J. Am. Geriatr. Soc.* 33:273-277.
225. Donner, C.C., Fraze, E., Chen, Y-D.I., Hollenbeck, C.B., Foley, J.E., and Reaven, G.M. (1985) Presentation of a new method for specific measurement of in vivo insulin-stimulated glucose disposal in humans: comparison of this approach with the insulin clamp and minimal model techniques. *J. Clin. Endocrinol. Metab.* 60:723-726.
226. Liu, G.C., Coulston, A.M., Lardinois, C.K., Hollenbeck, C.B., Moore, J.G., and Reaven, G.M. (1985) Moderate weight loss and sulfonylurea treatment of non-insulin-dependent diabetes mellitus. *Arch. Intern. Med.* 145:665-669.

227. Mondon, C.E., Dolkas, C.B., Sims, C., and Reaven, G.M. (1985) Spontaneous running activity in male rats: effect of age. *J. Appl. Physiol.* 58(5):1553-1557.
228. Reaven, G.M., Chen, Y-D.I., Donner, C.C., Fraze, E., and Hollenbeck, C.B. (1985) How insulin resistant are patients with noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 61:32-36.
229. Kraemer, F.B., Chen, Y-D.I., Lopez R.D., and Reaven, G.M. (1985) Effects of noninsulin-dependent diabetes mellitus on the uptake of very low density lipoproteins by thioglycolate-elicited mouse peritoneal macrophages. *J. Clin. Endocrinol. Metab.* 61:335-342.
230. Lardinois, C.K., Liu, G.C., and Reaven, G.M. (1985) Glyburide in non-insulin-dependent diabetes: Its therapeutic effect in patients with disease poorly controlled by insulin alone. *Arch. Intern. Med.* 145:1028-1032.
231. Vasquez, B., Reaven, G.M., and Andrews, W.J. (1985) Elevated *in vivo* insulin clearance in Pima Indians with non-insulin-dependent diabetes mellitus. *Diabetes* 34:671-676.
232. Donner, C.C., Fraze, E., Chen, Y-D.I., and Reaven, G.M. (1985) Quantitation of insulin-stimulated glucose disposal in patients with non-insulin-dependent diabetes mellitus. *Diabetes* 34:831-835.
233. Dall'Aglio, E., Chang, H., Hollenbeck, C.B., Mondon, C.E., Sims, C., and Reaven, G.M. (1985) *In vivo* and *in vitro* resistance to maximal insulin-stimulated glucose disposal in insulin deficiency. *Am. J. Physiol.* 249 (Endocrinol. Metab. 12):E312-E316.
234. Verschoor, L., Chen, Y-D.I., Reaven, E.P., and Reaven, G.M. (1985) Glucose and fructose feeding lead to alterations in structure and function of very low density lipoproteins. *Horm. Metab. Res.* 17:285-288.
235. Kashiwagi, A., Mott, D., Bogardus, C., Lillioja, S., Reaven, G.M. and Foley, J.E. (1985) The effects of short-term overfeeding on adipocyte metabolism in Pima Indians. *Metabolism* 34:364-370.
236. Coulston, A.M., Hollenbeck, C.B., Donner, C.C., Williams, R., Chiou, Y-A.M., and Reaven, G.M. (1985) Metabolic effects of added dietary sucrose in individuals with noninsulin-dependent diabetes mellitus (NIDDM). *Metabolism* 34:962-966.
237. Lucas, C.P., Estigarribia, J.A., Darga, L.L., and Reaven, G.M. (1985) Insulin and blood pressure in obesity. *Hypertension* 7:702-706.
238. Lardinois, C.K. Mazzaferri, E.L., Starich, G.H., Hollenbeck, C.B., and Reaven, G.M. (1985) Increased gastric inhibitory polypeptide is not reduced in patients with noninsulin-dependent diabetes mellitus treated with intense insulin therapy. *J. Clin. Endocrinol. Metab.* 61:1089-1092.
239. Fraze, E., Donner, C.C., Swislocki, A.L.M., Chiou. Y-A.M., Chen, Y-D.I., and Reaven, G.M. (1985) Ambient plasma free fatty acid concentrations in noninsulin-dependent diabetes mellitus: evidence for insulin resistance. *J. Clin. Endocrinol. Metab.* 61:807-811.

240. Foley, J.E., Chen, Y-D.I., Lardinois, C.K., Hollenbeck, C.B., Liu, G.C., and Reaven, G.M. (1985) Estimates of *in vivo* insulin action in humans: Comparison of the insulin clamp and the minimal model techniques. Horm. Metab. Res. 17:406-409.
241. Hollenbeck, C.B., Coulston, A.M., and Reaven, G.M. (1986) To what extent does increased dietary fiber improve glucose and lipid metabolism in patients with noninsulin-dependent diabetes mellitus (NIDDM)? Am. J. Clin. Nutr. 43:16-24.
242. Foley, J.E., Lillioja, S., Zawadzki, J., and Reaven, G. (1986) Comparison of glucose metabolism in adipocytes from Pima Indians and Caucasians. Metabolism 35:193-195.
243. Hollenbeck, C.B., Chen, Y-D.I., Greenfield, M.S., Lardinois, C.K., and Reaven, G.M. (1986) Reduced plasma high density lipoprotein-cholesterol concentrations need not increase when hyperglycemia is controlled with insulin in noninsulin-dependent diabetes mellitus. J. Clin. Endocrinol. Metab. 62:605-608.
244. Dall'Aglio, E., Reaven, G.M., and Azhar, S. (1986) Evidence that insulin deficiency in the rat has disparate effects on fructose 2,6-bisphosphate levels in muscle and liver. Endocrinology 118:108-111.
245. Rabkin, R., Reaven, G.M., and Mondon, C.E. (1986) Insulin metabolism by liver, muscle, and kidneys from spontaneously diabetic rats. Am. Physiol. Soc. 13:E530-E537.
246. Reaven, G.M., Chen, Y.-D.I., Moore, J.G., and Hollenbeck, C.B. (1986) Is the insulin resistance of patients with noninsulin-dependent diabetes mellitus secondary to insulin deficiency. Horm. Metab. Res. 18:244-246.
247. Golay, A., Chen, Y-D.I., and Reaven, G.M. (1986) Effect of differences in glucose tolerance on insulin's ability to regulate carbohydrate and free fatty acid metabolism in obese individuals. J. Clin. Endocrinol. Metab. 62:1081-1088.
248. Freedman, M.R., Stern J.S., Reaven, G.M. and Mondon, C.E. (1986) Effect of adrenalectomy on *in vivo* glucose metabolism in insulin resistant Zucker obese rats. Horm. Metab. Res. 18:296-298.
249. Golay A., Coulston A.M., Hollenbeck C.B., Kaiser, L.L., Wursch, P., and Reaven, G.M. (1986) Comparison of metabolic effects of white beans processed into two different physical forms. Diabetes Care. 9:260-266.
250. Hoffman, B.B., Chang, H., Dall'Aglio, E., and Reaven, G.M. (1986) Desensitization of adenosine receptor-mediated inhibition of lipolysis: The mechanism involves the development of enhanced cyclic adenosine monophosphate accumulation in tolerant adipocytes. J. Clin. Invest. 78:185-190.
251. Golay, A., Swislocki, A.L.M., Chen, Y-D.I., Jaspan, J.B., and Reaven, G.M. (1986) Effect of obesity on ambient plasma glucose free fatty acid, insulin, growth hormone, and glucagon concentrations. J. Clin. Endocrinol. Metab. 63:481-484.
252. Mondon, C.E., Sims, C., Dolkas, C.B., Reaven, E.P., and Reaven, G.M. (1986) The effect of exercise training on insulin resistance in sedentary year old rats. J. Gerontology 41:605-610.

253. Wu, M.S., Ho, L.T., Chen, J.J., Chen, Y.-D.I., and Reaven, G.M. (1986) Somatostatin potentiation of insulin-induced glucose uptake in normal individuals. *Am. J. Physiol.* 13: E674-E679.
254. Abbott, W.G.H., Thuillez, P., Howard, B.V., Bennett, P.H., Salans, L.B., Cushman, S.W., Reaven, G.M., and Foley, J.E. (1986) Body composition, adipocyte size, free fatty acid concentration, and glucose tolerance in children of diabetic pregnancies. *Diabetes* 35:1077-1080.
255. Hoffman, B.B., Dall'Aglio E., Hollenbeck, C., Chang, H., and Reaven, G.M. (1986) Suppression of free fatty acids and triglycerides in normal and hypertriglyceridemic rats by the adenosine receptor agonist phenylisopropyladenosine. *J. Pharmacol. & Exp. Therap.* 229 (3):715-718.
256. Fielding, C.J., Castro, G.R., Donner, C., Fielding, P.E., and Reaven, G.M. (1986) Distribution of apolipoprotein E in the plasma of insulin-dependent and noninsulin-dependent diabetics and its relation to cholesterol net transport. *J. Lipid Res.* 27:1052-1061.
257. Chen, Y-D.I., Golay, A., Swislocki, A.L.M., and Reaven, G.M. (1987) Resistance to insulin suppression of plasma free fatty acid concentrations and insulin stimulation of glucose uptake in noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 64:17-21.
258. Reaven, G.M., Chen, Y-D.I., Golay, A., Swislocki, A.L.M., and Jaspan, J.B. (1987) Documentation of hyperglucagonemia throughout the day in nonobese and obese patients with noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 64:106-110.
259. Dall'Aglio, E., Chang, H., Reaven, G.M., and Azhar, S. (1987) Age-related changes in rat muscle glycogen synthase activity. *J. Gerontology* 42:168-172.
260. Coulston, A.M., Hollenbeck, C.B., Swislocki, A.L.M., Chen, Y-D.I., and Reaven, G.M. (1987) deleterious metabolic effects of high-carbohydrate, sucrose-containing diets in patients with non-insulin-dependent diabetes mellitus. *Am. J. Med.* 82:213-220.
261. Golay, A., Zech, L., Shi, M-Z., Jeng, C-Y., Chiou, Y-A.M., Reaven, G.M., and Chen, Y-D.I. (1987) Role of insulin in regulation of high density lipoprotein metabolism. *J. Lipid Res.* 28:10-18.
262. Swislocki, A.L.M., Donner, C.C., Fraze, E., Chen, Y-D.I., and Reaven, G.M. (1987) Can insulin resistance exist as a primary defect in noninsulin-dependent diabetes mellitus? *J. Clin. Endocrinol. Metab.* 64:778-782.
263. Fraze, E., Chiou, M. Y-A., Chen, Y-DI., and Reaven, G.M. (1987) Age related changes in postprandial plasma glucose, insulin, and free fatty acid concentrations in nondiabetic individuals. *J. Am. Geriatr. Soc.* 35:224-228.
264. Hollenbeck, C. and Reaven, G.M. (1987) Variations in insulin-stimulated glucose uptake in healthy individuals with normal glucose tolerance. *J. Clin. Endocrinol. Metab.* 64:1169-1173.
265. Golay, A., Swislocki, A.L.M., Chen, Y-D I., and Reaven, G.M. (1987) Relationships between plasma-free fatty acid concentration, endogenous glucose production, and fasting hyperglycemia in normal and non-insulin-dependent diabetic individuals. *Metab* 36:692-696.

266. Hoffman, B.B., Chang, H., and Reaven, G.M. (1987) Stimulation and inhibition of lipolysis in isolated rat adipocytes: evidence for age-related changes in responses to forskolin and PGE1. *Horm Metabol. Res.* 19:358-360.
267. Fuh, M. M-T, Shieh, S-M, Wu, D-A, Chen, Y-D I., and Reaven, G.M. (1987) Abnormalities of carbohydrate and lipid metabolism in patients with hypertension. *Arch. Int. Med.* 147:1035-1038.
268. Golay, A., Zech, L., Shi, M.-Z., Chiou, Y.-A.M., Reaven, G.M., and Chen, Y.-D.I. (1987) High density lipoprotein (HDL) metabolism in noninsulin-dependent diabetes mellitus: measurement of HDL turnover using tritiated HDL. *J. Clin. Endocrinol. and Metab.* 65:512-518.
269. Coulston, A.M., Hollenbeck, C.B., Swislocki, A.L.M., and Reaven, G.M. (1987) Effect of source of dietary carbohydrate on plasma glucose and insulin responses to mixed meals in subjects with NIDDM. *Diabetes Care* 10:395-400.
270. Shieh, S.-M., Shen, M., Fuh, M.M.-T., Chen, Y.-D.I., and Reaven, G.M. (1987) Plasma lipid and lipoprotein concentrations in Chinese males with coronary artery disease, with and without hypertension. *Atherosclerosis* 67:49-55.
271. Swislocki, A.L.M., Chen, Y.-D.I., Golay, A., Chang, M.-O., and Reaven, G.M. (1987) Insulin suppression of plasma-free fatty acid concentration in normal individuals and patients with Type 2 (non-insulin-dependent) diabetes. *Diabetologia* 30:622-626.
272. Reaven, G.M. and Hoffman, B.B. (1987) A role for insulin in the etiology and course of hypertension? *The Lancet* 435-437.
273. Zavaroni, I., Dall'Aglio, E., Bonora, E., Alpi, O., Passeri, M., and Reaven, G.M. (1987) Evidence that multiple risk factors for coronary artery disease exist in persons with abnormal glucose tolerance. *Am J Med.* 83:609-612.
274. Rodnick, K.J., Haskell, W.L., Swislocki, A.L.M., Foley, J.E., and Reaven, G.M. (1987) Improved insulin action in muscle, liver, and adipose tissue in physically trained human subjects. *Am. J. Physiol.* 253:E489-495.
275. Hwang, I-S., Ho, H., Hoffman, B.B., and Reaven, G.M. (1987). Fructose-induced insulin resistance and hypertension in rats. *Hypertension* 10:512-516.
276. Hollenbeck, C.B. and Reaven, G.M. (1987) Treatment of patients with non-insulin-dependent diabetes mellitus: diabetic control and insulin secretion and action after different treatment modalities. *Diabetic Medicine* 4:311-316.
277. Reaven, E.P., Curry, D.L., and Reaven, G.M. (1987) Effect of age and sex on rat endocrine pancreas. *Diabetes* 36:1397-4000.
278. Reaven, G.M., Chang, H., Ho, H., Jeng, C.-Y., and Hoffman, B.B. (1988) Lowering of plasma glucose in diabetic rats by antilipolytic agents. *Am. J. Physiol.* 254:E23-E30.
279. Trischitta, V. and Reaven, G.M. (1988) Evidence of a defect in insulin-receptor recycling in adipocytes from older rats. *Am. J. Physiol.* 254:E39-E44.

280. Reaven, G.M., Chang, H., and Hoffman, B.B. (1988) Additive hypoglycemic effects of drugs that modify free-fatty acid metabolism by different mechanisms in rats with streptozocin-induced diabetes. *Diabetes* 37:28-32.
281. Shen, D-C, Shieh, S.-M., Fuh, M.-T., Wu, D.-A., Chen, Y.-D.I., and Reaven, G.M. (1988) Resistance to insulin-stimulated-glucose uptake in patients with hypertension. *J. Clin. Endocrinol. Metab.* 66:580-583.
282. Golay, A., Zech, L., Chiou, Y.-A.M., Reaven, G.M., and Chen, Y.-D.I. (1988) Effect of insulin deficiency on low density lipoprotein metabolism in rabbits. *Hormone Metab. Res.* 20:11-14.
283. Mondon, C.E. and Reaven, G.M. (1988) Evidence of abnormalities of insulin metabolism in rats with spontaneous hypertension. *Metabolism* 37:303-305.
284. Shen, D.C., Kuo, S.W., Shain, L.R., Fuh, M.T., Wu, D.A., Chen, Y.-D.I., and Reaven, G.M. (1988) Insulin secretion and insulin action in Taiwanese with type 2 diabetes. *Diabetes Res. and Clin. Pract.* 4:289-293.
285. Parillo, M., Coulston, A., Hollenbeck, C., and Reaven, G.M. (1988) Effect of a low fat diet on carbohydrate metabolism in patients with hypertension. *Hypertension* 11:244-248.
286. Hollenbeck, C.B., Coulston, A.M., and Reaven, G.M. (1988) Comparison of plasma glucose and insulin responses to mixed meals of high-, intermediate-, and low-glycemic potential. *Diabetes Care* 11:323-329.
287. Dall'Aglio, E., Strata, A., and Reaven, G.M. (1988) Abnormal lipid metabolism in treated hypertensive patients with non-insulin-dependent diabetes mellitus. *Am. J. Med.* 84:899-903.
288. Chen, Y.-D.I., Jeng, C.-Y., Hollenbeck, C.B., Wu, M.-S., and Reaven, G.M. (1988) Relationship between plasma glucose and insulin concentration, glucose production, and glucose disposal in normal subjects and patients with non-insulin-dependent diabetes. *J. Clin. Invest.* 82:21-25.
289. Reaven, G.M., Ho, H., and Hoffman, B.B. (1988) Attenuation of fructose-induced hypertension in rats by exercise training. *Hypertension* 12:129-132.
290. Reaven, G.M., Hollenbeck, C.B., Jeng, C.-Y., Wu, M.S., and Chen, Y.-D.I. (1988) Measurement of plasma glucose, free fatty acid, lactate, and insulin for 24 h in patients with NIDDM. *Diabetes* 37:1020-1024.
291. Mondon, C.E., Reaven, G.M., Ling, N., Lewis, U.J., and Frigeri, L.G. (1988) Amino-terminal peptide of growth hormone enhances insulin action in normal rats. *Endocrinology* 123:827-833.
292. Chen, Y.-D.I., Swislocki, A.L.M., Jeng, C-Y., Juang, J-H, and Reaven, G.M. (1988) Effect of time on measurement of hepatic glucose production. *J. Clin Endocrinology Metab.* 67:1084-1088.
293. Azhar, S., Ho, H., Reaven, E., and Reaven, G.M. (1988) Evidence for age-related changes in pyridine nucleotide of isolated rat islets. *Horm. Metab. Res.* 20:559-561.

294. Reaven, G.M., Swislocki, A.L.M., Jeng, C.Y., Hollenbeck, C.B., Schwartz, K., and Chen, Y.-D.I. (1988) Effect of enprostil on plasma glucose, insulin and lipid metabolism in patients with non-insulin-dependent diabetes mellitus. *Horm. Metab. Res.* 20:633-636.
295. Reaven, G.M. (1988) Role of insulin resistance in human disease. *Diabetes* 37:1595-1607.
296. Reaven, G.M. and Chen, Y-D.I. (1988) Role of abnormal free fatty acid metabolism in the development of non-insulin-dependent diabetes mellitus. *Am. J. Med.* 85:106-112.
297. Santos, R. F., Azhar, S., Mondon, C., Reaven, E., and Reaven, G.M. (1989) Prevention of insulin resistance by environmental manipulation as young rats mature. *Horm. Metab. Res.* 21:55-58
298. Zavaroni, I., Bonora, E., Pagliara, M., Dall'Aglio, E., Luchetti, L., Buonanno, G., Bonati, P.A., Bergonzani, M., Gnudi, L., Passeri, M., and Reaven, G.M. (1989) Risk factors for coronary artery disease in healthy persons with hyperinsulinemia and normal glucose tolerance. *N. Engl. J. Med.* 320:702-706.
299. Wang, J.T., Ho, L.T., Tang, K.T., Wang, L.M., Chen, Y-D.I., and Reaven, G.M. (1989) Effect of habitual physical activity on age-related glucose intolerance. *J. Am. Geriatr. Soc.* 37:203-209.
300. Coulston, A.M., Hollenbeck, C.B., Swislocki, A.L.M., and Reaven, G.M. (1989) Persistence of hypertriglyceridemic effect of low-fat high-carbohydrate diets in NIDDM patients. *Diabetes Care* 12:94-101.
301. Reaven, G.M., Hollenbeck, C.B., and Chen, Y-D.I. (1989) Relationship between glucose tolerance, insulin secretion, and insulin action in non-obese individuals with varying degrees of glucose tolerance. *Diabetologia* 32:52-55.
302. Santos, R.F., Mondon, C.E., Reaven, G.M., and Azhar, S. (1989) Effects of exercise training on the relationship between insulin binding and insulin-stimulated tyrosine kinase activity in rat skeletal muscle. *Metabolism* 38:376-386.
303. Rodnick, K.J., Reaven, G.M., Haskell, W.L., Sims, C.R., and Mondon, C.E. (1989) Variations in running activity and enzymatic adaptations in voluntary running rats. *J. Appl. Physiol.* 66:1250-1257.
304. Reaven, G.M., Fraze, E., Chen, N.Y., Hollenbeck, C.B., and Chen, Y-D.I. (1989) The combined use of insulin and sulfonylurea therapy in patients with non-insulin dependent diabetes mellitus. *Horm. Metab. Res.* 21:132-136.
305. Swislocki, A.L.M., Hoffman, B.B., Sheu, W.H.-H., Chen, Y.-D.I., and Reaven, G.M. (1989) Effect of prazosin treatment on carbohydrate and lipoprotein metabolism in patients with hypertension. *Am. J. Med.* 86(Suppl.1B):14-18.
306. Hoffman, B.B., Prokocimer, P., Thomas, J.M., Vagelos, R. Chang, H., and Reaven, G.M. (1989) Cellular tolerance to adenosine receptor-mediated inhibition of lipolysis: altered adenosine 3', 5'-monophosphate metabolism and protein kinase activation. *Endocrinology* 124:2434-2442.
307. Reaven, G.M., Chang, H., and Hoffman, B.B. (1989) Impaired insulin-mediated inhibition of lipolysis and glucose transport with aging. *Horm. Metab. Res.* 21:168-171.

308. Jeng, C.-Y., Hollenbeck, C.B., Wu, M.-S., Chen, Y.-D.I., and Reaven, G.M. (1989) How does glibenclamide lower plasma glucose concentration in patients with type 2 diabetes? *Diabetic Medicine* 6:303-308.
309. Swislocki, A.L.M., Hoffman, B.B., and Reaven, G.M. (1989) Insulin resistance, glucose intolerance and hyperinsulinemia in patients with hypertension. *Am. J. Hypertens.* 2:419-423.
310. Hwang, I.-S., Huang, W.-C., Wu, J.-N., Shian, L.R., and Reaven, G.M. (1989) Effect of fructose-induced hypertension on the renin-angiotensin-aldosterone system and atrial natriuretic factor. *Am. J. Hypertens.* 2:424-427.
311. Reaven, G.M., Chen, N., Hollenbeck, C., and Chen, Y.-D.I. (1989) Effect of age on glucose tolerance and glucose uptake in healthy individuals. *Am. Geriatr. Soc.* 37:735-740.
312. Reaven, G.M., Ho, H., and Hoffman, B.B. (1989) Somatostatin inhibition of fructose-induced hypertension. *Hypertension* 14:117-120.
313. Laws, A., Stefanick, M.L., and Reaven, G.M. (1989) Insulin resistance and hypertriglyceridemia in nondiabetic relatives of patients with noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 69:343-347.
314. Reaven, G.M., Chang, H., Hoffman, B.B., and Azhar, S. (1989) Resistance to insulin-stimulated glucose uptake in adipocytes isolated from spontaneously hypertensive rats. *Diabetes* 38:1155-1160.
315. Mondon, C.E., Reaven, G.M. Azhar, S., Lee, C.M., and Rabkin, R. (1989) Abnormal insulin metabolism by specific organs from rats with spontaneous hypertension. *Am. J. Physiol.* 257 (Endocrinol. Metab. 20):E491-E498.
316. Zavaroni, I., Bonati, P.A., Luchetti, L., Bonora, E., Buonanno, G., Bergonzani, M., Pagliara, M .Gnudi, L., Butturini, L., Passeri, M., and Reaven, G.M. (1989) Habitual leisure-time physical activity is associated with differences in various risk factors for coronary artery disease. *J. Int. Med.* 226:417-421.
317. Ho LT, Chang ZY, Wang JT, Li SH, Lie YF, Chen Y-DI, Reaven GM. (1989) Insulin insensitivity in offspring of parents with type 2 diabetes. *Diabetic Medicine* 7:31-34.
318. Wu, M.-S., Johnston, P., Sheu, W.H.-H., Hollenbeck, C.B., Jeng, C.-Y., Goldfine, I.D., Chen, Y.-D.I., and Reaven, G.M. (1990) Effect of metformin on carbohydrate and lipoprotein metabolism in NIDDM patients. *Diabetes Care* 13:1-8.
319. Reaven, G.M., Thompson, L.W., Nahum, D., and Haskins, E. (1990) Relationship between hyperglycemia and cognitive function in older NIDDM patients. *Diabetes Care* 13:16-21.
320. Coulston, A.M., Mandelbaum, D., and Reaven, G.M. (1990) Dietary management of nursing home residents with non-insulin-dependent diabetes mellitus. *Am. J. Clin. Nutr.* 51:67-71.
321. Wu, M.S., Jeng, C.Y., Hollenbeck, C.B., Chen, Y.-D.I., Jaspan, J., and Reaven, G.M. (1990) Does glucagon increase plasma free fatty acid concentration in humans with normal glucose tolerance? *J. Clin. Endocrinol. Metab.* 70:410-416.

322. Rodnick, K.J., Mondon, C.E., Haskell, W.L., Azhar, S., and Reaven, G.M. (1990) Differences in insulin-induced glucose uptake and enzyme activity in running rats. *J. Appl. Physiol.* 68:513-519.
323. Kjaer, M., Hollenbeck, C.B., Frey-Hewitt, B., Galbo, H., Haskell, W., and Reaven, G.M. (1990) Glucoregulation and hormonal responses to maximal exercise in non-insulin-dependent diabetes. *J. Appl. Physiol.* 68: 2067-2074.
324. Fuh, M.M.-T., Lee C.-M., Jeng, C.-Y., Shen, D.-C., Shieh, S.-M., Reaven, G.M., and Chen, Y.-D.I. (1990) Effect of chronic renal failure on high-density lipoprotein kinetics. *Kidney International* 37:1295-1300.
325. Fuh, M.M.-T., Sheu, W.H.-H., Shen, D.C., Wu, D.A., Chen, Y.-D.I., and Reaven, G.M. (1990) Metabolic effects of diuretic and  $\beta$ -blocker treatment of hypertension in patients with non-insulin-dependent diabetes mellitus. *Am. J. Hypertens.* 3:387-390.
326. Sheu, W.H.-H., Hollenbeck, C.B., Wu, M.-S., Jaspan, J.B., Chen, Y.-D.I., and Reaven, G.M. (1990) Effect of difference in glucose infusion rate on quantification of hepatic glucose production. *J. Clin. Endocrinol. Metab.* 70:1354-1360.
327. Zavaroni, I., Mazza, S., Luchetti, L., Buonanno, G., Bonati, P.A., Bergonzani, M., Passeri, M., and Reaven, G.M. (1990) High plasma insulin and triglyceride concentrations and blood pressure in offspring of people with impaired glucose tolerance. *Diabetic Medicine* 7:494-498.
328. Stagsted, J, Reaven, G.M., Hansen, T., Goldstein, A., and Olsson L. (1990) Regulation of insulin receptor functions by a peptide derived from a major histocompatibility complex class I antigen. *Cell* 62:297-307.
329. Fuh, M.M.-T., Lee, M.M.-S., Jeng, C.-Y., Ma, F., Chen, Y.-D.I., and Reaven, G.M. (1990) Effect of low fat-high carbohydrate diets in hypertensive patients with non-insulin-dependent diabetes mellitus. *Am. J. Hypertens.* 3:527-532.
330. Reaven, G.M., Lardinois, C.K., Greenfield, M.S., Schwartz, H.C., and Vreman, H.J. (1990) Effect of acarbose on carbohydrate and lipid metabolism in NIDDM patients poorly controlled by sulfonylureas. *Diabetes Care* 13(Suppl. 3):32-36.
331. Reaven, G.M., Ho, H., and Hoffman, B.B. (1990) Effects of a fructose-enriched diet on plasma insulin and triglyceride concentration in SHR and WKY rats. *Horm. Metab. Res.* 22:363-365.
332. Sheu, W.H.-H., Swislocki, A.L.M., Hoffman, B.B., Reaven, G.M., and Chen, Y.-D.I. (1990) Effect of prazosin treatment on HDL kinetics in patients with hypertension. *Am. J. Hypertens.* 3:761-768.
333. Golay, A., Chen, N., Chen, Y.-D. I., Hollenbeck, C., and Reaven, G.M. (1990) Effect of central obesity on regulation of carbohydrate metabolism in obese patients with varying degrees of glucose tolerance. *J. Clin. Endocrinol. Metab.* 71:1299-1304.
334. Shieh, S.-M., Fuh, M.M.-T., Shen, D.-C., Chen, Y.-D.I., Reaven, G.M. (1990) Coronary artery disease in Chinese males without hypercholesterolaemia. *J. Int. Medicine* 228:471-475.

335. Rodnick, K.J., Reaven, G.M., Azhar, S., Goodman, M.N., Mondon, C.E. (1990) Effects of insulin on carbohydrate and protein metabolism in voluntary running rats. *Am. J. Physiol.* 259:E706-E714.
336. Johnston, P., Hollenbeck, C. Sheu, W., Chen, Y.-D.I., Reaven, G.M. (1990) Acute changes in plasma non-esterified fatty acid concentration do not change hepatic glucose production in people with Type 2 diabetes. *Diabetic Medicine* 7:871-875.
337. Jeng, C.-Y., Hollenbeck, M.S., Foley, J.E., Chen, Y.-D.I., Reaven, G.M. (1991) Changes in carbohydrate metabolism in association with glipizide treatment of Type 2 diabetes. *Diabetic Medicine* 8:32-39.
338. Reaven, G.M., Ho, H., Chang, H. (1991) Hypertriglyceridemia in Dahl rats: effect of sodium intake and gender. *Horm. Metab. Res.* 23:44-45.
339. Reaven, G.M., Chang, H. (1991) Relationship between blood pressure, plasma insulin and triglyceride concentration, and insulin action in spontaneous hypertensive and Wistar-Kyoto Rats. *Am. J. Hypertens.* 4:34-38.
340. Sbraccia, P., Goodman, P.A., Maddux, B.A., Wong, K.Y., Chen, Y.-D.I., Reaven, G.M., Goldfine, I.D. (1991) Production of inhibitor of insulin-receptor tyrosine kinase in fibroblasts from patient with insulin resistance and NIDDM. *Diabetes* 40:295-299.
341. Pontremoli, R., Zavaroni, I., Mazza, S., Battezzati, M., Massarino, F., Tixianello, A., Reaven, G.M. (1991) Changes in blood pressure, plasma triglyceride and aldosterone concentration, and red cell cation concentration in patients with hyperinsulinemia. *Am. J. Hypertens.* 4:159-163.
342. Azhar, S., Butte, J.C., Santos, R.F., Mondon, C.E., Reaven, G.M. (1991) Characterization of insulin receptor kinase activity and autophosphorylation in different skeletal muscle types. *Am. J. Physiol.* 260 (Endocrinol. Metab. 23):E1-E7.
343. Chen, Y.-D.I., Sheu, W.H.-H., Swislocki, A.L.M., Reaven, G.M. (1991) High density lipoprotein turnover in patients with hypertension. *Hypertension* 17:386-393.
344. Reaven, G.M., Ho, H. (1991) Low-dose streptozotocin-induced diabetes in the spontaneously hypertensive rat. *Metabolism* 40:335-337.
345. Sheu, W.H.-H., Swislocki, A.L.M., Hoffman, B., Reaven, G.M., Chen, Y.-D.I. (1991) Comparison of the effects of atenolol and nifedipine on glucose, insulin, and lipid metabolism in patients with hypertension. *Am. J. Hypertens.* 4:199-205.
346. Skowronski R., Hollenbeck, C.B., Varasteh, B.B., Chen, Y.-D.I., Reaven, G.M. (1991) Regulation of non-esterified fatty acid and glycerol concentration by insulin in normal individuals and patients with Type 2 diabetes. *Diabetic Medicine* 8:330-333.
347. Reaven, G.M., Ho, H. (1991) Sugar-induced hypertension in Sprague-Dawley rats. *Am. J. Hypertens.* 4:610-614.
348. Twersky, J., Hoffman, B.B., Reaven, G.M. (1991) Age-associated differences in beta adrenergic-stimulated lipolysis in adipocytes from Sprague-Dawley and Fischer 344 rats. *J. Gerontology* 46: B125-129.

349. Dall'Aglio, E., Tosini, P., Ferrari, P., Zavaroni, I., Passeri, M., Reaven, G.M. (1991) Abnormalities of insulin and lipid metabolism in Milan hypertensive rats. *Am. J. Hypertens.* 4: 773-775.
350. Shen, D.-C., Fuh, M.M.T., Shieh, S.-M., Chen, Y.-D.I., Reaven, G.M. (1991) Effect of gemfibrozil treatment in sulfonylurea-treated patients with noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 73:503-510.
351. Zavaroni I., Battezzati M., Gasparini P., Colombi A., Speroni G., Bacchini E., Passeri M., Reaven, G.M. (1991) Changes in carbohydrate and lipoprotein metabolism with ingestion of low fat, high carbohydrate diets in patients with impaired glucose tolerance. *Nutr., Metab., & Cardiovasc. Dis.* 1:87-90.
352. Hollenbeck, C.B., Johnston, P., Varasteh, B.B., Chen, Y.-D.I., Reaven, G.M. (1991) Effects of metformin on glucose insulin and lipid metabolism in patients with mild hypertryglyceridaemia and non-insulin dependent diabetes by glucose tolerance test criteria. *Diabete & Metabolisme* 17:483-489.
353. Laws, A., King, A.C., Haskell, W., Reaven, G.M. (1991) Relation of fasting plasma insulin concentration to high density lipoprotein cholesterol and triglyceride concentrations in men. *Arteriosclerosis and Thrombosis* 11:1636-1642.
354. Facchini, F., Chen, Y.D.-I., Hollenbeck, C., Reaven, G.M. (1991) Relationship between resistance to insulin-mediated glucose uptake, urinary uric acid clearance, and plasma uric acid concentration. *JAMA* 266:3008-3011.
355. Sztalryd, C., Azhar, S., Reaven, G.M. (1991) Differences in insulin action as a function of original anatomical site of newly differentiated adipocytes obtained in primary culture. *J. Clin. Invest.* 88: 1629-1635.
356. Santos, R.F., Sztalryd, C., Reaven, G.M. (1991) Effect of anatomical site on insulin action and insulin receptor phosphorylation in isolated rat adipocytes. *Int. J. Obesity* 15: 755-762.
357. Reaven, G.M., Twersky, J., Chang, H. (1991) Abnormalities of carbohydrate and lipid metabolism in Dahl rats. *Hypertension* 18:630-635.
358. Mondon, C.E., Rodnick, K.J., Dolkas, C.B., Azhar, S., Reaven, G.M. (1992) Alterations in glucose and protein metabolism in animals subjected to simulated microgravity. *Adv. Space Res* 12:169-177.
359. Mondon, C.E., Jones, I.R., Azhar, S., Hollenbeck, C.B., Reaven, G.M. (1992) Lactate production and pyruvate dehydrogenase activity in fat and skeletal muscle from diabetic rats. *Diabetes* 41:1547-1554.
360. Laws, A., Reaven, G.M. (1992) Evidence for an independent relationship between insulin resistance and fasting plasma HDL-cholesterol, triglyceride and insulin concentrations. *J. Int. Med.* 231:25-30.
361. Chen, Y.-D. I., Skowronski, R., Coulston, A.M., Pietarinen, J., Hollenbeck, C.B., Reaven, G.M.. (1992) Effect of acute variations in dietary fat and carbohydrate intake on retinyl ester content of intestinally derived lipoproteins. *J. Clin. Endocrinol. Metab.* 74: 28-32.

362. Reaven, G.M., Ho, H. (1992) Renal vascular hypertension does not lead to hyperinsulinemia in Sprague-Dawley rats. *Am. J. Hypertens.* 5: 314-317.
363. Facchini, F.S., Hollenbeck, C.B., Jeppesen, J., Chen Y.-D. I., Reaven, G.M. (1992) Insulin resistance and cigarette smoking. *Lancet* 339:1128-1130.
364. Zavaroni I. Mazza S, Dall'Aglio E. Gasparini P, Passeri M, Reaven GM. (1992) Prevalence of hyperinsulinaemia in patients with high blood pressure. *J Int Med* 231:1128-1130.
365. Reaven, G.M., Johnston, P., Hollenbeck, C.B., Skowronski, R., Zhang, J.-C., Goldfine, I.D., Chen, Y.-D. I. (1992) Combined metformin-sulfonylurea treatment of patients with non-insulin-dependent diabetes in fair to poor glycemic control. *J. Clin. Endocrinol. Metab.* 74:1020-1026.
366. Sheu W-H, Jeng C-Y, Shieh S-M, Fuh MM-T, Shen DD, Chen YD-I Reaven GM. (1992) Insulin resistance and abnormal electrocardiograms in patients with high blood pressure. *Am J Hypertens.* 5:444-448.
367. Shieh, S.-M., Sheu, W.H.-H., Shen, D.D.-C., Fuh, M.M.-T., Jeng, C.-Y., Jeng, J.R., Chen, Y.-D.I., Reaven, G.M. (1992) Improvement in metabolic risk factors for coronary heart disease associated with cilazapril treatment. *Am. J. Hypertens.* 5:506-510.
368. Facchini, F., Chen, Y.-D.I., Clinkingbeard, C., Jeppesen, J., Reaven, G.M. (1992) Insulin resistance, hyperinsulinemia, and dyslipidemia in nonobese individuals with a family history of hypertension. *Am. J. Hypertens.* 5:694-699.
369. Facchini, F., Hollenbeck, C.B., Chen, Y.N., Chen, Y-D.I., Reaven, G.M. (1992) Demonstration of a relationship between white blood cell count, insulin resistance, and several risk factors for coronary heart disease in women. *J. Int. Med.* 232:267-272.
370. Shieh, S.-M., Sheu, W.H.-H., Shen, M.M.-T., Chen, Y.-D.I., Reaven, G.M. (1992) Glucose, insulin, and lipid metabolism in doxazosin-treated patients with hypertension. *Am. J. Hypertens.* 5:827-831.
371. Landau, C., Chen, Y.-D. I., Skowronski, R., Hollenbeck, C.B., Jaspan, J.B., Reaven, G.M. (1992) Effect of nicotinic acid on plasma glucose concentration in normal individuals. *Hormone Metab. Res.* 24:424-428.
372. Swislocki, A.L.M., Vestal, R.E., Reaven, G.M., Hoffman, B.B. (1993) Acute metabolic effects of clonidine and adenosine in man. *Horm. Metab. Res.* 25:68-73.
373. Reaven, G.M., Chen, Y.-D.I., Hollenbeck, C.B., Sheu, W.H.H., Ostrega, D., Polonsky, K.S. (1993) Plasma insulin, C-peptide, and proinsulin concentrations in obese and nonobese individuals with varying degrees of glucose tolerance. *J. Clin. Endocrinol. Metab.* 76:44-48.
374. Chen, Y.-D. I., Swami,S., Skowronski, R., Coulston, A., Reaven, G.M. (1993) Differences in postprandial lipemia between patients with normal glucose tolerance and noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 76:172-177.
375. Chen, Y.-D. I., Swami, S., Skowronski, R., Coulston, A.M., Reaven, G.M. (1993) Effect of variations in dietary fat and carbohydrate intake on postprandial lipemia in patients with noninsulin dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 76:347-351.

376. Sheu, W.H.-H., Shieh, S.-M., Fuh, M.M.-T., Shen, D.D.-C., Jeng, C.-Y., Chen, Y.-D. I., Reaven, G.M. (1993) Insulin resistance, glucose intolerance, and hyperinsulinemia. Hypertriglyceridemia versus hypercholesterolemia. *Arterio. and Thromb.* 13:367-370.
377. Mondon, C.E., Plato, P.A., Dall'Aglio, E., Sztalryd, C., Reaven, G.M. (1993) Mechanism of hypertriglyceridemia in Dahl rats. *Hypertension* 21:373-379.
378. Reaven, G.M., Chen, Y.-D.I., Jeppesen, J., Maheux, P., Krauss, R.M. (1993) Insulin resistance and hyperinsulinemia in individuals with small, dense, low density lipoprotein particles. *J. Clin. Invest.* 92:141-146.
379. McKeigue, P.M., Laws, A., Chen, Y.D., Marmot, M.G., Reaven, G.M. (1993) Relation of plasma triglyceride and ApoB levels to insulin-mediated suppression of nonesterified fatty acids. Possible explanation for sex differences in lipoprotein pattern. *Arterio.Thromb.* 13:1187-1192.
380. Young, M.H., Jeng, C.-Y., Sheu, W.H.-H., Shieh, S.-M., Fuh, M.M.-T., Chen, Y.-D.I., Reaven, G.M. (1993) Insulin resistance, glucose intolerance, hyperinsulinemia and dyslipidemia in patients with angiographically demonstrated coronary artery disease. *Amer. J. Cardiology* 72:458-460.
381. Jeng, C.-Y., Sheu, W.H.-H., Jaspan, J.B., Polonsky, K.S., Chen, Y.-D.I., Reaven, G.M. (1993) Glucagon does not increase plasma free fatty acid and glycerol concentrations in patients with noninsulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.* 77:6-10.
382. Reaven, G.M., Brand, R.J., Chen, Y.-D.I., Mathur, A.K., Goldfine, I. (1993) Insulin resistance and insulin secretion are determinants of oral glucose tolerance in normal individuals. *Diabetes* 42:1324-1332.
383. Fuh, M.M.-T., Jeng, C.-Y., Young, M.M.-S., Sheu, W.H.-H., Chen, Y.-D.I., Reaven, G.M. (1993) Insulin resistance, glucose intolerance, and hyperinsulinemia in patients with microvascular angina. *Metabolism* 42:1090-1092.
384. Zavaroni, I., Mazza, S., Fantuzzi, M., Dall'Aglio, E., Bonora, E., Delsignore, R., Passeri, M., Reaven, G.M. (1993) Changes in insulin and lipid metabolism in males with asymptomatic hyperuricaemia. *J. Int. Med.* 234:25-30.
385. Reed, M.J., Reaven, G.M., Mondon, C.E., Azhar, S. (1993) Why does insulin resistance develop during maturation? *J. Gerontology* 48:B139-B144.
386. Warden, C.H., Daluiski, A., Bu ,X., Purcell-Huynh, D.A., DeMeester, C., Shieh, B.-H., Puppione, D.L., Gray, R.M., Reaven, G.M., Chen, Y.-D.I., Rotter, J.I., Lusis, A.J. (1993) Evidence for linkage of the apolipoprotein A-II locus to plasma apolipoprotein A-II and free fatty acid levels in mice and humans. *Proc. Natl. Acad. Sci. USA* 90:10886-10890.
387. Laws, A., King, A.C., Haskell, W.L., Reaven, G.M. (1993) Metabolic and behavioral covariates of high-density lipoprotein cholesterol and triglyceride concentrations in postmenopausal women. *J. Am. Geriatr. Soc.* 41:1289-1294.
388. Gradman, T.J., Laws, A., Thompson, L.W., Reaven, G.M. (1993) Verbal learning and/or memory improves with glycemic control in older subjects with non-insulin-dependent diabetes mellitus. *J. Am. Geriatr. Soc.* 41:1305-1312.

389. Chen, Y.-D.I., Varasteh, B.B., Reaven, G.M. (1993) Plasma lactate concentration in obesity and type 2 diabetes. *Diabete Metab.*, 19:348-354.
390. Sheu, W.H.-H., Shieh, S.-M., Shen, D.D.-C., Fuh, M.M.-T., Jeng, C.-Y., Chen, Y.-D.I., Reaven, G.M. (1994) Effect of pravastatin treatment on glucose, insulin, and lipoprotein metabolism in patients with hypercholesterolemia. *Am. Heart J.* 127:331-336.
391. Facchini, F., Chen, Y.-D.I., Reaven, G.M. (1994) Light-to-moderate alcohol intake is associated with enhanced insulin sensitivity. *Diabetes Care* 17:115-119.
392. Zavaroni, I., Bonini, L., Fantuzzi, M., Dall'Aglio, E., Passeri, M., Reaven, G.M. (1994) Hyperinsulinaemia, obesity, and syndrome X. *J. Int. Med.* 235:51-56.
393. Garg, A., Bantle, J.P., Henry, R.R., Coulston, A.M., Griver, K.A., Raatz, S.K., Brinkley, L., Chen, Y.-D.I., Grundy, S.M., Huet, B.A., Reaven, G.M. (1994) Effects of varying carbohydrate content of diet in patients with non-insulin-dependent diabetes mellitus. *JAMA* 271:1421-1428.
394. Zavaroni, I., Bonini, L., Gasparini, P., Dall'Aglio, E., Passeri, M., Reaven, G.M. (1994) Cigarette smokers are relatively glucose intolerant, hyperinsulinemic and dyslipidemic. *Am. J. Cardiol.* 73:904-905.
395. Reaven, G.M., Mondon, C.E., Chen, Y.-D.I., Breslow, J.L. (1994) Hypertriglyceridemic mice transgenic for the human apolipoprotein C-III gene are neither insulin resistant nor hyperinsulinemic. *J. Lipid Res.* 35:820-824.
396. Maheux, P., Facchini, F., Jeppesen, J., Greenfield, M.S., Clinkingbeard, C., Chen, Y.-D.I., Reaven, G.M. (1994) Changes in glucose, insulin, lipid, lipoprotein, and apoprotein concentrations and insulin action in doxazosin-treated patients with hypertension. *Am. J. Hypertens.* 7:416-424.
397. Reed, M.J., Ho, H., Donnelly, R., Reaven, G.M. (1994) Salt-sensitive and carbohydrate-sensitive rodent hypertension: evidence of strain differences. *Blood Pressure* 3:197-201.
398. Reaven, G.M., Brand, R.J., Chen, Y.-D.I., Mathur, A.K., Goldfine, I. (1993) Insulin resistance and insulin secretion are determinants of oral glucose tolerance in normal individuals. *Diabetes* 42:1324-1332.
399. Kemna, M.S., Valentine, H.A., Hunt, S.A., Schroeder, J.S., Chen, Y.-D.I., Reaven, G.M. (1994) Metabolic risk factors for atherosclerosis in heart transplant recipients. *Am. Heart J.* 128:68-72.
400. Pei, D., Jones, C.N.O., Bhargava, R., Chen, Y.-D.I., Reaven, G.M. (1994) Evaluation of octreotide to assess insulin-mediated glucose disposal by the insulin suppression test. *Diabetologia* 37:843-845.
401. Jeppesen, J., Zhou, M.-Y., Chen, Y.-D.I., Reaven, G.M. (1994) Effect of glipizide treatment on postprandial lipaemia in patients with NIDDM. *Diabetologia* 37:781-787.
402. Donnelly, R., Plato, P.A., Chang, H., Reaven, G.M. (1994) Effects of gemfibrozil on triglyceride metabolism in Dahl salt-sensitive rats. *J. Pharmacol. Exper. Therap.* 270:809-813.

403. Jeppesen, J., Zhou, M.-Y., Chen, Y.-D.I., Reaven, G.M. (1994) Effect of metformin on postprandial lipemia in patients with fairly to poorly controlled NIDDM. *Diabetes Care* 17:1093-1099.
404. Jeng, C.-Y., Fuh, M.M.-T., Sheu, W.H.-H., Chen, Y.-D.I., Reaven, G.M. (1994) Hormone and substrate modulation of plasma triglyceride concentration in primary hypertriglyceridaemia. *Endocrinol. Metab.* 1:15-21.
405. Plato, P., Mondon, C.E., Reaven, G.M. (1994) Nutritional status modifies insulin-mediated glucose uptake in spontaneously hypertensive rats. *Blood Pressure* 3:336-339.
406. Maheux, P., Jeppesen, J., Sheu, W.H.-H., Hollenbeck, C.B., Clinkingbeard, C., Greenfield, M.S., Chen, Y.-D.I., Reaven, G.M. (1994) Additive effects of obesity, hypertension, and Type 2 diabetes on insulin resistance. *Hypertension* 24:695-698.
407. Jeng, C.-Y., Sheu, W.H.-H., Fuh, M.M.-T., Chen, Y.-D.I., Reaven, G.M. (1994) Relationship between hepatic glucose production and fasting plasma glucose concentration in patients with NIDDM. *Diabetes* 43:1440-1444.
408. Donnelly, R., Reed, M.J., Azhar, S., Reaven, G.M. (1994) Expression of the major isoenzyme of protein kinase-C in skeletal muscle, nPKC $\theta$ , varies with muscle type and in response to fructose-induced insulin resistance. *Endocrinology* 135:2369-2374.
409. Chen, Y.-D.I., Facchini, F., Landau, C., Hollenbeck, C.B., Reaven, G.M. (1994) Plasma post-heparin lipoprotein lipase activity is decreased in normal individuals who are resistant to insulin-mediated glucose uptake. *Endocrinol. Metab.* 1:153-158.
410. Laws A, Jeppesen JL, Maheux PC, Schaaf P, Chen YD-, Reaven GM (1994). Resistance to insulin-stimulated glucose uptake and dyslipidemia in Asian Indians. *Arterioscler Thromb* 14:917-912.
411. Donnelly, R., Chang, H., Azhar, S., Reaven, G.M. (1995) Tissue-dependent activation of protein kinase C in fructose-induced insulin resistance. *Endocrinology* 3:129-133.
412. Donnelly, R., Ho, H., Reaven, G.M. (1995) Effects of low sodium diet and unilateral nephrectomy on the development of carbohydrate-induced hypertension. *Blood Pressure* 4:164-169.
413. Maddux, B.A., Sbraccia, P., Kumakura, S., Sasson, S., Youngren, J., Fisher, A., Spencer, S., Grupe, A., Henzel, W., Stewart, T.A., Reaven, G.M., Goldfine, I.D. (1995) Membrane glycoprotein PC-1 and insulin resistance in non-insulin-dependent diabetes mellitus. *Nature* 373:448-451.
414. Jeppesen, J., Hollenbeck, C.B., Zhou, M.-Y., Coulston, A.M., Jones, C., Chen, Y.-D.I., Reaven, G.M. (1995) Relation between insulin resistance, hyperinsulinemia, postheparin plasma lipoprotein lipase activity, and postprandial lipemia. *Arterioscler. Thromb. Vasc. Biol.* 15:320-324.
415. Chen, Y.-D.I., Coulston, A.M., Zhou, M.-Y., Hollenbeck, C.B., Reaven, G.M. (1995) Why do low-fat high-carbohydrate diets accentuate postprandial lipemia in patients with NIDDM? *Diabetes Care* 18:10-16.

- 416 Jeppesen, J., Chen, Y.-D.I., Zhou, M.-Y., Schaaf, P., Coulston, A., Reaven, G.M. (1995) Postprandial triglyceride and retinyl ester responses to oral fat: effects of fructose. Am. J. Clin. Nutr. 61:787-791.
417. Reaven, G.M., Clinkingbeard, C., Jeppesen, J., Maheux, P., Pei, D., Foote, J., Hollenbeck, C.B., Chen, Y-D.I. (1995) Comparison of the hemodynamic and metabolic effects of low-dose hydrochlorothiazide and lisinopril treatment in obese patients with high blood pressure. Am J Hypertens 8:461-466.
- 418 Dall'Aglio, E., Tosini, P., Zavaroni, I., Olivetti, G., Reaven, G.M. (1995) Comparison of the metabolic changes in rats with hypertension secondary to fructose feeding or renal artery stenosis. Am. J. Hypertens 8:524-527.
- 419 Fuh, M.M.-T., Yin, C.-S., Pei, D., Sheu, W.H.-H., Jeng, C.-Y., Chen, Y.-D.I., Reaven, G.M. (1995) Resistance to insulin-mediated glucose uptake and hyperinsulinemia in women who had preeclampsia during pregnancy. Am J Hypertens 8:768-771.
420. Zavaroni, I., Coruzzi, P., Bonini, L., Mossini, G.L., Musiari, L., Gasparini, P., Fantuzzi, M., Reaven, G.M. (1995) Association between salt sensitivity and insulin concentrations in patients with hypertension. Am. J. Hypertens. 8:855-858.
- 421 Santos, R.F., Nomizo, R., Wajhenberg, B.L., Reaven, G.M., Azhar, S. (1995) Changes in insulin receptor tyrosine kinase activity associated with metformin treatment of type 2 diabetes. Diabete & Metab. 21:274-280.
- 422 Su, H.-Y., Sheu, W.H.-H., Chin, H.-M.L., Jeng, C.-Y., Chen, Y.-D.I., Reaven, G.M. (1995) Effect of weight loss on blood pressure and insulin resistance in normotensive and hypertensive obese individuals. Am. J. Hypertens. 8:1067-1071.
- 423 Jeppesen, J., Chen, Y.-D.I., Zhou, M.-Y., Wang, T., Reaven, G.M. (1995) Effect of variations in oral fat and carbohydrate load on postprandial lipemia. Am. J. Clin. Nutr. 62:1201-1205.
424. Katsuya, T., Horiuchi, M., Chen, Y.-D.I., Koike, G., Pratt, R.E., Dzau, V.J., Reaven, G.M. (1995) Relations between deletion polymorphism of the angiotensin-converting enzyme gene and insulin resistance, glucose intolerance, hyperinsulinemia, and dyslipidemia. Arterioscler. Thromb. Vasc. Biol. 15:779-782.
425. Pei, D., Chen, Y.-D.I., Hollenbeck, C.B., Bhargava, R., Reaven, G.M. (1995) Relationship between insulin-mediated glucose disposal by muscle and adipose tissue lipolysis in healthy volunteers. J. Clin. Endocrinol. Metab. 80:3368-3372.
426. Sheu, W.H-H., Jeng C-Y., Fuh, M.M-T., Chen, Y-D.I., Reaven, G.M. (1995) Effect of glipizide treatment on response to an infused glucose load in patients with NIDDM. Diabetes Care 18:1582-1587.
427. Golay, A., Allaz, A-F., Morel, Y., de Tonnac, N., Tankova, S., Reaven, G.M. (1996) Similar weight loss with low- or high-carbohydrate diets. Am J. Clin. Nutr. 63:174-178.
428. Rickenbacher, P.R., Kemna, M.S., Pinto, F.J., Hunt, S.A., Alderman, E.L., Schroeder, J.S., Stinson, E.B., Popp, R.L., Chen, Y.-D-I, Reaven, G.M., Valantine H.A. (1996) Coronary artery intimal thickening in the transplanted heart. Transplantation 61:46-53.

- 429 Wu, D.-A., Bu, X., Warden C.H., Shen D.D.C., Jeng, C.-Y., Sheu W.H.H., Fuh, M.M.T., Katsuya, T., Dzau, V.J., Reaven, G.M. Lusis, A. J., Rotter, J.I., Chen, Y.-D.I. (1996) Quantitative trait locus mapping of human blood pressure to a genetic region at or near the lipoprotein lipase gene locus on chromosome 8p22. *J. Clin. Invest.* 97:2111-2118.
430. Facchini, F., Coulston, A.M., Reaven G.M. (1996) Relation between dietary vitamin intake and resistance to insulin-mediated glucose disposal in healthy volunteers. *Am. J. Clin. Nutr.* 63:946-949.
- 431 Jeng, C.-Y., Sheu,W. H.-H., Fuh, M. M.-T., Shieh, S.-M., Chen, Y.-D. I.,Reaven, G.M. (1996) Gemfibrozil treatment of endogenous hypertriglyceridemia: Effect on insulin-mediated glucose disposal and plasma insulin concentrations. *J. Clin. Endocrinol. & Metab.* 81:2550-2553.
432. Sheu, W., Jeng, C.-Y., Fuh, M., Chen, Y.-D.I., Reaven, G.M. (1996) Resistance to insulin-mediated glucose disposal in patients with noninsulin-dependent diabetes mellitus in the absence of obesity or microalbuminuria-a Clinical Research Center Study. *J. Clin. Endocrinol. & Metab.* 81:1156-1159.
433. Rizvi, A., Varasteh, B., Chen, Y.D.-I., Reaven, G.M. (1996) Lack of a relationship between urinary albumin excretion rate and insulin resistance in patients with non-insulin-dependent diabetes mellitus. *Metab.* 45:1062-1064.
434. Yip, J.W., Jones, C., Facchini F, Chen, I., Reaven, G.M. (1996) Insulin resistance in patients with essential hypertension can occur in the absence of microalbuminuria. *Am. J. Hypertens.* 9:959-963.
- 435 Facchini, F.S., Riccardo, A., Stoohs, A., Reaven, G.M. (1996) Enhanced sympathetic nervous system activity-The linchpin between insulin resistance, hyperinsulinemia, and heart rate. *Am. J. Hypertens.* 9:1013-1017.
436. Zavaroni, I., Bonini, L., Gasparini, P., Zuccarelli, A., Dall'Aglio, E., Barilli, L., Cioni, F., Strata, A., Reaven, G. M. (1996) Dissociation between urinary albumin excretion and variables associated with insulin resistance in a healthy population. *J. Int. Med.* 240:151-156.
437. Aguirre, M. A., Jones, C. N. O., Pei, D. Villa, M. L. Reaven, G.M. (1997) Ethnic differences in insulin resistance and its consequences in older Mexican American and non-Hispanic White women. *J. Gerontology.* 52A: M56-M60.
438. Santos, R.F., Nomizo, R., Bopsco, A., Wajchenberg, B.L., Reaven, G.M., Azhar, S. (1997) Effect of metformin on insulin-stimulated tyrosine kinase activity of erythrocytes from obese women with normal glucose tolerance. *Diabetes & Metabolism.* 23: 1-6.
439. Jeppesen, J., Schaaf, P., Jones, C., Zhou, M-Y., Chen Y-D. I., Reaven, GM. (1997) Effects of low-fat, high-carbohydrate diets on risk factors for ischemic heart disease in postmenopausal women. *Am J Clin Nutr* 65:1027-1033.
440. Jones CNO, Pei D, Sturis J, Polonsky KS, Chen Y-DI, Reaven GM. Identification of an age-related defect in glucose-stimulated insulin secretion in non-diabetic women. *Endocrinol Metab* 4: 193-200, 1997.

441. Jones, C.N.O., Pei, D., Staris, P., Polonsky K.S., Chen Y.D.-I., Reaven, G.M. (1997) Alterations in the glucose-stimulated insulin secretory dose-response curve and in insulin clearance in nondiabetic insulin-resistant individuals. *J Clin Endocrinol Metab.* 82:1834-1838.
442. Maheux, P., Azhar, S., Kern, P.A., Chen, Y-D.I., Reaven, G.M. (1997) Relationship between insulin-mediated glucose disposal and regulation of plasma and adipose tissue lipoprotein lipase. *Diabetologia* 40:850-858.
443. Carantoni, M., Abbasi, F., Chu, L., Chen, Y-DI., Reaven, G.M., Tsao, P.S., Varasteh, B., Cooke, J.P. (1997) Adherence of mononuclear cells to endothelium in vitro is increased in patients with NIDDM. *Diabetes Care* 20:1462-1465.
444. Wang, P-W. Abbasi F., Carantoni M., Chen Y-DI., Azhar S., Reaven GM. (1997) Insulin resistance does not change the ratio of proinsulin to insulin in normal volunteers. *J Clin Endocrinol & Metab* 82:3221-3224.
445. Rosolova, H., Mayer, O., Jr, Reaven, GM. (1997) Effect of variations in plasma magnesium concentration on resistance to insulin-mediated glucose disposal in nondiabetic subjects. *J Clin Endocrinol & Metab* 82:3783-3785.
446. Maheux, P., Chen, Y-D.I., Polonsky, K.S., Reaven, G.M.(1997) Evidence that insulin can directly inhibit glucose production. *Diabetologia* 40:1300-1306.
447. Kamath, V., Jones, C.N. Yip, J.C., Varasteh, B.B., Cincotta, A.H., Reaven, G.M., Chen, Y-DI. (1997) Effects of a quick-release form of bromocriptine (ergoset) on fasting and postprandial plasma glucose, insulin, lipid, and lipoprotein concentrations in obese nondiabetic hyperinsulinemic women. *Diabetes Care* 20:1697-1701.
448. Abbasi, F., Kamath, V., Rizvi, A.A., Carantoni, M., Chen, Y-DI., Reaven, G.M. (1997) Results of a placebo-controlled study of the metabolic effects of the addition of metformin to sulfonylurea-treated patients: evidence for a central role of adipose tissue. *Diabetes Care* 20:1863-1869.
449. Maheux P., Chen, &-D.I., Polonsky, K.S., Reaven, G.M. (1997) Evidence that insulin can directly inhibit hepatic glucose production. *Diabetologia* 40:1300-1306.
450. Carantoni, M., Abbasi, F., Azhar S., Chen, Y.-D.I., Klebanov, M., Wang, P.-W., Warmerdam, F., Reaven, G.M. (1998) Plasma leptin concentrations do not appear to decrease insulin-mediated glucose disposal or glucose-stimulated insulin secretion in women with normal glucose tolerance. *Diabetes* 47:244-247
451. Luo, J., Fort, D.M., Carlson, T.J., Noamesi, B.K., nii-Amon-Kotei, D., King, S.R., Tsai, J., Quan, J., Hobensack, C., Lapresca, P., Waldeck, N., Mendez, C.D., Jolad, S.D., Bierer, D.E., Reaven, G.M. (1998) Cryptolepis sanguinolenta: an ethnobotanical approach to drug discovery and the isolation of a potentially useful new antihyperglycaemic agent. *Diabet Med* 15:367-374.
- 452 Carantoni, M., Abbasi, F., Warmerdam, F., Klebanov, M., Wang, P.-W., Chen, Y.-D.I., Azhar, S., Reaven, G.M. (1998) Relationship between insulin resistance and partially oxidized LDL particles in healthy, nondiabetic volunteers. *Arterioscler Thromb Vasc Biol* 18:762-767.

453. Luo, J., Quan, J., Tsai, J., Hobensack, C.K., Sullivan, Hector, R., Reaven, G.M. (1998) Nongenetic mouse models of non-insulin-dependent diabetes mellitus. *Metabolism* 47:663-668.
454. Luo, J., Chuang, T., Cheung, J., Quan, J., Tsai, J., Sullivan, C., Hector, R.F., Reed, M.J., Meszaros, K., King, S.R., Carlson, T.J., Reaven, G.M. (1998) Masoprolol (nordihydroguaiaretic acid): a new antihyperglycemic agent isolated from the creosote bush (*Larrea tridentata*). *European Journal of Pharmacology* 346:77-79.
455. Tsao, P.S., Niebauer, J., Buitrago, R., Lin, P.S., Wang, B., Cooke, J.P., Chen, Y.-D.I., Reaven, G.M. (1998) Interaction of diabetes and hypertension on determinants of endothelial adhesiveness. *Arterioscler Thromb Vasc Biol.* 18:947-953.
456. Facchini, F.S., Carantoni, M., Jeppesen, J., Reaven, G.M. (1998) Hematocrit and hemoglobin are independently related to insulin resistance and compensatory hyperinsulinemia in healthy, non-obese men and women. *Metabolism*. 47:831-835.
457. Jeppesen, J., Facchini, F.S., Reaven, G.M. (1998) Individuals with high total cholesterol/HDL cholesterol ratios are insulin resistant. *J Int Med.* 243:293-298.
458. Bierer, D.E., Dubenko, L.G., Zhang, P., Qing, L., Imbach, P.A., Garofalo, A.W., Phuan, P-W., Fort, D.M., Litvak, J., Gerber, R.E., Sloan, B., Luo, J., Cooper, R., Reaven, G.M. (1998) Antihyperglycemic activities of cryptolepine analogues: an ethnobotanical lead structure isolated from *Cryptolepis sanguinolenta*. *J Med Chem.* 41:2754-2764.
459. Yip, J., Facchini, F.S., Reaven, G.M. (1998) Resistance to insulin-mediated glucose disposal as a predictor of cardiovascular disease. *J Clin Endocrinol & Metab* 83:2773-2776.
460. Zavaroni, I., Zuccarelli, A., Gasparini, P., Massironi, P., Barilli, A., Reaven, G.M. (1998) Can weight gain in healthy, nonobese volunteers be predicted by differences in baseline plasma insulin concentration? *J Clin Endocrinol Metab* 83:3498-3500.
461. Hoang, K., Chen, Y.D-I., Reaven, G., Zhang, L.N., Ross, H., Alpert, S., Billingham, M., Valentine, H. (1998) Diabetes and dyslipidemia: A new model for transplant coronary disease. *Circulation* 97:2160-2168
462. Abbasi, F., Carantoni, M., Chen, Y.-D.I., Reaven, G.M. (1998) Further evidence for a central role of adipose tissue in the antihyperglycemic effect of metformin. *Diabetes Care* 21:1301-1305.
463. Luo, J., Cheung, J., Yevich, E.M., Clark J.PI, Tsai, J., Lapresca, P., Ubillas, R.P., Fort, D.M., Carlson, T.J., Hector, R.F., King, S.R., Mendez, C.D., Jolad, S.D., Reaven, G.M. (1999) Novel terpenoid-type quinones isolated from *Pycnanthus angolensis* of potential utility in the treatment of type 2 diabetes. *J Pharmacol. Exp.Therapy* 288:529-534.
464. McLaughlin, T., Abbasi, F., Carantoni, M., Schaaf, P., Reaven, G.M. (1999) Differences in insulin resistance do not predict weight loss in response to hypocaloric diets in healthy obese women. *J Clin Endocrinol & Metab* 84:578-581.
465. Carantoni, M., Abbasi, F., Azhar, S., Schaaf, P., and Reaven, G.M. (1999) Can changes in plasma insulin concentration explain the variability in leptin response to weight loss in obese womenwith normal glucose tolerance? *J Clin Endocrinol & Metab* 84:869-872.

466. Reed, M.J., Meszaros, K., Entes, L.J., Claypool, M.D., Pinket, J.G., Brignetti, D., Luo, J. Khandwala, A., Reaven, G.M. (1999) Effect of masoprocol on carbohydrate and lipid metabolism in rat model of type II diabetes. *Diabetologia* 42:102-106.
467. Gowri, S. Maya, Reaven, G.M., Azhar, S. (1999) Effect of masoprocol on glucose transport and lipolysis by isolated rat adipocytes. *Metabolism* 48: 411-414
468. Facchini, F.S. DoNascimento, C., Reaven, G.M., Yip, J.W., Ni, P.X., Humphreys, M.H. (1999). Blood pressure, sodium intake, insulin resistance, and urinary nitrate excretion. *Hypertension* 33: 1008-1012.
469. Facchini, F., Humphreys, M.H., Jeppesen, J., Reaven, G.M. (1999) Measurements of insulin-mediated glucose disposal are stable over time. *J Clin Endocrinol Metab* 84: 1567-1569
470. Gowri, MS., Reaven, G.M., Azhar, S. (1999) Masoprocol lowers blood pressure in rats with fructose-induced hypertension. *Am J Hypertens* 12:744-746
471. Zavaroni, I., Bonini, L., Gasparini, P., Barilli, A.L., Zuccarelli, A., Dall'Aglio, E., Delsignore, R., Reaven, G.M. (1999) Hyperinsulinemia in a normal population as a predictor of non-insulin-dependent diabetes mellitus, hypertension, and coronary heart disease: The Barilla factory revisited. *Metabolism* 48:989-994
472. Chen, N.-G., Abbasi, F., Lamendola, C., McLaughlin, T., Cooke, J.P., Tsao P.S., Reaven, G.M. (1999) Mononuclear cell adherence to cultured endothelium is enhanced by hypertension and insulin resistance in healthy nondiabetic volunteers. *Circulation* 100:940-943
473. Morel, Y., Golay, A., Perneger, T., Lehmann, T., Vadas L., Pasik, C., Reaven, G.M. (1999) Metformin treatment leads to an increase in basal, but not insulin-stimulated, glucose disposal in obese patients with impaired glucose tolerance. *Diabet Med* 16:650-655
474. Asagami, T., Reaven, G.M., Tsao, P.S. (1999) Enhanced monocyte adherence to thoracic aortae from rats with two forms of experimental hypertension. *Am J Hypertens* 12:890-893
475. Chen, N.-G., Holmes, M., Reaven, G.M. (1999) Relationship between insulin resistance, soluble adhesion molecules, and mononuclear cell binding in healthy volunteers. *J Clin Endocrinol Metab* 84:3485-3489
476. Chen, N.-G., Reaven, G.M. (1999) Fatty acid inhibition of glucose-stimulated insulin secretion is enhanced in pancreatic islets from insulin-resistant rats. *Metabolism* 48:1314-1317
477. Chen, N.-G., Saravia, S.F., Malloy, P. J., Zhao X.-Y., Feldman, D., Reaven, G.M. (1999) PPAR $\gamma$  agonists enhance human vascular endothelial adhesiveness by increasing ICAM-1 expression. *Biochim Biophys Res Com* 263:718-722
478. Abbasi F, McLaughlin T, Lamendola C, Lipinska I, Tofler G, Reaven, GM.. (1999). Comparison of plasminogen activator inhibitor-1 in insulin-resistansnt versus insulin- sensitive healthy women. *Arterioscler Thromb Vasc Biol* 19: 2818-2821.
479. Abbasi, F., McLaughlin, T., Lamendola, C., Yeni-Komshian, H., Tanaka, A., Wang, T., Nakajima, K., Reaven, G.M. (1999) Fasting remnant lipoprotein cholesterol and triglyceride concentrations are elevated in nondiabetic, insulin-resistant, female volunteers. *J Clin Endocrinol Metab* 84:3903-3906

480. Abbasi, F., Facchini, F., Humphreys M.H., Reaven, G.M.. (1999) Plasma homocysteine concentrations in healthy volunteers are not related to differences in insulin-mediated glucose disposal. *Atherosclerosis* 146:175-178
481. Rosolova, H., Mayer, O., Reaven, G.M. (2000) Insulin-mediated glucose disposal is decreased in normal subjects with relatively low plasma magnesium concentrations. *Metabolism* 49:418-420.
482. Abbasi, F., McLaughlin, T., Lamendola, C., Reaven, G.M. (2000) The relationship between glucose disposal in response to physiological hyperinsulinemia and basal glucose and free fatty acid concentrations in healthy volunteers. *J Clin Endocrinol Metab* 85:1251-1254.
483. Abbasi, F., Carantoni, M., McLaughlin, T., Reaven, G.M. (2000) Plasma insulin concentration is more tightly linked to plasma leptin concentration than is the body mass index. *Metabolism* 49:544-547.
- 484 Zavaroni, I., Gasparini, P., Barilli, A.I., Massironi, P., Companini, C., Carantoni, M., Delsignore, R., Reaven, G.M. (2000) Comparison of fasting plasma leptin concentrations in healthy subjects with high and low plasma insulin. *Metabolism* 49:499-502.
- 485 Abbasi, F., McLaughlin, T., Lamendola, C., Kim, H.-S., Tanaka, A., Wang, T., Nakajima,K., Reaven, G.M. (2000) High carbohydrate diets, triglyceride-rich lipoproteins, and coronary heart disease risk. *Am J Cardiol* 85:45-48.
486. Abbasi, F., McLaughlin, T., Lamendola, C., Reaven, G.M. (2000) Insulin regulation of plasma free fatty acid concentrations is abnormal in healthy volunteers with muscle insulin resistance. *Metabolism* 49:151-154.
487. Yeni-Komshian H, Carantoni M, Abbasi F, Reaven, GM. (2000). Relationship between several surrogate estimates of insulin resistance and quantification of insulin-mediated glucose disposal in 490 healthy, nondiabetic volunteers. *Diabetes Care* 23: 171-175.
488. Jones, C.N., Abbasi, F., Carantoni, M., Polonsky, K.S., Reaven, G.M. (2000) Roles of insulin resistance and obesity in regulation of plasma insulin concentrations. *Am J Physiol Endocrinol Metab.* 278:E501-8.
489. Piatti, P.M., Monti, L.D., Zavaroni, G., Valsecchi, C., Van Phan, C., Costa, S., Conti, M., Sandoli, E.P., Solerte, B., Pozza, G., Pontiroli, A.E., Reaven, G. (2000) Alterations in nitric oxide/cyclic-GMP pathway in nondiabetic siblings of patients with type 2 diabetes. *J Clin Endocrinol Metab* 85:2416-2420.
490. Santos, R.F., Nomizo, R., Oliveira, E., Ursich, M., Wajchenberg, B., Reaven, G.M., Azhar, S. (2000) Erythrocyte insulin receptor tyrosine kinase activity is increased in glyburide-treated patients with type 2 diabetes in good glycemic control. *Diabetes Obesity and Metabolism* 2:237-241.
491. Scribner, K.A., Gadbois, T.M., Gowri, M., Azhar, S., Reaven, G.M. (2000) Masoprolol decreases serum triglyceride concentrations in rats with fructose-induced hypertriglyceridemia. *Metabolism* 49;1106-1110.

- 492 McLaughlin, T., Abbasi, F, Lamendola, C., Yeni-Komchian, H., Reaven, G. (2000) Carbohydrate-induced hypertriglyceridemia; An insight into the link between plasma insulin and triglyceride concentrations. *J Clin Endocrinol Metab* 85:3085-3088.
493. Facchini, F.S., Humphreys M.H., DoNascimento, C.A., Abbasi, F., Reaven, G.M. (2000) Relationship between insulin resistance and plasma concentrations of lipid hydroperoxides, carotenoids, and tocopherols *Am J Clin Nutr* 72:776-779.
494. Zavaroni, I., Platti, P.M., Monti, L.D., Gasparini, P., Barilli, L.A., Massironi, P., Ardigo, D., Valsecchi, G., Delsignore, R., Reaven, G.M. (2000) Plasma nitric oxide concentrations are elevated in insulin-resistant healthy subjects. *Metabolism* 49:959-961.
495. Gowri, M.S., Azhar, R.K., Kraemer, F.B., Reaven, G.M., Azhar, S. (2000) Masoprocol decreases rat lipolytic activity by decreasing and phosphorylation of HSL. *Am J Physiol Endocrinol Metab*.279:E593-E600.
496. Chen, N.G., Azhar, S., Abbasi, F., Carantoni, M., Reaven, M.D. (2000) The relationship between plasma glucose and insulin responses to oral glucose, LDL oxidation, and soluble intercellular adhesion molecule-1 in healthy volunteers. *Atherosclerosis* 152:203-208.
497. Reed, M.J., Meszaros, K., Entes, L.J., Claypool, M.D., Pinkett, J.G., Gadbois, T.M., Reaven, G.M. (2000) A new rat model of type 2 diabetes: The fat-fed, streptozotocin-treated rat. *Metabolism* 49:1390-1394
498. Masumi, A., Tanaka, A., Ogita, K., Sekine, M., Numano, F., Numano, F., Reaven, G.M. (2000) Relationship between hyperinsulinemia and remnant lipoprotein concentrations in patients with impaired glucose tolerance. *J Clin Endocrinol Metab* 85:3557-3560.
- 499 Scribner K, Gabois TM, Gowri M, Azhar S, Reaven GM. (2000) Masaprocol decreases serum triglyceride concentrations in rats with fructose-induced hypertriglyceridemia. *Metabolism*, 49;1106-1110.
500. Hollenberg NK, Anzalone DA, Falkner B, Fisher NDL, Price DA, Raskin P, Reaven GM. (2001) Familial factors in the antihypertensive response to lisinopril. *Am J Hypertens* 14:218-223.
- 501 Reaven GM, Segal K, Hauptman J, Boldrin M, Lucas C. (2001) Effect of orlistat-assisted weight loss in decreasing coronary heart disease risk in patients with syndrome x. *Am J Cardiol* 87:827-831
502. Reaven GM, Abbasi F, Bernhart S, Coulston A, Darnell B, Dashti N, Kim HS, Kulkarni K, Lamendola C, McLaughlin T, Osterlund L, Schaff P, Segrest J. (2001) Insulin Resistance, Dietary Cholesterol, and Cholesterol Concentration in Postmenopausal Women. *Metabolism*, 50:594-597.
503. McLaughlin T Abbasi, F, Kim H-S, Lamendola C, Schaaf P, Reaven GM (2001) Relationship between insulin resistance, weight loss, and coronary heart disease risk in healthy, obese women. *Metabolism*, 50: 795-800.
504. McLaughlin, T, Abbasi, F, Lamendola, C, Kim, H-S, Reaven, GM (2001) Metabolic changes following sibutramine-assisted weight loss in obese individuals: role of plasma free fatty acids in the insulin resistance of obesity. *Metabolism*, 50: 819-82

505. Facchini, FS, Hua, N, Abbasi, F, Reaven, GM. (2001) Insulin resistance as a predictor of age-related diseases. *J Clin Endocrinol Metab*, 86:3574-3578.
506. Kim, H-S, Abbasi F, Lamendola C, McLaughlin, T, Reaven GM. (2001) Effect of insulin resistance on postprandial elevations of remnant lipoprotein concentrations in postmenopausal women. *Am J Clin Nutr*, 74:592-595
507. Masumi, A, Tanaka, A, Ogita, K, Sekinc, M, Numano, F, Numano, F, Reaven, GM. (2001) Relationship between plasma insulin concentration and plasma remnant lipoprotein response to an oral fat load in patients with type 2 diabetes. *J Am Coll Cardiol*, 38:1628-1632.
508. Abbasi, F, Asagami, T, Cooke, JP, Lamendola, C, McLaughlin, T, Reaven, GM, Stuehlinger, M, Tsao, PS. (2001). Plasma concentrations of asymmetric dimethylarginine are increased in patients with type 2 diabetes mellitus. *Am J Cardiol*, 88:1201-1203.
509. Cataldo NA, Abbasi F, McLaughlin T, Lamendla CM, Reaven GM. Improvement in insulin sensitivity followed by ovulation and pregnancy in a women with polycystic ovary syndrome treated with rosiglitazone. *Fertil Steril* 2001;76:1057-1059
510. Abbasi, F, Reaven, GM. (2002). Evaluation of the quantitative insulin sensitivity check index as an estimate of insulin sensitivity in humans. *Metabolism*, 51:235-237.
511. Valentine H, Rickenbacker P, Kemma M, Hunt S, Chen Y-DI, Reaven, G, Stinson EB. Metabolic abnormalities characteristic of dysmetabolic syndrome prior the development of transplant coronary artery disease. A prospective study. *Circulation* 2001; 103: 2144-2152.
512. Wang P-W, Liou C-W, Wang S-t, Eng H-L, Liu R-T, Tung S-C, Chien,W-Y, Lu Y-C, Kuo M-C, Hsieh C-J, Chen, C-H, Chen, J-F, Chu, JW, Reaven, GM. Relative impact of low-density lipoprotein-cholesterol concentration and insulin resistance on carotid wall thickening in nondiabetic, normotensive volunteers. *Metabolism* 2002; 51:255-259.
513. Stuhlinger MC, Abbasi F, Chu JW, Lamendola C, McLaughlin TL, Cooke JP, Reaven GM, Tsao PS. Relationship between insulin resistance and an endogenous nitric oxide synthase inhibitor. *JAMA* 2002; 287:1420-1426.
514. Abbasi F, Reaven GM. Relationship between fasting and day-long plasma glucose concentrations in diet-treated patients with type 2 diabetes. *Metabolism* 2002; 51: 457-459.
515. Asagami T, Abbasi F, Cooke JP, Lamendola C, McLaughlin T, Reaven G, Stuehlinger M, Tsao PS. Metformin treatment lowers asymmetric dimethylarginine concentrations in patients with type 2 diabetes. *Metabolism* 2002; 51:843-846.
516. Zavaroni I, Ardigo D, Massironi P, Gasparini P, Barilli AL, Vetrugno E, Sartori E, Baroni MC, Delsignore R, Reaven G. Do coronary heart disease risk factors change over time? *Metabolism* 2002; 51:1022-1026.
517. Lin KY, Ito A, Asagami T, Tasao, Adimoolam S, Kimoto M, Tsuji H, Reaven GM, Cooke JP. Impaired nitric oxide synthase pathway in diabetes mellitus. Role of dimethylarginine and dimethylarginine dimethylaminohydrolase. *Circulation* 2002; 106:987-999.

518. Cantin B, Zhu D, Wen P, Gwathmey JK, Reaven GM, Valentine HA. Reversal of diabetes-induced rat graft transplant coronary artery disease by metformin. *J Heart Lung Transplant* 2002;21:637-643.
519. Abbasi F, Brown BWB, Lamendola C, McLaughlin T, Reaven GM. Relationship between obesity, insulin resistance, and coronary heart disease risk. *J Amer Coll Card* 2002; 40:937-943.
520. McLaughlin T, Abbasi F, Lamendola C, Leary E, Reaven, GM. Comparison in patients with type 2 diabetes of fibric acid versus hydroxymethyl glutaryl-coenzyme A reductase inhibitor treatment of combined dyslipidemia. *Metabolism* 2002; 51:1355-1359.
521. McLaughlin T, Abbasi F, Lamendola C, Liang L, Reaven G, Schaaf P, Reaven P. Differentiation between obesity and insulin resistance in the association with C-reactive protein. *Circulation* 2002; 106:2908-2912.
522. Lucas CP, Boldrin MN, Reaven, GM. Effect of orlistat added to diet (30% of calories from fat) on plasma lipids, glucose, and insulin in obese patients with hypercholesterolemia. *Am J Cardiol* 2003; 91:961-964.
523. Chu JW, Abbasi F, Kulkarni KR, Lamendola C, McLaughlin TL, Scalisi JN, Reaven GM. Multiple lipoprotein abnormalities associated with insulin resistance in healthy volunteers are identified by the vertical auto profile-II methodology. *Clin Chem* 2003; 49:1014-1017.
524. Beatty G, Khalili M, Abbasi F, Chu J, Reaven GM, Rosen A, Schmidt JM, Stansell J, Koch J. Quantification of insulin-mediated glucose disposal in HIV-infected individuals: comparison of Patients treated and untreated with protease inhibitors. *JAIDS* 2003; 33:34-40.
525. Chu JW, Abbasi F, Beatty GW, Khalili M, Koch J, Rosen A, Schmidt J, Stansell JD, Reaven GM. Methods for quantifying insulin resistance in human immunodeficiency virus-positive patients. *Metabolism* 2003; 52: 858-861.
- 526 Dey D, Medicherla S, Neogi P, Gowri M, Cheng J, Gross C, Sharma S, Reaven GM, Nag B. A novel peroxisome proliferator-activated gamma agonist, CLX-0921, has potent antihyperglycemic activity with low adipogenic potential. *Metabolism* 2003; 52:1012-1018.
527. Tuan C-Y, Abbasi F, Lamendola C, McLaughlin T, Reaven G. Usefullness of plasma glucose and insulin concentrations in identifying patients with insulin resistance. *Am J Cardiol* 2003; 92:606-610.
- 528 Chu JW, Abbasi F, McLaughlin TL, Lamendola C, Shaaf P, Carlson TH, Leary ET, Reaven GM. Lipoprotein risk factors for cardiovascular disease in patients with type 2 diabetes treated with oral antihyperglycemic agents. *Diabetes, Obesity, and Metabolism* 2003; 333-337.
529. McLaughlin T, Abbasi F, Cheal K, Chu J, Lamendola C, Reaven G. Use of metabolic markers to identify overweight individuals who are insulin resistant. *Ann Intern Med* 2003; 139: 802-809.
530. Zavaroni I, Numeroso F, Dongiovanni P, Ardigo D, Valeni L, Fracanzani AL, Valtuena S, Delsignore R, Fargion S, Reaven GM. What is the contribution of differences in three measure of tumor necrosis factor-alpha activity to insulin resistance in healthy volunteers. *Metabolism* 2003; 1593-1596.
531. Abbasi F, Chu JW, McLaughlin T, Lamendola C, Leary ET, Reaven GM. Effect of metformin

- treatment on multiple cardiovascular risk factors in patients with type 2 diabetes. *Metabolism* 2004; 159-164, 2004.
532. Abbasi F, Lamendola C, McLaughlin T, Hayden J, Reaven GM, Reaven PD. Plasma adiponectin concentrations do not increase in association with moderate weight loss in insulin-resistant, obese women. *Metabolism* 2004; 53: 280-283.
533. McLaughlin T, Allison G, Abbasi F, Lamendola C, Reaven G. Prevalence of insulin resistance and associated cardiovascular disease risk factors among normal weight, overweight, and obese individuals. *Metabolism* 2004; 53: 495-499.
534. Cheal KL, Abbasi F, Lamendola C, McLaughlin T, Reaven GM, Ford ES. Relationship to insulin resistance of the Adult Treatment Panel III diagnostic criteria for identification of the metabolic syndrome. *Diabetes* 2004; 53: 1195-1200.
535. Zavaroni I, Ardigo D, Rossi PC, Zuccarelli A, Pascetti E, Monti L, Piatti PM, Reaven GM. Relationship between plasma nitric oxide concentration and insulin resistance in essential hypertension. *Am J Hypertens* 2004; 17:549-552.
536. Witteles RM, Tang, WHW Tang, Jamali A, Chu JW, Reaven, GM, Fowler MB. Insulin resistance in idiopathic dilated cardiomyopathy. A possible etiologic link. *J Am Coll Cardiol* 2004; 44: 78-81.
537. Abbasi F, Chu JW, Lamendola, C, McLaughlin T, Hayden J, Reaven GM, Reaven PD. Discrimination between obesity and insulin resistance in the relationship with Adiponectin. *Diabetes* 2004; 53: 585-590.
538. Kim SH, Abbasi F, Reaven, GM. Impact of degree of obesity on surrogate estimates of insulin resistance. *Diabetes Care* 2004; 27:1998-2002.
539. Beatty G, Chu J, Kulkarni K, Lipshutz G, Khalili M, Abbasi F, Stansell J, Reaven GM. Relative Effects of Insulin Resistance and Protease Inhibitor Treatment on Lipid and Lipoprotein Metabolism in HIV-Infected Patients. *HIV Clin Trials* 2004; 5: 383-391.
540. Lamendola C, Abbasi F, Chu J, Hutchinson H, Cain V, Leary E, McLaughlin T, Stein E, Reaven G. Comparative effects of rosuvastatin and gemfibrozil on glucose, insulin, and lipid metabolism in insulin-resistant, nondiabetic patients with combined dyslipidemia. *Am J Cardiol* 2005; 95:189-193.
541. Chu JW, Abbasi F, Lamendola C, McLaughlin T, Reaven GM, Tsao, PS. Effect of rosiglitazone treatment on circulating vascular and inflammatory markers in insulin-resistant subjects. *Diabetes Vasc Dis Res* 2005; 2; 37-41.
542. Ford ES, Abbasi F, Reaven GM. Prevalence of insulin resistance and the metabolic syndrome with alternative definitions of impaired fasting glucose. *Atherosclerosis* 2005; 181; 143-148.
543. Kim SH, Abbasi F, Chu, JW, McLaughlin TL, Lamendola C, Polonsky KS, Reaven GM. Rosiglitazone reduces glucose-stimulated insulin secretion and increases insulin clearance in nondiabetic, insulin resistant individuals. *Diabetes* 2005; 54; 2447-2452.
544. McLaughlin T, Reaven G, Abbasi F, Lamendola C, Saad M, Waters D, Simon J, Krauss RM. Is there a simple way to identify insulin- resistant individuals at increased risk of cardiovascular disease? *Am J Cardiol* 2005; 96: 399-404.

545. Farin HMF, Abbasi F, Reaven GM. Body mass index and waist circumference correlate to the same degree with insulin-mediated glucose uptake. Metabolism 2005; 54: 1323-1328
546. Cataldo NA, Abbasi F, McLaughlin TL, Basina M, Fechner PY, Guidice LC, Reaven GM. Metabolic and ovarian effects of rosiglitazone treatment for 12 week in insulin-resistant women with polycystic ovary syndrome. Hum Repro 2005.
547. Shah M, Adams-Huet B, Bantle JP, Henry RR, Griver KA, Raatz SK, Brinkley LJ, Reaven GM, Garg A. Effect of a high-carbohydrate versus a high-*cis*- monounsaturated fat diet on blood pressure in patients with type 2 diabetes. Diabetes Care 2005; 28: 2607-2612
548. Ardigo D, Numeroso F, Valtuena S, Franzini L, Piatti PM, Monti L, Delsignore R, Reaven GM, Zavaroni I. Hyperinsulinemia predicts hepatic fat content in healthy individuals with normal transaminase concentrations. Metabolism 2005; 54:1566-1570.
549. Abbasi F, Chang S-A, Chy JW, Ciaraldi T, Lamendola C, McLaughlin T, Reaven, GM, Reaven PD, Improvements in insulin resistance with weight loss, in contrast to rosiglitazone, is not correlated with changes in plasma adiponectin or adiponectin multimeric complexes. Am J Physiol Integr Comp Physiol 2006; 290: R 139-144.
550. Zavaroni I, Ardigo D, Zuccarelli A, Pacetti E, Piatti PM, Monti L, Valtuena S, Massironi P, Rossi PC, Reaven GM. Insulin resistance/hyperinsulinemia predict intimal medial thickness in patients with essential hypertension. Nutr Metab Cardiovasc Dis 2006; 16: 22-27.
551. Farin HMF, Abbasi F, Reaven GM. Body mass index and waist circumference both contribute to differences in insulin-mediated glucose disposal in nondiabetic adults. Am J Clin Nutr 2006; 83; 47-51.
552. Ardigo D, Franzini L, Valtuena S, Monti LD, Reaven GM, Zavaroni I. Relation of plasma insulin levels to forearm flow-mediated dilatation in healthy volunteers. Am J Cardiol 2006; 1250-1254
553. McLaughlin T, Stuhlinger M, Lamendola C, Abbasi F, Bialek J, Reaven GM, Tsao, PS. Plasma asymmetric dimethylarginine concentrations are elevated in obese insulin resistant women and fall with weight loss. J Clin Endocrinol Metab 2006; 91 1896-2000.
554. Kim SH, Chunawala L, Linde R, Reaven GM. Comparison of the 1997 and 2003 American Diabetes Association classification of impaired fasting glucose: impact on prevalence of impaired fasting glucose, coronary heart disease risk factors, and coronary heart disease in a community-based medical practice. J Am Coll Cardiol. 2006 ;48:293-297.

## Review Articles, Chapters, Etc.

1. Reaven, G.M., and Salans, L.B. (1964) Diabetes mellitus: a review of some recent investigations into the nature of the clinical syndrome. *Calif. Med.* 100:1-9.
2. Weisinger, J.R., Reaven, G.M., Coplon, N.S., and Swenson, R.S. (1973) The effect of dialysis on true plasma glucose tolerance in uremia. *Trans. Am. Soc. Artif. Int. Organs.* 18:277-281.
3. Reaven, G.M., Weisinger, J.R., and Swenson, R.S. (1974) Insulin and glucose metabolism in renal insufficiency. *Kidney Intl.* 6:S63-S69 (Suppl. I).
4. Reaven G.M., Javorski, W.C., and Reaven, E.P. (1975) Diabetic hypertriglyceridemia. *Amer. J. Med. Sci.* 269:382-389.
5. Reaven, G.M. (1976) Treatment of asymptomatic diabetes mellitus. *Comp. Therapy.* 2:22-28.
6. Reaven, G.M. (1977) Does age affect glucose tolerance? *Geriatrics* 32:51-54.
7. Reaven, G.M., and Olefsky, J.M. (1978) The role of insulin resistance in the pathogenesis of hyperglycemia. *Advances in Modern Nutrition*, Vol. II:229-266.
8. Reaven, G.M., and Olefsky, J.M. (1978) The role of insulin resistance in pathogenesis of diabetes mellitus. *Advances in Metab. Disorders*, Vol. 9:313-331.
9. Reaven, G.M. (1978) The role of insulin resistance in pathogenesis of diabetes mellitus. *Medicina* 38:577-586.
10. Reaven, G.M., Coulston, A.M., and Marcus, R. (1979) Nutritional management of diabetes. *Medical Clinics of North America* 63:927-943.
11. Reaven, G.M. (1979) Insulin resistance and insulin secretion in patients with chemical diabetes: Implications concerning the pathogenesis of idiopathic diabetes mellitus. In *Treatment of Early Diabetes*, Plenum Publishing Corp. pp. 187-200.
12. Reaven, G.M. (1979) Effect of variations in carbohydrate intake on plasma glucose, insulin and triglyceride responses in normal subjects and patients with chemical diabetes. In *Treatment of Early Diabetes*, Plenum Publishing Corp. pp. 253-262.
13. Reaven, G.M. (1979) Insulin resistance in the first stages of diabetes. In *Diabetes and Obesity*. J. Vague and P. Vague, eds., pp. 188-198.
14. Reaven, G.M. (1979) Role of insulin in the development of hyperlipidemia in obesity. In *Medical Complications of Obesity*, M. Mancini, B. Lewis and F. Contaldo, eds., Academic Press, pp. 107-124, Vol. 26.
15. Reaven, G.M. (1979) Insulin resistance in the pathogenesis of diabetes. *Proc. 10th Congress of IDF*, Vienna, Austria, Sept. 9-14, 1979; *Diabetes*, 1979.
16. Reaven, G.M. (1980) Speculations concerning the etiology of diabetes. In *Clinical Diabetes: Modern Management*, S. Podolsky, ed., pp. 23-45.

17. Reaven, G.M., and Reaven, E.P. (1980) Effects of age on various aspects of glucose and insulin metabolism. *Molecular Cellular Biochemistry* 31:37-47.
18. Reaven, G.M. (1980) How high the carbohydrate? *Diabetologia* 19:409-413.
19. Reaven, G.M., Risser, L.R., Weiland, D., and Mondon, C.E. (1981) Mechanism of hypertriglyceridemia in streptozotocin-induced insulin deficiency. *In Streptozotocin: Fundamentals and Therapy*, M.K. Agarwal, ed., Elsevier/North Holland Biomedical Press, pp. 143-147.
20. Reaven, G.M. (1982) What is the role of high carbohydrate-low fat diets in the treatment of diabetes mellitus? *Special Topics in Endocrinology and Metabolism* 3:117-137.
21. Reaven, G.M. and Reaven, E.P. (1982) Insulin and glucose metabolism during aging. *In Endocrine and Neuroendocrine Mechanisms of Aging*, R.C. Adelman and G.S. Roth, eds., Boca Raton, CRC Press, Inc., 1982, pp. 1-14.
22. Crapo, L.M., and Reaven, G. (1983) Hyperosmolar nonketotic diabetic coma. *Medical Grand Rounds* 2:344-356.
23. Reaven, E.P., Curry, D.L., and Reaven, G.M. (1984) Age and the endocrine pancreas: Effect of obesity. *In Comparative Pathobiology of Major Age-Related Diseases: Current Status and Research Frontiers*, D.G. Scarpelli and G. Migaki, eds. Vol. 4, New York, Alan R. Liss, Inc., pp. 109-125.
24. Reaven, G.M. (1984) Relationship between defects in insulin secretion and insulin action in the pathogenesis of non-insulin-dependent diabetes mellitus. *In Frontiers in Diabetes*, Vol. 4 *Diabetes Mellitus: Etiopathogenesis and Metabolic Aspects*, F. Belfiore, D.J. Galton, G.M. Reaven, eds., Basel (Switzerland), S. Karger AG, pp. 55-68.
25. Reaven, E., and Reaven, G. (1984) Effect of age and diet on insulin secretion and insulin action in rats. *In Frontiers in Diabetes* Vol. 4 *Diabetes mellitus: Etiopathogenesis and Metabolic Aspects*. F. Belfiore, D.J. Galton, G.M. Reaven, eds. Basel (Switzerland), S. Karger AG, pp. 222-225.
26. Reaven, G.M. (1984) Insulin secretion and insulin action in non-insulin dependent diabetes mellitus: Which defect is primary? *Diabetes Care* 7 (Suppl. 1):17-24.
27. Reaven, G.M. (1985) Abnormal carbohydrate and lipoprotein metabolism in uremia. *In Chronic Renal Disease*, N.B. Cummings and S. Klahr, eds., New York, Plenum Publishing, pp. 239-253.
28. Reaven, E., and Reaven, G. (1985) Effect of age on insulin secretion and insulin action in the rat. *In Relations Between Normal Aging and Disease*, Vol. 28, H.A. Johnson, ed. New York, Raven Press, pp. 157-164.
29. Reaven, G.M., and Reaven, E.P. (1985) Age, glucose intolerance, and non-insulin-dependent diabetes mellitus. *J. Am. Geriatr. Soc.* 33:286-290.
30. Chen, Y-D.I., Azhar, S., Kraemer, F.B., and Reaven, G.M. (1985) Characterization of uptake and degradation of rat HDL by testicular cells and purified Leydig cells from the rat. *In Lipoprotein and Cholesterol Metabolism in Steroidogenic Tissues*, J.F. Strauss, III and K.M.J. Menon, eds., Philadelphia, George R. Stickley Co., pp. 187-195.

31. Reaven, G.M. (1985) Insulin-stimulated glucose disposal in patients with Type I (IDDM) and Type II (NIDDM) diabetes mellitus. In Comparison of Type I and Type II Diabetes, M. Vranic, C.H. Hollenberg, and G. Steiner, eds., New York, Plenum Publishing Corp., pp. 129-136.
32. Foley, J.E., Andrews, J., Reaven, G. (1985) Assessment of in vivo and in vitro insulin-stimulated glucose disposal in patients with non-insulin dependent diabetes. In Diabetes Mellitus (Type II), Schattauer, Stuttgart, West Germany, pp. 79-90.
33. Reaven, G.M. (1986) Effect of dietary carbohydrate on the metabolism of patients with non-insulin dependent diabetes mellitus. Nutrition Reviews 44:32-40.
34. Reaven, G.M. (1986) Looking at the world through LDL-cholesterol-colored glasses. American Institute of Nutrition, pp 1143-1147.
35. Reaven, G.M., Reaven, E. (1986) Aging, glucose intolerance, and non-insulin-dependent diabetes mellitus. Upjohn, Scope Publication, pp 1-27.
36. Hollenbeck, C.B., Coulston, A.M., Reaven, G.M. (1986) Glycemic effects of carbohydrates: A different perspective. Diabetes Care 9:641-647.
37. Reaven, G.M. (1987) Non-insulin-dependent diabetes mellitus, abnormal lipoprotein metabolism, and atherosclerosis. Metabolism 36(Suppl 1):1-8.
38. Chen, Y. -D. I., Jeng, C. -Y., Reaven, G.M. (1987) HDL metabolism in diabetes. Diabetes/Metab Rev 3:653-668.
39. Reaven, G.M. (1987) Abnormal lipoprotein metabolism in non-insulin-dependent diabetes mellitus. Amer. J. of Med. 83(Suppl 3A):31-40.
40. Reaven, G.M., Hollenbeck, C.B., Coulston, A.M. (1987) Sucrose in the diabetic diet: a reply. Diabetes Care 10:668-669.
41. Reaven, G.M. (1987) Insulin resistance in type 2 diabetes mellitus. In Highlights on Endocrinology, Claus Christiansen and Bente Juel Riis, eds., Norhaven Bogtrykkeri A/S, Denmark, pp 239-244.
42. Reaven, G.M., Hoffman, B.B. (1988) Hypertension: a disease of carbohydrate and lipoprotein metabolism? The Kidney 20:19-24.
43. Reaven, G.M. (1988) Parma symposium: current controversies in nutrition. Am. J. Clin. Nutr. 47:1078-1082.
44. Reaven, G.M., Chen, Y-D.I. (1988) Role of insulin in regulation of lipoprotein metabolism in diabetes. Diabetes/Metabolism Reviews 4:639-652.
45. Hollenbeck, C.B., Coulston, A.M., Reaven, G.M., Slama, G., Mann, J.I. (1988) The diabetic dietary prescription: An ongoing controversy. Diab. Nutr. Metab. 3:239-254.
46. Reaven, G.M., Hoffman, B.B. (1988) Abnormalities of carbohydrate metabolism may play a role in the etiology and clinical course of hypertension. Trends in Pharma. Sciences 9:78-79.

47. Reaven, G.M., Chen, Y-D.I. (1988) Role of insulin resistance in the pathogenesis of non-insulin-dependent diabetes mellitus. In Progress in Endocrinology, H. Imura et al., eds., Elsevier Science Publishers B.V., The Netherlands, pp. 383-391.
48. Reaven, G.M. (1988) Dietary therapy for non-insulin-dependent diabetes mellitus. N. Engl. J. Med. 319:862-864.
49. Hollenbeck, C.B., Coulston, A.M., Reaven, G.M. (1989) Effects of sucrose on carbohydrate and lipid metabolism in NIDDM patients. Diabetes Care 12:62-66.
50. Reaven, G.M. (1989) Very low-density lipoprotein metabolism in non-insulin-dependent diabetes mellitus. In Diabetes, R. Larkins, P. Zimmet, D. Chisholm, eds, Elsevier Science Publishers B.V., The Netherlands, pp. 543-547.
51. Reaven, G.M., Hoffman, B.B. (1989) Hypertension as a disease of carbohydrate and lipoprotein metabolism. Am. J. Med. 87(suppl 6A):2S-6S.
52. Reaven, G.M. (1989) Insulin resistance, abnormal free fatty acid metabolism, and fasting hyperglycemia in patients with non-insulin-dependent diabetes mellitus. In Frontiers of Diabetes Research: Current Trends in Non-Insulin-Dependent Diabetes Mellitus, K.G.M.M. Alberti, R. Mazze, eds., Elsevier Science Publishers B.V., The Netherlands, pp. 167-174.
53. Reaven, G.M., Chen, Y.-D.I. (1990) Quantification of insulin-stimulated glucose disposal in man. In Current Status of Prevention and Treatment of Diabetic Complications, N. Sakamoto, K.G.M.M. Alberti, N. Hotta, eds., Elsevier Science Publishers B.V., The Netherlands, pp. 40-54.
54. Reaven, G.M. (1990) Role of abnormalities of carbohydrate and lipoprotein metabolism in the pathogenesis and clinical course of hypertension. J. Cardio. Pharm. 15:S4-S7.
55. Reaven, G.M. (1990) Insulin and hypertension. Clin. Exper. Hyper. -Theory and Practice A12:803-816.
56. Reaven, G.M. (1990) Non-insulin-dependent diabetes (NIDDM): Speculations on etiology. The Diabetes Annual/5 K.G.M.M. Alberti, L.P. Krall, Elsevier Publishing.
57. Laws, A., Reaven, G.M. (1990) Effect of physical activity on age-related glucose intolerance. Clinics in Geriatric Medicine 6:849-863.
58. Reaven, G.M. and Laws, A. (1990) Coronary heart disease in the absence of hypercholesterolaemia. J. Int. Med. 228:415-417.
59. Reaven, G.M. (1990) Pathogenesis of abnormal very-low-density and high-density lipoprotein metabolism in patients with non-insulin-dependent diabetes mellitus. Belfiore, F., Molinatti, G.M., and Reaven, G.M. eds. Tissue-Specific Metabolic Alterations in Diabetes. Front Diabetes. Basel, Karger, 10:134-144.
60. Reaven, G.M. (1990) Lipid disorders in patients with NIDDM. IDF Bulletin 35:11-14.
61. Reaven, G.M. (1990). Abnormalities of carbohydrate and lipoprotein metabolism in patients with hypertension: Therapeutic role of receptor blockade. Journal of Vascular Medicine and Biology 2: 231-235.

62. Reaven, G.M. (1991) Insulin resistance, hyperinsulinemia, and hypertriglyceridemia in the etiology and clinical course of hypertension. *Am. J. Med.* 90:2A-7S.
63. Reaven, G.M. (1991) Insulin resistance, hyperinsulinemia, hypertriglyceridemia, and hypertension: Parallels between human disease and rodent models. *Diabetes Care/Review* 14:195-202.
64. Reaven, G.M. (1991) Insulin resistance and compensatory hyperinsulinemia: role in hypertension, dyslipidemia, and coronary heart disease. *Am. Heart J.* 121:1283-1288.
65. Reaven, G.M. (1991) Abnormalities of carbohydrate and lipoprotein metabolism in patients with hypertension: relationship to obesity. *Ann. Epidemiol.* 1:305-311.
66. Reaven, G.M. (1991) Resistance to insulin-stimulated glucose uptake and hyperinsulinemia: role in non-insulin dependent diabetes, high blood pressure, dyslipidemia and coronary heart disease. *Diabete & Metabolisme* 17:78-86.
67. Reaven, G.M., Zavaroni, I. (1991) Insulin resistance and associated risk factors for coronary heart disease as seen in families. *Diabete & Metabolisme* 17:109-111.
68. Reaven, G.M. (1991) Relationship between insulin resistance and hypertension. *Diabetes Care* 14: 33-38.
69. Reaven, G.M. (1991) Insulin resistance, hyperinsulinemia, hypertriglyceridemia and hypertension: Existence in patients and rodent models. In *Hypertension As An Insulin-Resistant Disorder: Genetic Factors and Cellular Mechanisms*. (Smith U, Bruun N.E., Hedner T, Hökfelt B, eds) *Excerpta Medica*, Amsterdam, pp. 55-67.
70. Reaven, G.M., Laws, A. (1991) Physical activity, glucose tolerance, and diabetes in older adults. *Ann. Behavioral Med.* 13:125-132.
71. Reaven, G.M. (1991) Beyond cholesterol concentration: Other abnormalities of lipid metabolism associated with coronary heart disease. *Diabetes/Metabolism Reviews* 7(3): 137-138.
72. Chen, Y. -D.I, Reaven, G.M. (1991) Intestinally-derived lipoproteins: Metabolism and clinical significance. *Diabetes/Metabolism Reviews* 7:191-208.
73. Laws, A., Reaven, G.M. (1992) Insulin resistance, hyperinsulinemia, dyslipidemia and cardiovascular disease. In *Heart Disease: A Textbook of Cardiovascular Medicine Update*, (Braunwald, E., ed.), Fourth edition, pp. 1-9.
74. Reaven, G.M. (1992) The role of insulin resistance and hyperinsulinemia in coronary heart disease. *Metabolism* 41:16-19.
75. Reaven, G.M. (1992) Alterazioni fisiopatologiche nel diabete mellito tipo II. *Il Diabete*, Marzo:4-6.
76. Reaven, G.M. (1992) Syndrome X. *Blood Pressure* 1 (Suppl. 4): 13-16.

77. Reaven, G.M. (1993) Are triglycerides important as a risk factor for coronary disease? *Heart Disease and Stroke* 2:44-48.
78. Reaven, G.M. (1993) Role of insulin resistance in human disease (Syndrome X): An expanded definition. *Annu. Rev. Med.* 44:121-131.
79. Reaven, G.M. (1993) Treatment of hypertension: Focus on prevention of coronary heart disease. *J. Clin. Endocrinol. Metab.* 76:537-540.
80. Reaven, G.M. (1993) A syndrome of resistance to insulin-stimulated glucose uptake (Syndrome X): Definition and implications. *Cardiovascular Risk Factors* 3:2-11.
81. Laws, A., Reaven, G.M. (1993) Insulin resistance and risk factors for coronary heart disease. In *Clinical Endocrinology and Metabolism: Insulin Resistance and Disease*, (Ferrannini, E., ed.), Baillière Tindall, London, pp. 1063-1078.
82. Reaven, G.M. (1993) Introduction. *Diabetes/Metabolism Rev* 9:1S-3S.
83. Reaven, G.M. (1993) Role of insulin resistance in the pathophysiology of non-insulin dependent diabetes mellitus. *Diabetes/Metabolism Rev* 9:5S-12S.
84. Reaven, G.M. (1994) Syndrome X. *Clin. Diab.* March/April: 32-36.
85. Reaven, G.M. (1994) Syndrome X: Is one enough? *Am. Heart J.* 127:1439-1442.
86. Reaven, G.M., Laws, A. (1994) Insulin resistance, compensatory hyperinsulinaemia, and coronary heart disease. *Diabetologia* 37:948-952.
87. Reaven, G.M. (1994) Syndrome X: 6 years later. *J. Int. Med.* 236:13-22.
88. Reaven, G.M. (1995) The Fourth Musketeer--from Alexandre Dumas to Claude Bernard. *Diabetologia* 38:3-13.
89. Reaven, G.M. (1995) Are insulin resistance and/or compensatory hyperinsulinemia involved in the etiology and clinical course of patients with hypertension? *Internat. J. Obesity* 19:S2-S5.
90. Reaven, G.M. (1995) Characteristics of metabolic Syndrome X. *Endocrinol. Metab.* 2:37-42.
91. Reaven, G.M. (1995) Insulin resistance and coronary heart disease. *In Multiple Risk Factors in Cardiovascular Disease: Vascular and Organ Protection*, (Gotto, A.M., Jr., Lenfant, C., Catapano, A.L., and Paoletti, R., eds), Kluwer Academic Publishers, Norwell, MA, pp. 219-225.
92. Reaven, G.M. (1995) Pathophysiology of insulin resistance in human disease. *Physiol. Rev.* 75:473-486.
93. Reaven, G.M. (1995) Effect of metformin on various aspects of glucose, insulin and lipid metabolism in patients with non-insulin-dependent diabetes mellitus with varying degrees of hyperglycemia. *Diab/Metab. Rev.* 11:S97-S108.
94. Reaven, G.M. (1995) Post-prandial lipemia--The final common pathway? *Endocrinol. Metab.* 2:225-227.

95. Reaven, G.M., Lithell, H., Landsberg, L. (1996) Hypertension and associated metabolic abnormalities--the role of insulin resistance and the sympathoadrenal system. *N. Engl J Med* 334:374-381.
96. Reaven, G.M., (1996) Hypertriglyceridemia: The central feature of Syndrome x. *Cardiovascular Risk Factors* 6:29-35
97. Reaven, G.M., Chen, Y. -D.I., (1996) Insulin resistance, its consequences, and coronary heart disease. Must we choose one culprit? *Circulation* 93:1780-1783.
98. Reaven, G.M. (1996) Insulin resistance and its consequences: non-insulin-dependent diabetes mellitus and coronary heart disease. *In Diabetes Mellitus*, D. LeRoith, S.I. Taylor, J.M. Olefsky, ed. Philadelphia, Lippincott-Raven, pp. 509-519.
99. Reaven, G.M., Coulston, A.M. (1997) Much Ado About (Almost) Nothing. *Diabetes Care* 20:241-243.
100. Reaven, G.M., Marcus, R. (1997) Growth Hormone - Ready for Prime Time? *J of Clin Endocrin and Metabolism* 82:725-726.
101. Reaven, G.M. (1997) Do high carbohydrate diets prevent the development or attenuate the manifestations (or both) of syndrome X? A viewpoint strongly against. *Cur Opin in Lipidology* 8:23-27.
102. Reaven, G.M. (1997) Syndrome X: Past, Present, and Future. *In Clinical Research in Diabetes and Obesity*, (Draznin, B., and Rizza, R., eds) Humana Press Publishers, New Jersey, pp.357-382.
103. Oubré, A.Y., Carlson T.J., King, S.R., and Reaven, G.M. (1997) From plant to patient: an ethnomedical approach to the identification of new drugs for the treatment of NIDDM. *Diabetologia* 40:614-617.
104. Reaven, G.M. (1997) The kidney: an unwilling accomplice in syndrome X. *Amer Jour of Kidney Diseases* 30:928-931.
105. Chen, Y.D.-I., and Reaven, G.M. (1997) Insulin resistance and atherosclerosis. *Diabetes Reviews* 5:331-342. *Cardiovascular Disease: Strategies of Prevention of Coronary Heart Disease, Cardiac Failure, and Stroke*. Gotto, A.M., Jr., Lenfant, C., Paoletti, P., Catapano, A.L., and Jackson, A.S., Eds, Kluwer Academic Publishers, The Netherlands, 171-179.
106. Reaven G.M. (1998) Insulin resistance: What? Why? And how? *In Multiple Risk Factors in Cardiovascular Disease: Strategies for Prevention of Coronary Heart Disease, Cardiac Failure, and Stroke*. Gotto A.M., Lenfant, C, Paoletti, P, Catapano, A.L., and Jackson, A.S., Eds., Kluwer Academic Publishers, The Netherlands, 171-179.
107. Reaven, G.M. (1998) Hypothesis: muscle insulin resistance is the (“not-so”) thrifty genotype. *Diabetologia* 41:482-484.
108. Reaven, G.M. (1998) Insulin resistance and human disease: a short history. *J Basic Clin Physiol Pharmacol* 9:387-406.
109. Reaven, G.M. (1999) Insulin resistance, the key to survival: a rose by any other name.

110. Reaven, G.M. (1999) The pathophysiological consequences of adipose tissue insulin resistance. In Insulin Resistance: The Metabolic Syndrome X. Reaven G.M., Laws, A., Eds, Humana Press, and Toyota, NJ, 233-246
111. Reaven, G.M. (1999) Intensive blood pressure/glucose control in type 2 diabetes: Why is it so difficult to decrease coronary heart disease? J Human Hypertension, 13 (Suppl.2): S19-S123
112. Reaven, G.M. (1999) Syndrome X 10 Years After. Drugs 1999; 58 (Suppl.1) 19-20
113. Reaven, G.M. (1999) A chicken that has come home to roost. Ann NY Acad Sci 892; 45-57.
114. Reaven, G.M. (2000) Insulin resistance and its consequences: Type 2 diabetes mellitus and coronary heart disease. In Diabetes Mellitus, 2nd Edition, D. LeRoith, S.I. Taylor, J.M. Olefsky, Eds, Lippincott-Raven, Philadelphia 604-615.
115. McLaughlin, T., Reaven, G., (2000) Patients in double jeopardy for cardiovascular disease. Geriatrics 55:28-35.
116. Reaven, G.M. (2000) Syndrome X, In Endocrinology, 4<sup>th</sup> Edition, Degroot LJ, Jameson L, Burger, H, Eds, W.B. Saunders Co., Philadelphia, 954-958.
117. Reaven, G.M. (2000) Moderate alcohol consumption, insulin resistance, and cardiovascular disease. In moderate alcohol consumption and cardiovascular disease. Paoletti, R., Klatsky, A.L., Poli, A., Zakhari, S., Eds, Kluwer Academic Publishers, The Netherlands, 61-66.
118. Reaven, G.M. (2000) Insulin resistance-how important is it to treat? Exp Clin Endocrinol Diabetes 108 (Suppl 2): S274-S280.
119. Reaven, G.M. (2000) Diet and Syndrome X. Current Atherosclerosis Reports 2:503-507
120. Reaven, G.M. (2001) Insulin Resistance, Compensatory Hyperinsulinemia, and Coronary Heart Disease: Syndrome X Revisited. In Handbook of Physiology, Section 7, The Endocrine System, Vol II, The Endocrine Pancreas and Regulation of Metabolism, Jefferson, L.S., Cherrington, A.D., Eds., Oxford University Press, 1169-1197.
121. Reaven, G.M. (2001) Insulino-Resistance: Pourquoi est-IL important de la traitor? Diabetes Metab 27:247-253.
122. Reaven, G.M. (2001) Why is it important to be insulin sensitive? Diabetes Metab 27:191-192.
123. Reaven, GM, (2001) Role of insulin resistance in the development of hyperglycemia and dyslipidemia in the development of type 2 diabetes, In Diabetes, Lipids, and Cardiovascular Disease, Stalenhoef, AFH, and Kastlein, Eds, Benecke, N.I., The Netherlands, 11-28.
124. Reaven, GM (2001) Syndrome X: A Short History, The Oschner Journal 3:124-124.
125. Reaven, GM (2001) Syndrome X, Current Treatment Options in Cardiovascular Medicine, 3:323-332.

126. Reaven, GM (2001) Insulin resistance, dyslipidemia, and coronary heart disease in syndrome X, In Occlusive Arterial Disease, Schwartz, CJ, and Born, GVR, Eds. Schattauer, 227-236.
127. Reaven, GM (2002) Insulin resistance, compensatory hyperinsulinemia, and coronary heart disease: syndrome X, In Medical Management of Diabetes and Heart Disease, Sobell, BE and Schneider, DJ, Eds. Marcel Dekker, Inc. New York, NY, 117-136.
128. Reaven GM. Multiple CHD risk factors in type 2 diabetes: beyond hyperglycaemia. *Diabetes, Obesity, and Metab.* 2002; 4 (Suppl. 2):S13-S18
129. Reaven GM. Insulin Resistance. In *Comprehensive Clinical Endocrinology*, 3rd Edition , Mosby , Besser GM, Thorner MO Eds, 291-302.
130. Reaven G. Metabolic Syndrome:Pathophysiology and implications for management of cardiovascular disease. *Circulation* 2002;106:286-288.
131. Reaven GM. Syndrome X: Definition, diagnosis, and treatment. *Manuel of Endocrinology and Metabolism*, 3<sup>rd</sup> Edition, Lippincott Williams & Wilkins, Lavin N, Ed, 621-629.
132. Reaven GM. Age and Glucose Intolerance: Effect of fitness and fatness. *Diabetes Care* 2003; 26:539-540.
133. Reaven GM. Identifying the overweight patient who will benefit the most by losing weight. *Ann Int Med* 2003;138:420-423.
134. Reaven G, Tsao PS. Insulin resistance and compensatory hyperinsulinemia: the key player between cigarette smoking and cardiovascular disease. *J Am Coll Cardiol* 2003: 41:1044-1047.
135. McLaughlin TM, Reaven GM. Beyond type 2 diabetes: the need for a clinically useful way to identify insulin resistance. *Am J Med* 2003;114:501-502.
136. Reaven GM. Insulin resistance/compensatory hyperinsulinemia, essential hypertension, and cardiovascular disease.. *J Clin Endocrinol Metab* 2003; 88:2399-2403.
137. Reaven GM. Type 2 diabetes and coronary heart disease. We keep on learning how little we know. *Arterioscler Thromb Vasc Biol* 2003; 23:917-918.
138. Reaven GM. Does insulin resistance play a role in the pathogenesis and clinical course of patients with hypertension? *Hypertension and Diabetes*, Byran Williams Ed., Martin Dunitz, United Kingdom, 43-60, 2003.
139. Reaven GM. Insulin resistance, hypertension, and coronary disease. *J Clin Hypertens* 2003; 5: 269-274.
140. Reaven GM.The insulin resistance syndrome. *Curr Atheroscler Rep* 2003; 5; 364-371.
141. Reaven GM. Obesity, insulin resistance, and cardiovascular disease. *Recent Prog Horm Res* 2004; 59: 207-223
142. Reaven GM. Insulin resistance, cardiovascular disease, and the metabolic syndrome. How well do the emperor's clothes fit? *Diabetes Care* 2004; 27: 1011-1012.

143. Reaven G. The metabolic syndrome or the insulin resistance syndrome? Different names, different concepts, and different goals. *Endocrinol Metab Clin N Am* 2004; 33: 283-303.
144. Kim SH, Reaven GM. The metabolic syndrome: one step forward, two steps back. *Diabetes Vasc Dis Res* 2004; 1: 68-76.
145. Reaven GM. Insulin resistance and its consequences: Type 2 diabetes mellitus and the insulin resistance syndrome. In *Diabetes Mellitus*, 3rd Edition, D. LeRoith, S.I. Taylor, J.M. Olefsky, Eds, Lippincott, Williams Wilkins, Philadelphia, 899-915, 2004.
146. Reaven GM. Why Syndrome X? From Harold Himsworth to the Insulin Resistance Syndrome. *Cell Metabolism* 2005; 1: 9-14.
147. Reaven GM. Compensatory hyperinsulinemia and the development of an atherogenic lipoprotein profile: the price paid to maintain glucose homeostasis in insulin-resistant individuals. *Endocrinol Metab Clin N Am*. 2005; 34: 49-62.
148. Reaven GM. The role of insulin resistance and compensatory hyperinsulinemia in patients with essential hypertension. In *Hypertension*, 2<sup>nd</sup> Edition, S. Oparil, MW Weber, Eds, Elsevier, Inc. 2005; 123-131.
149. Reaven GM. The metabolic syndrome: Requiescat in pace. *Clin Chem* 2005; 51: 931-938.
150. Reaven GM. The insulin resistance syndrome: definition and dietary approaches to treatment. *Annu Rev Nutr* 2005; 25: 391-396.
151. Reaven GM. Counterpoint: Just being alive is not good enough. *Clin Chem* 51: 1354-1357.
152. Reaven GM, insulin resistance, type 2 diabetes, and cardiovascular disease: The end of the beginning. *Circulation* 2005; 112: 3030-3032.
153. Reaven GM. All obese individuals are not created equal; insulin resistance is the major determinant of cardiovascular disease in overweight/obese individuals. *Diabetes Vasc Dis Res* 2005; 2:105-112.
154. Reaven GM. Insulin resistnce, the insulin resistance syndrome, and cardiovascular disease. *Panminerva Med* 2005; 46: 201-210.
155. Reaven GM. The metabolic syndrome: is this diagnosis necessary. *Am J Clin Nutr* 2006; 83: 1237-1247