



R-001 Series  
Page 1



R-001 Tabs  
Page 1



R-001 Tabs  
Pages 1 & 2



R-001 Tab  
Page 2



R-002 Series  
Page 3



R-003 Series  
Page 3



R-004 Series  
Page 4



R-005 Series  
Page 4



R-006  
Page 5



R-006-Ta  
Page 5



R-007-1 Series  
Page 6



R-007-2 Series  
Page 6



R-008-1LR Series  
Page 7



R-008-2L Series  
Page 7



R-008-2R Series  
Page 8



R-008-3L Series  
Page 8



R-008-3R Series  
Page 9



R-008-4 Series  
Page 9



R-008-5 Series  
Page 10



R-009-1 Series  
Page 10




R-009-2 Series  
Pages 11



R-009-3 Series  
Page 11



R-009 Tabs  
Page 12



R-009 Tabs  
Page 12



R-009 Tabs  
Page 12



R-010 Series  
Page 13



R-010-T Series  
Page 13



R-011 Series  
Page 14



R-012 Series  
Page 14



R-012 Tab  
Page 15



R-013 Series  
Page 15



R-014-D Series  
Page 16



R-014-L Series  
Page 16



R-014-R Series  
Page 17



R-015-L Series  
Page 17



R-015-R Series  
Page 18



R-015-Ta  
Page 18



R-015-Tb  
Page 19



R-015-Tc  
Page 19



R-016-1L Series  
Page 20



R-016-1L Tab  
Page 20



R-016-2L Series  
Page 21



R-016-1R Series  
Page 21



R-016-1R Tab  
Page 22



R-016-2R Series  
Page 22



R-017-1 Series  
Page 23



R-017-2 Series  
Page 23



R-018 Series  
Page 24



R-019-1 Series  
Page 24



R-019-2 Series  
Page 25



R-019-3 Series  
Page 25



R-019-Ta Series  
Page 26



R-019-Tb Series  
Page 26



R-019-Tc Series  
Page 27



R-019-Td Series  
Page 27



R-020 Series  
Page 28




R-020-3 Series  
Page 28



R-022-1 Series  
Page 29



R-022-2 Series  
Page 29




R-022-2 Tabs  
Page 30



R-023 Series  
Page 31



R-024-1 Series  
Page 31



R-024-2 Series  
Page 32



R-024 Tabs  
Pages 32 & 33



R-024 Tabs  
Pages 32 & 33



R-025-L Series  
Page 34




R-025-R Series  
Page 34



R-026 Series  
Page 35



R-027 Series  
Page 35



R-029 Series  
Page 36



R-029 Overlay  
Page 36



R-030 Series  
Page 37



R-032 Series  
Page 37



R-033  
Page 38



R-034 Series  
Page 38



R-035 Series  
Page 39



R-042 Series  
Page 39



R-042 Tab  
Page 40



R-043 Series  
Page 40



R-044-1 Series  
Page 41



R-044-2 Series  
Page 41



R-045 Series  
Page 42




R-046 Series  
Page 42




R-047-1a Series  
Page 43



R-047-1b Series  
Page 43



R-047-1ab Overlay  
Page 44



R-047-2a Series  
Page 44



R-047-2b Series  
Page 45




R-047-2ab Overlay  
Page 45



R-048-1a Series  
Page 46




R-048-1b Series  
Page 46




R-053-1 Series  
Page 47



R-053-1 Overlay  
Page 47



R-053-2a Series  
Page 48



R-053-2b Series  
Page 48



R-053-3 Series  
Page 49



R-054-1  
Page 50



R-054-2  
Page 50



R-055 Series  
Page 51



R-056-1 Series  
Page 51



R-056-2 Series  
Page 52



R-056-2 Tabs  
Page 52



R-056-3 Series  
Page 53



R-057 Series  
Page 53



R-058-1 Series  
Page 54



R-058-2 Series  
Page 54



R-059 Series  
Page 55



R-060 Series  
Page 55



R-060-2  
Page 56



R-061 Series  
Page 56



R-065 Series  
Page 57



R-070 Series  
Page 57



R-075-1 Series  
Page 58



R-075-2 Series  
Page 58



R-075-3 Series  
Page 59



R-075-4 Series  
Page 59



R-075-5 Series  
Page 60



R-080 Series  
Page 60



R-081 Series  
Page 61



R-082-L Series  
Page 61



R-082-L Tab  
Page 62



R-082-R1 Series  
Page 62



R-082-R1 Tab  
Page 63



R-082-R2 Series  
Page 63



R-082-R2 OH Series  
Page 64



R-083-L Series  
Page 64



R-083-R Series  
Page 65



R-084 Series  
Page 65



R-085-L Series  
Page 66



R-085-R Series  
Page 66



R-086-L Series  
Page 67



R-086-R Series  
Page 67



R-087-L Series  
Page 68



R-087-R Series  
Page 68



R-088 Series  
Page 69



R-089 Series  
Page 69



R-090 Series  
Page 70



R-101-1 Series  
Page 70




R-101-2 Series  
Page 70




R-102 Series  
Page 71



R-104 Series  
Page 71



R-104 Tabs  
Page 72



R-104 Tabs  
Page 72



R-106 Series  
Page 72



R-107 Series  
Page 73



R-109-1L Series  
Page 73



R-109-1R Series  
Page 74



R-109-1 Tab  
Page 74



R-109-2 Series  
Page 75



R-110-1 Series  
Page 75



R-110-2 Series  
Page 75



R-110-3 Series  
Page 76



R-110-4 Series  
Page 76



R-110-5L Series  
Page 77



R-110-5R Series  
Page 77



R-110-6 Series  
Page 78



R-110-7 Series  
Page 78



R-111-1L Series  
Page 79



R-111-1R Series  
Page 79



R-111-2L Series  
Page 80



R-111-2R Series  
Pages 80



R-112-1 Series  
Page 81



R-112-2 Series  
Page 81



R-112-2 Tab  
Page 82



R-114 Series  
Page 82



R-117-L Series  
Page 83



R-117-R Series  
Page 83



R-120-1 Series  
Page 84



R-120-2 Series  
Page 84



R-120-3 Series  
Page 85



R-120-3Ta Series  
Page 85



R-120-4 Series  
Page 86



R-121-1 Series  
Page 86



R-121-2 Series  
Page 87



R-121-3 Series  
Page 87



R-121-4 Series  
Page 88



R-122-1 Series  
Page 88




R-122-2 Series  
Page 89



R-122-3 Series  
Page 89



R-122-3Ta Series  
Page 90



R-122-3Tb Series  
Page 90



R-122-4 Series  
Page 91



R-123-1 Series  
Page 91



R-123-2 Series  
Page 92



R-123-3 Series  
Page 92



R-123-4 Series  
Page 93



R-124-1A Series  
Page 93



R-124-1L Series  
Page 94



R-124-1R Series  
Page 94



R-124-2A Series  
Page 95



R-124-2D Series  
Page 95



R-124-2L Series  
Page 96





R-124-2R Series  
Page 96



R-125-1L Series  
Page 97




R-125-1R Series  
Page 97



R-125-1Ta Series  
Page 98



R-129-1Ta Series  
Page 98



R-129-1TbLR Series  
Page 99



R-129-1Tc Series  
Page 99



R-129-1Td Series  
Page 100



R-129-1Te Series  
Page 100



R-129-2Ta Series  
Page 101



R-129-2Tb Series  
Page 101



R-129-2Tc Series  
Page 102




R-129-2Td Series  
Page 102



R-129-2Te Series  
Page 103



R-129-3Ta Series  
Page 103



R-129-3Tb Series  
Page 104



R-129-3Tc Series  
Page 104



R-180 Series  
Page 105



R-181 Series  
Page 105



R-182 Series  
Page 106



R-183 Series  
Page 106



R-190-1 Series  
Page 107



R-190-2 Series  
Page 107



R-190-2Ta Series  
Page 108



R-200-1 Series  
Page 109



R-200-1D Series  
Page 109



R-200-1L Series  
Page 110



R-200-1R Series  
Page 110



R-200-2 Series  
Page 111



R-200-2D Series  
Page 111



R-200-2L Series  
Page 112



R-200-2R Series  
Page 112



R-200-3 Series  
Page 113



R-200-3D Series  
Pages 113



R-200-3L Series  
Page 114



R-200-3R Series  
Page 114



R-200-4 Series  
Page 115



R-200-4D Series  
Page 115



R-200-4L Series  
Page 116



R-200-4R Series  
Page 116



R-200-5 Series  
Page 117



R-200-6 Series  
Page 117



R-200 Tabs  
Page 118



R-200-Tj  
Page 118



R-201-1 Series  
Page 119




R-201-1D Series  
Page 119



R-201-2 Series  
Page 120



R-201-2D Series  
Page 120



R-201 Tabs  
Page 121



R-237 Series  
Page 121



R-238 Series  
Page 122



R-245-L  
Page 122



R-245-R  
Page 123



R-246-L  
Page 123



R-246-R  
Page 124



R-260-1 Series  
Page 125



R-260-1Ta Series  
Page 125





R-280-L  
Page 126




R-280-R  
Page 126



R-281-L  
Page 127



R-281-R  
Page 127



R-281-Ta  
Page 128



R-282-L  
Page 128



R-282-R  
Page 129



R-283  
Page 129



R-284  
Page 130



R-285  
Page 130



R-286-1 Series  
Page 131



R-286-1Ta Series  
Page 131



R-286-1Tb Series  
Page 132



R-286-2L  
Page 132




R-286-2R  
Page 133




R-287 Series  
Page 133



R-300 Series  
Page 134



R-301 Series  
Page 134



R-312 Series  
Pages 135



R-318-L Series  
Page 135



R-318-R1 Series  
Page 136



R-318-R2 Series  
Page 136



R-320 Series  
Page 137



R-322 Series  
Page 137



R-600-1  
Page 138



R-600-1-Ta  
Page 138



R-600-1-Tb  
Page 139



R-600-1-Tc  
Page 139



R-600-2  
Page 140



R-600-2-Ta  
Page 140



R-600-2-Tb  
Page 141



R-600-2-Tc  
Page 141



R-600-2-Tb  
Page 142

Sign Item Number	Description	Page
R-001-u	STOP sign	1
R-001	STOP sign	1
R-001-x	STOP sign	1
R-001-xx	STOP sign	1
R-001-Tau	3-Way tab	1
R-001-Ta	3-Way tab	1
R-001-Tax	3-Way tab	1
R-001-Taxx	3-Way tab	1
R-001-Tbu	4-Way tab	1
R-001-Tb	4-Way tab	1
R-001-Tbx	4-Way tab	1
R-001-Tbxx	4-Way tab	1
R-001-Tcu	All-Way tab	1
R-001-Tc	All-Way tab	1
R-001-Tcx	All-Way tab	1
R-001-Tcxx	All-Way tab	1
R-001-Tdu	Yield to Oncoming Traffic tab	2
R-001-Td	Yield to Oncoming Traffic tab	2
R-001-Tdx	Yield to Oncoming Traffic tab	2
R-001-Tdxx	Yield to Oncoming Traffic tab	2
R-001-Teu	Wait Here for Ferry tab	2
R-001-Te	Wait Here for Ferry tab	2
R-001-Tex	Wait Here for Ferry tab	2
R-001-Texx	Wait Here for Ferry tab	2
R-002-u	YIELD symbol	3
R-002	YIELD symbol	3
R-002-x	YIELD symbol	3
R-003	POSTED SPEED ( ) km/h AHEAD ARROW	3
R-003-x	POSTED SPEED ( ) km/h AHEAD ARROW	3
R-003-xx	POSTED SPEED ( ) km/h AHEAD ARROW	3
R-004	Maximum POSTED SPEED ( ) km/h	4
R-004-x	Maximum POSTED SPEED ( ) km/h	4
R-004-xx	Maximum POSTED SPEED ( ) km/h	4
R-005	MAXIMUM POSTED SPEED ( ) ENDS	4
R-005-x	MAXIMUM POSTED SPEED ( ) ENDS	4
R-005-xx	MAXIMUM POSTED SPEED ( ) ENDS	4
R-006	MAXIMUM ( ) km/h Unless Otherwise Posted	5

Sign Item Number	Description	Page
R-006-Ta	All Roads tab	5
R-007-1	Slower Traffic Keep Right	6
R-007-1x	Slower Traffic Keep Right	6
R-007-1xx	Slower Traffic Keep Right	6
R-007-2	Keep Right Except to Pass	6
R-007-2x	Keep Right Except to Pass	6
R-007-2xx	Keep Right Except to Pass	6
R-008-1LR	One Way Directional	7
R-008-1LRx	One Way Directional	7
R-008-2L	One Way Left Arrow Directional (with text)	7
R-008-2Lx	One Way Left Arrow Directional (with text)	7
R-008-2R	One Way Right Arrow Directional (with text)	8
R-008-2Rx	One Way Right Arrow Directional (with text)	8
R-008-3L	ONE WAY (with left arrow)	8
R-008-3Lx	ONE WAY (with left arrow)	8
R-008-3R	ONE WAY (with right arrow)	9
R-008-3Rx	ONE WAY (with right arrow)	9
R-008-4	Begin ONE WAY	9
R-008-4x	Begin ONE WAY	9
R-008-5	End ONE WAY	10
R-008-5x	End ONE WAY	10
R-009-1u	Do Not Enter symbol	10
R-009-1	Do Not Enter symbol	10
R-009-1x	Do Not Enter symbol	10
R-009-1xx	Do Not Enter symbol	10
R-009-2u	Do Not Enter symbol and text	11
R-009-2	Do Not Enter symbol and text	11
R-009-2x	Do Not Enter symbol and text	11
R-009-2xx	Do Not Enter symbol and text	11
R-009-3u	Wrong Way	11
R-009-3	Wrong Way	11
R-009-3x	Wrong Way	11
R-009-Tau	Except Buses tab	12
R-009-Ta	Except Buses tab	12
R-009-Tax	Except Buses tab	12
R-009-Tbu	Except Bicycles tab	12
R-009-Tb	Except Bicycles tab	12



Sign Item Number	Description	Page
R-009-Tdu	New 'EXCEPT ORV' Tab for use under R-009 Signs	12
R-009-Td	New 'EXCEPT ORV' Tab for use under R-009 Signs	12
R-009-Tdx	New 'EXCEPT ORV' Tab for use under R-009 Signs	12
R-009-TcL-u	DOWN LEFT ANGLED ARROW	12
R-009-TcL	DOWN LEFT ANGLED ARROW	12
R-009-TcL-x	DOWN LEFT ANGLED ARROW	12
R-009-TcL-xx	DOWN LEFT ANGLED ARROW	12
R-009-TcR-u	DOWN RIGHT-ANGLED ARROW	12
R-009-TcR	DOWN RIGHT-ANGLED ARROW	12
R-009-TcR-x	DOWN RIGHT-ANGLED ARROW	12
R-009-TcR-xx	DOWN RIGHT-ANGLED ARROW	12
R-010	Two Way Traffic	13
R-010-x	Two Way Traffic	13
R-010-T	Two Way Traffic Tab	13
R-010-Tx	Two Way Traffic Tab	13
R-011	No Thru Road	14
R-012	Road Closed	14
R-012-T	Local Traffic Only tab	15
R-013	Vehicles Incapable of 60 km/h (applicable vehicles listed) PROHIBITED	15
R-014-D	Median symbol RIGHT and LEFT ARROW	16
R-014-Dx	Median symbol RIGHT and LEFT ARROW	16
R-014-L	Median symbol (keep) LEFT ARROW	17
R-014-R	Median symbol (keep) RIGHT ARROW	17
R-015-L	No Left Turn symbol	17
R-015-Lx	No Left Turn symbol	17
R-015-Lxx	No Left Turn symbol	17
R-015-R	No Right Turn symbol	18
R-015-Rx	No Right Turn symbol	18
R-015-Rxx	No Right Turn symbol	18
R-015-Ta	Tabs for use with signs R-015-L/R	18
R-015-Tax	Tabs for use with signs R-015-L/R	18
R-015-Taxx	Tabs for use with signs R-015-L/R	18
R-015-Tb	Tabs for use with signs R-015-L/R	19
R-015-Tbx	Tabs for use with signs R-015-L/R	19
R-015-Tbxx	Tabs for use with signs R-015-L/R	19
R-015-Tc	Tabs for use with signs R-015-L/R	19
R-015-Tcx	Tabs for use with signs R-015-L/R	19

Sign Item Number	Description	Page
R-015-Tcxx	Tabs for use with signs R-015-L/R	19
R-016-1L	Left Turn symbol	20
R-016-1Lx	Left Turn symbol	20
R-016-1LT	Left Turn Only tab	20
R-016-1LT-x	Left Turn Only tab	20
R-016-2L	All Traffic LEFT ARROW	21
R-016-2Lx	All Traffic LEFT ARROW	21
R-016-1R	Right Turn symbol	21
R-016-1Rx	Right Turn symbol	21
R-016-1RT	Right Turn Only tab	22
R-016-1RT-x	Right Turn Only tab	22
R-016-2R	All Traffic RIGHT ARROW	22
R-016-2Rx	All Traffic RIGHT ARROW	22
R-017-1	No Turn symbol AHEAD ARROW	23
R-017-1x	No Turn symbol AHEAD ARROW	23
R-017-1xx	No Turn symbol AHEAD ARROW	23
R-017-2	No Straight Thru symbol	23
R-017-2x	No Straight Thru symbol	23
R-017-2xx	No Straight Thru symbol	23
R-018	Turn symbol – LEFT and RIGHT ARROWS	24
R-018-x	Turn symbol – LEFT and RIGHT ARROWS	24
R-019-1	No U-Turn symbol	24
R-019-1x	No U-Turn symbol	24
R-019-1xx	No U-Turn symbol	24
R-019-2	U-Turn Permitted	25
R-019-2x	U-Turn Permitted	25
R-019-2xx	U-Turn Permitted	25
R-019-3	U-Turn Route (Ahead Arrow)	25
R-019-3x	U-Turn Route (Ahead Arrow)	25
R-019-3xx	U-Turn Route (Ahead Arrow)	25
R-019-Ta	EXCEPT MAINTENANCE AND AUTHORIZED VEHICLES (Tab)	26
R-019-Tax	EXCEPT MAINTENANCE AND AUTHORIZED VEHICLES (Tab)	26
R-019-Taxx	EXCEPT MAINTENANCE AND AUTHORIZED VEHICLES (Tab)	26
R-019-Tb	ALL TRAFFIC (Tab)	26
R-019-Tbx	ALL TRAFFIC (Tab)	26
R-019-Tbxx	ALL TRAFFIC (Tab)	26
R-019-Tc	X00 m (Tab)	27

Sign Item Number	Description	Page
R-019-Tcx	X00 m (Tab)	27
R-019-Tcxx	X00 m (Tab)	27
R-019-Td	XX km (Tab)	27
R-019-Tdx	XX km (Tab)	27
R-019-Tdxx	XX km (Tab)	27
R-020	No Passing for ( ) m	28
R-020-x	No Passing for ( ) m	28
R-020-3	For use ONLY as a tab for C-172 L/R and W-317 L/R	28
R-020-3	For use ONLY as a tab for C-172 L/R and W-317 L/R	28
R-022-1	Do Not Pass symbol	29
R-022-1x	Do Not Pass symbol	29
R-022-1xx	Do Not Pass symbol	29
R-022-2	Do Not Pass Snowplow symbol	29
R-022-2x	Do Not Pass Snowplow symbol	29
R-022-2xx	Do Not Pass Snowplow symbol	29
R-022-2Ta	Do Not Pass Snowplows on Right tab	30
R-022-2Ta-x	Do Not Pass Snowplows on Right tab	30
R-022-2Ta-xx	Do Not Pass Snowplows on Right tab	30
R-022-2Tb	Do Not Pass Snowplows tab	30
R-022-2Tb-x	Do Not Pass Snowplows tab	30
R-022-2Tb-xx	Do Not Pass Snowplows tab	30
R-023	Passing Permitted symbol	31
R-023-x	Passing Permitted symbol	31
R-023-xx	Passing Permitted symbol	31
R-024-1	Bridge Load Limit ( ),000 kg GVW	31
R-024-2	Bridge Load Limit ( ),000 kg GVW Single/Tandem/Tridem Axel ( ),000 kg	32
R-024-Ta	Trucks Maximum Speed ( ) tab	32
R-024-Tb	( ) km Ahead tab	33
R-024-Tc	Overload Permits Invalid tab	33
R-025-L	Stop Line RIGHT DOWN ANGLED ARROW	34
R-025-R	Stop Line LEFT DOWN ANGLED ARROW	34
R-026	Vehicles with Flanges or Lugs Must Protect Bridge Deck	35
R-027	One Bus or Truck Only on Bridge	35
R-029	Load Limit Maximum ( ) % of Legal Axle Weight	36
R-029-OL	( ) % overlay	36
R-030	Load Limit ( ),000 kg GVW	37
R-032	Bridge Closed	37



Sign Item Number	Description	Page
R-033	BRIDGE LIMIT: ONE TRUCK AT ANY TIME	38
R-034-x	Graphic of Heavy Trucks Approaching and Leaving Bridge Structure: "ONE HEAVY TRUCK ON BRIDGE ALLOWED AT ANY TIME."	38
R-034-xx	Graphic of Heavy Trucks Approaching and Leaving Bridge Structure: "ONE HEAVY TRUCK ON BRIDGE ALLOWED AT ANY TIME."	38
R-035	Do Not Pass Horses on Bridge	39
R-042	\$2,000 Maximum Penalty for Littering	39
R-042-T	Or Dumping Domestic Waste or Sewage tab	40
R-043	Do Not Dump Refuse	40
R-044-1	Keep Off Median	41
R-044-1x	Keep Off Median	41
R-044-2	No Driving on Shoulder	41
R-044-2x	No Driving on Shoulder	42
R-045	Trucks over 5500 kg licensed gross vehicle weight check brakes - Exit XXX m	42
R-045-x	Trucks over 5500 kg licensed gross vehicle weight check brakes - Exit XXX m	42
R-045-xx	Trucks over 5500 kg licensed gross vehicle weight check brakes - Exit XXX m	42
R-046	Trucks Stop Here Check Brakes Steep Hill Ahead	42
R-047-1a	Winter tire regulatory sign, effective Oct 1 through March 31 for non-commercial vehicles	43
R-047-1ax	Winter tire regulatory sign, effective Oct 1 through March 31 for non-commercial vehicles	43
R-047-1b	Winter tire regulatory sign, effective Oct 1 through April 30 for non-commercial vehicles	43
R-047-1bx	Winter tire regulatory sign, effective Oct 1 through April 30 for non-commercial vehicles	43
R-047-1ab Overlays	Winter tire sign range of date changes	44
R-047-2a	Winter tire regulatory sign, effective Oct 1 through March 31 for commercial vehicles	44
R-047-2ax	Winter tire regulatory sign, effective Oct 1 through March 31 for commercial vehicles	44
R-047-2b	Winter tire regulatory sign, effective Oct 1 through April 30 for commercial vehicles	45
R-047-2bx	Winter tire regulatory sign, effective Oct 1 through April 30 for commercial vehicles	45
R-047-2ab Overlays	Winter tire sign range of date changes	45
R-048-1a	Winter tire regulatory sign, effective Oct 1 through March 31 for commercial and passenger vehicles	46
R-048-1ax	Winter tire regulatory sign, effective Oct 1 through March 31 for commercial and passenger vehicles	46
R-048-1b	Winter tire regulatory sign, effective Oct 1 through April 30 for commercial and passenger vehicles	46
R-048-1bx	Winter tire regulatory sign, effective Oct 1 through April 30 for commercial and passenger vehicles	46
R-053-1	VEHICLES WITH 'X' OR MORE AXLES OR TOWING TRAILERS MUST CHAIN UP HERE - Folding Message Sign	47

Sign Item Number	Description	Page
R-053-1 OL	Double-sided overlay options	47
R-053-2a	Commercial and heavy trucks over 11,794 kg must carry chains, effective Oct 1 through March 31	48
R-053-2ax	Commercial and heavy trucks over 11,794 kg must carry chains, effective Oct 1 through March 31	48
R-053-2axx	Commercial and heavy trucks over 11,794 kg must carry chains, effective Oct 1 through March 31	48
R-053-2b	Commercial and heavy trucks over 11,794 kg must carry chains, effective Oct 1 through April 30	48
R-053-2bx	Commercial and heavy trucks over 11,794 kg must carry chains, effective Oct 1 through April 30	48
R-053-2bxx	Commercial and heavy trucks over 11,794 kg must carry chains, effective Oct 1 through April 30	48
R-053-3	When flashing - (commercial truck graphics) over 11,794kg LGVW must use tire chains - XXXm Ahead	49
R-053-3x	When flashing - (commercial truck graphics) over 11,794kg LGVW must use tire chains - XXXm Ahead	49
R-054-1	When lights flashing, Truck over 5500 kg LGVW must report X00 m ahead	50
R-054-2	When lights flashing, Truck over 5500 kg LGVW must report (Exit Arrow)	50
R-055	Yield Centre Lane to Opposing Traffic	51
R-056-1uu	YIELD symbol To Oncoming Traffic	51
R-056-1u	YIELD symbol To Oncoming Traffic	51
R-056-1	YIELD symbol To Oncoming Traffic	51
R-056-1x	YIELD symbol To Oncoming Traffic	51
R-056-2uu	Yield symbol To Buses	52
R-056-2u	Yield symbol To Buses	52
R-056-2	Yield symbol To Buses	52
R-056-2x	Yield symbol To Buses	52
R-056-2TL-uu	On Left Tab	52
R-056-2TL-u	On Left Tab	52
R-056-2TL	On Left Tab	52
R-056-2TL-x	On Left Tab	52
R-056-2TR-uu	On Right Tab	52
R-056-2TR-u	On Right Tab	52
R-056-2TR	On Right Tab	52
R-056-2TR-x	On Right Tab	52
R-056-3u	YIELD symbol To Cyclists	53
R-056-3	YIELD symbol To Cyclists	53
R-056-3x	YIELD symbol To Cyclists	53

<b>Sign Item Number</b>	<b>Description</b>	<b>Page</b>
R-057-u	Use Head Lights Thru Tunnel	53
R-057	Use Head Lights Thru Tunnel	53
R-057-x	Use Head Lights Thru Tunnel	53
R-058-1	No Trespassing Ministry of Transportation	54
R-058-2	No Vending	55
R-059	Danger No Trespassing Excavation	55
R-059-x	Danger No Trespassing Excavation	55
R-060	NO TRESPASSING AUTHORIZED PERSONNEL ONLY.	55
R-060-x	NO TRESPASSING AUTHORIZED PERSONNEL ONLY.	55
R-060-2	PLEASE CLOSE GATE UPON ENTERING AND LEAVING	56
R-061	No Public Access Emergency Vehicles Only	56
R-065-u	No Snowmobiling symbol	57
R-065	No Snowmobiling symbol	57
R-065-x	No Snowmobiling symbol	57
R-070	PRIVATE PROPERTY, NO TRESPASSING, HUNTING, SHOOTING OR PUBLIC ACCESS. VIOLATORS WILL BE PROSECUTED.	57
R-075-1	NOTICE THIS PROPERTY UNDER VIDEO SURVEILLANCE	58
R-075-2	NOTICE PARKING AREA UNDER VIDEO SURVEILLANCE	58
R-075-3	NOTICE REST AREA UNDER VIDEO SURVEILLANCE	59
R-075-4	DO NOT DROP OFF BOATS	59
R-075-5	NOTICE THIS AREA UNDER VIDEO SURVEILLANCE	60
R-080-u	This Lane Left or Right DOUBLE ARROWS	60
R-080	This Lane Left or Right DOUBLE ARROWS	60
R-080-x	This Lane Left or Right DOUBLE ARROWS	60
R-081-u	This Lane Straight Thru AHEAD ARROW	61
R-081	This Lane Straight Thru AHEAD ARROW	61
R-081-x	This Lane Straight Thru AHEAD ARROW	61
R-082-Lu	This Lane Left LEFT ARROW	61
R-082-L	This Lane Left LEFT ARROW	61
R-082-Lx	This Lane Left LEFT ARROW	61
R-082-LTu	Left Lane tab	62
R-082-LT	Left Lane tab	62
R-082-LTx	Left Lane tab	62
R-082-R1u	This Lane Right RIGHT ARROW	62
R-082-R1	This Lane Right RIGHT ARROW	62
R-082-R1x	This Lane Right RIGHT ARROW	62
R-082-R1T-u	Right Lane tab	63
R-082-R1T	Right Lane tab	63



Sign Item Number	Description	Page
R-082-R1T-x	Right Lane tab	63
R-082-R2u	Right Lane Must Turn Right	63
R-082-R2	Right Lane Must Turn Right	63
R-082-R2x	Right Lane Must Turn Right	63
R-082-R2-OHu	Right Lane Must Turn Right	64
R-082-R2-OH	Right Lane Must Turn Right	64
R-082-R2-OHx	Right Lane Must Turn Right	64
R-083-Lu	This Lane Left or Thru LEFT and AHEAD ARROWS	64
R-083-L	This Lane Left or Thru LEFT and AHEAD ARROWS	64
R-083-Lx	This Lane Left or Thru LEFT and AHEAD ARROWS	64
R-083-Ru	This Lane Right or Thru RIGHT and AHEAD ARROWS	65
R-083-R	This Lane Right or Thru RIGHT and AHEAD ARROWS	65
R-083-Rx	This Lane Right or Thru RIGHT and AHEAD ARROWS	65
R-084-u	This Lane Left, Right or Thru LEFT, AHEAD and RIGHT ARROWS	65
R-084	This Lane Left, Right or Thru LEFT, AHEAD and RIGHT ARROWS	65
R-084-x	This Lane Left, Right or Thru LEFT, AHEAD and RIGHT ARROWS	65
R-085-Lu	Two Lanes Left LEFT ARROWS lane divider symbol	66
R-085-L	Two Lanes Left LEFT ARROWS lane divider symbol	66
R-085-Lx	Two Lanes Left LEFT ARROWS lane divider symbol	66
R-085-Ru	Two Lanes Right RIGHT ARROWS lane divider symbol	66
R-085-R	Two Lanes Right RIGHT ARROWS lane divider symbol	66
R-085-Rx	Two Lanes Right RIGHT ARROWS lane divider symbol	66
R-086-Lu	Left Lane Left, Right Lane Thru LEFT and AHEAD ARROWS lane divider symbol	67
R-086-L	Left Lane Left, Right Lane Thru LEFT and AHEAD ARROWS lane divider symbol	67
R-086-Lx	Left Lane Left, Right Lane Thru LEFT and AHEAD ARROWS lane divider symbol	67
R-086-Ru	Left Lane Thru, Right Lane Right AHEAD and RIGHT ARROWS lane divider symbol	67
R-086-R	Left Lane Thru, Right Lane Right AHEAD and RIGHT ARROWS lane divider symbol	67
R-086-Rx	Left Lane Thru, Right Lane Right AHEAD and RIGHT ARROWS lane divider symbol	67
R-087-Lu	Left Lane Left, Right Lane Left or Thru LEFT and AHEAD ARROWS lane divider symbol	68
R-087-L	Left Lane Left, Right Lane Left or Thru LEFT and AHEAD ARROWS lane divider symbol	68
R-087-Lx	Left Lane Left, Right Lane Left or Thru LEFT and AHEAD ARROWS lane divider symbol	68
R-087-Ru	Left Lane Thru or Right, Right Lane Right RIGHT AHEAD ARROWS lane divider symbol	68
R-087-R	Left Lane Thru or Right, Right Lane Right RIGHT AHEAD ARROWS lane divider symbol	68
R-087-Rx	Left Lane Thru or Right, Right Lane Right RIGHT AHEAD ARROWS lane divider symbol	68
R-088-u	Two Way – Left Turn Lane symbol Begins OPPOSITE FACING CURVED ARROWS	69
R-088	Two Way – Left Turn Lane symbol Begins OPPOSITE FACING CURVED ARROWS	69
R-088-x	Two Way – Left Turn Lane symbol Begins OPPOSITE FACING CURVED ARROWS	69

Sign Item Number	Description	Page
R-089-u	Two Way – Left Turn Lane symbol Ends OPPOSITE FACING CURVED ARROWS	69
R-089	Two Way – Left Turn Lane symbol Ends OPPOSITE FACING CURVED ARROWS	69
R-089-x	Two Way – Left Turn Lane symbol Ends OPPOSITE FACING CURVED ARROWS	69
R-090-u	Two Way – Left Turn Lane symbol continues OPPOSITE FACING CURVED ARROWS	70
R-090	Two Way – Left Turn Lane symbol continues OPPOSITE FACING CURVED ARROWS	70
R-090-x	Two Way – Left Turn Lane symbol continues OPPOSITE FACING CURVED ARROWS	70
R-101-1	Begin Public Road	70
R-101-2	End Public Road	70
R-102	End of Maintained Public Road	71
R-104	Vehicles over 5500 kg licensed gross vehicle weight report to scale.	71
R-104-x	Vehicles over 5500 kg licensed gross vehicle weight report to scale.	71
R-104-Ta	Including Buses not Licensed in BC tabs	72
R-104-Tax	Including Buses not Licensed in BC tabs	72
R-104-Tb	Recreational Vehicles Exempt tab	72
R-104-Tbx	Recreational Vehicles Exempt tab	72
R-104-Tc	Empty Chip Trucks Exempt tab	72
R-104-Tcx	Empty Chip Trucks Exempt tab	72
R-104-Td	Empty Farm Trucks Exempt tab	72
R-104-Tdx	Empty Farm Trucks Exempt tab	72
R-104-Te	Empty Log Trucks Exempt tab	72
R-104-Tex	Empty Log Trucks Exempt tab	72
R-104-Tf	( ) m Ahead tab	72
R-104-Tfx	( ) m Ahead tab	72
R-106	Do Not Block Intersection	72
R-107	Do Not Block Access	73
R-109-1L	Left Turn Signal	73
R-109-1R	Right Turn Signal	74
R-109-1T	Delayed tab	74
R-109-2u	Bus Priority Signal	75
R-109-2	Bus Priority Signal	75
R-110-1	Left Turn Arrow (two sets of hours) ONLY	75
R-110-2	Left Turn Arrow (one set of hours and days of the week) ONLY	75
R-110-3	Left Turn Yield on Green – Green Light symbol	76
R-110-4	Left Turn Permitted on Red – Red Light symbol After Stop	76
R-110-5L	Left Turn Yield to Cyclist symbol on Green – Green Light symbol	77
R-110-5R	Right Turn Yield to Cyclist symbol on Green – Green Light symbol	78

Sign Item Number	Description	Page
R-110-6	Right Turn Yield to Cyclist symbol on Red – Red Light symbol	78
R-110-7	Right Turns Yield to Pedestrians	78
R-111-1L	Ped/Bike/Crosswalk symbols – left	79
R-111-1Lx	Ped/Bike/Crosswalk symbols – left	79
R-111-1R	Ped/Bike/Crosswalk symbols – right	79
R-111-1Rx	Ped/Bike/Crosswalk symbols – right	79
R-111-2L	Ped/Golf Cart/Crosswalk symbols – left	80
R-111-2Lx	Ped/Golf Cart/Crosswalk symbols – left	80
R-111-2R	Ped/Golf Cart/Crosswalk symbols – right	80
R-111-2Rx	Ped/Golf Cart/Crosswalk symbols – right	80
R-112-1	No Hitch-Hiking Pickup is Illegal	81
R-112-2	No Hitch-Hiking symbol	81
R-112-2x	No Hitch-Hiking symbol	81
R-112-2xx	No Hitch-Hiking symbol	81
R-112-2T	No Hitch-Hiking tab	82
R-112-2Tx	No Hitch-Hiking tab	82
R-112-2Txx	No Hitch-Hiking tab	82
R-114	Aircraft Patrolled	82
R-114-x	Aircraft Patrolled	82
R-117-L	No Left Turn on Red Light symbol	83
R-117-R	No Right Turn on Red Light symbol	83
R-120-1u	No car symbol	84
R-120-1	No car symbol	84
R-120-1x	No car symbol	84
R-120-2u	No car symbol DOWN ARROW	84
R-120-2	No car symbol DOWN ARROW	84
R-120-3u	Car Permitted symbol	85
R-120-3	Car Permitted symbol	85
R-120-3x	Car Permitted symbol	85
R-120-3Tau	Cars Permitted to Pick Up and Drop Off ONLY	85
R-120-3Ta	Cars Permitted to Pick Up and Drop Off ONLY	85
R-120-4u	Car Permitted symbol DOWN ARROW	86
R-120-4	Car Permitted symbol DOWN ARROW	86
R-121-1u	No Bus symbol	86
R-121-1	No Bus symbol	86
R-121-1x	No Bus symbol	86
R-121-2u	No Bus symbol DOWN ARROW	87

Sign Item Number	Description	Page
R-121-2	No Bus symbol DOWN ARROW	87
R-121-3u	Bus Permitted symbol	87
R-121-3	Bus Permitted symbol	87
R-121-3x	Bus Permitted symbol	87
R-121-4u	Bus Permitted symbol DOWN ARROW	88
R-121-4	Bus Permitted symbol DOWN ARROW	88
R-122-1u	No Truck symbol	88
R-122-1	No Truck symbol	88
R-122-1x	No Truck symbol	88
R-122-2u	No Truck symbol DOWN ARROW	89
R-122-2	No Truck symbol DOWN ARROW	89
R-122-3u	Truck Permitted symbol	89
R-122-3	Truck Permitted symbol	89
R-122-3x	Truck Permitted symbol	89
R-122-3Tau	Truck Route Tab for Trucks Permitted Symbol	90
R-122-3Ta	Truck Route Tab for Trucks Permitted Symbol	90
R-122-3Tax	Truck Route Tab for Trucks Permitted Symbol	90
R-122-3Tbu	Trucks "OK" Tab for Trucks Permitted Symbol	90
R-122-3Tb	Trucks "OK" Tab for Trucks Permitted Symbol	90
R-122-4u	Truck Permitted symbol DOWN ARROW	91
R-122-4	Truck Permitted symbol DOWN ARROW	91
R-123-1u	No Articulated Trucks Permitted Symbol	91
R-123-1	No Articulated Trucks Permitted Symbol	91
R-123-1x	No Articulated Trucks Permitted Symbol	91
R-123-2u	Articulated trucks not permitted in this lane, DOWN ARROW symbol	92
R-123-2	Articulated trucks not permitted in this lane, DOWN ARROW symbol	92
R-123-3u	Articulated trucks permitted symbol	92
R-123-3	Articulated trucks permitted symbol	92
R-123-3x	Articulated trucks permitted symbol	92
R-123-4u	Articulated trucks permitted in this lane, DOWN ARROW	93
R-123-4	Articulated trucks permitted in this lane, DOWN ARROW	93
R-124-1Au	Articulated trucks not permitted to go straight through, in this lane, UP ARROW	93
R-124-1A	Articulated trucks not permitted to go straight through, in this lane, UP ARROW	93
R-124-1Ax	Articulated trucks not permitted to go straight through, in this lane, UP ARROW	93
R-124-1Lu	Articulated trucks not permitted to turn LEFT in this lane, LEFT ARROW	94
R-124-1L	Articulated trucks not permitted to turn LEFT in this lane, LEFT ARROW	94

Sign Item Number	Description	Page
R-124-1Lx	Articulated trucks not permitted to turn LEFT in this lane, LEFT ARROW	94
R-124-1Ru	Articulated trucks not permitted to turn RIGHT in this lane, RIGHT ARROW	94
R-124-1R	Articulated trucks not permitted to turn RIGHT in this lane, RIGHT ARROW	94
R-124-1Rx	Articulated trucks not permitted to turn RIGHT in this lane, RIGHT ARROW	94
R-124-2Au	Articulated trucks are permitted to go straight through, in this lane, UP ARROW	95
R-124-2A	Articulated trucks are permitted to go straight through, in this lane, UP ARROW	95
R-124-2Ax	Articulated trucks are permitted to go straight through, in this lane, UP ARROW	95
R-124-2Du	Articulated trucks permitted in this lane, DOUBLE ARROW symbol	95
R-124-2D	Articulated trucks permitted in this lane, DOUBLE ARROW symbol	95
R-124-2Dx	Articulated trucks permitted in this lane, DOUBLE ARROW symbol	95
R-124-2Lu	Articulated trucks are permitted to turn left, in this lane, LEFT ARROW	96
R-124-2L	Articulated trucks are permitted to turn left, in this lane, LEFT ARROW	96
R-124-2Lx	Articulated trucks are permitted to turn left, in this lane, LEFT ARROW	96
R-124-2Ru	Articulated trucks are permitted to turn right, in this lane, RIGHT ARROW	96
R-124-2R	Articulated trucks are permitted to turn right, in this lane, RIGHT ARROW	96
R-124-2Rx	Articulated trucks are permitted to turn right, in this lane, RIGHT ARROW	96
R-125-1Lu	Left Lane Restriction for Articulated trucks	97
R-125-1L	Left Lane Restriction for Articulated trucks	97
R-125-1Lx	Left Lane Restriction for Articulated trucks	97
R-125-1Ru	Right Lane Restriction for Articulated trucks	97
R-125-1R	Right Lane Restriction for Articulated trucks	97
R-125-1Rx	Right Lane Restriction for Articulated trucks	97
R-125-1Tau	"X00m" tab for lane restriction signs for articulated trucks	98
R-125-1Ta	"X00m" tab for lane restriction signs for articulated trucks	98
R-125-1Tax	"X00m" tab for lane restriction signs for articulated trucks	98
R-129-1Tau	THRU ARROW tab	98
R-129-1Ta	THRU ARROW tab	98
R-129-1Tax	THRU ARROW tab	98
R-129-1TbLRu	LEFT / RIGHT ARROW tab	99
R-129-1TbLR	LEFT / RIGHT ARROW tab	99
R-129-1TbLRx	LEFT / RIGHT ARROW tab	99
R-129-1Tcu	DOUBLE ARROW tab	99
R-129-1Tc	DOUBLE ARROW tab	99
R-129-1Tcx	DOUBLE ARROW tab	99
R-129-1Tdu	45° LEFT ARROW tab	100
R-129-1Td	45° LEFT ARROW tab	100



Sign Item Number	Description	Page
R-129-1Tdx	45° LEFT ARROW tab	100
R-129-1Teu	45° RIGHT ARROW tab	100
R-129-1Te	45° RIGHT ARROW tab	100
R-129-1Tex	45° RIGHT ARROW tab	100
R-129-2Tau	USE CENTRE LANE Tab	101
R-129-2Ta	USE CENTRE LANE Tab	101
R-129-2Tax	USE CENTRE LANE Tab	101
R-129-2Tbu	USE LEFT LANE Tab	101
R-129-2Tb	USE LEFT LANE Tab	101
R-129-2Tbx	USE LEFT LANE Tab	101
R-129-2Tcu	USE RIGHT LANE Tab	102
R-129-2Tc	USE RIGHT LANE Tab	102
R-129-2Tcx	USE RIGHT LANE Tab	102
R-129-2Tdu	LEFT LANE Tab	102
R-129-2Td	LEFT LANE Tab	102
R-129-2Tdx	LEFT LANE Tab	102
R-129-2Teu	LEFT 2 LANES Tab	103
R-129-2Te	LEFT 2 LANES Tab	103
R-129-2Tex	LEFT 2 LANES Tab	103
R-129-3Tau	Except local deliveries tab	103
R-129-3Ta	Except local deliveries tab	103
R-129-3Tax	Except local deliveries tab	103
R-129-3Tbu	Articulated Trucks tab	104
R-129-3Tb	Articulated Trucks tab	104
R-129-3Tbx	Articulated Trucks tab	104
R-129-3Tcu	Over "10,000" kg licenced GVW tab (variable)	104
R-129-3Tc	Over "10,000" kg licenced GVW tab (variable)	104
R-129-3Tcx	Over "10,000" kg licenced GVW tab (variable)	104
R-180	Entering variable speed corridor	105
R-180-x	Entering variable speed corridor	105
R-180-xx	Entering variable speed corridor	105
R-181-x	Variable speed corridor begins. MAXIMUM XXX km/h unless otherwise posted	105
R-181-xx	Variable speed corridor begins. MAXIMUM XXX km/h unless otherwise posted	105
R-182	Variable speed corridor ends	106
R-182-x	Variable speed corridor ends	106
R-182-xx	Variable speed corridor ends	106
R-183	MAX XXX km/h unless otherwise posted	106

Sign Item Number	Description	Page
R-183-x	MAX XXX km/h unless otherwise posted	106
R-183-xx	MAX XXX km/h unless otherwise posted	106
R-190-1u	Hazardous Material Prohibited symbol	107
R-190-1	Hazardous Material Prohibited symbol	107
R-190-1x	Hazardous Material Prohibited symbol	107
R-190-2u	Hazardous Material Permitted symbol	107
R-190-2	Hazardous Material Permitted symbol	107
R-190-2x	Hazardous Material Permitted symbol	107
R-190-2Tau	Hazardous Material Route tab	108
R-190-2Ta	Hazardous Material Route tab	108
R-190-2Tax	Hazardous Material Route tab	108
R-200-1	HOV Diamond/Bus symbols	109
R-200-1x	HOV Diamond/Bus symbols	109
R-200-1D	HOV Diamond/Bus symbols DOWN ARROW	109
R-200-1Dx	HOV Diamond/Bus symbols DOWN ARROW	109
R-200-1L	HOV Diamond/Bus symbols DOWN LEFT ANGLED ARROW	110
R-200-1Lx	HOV Diamond/Bus symbols DOWN LEFT ANGLED ARROW	110
R-200-1R	HOV Diamond/Bus symbols DOWN RIGHT-ANGLED ARROW	110
R-200-1Rx	HOV Diamond/Bus symbols DOWN RIGHT-ANGLED ARROW	110
R-200-2	HOV Diamond/Bus symbols (Hours/Days)	111
R-200-2x	HOV Diamond/Bus symbols (Hours/Days)	111
R-200-2D	HOV Diamond/Bus symbols (Hours/Days) DOWN ARROW	111
R-200-2Dx	HOV Diamond/Bus symbols (Hours/Days) DOWN ARROW	111
R-200-2L	HOV Diamond/Bus symbols (Hours/Days) DOWN LEFT ANGLED ARROW	112
R-200-2Lx	HOV Diamond/Bus symbols (Hours/Days) DOWN LEFT ANGLED ARROW	112
R-200-2R	HOV Diamond/Bus symbols (Hours/Days) DOWN RIGHT-ANGLED ARROW	112
R-200-2Rx	HOV Diamond/Bus symbols (Hours/Days) DOWN RIGHT-ANGLED ARROW	112
R-200-3	HOV Diamond/Bus/Carpool symbols	113
R-200-3x	HOV Diamond/Bus/Carpool symbols	113
R-200-3D	HOV Diamond/Bus/Carpool symbols DOWN ARROW	113
R-200-3Dx	HOV Diamond/Bus/Carpool symbols DOWN ARROW	113
R-200-3L	HOV Diamond/Bus/Carpool symbols DOWN LEFT ANGLED ARROW	114
R-200-3Lx	HOV Diamond/Bus/Carpool symbols DOWN LEFT ANGLED ARROW	114
R-200-3R	HOV Diamond/Bus/Carpool symbols DOWN RIGHT-ANGLED ARROW	114
R-200-3Rx	HOV Diamond/Bus/Carpool symbols DOWN RIGHT-ANGLED ARROW	114
R-200-4	HOV Diamond/Bus/Carpool symbols (Hours/Days)	115
R-200-4x	HOV Diamond/Bus/Carpool symbols (Hours/Days)	115

Sign Item Number	Description	Page
R-200-4D	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN ARROW	115
R-200-4Dx	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN ARROW	115
R-200-4L	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN LEFT ANGLED ARROW	116
R-200-4Lx	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN LEFT ANGLED ARROW	116
R-200-4R	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN RIGHT-ANGLED ARROW	116
R-200-4Rx	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN RIGHT-ANGLED ARROW	116
R-200-5	Vanpool (#) or More Persons Per Vehicle	117
R-200-5x	Vanpool (#) or More Persons Per Vehicle	117
R-200-6	HOV 2 or More Persons Per Vehicle	117
R-200-6x	HOV 2 or More Persons Per Vehicle	118
R-200-Ta	Ahead tab	118
R-200-Tax	Ahead tab	118
R-200-Tb	Begins tab	118
R-200-Tbx	Begins tab	118
R-200-Tc	Ends tab	118
R-200-Tcx	Ends tab	118
R-200-Td	Left Lane tab	118
R-200-Tdx	Left Lane tab	118
R-200-Te	Right Lane tab	118
R-200-Tex	Right Lane tab	118
R-200-Tf	Bus Lane tab	118
R-200-Tfx	Bus Lane tab	118
R-200-Tg	Bus and HOV tab	118
R-200-Tgx	Bus and HOV tab	118
R-200-Th	Motorcycles OK tab	118
R-200-Thx	Motorcycles OK tab	118
R-200-Ti	Except Right Turns tab	118
R-200-Tix	Except Right Turns tab	118
R-200-Tj	Clean Air Vehicles OK in HOV Lanes. Decal Required	118
R-200-Tjx	Clean Air Vehicles OK in HOV Lanes. Decal Required	118
R-201-1	HOV Diamond/Bus symbols (Hours/Days)	119
R-201-1x	HOV Diamond/Bus symbols (Hours/Days)	119
R-201-1D	HOV Diamond/Bus symbols (Hours/Days) DOWN ARROW	119
R-201-1Dx	HOV Diamond/Bus symbols (Hours/Days) DOWN ARROW	119
R-201-2	HOV Diamond/Bus/Carpool symbols (Hours/Days)	120
R-201-2x	HOV Diamond/Bus/Carpool symbols (Hours/Days)	120
R-201-2D	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN ARROW	120

Sign Item Number	Description	Page
R-201-2Dx	HOV Diamond/Bus/Carpool symbols (Hours/Days) DOWN ARROW	120
R-201-Ta	Ahead tab	121
R-201-Tax	Ahead tab	121
R-201-Tb	Begins tab	121
R-201-Tbx	Begins tab	121
R-201-Tc	Ends tab	121
R-201-Tcx	Ends tab	121
R-201-Td	Left Lane tab	121
R-201-Tdx	Left Lane tab	121
R-201-Te	Right Lane tab	121
R-201-Tex	Right Lane tab	121
R-201-Tf	Bus Lane tab	121
R-201-Tfx	Bus Lane tab	121
R-201-Tg	Bus and HOV tab	121
R-201-Tgx	Bus and HOV tab	121
R-237	HOV Diamond Vanpool symbol Vanpool Permitted	121
R-237-x	HOV Diamond Vanpool symbol Vanpool Permitted	121
R-238	Vanpool Permitted	122
R-245-L	HOV EXIT - LEFT Arrow	122
R-245-R	HOV EXIT - RIGHT Arrow	123
R-246-L	HOV EXIT - LEFT Arrow	123
R-246-R	HOV EXIT - RIGHT Arrow	124
R-260-1x	Trucks use both lanes	125
R-260-1xx	Trucks use both lanes	125
R-260-1Tax	Trucks over "X.X" m use both lanes TAB	125
R-260-1Taxx	Trucks over "X.X" m use both lanes TAB	125
R-280-L	STOP HERE ON RED (LEFT ARROW) – Railway Crossing Series	126
R-280-R	STOP HERE ON RED (RIGHT ARROW) – Railway Crossing Series	126
R-281-L	RAILWAY STOP LINE (LEFT ARROW) - RAILWAY CROSSING SERIES	127
R-281-R	RAILWAY STOP LINE (RIGHT ARROW) - RAILWAY CROSSING SERIES	127
R-281-Ta	LOOK TAB (LEFT RIGHT ARROW) - Railway Crossing Series	128
R-282-L	STOP HERE FOR TRAFFIC SIGNAL (LEFT ARROW) – Railway Crossing Series	128
R-282-R	STOP HERE FOR TRAFFIC SIGNAL (RIGHT ARROW) – Railway Crossing Series	129
R-283	No Stopping ZONE, Train Symbol, KEEP TRACKS CLEAR – Railway Crossing Series	129
R-284	Number of tracks ahead top TAB – Railway Crossing Series	130
R-285	KEEP TRACKS CLEAR – Railway Crossing Series	130
R-286-1	DO NOT DRIVE MOTORIZED VEHICLES ON RAILROAD TRACKS SYMBOL	131

Sign Item Number	Description	Page
R-286-1x	DO NOT DRIVE MOTORIZED VEHICLES ON RAILROAD TRACKS SYMBOL	131
R-286-1xx	DO NOT DRIVE MOTORIZED VEHICLES ON RAILROAD TRACKS SYMBOL	131
R-286-1Ta	TRACKS OUT OF SERVICE - TAB	131
R-286-1Tax	TRACKS OUT OF SERVICE - TAB	131
R-286-1Taxx	TRACKS OUT OF SERVICE - TAB	131
R-286-1Tb	DO NOT DRIVE ON TRACKS - TAB	132
R-286-1Tbx	DO NOT DRIVE ON TRACKS - TAB	132
R-286-1Tbxx	DO NOT DRIVE ON TRACKS - TAB	132
R-286-2L	No LEFT Turn SYMBOL, No Driving on Railroad Tracks SYMBOL	132
R-286-2Lx	No LEFT Turn SYMBOL, No Driving on Railroad Tracks SYMBOL	132
R-286-2R	No RIGHT Turn SYMBOL, No Driving on Railroad Tracks SYMBOL	133
R-286-2Rx	No RIGHT Turn SYMBOL, No Driving on Railroad Tracks SYMBOL	133
R-287	RAILWAY TRACKS NOT IN SERVICE - Railway Crossing Series	133
R-287-x	RAILWAY TRACKS NOT IN SERVICE - Railway Crossing Series	133
R-300	STOP Do Not Proceed Onto Ferry Until Signalled Turn Off Headlights 24 Hr Service	134
R-300-x	STOP Do Not Proceed Onto Ferry Until Signalled Turn Off Headlights 24 Hr Service	134
R-301	Livestock/Motorcycle symbols Proceed to the Front of the Line When Signalled	134
R-301-x	Livestock/Motorcycle symbols Proceed to the Front of the Line When Signalled	134
R-312	Ferry Traffic Line Up on Shoulder Ferry symbol ANGLED RIGHT ARROW	135
R-318-L	Ferry Traffic Use Left Lane	135
R-318-R1	Ferry Traffic Use Right Lane	136
R-318-R2	Ferry Traffic Use Right Shoulder	136
R-320	Do Not Change Lanes for 2 km	137
R-322	When One Booth Open All Traffic Must Alternate	137
R-600-1	NO NZEV ALLOWED Symbol	138
R-600-1-Ta	NZEV'S PROHIBITED BEYOND THIS POINT	138
R-600-1-Tb	NZEV PARKING ONLY	139
R-600-1-Tc	NZEV / BIKE LANE	139
R-600-2	NO NGC ALLOWED Symbol	140
R-600-2-Ta	NGC'S PROHIBITED BEYOND THIS POINT Tab	140
R-600-2-Tb	NGC PARKING ONLY Tab	141
R-600-2-Tc	NGC / BIKE LANE Tab	141
R-600-2-Td	NGC: Neighbourhood Golf Cart Tab	142



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-001-u	600 x 600	9	-	Local Road / Low Speed
R-001	750 x 750	9	-	Arterial
R-001-x	900 x 900	9	-	Expressway
R-001-xx	1200 x 1200	9	STOE	Special Application

0.081 Aluminum



R-001-Tau  
R-001-Ta  
R-001-Tax  
R-001-Taxx



R-001-Tbu  
R-001-Tb  
R-001-Tbx  
R-001-Tbxx



R-001-Tcu  
R-001-Tc  
R-001-Tcx  
R-001-Tcxx

*NOTE: \*STOE approval required for all R-001-Tc tabs.*

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-001-u Tabs	400 x 200	9	*	Local Road / Low Speed
R-001 Tabs	450 x 250	9	*	Arterial
R-001-x Tabs	600 x 300	9	*	Expressway
R-001-xx Tabs	750 x 400	9	STOE	Special Application

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-001-Tdu	400 x 300	9	-	Local Road / Low Speed
R-001-Td	450 x 300	9	-	Arterial
R-001-Tdx	600 x 450	9	STOE	Expressway
R-001-Tdxx	750 x 450	9	STOE	Special Application

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-001-Teu	400 x 200	9	-	Local Road / Low Speed
R-001-Te	450 x 300	9	-	Local Road / Low Speed
R-001-Tex	600 x 400	9	STOE	Special Application
R-001-Texx	750 x 450	9	STOE	Special Application

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-002-u	750	9	-	Local Road / Low Speed
R-002	900	9	-	Arterial
R-002-x	1200	9	-	Expressway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-003	600 x 750	3	-	Local Road / Low Speed
R-003-x	750 x 900	3	STOE	Arterial or Expressway
R-003-xx	900 x 1200	3	STOE	Freeway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-004	600 x 750	3	STE	Local Road / Low Speed
R-004-x	750 x 900	3	STE	Arterial or Expressway
R-004-xx	900 x 1200	3	STE	Freeway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-005	600 x 750	3	-	Local Road / Low Speed
R-005-x	750 x 900	3	STOE	Arterial or Expressway
R-005-xx	900 x 1200	3	STOE	Freeway

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-006	600 x 750	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



R-006





R-006-Ta

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-006-Ta	600 x 300	1	-	Local Road / Low Speed or Arterial

*NOTE: Tab to be used with R-006 Signs.*



0.081 Aluminum

See T-Circ T-08/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-007-1	600 x 750	9	-	Arterial
R-007-1x	750 x 900	9	-	Expressway
R-007-1xx	900 x 1200	9	-	Freeway

*NOTE: Refer to I-080 to I-082-2T for related sign messages.*

0.081 Aluminum



See T-Circ T-08/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-007-2	600 x 750	9	-	Arterial
R-007-2x	750 x 900	9	-	Expressway
R-007-2xx	900 x 1200	9	-	Freeway

*NOTE: Refer to I-080 to I-082-2T for related sign messages.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-1LR	900 x 300	9	STOE	Local Road/Low Speed or Arterial
R-008-1LRx	1200 x 450	9	STOE	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-2L	900 x 300	9	-	Local Road/Low Speed or Arterial
R-008-2Lx	1200 x 450	9	-	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-2R	900 x 300	9	-	Local Road/Low Speed or Arterial
R-008-2Rx	1200 x 450	9	-	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-3L	450 x 600	9	STOE	Local Road / Low Speed
R-008-3Lx	600 x 750	9	STOE	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-3R	450 x 600	9	STOE	Local Road / Low Speed
R-008-3Rx	600 x 750	9	STOE	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-4	450 x 600	9	STOE	Local Road / Low Speed or Arterial
R-008-4x	600 x 750	9	STOE	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-008-5	450 x 600	9	STOE	Local Road / Low Speed or Arterial
R-008-5x	600 x 750	9	STOE	Expressway

0.081 Aluminum



See T-Circ T-01/06

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-009-1u	600 x 600	9	-	Local Road / Low Speed
R-009-1	750 x 750	9	STOE	Arterial or Expressway
R-009-1x	900 x 900	9	STOE	Freeway
R-009-1xx	1200 x 1200	9	STOE	Special Application



0.081 Aluminum

See T-Circ T-01/06



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-009-2u	600 x 600	9	STOE	Local Road / Low Speed
R-009-2	750 x 750	9	STOE	Arterial or Expressway
R-009-2x	900 x 900	9	STOE	Freeway
R-009-2xx	1200 x 1200	9	STOE	Special Application



0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-009-3u	600 x 450	9	STOE	Local Road / Low Speed
R-009-3	750 x 600	9	STOE	Arterial or Expressway
R-009-3x	900 x 750	9	STOE	Freeway


0.081 Aluminum

NOTE: STOE APPROVAL REQUIRED


Assembly Example  
R-009-2   
R-009-Ta 



R-009-Tau  
R-009-Ta  
R-009-Tax



R-009-Tbu  
R-009-Tb




R-009-Tdu  
R-009-Td  
R-009-Tdx


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-009-u Tabs	600 x 300	9	STOE	Local Road / Low Speed
R-009 Tabs	750 x 450	9	STOE	Arterial or Expressway
R-009-x Tabs	900 x 450	9	STOE	Freeway

*NOTE: Provide the individual tab number by size when placing order.*

0.081 Aluminum




R-009-TcL-u  
R-009-TcL  
R-009-TcL-x  
R-009-TcL-xx



R-009-TcR-u  
R-009-TcR  
R-009-TcR-x  
R-009-TcR-xx

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-009-u Tabs	600 x 450	9	STOE	Local Road / Low Speed
R-009 Tabs	750 x 600	9	STOE	Arterial or Expressway
R-009-x Tabs	900 x 750	9	STOE	Freeway
R-009-xx Tabs	1200 x 750	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-010	600 x 750	9	STSE	Local Road / Low Speed or Arterial
R-010-x	750 x 900	9	STSE	Expressway / Freeway



R-010

R-010-T



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-010-T	600 x 300	9	STSE	Local Road / Low Speed or Arterial
R-010-Tx	750 x 400	9	STSE	Expressway / Freeway

*NOTE: Tab to be used with the R-010 Signs.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-011	450 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-012	600 x 450	1	-	Local Road / Low Speed

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-012-T	600 x 300	1	-	Local Road / Low Speed

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-013	600 x 750	1	-	Freeway (On Ramp)

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-014-D	750 x 750	9	STOE	Local Road / Low Speed to Expressway
R-014-Dx	900 x 900	9	STOE	Special Application


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-014-L	600 x 750	9	-	Local Road / Low Speed to Expressway



0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-014-R	600 x 750	9	-	Local Road / Low Speed to Expressway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-015-L	600 x 600	9	-	Local Road / Low Speed
R-015-Lx	750 x 750	9	-	Arterial or Expressway
R-015-Lxx	900 x 900	9	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-015-R	600 x 600	9	-	Local Road / Low Speed
R-015-Rx	750 x 750	9	-	Arterial or Expressway
R-015-Rxx	900 x 900	9	STOE	Freeway

0.081 Aluminum



R-015-L




R-015-Ta




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-015 Ta	600 x 300	9	STOE	Local Road / Low Speed
R-015-Tax	750 x 450	9	STOE	Arterial or Expressway
R-015-Taxx	900 x 500	9	STOE	Freeway

*NOTE: Outlines show location of variables, provide the specific hours and days when placing order.*


0.081 Aluminum



R-015-L




R-015-Tb




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-015 Tb	600 x 300	9	STOE	Local Road / Low Speed
R-015-Tbx	750 x 450	9	STOE	Arterial or Expressway
R-015-Tbxx	900 x 500	9	STOE	Freeway

*NOTE: Outlines show location of variables, provide the specific hours when placing order.*


0.081 Aluminum



R-015-L



R-015-Tc



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-015 Tc	600 x 400	9	STOE	Local Road / Low Speed
R-015-Tcx	750 x 500	9	STOE	Arterial or Expressway
R-015-Tcxx	900 x 500	9	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-016-1L	600 x 600	9	-	Local Road / Low Speed
R-016-1Lx	750 x 750	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-016-1LT	600 x 300	9	-	Local Road / Low Speed
R-016-1LT-x	750 x 450	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-016-2L	600 x 600	9	STOE	Local Road / Low Speed
R-016-2Lx	750 x 750	9	STOE	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-016-1R	600 x 600	9	-	Local Road / Low Speed
R-016-1Rx	750 x 750	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-016-1RT	600 x 300	9	-	Local Road / Low Speed
R-016-1RT-x	750 x 450	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-016-2R	600 x 600	9	STOE	Local Road / Low Speed
R-016-2Rx	750 x 750	9	STOE	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-017-1	600 x 600	9	-	Local Road / Low Speed
R-017-1x	750 x 750	9	-	Arterial or Expressway
R-017-1xx	900 x 900	9	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-017-2	600 x 600	9	STOE	Local Road / Low Speed
R-017-2x	750 x 750	9	STOE	Arterial or Expressway
R-017-2xx	900 x 900	9	STOE	Freeway



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-018	600 x 600	9	-	Local Road / Low Speed
R-018-x	750 x 750	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-1	600 x 600	9	STSE	Local Road / Low Speed
R-019-1x	750 x 750	9	STSE	Arterial or Expressway
R-019-1xx	900 x 900	9	STSE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-2	600 x 600	9	STSE	Local Road / Low Speed
R-019-2x	750 x 750	9	STSE	Arterial or Expressway
R-019-2xx	900 x 900	9	STSE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-3	600 x 600	9	STSE	Local Road / Low Speed
R-019-3x	750 x 750	9	STSE	Arterial or Expressway
R-019-3xx	900 x 900	9	STSE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-Ta	600 x 450	9	STSE	Local Road / Low Speed
R-019-Tax	750 x 600	9	STSE	Arterial or Expressway
R-019-Taxx	900 x 600	9	STSE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-Tb	600 x 300	9	STSE	Local Road / Low Speed
R-019-Tbx	750 x 400	9	STSE	Arterial or Expressway
R-019-Tbxx	900 x 450	9	STSE	Expressway or Freeway


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-Tc	600 x 300	9	STSE	Local Road / Low Speed
R-019-Tcx	750 x 400	9	STSE	Arterial or Expressway
R-019-Tcxx	900 x 450	9	STSE	Expressway or Freeway

*NOTE: "X00" km distance is variable. Please indicate required distance upon ordering.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-019-Td	600 x 300	9	STSE	Local Road / Low Speed
R-019-Tdx	750 x 400	9	STSE	Arterial or Expressway
R-019-Tdxx	900 x 450	9	STSE	Expressway or Freeway

*NOTE: "XX" km distance is variable. Please indicate required distance upon ordering.*


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-020	600 x 450	9	-	Local Road / Low Speed
R-020-x	750 x 600	9	-	Arterial or Expressway

*NOTE: For use ONLY as a tab for C-172-L & C-172-R and W-317-L & W-317-R.*

0.081 Aluminum



EXAMPLE



**Variable Text (1 or 2 numbers)**

R-020-3 = Clearview2B 85mm

R-020-3x = Clearview2B 115mm

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-020-3	600 x 450	9	-	Local Road / Low Speed
R-020-3x	750 x 600	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-022-1	600 x 600	9	-	Local Road / Low Speed
R-022-1x	750 x 750	9	-	Arterial or Expressway
R-022-1xx	900 x 900	9	STOE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-022-2	750 x 750	9	STOE	Local Road / Low Speed
R-022-2x	900 x 900	9	STOE	Arterial or Expressway
R-022-2xx	1200 x 1200	9	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-022-2Ta	750 x 450	9	STOE	Local Road / Low Speed
R-022-2Ta-x	900 x 600	9	STOE	Arterial or Expressway
R-022-2Ta-xx	1200 x 750	9	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-022-2Tb	750 x 450	9	STOE	Local Road / Low Speed
R-022-2Tb-x	900 x 450	9	STOE	Arterial or Expressway
R-022-2Tb-xx	1200 x 600	9	STOE	Freeway




0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-023	600 x 600	9	-	Local Road / Low Speed
R-023-x	750 x 750	9	-	Arterial or Expressway
R-023-xx	900 x 900	9	-	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-024-1	600 x 750	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-024-2	900 x 900	1	-	Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-024-Ta	600 x 450	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-024-Tb	600 x 300	1	-	Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-024-Tc	600 x 450	1	-	Arterial

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-025-L	450 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-025-R	450 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-026	450 x 600	1	-	Unpaved Minor Road

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-027	450 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-029	600 x 750	1	DMT	Local Road / Low Speed or Arterial

*NOTE: Utilize R-029-OL for load percent options.*


0.081 Aluminum

50 %

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-029-OL	470 x 150	1	-	Local Road / Low Speed or Arterial


*NOTE: For use as overlay option(s) for R-029.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-030	600 x 750	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-032	600 x 450	1	STOE	Local Road / Low Speed or Arterial



0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-033	900 x 900	9	STSE	Local Road / Low Speed or Arterial

Ext. Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-034-x	2745 x 1830	9	STSE	Local Road / Low Speed or Arterial
R-034-xx	3660 x 2440	9	STSE	Expressway, Freeway & Special Applications

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-035	600 x 600	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-042	600 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-042-T	600 x 300	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-043	450 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-044-1	600 x 750	1	-	Expressway
R-044-1x	750 x 900	1	-	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-044-2	600 x 750	1	-	Expressway
R-044-2x	750 x 900	1	-	Freeway

0.081 Aluminum  
or Ext Aluminum

**TRUCKS**  
**OVER 5500 kg**  
LICENSED GROSS VEHICLE WEIGHT  
**CHECK BRAKES**  
**EXIT 600 m**


R-045-XX  
Example



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-045	1220 x 915	1	-	Local Road / Low Speed
R-045-x	2440 x 2135	1	-	Arterial or Expressway
R-045-xx	3660 x 3050	1	-	Freeway


*NOTE: State distance when ordering. Variable message denoted by outlined text "XXX"m. Actual is solid black as shown above.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-046	900 x 1200	1	-	Pull-out Area or Wide Shoulder

Ext Aluminum




R-047-1a, specific to March 31 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-047-1a	1830 x 2135	9 and 3	STOE	Arterial / Expressway
R-047-1ax	2440 x 3050	9 and 3	STOE	Freeway

NOTE: Yellow (FLY) portion of sign – ASTM 9 Reflectivity/  
White portion of sign – ASTM 3 Reflectivity

Ext Aluminum



R-047-1b, specific to April 30 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-047-1b	1830 x 2135	9 and 3	STOE	Arterial / Expressway
R-047-1bx	2440 x 3050	9 and 3	STOE	Freeway

NOTE: Yellow (FLY) portion of sign – ASTM 9 Reflectivity/  
White portion of sign – ASTM 3 Reflectivity

0.081 Aluminum

**Oct 1-Apr 30**

1573mm x 362mm



R-047-1a  
1830mm x 2135mm

**Oct 1-Mar 31**

1573mm x 362mm



R-047-1b  
1830mm x 2135mm

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-047-1ab Overlays	1573 x 362	9	STOE	

Ext Aluminum




R-047-2a, specific to  
March 31 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-047-2a	3660 x 2135	9 and 3	STOE	Arterial / Expressway
R-047-2ax	4880 x 3050	9 and 3	STOE	Freeway

NOTE: Yellow (FLY) portion of sign – ASTM 9 Reflectivity/  
White portion of sign – ASTM 3 Reflectivity

Ext Aluminum



R-047-2b, specific to April 30 end date.


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-047-2b	3660 x 2440	9 and 3	STOE	Arterial / Expressway
R-047-2bx	4880 x 3355	9 and 3	STOE	Freeway

NOTE: Yellow (FLY) portion of sign – ASTM 9 Reflectivity/  
White portion of sign – ASTM 3 Reflectivity

0.081 Aluminum

**October 1 - April 30**


2794mm x 362mm



R-047-2a  
3660mm x 2440mm

**October 1 - March 31**

2794mm x 362mm



R-047-2b  
3660mm x 2440mm

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-047-2ab Overlays	2794 x 362	9	STOE	



0.081 Aluminum



R-048-1a, specific to  
March 31 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-048-1a	750 x 1500	9 and 3	STOE	Arterial / Expressway
R-048-1ax	900 x 1800	9 and 3	STOE	Freeway

NOTE: Yellow (FLY) portion of sign – ASTM 9 Reflectivity/  
White portion of sign – ASTM 3 Reflectivity

0.081 Aluminum



R-048-1b, specific to  
April 30 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-048-1b	750 x 1500	9 and 3	STOE	Arterial / Expressway
R-048-1bx	900 x 1800	9 and 3	STOE	Freeway

NOTE: Yellow (FLY) portion of sign – ASTM 9 Reflectivity/  
White portion of sign – ASTM 3 Reflectivity

0.081 Aluminum

**VEHICLE COMBINATIONS  
WITH 4 OR MORE AXLES  
OR TOWING TRAILERS  
MUST CHAIN UP HERE**

**EXAMPLE**

VEHICLE COMBINATIONS  
WITH 4 OR MORE AXLES  
OR TOWING TRAILERS  
MUST CHAIN UP HERE

UNFOLDED


HINGE  
LINE

VEHICLE COMBINATIONS  
WITH 4 OR MORE AXLES  
MUST CHAIN UP HERE

FOLDED UP

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-053-1	2440 x 1220	1	STOE	Arterial

0.081 Aluminum



**Double Sided Overlay Options**

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-053-1 OL	178 x 254	1	STOE	Arterial

Ext Aluminum

**TRUCKS AND  
VEHICLE COMBINATIONS  
OVER 11,794 kg LICENSED GVW  
MUST CARRY TIRE CHAINS  
October 1 to March 31**

R-053-2a, specific to  
April 30 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-053-2a	1830 x 1220	3	STOE	Low Road / Low Speed / Static / Weigh Scales Only
R-053-2ax	3050 x 1830	3	STOE	Arterial / Expressway
R-053-2axx	4880 x 2745	3	STOE	Freeway

**TRUCKS AND  
VEHICLE COMBINATIONS  
OVER 11,794 kg LICENSED GVW  
MUST CARRY TIRE CHAINS  
October 1 to April 30**

R-053-2b, specific to  
April 30 end date.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-053-2b	1830 x 1220	3	STOE	Low Road / Low Speed / Static / Weigh Scales Only
R-053-2bx	3050 x 1830	3	STOE	Arterial / Expressway
R-053-2bxx	4880 x 2745	3	STOE	Freeway

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-053-3	3660 x 2135	9	STOE	Arterial / Expressway
R-053-3x	6100 x 3960	9	STOE	Freeway

*NOTE: "XXX" m distance is variable. Please include required advanced distance upon ordering. Flashers are 300 x 300 mm.*

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-054-1	2745 x 2440	9	STOE	Arterial or Expressway

*NOTE: "X00" m distance is variable. Please include required advanced distance upon ordering. Flashers are 300 x 300 mm.*

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-054-2	2745 x 2440	9	STOE	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-055	900 x 1200	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-056-1uu	450 x 600	9	STOE	Service Vehicle Mount
R-056-1u	600 x 750	9	STOE	Local Road / Low Speed
R-056-1	750 x 900	9	STOE	Arterial or Expressway
R-056-1x	900 x 1200	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-056-2uu	450 x 600	9	STOE	Service Vehicle Mount
R-056-2u	600 x 750	9	STOE	Local Road / Low Speed
R-056-2	750 x 900	9	STOE	Arterial or Expressway
R-056-2x	900 x 1200	9	STOE	Special Application

0.081 Aluminum



R-056-2TL-uu  
R-056-2TL-u  
R-056-2TL  
R-056-2TL-x

R-056-2TR-uu  
R-056-2TR-u  
R-056-2TR  
R-056-2TR-x

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-056-2uu Tabs	450 x 300	9	STOE	Service Vehicle Mount
R-056-2u Tabs	600 x 300	9	STOE	Local Road / Low Speed
R-056-2 Tabs	750 x 400	9	STOE	Arterial or Expressway
R-056-2x Tabs	900 x 450	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-056-3u	600 x 750	9	STOE	Local Road / Low Speed
R-056-3	750 x 900	9	STOE	Arterial or Expressway
R-056-3x	900 x 1200	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-057-u	600 x 750	9	-	Local Road / Low Speed
R-057	750 x 900	9	-	Arterial or Expressway
R-057-x	900 x 1200	9	STOE	Special Application



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-058-1	450 x 300	1	DMT	Static

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-058-2	450 x 300	1	STOE	Static

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-059	600 x 600	1	STOE	For all chain link mounted "perimeter" signs around the facility.
R-059-x	900 x 900	1	STOE	For all post mounted "gateway" signs in advance of entrance to the facility.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-060	750 x 600	1	STOE	For all chain link mounted "perimeter" signs around the facility.
R-060-x	1200 x 900	1	STOE	For all post mounted "gateway" signs in advance of entrance to the facility.

*NOTE: Outlined text is variable, and must be supplied when ordering signs.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-060-2	750 x 600	1	-	Mounted to the back of R-060 signs, visible from inside compound

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-061	450 x 300	1	STOE	Static

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-065-u	450 x 450	1	STOE	Static
R-065	600 x 600	1	STOE	Local Road/Low Speed
R-065-x	750 x 750	1	STOE	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-070	750 x 600	1	STE	Static

0.081 Aluminum

**NOTICE**  
  
THIS PROPERTY  
UNDER VIDEO  
SURVEILLANCE

R-075-1

DO NOT  
DROP-OFF  
BOATS

R-075-4


OR

DO NOT  
DUMP  
REFUSE

R-043



0.081 Aluminum

**NOTICE**  
  
PARKING AREA  
UNDER VIDEO  
SURVEILLANCE

R-075-2

DO NOT  
DUMP  
REFUSE

R-043


OR

DO NOT  
DROP-OFF  
BOATS


R-075-4



0.081 Aluminum




R-075-3




R-043

OR




R-075-4




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-075-3	450 x 600	1	-	Static


0.081 Aluminum



R-075-1



R-075-4



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-075-4	450 x 600	1	-	Static

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-075-5	450 x 600	1	-	Static

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-080-u	600 x 600	9	-	Local Road / Low Speed
R-080	750 x 750	9	-	Arterial or Expressway
R-080-x	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-081-u	600 x 600	9	-	Local Road / Low Speed
R-081	750 x 750	9	-	Arterial or Expressway
R-081-x	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-082-Lu	600 x 600	9	-	Local Road / Low Speed
R-082-L	750 x 750	9	-	Arterial or Expressway
R-082-Lx	900 x 900	9	STOE	Special Application




0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-082-LTu	600 x 300	9	-	Local Road / Low Speed
R-082-LT	750 x 300	9	-	Arterial or Expressway
R-082-LTx	900 x 300	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-082-R1u	600 x 600	9	-	Local Road / Low Speed
R-082-R1	750 x 750	9	-	Arterial or Expressway
R-082-R1x	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-082-R1T-u	600 x 300	9	-	Local Road / Low Speed
R-082-R1T	750 x 300	9	-	Arterial or Expressway
R-082-R1T-x	900 x 300	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-082-R2u	600 x 750	9	-	Local Road / Low Speed
R-082-R2	750 x 900	9	-	Arterial or Expressway
R-082-R2x	900 x 1200	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-082-R2 OHu	600 x 600	9	STOE	Local Road / Low Speed
R-082-R2 OH	750 x 750	9	STOE	Arterial or Expressway
R-082-R2 OHx	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-083-Lu	600 x 600	9	-	Local Road / Low Speed
R-083-L	750 x 750	9	-	Arterial or Expressway
R-083-Lx	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-083-Ru	600 x 600	9	-	Local Road / Low Speed
R-083-R	750 x 750	9	-	Arterial or Expressway
R-083-Rx	900 x 900	9	STOE	Special Application

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-084-u	600 x 600	9	-	Local Road / Low Speed
R-084	750 x 750	9	-	Arterial or Expressway
R-084-x	900 x 900	9	STOE	Special Application

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-085-Lu	600 x 600	9	-	Local Road / Low Speed
R-085-L	750 x 750	9	-	Arterial or Expressway
R-085-Lx	900 x 900	9	STOE	Special Application

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-085-Ru	600 x 600	9	-	Local Road / Low Speed
R-085-R	750 x 750	9	-	Arterial or Expressway
R-085-Rx	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-086-Lu	600 x 600	9	-	Local Road / Low Speed
R-086-L	750 x 750	9	-	Arterial or Expressway
R-086-Lx	900 x 900	9	STOE	Special Application

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-086-Ru	600 x 600	9	-	Local Road / Low Speed
R-086-R	750 x 750	9	-	Arterial or Expressway
R-086-Rx	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-087-Lu	600 x 600	9	-	Local Road / Low Speed
R-087-L	750 x 750	9	-	Arterial or Expressway
R-087-Lx	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-087-Ru	600 x 600	9	-	Local Road / Low Speed
R-087-R	750 x 750	9	-	Arterial or Expressway
R-087-Rx	900 x 900	9	STOE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-088-u	600 x 750	9	-	Local Road / Low Speed
R-088	750 x 900	9	-	Arterial or Expressway
R-088-x	900 x 1200	9	STOE	Special Application


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-089-u	600 x 750	9	-	Local Road / Low Speed
R-089	750 x 900	9	-	Arterial or Expressway
R-089-x	900 x 1200	9	STOE	Special Application



0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-090-u	600 x 600	9	-	Local Road / Low Speed
R-090	750 x 750	9	-	Arterial or Expressway
R-090-x	900 x 900	9	STOE	Special Application

0.081 Aluminum




R-101-1



R-101-2


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-101-1	600 x 750	1	DMT	Local Road / Low Speed
R-101-2	600 x 750	1	DMT	Local Road / Low Speed

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-102	600 x 750	1	DMT	Local Road / Low Speed

0.081 Aluminum or Ext Aluminum



Example of hinged fold-up system.



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-104	2440 x 1220	1	-	Arterial
R-104-x	3050 x 1525	1	-	Expressway or Freeway


NOTE: Hinged fold-up option available for both sizes upon request.

0.081 Aluminum  
or Ext Aluminum

<b>INCLUDING BUSES NOT LICENSED IN BC</b>	R-104-Ta / R-104-Tax
<b>RECREATIONAL VEHICLES EXEMPT</b>	R-104-Tb / R-104-Tbx
<b>EMPTY CHIP TRUCKS EXEMPT</b>	R-104-Tc / R-104-Tcx
<b>EMPTY FARM TRUCKS EXEMPT</b>	R-104-Td / R-104-Tdx
<b>EMPTY LOG TRUCKS EXEMPT</b>	R-104-Te / R-104-Tex
<b>XXXX m AHEAD</b>	R-104-Tf / R-104-Tfx

R-104

R-104-tb




Example of parent sign and tab system.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-104 Tabs	2440 x 305	1	-	Arterial
R-104-x Tabs	3050 x 305	1	-	Expressway or Freeway

*NOTE: State distance when ordering. Variable message denoted by outlined text "XXX" m. Actual is solid black as shown above.*


0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-106	600 x 750	1	-	Local Road / Low Speed or Arterial


72 CATALOGUE OF STANDARD TRAFFIC SIGNS | British Columbia Provincial Sign Program

Updated January 2024

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-107	600 x 750	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-109-1L	450 x 600	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-109-1R	450 x 600	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-109-1T	450 x 200	9	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-109-2u	600 x 750	9	STOE	Local Road / Low Speed
R-109-2	750 x 900	9	STOE	Arterial

0.081 Aluminum



R-110-1



R-110-2


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-1	600 x 750	9	STOE	Local Road / Low Speed or Arterial
R-110-2	600 x 750	9	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-3	600 x 750	9	-	Local Road / Low Speed or Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-4	600 x 900	9	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-5L	600 x 900	9	STOE	Local Road / Low Speed or Arterial


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-5R	600 x 900	9	STOE	Local Road / Low Speed or Arterial



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-6	600 x 900	9	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-110-7	600 x 750	9	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-111-1L	600 x 750	1	STOE	Local Road / Low Speed
R-111-1Lx	900 x 1200	1	STOE	Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-111-1R	600 x 750	1	STOE	Local Road / Low Speed
R-111-1Rx	900 x 1200	1	STOE	Arterial

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-111-2L	600 x 750	1	STOE	Local Road / Low Speed
R-111-2Lx	900 x 1200	1	STOE	Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-111-2R	600 x 750	1	STOE	Local Road / Low Speed
R-111-2Rx	900 x 1200	1	STOE	Arterial

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-112-1	900 x 1200	1	-	Arterial or Expressway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-112-2	750 x 750	1	STOE	Arterial
R-112-2x	900 x 900	1	STOE	Expressway
R-112-2xx	1200 x 1200	1	STOE	Freeway

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-112-2T	750 x 600	1	STOE	Arterial
R-112-2Tx	900 x 750	1	STOE	Expressway
R-112-2Txx	1200 x 900	1	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-114	750 x 600	1	-	Arterial
R-114-x	900 x 750	1	-	Expressway or Freeway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-117-L	450 x 900	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-117-R	450 x 900	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-120-1u	600 x 600	9	-	Local Road / Low Speed
R-120-1	750 x 750	9	-	Arterial or Expressway
R-120-1x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Sign series previous listed as R-122-1 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-120-2u	600 x 900	9	-	Local Road / Low Speed
R-120-2	750 x 1200	9	-	Arterial or Expressway

*NOTE: Sign series previous listed as R-122-2 Series.*

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-120-3u	600 x 600	9	-	Local Road / Low Speed
R-120-3	750 x 750	9	-	Arterial or Expressway
R-120-3x	900 x 900	9	STOE	Freeway / Special Application

NOTE: Sign series previous listed as R-123-1 Series.

0.081 Aluminum



R-120-3



R-120-3Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-120-3Tau	600 x 300	9	STSE	Static, Local Road / Low Speed
R-120-3Ta	750 x 450	9	STSE	Arterial or Expressway

NOTE: Sign series previous listed as R-123-1-Ta Series.



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-120-4u	600 x 900	9	-	Local Road / Low Speed
R-120-4	750 x 1200	9	-	Arterial or Expressway

*NOTE: Sign series previous listed as R-123-2 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-121-1u	600 x 600	9	-	Local Road / Low Speed
R-121-1	750 x 750	9	-	Arterial or Expressway
R-121-1x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Sign series previous listed as R-118-1 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-121-2u	600 x 900	9	-	Local Road / Low Speed
R-121-2	750 x 1200	9	-	Arterial or Expressway

*NOTE: Sign series previous listed as R-118-2 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-121-3u	600 x 600	9	-	Local Road / Low Speed
R-121-3	750 x 750	9	-	Arterial or Expressway
R-121-3x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Sign series previous listed as R-119-1 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-121-4u	600 x 900	9	-	Local Road / Low Speed
R-121-4	750 x 1200	9	-	Arterial or Expressway

*NOTE: Sign series previous listed as R-119-2 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-122-1u	600 x 600	9	-	Local Road / Low Speed
R-122-1	750 x 750	9	-	Arterial or Expressway
R-122-1x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Sign series previous listed as R-120-1 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-122-2u	600 x 900	9	-	Local Road / Low Speed
R-122-2	750 x 1200	9	-	Arterial or Expressway

*NOTE: Sign series previous listed as R-120-2 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-122-3u	600 x 600	9	-	Local Road / Low Speed
R-122-3	750 x 750	9	-	Arterial or Expressway
R-122-3x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Sign series previous listed as R-121-1 Series.*

0.081 Aluminum



R-122-3



R-122-3Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-122-3Tau	600 x 450	9	-	Local Road / Low Speed
R-122-3Ta	750 x 600	9	-	Arterial or Expressway
R-122-3Tax	900 x 750	9	STOE	Freeway / Special Application

NOTE: Sign series previous listed as R-121-1Ta Series.

0.081 Aluminum



R-122-3



R-122-3Tb



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-122-3Tbu	600 x 300	9	-	Local Road / Low Speed
R-122-3Tb	750 x 300	9	-	Arterial or Expressway

NOTE: Sign series previous listed as R-121-1Tf Series.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-122-4u	600 x 900	9	-	Local Road / Low Speed
R-122-4	750 x 1200	9	-	Arterial or Expressway

*NOTE: Sign series previous listed as R-121-2 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-123-1u	600 x 600	9	-	Local Road / Low Speed
R-123-1	750 x 750	9	-	Arterial or Expressway
R-123-1x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Sign series previous listed as Zr-120-3, R-129-1 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-123-2u	600 x 900	9	-	Local Road / Low Speed
R-123-2	750 x 1200	9	-	Arterial or Expressway

*NOTE: Previous numbers: Zr-120-4 Series, R-129-2 Series. Typically installed overhead.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-123-3u	600 x 600	9	-	Local Road / Low Speed
R-123-3	750 x 750	9	-	Arterial or Expressway
R-123-3x	900 x 900	9	STOE	Freeway / Special Application

*NOTE: Previous numbers: Zr-121-4 Series, R-129-4 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-123-4u	600 x 900	9	-	Local Road / Low Speed
R-123-4	750 x 1200	9	-	Arterial or Expressway

*NOTE: Previous numbers: Zr-121-5 Series, R-129-5 Series. Typically installed overhead.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-1Au	600 x 750	9	STOE	Local Road / Low Speed
R-124-1A	750 x 900	9	STOE	Arterial / Expressway
R-124-1Ax	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: Zr-015-4xx, Zr-017-4xx Series, R-129-3A Series. Typically installed overhead.*



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-1Lu	600 x 750	9	STOE	Local Road / Low Speed
R-124-1L	750 x 900	9	STOE	Arterial / Expressway
R-124-1Lx	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: Zr-015-4Lxx Series, R-129-3L Series. Typically installed overhead.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-1Ru	600 x 750	9	STOE	Local Road / Low Speed
R-124-1R	750 x 900	9	STOE	Arterial / Expressway
R-124-1Rx	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: Zr-015-4Rxx Series, R-129-3R Series. Typically installed overhead.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-2Au	600 x 750	9	STOE	Local Road / Low Speed
R-124-2A	750 x 900	9	STOE	Arterial / Expressway
R-124-2Ax	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: R-129-6A Series. Typically installed overhead.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-2Du	600 x 750	9	STOE	Local Road / Low Speed
R-124-2D	750 x 900	9	STOE	Arterial / Expressway
R-124-2Dx	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: Zr-015-5 Series, R-129-7 Series. Typically installed overhead.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-2Lu	600 x 750	9	STOE	Local Road / Low Speed
R-124-2L	750 x 900	9	STOE	Arterial / Expressway
R-124-2Lx	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: R-129-6L Series. Typically installed overhead.*


0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-124-2Ru	600 x 750	9	STOE	Local Road / Low Speed
R-124-2R	750 x 900	9	STOE	Arterial / Expressway
R-124-2Rx	900 x 1200	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: R-129-6R Series. Typically installed overhead.*


0.081 Aluminum



R-125-1L




R-125-1Ta




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-125-1Lu	600 x 600	9	STOE	Local Road / Low Speed
R-125-1L	750 x 750	9	STOE	Arterial / Expressway
R-125-1Lx	900 x 900	9	STOE	Expressway / Freeway

*NOTE: Previous numbers: Zr-128 Series, R-129-8L Series.*


0.081 Aluminum



R-125-1R



R-125-1Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-125-1Ru	600 x 600	9	STOE	Local Road / Low Speed
R-125-1R	750 x 750	9	STOE	Arterial / Expressway
R-125-1Rx	900 x 900	9	STOE	Expressway / Freeway


*NOTE: Previous numbers: Zr-128 Series, R-129-8R Series.*

0.081 Aluminum



R-125-1R

R-125-1Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-125-1Tau	600 x 300	9	STOE	Local Road / Low Speed
R-125-1Ta	750 x 300	9	STOE	Arterial / Expressway
R-125-1Tax	900 x 400	9	STOE	Expressway / Freeway


*NOTE: Outlined "400" variable m distance to be identified when ordering tab.  
Previous numbers: Zr-128 Series, R-129-8Ta Series.*

0.081 Aluminum



R-123-1


R-129-1Ta




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-1Tau	600 x 300	9	–	Local Road / Low Speed or Arterial
R-129-1Ta	750 x 300	9	–	Expressway
R-129-1Tax	900 x 400	9	STOE	Freeway / Special Application

*NOTE: Previous numbers: R-121-1TeA Series.*


0.081 Aluminum



R-123-1




R-129-1TbLR




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-1TbLR-u	600 x 300	9	–	Local Road / Low Speed or Arterial
R-129-1TbLR	750 x 300	9	–	Expressway
R-129-1TbLR-x	900 x 400	9	STOE	Freeway / Special Application

*NOTE: Previous numbers: R-121-1TeLR Series.*


0.081 Aluminum



R-123-1



R-129-1Tc



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-1Tcu	600 x 300	9	–	Local Road / Low Speed or Arterial
R-129-1Tc	750 x 300	9	–	Expressway
R-129-1Tcx	900 x 400	9	STOE	Freeway / Special Application

0.081 Aluminum



R-123-1



R-129-1Td



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-1Tdu	600 x 300	9	–	Local Road / Low Speed or Arterial
R-129-1Td	750 x 300	9	–	Expressway
R-129-1Tdx	900 x 400	9	STOE	Freeway / Special Application


0.081 Aluminum



R-123-1




R-129-1Te




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-1Teu	600 x 300	9	–	Local Road / Low Speed or Arterial
R-129-1Te	750 x 300	9	–	Expressway
R-129-1Tex	900 x 400	9	STOE	Freeway / Special Application


0.081 Aluminum



R-123-1




R-129-2Ta




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-2Tau	600 x 450	9	–	Local Road / Low Speed or Arterial
R-129-2Ta	750 x 600	9	–	Expressway
R-129-2Tax	900 x 750	9	STOE	Freeway / Special Application

*NOTE: Previous number: R-121-1Tb Series.*


0.081 Aluminum



R-123-1



R-129-2Tb



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-2Tbu	600 x 450	9	–	Local Road / Low Speed or Arterial
R-129-2Tb	750 x 600	9	–	Expressway
R-129-2Tbx	900 x 750	9	STOE	Freeway / Special Application

*NOTE: Previous number: R-121-1Tc Series.*



0.081 Aluminum



R-123-1



R-129-2Tc



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-2Tcu	600 x 450	9	–	Local Road / Low Speed or Arterial
R-129-2Tc	750 x 600	9	–	Expressway
R-129-2Tcx	900 x 750	9	STOE	Freeway / Special Application

*NOTE: Previous number: R-121-1Td Series.*

0.081 Aluminum



R-123-1



R-129-2Td



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-2Tdu	600 x 400	9	STOE	Local Road / Low Speed
R-129-2Td	750 x 450	9	STOE	Arterial / Expressway
R-129-2Tdx	900 x 600	9	STOE	Freeway / Special Application

*NOTE: Previous numbers: Zr-120-Ta Series, R-129-1Ta Series.*

0.081 Aluminum



R-123-1

R-129-2Te



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-2Teu	600 x 400	9	STOE	Local Road / Low Speed
R-129-2Te	750 x 450	9	STOE	Arterial / Expressway
R-129-2Tex	900 x 600	9	STOE	Freeway / Special Application

NOTE: Previous numbers: Zr-120-Tb Series, R-129-1Tb Series.

0.081 Aluminum



R-124-1R

R-129-3Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-3Tau	600 x 300	9	–	Local Road / Low Speed
R-129-3Ta	750 x 400	9	–	Arterial / Expressway
R-129-3Tax	900 x 450	9	STOE	Freeway / Special Application

NOTE: Previous numbers: Zr-015-Tdxx Series, R-129-3Ta Series.

0.081 Aluminum



R-124-1R

R-129-3Tb



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-3Tbu	600 x 300	9	–	Local Road / Low Speed
R-129-3Tb	750 x 400	9	–	Arterial / Expressway
R-129-3Tbx	900 x 450	9	STOE	Freeway / Special Application

*NOTE: Previous numbers: Zr-015-Textx Series, R-129-3Tb Series.*

0.081 Aluminum



R-124-1R


R-129-3Tc



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-129-3Tcu	600 x 300	9	–	Local Road / Low Speed
R-129-3Tc	750 x 400	9	–	Arterial / Expressway
R-129-3Tcx	900 x 450	9	STOE	Freeway / Special Application


*NOTE: Previous numbers: Zr-015-Tcxx Series, R-129-3Tc Series. Outlined text "10,000" is variable, and should be provided upon order.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-180	600 x 750	0 / 3	STSE	Local Road / Low Speed or Arterial
R-180-x	750 x 900	0 / 3	STSE	Expressway
R-180-xx	900 x 1200	0 / 3	STSE	Freeway / Special Application


Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-181-x	2440 x 1220	0 / 3	STSE	Arterial
R-181-xx	3050 x 1525	0 / 3	STSE	Freeway / Expressway

*NOTE: The outlined number shown here as "120 km/h" can be changed as required to show the exact speed reflected in the field.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-182	600 x 750	0 / 3	STSE	Local Road / Low Speed or Arterial
R-182-x	750 x 900	0 / 3	STSE	Expressway
R-182-xx	900 x 1200	0 / 3	STSE	Freeway / Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-183	600 x 750	0 / 3	STSE	Local Road / Low Speed or Arterial
R-183-x	750 x 900	0 / 3	STSE	Expressway
R-183-xx	900 x 1200	0 / 3	STSE	Freeway / Special Application

*NOTE: The outlined number shown here as "120 km/h" can be changed as required to show the exact speed reflected in the field.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-190-1u	600 x 600	1	STOE	Local Road / Low Speed
R-190-1	750 x 750	1	STOE	Arterial or Expressway
R-190-1x	900 x 900	1	STOE	Freeway

*NOTE: Sign previously listed as R-126 Series.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-190-2u	600 x 600	1	STOE	Local Road / Low Speed
R-190-2	750 x 750	1	STOE	Arterial or Expressway
R-190-2x	900 x 900	1	STOE	Freeway

*NOTE: Sign previously listed as R-127 Series.*

0.081 Aluminum



R-190-2





R-190-2Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-190-2Tau	600 x 450	1	STOE	Local Road / Low Speed
R-190-2Ta	750 x 450	1	STOE	Arterial or Expressway
R-190-2Tax	900 x 600	1	STOE	Freeway


*NOTE: Sign previously listed as R-127-T Series.*

0.081 Aluminum or Ext Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-1	915 x 915	3	-	Arterial or Expressway
R-200-1x	1220 x 1220	3	-	Freeway

0.081 Aluminum or Ext Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-1D	915 x 1220	3	-	Arterial or Expressway
R-200-1Dx	1220 x 1525	3	-	Freeway




0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-1L	915 x 1220	3	-	Arterial or Expressway
R-200-1Lx	1220 x 1525	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-1R	915 x 1220	3	-	Arterial or Expressway
R-200-1Rx	1220 x 1525	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-2	915 x 1220	3	-	Arterial or Expressway
R-200-2x	1220 x 1525	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-2D	915 x 1525	3	-	Arterial or Expressway
R-200-2Dx	1220 x 1830	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-2L	915 x 1525	3	-	Arterial or Expressway
R-200-2Lx	1220 x 1830	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-2R	915 x 1525	3	-	Arterial or Expressway
R-200-2Rx	1220 x 1830	3	-	Freeway


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-3	915 x 915	3	-	Arterial or Expressway
R-200-3x	1220 x 1220	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-3D	915 x 1220	3	-	Arterial or Expressway
R-200-3Dx	1220 x 1525	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-3L	915 x 1220	3	-	Arterial or Expressway
R-200-3Lx	1220 x 1525	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-3R	915 x 1220	3	-	Arterial or Expressway
R-200-3Rx	1220 x 1525	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-4	915 x 1220	3	-	Arterial or Expressway
R-200-4x	1220 x 1525	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order*

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-4D	915 x 1525	3	-	Arterial or Expressway
R-200-4Dx	1220 x 1830	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-4L	915 x 1525	3	-	Arterial or Expressway
R-200-4Lx	1220 x 1830	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-4R	915 x 1525	3	-	Arterial or Expressway
R-200-4Rx	1220 x 1830	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-5	915 x 1220	3	-	Arterial or Expressway
R-200-5x	1220 x 1525	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-6	915 x 1220	3	-	Arterial or Expressway
R-200-6x	1220 x 1525	3	-	Freeway

*NOTE: Indicate the number of occupants and occupant figures required when placing sign order.*



0.081 Aluminum  
or Ext Aluminum

**AHEAD**

R-200-Ta / R-200-Tax

**BEGINS**

R-200-Tb / R-200-Tbx

**ENDS**

R-200-Tc / R-200-Tcx

**LEFT LANE**

R-200-Td / R-200-Tdx

**RIGHT LANE**

R-200-Te / R-200-Tex

**BUS LANE**

R-200-Tf / R-200-Tfx

**BUS & HOV**

R-200-Tg / R-200-Tgx

**MOTORCYCLES OK**

R-200-Th / R-200-Thx

**EXCEPT  
RIGHT  
TURNS**

R-200-Ti / R-200-Tix

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200 Tabs	915 x 305*	3	-	Arterial or Expressway
R-200-x Tabs	1220 x 610	3	-	Freeway

*NOTE: Provide the individual tab number by size when placing order.  
\*R-200-Ti dimensions are 915mm x 610mm.*

Ext Aluminum




Example



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-200-Tj	915 x 610	3	STSE	Arterial or Expressway
R-200-Tjx	1220 x 915	3	STSE	Freeway


*NOTE: To be used under the standard R-200 (H.O.V.) sign series.*

0.081 Aluminum  
or Ext Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-201-1	2440 x 915	3	-	Arterial or Expressway
R-201-1x	3050 x 1220	3	-	Freeway

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-201-1D	2440 x 1220	3	-	Arterial or Expressway
R-201-1Dx	3050 x 1525	3	-	Freeway


0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-201-2	2440 x 915	3	-	Arterial or Expressway
R-201-2x	3050 x 1220	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*

0.081 Aluminum  
or Ext Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-201-2D	2440 x 1220	3	-	Arterial or Expressway
R-201-2Dx	3050 x 1525	3	-	Freeway

*NOTE: Indicate the number of occupant figures required when placing sign order.*

0.081 Aluminum or Ext Aluminum				
<b>AHEAD</b>		<b>BEGINS</b>		
R-201-Ta / R-201-Tax		R-201-Tb / R-201-Tbx		
<b>ENDS</b>		<b>LEFT LANE</b>		
R-201-Tc / R-201-Tcx		R-201-Td / R-201-Tdx		
<b>RIGHT LANE</b>		<b>BUS LANE</b>		
R-201-Te / R-201-Tex		R-201-Tf / R-201-Tfx		
<b>BUS &amp; HOV</b>				
R-201-Tg / R-201-Tgx				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-201 Tabs	2440 x 610	3	-	Arterial or Expressway
R-201-x Tabs	3050 x 610	3	-	Freeway

*NOTE: Provide the individual tab number by size when placing order.*

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-237	750 x 750	3	-	Arterial or Expressway
R-237-x	900 x 900	3	-	Freeway




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-238	900 x 450	3	-	Arterial or Expressway

Ext Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-245-L	1220 x 1830	3	STOE	Expressway / Freeway

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-245-R	1220 x 1830	3	STOE	Expressway / Freeway

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-246-L	1830 x 1830	3	STOE	Expressway / Freeway

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-246-R	1830 x 1830	3	STOE	Expressway / Freeway


0.081 Aluminum

0.081 Aluminum  
or Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-260-1x	1220 x 2135	9	STSE	Arterial / Expressway
R-260-1xx	1525 x 2745	9	STSE	Freeway / Special Application

0.081 Aluminum  
or Ext Aluminum



Application  
Example



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-260-1Tax	1220 x 610	9	STSE	Arterial / Expressway
R-260-1Taxx	1525 x 915	9	STSE	Freeway / Special Application

*Note: State distance when ordering. Variable message denoted by outlined text "X.X" m.  
Actual is solid black as shown above.*



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-280-L	750 x 1200mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-280-R	750 x 1200mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-281-L	750 x 1200mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-281-R	750 x 1200mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



R-281-L

R-281-Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-281-Ta	750 x 450mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-282-L	750 x 1200mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-282-R	750 x 1200mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-283	600 x 750 mm	1	B / R / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-284	600 x 407 mm	1	B / W	STOE	Local Road / Low Speed or Arterial




Note: The outlined number "2" on tab is variable, and the exact number of tracks required should be requested upon ordering.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-285	300 x 300 mm	1	B / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum




R-286-1

R-286-1Ta

R-286-1Tb

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-286-1	600 x 600	9	STSE	Local Road / Low Speed
R-286-1x	750 x 750	9	STSE	Arterial or Expressway
R-286-1xx	900 x 900	9	STSE	Special Application


0.081 Aluminum


R-286-1 & R-286-1Ta

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-286-1Ta	600 x 600	9	STSE	Local Road / Low Speed
R-286-1Tax	750 x 750	9	STSE	Arterial or Expressway
R-286-1Taxx	900 x 900	9	STSE	Special Application

0.081 Aluminum




R-286-1 &  
R-286-1Tb





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-286-1Tb	600 x 750	9	STSE	Local Road / Low Speed
R-286-1Tbx	750 x 900	9	STSE	Arterial or Expressway
R-286-1Tbxx	900 x 1200	9	STSE	Special Application

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-286-2L	600 x 1200	9	STSE	Local Road / Low Speed
R-286-2Lx	750 x 1500	9	STSE	Arterial or Expressway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-286-2R	600 x 1200	9	STSE	Local Road / Low Speed
R-286-2Rx	750 x 1500	9	STSE	Arterial

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Approval Required	Typical Application
R-287	600 x 750	1	STOE	Local Road / Low Speed
R-287-x	750 x 900	1	STOE	Arterial or Expressway



0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-300	1200 x 900	1	STOE	Static
R-300-x	1800 x 1200	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-301	1200 x 600	1	STOE	Static
R-301-x	1800 x 900	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-312	900 x 450	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-318-L	600 x 750	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-318-R1	600 x 750	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-318-R2	750 x 750	1	STOE	Local Road / Low Speed or Arterial

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-320	2440 x 1525	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
R-322	1200 x 900	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-1	600 x 600	1 / 0 / 3	Various	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



R-600-1




R-600-1-Ta




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-1-Ta	600 x 600	0 / 3	B / W	STOE	Local Road / Low Speed or Arterial


0.081 Aluminum



1-600-1




R-600-1-Tb




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-1-Tb	600 x 450	0 / 3	B / W	STOE	Local Road / Low Speed or Arterial


0.081 Aluminum



1-600-1



R-600-1-Tc



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-1-Tc	600 x 300	0 / 3	B / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-2	600 x 600	1 / 0 / 3	Various	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



R-600-2




R-600-2-Ta



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-2-Ta	600 x 600	0 / 3	B / W	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



I-600-4




R-600-2-Ta




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-2-Tb	600 x 450	0 / 3	B / W	STOE	Local Road / Low Speed or Arterial


0.081 Aluminum



I-600-4



R-600-2-Tc



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-2-Tc	600 x 300	0 / 3	B / W	STOE	Local Road / Low Speed or Arterial



0.081 Aluminum



I-600-4



R-600-2-Td



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	Colour	Approval Required	Typical Application
R-600-2-Td	600 x 300	0 / 3	Various	STOE	Local Road / Low Speed or Arterial