

Official Lists and Indexes of Names in Zoology

Updated May 2009

All family-group, generic and specific names placed on the Official Lists and Indexes by the International Commission on Zoological Nomenclature up to March 2009 are listed below.

Names in bold type are names entered on the Official Lists; they are available names.

Names in non-bold types are names that have been placed on the Official Indexes, which have the status attributed in the relevant Opinion or Direction, or, in the case of some names of type species, that have not been ruled upon by the Commission.

The Direction or Opinion number under which each name was placed on the Official List or Index is given at the end of that entry.

aalensis*, *Loligo, Schübeler in Zieten, 1832, *Die Versteinerungen Württembergs, Exeditum des Werkes 'Unsere Zeit'*, part 5, p. 34 (specific name of the type species of *Loligosepia* Quenstedt, 1839) (Cephalopoda, Coleoidea). Op. 1914

available

abbreviatus*, *Carabus, Fabricius, 1779, *Reise nach Norwegen mit Bemerkungen aus der Naturhistorie und Oekonomie*, p. 263, ruled under the plenary power not to be given priority over ***Lesteva angusticollis*** Mannerheim, 1830 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086

available

abbreviatus*, *Curculio, Fabricius, 1787, *Mantissa Ins.*, 1: 99 (conserved under the plenary power) (specific name of the type species of ***Sphenophorus*** Schoenherr, 1838) (Insecta, Coleoptera). Op. 572

available

abbreviatus*, *Curculio, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 386 (Insecta, Coleoptera). Op. 572

available

Abderites Ameghino, 1887, *Bol. Mus. de la Plata*, 1: 5 (gender: masculine) (type species, by original designation: ***Abderites meridionalis*** Ameghino, 1887, *Bol. Mus. de la Plata*, 1: 5) (Mammalia). Op. 1241

available

ABDERITINAE Ameghino, 1889, *Actas Acad. Cienc. Cordoba*, 6: 268, 269 (type genus: ***Abderites*** Ameghino, 1887), ruled under the plenary power not to be given priority over the family-group names **CAENOESTIDAE** Trouessart, 1898 or **PALAEOTHENTIDAE** Sinclair, 1906 whenever ***Abderites*** Ameghino, 1887 and ***Caenolestes*** Thomas, 1895 or ***Palaeothentes*** Ameghino, 1887 are placed in the same family-group taxon (Mammalia). Op. 1241

available

abdimii*, *Ciconia, Lichtenstein, 1823, *Verz. doubl. zool. Mus. Berlin*: 76 (specific name of the type species of ***Sphenorynchus*** [sic] Lichtenstein, 1823) (Aves). Direction 43

available

abdominalis*, *Tiphia, Panzer, [1798], *Fauna Ins. germ.* (53): tab. 5 (specific name of the type species of ***Astata*** Latreille, 1796) (Insecta, Hymenoptera). Direction 4

available

<i>aberrans</i> , <i>Philonthus</i> , Cameron, 1932, <i>The fauna of British India including Ceylon and Burma. Coleoptera. Staphylinidae</i> , vol. 3, p. 111, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. aberrans</i> Sharp, 1876 (Insecta, Coleoptera). Op. 2053	available
<i>aberrans</i> , <i>Philonthus</i> , Sharp, 1876, <i>Transactions of the Entomological Society of London</i> , 1876 : 174 (Insecta, Coleoptera). Op. 2053	available
<i>abessynicus</i> , <i>Cypselus</i> , Streubel, 1848, <i>Isis</i> (Oken), 1848 : col. 354 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1011	index
<i>Abida</i> Turton, 1831, <i>Manual land & fresh-water Shells brit. Islands</i> : 101 (gender: feminine) (type species, by monotypy: <i>Pupa secale</i> Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 59) (Gastropoda). Op. 335	available
<i>abietum</i> , <i>Gastrodes</i> , Bergroth, 1914, <i>Wien. entomol. Ztg.</i> , 33 : 183 (specific name of the type species of <i>Gastrodes</i> Westwood, [1840]) (Insecta, Hemiptera). Op. 246	available
<i>abildgaardi</i> , <i>Sparus</i> , Bloch, 1791, <i>Naturgeschichte der ausländische Fische</i> , part 4, p. 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1945	index
<i>absinthii</i> , <i>Pharalis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
<i>abyssicola</i> , <i>Cuthonella</i> , Bergh, 1884, <i>Rep. Voy. 'Challenger'</i> (Zool.), 26 : 24, pl. 10, figs. 1, 2, pl. 11, fig. 2, pl. 12, figs. 9-13 (specific name of the type species of <i>Cuthonella</i> Bergh, 1884) (Gastropoda). Op. 783	available
<i>Acamarchis</i> Lamouroux, 1816, <i>Hist. Polyp.</i> : 132 (a junior objective synonym of <i>Bugula</i> Oken, 1815). Op. 902	index
<i>Acamptopoeum</i> Cockerell, 1905, <i>Transactions of the American Entomological Society</i> , 31 : 320 (gender: neuter) (type species, by designation under the plenary power: <i>Camtopoeum submetallicum</i> Spinola, 1851) (Insecta, Hymenoptera). Op. 1759	available
<i>Acanthaloma</i> Conrad, 1840, <i>Third Ann. Rep. pal. Dep. geol. Surv. New York</i> , Assembly No. 50: 205 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 498	index
<i>ACANTHALOMINAE</i> Prantl & Přibyl, 1949, <i>Rozpr. Stát. Geol. úst. Československé Rep.</i> , 12 : 18, 35, 133, 151 (type genus: <i>Acanthaloma</i> Conrad, 1840) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 498	index
<i>Acanthephyla</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 12 (gender: feminine) (type species, by original designation: <i>Acanthephyla armata</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 12) (Crustacea, Decapoda). Op. 359	available
<i>Acanthia</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 693 (a junior objective synonym of <i>Cimex</i> Linnaeus, 1758). Direction 63	index

<i>Acanthinula</i> Beck, 1847, <i>Amtl. Ber.</i> , 24 , Versamml. deutsch. Naturf. u. Aertze Kiel: 122 (gender: feminine) (type species, by designation by Martens, 1860 (<i>in Albers, Die Heliceen</i> (ed. 2): xiii, 101): <i>Helix aculeata</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 81) (Gastropoda). Op. 335	available
ACANTHINULINAE Pilsbry, 1926, <i>in Tryon, Man. Conch.</i> , 27 : 186 (type genus: <i>Acanthinula</i> Beck, 1847) (Gastropoda). Direction 27	available
<i>Acanthiodos</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 1 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Acanthochila</i> Mørch, 1868, <i>Vid. Medd. Dansk Naturh. Foren.</i> , 1868 : 202 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 812	index
<i>Acanthocnema</i> Becker, 1894, <i>Berlin. entomol. Z.</i> , 39 : 136 (conserved under the plenary power) (gender: feminine) (type species, by original designation: <i>Cordylura nigrimana</i> Zetterstedt, 1846, <i>Dipt. Scand.</i> , 5 : 2040) (Insecta, Diptera). Op. 290	available
<i>Acanthocnema</i> Costa (A.), 1859, <i>in Costa (O.), Fauna Regno Napoli</i> , Imen. 3 Lididei: 2 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 290	index
ACANTHOCCIDAE Signoret, 1875, <i>Annls. Soc. entomol. France</i> , (5) 5 : 16 (type genus: <i>Acanthococcus</i> Signoret, 1875), ruled under the plenary power not to be given priority over ERIOCOCCHINI Cockerell, 1899 whenever <i>Acanthococcus</i> Signoret, 1875 and <i>Eriococcus</i> Targioni- Tozzetti, 1868 are placed in the same family-group taxon (Insecta, Hemiptera). Op. 1203	available
<i>Acanthococcus</i> Signoret, 1875, <i>Annls. Soc. entomol. France</i> , (5) 5 : 34 (gender: masculine) (type species, by monotypy: <i>Acanthococcus aceris</i> Signoret, 1875, <i>Annls. Soc. entomol. France</i> , (5) 5 : 35) (Insecta, Hemiptera). Op. 1203	available
<i>Acanthocyclus</i> Dybowski, 1873, <i>Arch. Naturk. Liv- Ehst-u. Kurl. Dorpat</i> , (1) 5 : 333, 359 (a junior homonym of <i>Acanthocyclus</i> Milne Edwards & Lucas, [1844]). Direction 37	index
<i>Acanthocyclus</i> Milne Edwards & Lucas, [1844], <i>in d'Orbigny, Voy. Amér. mérid.</i> , 6 (Crust.): 29 (gender: masculine) (type species, by monotypy: <i>Acanthocyclus gayi</i> Milne Edwards & Lucas, [1844], <i>in d'Orbigny, Voy. Amér. mérid.</i> , 6 (Crust.): 30) (Crustacea, Decapoda). Op. 73 <i>Acanthograpsus</i> Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 461 (ruled under the plenary power to be an incorrect original spelling for <i>Acanthograptus</i> Spencer, 1878). Op. 650	available
ACANTHOGRAPTIDAE Bulman, 1938, <i>in Schindewolf, Handb. der Palaeozool.</i> , 2D(2) : 20, 21 (type genus: <i>Acanthograptus</i> Spencer, 1878) (Graptolithina). Op. 650	available
<i>Acanthograptus</i> (emendation of <i>Acanthograpsus</i>) Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 461 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Acanthograpsus</i> [sic] <i>granti</i> Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 461) (Graptolithina). Op. 650	available
<i>Acantholoma</i> Castelnau, 1843, <i>Essai Syst. silur. Amér. sept.</i> : 23 (an incorrect subsequent spelling for <i>Acanthaloma</i> Conrad, 1840). Op. 498	index

<i>Acantholoma</i> Conrad, 1841, <i>Fifth Ann. Rep. Pal. State New York</i> , Assembly No. 150: 31 (an incorrect subsequent spelling for <i>Acanthaloma</i> Conrad, 1840). Op. 498	index
<i>Acantholyda</i> Costa, 1894, <i>Prosp. Im. Ital.</i> : 232 (conserved under the plenary power) (gender: feminine) (type species, by designation by Rohwer, 1910 (<i>Canad. Entomol.</i> , 42 : 216): <i>Tenthredo erythrocephala</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 558) (Insecta, Hymenoptera). Op. 290	available
<i>Acanthonyx</i> Hampson, 1902, <i>Ann. S. Afr. Mus.</i> , 2 : 318, 323 (a junior homonym of <i>Acanthonyx</i> Latreille, 1828). Op. 712	index
<i>Acanthonyx</i> Latreille, 1828, <i>Ency. méth.</i> , 10 (Ins.): 698 (gender: masculine) (type species, by monotypy: <i>Maia lunulata</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 49) (Crustacea, Decapoda). Op. 712	available
<i>Acanthophthalmus</i> van Hasselt in Temminck, 1824, <i>Bulletin des Sciences Naturelles et de Geologie</i> , 2 (Zoologie): 376 (a junior objective synonym of <i>Cobitis</i> Linnaeus, 1758) (Osteichthyes, Cypriniformes). Op. 1695	index
<i>Acanthopleuroceras</i> Hyatt, 1900, in Zittel, <i>Textbook of Palaeontology</i> , 1 : 578 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites valdani</i> d'Orbigny, 1844, <i>Paléontol. franç., Terr. jurass.</i> , 1 : 255, pl. 71) (Cephalopoda). Op. 996	available
<i>Acanthopus</i> Dahl, 1823, <i>Col. u. Lepid.</i> : 45 (a junior homonym of <i>Acanthopus</i> Klug, 1807). Direction 37	index
<i>Acanthopus</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 5, 29 (a junior homonym of <i>Acanthopus</i> Klug, 1807). Direction 37	index
<i>Acanthopus</i> Giebel, 1872, <i>Thesaur. Orn.</i> , 1 : 260 (a junior homonym of <i>Acanthopus</i> Klug, 1807). Direction 37	index
<i>Acanthopus</i> Latreille, 1829, in Cuvier, <i>Règne Anim.</i> (ed. 2), 5 : 38 (a junior homonym of <i>Acanthopus</i> Klug, 1807). Direction 37	index
<i>Acanthopus</i> Muenster, 1839, <i>Beitr. Petref.</i> (1): 94 (a junior homonym of <i>Acanthopus</i> Klug, 1807). Direction 37	index
<i>Acanthopus</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): iii, 122 (a junior homonym of <i>Acanthopus</i> Klug, 1807 and included in a work rejected for nomenclatural purposes). Direction 37	index
<i>Acanthopus</i> Vernet, 1877, <i>Arch. Sci. phys. nat. Genève</i> (n.s.), 60 : 334 (a junior homonym of <i>Acanthopus</i> Klug, 1807). Direction 37	index
<i>Acanthotermes</i> Sjöstedt, 1900, <i>Entomologisk Tidskrift</i> , 20 : 278 (gender: masculine) (type species, by subsequent designation by Sjöstedt, 1926, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , (3) 3 (1): 60: <i>Termes acanthothorax</i> Sjöstedt, 1898) (Insecta, Isoptera). Op. 2038	available

ACANTHOTERMITINAE Sjöstedt, 1926, *Kungliga Svenska Vetenskapsakademiens Handlingar*, (3)3(1): 8, 60 (type genus: *Acanthotermes* Sjöstedt, 1900), ruled under the plenary power that this name and other family-group names based on *Acanthotermes* are not to be given priority over **MACROTERMITINAE** Kemner, 1934 and other family-group names based on *Macrotermes* Holmgren, 1909 whenever their type genera are placed in the same family-group taxon (Insecta, Isoptera). Op. 2038

available

Acanthoteuthis Wagner, 1839, in Münster, G. Graf zu (Ed.), *Beiträge zur Petrefactenkunde*, part 1, p. 94 (gender: feminine) (type species, by subsequent designation by Bülow-Trummer, 1920, *Fossilium Catalogus*, I (Animalia), part 11, p. 268: *Acanthoteuthis speciosa* Münster, 1839) (Cephalopoda, Coleoidea). Op. 1860

available

acanthothorax, *Termes*, Sjöstedt, 1898, *Entomologisk Tidskrift*, 19: 204 (specific name of the type species of *Acanthotermes* Sjöstedt, 1900) (Insecta, Isoptera). Op. 2038

available

acanthurus, *Olenus*?, Angelin, 1854, *Pal. scand.*, 1 (Crust. Format. Transit.): 44 (Trilobita). Op. 499

available

Acantophthalmus van Hasselt, 1823, *Algemeene Konst- en Letter-Bode voor het jaar 1823*, II deel, no. 35, p. 133 (a junior objective synonym of *Cobitis* Linnaeus, 1758) (Osteichthyes, Cypriniformes). Op. 1500

index

acaroides, *Sphaerius*, Waltl, 1838, *Isis* (von Oken), 1838: 272 (specific name of the type species of *Sphaerius* Waltl, 1838) (Insecta, Coleoptera). Op. 1957

available

Acarus Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 615 (gender: masculine) (type species, by designation by Latreille, 1810 (*Consid. gén. Anim. Crust. Arach. Ins.*: 425, 132): *Acarus siro* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 616, as interpreted by Fabricius, 1794 (*Entomol. syst.*, 4: 430), as first reviser as being objectively identical with *Acarus siro* [var.] *farinae* Linnaeus, 1758) (Arachnida). Direction 94

available

acarus, *Pupa*, Benson, 1856, *Ann. Mag. nat. Hist.*, (2)18: 435 (specific name of the type species of *Gastrocopta* Wollaston, 1878) (Gastropoda). Direction 72

available

ACENTROPINAE Stephens, 1835, *Illustrations of British entomology*, *Mandibulata*, p. 148 (type genus: *Acentropus* Curtis, 1834), ruled in accordance with the precepts of the Code to have priority over **NYMPHULINAE** Duponchel, 1845 whenever their type genera are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 2021

available

Acentropus Curtis, 1834, *British Entomology*, 11: folio 497 (gender: masculine) (type species, by original designation: *Acentropus garnonsii* Curtis, 1834) (Insecta, Lepidoptera). Op. 2021

available

Acera Agassiz, 1846, *Nomencl. zool.*, Moll.: 3 (an unjustified emendation of *Akera* Müller, 1776). Op. 539

index

Acera Agassiz, 1848, *Nomencl. zool. Index univ.*: 19 (an unjustified emendation of *Akera* Müller, 1776). Op. 539

index

Acera Cuvier, 1810, *Annls. Mus. Hist. nat. Paris*, 16: 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1079

index

<i>Acera</i> Lamarck, 1812, <i>Extr. Cours Zool. Mus. Hist. nat.</i> , Paris (an unjustified emendation of <i>Akera</i> Müller, 1776). Op. 539	index
<i>Acera</i> Rafinesque, 1815, <i>Analyse Nature</i> : 142 (an unjustified emendation of <i>Akera</i> Müller, 1776). Op. 539	index
<i>Aceras</i> Locard, 1886, <i>Prodr. Malac. fran��</i> , 2 (Moll. mar.): 79 (an unjustified emendation of <i>Akera</i> Müller, 1776). Op. 539	index
<i>Aceria</i> Keifer, 1944, <i>Bulletin of the California Department of Agriculture</i> , 33 (1): 22 (gender: masculine) (type species, by original designation: <i>Eriophyes tulipae</i> Keifer, 1938) (Arachnida, Acarina). Op. 1521	available
ACERIDAE Odhner, 1907, <i>K. svensk. Vetensk.-Akad. Handl.</i> , (4) 41 (4): 7 (type genus: <i>Akera</i> Müller, 1776) (an incorrect subsequent spelling for AKERIDAE Pilsbry, 1893). Op. 539	index
<i>aceris</i> , <i>Acanthococcus</i> , Signoret, 1875, <i>Annls. Soc. entomol. France</i> , (5) 5 : 35 (specific name of the type species of <i>Acanthococcus</i> Signoret, 1875) (Insecta, Hemiptera). Op. 1203	available
<i>aceris</i> , <i>Papilio</i> , Esper, [1783], <i>Die Schmett.</i> , 1 (Bd. 2) Forts. Tagschmett.: 142, pl. 81, figs. 3♂, 4♀ (without prejudice to the prior rights of the nominal species <i>Papilio hylas</i> Linnaeus, 1758, if that name is held to apply to a subspecies of the same collective species) (specific name of the type species of <i>Neptis</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>Acernaspis</i> Campbell, 1967, <i>Bulletin, Oklahoma Geological Survey</i> , 115 : 32 (gender: feminine) (type species, by monotypy: <i>Phacops orestes</i> Billings, 1860) (Trilobita). Op. 1846	available
<i>acervorum</i> , <i>Blatta</i> , Panzer, [1799], <i>Faun. Ins. germ.</i> (68): tab. 24 (specific name of the type species of <i>Myrmecophilus</i> Berthold, 1827) (Insecta, Orthoptera). Direction 5	available
<i>Acetes</i> Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, (1) 19 : 350 (gender: masculine) (type species, by monotypy: <i>Acetes indicus</i> Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, (1) 19 : 351) (Crustacea, Decapoda). Op. 864	available
<i>achaemenes</i> , <i>Charaxes</i> , Felder, 1866, <i>Reise ost. Freg. Novara Zool. Lepid.</i> , 2 : 446 (Insecta, Lepidoptera). Op. 922	available
<i>Achaeopsis</i> Stimpson, 1857, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 9 : 219 (gender: feminine) (type species, by monotypy: <i>Achaeopsis spinulosus</i> Stimpson, 1857, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 9 : 219) (Crustacea, Decapoda). Op. 712	available
<i>Achaeus</i> Leach, 1817, <i>Malac. podophthal. Brit.</i> , (16): text to pl. 22C (gender: masculine) (type species, by monotypy: <i>Achaeus cranchii</i> Leach, 1817, <i>Malac. podophthal. Brit.</i> , (16): text to pl. 22C) (Crustacea, Decapoda). Op. 712	available
<i>Achatia</i> H��bner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 6 (included in a work rejected for nomenclatural purposes). Op. 789	index

achatinaceus, *Bulimus*, Pfeiffer, 1846, *Symbolae ad Historiam Heliceorum*, part 3, p. 82, as defined by the lectotype (specimen no. ZMB Moll 65746 in the Pfeiffer collection in the Humboldt Zoologisches Museum, Berlin) designated by Naggs, 1994, *Journal of Molluscan Studies*, **60**: 80 (Gastropoda). Op. 1766

available

Achatinellastrum Pfeiffer, 1854, *Malakozoologische Blätter*, **1**: 133 (gender: neuter) (type species, by subsequent designation by Pilsbry & Cooke, 1914, *Manual of Conchology*, ser. 2 (Pulmonata), vol. 22 (Achatinellidae), part 88, p. 181: *Achatinella producta* Reeve, 1850) (Gastropoda). Op. 2017

available

ACHATINELLIDAE Gulick, 1873, *Proceedings of the Zoological Society of London*, 1873: 89 (type genus: *Achatinella* Swainson, 1828) (Gastropoda). Op. 2017

available

Achatinigenus [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427

index

Acheta Fabricius, 1775, *Syst. Entomol.*: 279-282, 826 (gender: masculine) (type species, by designation by Curtis, 1830 (*Brit. Entomol.*, **3**: pl. 293): *Gryllus domesticus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 428) (Insecta, Orthoptera). Op. 299

available

Acheta Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 428 (not made index in the work cited; published as a term intermediate between generic and specific names and not possessing the status of a subgeneric name). Op. 299

index

Achias Fabricius, 1805, *Syst. Antl.*: 247 (gender: masculine) (type species, by monotypy: *Achias oculatus* Fabricius, 1805, *Syst. Antl.*: 247) (Insecta, Diptera). Op. 1142

available

ACHIIDAE Fleming, 1821 (as ACHIASIDAE), *Philos. zool.*: 55 (type genus: *Achias* Fabricius, 1805), ruled under the plenary power not to be given priority over **PLATYSTOMATIDAE** Schiner, 1862 whenever *Achias* Fabricius, 1805 and *Platystoma* Meigen, 1803 are placed in the same family-group taxon (Insecta, Diptera). Op. 1142

available

achilles, *Papilio*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 463 (specific name of the type species of *Morpho* Fabricius, 1807) (Insecta, Lepidoptera). Direction 4

available

achiria, *Hippa*, Rafinesque, 1817, *Amer. mon. Mag.*, **2**: 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522

index

Achoreutes Templeton, 1843, *Trans. entomol. Soc. London*, **3**(4): 306 (an incorrect subsequent spelling for *Achorutes* Templeton, 1835). Op. 435

index

Achorutes Templeton, 1835, *Trans. entomol. Soc. London*, **1**(2): 96 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 435

index

ACHORUTINAE Börner, 1906, *Mitt. naturh. Mus. Hamburg*, **23**: 159, 160 (type genus: *Achorutes* Templeton, 1835, correctly treated as having *Achorutes muscorum* Templeton, 1835 as type species) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 435

index

ACHORUTINI Börner, 1901, <i>Zool. Anz.</i> , 24 : 13 (type genus: <i>Achorutes</i> Templeton, 1835, incorrectly treated as having <i>Achorutes viaticus</i> Tullberg, 1872 as type species) (invalid (i) because the name of the type genus has been suppressed under the plenary power and (ii) because based on a misidentified type genus). Op. 435	index
<i>Acicula</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: pl. 6 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 344	index
<i>Acicula</i> Hartmann, 1821, in Steinmüller's <i>Neue Alpina</i> , 1 : 205, 215 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Bulimus lineatus</i> Draparnaud, [1801], <i>Tabl. Moll., terrestre, fluviat. France</i> : 67) (Gastropoda). Op. 344	available
<i>Acicula</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): 383 (a nomen nudum). Op. 344	index
<i>acicula</i> , <i>Buccinum</i> , Müller, 1774, <i>Verm. terrestre, fluviat. Hist.</i> , 2 : 150 (specific name of the type species of <i>Cecilioides</i> Féruccac, 1814) (Gastropoda). Op. 335	available
ACICULIDAE Woodward, 1854, <i>Manual Moll.</i> : 178 (type genus: <i>Acicula</i> Hartmann, 1821) (Gastropoda). Op. 344	index
<i>Acilius</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 69 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Dytiscus sulcatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 412) (Insecta, Coleoptera). Op. 619	available
<i>Acilius</i> Rafinesque, 1815, <i>Analyse Nature</i> : 221 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 522, Op. 619	available
<i>Acinacea</i> Bory de St. Vincent, 1804, <i>Voy. Iles Afrique</i> , 1 : 93 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 487	available
ACINACEIDAE McCulloch, 1929, <i>Mem. Aust. Mus.</i> , 5 : 258 (type genus: <i>Acinacea</i> Bory de St. Vincent, 1804) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 487	available
<i>Acinaces</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 4 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 487	available
<i>Acinaces</i> Gerstaecker, 1858, <i>Monogr. Endomych.</i> : 178 (gender: masculine) (type species, by designation by Strohecker, 1953 (<i>in</i> Wytsman's <i>Gen. Ins.</i> , 210 : 85)): <i>Acinaces lebasii</i> Gerstaecker, 1858, <i>Monogr. Endomych.</i> : 179) (Insecta, Coleoptera). Op. 487	available
<i>Acineta</i> Ehrenberg, [1834], <i>Physikalische Mathematische Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin</i> , 1833 : 284, published in the serial in 1835 but issued as a separate in 1834 (gender: feminine) (type species, by subsequent designation by Collin, 1912, <i>Archives de Zoologie Expérimentale et Générale</i> , 51 : 336: <i>Acineta tuberosa</i> Ehrenberg, [1834]) (Ciliophora, Suctoria). Op. 1778	available
<i>Acinonyx</i> Brookes, 1828, <i>Cat. anat. zool. Mus. J. Brookes</i> : 16, 33 (gender: masculine) (type species, by monotypy: <i>Acinonyx venator</i> Brookes, 1828, <i>Cat. anat. zool. Mus. J. Brookes</i> : 16, 33, valid name: <i>Felis venatica</i> Griffith, 1821) (Mammalia). Op. 384	available

<i>Acipenser</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 237 (gender: masculine) (type species, by Linnaean tautomy: <i>Acipenser sturio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 237) (Osteichthyes). Op. 77, Direction 56	available
<i>Acipenses</i> Linck, 1790, <i>Mag. N. Phys. Naturg.</i> , 6 (3): 37 (an incorrect subsequent spelling for <i>Acipenser</i> Linnaeus, 1758). Direction 56	available
<i>Acmaea</i> Eschscholtz, 1830, in Kotzebue, <i>Neue Reise Welt</i> , 2 : App. 24 (a nomen nudum). Op. 344	available
<i>Acmaea</i> Eschscholtz, 1833, <i>Zool. Atlas</i> , 5 : 16 (gender: feminine) (type species, by designation by Dali, 1871 (<i>Amer. J. Conch.</i> , 6 : 24, 243); <i>Acmaea mitra</i> Eschscholtz, 1833, <i>Zool. Atlas</i> , 5 : 18) (Gastropoda). Op. 344	available
ACMAEIDAE Carpenter, 1857, <i>Cat. Mazatlan Shells</i> : 202 (type genus: <i>Acmaea</i> Eschscholtz, 1833) (Gastropoda). Op. 344	available
<i>Acmaeodera</i> Eschscholtz, 1829, <i>Zoologischer Atlas</i> , p. 9 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Volkovitsh, 1979, <i>Entomologicheskoe Obozrenie</i> , 58 (2): 339; <i>Buprestis cylindrica</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 2100	available
<i>Acmaeoderella</i> Cobos, 1955, <i>Bulletin de l'Institut Royal des Sciences Naturelles de Belgique</i> , 31 (13): 5 (gender: feminine) (type species, by original designation: <i>Buprestis discoida</i> Fabricius, 1787) (Insecta, Coleoptera). Op. 2100	available
<i>Acmaeopleura</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 105 (gender: feminine) (type species, by monotypy: <i>Acmaeopleura parvula</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 105) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Acme</i> Hartmann, 1821, in Sturm's <i>Deutschlands Fauna</i> , 6 (Würm.), (5): 37 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 344	index
<i>Acmea</i> Hartmann, 1821, in Steinmüller's <i>Neue Alpina</i> , 1 : 204, 212, 213, 214 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 344	index
<i>Acmea</i> Hartmann, 1821, in Sturm's <i>Deutschlands Fauna</i> , 6 (Würm.), (5): 49 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 344	index
ACMEIDAE Pollonera, 1905, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 20 (No. 517): 1 (type genus: <i>Acme</i> Hartmann, 1821) (a junior objective synonym of ACICULIDAE Woodward, 1854, the respective type genera of the two families having the same nominal species as type species). Op. 344	index
ACMIDAE Kobelt, 1908, <i>Jahrb. nassau. Ver. Naturk.</i> , 61 : 157 (type genus: <i>Acme</i> Hartmann, 1821) (a junior objective synonym of ACICULIDAE Woodward, 1854, the respective type genera of the two families having the same nominal species as type species). Op. 344	index

<i>Acompocoris</i> Reuter, 1875, <i>Bihang till K. Svensk. Vet.-Akad. Handl.</i> , 3 (1): 63 (gender: masculine) (type species, by designation by Kirkaldy, 1906 (<i>Trans. Amer. entomol. Soc.</i> , 32 : 120); <i>Lygaeus pygmaeus</i> Fallén, 1807, <i>Mon. Cimicum Svec.</i> : 73) (Insecta, Hemiptera). Op. 863	available
<i>acraea</i> , <i>Liptena</i> , Westwood, [1851], <i>in</i> Doubleday, <i>Gen. diurn. Lep.</i> (2): pl. 77, fig. 6 (specific name of the type species of <i>Telipna</i> Aurivillius, 1895) (Insecta, Lepidoptera). Op. 566	available
<i>Acraspedon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 561 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Acrida</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 427 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Gryllus turritus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 427) (Insecta, Orthoptera). Op. 299	available
<i>Acrochordium</i> Meyen, 1834, <i>Novorum Actorum Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum</i> , 16 (Supplement 1): 165 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1752	index
<i>Acrodontomeros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 548 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Acrodytes</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 30 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 520	index
<i>Acrolepiopsis</i> Gaedike, 1970, <i>Entomologische Abhandlungen, Staatliche Museum für Tierkunde in Dresden</i> , 38 (1): 32 (gender: feminine) (type species, by original designation: <i>Roeslerstamnia assetella</i> Zeller, 1839) (Insecta, Lepidoptera). Op. 1910	available
<i>Acrolepis</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 573 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Acrolocha</i> Thomson, 1858, <i>Översigt af Kungliga Vetenskapsakademiens Förhandlingar</i> , 15 : 38 (gender: feminine) (type species, by original designation: <i>Omalium striatum</i> Gravenhorst, 1802) (Insecta, Coleoptera). Op. 1722	available
ACROLOXINAE Thiele, 1931, <i>Handb. syst. Weichtierk.</i> , 2 : 484 (type genus: <i>Acroloxus</i> Beck, 1837) (Gastropoda). Direction 41	available
<i>Acroloxus</i> Beck, 1837, <i>Index Moll. Mus. Ch. Fred.</i> : 124 (gender: masculine) (type species, by designation by Hermannsen, 1846 (<i>Indicis Gen. malacoz. Primordia</i> , 1 : 16); <i>Patella lacustris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 783, as interpreted by Müller, 1774 (<i>Verm. terrestr. fluviat. Hist.</i> , 2 : 199, 200)) (Gastropoda). Op. 363	available

<i>Acrophylla</i> Gray, 1835, <i>Synops. Ins. Phasm.</i> : 39 (gender: feminine) (type species, by designation by Karny, 1923 (<i>Treubia</i> , 3 : 240); <i>Phasma titan</i> MacLeay, 1826, <i>in King, Narr. Surv. Coasts Aust.</i> , 2 : 454) (Insecta, Phasmida). Op. 641	available
ACROPHYLLINI Redtenbacher, 1908, <i>in</i> Brunner & Redtenbacher, <i>Insektenfam. Phasm.</i> : 436 (type genus: <i>Acrophylla</i> Gray, 1835) (ruled to be invalid because based on a misidentified type genus). Op. 641	index
<i>Acropora</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (1): 66 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Millepora muricata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 792) (Anthozoa). Op. 674	available
ACROPORIDAE Verrill, 1901, <i>Trans. Connecticut Acad. Arts Sci.</i> , 11 : 163 (type genus: <i>Acropora</i> Oken, 1815) (Anthozoa). Op. 674	available
<i>Acrostomum</i> Örsted, 1843, <i>Naturhistorisk Tidsskrift</i> (Udgivet af H. Krøyer) Ræk. 1, 1837-1843, Bd. 4, p. 95 (an incorrect subsequent spelling of <i>Akrostomum</i> Grube, 1840) (Nemertea). Op. 2016	index
<i>Acrotona</i> Thomson, 1859, <i>Skand. Coleopt.</i> , 1 : 38 (gender: feminine) (type species, by monotypy: <i>Aleochara aterrima</i> Gravenhorst, 1802, <i>Coleopt. micr.</i> : 83) (Insecta, Coleoptera). Op. 600	available
<i>Acryllium</i> Gray, 1840, <i>List Genera Birds</i> : 61 (gender: neuter) (type species, by original designation: <i>Numida vulturina</i> Hardwicke, 1834, <i>Proc. zool. Soc. London</i> , 2 (1834): 52) (Aves). Op. 67 <i>Actaea</i> de Haan, [1833], <i>in</i> Siebold, <i>Fauna japon.</i> (Crust.): 4, 18 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 26); <i>Cancer (Actaea) granulatus</i> de Haan, [1833], <i>in</i> Siebold, <i>Fauna japon.</i> (Crust.): 18; <i>id.</i> , [1835], <i>ibid.</i> : 47, valid name: <i>Cancer savignyi</i> Milne Edwards, 1834) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>actaea</i> , <i>Papilio</i> , Esper, [1780], <i>Die Schmett.</i> , 1 (Bd. 2) Forts. Tagschmett.: 37, pl. 57, figs. 1a♂, 1b♀ (specific name of the type species of <i>Satyrus</i> Latreille, 1810) (Insecta, Lepidoptera). Direction 4	available
<i>Actaeomorpha</i> Miers, [1877], <i>J. linn. Soc. London (Zool.)</i> , 13 : 184 (gender: feminine) (type species, by monotypy: <i>Actaeomorpha erosa</i> Miers, [1877], <i>J. linn. Soc. London (Zool.)</i> , 13 : 184) (Crustacea, Decapoda). Op. 73 <i>actaeon</i> , <i>Papilio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : App. 829 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1058	available
<i>Actaletes</i> Giard, 1889, <i>Le Naturaliste</i> , (2) 11 : 123 (gender: masculine) (type species, by monotypy: <i>Actaletes neptuni</i> Giard, 1889, <i>Le Naturaliste</i> , (2) 11 : 123) (Insecta, Collembola). Op. 291	available
<i>Actenodes</i> Dejean, 1833, <i>Catalogue des coléoptères de la collection de M. le Comte Dejean</i> , Ed. 2, livraison 1, p. 80 (gender: masculine) (type species, by monotypy: <i>Buprestis nobilis</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 2008	available
<i>acteon</i> , <i>Papilio</i> , von Rottemburg, 1775, <i>Der Naturforscher</i> , 6 : 30 (Insecta, Lepidoptera). Op. 1058	available

<i>Acteonella</i> d'Orbigny, 1842, <i>Paléontol. franç., Terr. crét.</i> , 2 : 107-113, pls. 164-167 (gender: feminine) (type species, by designation under the plenary power: <i>Acteonella uchauxensis</i> Cossmann, 1896, <i>Essais paléoconch. comp.</i> , 2 : 166) (Gastropoda). Op. 954	available
<i>Actia</i> Robineau-Desvoidy, 1830, <i>Mémoires présentés par divers Savants à l'Académie Royale des Sciences de l'Institut de France</i> , vol. 2, p. 85 (gender: feminine) (type species, by designation under the plenary power: <i>Roeselia lamia</i> Meigen, 1838) (Insecta, Diptera). Op. 1432	available
<i>Actinia</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1088 (gender: feminine) (type species, by designation by Thompson, 1858 (<i>Proc. zool. Soc. London</i> : 146); <i>Priapus equinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 656) (Anthozoa). Op. 1295	available
<i>Actinia</i> Pallas, 1766, <i>P.S. Pallas Misc. zool.</i> : 152 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1295	index
ACTINIIDAE Rafinesque, 1815, <i>Analyse Nature</i> : 155 (type genus: <i>Actinia</i> Linnaeus, 1767) (Anthozoa). Op. 1295	available
<i>actinioides</i> , <i>Thysanosoma</i> , Diesing, 1835, <i>Med. Jahrb. öst. Staat</i> (n.f.), 7 : 105 (specific name of the type species of <i>Thysanosoma</i> Diesing, 1835) (Cestoda). Direction 77	available
<i>Actinodoris</i> Ehrenberg, 1831, <i>Symbolae physicae seu icones et descriptiones animalium evertibratorum sepositis insectis quae ex itinere per Africam borealem et Asiam occidentalem</i> . Decas 1 Mollusca (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1375	index
<i>Actinote</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> , (2): 27 (gender: feminine) (type species, by designation under the plenary power: <i>Papilio thalia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 467) (Insecta, Lepidoptera). Op. 214	available
<i>Actornithophilus</i> Ferris, 1916, <i>Canad. Entomol.</i> , 48 : 303 (gender: masculine) (type species, by original designation: <i>Colpocephalum uniseriatum</i> Piaget, 1880, <i>Pédiculines</i> : 562, pl. 47, fig. 2) (Insecta, Mallophaga). Op. 342	available
<i>Actumnus</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2) 12 : 128 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 26); <i>Actumnus tomentosus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 82) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Aculea</i> Perry, 1810, <i>Arcana, or the Museum of Natural History</i> , pl. 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1677	index
<i>aculeata</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 81 (specific name of the type species of <i>Acanthinula</i> Beck, 1847) (Gastropoda). Op. 335	available
<i>aculeata</i> , <i>Holothuria</i> , Semper, 1868, <i>Reisen im Archipel der Philippinen</i> , 2 : 84, 85 (Holothuroidea). Op. 762	available

<i>aculeatus</i> , <i>Clinus</i> , Reinhardt, 1837, <i>Ichthyologiske Bidrag til den grønlandske Fauna</i> . København: 114, 122 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1021	index
<i>aculeatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. R[4], pl. 37, figs. 9, 10 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>aculeatus</i> , <i>Gasterosteus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 295 (specific name of the type species of <i>Gasterosteus</i> Linnaeus, 1758) (Osteichthyes). Direction 51	available
<i>aculeatus</i> , <i>Productus</i> , Sowerby, 1814, <i>Min. Conch.</i> , 1: 156, pl. 68, fig. 4, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12)4: 102, pl. 3, figs. 3a-c) (Brachiopoda). Op. 420	available
<i>aculeatus</i> , <i>Tropidolepis</i> , Gray, 1831, in Griffith, E. & Pidgeon, E. (Eds.), <i>The animal kingdom arranged in conformity with its organization, by the Baron Cuvier, with additional descriptions of all the species hitherto named, and of many not before noticed</i> , vol. 9 (Supplement), p. 43 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1909	index
<i>acuminata</i> , <i>Buprestis</i> , De Geer, 1774, <i>Mémoires pour servir à l'histoire des insectes</i> , vol. 4, p. 133 (specific name of the type species of <i>Melanophila</i> Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1826	available
<i>acuminata</i> , <i>Rhadinopsylla (Rectofrontia)</i> , Ioff & Tiflov, 1946, <i>Med. Parasitol. Moscow</i> , 15 (No. 4): 91, No. 62 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 314	index
<i>acuminata</i> , <i>Rhadinopsylla (Rectofrontia)</i> , Ioff & Tiflov, 1946, <i>Med. Parasitol.</i> <i>Moscow</i> , 15 (No. 4): 91, No. 66 [nec No. 62] (conserved under the plenary power) (Insecta, Siphonaptera). Op. 314	available
<i>acuminata</i> , <i>Terebratula</i> , Sowerby, 1822, <i>Min. Conch.</i> , 4: 23, pl. 324, fig. 1 (middle and two upper figs.), as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12)4: 105, pl. 3, figs. 1a-c) (specific name of the type species of <i>Pugnax</i> Hall & Clarke, 1894) (Brachiopoda). Op. 420	available
<i>acuminatum</i> , <i>Lecanium</i> , Signoret, 1873, <i>Ann. Soc. entomol. France</i> , (5)3: 397, pl. 11, fig. 1, as interpreted by the neotype proposed by Ben-Dov, 1976 (<i>Bull. zool. Nomencl.</i> , 32: 259) and designated under the plenary power (specific name of the type species of <i>Kilifia</i> de Lotto, 1965) (Insecta, Hemiptera). Op. 1192	available
<i>acuminatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. 0[4], pl. 32, figs. 7, 8; pl. 33, figs. 5, 6 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>acus</i> , <i>Sphyraena</i> , Lacepède, 1803, <i>Hist. nat. Poiss.</i> , 5: 325 (ruled under the plenary power to be transferred from the Official Index of Rejected and Invalid Names in Zoology to the Official List of Specific Names) (Teleostei). Op. 900, Op. 2169	available
<i>acus</i> , <i>Syngnathus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 337 (specific name of the type species of <i>Syngnathus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available

<i>acuta</i> , <i>Cimex</i> , Thunberg, 1783, <i>Nov. Ins. Spec.</i> , 2 : 34 (valid name at the date of Opinion 800 of the type species of <i>Leptocorisa</i> Latreille, 1829) (Insecta, Hemiptera). Op. 800	available
<i>acuta</i> , <i>Dorymenia</i> , Heath, 1911, <i>Mem. Mus. comp. Zool.</i> , 45 : 95 (specific name of the type species of <i>Dorymenia</i> Heath, 1911) (Solenogastres). Op. 1185	available
<i>acuta</i> , <i>Dussumieria</i> , Valenciennes, 1847, in Cuvier & Valenciennes, <i>Hist. nat. Poiss.</i> , 20 : 467 (Osteichthyes). Op. 901	available
<i>acuta</i> , <i>Physa</i> , Draparnaud, [1805], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 55 (Gastropoda). Op. 336	available
<i>acutangula</i> , <i>Limosina</i> , Zetterstedt, 1847, <i>Diptera Scandinaviae disposita et descripta</i> , vol. 6, p. 2499 (specific name of the type species of <i>Coproica</i> Rondani, 1861) (Insecta, Diptera). Op. 1839	available
<i>acutirostris</i> , <i>Neomorpha</i> , Gould, January 1837, <i>Syn. Birds Austr.</i> (1): pl. xi; <i>id.</i> , June 1837, <i>Proc. zool. Soc. London</i> , 4 : 144 (specific name of the type species of <i>Heteralocha</i> Cabanis, [1851]) (Aves). Op. 514	available
<i>acutum</i> , <i>Cyclostoma</i> , Draparnaud, 1805, <i>Histoire naturelle des mollusques terrestres et fluviatiles de la France</i> , p. 40, as defined by the neotype (specimen no. 90616 in the Naturhistorisches Museum in Vienna) designated under the plenary power (specific name of the type species of <i>Hydrobia</i> Hartmann, 1821) (Gastropoda). Op. 2034	available
<i>acutus</i> , <i>Pleurocerus</i> , Rafinesque, in Blainville, 1824, <i>Dict. Sci. nat.</i> , 32 : 236 (specific name of the type species of <i>Pleurocera</i> Rafinesque, 1818) (Gastropoda). Op. 1195	available
<i>Acyon</i> Ameghino, 1887, <i>Bol. Mus. de la Plata</i> , 1 : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1209	index
<i>ACYONIDAE</i> Ameghino, 1891, <i>Rev. Arg. Hist. nat.</i> , 1 : 147n (type genus: <i>Acyon</i> Ameghino, 1887) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 1209	index
<i>adactyla</i> , <i>Hippa</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 329 (specific name of the type species of <i>Hippa</i> Fabricius, 1787) (Crustacea, Decapoda). Op. 643	available
<i>adamii</i> , <i>Hyalinia villae</i> , Westerlund, 1886, <i>Fauna der in der paläarktischen Region ... lebenden Binnenconchylien</i> , part 1 (Fam. Testacellidae, Glandinidae, Vitrinidae and Leucochroidae), p. 48, as defined by the neotype (specimen no. MZUF 13735 in the Museo Zoologico de 'La Specola', Sezione del Museo di Storia Naturale dell'Università di Firenze, Italy, collected in Val Seriana, Bergamo Province) designated under the plenary power (Gastropoda). Op. 1979	available
<i>adamsi</i> , <i>Cuspidaria (Rhinoclama)</i> , Morgan & Heppell, 1981, <i>Philosophical Transactions of the Royal Society, London</i> , (B) 294 (1071): 546 (specific name of the type species of <i>Rhinoclama</i> Dall & Smith in Dall, 1886) (Bivalvia). Op. 1376	available
<i>adansonii</i> , <i>Cerithium</i> , Bruguière, 1792, <i>Ency. méth., Hist. nat. Vers.</i> , 1 (2): 479 (specific name of the type species of <i>Cerithium</i> Bruguière, [1789]) (Gastropoda). Op. 1109	available

<i>Adelges</i> Vallot, 1836, <i>C.R. Acad. Sci.</i> , Paris, 3 : 72 (gender: masculine) (type species, by monotypy: <i>Adelges laricis</i> Vallot, 1836, <i>C.R. Acad. Sci.</i> , Paris, 3 : 72) (Insecta, Hemiptera). Op. 731	available
ADELGINAE Annand, 1928, <i>Stan. Univ. Publn. Biol. Sci.</i> , 6 : 31 (type genus: <i>Adelges</i> Vallot, 1836) (Insecta, Hemiptera). Op. 731	available
ADERIDAE Winkler, 1927, <i>Catalogus Coleopterum regionis palearcticae</i> , part 7, col. 831 (type genus: <i>Aderus</i> Stephens, 1829), ruled under the plenary power that this name and other family-group names based on <i>Aderus</i> are to be given precedence over EUGLENESIDAE Seidlitz, 1875 and other family-group names based on <i>Euglenes</i> Westwood, 1830 whenever their type genera are placed in the same familygroup taxon (Insecta, Coleoptera). Op. 1549	available
<i>Aderus</i> Stephens, 1829, <i>A systematic Catalogue of British Insects</i> , p. 255 (gender: masculine) (type species, by subsequent designation by Westwood, 1830, <i>Zoological Journal</i> , London, 5 : 57: <i>Lytta boleti</i> Marsham, 1802) (Insecta, Coleoptera). Op. 1549	available
ADIANTHIDAE Ameghino, 1891, <i>Revista Argentina de Historia Natural</i> , 1 : 134 (type genus: <i>Adianthus</i> Ameghino, 1891) (Mammalia). Op. 1409	available
<i>Adianthus</i> Ameghino, 1891, <i>Revista Argentina de Historia Natural</i> , 1 : 134 (gender: masculine) (type species, by monotypy: <i>Adianthus buccatus</i> Ameghino, 1891) (Mammalia). Op. 1409	available
<i>adippe, Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend:</i> 177, as conserved as a binomen under the plenary power and as interpreted by the neotype designated under the plenary power, namely the specimen figured by Hemming, Riley & Verity, 1958 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 18 : 55-64, pls. 1-3) (type locality: 'Mödling, near Vienna') (Insecta, Lepidoptera). Op. 501	available
<i>adippe, Papilio</i> , all uses of, subsequent to Linnaeus, 1767, and prior to <i>adippe, Papilio</i> , [Denis & Schiffermüller], 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 501	index
<i>adippe, Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 786 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 501	index
<i>admete, Cancer</i> , Herbst, [1803], <i>Versuch Naturgesch. Krabben Krebse</i> , 3 (3): 40 (specific name of the type species of <i>Thalamita</i> Latreille, 1829) (Crustacea, Decapoda). Direction 36	available
<i>adonidum, Coccus</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 740 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1247	index
<i>Adopaeoides</i> Godman, [1900], in Godman & Salvin, <i>Biol. centr.-amer., Lep. Rhop.</i> , 2 : 470 (gender: masculine) (type species, by designation under the plenary power: <i>Apauustus prittwitzi</i> Plötz, 1884, <i>Entomol. Ztg.</i> , Stettin, 45 : 165) (Insecta, Lepidoptera). Op. 825	available

<i>adriaticus</i> , <i>Epiphrixus</i> , Nierstrasz & Brender à Brandis, 1932, <i>Zool. Anz.</i> , 101 : 99 (specific name of the type species of <i>Epiphrixus</i> Nierstrasz & Brender à Brandis, 1932) (Crustacea, Isopoda). Op. 1242	available
<i>adscensionis</i> , <i>Scomber</i> , Osbeck, 1771, <i>A voyage to China and the East Indies</i> , vol. 2, p. 94 (unavailable because cited as a synonym from a pre-1758 publication) (Osteichthyes, Perciformes). Op. 1841	index
<i>adspersus</i> , <i>Palaemon</i> , Rathke, 1837, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 3 (3/4): 368 (conserved under the plenary power) (specific name of the type species of <i>Palaemon</i> Weber, 1795) (Crustacea, Decapoda). Op. 564	available
<i>adspersus</i> , <i>Penaeus</i> , Tilesius, 1818, <i>Neue Ann. Wetterau. Ges. gesammte Naturk.</i> , 1 (1): 4, pl. 21a, fig. 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 564	index
<i>adspersus</i> , <i>Tergipes</i> , Nordmann, 1845, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 4 (6): 498 (Gastropoda). Op. 1084	available
<i>adunca</i> , <i>Lernaea</i> , Strøm, 1762, <i>Physik og oeconomisk beskrivelse over fogderiet Søndmør, beliggende i Bergens stift i Norge</i> , part 1, p. 167 (senior subjective synonym of the specific name of <i>Lernaea uncinata</i> Müller, 1776, the type species of <i>Clavella</i> Oken, 1815) (Copepoda). Op. 1817	available
<i>advena</i> , <i>Cryptophagus</i> , Waltl, 1834, <i>Faunus</i> , 1 : 169 (specific name of the type species of <i>Ahasverus</i> des Gozis, 1881) (Insecta, Coleoptera). Op. 1771	available
<i>advena</i> , <i>Odynerus</i> , Saussure, 1855, <i>Et. Fam. Vesp.</i> , 3 : 222 (specific name of the type species of <i>Hypancistrocerus</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>Aechmophorus</i> Coues, 1862, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1862 : 229 (gender: masculine) (type species, by original designation: <i>Podiceps occidentalis</i> Lawrence, 1858, in Baird, <i>Rep. Explor. Surv. Route Railroad Pacific Ocean</i> , 9 : 894) (Aves). Op. 67 <i>Aecothea</i> Haliday, 1838, <i>Annals of Natural History</i> , 2 : 187 (a junior objective synonym of <i>Oecothea</i> Haliday in Curtis, 1837) (Insecta, Diptera). Op. 1797	available
<i>Aedipoda</i> Le Guillou, 1841, <i>Rev. Zool.</i> , 4 : 295 (an incorrect subsequent spelling for <i>Oedipoda</i> Latreille, 1829). Op. 631	index
<i>aedon</i> , <i>Troglodytes</i> , Vieillot, [1809], <i>Histoire naturelle des oiseaux de l'Amérique septentrionale ...</i> , vol. 2, p. 52 (specific name of the type species of <i>Troglodytes</i> Vieillot, [1809]) (Aves, Passeriformes). Op. 1893	available
<i>aegagrus</i> , <i>Capra</i> , Erxleben, 1777, <i>Systema regni animalis ... Classis 1</i> (Mammalia), p. 260, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>Aegithia</i> Blyth, 1860, <i>J. asiat. Soc. Bengal</i> , 29 : 254 (an incorrect subsequent spelling for <i>Aegithina</i> Vieillot, 1816). Direction 44	index

<i>Aegithina</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 44 (gender: feminine) (type species, by monotypy: <i>Sylvia leucoptera</i> Vieillot, 1807, <i>Ois. Amér. sept.</i> , 2: 28, valid name: <i>Motacilla tifia</i> Linnaeus, 1758) (Aves). Op. 67 <i>Aegocera</i> Berthold, 1827, in Latreille, <i>Nat. Fam. Thierr.</i> : 61 (an incorrect subsequent spelling for <i>Egocerus</i> Desmarest, 1822). Direction 23	available
<i>Aegoceros</i> Pallas, 1811, <i>Zoograph. rosso-asiat.</i> , 1: 224 (a junior objective synonym of <i>Capra</i> Linnaeus, 1758). Direction 23	index
<i>Aegocerus</i> Wagner, 1844, in Schreber, <i>Die Säugthiere</i> , Suppl., 4: 482 (an incorrect subsequent spelling for <i>Egocerus</i> Desmarest, 1822). Direction 23	index
<i>Aegorhinus</i> Erichson, 1834, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum</i> , 16(suppl.): 261 (gender: masculine) (type species, by monotypy: <i>Aegorhinus phaleratus</i> Erichson, 1834), ruled under the plenary power to be given precedence over the name <i>Psuchocephalus</i> Latreille, 1828 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2085	available
<i>Aegothelos</i> Vigors & Horsfield, 1826, <i>Trans. linn. Soc. London</i> , 15(1): 194 (gender: masculine) (type species, by monotypy: <i>Caprimulgus novaehollandiae</i> Latham, 1790, <i>Index orn.</i> : 588, valid name: <i>Caprimulgus cristatus</i> Shaw, 1790) (Aves). Op. 67 <i>aegypti</i> , <i>Culex</i> , Linnaeus, 1762, in Hasselquist, <i>Reise nach Palästina</i> : 470, as interpreted under the plenary power by reference to the neotype described by Mattingly, Stone & Knight, 1962 (<i>Bull. zool. Nomencl.</i> , 19: 212-219, pl. 5, text-figs. 1-5) (conserved under the plenary power) (Insecta, Diptera). Op. 711	available
<i>aegyptiaca</i> , <i>Heterophyes</i> , Cobbald, 1866, <i>Tapeworms</i> : 6 (a junior objective synonym of <i>heterophyes</i> , <i>Distomum</i> , Siebold, [1852]). Direction 76	index
<i>aegyptiacum</i> , <i>Diplostomum</i> , Cobbald, 1876, <i>Veterinarian</i> , 49: 757 (valid name at the date of direction 77 of the type species of <i>Gastropiscus</i> Cobbald, 1877) (Trematoda). Direction 77	available
<i>aegyptiacum</i> , <i>Trichonema</i> , Railliet, 1923, <i>Annales de Parasitologie Humaine et Comparée</i> , 1: 13, as defined by the lectotype (storage no. MT2343F in the U.S. National Parasite Collection in Beltsville, Maryland) designated by Gibbons & Lichtenfels, 1999, <i>Bulletin of Zoological Nomenclature</i> , 56: 232 (a junior objective synonym of <i>Strongylus tetracanthus</i> Mehlis, 1831) (Nematoda). Op. 1972	index
<i>aegyptiensis</i> , <i>Conulites</i> , Airaghi, 1904, <i>Atti Soc. ital. Sci. nat.</i> , 43: 160, 183 (an unjustified emendation of <i>egyptiensis</i> , <i>Patellina</i> , Chapman, 1900). Op. 585	index
<i>Aenasioidea</i> Girault, 1911, <i>Canadian Entomologist</i> , 43(5): 171 (gender: feminine) (type species, by monotypy: <i>Aenasioidea latiscapus</i> Girault, 1911), ruled under the plenary power not to be given priority over <i>Metaphycus</i> Mercet, 1917 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1898	available
<i>aenea</i> , <i>Buprestis</i> , Linnaeus, 1761, <i>Fauna Suecica</i> , Ed. 2, p. 213 (specific name of the type species of <i>Dicercia</i> Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1784	available
<i>aenea</i> , <i>Libellula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 544, as defined by the lectotype, the female specimen no. 769 in the collection of the Linnean Society of London, designated under the plenary power (Insecta, Odonata). Op. 2110	available

<i>aeneus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630 (specific name of the type species of <i>Zosimus</i> Leach, 1823) (Crustacea, Decapoda). Direction 36	available
<i>aeneus</i> , <i>Cimex</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 122 (specific name of the type species of <i>Eysarcoris</i> Hahn, 1834) (Insecta, Hemiptera). Op. 313	available
<i>aeneus</i> , <i>Hydrophilus</i> , de Geer, 1774, <i>Mém. Hist. Ins.</i> , 4 : 379, pl. 15, figs. 5-7 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 583	index
<i>aeneus</i> , <i>Hydrophilus</i> , Dejean, 1821, <i>Cat. Coléopt.</i> : 51 (a nomen nudum). Op. 583	index
<i>aeneus</i> , <i>Hydrophilus</i> , Germar, 1824, <i>Ins. Spec. nov.</i> , 1 : 96 (conserved under the plenary power) (specific name of the type species of <i>Paracymus</i> Thomson, 1867) (Insecta, Coleoptera). Op. 583	available
AEOLIDAE Locard, 1886, <i>Prodr. Malac. Fr.</i> : 43 (type genus: <i>Aeolidia</i> Cuvier, 1797) (an incorrect subsequent spelling for AEOLIDIIDAE d'Orbigny, 1834). Op. 779	index
<i>Aeolidia</i> Cuvier, 1797, <i>Tabl. élém. Hist. nat.</i> : 388 (gender: feminine) (type species, by designation by Alder & Hancock, 1847 (<i>Mon. brit. nud. Moll.</i> , (3), Gen. 12: 2): <i>Limax papillosum</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 508) (Gastropoda). Op. 779	available
AEOLIDIADA Bergh, 1888, in Semper, <i>Reisen Arch. Philipp., Malac. Unters.</i> , 3 : 777 (type genus: <i>Aeolidia</i> Cuvier, 1797) (an incorrect subsequent spelling for AEOLIDIIDAE d'Orbigny, 1834). Op. 779	index
AEOLIDIDAE Bergh, 1870, in Semper, <i>Reisen Arch. Philipp., Malac. Unters.</i> , 1 : 1 (type genus: <i>Aeolidia</i> Cuvier, 1797) (an incorrect subsequent spelling for AEOLIDIIDAE d'Orbigny, 1834). Op. 779	index
<i>Aeolidiella</i> Bergh, 1867, <i>Vid. Medd. Dansk. Naturh. Foren.</i> , 1866 : 99 (gender: feminine) (type species, by designation under the plenary power: <i>Eolis alderi</i> Cocks, 1852, <i>Naturalist</i> , 2 : 1) (Gastropoda). Op. 780, Op. 1315	available
AEOLIDIIDAE (correction of EOLIDIDAE) d'Orbigny, 1834, <i>Moll. Ech. Foram. Pol. îles Canar.</i> : 34 (type genus: <i>Aeolidia</i> Cuvier, 1797) (Gastropoda). Op. 779	available
AEOLIDINA MacGillivray, 1843, <i>Hist. Moll. Anim.</i> : 192 (type genus: <i>Aeolidia</i> Cuvier, 1797) (an incorrect subsequent spelling for AEOLIDIIDAE d'Orbigny, 1834). Op. 779	index
<i>Aeolidina</i> Pruvot-Fol, 1951, <i>Arch. Zool. expér. gén.</i> , 88 : 2 (an incorrect subsequent spelling for <i>Eolidina</i> Quatrefages, 1843). Op. 780	index
<i>Aeolis</i> Menke, 1844, <i>Z. Malakozool.</i> , 1844 : 73 (an unjustified emendation of <i>Aeolidia</i> Cuvier, 1797). Op. 779	index
<i>Aepyornis</i> Geoffroy Saint-Hilaire, 1850, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 14 : 209 (gender: masculine) (type species, by monotypy: <i>Aepyornis maximus</i> Geoffroy Saint-Hilaire, 1850, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 14 : 209) (Aves). Op. 67 <i>aequalis</i> , <i>Mycetoporus</i> , Thomson, 1868, <i>Skandinaviens Coleoptera, synoptisk bearbetade</i> , Tom. X, p. 323, ruled under the plenary power not to be given priority over the name <i>Mycetoporus forticornis</i> Fauvel, 1875 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2163	available

<i>aequicauda</i> , <i>Carcinogammarus</i> , Martynov, 1931, <i>Zool. Jahrb. (Syst.)</i> , 60 (3-4): 593 (Crustacea, Amphipoda). Op. 992	available
<i>aequinoctialis</i> , <i>Cimex</i> , Scopoli, 1763, <i>Entomologia carniolica</i> , p. 132 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Auchenorrhyncha). Op. 1935	index
<i>aequinoctialis</i> , <i>Scyllarus</i> , Lund, 1793, <i>Skr. naturh. Selsk. Kh.</i> , (2) 2 : 21 (specific name of the type species of <i>Scyllarides</i> Gill, 1898) (Crustacea, Decapoda). Op. 293	available
<i>aeruginosus</i> , <i>Falco</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 91 (specific name of the type species of <i>Circus</i> Lacepède, 1799) (Aves). Op. 1189	available
<i>aesalon</i> , <i>Falco</i> , [Tunstall], 1771, <i>Ornithologia britannica</i> : 1 (Aves). Op. 882	available
<i>Aethalion</i> Herrmannsen, 1846, <i>Indicis Gen. Malacoz. Primordia</i> , 1 : 22 (an unjustified emendation of <i>Ethalion</i> Risso, 1826). Op. 774	index
<i>Aetheius</i> Hübner, [1819], <i>Verzeichniss bekannter Schmettlinge</i> , part 7, p. 109 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1381	index
<i>aethereus</i> , <i>Phaëthon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 134 (specific name of the type species of <i>Phaëthon</i> Linnaeus, 1758) (Aves). Direction 43	index
<i>aethiopicus</i> , <i>Aper</i> , Pallas, 1766, <i>Miscell. zool.</i> : 16 (specific name of the type species of <i>Phacochoerus</i> Cuvier, 1826) (Mammalia). Op. 466	available
<i>aethiopicus</i> , <i>Tantalus</i> , Latham, 1790, <i>Index Ornithologicus, sive Systema Ornithologiae</i> ..., vol. 2, p. 706 (specific name of the type species of <i>Threskiornis</i> Gray, 1842) (Aves, Ciconiiformes). Op. 1674	available
<i>aethiops</i> , <i>Lamia</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 174 (specific name of the type species of <i>Ceroplesia</i> Serville, 1835) (Insecta, Coleoptera). Op. 1407	available
<i>aethiops</i> , <i>Tenthredo</i> , Gmelin, 1790, in Linnaeus, Ed. 13, vol. 1, part 5, p. 2992 (senior subjective synonym of <i>Selandria rosae</i> Harris, 1841, the type species of <i>Endelomyia</i> Ashmead, 1898) (Insecta, Hymenoptera). Op. 1963	available
<i>afarensis</i> , <i>Australopithecus</i> , Johanson, 1978, in Hinrichson, D., <i>New Scientist</i> , 78 (1105): 571, as defined by the lectotype (specimen L.H.4 from Laetoli, preserved in the National Museums of Kenya, Nairobi) designated by Johanson, White & Coppens, 1978, <i>Kirtlandia</i> (Cleveland), 28 : 2 (first available subjective synonym of <i>Meganthropus</i> <i>africanus</i> Weinert, 1950, the type species of <i>Praeanthropus</i> Senyurek, 1955) (Mammalia, Primates). Op. 1941	available
<i>affinis</i> , <i>Chiton</i> , Issel, 1869, <i>Malac. Mar Rosso</i> : 234, 235 (specific name of the type species of <i>Rhyssoplax</i> Thiele, 1893) (Polyplacophora). Op. 951	available
<i>affinis</i> , <i>Corixa</i> , Leach, 1817, <i>Trans. linn. Soc. London</i> , 12 (1): 18 (conserved under the plenary power) (Insecta, Hemiptera). Op. 687	available

<i>affinis</i> , <i>Curruca</i> , Blyth, 1845, <i>J. Asiat. soc. Beng.</i> , 14 : 564 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1037	index
<i>affinis</i> , <i>Doris</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105 (specific name of the type species of <i>Flabellina</i> Voigt, 1834) (Gastropoda). Op. 781	available
<i>affinis</i> , <i>Penaeus</i> , Milne Edwards, 1837, <i>Hist. nat. Crust.</i> , 2 : 416 (specific name of the type species of <i>Metapenaeus</i> Wood-Mason, 1891) (Crustacea, Decapoda). Op. 864	index
<i>affinis</i> , <i>Staphylinus</i> , Paykull, 1789, <i>Monographia Staphylinorum Sueciae</i> , p. 24 (Insecta, Coleoptera). Op. 2053	available
<i>affinis</i> , <i>Staphylinus</i> , Solsky, 1868, <i>Horae Societatis Entomologicae Rossicae</i> , 5 : 126, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. affinis</i> Paykull, 1789 (Insecta, Coleoptera). Op. 2053	available
<i>africana</i> , <i>Gebia</i> , Ortmann, 1894, <i>Denkschriften der Medicinisch-Naturwissenschaftlichen Gesellschaft zu Jena</i> , 8 : 22 (Crustacea, Decapoda). Op. 1753	available
<i>africana</i> , <i>Terebra</i> , Griffith & Pidgeon, [late 1833-early 1834], Mollusca and Radiata, in Cuvier, <i>The Animal Kingdom</i> , 12 (39): explanation of plate M23, fig. 5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1156	index
<i>africanus</i> , <i>Anopheles barbirostris</i> var., Theobald, 1901, <i>Mem. Liverpool Sch. Trop. Med.</i> , 4 , app.: 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 850	index
<i>africanus</i> , <i>Equus</i> , Heuglin & Fitzinger, 1866, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Classe</i> , 54 : 588, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>africanus</i> , <i>Meganthropus</i> , Weinert, 1950, <i>Zeitschrift für Morphologie und Anthropologie</i> , 42 (1): 139 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1941	index
<i>africanus</i> , <i>Oriolus</i> , Wilkes, 1820, <i>Encyclopaedia Londinensis</i> , vol. 17, p. 740 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>africanus</i> , <i>Parapenaeus</i> , Balss, 1913, <i>Denkschr. med. naturwiss. Ges. Jena</i> , 17 : 105 (specific name of the type species of <i>Macropetasma</i> Stebbing, 1914) (Crustacea, Decapoda). Op. 864	available
<i>africanus</i> , <i>Vespertilio pipistrellus</i> , Rüpell, 1842, <i>Museum Senckenbergianum</i> , 3 : 156, ruled under the plenary power not to be given priority over the name <i>Vespertilio nanus</i> Peters, 1852 whenever the two are considered to be synonyms (Mammalia). Op. 2120	available

<i>Agama</i> Daudin, [1802], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 3 : 333 (gender: feminine) (type species, by absolute tautomy: <i>Lacerta agama</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 207) (Reptilia). Op. 565	available
<i>agama</i> , <i>Lacerta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 207 (specific name of the type species of <i>Agama</i> Daudin, [1802]) (Reptilia). Op. 565	available
AGAMIDAE (correction by Gray, 1827, of AGAMOIDEA) Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 11, 17 (type genus: <i>Agama</i> Daudin, [1802]), a name having precedence over PNEUSTOIDEA Fitzinger, 1826 and DRACONOIDEA Fitzinger, 1826, these being names published in the same work on the same date, through the first reviser selection made by Smith, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 275) (Reptilia). Op. 565	available
AGAMOIDEA Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 11, 17 (type genus: <i>Agama</i> Daudin, [1802]) (an incorrect original spelling for AGAMIDAE Fitzinger, 1826). Op. 565	index
<i>Agapetes</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 78 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 400	index
AGAPETINAE Verity, 1953, <i>Farfalle diurne Ital.</i> , 5 : 3, 46 (type genus: <i>Agapetes</i> Billberg, 1820) (invalid (i) because a junior objective synonym of MELANARGIINAE Verity, 1920, the respective type genera of the two families having the same nominal species as type species and (ii) because the name of the type genus has been suppressed under the plenary power). Direction 54	index
<i>Agasoma</i> Gabb, [1869], <i>Geol. Surv. Calif. Paleontol.</i> , 2 (Sect. 1) (2): 46 (gender: neuter) (type species, by designation by Cossman, 1901 (<i>Essais Paléoconch. comp.</i> , 4 : 198); <i>Clavella sinuata</i> Gabb, [1866], <i>Geol. Surv. Calif., Paleontol.</i> , 2 (Sect. 1) (1): 5) (Gastropoda). Op. 121	available
<i>Agassiceras</i> Hyatt, 1875, <i>Proc. Boston Soc. nat. Hist.</i> , 17 : 225 (gender: neuter) (type species, by designation by Buckman, 1894 (<i>Geol. Mag.</i> , (4) 1 : 361); <i>Ammonites scipionianus</i> d'Orbigny, 1844, <i>Paléontol. franç.</i> , Terr. jurass., 1 : 207, pl. 51, figs. 7, 8) (Cephalopoda). Op. 324	available
AGASSICERATIDAE Spath, 1924, <i>Proc. Geol. Assoc.</i> , London, 35 : 189, 207 (type genus: <i>Agassiceras</i> Hyatt, 1875), for use by those who consider that <i>Agassiceras</i> Hyatt, 1875 and <i>Arietites</i> Waagen, 1869 belong to different family-group taxa (Cephalopoda). Direction 14	available
<i>agassizii</i> , <i>Coralliocaris</i> , Coutière, 1901, <i>Bull. Mus. Hist. nat.</i> , Paris, 7 : 115 (specific name of the type species of <i>Coutierea</i> Nobili, 1901) (Crustacea, Decapoda). Op. 470	available
<i>agassizii</i> , <i>Eucratodes</i> , Milne Edwards, 1880, <i>Miss. Sci. Mex.</i> , Rech. zool., 5 (fasc. 8): 347, pl. 61, fig. 1 (specific name of the type species of <i>Eucratodes</i> Milne Edwards, 1880) (Crustacea, Decapoda). Direction 36	available
<i>agassizii</i> , <i>Teudopsis</i> , Eudes-Deslongchamps, 1835, <i>Mémoires de la Société Linnéenne de Normandie</i> , 5 : 72 (specific name of the type species of <i>Jeletzkyteuthis</i> Doyle, 1990) (Cephalopoda, Coleoidea). Op. 1914	available

<i>Agatachys</i> Meigen, 1830, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , Theil 6, p. 343 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1881	index
<i>Agchylostoma</i> Dubini, 1843, <i>Ann. Univ. Med.</i> , Milano, 106 (No. 316): 5, 10 (an incorrect original spelling for <i>Ancylostoma</i> Dubini, 1843). Direction 76	index
<i>agilis</i> , <i>Hydrothelphusa</i> , Milne Edwards, 1872, <i>Ann. Sci. nat.</i> , Paris (Zool.), (5) 15 (No. 21): 2 (specific name of the type species of <i>Hydrothelphusa</i> Milne Edwards, 1872) (Crustacea, Decapoda). Direction 36	available
<i>agilis</i> , <i>Lacerta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 203 (specific name of the type species of <i>Lacerta</i> Linnaeus, 1758) (Reptilia). Direction 57	available
<i>agilis</i> , <i>Lachnus</i> , Kaltenbach, 1843, <i>Mon. Phytophthires</i> : 161, 162 (specific name of the type species of <i>Eulachnus</i> del Guercio, 1909) (Insecta, Hemiptera). Op. 748	available
<i>agilis</i> , <i>Melissodes</i> , Cresson, 1878, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 30 (2): 204 (Insecta, Hymenoptera). Op. 1852	available
<i>Aglaia</i> [sic] Renier, [1804], <i>Prospetto Classe Vermi</i> : XVI (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Aglaia</i> Brady, 1867, in Folin & Périer, <i>Les fonds de la mer</i> , 1 : 89 (a junior homonym of <i>Aglaia</i> Swainson, 1827). Op. 1079	index
<i>AGLAINEA</i> Swainson, 1837, <i>Nat. Hist. Classific. Birds</i> , 2 : 275 (in Lardner's <i>Cabinet Cycloped.</i> , 92) (unavailable because not based on the name of an included genus). Op. 1079	index
<i>Aglaja</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (gender: feminine) (type species, by designation by Suter, 1913 (<i>Manual New Zealand Moll.</i> : 542)): <i>Aglaja tricolorata</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (ruled under the plenary power to be an available name) (Gastropoda). Op. 1079	available
<i>Aglaja</i> Eschscholtz, 1825, <i>Isis</i> (Oken), 16 : 743 (a junior homonym of <i>Aglaja</i> [Renier], [1807]). Op. 1079	index
<i>aglaja</i> , <i>Papilio</i> , Linnaeus, 1758 (Nymphalidae), <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 481 (Insecta, Lepidoptera). Op. 974	available
<i>aglaja</i> , <i>Papilio</i> , Linnaeus, 1758 (Pieridae), <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 465 (a junior homonym of <i>Papilio aglaja</i> Linnaeus, 1758 (Nymphalidae)). Op. 974	index
AGLAJIDAE Pilsbry, 1895 (1847), in Tryon, <i>Man. Conch.</i> , 16 : 43 (type genus: <i>Aglaja</i> [Renier], [1807]) (Gastropoda). Op. 1079	available
<i>Aglaope</i> Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 24 (a junior homonym of <i>Aglaope</i> Latreille, 1809). Op. 522	index

AGONIDAE Kirby, 1837, <i>in</i> Richardson, Swainson & Kirby (Eds.), <i>Fauna Boreali-Americana</i> ..., part 4, p. 23, spelling emended to AGONUMIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Agonum Bonelli, 1810 is AGONUM- (Insecta, Coleoptera). Op. 1855	index
AGONIDAE Swainson, 1839, <i>The natural history of fishes, amphibians, and reptiles or monocardian animals</i> , vol. 2, p. 181 (type genus: Agonus Bloch & Schneider, 1801) (Osteichthyes, Scorpaeformes). Op. 1855	available
Agonum Bonelli, 1810, <i>Observations entomologiques, Première partie. Tabula Synoptica exhibens genera Caraborum in Sectiones et Stirpes disposita</i> , text published, 1810, in <i>Mémoires de l'Académie Impériale des Sciences, Littérature et Beaux-Arts de Turin</i> , 18: 21-78 (gender: neuter) (type species, by subsequent designation by Curtis, 1827, <i>British entomology</i> ..., vol. 4, text to pl. 183: Carabus marginatus Linnaeus, 1758) (Insecta, Coleoptera). Op. 1855	available
AGONUMIDAE Kirby, 1837, <i>in</i> Richardson, Swainson & Kirby (Eds.), <i>Fauna Boreali-Americana</i> ..., part 4, p. 23 (type genus: Agonum Bonelli, 1810), spelling emended from AGONIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Agonum Bonelli, 1810 is AGONUM- (Insecta, Coleoptera). Op. 1855	available
Agonus Bloch & Schneider, 1801, <i>M.E. Blochii ... Systema Ichthyologiae iconibus cx illustratum. Post obitum auctoris opus inchoatum absolvit, correxit, interpolavit J. Gottlob Schneider</i> ..., vol. 1, p. 104 (gender: masculine) (type species, by subsequent designation by Tilesius, [1814], <i>in</i> Pallas, <i>Zoographia Rossio-Asiatica</i> , vol. 3, p. 109, footnote: Cottus cataphractus Linnaeus, 1758) (Osteichthyes, Scorpaeformes). Op. 1855	available
<i>Agouti</i> Lacepède, 1799, <i>Tableau des divisions, sous-divisions, ordres et genres des mammifères. In: Discours de l'ouverture et de clôture du cours d'Histoire Naturelle donné dans le Muséum National d'Histoire Naturelle ..., l'an VII de la République, et Tableaux méthodiques des Mammifères et des Oiseaux</i> , p. 9 (a junior objective synonym of Cuniculus Brisson, 1762) (Mammalia, Rodentia). Op. 1894	index
<i>agreste, Ratton</i> , Brants, 1827, <i>Het Geslacht der Muizen door Linnaeus opgesteld</i> (Berlin): 184 (a vernacular name). Op. 1232	index
Agriades Hübner, [1819], <i>Verz. bekannt. Schmett.</i> , (5): 68 (gender: masculine) (type species, by designation under the plenary power: Papilio glandon Prunner, 1798, <i>Lepid. pedemont.</i> : 76) (Insecta, Lepidoptera). Op. 270	available
Agrodes Nordmann, 1837, <i>Symbolae ad monographiam staphylinorum</i> , p. 161 (gender: neuter) (type species, by monotypy: Agrodes elegans Nordmann, 1837) (Insecta, Coleoptera). Op. 1851	available
AGRODINI Nordmann, 1837, <i>Symbolae ad monographiam staphylinorum</i> , p. 7 (type genus: Agrodes Nordmann, 1837), ruled under the plenary power that this name and other family-group names based on Agrodes are not to be given priority over XANTHOLININI Erichson, 1839 and other family-group names based on Xantholinus Dejean, 1821 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1851	available

<i>Agromyza</i> Fallén, 1810, <i>Specimen entomologiae novam Diptera ...</i> , p. 21 (gender: feminine) (type species, by designation under the plenary power: <i>Agromyza reptans</i> Fallén, 1823) (Insecta, Diptera). Op. 1476	available
<i>agrorum, Tenthredo</i> , Fallén, 1808, <i>Kongl. Vetenskaps Academiens Handlingar</i> , 29 (1): 60 (senior subjective synonym of <i>Tenthredo (Allantus) nitida</i> Klug, 1817, the type species of <i>Taxonus</i> Hartig, 1837) (Insecta, Hymenoptera). Op. 1963	available
<i>Agrotiphila</i> Grote, 1875, <i>Ann. Lyc. nat. Hist. N.Y.</i> , 11 : 108 (gender: feminine) (type species, by designation under the plenary power: <i>Agrotiphila colorado</i> Smith, 1891, <i>Trans. Amer. entomol. Soc.</i> , 18 : 133-135) (Insecta, Lepidoptera). Op. 983	available
<i>Agrotis</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>aguimp, Motacilla</i> , Temminck, [1820], <i>Manual d'ornithologie</i> , Ed. 2, part 1, p. lxviii (Aves). Op. 1859	available
<i>agulhasensis, Merhippolyte</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 619 (specific name of the type species of <i>Merhippolyte</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>aguti, Mus</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 80 (specific name of the type species of <i>Dasyprocta</i> Illiger, 1811) (Mammalia). Direction 22	available
<i>Ahaetulla</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 208 (a junior homonym of <i>Ahaetulla</i> Link, 1807). Op. 524	index
<i>Ahaetulla</i> Link, 1807, <i>Beschr. Nat.-Samml. Univ. Rostock</i> , (2): 73 (gender: feminine) (type species, by designation by Meise & Hennig, 1932 (<i>Zool. Anz.</i> , 99 : 296): <i>Ahaetulla mycterizans</i> Link, 1807, <i>Beschr. Nat.-Samml. Univ. Rostock</i> , (2): 74, valid name: <i>Coluber nasutus</i> Lacepède, 1789) (Reptilia). Op. 524	available
<i>ahaetulla, Coluber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 225, as interpreted by the lectotype designated by Savage & Oliver, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 148, 149) (specific name of the type species of <i>Leptophis</i> Bell, 1825) (Reptilia). Op. 524	available
<i>Ahasverus</i> des Gozis, 1881, <i>Bulletin des Séances de la Société Entomologique de France</i> , (6) 1 : cxxvii (gender: masculine) (type species, by monotypy: <i>Cryptophagus advena</i> Waltl, 1834) (Insecta, Coleoptera). Op. 1771	available
<i>Ahuautlea</i> de la Llave, 1832, <i>Registro trimestre</i> , No. 1, (3): 335 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1311	index
<i>Aigocerus</i> Smith, 1827, in Griffith's Cuvier, <i>Anim. Kingd.</i> , Mamm., 5 : 324 (an incorrect subsequent spelling for <i>Egocerus</i> Desmarest, 1822). Direction 23	index
AILURIDAE (correction by Flower, 1869 (<i>Proc. zool. Soc. London</i> , 1869 : 37) of AILURINA) Gray, 1843, <i>List Spec. Mamm. Coll. Brit. Mus.</i> : xxi (type genus: <i>Ailurus</i> Cuvier, 1825) (Mammalia). Direction 53	available

AILURINA Gray, 1843, <i>List Mamm. Coll. Brit. Mus.</i> : xxi (type genus: <i>Ailurus</i> Cuvier, 1825) (an incorrect original spelling for AILURIDAE Gray, 1843). Direction 53	index
<i>Ailurus</i> Cuvier, 1825, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3 (50): 'Panda' 3 et Tab. 203 (gender: masculine) (type species, by monotypy: <i>Ailurus fulgens</i> Cuvier, 1825, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3 (50): 'Panda' 3 et Tab. 203) (Mammalia). Op. 384	available
<i>Aix</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 12 (an unjustified emendation of <i>Aia</i> Eyton, 1838, and a junior homonym of <i>Aix</i> Boie, 1828). Direction 44	index
<i>Aix</i> Boie, 1828, <i>Isis</i> (Oken), 1828 : 239 (gender: feminine) (type species, by designation by Eyton, 1838 (<i>Monogr. Anat.</i> : 35): <i>Anas sponsa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 128) (Aves). Op. 67 <i>ajax</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 462 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 286	available
<i>akamushi</i> , <i>Trombidium</i> , Brumpt, 1910, <i>Précis de Parasitologie</i> (ed. 1): 506, fig. 335, as interpreted by the lectotype proposed by Vercammen-Grandjean, 1969 (<i>Acarologia</i> , 11 : 97-100) and ruled under the plenary power to be the neotype (Arachnida). Op. 1218	available
<i>Akera</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : xxix, 242 (gender: feminine) (type species, by monotypy: <i>Akera bullata</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 242) (Gastropoda). Op. 539	available
<i>akera</i> , <i>Bulla</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3434 (a junior objective synonym, through the lectotype designation by Lemche, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 5) of <i>bullata</i> , <i>Akera</i> , Müller, 1776). Op. 539	index
AKERATIDAE Pilsbry, 1896, in Tryon, <i>Man. Conch.</i> , 16 : 230 (type genus: <i>Akera</i> Müller, 1776) (an incorrect subsequent spelling for AKERIDAE Pilsbry, 1893). Op. 539	index
AKERIDAE Pilsbry, 1893, in Tryon, <i>Man. Conch.</i> , 15 : 350 (type genus: <i>Akera</i> Müller, 1776) (Gastropoda). Op. 539	available
<i>akersi</i> , <i>Clavigerinella</i> , Bolli, Loeblich & Tappan, 1957, <i>Studies in foraminifera</i> . United States National Museum Bulletin, Smithsonian Institution no. 215, p. 30 (specific name of the type species of <i>Clavigerinella</i> Bolli, Loeblich & Tappan, 1957) (Foraminiferida). Op. 2105	available
<i>Akrostomum</i> Grube, 1840, <i>Actinien, Echinodermen und Würmer des Adriatischen- und Mittelmeers</i> , p. 57 (gender: neuter) (type species, by monotypy: <i>Akrostomum stannii</i> Grube, 1840) (Nemertea). Op. 2016	available
<i>alabamae</i> , <i>Catocala</i> , Grote, 1875, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 27 : 427 (Insecta, Lepidoptera). Op. 2068	available
<i>alacris</i> , <i>Lycosa</i> , C.L. Koch, 1833, <i>Faunae insectorum Germaniae initia; oder Deutschlands Insecten</i> , Heft 120, pl. 17, fig. 18 (specific name of the type species of <i>Pardosa</i> C.L. Koch, 1847) (Arachnida). Op. 2049	available
<i>alamosae</i> , <i>Kinosternon</i> , Berry & Legler, 1980, <i>Contr. Sci. nat. Hist. Mus. Los Angeles County</i> (no. 325): 1-12 (Reptilia). Op. 1343	available

<i>alamose</i> , <i>Kinosternon</i> , Pritchard, 1979, <i>Encyclopedia of Turtles</i> . Neptune, N.J., T.F.H. Publ.: 556 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1343	index
<i>alaris</i> , <i>Mytilus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 138 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Alastor</i> Lepeletier, 1841, <i>Hist. Nat. Ins. Hym.</i> , 2 : 668 (gender: masculine) (type species, by designation by Ashmead, 1902 (<i>Canad. Entomol.</i> , 34 : 210): <i>Alastor atropos</i> Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hymenopt.</i> , 2 : 669) (Insecta, Hymenoptera). Op. 893	available
<i>Alastoroides</i> Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 327 (gender: masculine) (type species, by designation by Ashmead, 1902: <i>Alastor clotho</i> Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hymenopt.</i> , 2 : 668) (Insecta, Hymenoptera). Op. 893	available
<i>alastoroides</i> , <i>Odynerus</i> , Saussure, 1853, <i>Monographie des guêpes solitaires ou de la tribu des Euméniens</i> : 147 (specific name of the type species of <i>Ancistroceroides</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 1363	available
<i>alatus</i> , <i>Cimex najas</i> , Retzius, 1783, <i>Caroli De Geer genera et species insectorum</i> , p. 89 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1741	index
<i>alatus</i> , <i>Cottus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 39 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>alatus</i> , <i>Unio</i> , Say, 1817, in Nicholson, <i>First American edition of the British Encyclopedia or dictionary of arts and sciences</i> , vol. 2 (B-E), pl. 4, fig. 2 (specific name of the type species of <i>Potamilus</i> Rafinesque, 1818) (Bivalvia). Op. 1665	available
<i>Alauda</i> Daudin, 1816, <i>Dict. Sci. nat.</i> , 1 : 513 (a junior homonym of <i>Alauda</i> Linnaeus, 1758). Direction 44	available
<i>Alauda</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 165 (gender: feminine) (type species, by designation by Selby, 1825 (<i>Ill. brit. Ornithol.</i> , 1 (Landbirds): xxix, xxxiii): <i>Alauda arvensis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 165) (Aves). Op. 67, Direction 44	available
<i>alba</i> , <i>Colias hyale</i> , Rühl, 1893, <i>Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte</i> . 1. Band Tagfalter, p. 156, ruled under the plenary power not to be given priority over the name of <i>Colias hyale alfacariensis</i> Ribbe, 1905 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 2180	available
<i>alba</i> , <i>Eolis</i> , Alder & Hancock, 1844, <i>Ann. Mag. nat. Hist.</i> , 13 : 164 (a junior primary homonym of <i>alba</i> , <i>Eolis</i> , Van Hasselt, 1824). Op. 783	index
<i>alba</i> , <i>Motacilla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 185 (specific name of the type species of <i>Motacilla</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>alba</i> , <i>Voluta</i> , Kanmacher, 1798, in Adams, <i>Essays Microsc.</i> (ed. 2): 639, pl. 14, fig. 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 568	index

<i>alba</i> , <i>Volvaria</i> , Brown, 1827, <i>Ill. Conch. Gt. Britain Ireland</i> : pl. 38, fig. 43 (Gastropoda). Op. 568	available
<i>alberti</i> , <i>Limnocardina</i> , Lenz, 1910, <i>Wiss. Ergebni. Deutsch. Zentral-Afr. Exped.</i> 1907-1908, 3(3): 12 (specific name of the type species of <i>Limnocardella</i> Bouvier, 1913) (Crustacea, Decapoda). Op. 470	available
<i>albescens</i> , <i>Astacus</i> , Pennant, 1812, <i>British Zoology</i> , Ed. 5, vol. 4, p. 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1576	index
<i>albicans</i> , <i>Planorbis</i> , Pfeiffer, 1839, <i>Arch. Naturgesch.</i> , 5(1): 354 (specific name of the type species of <i>Armigerus</i> Clessin, 1884) (Gastropoda). Op. 735	available
<i>albicaudus</i> , <i>Herpestes</i> , Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 1: 158 (specific name of the type species of <i>Ichneumia</i> Geoffroy Saint-Hilaire, 1837) (Mammalia). Op. 384	available
<i>albicilla</i> , <i>Falco</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 89 (valid name at the date of Direction 43 of the type species of <i>Haliaeetus</i> Savigny, 1809) (Aves). Direction 43	available
<i>albicinctus</i> , <i>Cholus</i> , Germar, 1824, <i>Insectorum, species novae aut minus cognitae, descriptionibus illustratae</i> , vol. 1, Coleoptera, p. 214 (specific name of the type species of <i>Cholus</i> Germar, 1824) (Insecta, Coleoptera). Op. 1449	available
<i>albicollis</i> , <i>Fringilla</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 921 (Aves). Op. 412	available
<i>albida</i> , <i>Eulimene</i> , Latreille, 1816, in Cuvier, <i>Le Règne Animal</i> (ed. 1), 3: 68 (specific name of the type species of <i>Eulimene</i> Latreille, 1816) (Crustacea, Branchiopoda). Op. 1301	available
<i>albidus</i> , <i>Agononeurus</i> , Westwood, 1837, <i>Philosophical Magazine</i> , (3)10: 442 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1405	index
<i>albidus</i> , <i>Enchytraeus</i> , Henle, 1837, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1837: 89 (specific name of the type species of <i>Enchytraeus</i> Henle, 1837) (Oligochaeta). Direction 77	available
<i>albifasciata</i> , <i>Holothuria</i> , Quoy & Gaimard, 1833, <i>Voy. 'Astrolabe'</i> , Zool., 4: 132 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762	index
<i>albifrons</i> , <i>Corixa</i> , Motschulsky, 1863, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 36(2): 94, as defined by the neotype designated by Wroblewski, 1968, <i>Polskie Pismo Entomologiczne</i> , 38: 764, ruled by the Commission under Article 75.8 of the Code to be the name-bearing type (Insecta, Heteroptera). Op. 1492	available
<i>albifrons</i> , <i>Jaera</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7(2): 434 (specific name of the type species of <i>Jaera</i> [Leach, 1814]) (Crustacea, Isopoda). Op. 643	available
<i>albimana</i> , <i>Simia</i> , Vigors & Horsfield, 1828, <i>Zoological Journal</i> , 4(13): 107-109 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1736	index

<i>albinella</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 541 (specific name of the type species of <i>Amaurosetia</i> Stephens, 1835) (Insecta, Lepidoptera). Op. 1999	available
<i>albinucha</i> , <i>Zorilla</i> , Gray, 1864, <i>Proc. zool. Soc. London</i> , 1864 : 69, pl. 10 (specific name of the type species of <i>Poecilogale</i> Thomas, 1883) (Mammalia). Op. 384	available
<i>albinus</i> , <i>Cyphodeirus</i> [sic], Nicolet, [1842], <i>Neue Denkschr. Allgem. schweiz. Ges.</i> , 6 : 67 (specific name of the type species of <i>Cyphoderus</i> (emendation of <i>Cyphodeirus</i>) Nicolet, [1842]) (Insecta, Collembola). Op. 291	available
<i>albirostris</i> , <i>Culex</i> , Macquart, 1850, <i>Dipt. Exot.</i> , suppl. 4: 10 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 979	index
<i>albispinus</i> , <i>Echimys</i> , Geoffroy Saint-Hilaire, 1838, <i>Comptes Rendus Hebdomadaires des Séances de l'Academie des Sciences</i> , 6 : 886 (specific name of the type species of <i>Trinomys</i> Thomas, 1921) (Mammalia). Op. 1984	available
<i>albiventer</i> , <i>Tesia</i> , Hodgson, 1837, <i>J. asiat. Soc. Bengal</i> , 6 : 102 (specific name of the type species of <i>Pnoepyga</i> Hodgson, 1844) (Aves). Op. 695	available
<i>albiventor</i> , <i>Carbo</i> , Lesson, 1831, <i>Traité Orn.</i> (8): 604 (Aves). Op. 409	available
<i>albogularis</i> , <i>Alcedo</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 44 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>alboguttata</i> , <i>Saperda</i> , Megerle, [1803], <i>Appendix ad catalogum insectorum, quae mense Novembri MDCCCII Viennae Austriae auctionis lege vendita fuere</i> , p. [10], ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1710	available
<i>albomarginatum</i> , <i>Acrydium</i> , de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 480 (specific name of the type species of <i>Chorthippus</i> Fieber, 1852) (Insecta, Orthoptera). Op. 609	available
<i>albopicta</i> , <i>Cetonia</i> , Gory & Percheron, 1833, <i>Monographie des Cétoines et genres voisins, formant, dans les familles naturelles de Latreille, la division des Scarabées mélitophiles</i> , p. 256 (Insecta, Coleoptera). Op. 2128	available
<i>albopicta</i> , <i>Cetonia</i> , Motschulsky, 1845, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 18 (1): 59, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Cetonia albopicta</i> Gory & Percheron, 1833 (Insecta, Coleoptera). Op. 2128	available
<i>albopunctata</i> , <i>Hyla</i> , Spix, 1824, <i>Animalia nova, sive species novae Testudinum et Ranarum quas in itinere per Brasiliam, annis 1817-1820 collegit et descriptis ... J.B. Spix. Monachii</i> : 33, as interpreted by the neotype (University of Kansas Museum of Natural History, No. 100000) designated by Duellman, 1971 (<i>Herpetologica</i> , 27 : 402) for use as the replacement name for <i>Hyla boans</i> Latreille, 1801, by those who regard that species as congeneric with <i>Rana boans</i> Linnaeus, 1758 (Amphibia). Op. 1029	available
<i>albopunctatus</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index

albosignatus, *Heliophanus*, L. Koch, 1867, *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, **17**: 871 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Araneae). Op. 1611

index

albothorax, *Banksinella luteolateralis*, Theobald, 1907, *A monograph of the Culicidae or mosquitoes*, vol. 4, p. 470, as defined by the neotype (specimen no. 16988 in the collection of the Department of Entomology, California Academy of Sciences, San Francisco, U.S.A.) designated under the plenary power, the type status of the holotype having been set aside (Insecta, Diptera). Op. 1775

available

Albunea Weber, 1795, *Nomencl. entomol. Syst. Fabr.*: 94 (gender: feminine) (type species, by designation by Holthuis, 1956 (*Bull. zool. Nomencl.*, **12**: 237)): *Cancer symmysta* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 630) (Crustacea, Decapoda). Op. 522

available

ALBUNEIDAE (correction by Miers, 1878, of ALBUNIDAE) Stimpson, 1858, *Proc. Acad. nat. Sci. Philadelphia*, **1858**: 230 (type genus: *Albunea* Weber, 1795) (Crustacea, Decapoda). Op. 522

available

ALBUNIDAE Stimpson, 1858, *Proc. Acad. nat. Sci. Philadelphia*, **1858**: 230 (type genus: *Albunea* Weber, 1795) (an incorrect original spelling for **ALBUNEIDAE** Stimpson, 1858). Op. 522

index

alburnus, *Culter*, Basilewsky, 1855, *Nouv. Mém. Soc. imp. Nat. Moscou*, **10**: 236 (specific name of the type species of *Culter* Basilewsky, 1855) (Osteichthyes). Op. 513

available

albus, *Ammonites anceps*, Quenstedt, 1857, *Der Jura*, p. 617, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (specific name of the type species of *Ilovaiskioceras* Sazonov, 1960) (Ammonoidea). Op. 2123

available

albus, *Planorbis*, Müller, 1774, *Verm. terrestr. fluviat. Hist.*, **2**: 164 (Gastropoda). Op. 336

available

albus, *Psittacus*, Müller, 1776, *Des Ritters Carl von Linné Natursystems Supplements und Register Band*, p. 76, senior subjective synonym of *Cacatua cristata* Vieillot, 1817, the type species of *Cacatua* Vieillot, 1817 (Aves, Psittaciformes). Op. 1949

available

albus, *Strombiformis*, Da Costa, 1778, *Historia Naturalis testaceorum Britanniae or, the British conchology ...*, p. 116, as defined by the neotype (specimen no. BM(NH) 1984126 in the Natural History Museum, London) designated by Warén, 1989, *Journal of Conchology*, **33**(4): 222 (senior subjective synonym of *Balcis montagui* Leach in Gray, 1847, the type species of *Balcis* Leach in Gray, 1847) (Gastropoda). Op. 1739

available

albus, *Turbo*, Pennant, 1777, *British zoology*, Ed. 4, vol. 4, p. 130 (octavo edition) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1739

index

Alca Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 130 (gender: feminine) (type species, by Linnaean tautonymy: *Alca torda* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 130) (Aves). Op. 271

available

<i>alceae</i> , <i>Papilio</i> , Esper, [1780], <i>Die Schmett.</i> , 1 (Bd. 2) Forts. Tagschmett.: 4, pl. 51, fig. 3♀ (specific name of the type species of <i>Carcharodus</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 270	available
ALCEIDAE (ex ALCEDAE) Brookes, 1828, <i>Catalogue of the anatomical and zoological collection of Joshua Brookes</i> , Part 1: 62 (type genus: <i>Alces</i> Gray, 1821) (Mammalia). Op. 1081	available
<i>Alces</i> Gray, 1821, <i>London med. Reposit.</i> , 15 : 307 (gender: feminine) (type species, by absolute tautonymy: <i>Cervus alces</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66) (Mammalia). Op. 91 <i>alces</i> , <i>Cervus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66 (specific name of the type species of <i>Alces</i> Gray, 1821) (Mammalia). Direction 22	available
<i>alchymillae</i> , <i>Papilio</i> , [Hübner, 1790-1793], <i>Lep. Linn.</i> : 15 (included in a work rejected for nomenclatural purposes). Op. 975	index
ALCIDAE (ex ALCADAE) Anon., 1820, <i>Synopsis contents Brit. Mus.</i> (ed. 17): 68 (type genus: <i>Alca</i> Linnaeus, 1758) (Aves). Op. 1081	available
<i>Alciope</i> Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not those of the Principle of Homonymy). Op. 522	index
<i>Alcithoë</i> Adams & Adams, [1853], <i>Gen. rec. Moll.</i> , 1 : 164 (gender: feminine) (type species, by designation by Cossmann, 1899 (<i>Essai Paléoconch. comp.</i> , 3 : 132): <i>Voluta pacifica</i> (Solander MS.) Perry, [1810], <i>Arcana</i> : sign. Q[5] & pl., valid name: <i>Voluta arabica</i> Gmelin, [1791]) (Gastropoda). Op. 479	available
<i>alcocki</i> , <i>Parilia</i> , Wood-Mason, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 7 : 264 (specific name of the type species of <i>Parilia</i> Wood-Mason, 1891) (Crustacea, Decapoda). Direction 36	available
<i>alcon</i> , <i>Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend.</i> : 182 (specific name of the type species of <i>Maculinea</i> van Eecke, 1915) (Insecta, Lepidoptera). Op. 503	available
<i>Alcyonaria</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. IV (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Alcyonia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 14 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>alderi</i> , <i>Eolis</i> , Cocks, 1852, <i>Naturalist</i> , 2 : 1 (specific name of the type species of <i>Aeolidiella</i> Bergh, 1867) (Gastropoda). Op. 1315	available
<i>aldrovandella</i> , <i>Tinea</i> , Villers, 1789, <i>Caroli Linnaei Entomologia, Fauna Suecicae descriptionibus aucta; etc.</i> , p. 526, ruled under the plenary power not to be given priority over the name <i>Nematois australis</i> Heydenreich, 1851 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 2131	available
<i>aldrovandi</i> , <i>Pentaphyllites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 109 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Alella</i> Leigh-Sharpe, 1925, <i>Parasitology</i> , 17 : 194-200 (gender: feminine) (type species, by designation under the plenary power: <i>Anchorella pagelli</i> Krøyer, 1863, <i>Naturh. Tidsskr.</i> , (3) 2 : 75-320) (Crustacea, Copepoda). Op. 1047	available
<i>Alestes</i> Müller & Troschel, 1844, <i>Archiv für Naturgeschichte</i> , 10 (1): 88 (gender: masculine) (type species, by subsequent designation by Jordan, 1919, <i>The genera of fishes</i> , part 2, p. 221: <i>Salmo niloticus</i> Linnaeus, 1758, a junior subjective synonym of <i>Cyprinus dentex</i> Linnaeus, 1758) (Osteichthyes, Characiformes). Op. 1813	available
<i>aletes, Thracides</i> , Geyer, (1832), in Hübner, <i>Zutr. z. Samml. exot. Schmett.</i> , 4 : 31, pl. [126], figs. 731, 732 (specific name of the type species of <i>Phanes</i> Godman, [1901]) (Insecta, Lepidoptera). Op. 830	available
<i>Alethodiasiastictos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 576 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
ALEUROPTERYGINAE Enderlein, 1905, <i>Zoologischer Anzeiger</i> , 29 : 225 (type genus: <i>Aleuropteryx</i> Löw, 1885) (Insecta, Neuroptera). Op. 1595	available
<i>Aleuropteryx</i> Löw, 1885, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Wien. Mathematische-Naturwissenschaftlichen Klasse</i> (Abt. 1), 91 : 79 (gender: feminine) (type species, by designation under the plenary power: <i>Aleuropteryx loewii</i> Klapálek, 1894) (Insecta, Neuroptera). Op. 1595	available
<i>Aleurostictus</i> Kirby, 1827, <i>Zoological Journal</i> , 3 : 157 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2186	index
<i>Alexandrograptus</i> Přibyl, 1981, <i>Věstník Ústředního ústavu geologického</i> , 56 (6): 373 (unavailable because disclaimed by its author in the original publication) (Graptolithina). Op. 2023	index
<i>alfacariensis, Colias hyale</i> , Ribbe, 1905, <i>Societas Entomologica</i> , 20 (18): 137, ruled under the plenary power to be an available name given precedence over <i>Colias hyale sareptensis</i> Alphéraky, 1875, <i>Colias hyale alba</i> Rühl, 1893 and <i>Colias hyale meridionalis</i> Krulikowsky, 1903 whenever it and any of the other three names are considered to be synonyms (Insecta, Lepidoptera). Op. 1657, Op. 2180	available
<i>algecirensis, Ceratopogon pulicaris</i> , Strobl, 1900, <i>Wiener Entomologische Zeitung</i> , 19 : 170, ruled under the plenary power not to be given priority over the specific name of <i>Ceratopogon puncticollis</i> Becker, 1903 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1643	available
<i>algovianus, Ammonites</i> , Oppel, 1863, <i>Pal. Mitt.</i> , 1 (3): 137 (specific name of the type species of <i>Arieticeras</i> Seguenza, 1885) (Cephalopoda). Op. 337	available
<i>Alimerichthus</i> Claus, 1871, <i>Abh. Ges. Wiss. Göttingen</i> , 16 : 146 (a junior homonym of <i>Alimerichthus</i> Guérin, 1855). Op. 785	index
<i>Alle</i> Link, 1807, <i>Beschr. nat.-Samml. Univ. Rostock</i> , 2 : 46 (gender: feminine) (type species, by monotypy: <i>Alca alle</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 131) (Aves). Op. 999	available

<i>alle, Alca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 131 (specific name of the type species of <i>Alle</i> Link, 1807) (Aves). Op. 999	available
<i>alleganiensis, Salamandra</i> , Daudin, [1803], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 8 : 231 (valid name at the date of Direction 57 of the type species of <i>Cryptobranchus</i> Leuckart, 1821) (Amphibia). Direction 57	available
<i>alleghaniensis, Abranchus</i> , Harlan, 1825, <i>Ann. Lyceum nat. Hist. New York</i> , 1 (8): 271 (an unjustified emendation of <i>alleganiensis, Salamandra</i> , Daudin, [1803]). Direction 56	index
<i>Allerya</i> Mörch, 1877, <i>Journal de Conchyliologie</i> , 25 (2): 210 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1410	index
<i>alliaria, Helix</i> , Miller, 1822, <i>Ann. Phil.</i> , 19 : 379 (Gastropoda). Op. 336	available
<i>Alligator</i> Cuvier, 1807, <i>Ann. Mus. Hist. nat.</i> , Paris, 10 : 25 (gender: masculine) (type species, by designation by Stejneger & Barbour, 1917 (<i>Checklist N. Amer. Amph. Rept.</i> (ed. 1): 41) and through Article 67e (1961 Code): <i>Crocodilus mississippiensis</i> (emendation under the plenary power of <i>mississippiensis</i>) Daudin, [1801], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 2 : 412, nota 1) (Reptilia). Op. 92, Direction 97	available
<i>alligator, Lacerta</i> , Blumenbach, 1779, <i>Handb. Naturgesch.</i> , 1 : 263 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 97	index
ALLIGATORIDAE Gray, 1844, <i>Cat. Tortoises Crocodiles Amphisbaenians Coll. Brit. Mus.</i> : 56 (type genus: <i>Alligator</i> Cuvier, 1807) (Reptilia). Direction 97	available
<i>Allodiasticopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 549 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Allodicrania</i> Enderlein, 1913, <i>Zool. Anz.</i> , 42 : 253 (a junior objective synonym of <i>Elaphella</i> Bezzi, 1913). Op. 530	index
<i>Alloliopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 549 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Alloneura</i> Rondani, 1856, <i>Dipterol. Ital. Prodr.</i> , 1 : 140 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 597	index
<i>Allopeas</i> Baker, 1935, <i>The Nautilus</i> , 48 (3): 84 (gender: neuter) (type species, by original designation: <i>Bulimus gracilis</i> Hutton, 1834) (Gastropoda). Op. 1766	available
<i>Allotropoglyptos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 554 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>Allygidius</i> Ribaut, 1948, <i>Bull. Soc. nat. Hist. Toulouse</i> , 83 : 58, 59 (gender: masculine) (type species, by original designation: <i>Cicada atomaria</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 37) (Insecta, Hemiptera). Op. 1365	available
<i>Allygus</i> Fieber, 1872, <i>Katalog der Europäischen Cicadinen, nach Originalen mit Benützung der neuesten Literatur</i> : 13 (gender: masculine) (type species, by designation by Van Duzee, 1917 (<i>California Agric. Exper. Sta. entomol. tech. Bull.</i> , 2 : 675) as ratified under the plenary power: <i>Cicada mixta</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 39) (Insecta, Hemiptera). Op. 1365	available
<i>alni, Cercopis</i> , Fallén, [1806], <i>K. Svensk. Vetensk.-Akad. nya Handl.</i> , Stockholm, 26 (4): 240-243 (specific name of the type species of <i>Aphrophora</i> Germar, 1821) (Insecta, Hemiptera). Op. 590	available
<i>alni, Chermes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 454 (specific name of the type species of <i>Psylla</i> Geoffroy, 1762) (Insecta, Hemiptera). Op. 731	available
<i>Alona</i> Baird, 1843, <i>Ann. Mag. nat. Hist.</i> , 11 : 92 (gender: feminine) (type species, by designation by Johnson, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 202): <i>Lynceus quadrangularis</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 72, 199, pl. IX, figs. 1-3) (Crustacea, Branchiopoda). Op. 532	available
<i>Alope</i> White, 1847, <i>Proc. zool. Soc. London</i> , 15 : 123 (gender: feminine) (type species, by monotypy: <i>Alope palpalis</i> White, 1847, <i>Proc. zool. Soc. London</i> , 15 : 124, valid name: <i>Hippolyte spinifrons</i> Milne Edwards, 1837) (Crustacea, Decapoda). Op. 470	available
<i>Alopecosa</i> Simon, 1885, <i>Exploration scientifique de la Tunisie, Zoologie</i> , p. 10 (gender: feminine) (type species, by monotypy: <i>Aranea fabrilis</i> Clerck, 1758) (Arachnida). Op. 2049	available
<i>Alopex</i> Kaup, 1829, <i>Skizz. Entwickel.-Gesch. nat. Syst. europ. Thierwelt</i> : 85 (gender: feminine) (type species, by monotypy: <i>Canis lagopus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 40) (Mammalia). Op. 384	available
<i>alouina, Volema</i> , [Röding], 1798, <i>Mus. bolteni</i> : 58 (valid name at the date of Opinion 911 of the type species of <i>Mancinella</i> Link, 1807) (Gastropoda). Op. 911	available
<i>alpestris, Alauda</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 166 (Aves). Op. 448	available
<i>alpestris, Vertigo</i> , Alder, 1838, <i>Trans. nat. Hist. Soc. Northumb.</i> , 2 : 340 (Gastropoda). Op. 336	available
ALPHAEIDAE Balss, 1915, <i>Denkschr. Akad. Wiss. Wien (Math.-natur. Kl.)</i> , 91 : 20 (type genus: <i>Alpheus</i> Fabricius, 1798) (an incorrect subsequent spelling for ALPHEIDAE (correction of ALPHIDIA) Rafinesque, 1815). Op. 334	index
ALPHEENS Milne Edwards, 1837, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 2 : 339, 345 (type genus: <i>Alpheus</i> Fabricius, 1798) (a vernacular (French) name). Op. 334	index
ALPHEIDAE (correction by Randall, [1840] (<i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 140) of ALPHIDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 98 (type genus: <i>Alpheus</i> Fabricius, 1798) (Crustacea, Decapoda). Op. 334	available

<i>Alpheopsis</i> Coutière, 1897, <i>Bull. Mus. Hist. nat.</i> , Paris, 2 : 382 (gender: feminine) (type species, by designation by Holthuis, 1955 (<i>Zool. Verh. Leiden</i> , 26 : 84): <i>Betaeus trispinosus</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 32) (Crustacea, Decapoda). Op. 559	available
ALPHEUIDAE Yu, 1936, <i>Chin. J. Zool.</i> , 2 : 91 (type genus: <i>Alpheus</i> Fabricius, 1798) (an incorrect subsequent spelling for ALPHEIDAE (correction of ALPHIDIA) Rafinesque, 1815). Op. 334	index
<i>Alpheus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 380, 404 (conserved under the plenary power) (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 422, 101): <i>Alpheus avarus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 404) (Crustacea, Decapoda). Op. 334	available
<i>Alpheus</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 91 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 334	index
<i>alpheus</i> , <i>Papilio</i> , Cramer, [1777], <i>De uitlandsche Kapellen</i> , vol. 2, part 16, p. 31 (specific name of the type species of <i>Capsa</i> Hewitson, [1865]) (Insecta, Lepidoptera). Op. 1398	available
ALPHIDIA Rafinesque, 1815, <i>Analyse Nature</i> : 98 (type genus: <i>Alpheus</i> Fabricius, 1798) (an incorrect original spelling for ALPHEIDAE Rafinesque, 1815). Op. 334	index
<i>Alphitobius</i> Stephens, 1829, <i>The Nomenclature of British Insects</i> , London: 19 (gender: masculine) (type species, by monotypy: <i>Helops picipes</i> Panzer, 1794, <i>Faunae Insectorum Germanicae</i> , heft 14, tab. 4, valid name: <i>Opatrum laevigatum</i> Fabricius, 1781) (Insecta, Coleoptera). Op. 1039	available
<i>alpinus</i> , <i>Canis</i> , Pallas, [1811], <i>Zoograph. ross.-asiat.</i> , 1 : 34 (name of a species of which <i>Cuon primaevus</i> Hodgson, 1838 is considered to be a subspecies) (Mammalia). Op. 384	available
<i>alpinus</i> , <i>Staphylinus</i> , Fabricius, 1793, <i>Entomologiae Systematicae ...</i> , vol. 1(2), p. 526 (specific name of the type species of <i>Anthophagus</i> Gravenhorst, 1802) (Insecta, Coleoptera). Op. 2084	available
<i>alta</i> , <i>Rhynchonella</i> , Calvin, [about 1878] (a name erroneously alleged to have been made available). Direction 1	index
<i>alta</i> , <i>Rhynchonella</i> , Williams, 1890, <i>Bull. geol. Soc. Amer.</i> , 1 : 495, pl. 12, figs. 5-7 (Brachiopoda). Direction 1	available
<i>alternans</i> , <i>Coluber</i> , Lichtenstein, 1823, <i>Verzeichniss der Doubletten des zoologischen Museums der Königl. Universität zu Berlin nebst Beschreibung vieler bisher unbekannter Arten von Säugethieren, Vögeln, Amphibien und Fischen</i> , p. 104 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1832	index
<i>alternans</i> , <i>Lyda</i> , Costa, 1859, <i>Fauna Reg. Napoli</i> , Lydidae (78): 3, fig. 6, ruled under the plenary power to be given precedence over the specific name <i>inanis</i> Klug, 1808, as published in the binomen <i>Lyda inanis</i> , by those who regard both as denoting the same taxon (Insecta, Hymenoptera). Op. 1066	available

<i>alternata</i> , <i>Tuba</i> , Lea, 1833, <i>Contrib. geol.</i> : 128 (specific name of the type species of <i>Tuba</i> Lea, 1833) (Gastropoda). Op. 436	available
<i>althaea</i> , <i>Sylvia</i> , Hume, 1878, <i>Stray Feathers</i> , 7 : 60 (Aves). Op. 1037	available
<i>altianalis</i> , <i>Barbus</i> , Boulenger, 1900, <i>Ann. Mag. nat. Hist.</i> , (7) 6 : 159 (Osteichthyes). Op. 1285	available
<i>Altica</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 244 (gender: feminine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 432: <i>Chrysomela oleracea</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>alticola</i> , <i>Bothriurus</i> , Pocock, 1899, <i>The highest Andes, a record of the first ascent of Aconcagua and Tupungato in Argentina, and the exploration of the surrounding valleys</i> , p. 357, ruled under the plenary power be given precedence over the name <i>Cercophonius brachycentrus bivittatus</i> Thorell, 1877 whenever the two are considered to be synonyms (Arachnida). Op. 2074	available
<i>Alucita</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 542 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Phalaena hexadactyla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 542) (Insecta, Lepidoptera). Op. 450	available
ALUCITAEDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 92 (type genus: <i>Alucita</i> Linnaeus, 1758) (an incorrect subsequent spelling for ALUCITIDAE (correction of ALUCITIDES) [Leach, 1815]). Op. 450	index
ALUCITIDAE (correction of ALUCITIDES) [Leach, 1815], <i>in</i> Brewster's <i>Edinburgh Ency.</i> , 9 (1): 135 (type genus: <i>Alucita</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
ALUCITIDES [Leach, 1815], <i>in</i> Brewster's <i>Edinburgh Ency.</i> , 9 (1): 135 (type genus: <i>Alucita</i> Linnaeus, 1758) (an incorrect original spelling for ALUCITIDAE [Leach, 1815]). Op. 450	index
ALUCITINA Zeller, 1841, <i>Isis</i> (Oken), 1841 : 865 (type genus: <i>Alucita</i> Linnaeus, 1758) (an incorrect subsequent spelling for ALUCITIDAE (correction of ALUCITIDES) [Leach, 1815]). Op. 450	index
ALUCITITES Newman, 1835, <i>Grammar Entomol.</i> : 180 (type genus: <i>Alucita</i> Linnaeus, 1758) (an incorrect subsequent spelling for ALUCITIDAE (correction of ALUCITIDES) [Leach, 1815]). Op. 450	index
<i>Alus</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 342 (an incorrect subsequent spelling for <i>Alces</i> Gray, 1821). Direction 24	index
<i>alutaceus</i> , <i>Carcinochelis</i> , Handlirsch, 1897, <i>Annalen des Kaiserlich Königlichen Naturhistorischen Hofmuseums</i> , 12 : 222 (specific name of the type species of <i>Carcinochelis</i> Fieber, 1861) (Insecta, Heteroptera). Op. 1641	available
<i>alveofrons</i> , <i>Dasiops</i> , McAlpine, 1961, <i>Canad. Entomol.</i> , 93 (7): 539-544 (conserved under the plenary power) (Insecta, Diptera). Op. 700	available

<i>alveofrons</i> , <i>Dasiops</i> , Moffitt & Yaruss, 1961, <i>J. econ. Entomol.</i> , 54 (3): 504, 505 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 700	index
<i>alveolaris</i> , <i>Calamopora</i> , Goldfuss, 1829, <i>Petrefacta Germaniae</i> , 1 (2): 77 (Anthozoa). Op. 1059	available
<i>Alveolina</i> d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , (1) 7 : 306 (gender: feminine) (type species, by designation under the plenary power: <i>Oryzaria boscii</i> Defrance in Bronn, 1825) (Foraminiferida). Op. 1501	available
ALVEOLINIDAE Ehrenberg, 1839, <i>Physikalische Mathematische Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin</i> , 1838 : table facing p. 20 (type genus: <i>Alveolina</i> d'Orbigny, 1826) (Foraminiferida). Op. 1501	available
<i>Alyattes</i> Kinberg, 1867, <i>Ofversigt af Kongl. Vetenskaps-Akademiens Förhandlingar. Stockholm</i> , 23 : 97 (a junior homonym of <i>Alyattes</i> Thomson, 1864) (Oligochaeta). Op. 1403	index
<i>Alydus</i> Fabricius, 1803, <i>Syst. Rhyng.</i> : 251 (gender: masculine) (type species, by designation by Curtis, 1831 (<i>Brit. Entomol.</i> , 7 : pl. 369); <i>Cimex calcaratus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 450) (Insecta, Hemiptera). Op. 244	available
<i>Amalaraeus</i> Ioff, 1936, <i>Z. Parasitenk.</i> , 9 : 98 (gender: masculine) (type species, by monotypy: <i>Pulex penicilliger</i> Grube, 1852, in Middendorf, <i>Reise Nord. Ost. Sibir.</i> , 2 (1): 500, pl. 22, figs. 7, 9, as restricted to the male component of the composite nominal species by Wagner, 1898 (<i>Hor. Soc. entomol. ross.</i> , 31 : 569, pl. 8, fig. 6)) for use by those who consider that the type species of this genus is generically or subgenerically distinct from that of <i>Malariaeus</i> Jordan, 1933 (Insecta, Siphonaptera). Op. 388	available
AMALTHEIDAE (correction of AMALTHEOIDAE) Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 89 (type genus: <i>Amaltheus</i> Montfort, 1808) (Cephalopoda). Op. 575	available
<i>AMALTHEOIDAE</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 89 (type genus: <i>Amaltheus</i> Montfort, 1808) (an incorrect original spelling for AMALTHEIDAE Hyatt, 1867). Op. 575	index
<i>Amaltheus</i> Montfort, 1808, <i>Conch. syst. Class. méth. Coquilles</i> , 1 : 90 (gender: masculine) (type species, by original designation: <i>Amaltheus margaritatus</i> Montfort, 1808, <i>Conch. syst. Class. méth. Coquilles</i> , 1 : 91) (Cephalopoda). Op. 575	available
<i>amasia</i> , <i>Phalaena</i> , Smith, 1797, <i>The natural history of the rarer lepidopterous insects of Georgia including their systematic characters ...</i> , vol. 2, p. 179 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1774	index
<i>Amathia</i> Roux, 1828, <i>Crust. Médit.</i> , 1 : pl. 3 (a junior homonym of <i>Amathia</i> Lamouroux, 1812). Op. 712	index
AMAUROBIINAE Thorell, 1870, <i>European Spiders</i> : 119, 121 (type genus: <i>Amaurobius</i> Koch, 1837) (Arachnida). Op. 1119	available

- Amaurobius* Koch, 1836, in Panzer, *Deutschlands Insekten* (Herrich-Schaeffer), Heft 141: 5, 6; in Herrich- Schaeffer, *Deutschlands Crust. Myriap. Arachn.*, Heft 8: 5, 6 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1119 index
- Amaurobius* Koch, 1837, *Uebersicht Arachnidensyst.*, 1: 15 (gender: masculine) (type species, by designation by Thorell, 1870 (*On European Spiders*: 126): *Aranea atrox* de Geer, 1778, *Mém. serv. hist. Ins.*, 7: 253, valid name: *Aranea fenestralis* Ström, 1768) (Arachnida). Op. 1119 available
- Amaurocraspedon* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, 28: 581 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Amauropoda* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, 28: 564 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Amauropsina* Chelot, 1885, *Bulletin de la Société Géologique de France*, (3)13(2): 203 (gender: feminine) (type species, by original designation: *Ampullaria canaliculata* Lamarck, 1804) (Gastropoda). Op. 1997 available
- Amaurosetia* Stephens, 1835, *Illustrations of British Entomology*, vol. 4 (Haustellata), p. 353 (gender: feminine) (type species, by subsequent designation by Westwood, 1840, *Synopsis of the genera of British insects*, p. 114: *Phalaena albinella* Linnaeus, 1758), ruled under the plenary power not to be given priority over the name *Dichrorampha* Guenée, 1845 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 1999 available
- amazonicum*, *Simulium*, Goeldi, 1905, *Mems. Mus. paraense Hist. nat. Ethnogr.*, 4: 138, as interpreted by the neotype designated under the plenary power (Insecta, Diptera). Op. 1341 available
- amazonicus*, *Thamnophilus*, Sclater, 1858, *Proc. zool. Soc. London*, 27: 214, as interpreted by the neotype designated by Parkes, 1975 (*Bull. zool. Nomencl.*, 32: 178) (Aves). Op. 1180 available
- Ambalodus* Branson & Mehl, 1933, *University Missouri Studies*, 8(2): 127 (gender: masculine) (type species, by original designation: *Ambalodus triangularis* Branson & Mehl, 1933, *University Missouri Studies*, 8(2): 128, pl. 10, figs. 35-37) (Conodonta). Op. 796 available
- ambiguus*, *Cryptus*, Tschek, 1870, *Verh. zool.-bot. Ges. Wien*, 20: 145 (specific name of the type species of *Trychosis* Foerster, 1868) (Insecta, Hymenoptera). Op. 1017 available
- Amblema* Rafinesque, 1819, *J. Phys. Chim. Hist. nat.* (Paris), 88: 427 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 840 index

<i>Aamblema</i> Rafinesque, 1820, <i>Ann. gén. Sci. phys.</i> , Bruxelles, 5 : 314 (gender: feminine) (type species, by designation by Frierson, 1914 (<i>Nautilus</i> , 28 : 7): <i>Aamblema costata</i> Rafinesque, 1820, <i>Ann. gén. Sci. Phys.</i> , Bruxelles, 5 : 315, valid name: <i>Unio plicata</i> Say, 1817) (Bivalvia). Op. 840	available
<i>Amblodon</i> Rafinesque, 1819, <i>Journal de Physique, de Chimie et d'Histoire Naturelle et des Arts</i> , Paris, 88 : 421 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Cypriniformes). Op. 1582	index
<i>Amblyonyx</i> Rafinesque, 1832, <i>Atlantic J.</i> , 1 (2): 62 (gender: masculine) (type species, by monotypy: <i>Amblyonyx concolor</i> Rafinesque, 1832, <i>Atlantic J.</i> , 1 (2): 62) (Mammalia). Op. 384	available
<i>Ambloxis</i> Rafinesque, 1818, <i>American Monthly Magazine and Critical Review</i> , 3 (5): 355 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1931	index
<i>AMBLYCEPHALINAE</i> China, 1939, <i>Ann. Mag. nat. Hist.</i> , (11) 4 : 587 (type genus: <i>Amblycephalus</i> Curtis, 1833) (invalid because the name of the type genus is a junior homonym). Op. 647	index
<i>Amblyomma</i> Koch, 1844, <i>Arch. Naturgesch.</i> , 10 (1): 223 (gender: neuter) (type species, by designation by Neumann, 1901 (<i>Mém. Soc. zool. France</i> , 14 : 340): <i>Acarus cajennensis</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 372) (Arachnida). Op. 73, Direction 66	available
<i>Amblyptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 558 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Amblystoma</i> Agassiz, 1846, <i>Nomencl. Zool.</i> (Rept.): 2 (an unjustified emendation of <i>Ambystoma</i> Tschudi, 1838). Op. 649	index
<i>amboinensis</i> , <i>Columba</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 38 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Ambolodus</i> Branson & Mehl, 1934?, <i>University Missouri Studies</i> , 8 (4): errata (an unjustified emendation of <i>Ambalodus</i> Branson & Mehl, 1933). Op. 796	index
<i>ambulans</i> , <i>Acridium</i> , Erichson, 1842, <i>Archiv für Naturgeschichte</i> , 8 (1): 251 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Orthoptera). Op. 1489	index
<i>ambulans</i> , <i>Podura</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608 (specific name of the type species of <i>Onychiurus</i> Gervais, 1841) (Insecta, Collembola). Op. 291	available
<i>Ambystoma</i> Tschudi, 1838, <i>Classification der Batrachier</i> [<i>Mém. Soc. Sci. nat. Neuchâtel</i> , 2 (1840)]: 57, 92 (conserved under the plenary power) (gender: neuter) (type species, by monotypy: <i>Lacerta subviolacea</i> Barton, 1804, <i>Trans. amer. Phil. Soc.</i> , 6 (1): 109, valid name: <i>Lacerta maculata</i> Shaw, 1802) (Amphibia). Op. 649	available

AMBYSTOMATIDAE (correction of AMBYSTOMIDAE) Hallowell, 1856, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 8 : 11 (type genus: <i>Ambystoma</i> Tschudi, 1838) (Amphibia). Op. 649	available
AMBYSTOMIDAE Hallowell, 1856, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 8 : 11 (type genus: <i>Ambystoma</i> Tschudi, 1838) (an incorrect original spelling for AMBYSTOMATIDAE Hallowell, 1856). Op. 649	index
<i>Ameiurus</i> Rafinesque, 1820, <i>Western Review and Miscellaneous Magazine</i> , Lexington, 2 (6): 359 (gender: masculine) (type species, by designation under the plenary power: <i>Silurus lividus</i> Rafinesque, 1820, a junior subjective synonym of <i>Pimelodus natalis</i> Lesueur, 1819) (Osteichthyes, Siluriformes). Op. 1584	available
<i>Ameiva</i> Meyer, 1795, <i>Syn. Rept.</i> (Göttingen): 31 (gender: feminine) (type species, by monotypy: <i>Ameiva americana</i> Meyer, 1795, <i>Syn. Rept.</i> (Göttingen): 28, valid name: <i>Lacerta ameiva</i> Linnaeus, 1758) (Reptilia). Op. 1300	available
<i>ameiva</i> , <i>Lacerta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 202 (valid name at the date of Opinion 1300 of the type species of <i>Ameiva</i> Meyer, 1795) (Reptilia). Op. 1300	available
AMEIVIDAE Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 21 (type genus: <i>Ameiva</i> Meyer, 1795), ruled under the plenary power not to be given priority over the family-group name TEIIDAE Gray, 1827 whenever <i>Ameiva</i> Meyer, 1795 and <i>Teius</i> Merrem, 1820 are placed in the same family-group taxon (Reptilia). Op. 1300	available
<i>americ.</i> [sic], <i>Vermivora</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>americana</i> , <i>Ampelis</i> , Wilson, 1808, <i>American ornithology; or, the natural history of the birds of the United States</i> , vol. 1, p. 107 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Passeriformes). Op. 1893	index
<i>americana</i> , <i>Blatta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 424 (specific name of the type species of <i>Periplaneta</i> Burmeister, 1838) (Insecta, Orthoptera). Direction 64	available
<i>americana</i> , <i>Macrocerca</i> , Lepeletier, 1841, <i>Histoire naturelle des insectes</i> . Hyménoptères, vol. 2, p. 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1852	index
<i>americana</i> , <i>Pseudothelphusa</i> , Saussure, 1857, <i>Rev. Mag. Zool.</i> , (2) 9 : 305 (specific name of the type species of <i>Pseudothelphusa</i> Saussure, 1857) (Crustacea, Decapoda). Direction 36	available
<i>americana</i> , <i>Uncinaria</i> , Stiles, 1902, <i>Amer. Med.</i> , 3 : 777 (specific name of the type species of <i>Necator</i> Stiles, 1903) (Nematoda). Direction 77	available
<i>americanum</i> , <i>Macrobrachium</i> , Bate, 1868, <i>Proc. zool. Soc. London</i> , 1868 : 363 (specific name of the type species of <i>Macrobrachium</i> Bate, 1868) (Crustacea, Decapoda). Op. 564	available

<i>americanus</i> , <i>Carabus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 415 (specific name of the type species of <i>Galerita</i> Fabricius, 1801) (Insecta, Coleoptera). Op. 862	available
<i>americanus</i> , <i>Cuculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 111 (specific name of the type species of <i>Coccyzus</i> Vieillot, 1816) (Aves). Direction 43	available
<i>americanus</i> , <i>Hirundoecus</i> , Ewing, 1930, <i>Proc. U.S. nat. Mus.</i> , 77 (No. 2843): 12 (specific name of the type species of <i>Hirundoecus</i> Ewing, 1930) (Insecta, Mallophaga). Op. 343	available
<i>amerinae</i> , <i>Cynips</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 554 (senior subjective synonym of <i>Nematus</i> (<i>Cryptocampus</i>) <i>medullarius</i> Hartig, 1837, the type species of <i>Cryptocampus</i> Hartig, 1837) (Insecta, Hymenoptera). Op. 1963	available
<i>Ametastegia</i> A. Costa, 1882, <i>Rendiconto dell'Accademia delle Scienze Fisiche e Matematiche</i> , 21 (10): 198 (gender: feminine) (type species, by monotypy: <i>Ametastegia fulvipes</i> A. Costa, 1882, a junior subjective synonym of <i>Tenthredo glabrata</i> Fallén, 1808) (Insecta, Hymenoptera). Op. 1963	available
<i>amethystea</i> , <i>Alpheus</i> , Risso, 1826, <i>Hist. nat. princip. prod. Europ. mérid.</i> , 5 : 77 (valid name at the date of Opinion 470 of the type species of <i>Periclimenes</i> Costa, 1844) (Crustacea, Decapoda). Op. 470	available
<i>amethystus</i> , <i>Solen</i> , Wood, 1815, <i>Gen. Conch.</i> : 138 (Bivalvia). Op. 910	available
<i>Ametistina</i> Schinz, 1825, <i>Das Thierreich</i> , 4 : 586 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 989	index
<i>amia</i> , <i>Scomber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 299 (specific name of the type species of <i>Lichia</i> Cuvier, 1817) (Osteichthyes). Op. 1124	available
<i>amica</i> , <i>Hepatella</i> , Smith, 1869, in Verrill, <i>Amer. Nat.</i> , 3 : 250, nota (specific name of the type species of <i>Hepatella</i> Smith, 1869) (Crustacea, Decapoda). Direction 36	available
<i>Amicytheridea</i> Bate, 1975, <i>Bulletin of the British Museum (Natural History)</i> , Geology, 26 (5): 190 (gender: feminine) (type species, by designation under the plenary power: <i>Amicytheridea triangulata</i> Bate, 1975) (Ostracoda). Op. 1740	available
AMMODISCINAE (correction of AMMODISCINEA) Reuss, 1862, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 44 : 365 (type genus: <i>Ammodiscus</i> Reuss, 1862) (Rhizopoda). Op. 706	available
AMMODISCINEA Reuss, 1862, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 44 : 365 (type genus: <i>Ammodiscus</i> Reuss, 1862) (an incorrect original spelling for AMMODISCINAE Reuss, 1862). Op. 706	index
<i>Ammodiscus</i> Reuss, 1862, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 44 : 365 (gender: masculine) (type species, by designation under the plenary power: <i>Involutina silicea</i> Terquem, 1862, <i>Mém. Acad. imp. Metz</i> , 42 : 450) (Rhizopoda). Op. 706	available
<i>Ammodytes</i> Bonaparte, 1831, <i>Giorn. Accad. Sci. Lett. Arti</i> , 52 : 149 (a junior homonym of <i>Ammodytes</i> Linnaeus, 1758). Direction 56	index

<i>Ammodytes</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 247 (gender: masculine) (type species, by monotypy: <i>Ammodytes tobianus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 247) (Osteichthyes). Op. 75 AMMONITEA de Haan, 1825, <i>Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.</i> : 76 (type genus: <i>Ammonites</i> Bruguière, 1789) (an incorrect original spelling for AMMONITIDAE de Haan, 1825). Direction 14	available
<i>Ammonites</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers 1(1): xvi, 28 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 305	index
AMMONITIDAE (correction by Owen, 1836 (<i>in</i> Todd, <i>Cyclop. Anat. Physiol.</i> , 1: 520) of AMMONITEA) de Haan, 1825, <i>Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.</i> : 76 (type genus: <i>Ammonites</i> Bruguière, 1789) (invalid because the name of the type genus has been suppressed under the plenary power). Direction 14	index
<i>ammonitiformis</i> , <i>Stoa</i> , De Serres, 1855, <i>Annales des Sciences Naturelles, Paris. Zoologie</i> , (4)4: 240 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>Ammophila</i> Kirby, 1798, <i>Trans. linn. Soc. London</i> , 4: 199 (gender: feminine) (type species, by designation under the plenary power: <i>Sphex sabulosa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 569) (Insecta, Hymenoptera). Op. 180	available
<i>Ammotrecha</i> Banks, 1900, <i>American Naturalist</i> , 34: 426 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Pocock, 1902, <i>Biologia Centrali-Americanana</i> , 3: 64: <i>Galeodes limbata</i> Lucas, 1835) (Arachnida). Op. 2050	available
<i>Ammotrechula</i> Roewer, 1934, <i>Klassen und Ordnungen des Tierreichs</i> , Band 5 (Arthropoda), Abt. 4 (Arachnoidea), p. 600 (gender: feminine) (type species, by original designation: <i>Cleobis saltatrix</i> Simon, 1879) (Arachnida). Op. 2050	available
<i>amnica</i> , <i>Tellina</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 205 (specific name of the type species <i>Pisidium</i> Pfeiffer, 1821) (Bivalvia). Op. 335	available
<i>Amnicola</i> Gould & Haldeman, 1840, <i>in</i> Haldeman, <i>Monogr. Limniades N. America</i> , 1: 3 (gender: masculine) (type species, by designation by Herrmannsen, 1846 (<i>Indicis Gen. Malacoz. Primordia</i> , 1: 38): <i>Paludina porata</i> Say, 1821, <i>J. Acad. nat. Sci. Philadelphia</i> , 2: 174, valid name: <i>Paludina limosa</i> Say, 1817) (Gastropoda). Op. 1108	available
AMNICOLIDAE Tryon, 1862, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 14: 452 (type genus: <i>Amnicola</i> Gould & Haldeman, 1840) (Gastropoda). Op. 1108	available
<i>amoenus</i> , <i>Psittacus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 24 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Ampelis</i> Nozman & Vosmaer, 1758, <i>Geslacht. Vogel.</i> : 1, 2, 25 (Dutch translation of Moehring, 1752, <i>Avium Genera</i>) (included in a work rejected for nomenclatural purposes). Direction 38	index

<i>amphibius</i> , <i>Hippopotamus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 74 (specific name of the type species of <i>Hippopotamus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>amphibius</i> , <i>Mus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 61 (specific name of the type species of <i>Arvicola</i> Lacepède, 1799) (Mammalia). Direction 22	available
<i>amphibius</i> , <i>Thinobius</i> , Notman, 1921, <i>Journal of the New York Entomological Society</i> , 29 (3-4): 149 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2129	index
Amphibola Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 58, 190 (gender: feminine) (type species, by monotypy: <i>Amphibola australis</i> Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 190, valid name: <i>Helix crenata</i> Gmelin, [1791]) (Gastropoda). Op. 479	available
AMPHIBOLIDAE Adams & Adams, 1855, <i>Gen. rec. Moll.</i> , 2 : 268 (type genus: Amphibola Schumacher, 1817) (Gastropoda). Op. 479	available
<i>Amphibulimigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
Amphictene Savigny, 1822, <i>Descr. de l'Egypte</i> , Hist. nat., 1 (3) Annélides: 88 (gender: feminine) (type species, by designation by Malmgren, 1866 (<i>Öfvers. K. Vetensk Akad. Förh. Stockholm</i> , 1865 : 357): Amphitrite auricoma Müller, 1776, <i>Zool. dan. Prodromus</i> : 216) (Polychaeta). Op. 1225	available
AMPHICTENIDAE Grube, 1851, <i>Familien der Anneliden</i> , Berlin: 82 (type genus: Amphictene Savigny, 1822), ruled under the plenary power not to be given priority over PECTINARIIDAE Quatrefages, 1865 whenever <i>Amphictene</i> Savigny, 1822 and <i>Pectinaria</i> Lamarck, 1818 are placed in the same family-group taxon (Polychaeta). Op. 1225	available
Amphiporus Ehrenberg, 1831, in Hemprich & Ehrenberg (Eds.), <i>Symbolae Physicae, seu icones et descriptiones Corporum Naturalium novorum ... Pars Zoologica. Animalia evertebrata exclusis insectis</i> , p. 63 (gender: masculine) (type species, by designation under the plenary power: Planaria lactiflorea Johnston, 1828) (Nemertea). Op. 1675	available
Amphipsylla Wagner, 1909, <i>Mitt. Kaukas. Mus.</i> , 4 : 196 (Russian text), 201 (German text) (gender: feminine) (type species, by designation by Jordan & Rothschild, 1913 (<i>Zoologist</i> , 1913 (869): 402): Amphipsylla schelkovnikovi Wagner, 1909, <i>Mitt. Kaukas. Mus.</i> , 4 : 197 (Russian text), 201 (German text)) (Insecta, Siphonaptera). Op. 373	available
AMPHIPSYLLINA Ioff, 1936, <i>Z. Parasitenk.</i> , 9 : 73, 76 (published as a name for a taxon below subfamily rank) (type genus: Amphipsylla Wagner, 1909) (Insecta, Siphonaptera). Direction 41	available
Amphiptyches Wagener, 1852, <i>Arch. Anat. Physiol. wiss. Med.</i> , 1852 : 543-554, pls. 14, 15 (gender: feminine) (type species, by monotypy: Amphiptyches urna Grube & Wagener, 1852, in Wagener, <i>Arch. Anat. Physiol. wiss. Med.</i> , 1852 : 543-554, pls. 14, 15) (Cestoda). Op. 913	available

AMPHORACRINIDAE Bather, 1899, <i>Rep. Brit. Assoc.</i> , 1898 : 922 (type genus: <i>Amphoracrinus</i> Austin, 1848) (Crinoidea). Op. 527	available
<i>Amphoracrinus</i> Austin, 1848, <i>Quart. J. geol. Soc. London</i> , 4 : 292 (gender: masculine) (type species, by designation by Roemer, 1855 (<i>in</i> Bronn & Roemer, <i>Lethaea geogn.</i> (ed. 3), 1 : 249, 250); <i>Actinocrinus gilbertsoni</i> Phillips, 1836, <i>Ill. Geol. Yorks.</i> (2): 206, as interpreted under the plenary power by reference to the neotype proposed by Wright, 1955 (<i>Brit. Carbonif. Crin.</i> , 2 (1): pl. 49, figs. 3, 16; pl. 50, figs. 3, 9)) (Crinoidea). Op. 527	available
<i>Amplexizaphrentis</i> Vaughan, 1906, <i>Quart. J. geol. Soc. London</i> , 62 : 315, 316 (gender: feminine) (type species, by designation under the plenary power: <i>Zaphrentis curvulena</i> Thomson, 1881, <i>Proc. phil. Soc. Glasgow</i> , 13 : 223, 236) (Anthozoa). Op. 854	available
<i>amplus, Pandalopsis</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 671 (specific name of the type species of <i>Pandalopsis</i> Bate, 1888) (Crustacea, Decapoda). Op. 559	available
<i>Amplycephalus</i> Kuhl & van Hasselt, 1822, <i>Algemeene Konsten Letterbode</i> , Haarlem, 1 : 101 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 963	index
<i>Amplypterus</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (9): 133 (gender: masculine) (type species, by designation by Kirby, 1892 (<i>Syn. Cat. Lep. Het.</i> : 674); <i>Sphinx panopus</i> Cramer, [1779], <i>Uitl. Kapellen</i> , 3 : 50, pl. 124, figs. A, B) (Insecta, Lepidoptera). Op. 275	available
<i>Ampulla</i> [Röding], 1798, <i>Mus. bolten.</i> (2): 110 (gender: feminine) (type species, by designation by Pilsbry, 1908 (<i>Nautilus</i> , 22 : 83); <i>Helix priamus</i> Gmelin, 1791, <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3654) (Gastropoda). Op. 986	available
<i>ampulla, Bulla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727 (specific name of the type species of <i>Bulla</i> Linnaeus, 1758) (Gastropoda). Op. 196	available
<i>ampullacea, Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 771 (specific name of the type species of <i>Pila</i> Röding, 1798) (Gastropoda). Op. 1913	available
<i>ampullaceus, Ophiognathus</i> , Harwood, 1827, <i>Philosophical Transactions of the Royal Society of London</i> , 1827 : 51 (senior subjective synonym of <i>Saccopharynx flagellum</i> Cuvier, 1829, the type species of <i>Saccopharynx</i> Mitchell, 1824) (Osteichthyes, Saccopharyngiformes). Op. 1603	available
<i>Ampullaria</i> Lamarck, 1799, <i>Mémoires de la Société d'Histoire Naturelle de Paris</i> , 1 : 76 (a junior objective synonym of <i>Pila</i> Röding, 1798) (Gastropoda). Op. 1913	index
<i>Ampullarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
AMPULLARIIDAE Gray, 1824, <i>Philosophical Magazine and Journal</i> , 63 (312): 276 (type genus: <i>Ampullaria</i> Lamarck, 1799, a junior objective synonym of <i>Pila</i> Röding, 1798), confirmed by the Commission to be a senior objective synonym of PILIDAE Preston, 1915 (Gastropoda). Op. 1913	available

Ampullarius de Montfort, 1810, *Conchyliologie systématique, et classification méthodique des coquilles*, vol. 2, pp. 242 (fig.), 243 (text) (an unjustified emendation of *Ampullaria* Lamarck, 1799 and a junior objective synonym of *Pila* Röding, 1798) (Gastropoda). Op. 1913

index

Amyctus Gistl, 1848, *Nat. Thierr.*: x (a junior objective synonym of *Aphanus* Laporte, 1833). Op. 676

index

amyntas, *Papilio*, [Denis & Schiffermüller], 1775, *Ankündung syst. Werkes Schmett. Wien. Gegend:* 185 (a junior homonym of *amyntas*, *Papilio*, Poda, 1761). Op. 503

index

anabathrum, *Conus*, Crosse, 1865, *Journal de Conchyliologie*, **13**: 304 (Gastropoda). Op. 1539

available

Anacaena Thomson, 1859, *Skand. Coleopt.*, **1**: 18 (gender: feminine) (type species, by monotypy: *Hydrophilus globulus* Paykull, [1798], *Fauna svec.*, Ins., **1**: 188) (Insecta, Coleoptera). Op. 583

available

Anacanthomeros Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 548 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Anaides Baird, [1849], Heck's *Icon. Encyclop. Sci.*, **2**: 256 (a junior homonym of *Anaides* Westwood, 1842). Op. 377

index

analis, *Philonthus*, Erichson, 1840, *Genera et species Staphylinorum insectorum coleopterorum familiae*, part 2, p. 495, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of *P. analis* Heer, 1839 (Insecta, Coleoptera). Op. 2053

available

analis, *Staphylinus*, Fabricius, 1787, *Mantissa insectorum ...*, vol. 1, p. 221, ruled under the plenary power not to be given priority over *Staphylinus scitus* Gravenhorst, 1806 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086

available

Analithis Gistl, 1848, *Nat. Thierr.*: x (a junior objective synonym of *Platyrhina* Müller & Henle, 1838). Op. 345

index

Analogodonta Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 574 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Anamathia Smith, 1885, *Proc. U.S. nat. Mus.*, **7**: 493 (gender: feminine) (type species, by monotypy, through *Amathia* Roux, 1828: *Amathia rissoana* Roux, 1828, *Crust. Médit.* (1): pl. 3) (Crustacea, Decapoda). Op. 712

available

Anamictochromata Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 565 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

<i>Anapagurus</i> Henderson, 1886, <i>Proc. Trans. nat. Hist. Soc. Glasgow</i> (n. ser.), 1 : 337 (gender: masculine) (type species, by designation by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 242); <i>Pagurus laevis</i> Bell, 1845, <i>Hist. Brit. stalk-eyed Crust.</i> (4): 184) (Crustacea, Decapoda). Op. 712	available
<i>Anaphes</i> Haliday, 1833, <i>Entomol. Mag.</i> , 1 : 346 (gender: neuter) (type species, by original designation: <i>Ichneumon punctum</i> Shaw, 1798, <i>Trans. linn. Soc. London</i> , 4 : 189) (Insecta, Hymenoptera). Op. 729	available
ANAPHINI Ashmead, 1904, <i>Mem. Carneg. Mus.</i> , 1 (4): 363 (type genus: <i>Anaphes</i> Haliday, 1833) (Insecta, Hymenoptera). Op. 729	available
<i>Anarhicas</i> Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 103 (an incorrect subsequent spelling for <i>Anarhichas</i> Linnaeus, 1758). Direction 56	index
<i>Anarhichas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 247 (gender: masculine) (type species, by monotypy: <i>Anarhichas lupus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 247) (Osteichthyes). Op. 75 <i>Anas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 122 (gender: feminine) (type species, by designation by Lesson, 1828 (<i>Manuel Ornithol.</i> , 2 : 417); <i>Anas boschas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 127, valid name: <i>Anas platyrhynchos</i> Linnaeus, 1758) (Aves). Op. 67, Direction 81	available
<i>Anaspis</i> Geoffroy, 1762, <i>Hist. abr. Ins. env. Paris</i> : 315 (gender: feminine) (type species, by designation under the plenary power: <i>Mordella frontalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 420) (Insecta, Coleoptera). Op. 1273	available
<i>anastomosis, Gracillaria</i> , Haworth, 1828, <i>Lepidopt. Brit.</i> (4): 530 (specific name of the type species of <i>Gracillaria</i> Haworth, 1828) (Insecta, Lepidoptera). Op. 912	available
<i>Anaticola</i> Clay, 1936, <i>Proc. zool. Soc. London</i> , 1936 : 617 (gender: masculine) (type species, by original designation: <i>Pediculus crassicornis</i> Scopoli, 1763, <i>Entomol. carn.</i> : 383, as interpreted by the neotype designated by Clay & Hopkins, 1951 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 2 : 19)) (Insecta, Mallophaga). Op. 627	available
<i>anatifera, Lepas</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 668 (specific name of the type species of <i>Lepas</i> Linnaeus, 1758) (Crustacea, Cirripedia). Direction 67	available
<i>Anatigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>anatina, Lingula</i> , Lamarck, 1801, <i>Système des Animaux sans Vertèbres</i> : 141 (specific name of the type species of <i>Lingula</i> Bruguière, [1797]) (Brachiopoda). Op. 1355	available
<i>Anatinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>anatinus, Mytilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 706, as defined by the neotype (no. 1989.164 in the Natural History Museum, London, from Llangynidr, Brecon, Wales) designated by Mordan & Woodward, 1990 (<i>Bulletin of Zoological Nomenclature</i> , 47 : 112) (Bivalvia). Op. 336, Op. 1651	available

<i>Anatoecus</i> Cummings, 1916, <i>Proc. zool. Soc. London</i> , 1916 : 653 (gender: masculine) (type species, by original designation: <i>Philopterus icterodes</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 290, as interpreted by the neotype designated by Clay & Hopkins, 1960 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 9 : 37, figs. 59–61, pl. 2, fig. 3)) (Insecta, Mallophaga). Op. 629	available
<i>anceps</i> , <i>Ammonites contractus</i> , Quenstedt, 1886, <i>Die Ammoniten des Schwäbischen Jura</i> , p. 521, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (specific name of the type species of <i>Epalkites</i> Mascke, 1907) (Ammonoidea). Op. 2123	available
<i>anceps</i> , <i>Delphax</i> , Germar, 1821, <i>Mag. Entomol.</i> , 4 : 105 (specific name of the type species of <i>Conomelus</i> Fieber, 1866) (Insecta, Hemiptera). Op. 648	available
ANCHISAURIPODIDAE Lull, 1904, <i>Mem. Boston Soc. nat. Hist.</i> , 5 : 486 (type genus: <i>Archisauripus</i> Lull, 1904) (Reptilia). Op. 535	available
<i>Archisauripus</i> Lull, April 1904, <i>Mem. Boston Soc. nat. Hist.</i> , 5 : 486 (gender: masculine) (type species, by original designation, and under Article 67e: <i>Ornithoidichnites sillimani</i> Hitchcock, 1843, <i>Rep. Assoc. amer. Geologists Naturalists</i> , 1843 : 256) (Reptilia). Op. 535	available
<i>Anchistiooides</i> Paulson, 1875, <i>Issljet Rakoobr. krasn. Morja [Stud. Crust. Red Sea]</i> : 115 (gender: masculine) (type species, by monotypy: <i>Anchistiooides compressus</i> Paulson, 1875, <i>Issljet. Rakoobr. krasn. Morja [Stud. Crust. Red Sea]</i> : 115) (Crustacea, Decapoda). Op. 470	available
<i>Anchistus</i> Borradaile, 1898, <i>Ann. Mag. nat. Hist.</i> , (7) 2 : 387 (gender: masculine) (type species, by original designation: <i>Harpilius miersi</i> de Man, 1888, <i>J. linn. Soc. London (Zool.)</i> , 22 : 274) (Crustacea, Decapoda). Op. 470	available
<i>anchoralis</i> , <i>Penaeus</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 181 (specific name of the type species of <i>Trachypenaeus</i> Alcock, 1901) (Crustacea, Decapoda). Op. 864	available
<i>Anchylostatum</i> Moehlau, 1897, <i>Buffalo med. J. (n.s.)</i> , 36 : 573 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>Anchylostoma</i> Pruner, 1847, <i>Krankh. Or.</i> : 244 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>Anchylostomos</i> Wucherer, 1868, <i>Gazeta med. Bahia</i> , 2 : 150 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>Anchylostomum</i> Diesing, 1851, <i>Syst. Helminth.</i> , 2 : 321 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>Ancilla</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1 : 70 (gender: feminine) (type species, by subsequent monotypy: <i>Ancilla cinnamomea</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 73) (Gastropoda). Op. 579	available
<i>Ancilligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Ancistroceroides</i> Saussure, 1855, <i>Et. Fam. Vespa.</i> , 3 : 221 (gender: masculine) (type species, by designation under the plenary power: <i>Odynerus alastoroides</i> Saussure, 1853, <i>Monographie des guêpes solitaires ou de la tribu des Euméniens</i> : 147) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893, Op. 1363	available
<i>Ancylastrum</i> Bourguignat, February 1853, <i>J. Conchyliol.</i> , 4 : 63 (gender: neuter) (type species, by designation by Bourguignat, May 1853 (<i>J. Conchyliol.</i> , 4 : 170): <i>Ancylus (Ancylastrum) cumingianus</i> Bourguignat, May 1853, <i>J. Conchyliol.</i> , 4 : 170) (Gastropoda). Op. 364	available
<i>ANCYLEA</i> Menke, 1830, <i>Synopsis meth. Moll.</i> (ed. alt.): 11 (type genus: <i>Ancylus</i> Müller, 1774) (an incorrect subsequent spelling for ANCYLIDAE (correction of ANCYLIDIA) Rafinesque, 1815). Direction 41	index
<i>ANCYLIDIA</i> Rafinesque, 1815, <i>Analyse Nature</i> : 143 (type genus: <i>Ancylus</i> Müller, 1774) (an incorrect original spelling for ANCYLINAE Rafinesque, 1815). Direction 41	index
ANCYLINAE (correction by Fischer, [1883] (<i>Man. Conchyl.</i> : 504) of ANCYLIDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 143 (type genus: <i>Ancylus</i> Müller, 1774) (Gastropoda). Direction 41	available
<i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843, <i>Ann. Univ. Med.</i> , Milano, 106 (No. 316): 5, 10 (gender: neuter) (type species, by monotypy: <i>Agchylostoma</i> [sic] <i>duodenale</i> Dubini, 1843, <i>Ann. Univ. Med.</i> , Milano, 106 (No. 316): 5, 10) (Nematoda). Op. 66, Direction 76	available
<i>Ancylostomom</i> Molin, 1861, <i>Mem. Ist. Veneto Sci. Lett. Arti</i> , 9 : 486 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>Ancylostomum</i> Diesing, 1851, <i>Syst. Helminth.</i> , 2 : 82 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>ancylostomus, Rhina</i> , Schneider, 1801, in Bloch, <i>Syst. Ichthyol.</i> : 352 (specific name of the type species of <i>Rhina</i> Schneider, 1801) (Chondrichthyes). Op. 345	available
<i>Ancylostormum</i> Schifone, 1908, <i>Riforma medico</i> , 24 (fasc. 48): 1382 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843). Direction 76	index
<i>Ancylus</i> Geoffroy, 1767, <i>Traité Sommaire Coq. Env. Paris</i> : 13, 124 (included in a work rejected for nomenclatural purposes). Op. 363	index
<i>Ancylus</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 199 (gender: masculine) (type species, by designation under the plenary power: <i>Ancylus fluviatilis</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 201) (Gastropoda). Op. 363	available
<i>andecolus, Planorbis</i> , d'Orbigny, 1835, <i>Mag. Zool.</i> , 5 : 26 (specific name of the type species of <i>Taphius</i> Adams & Adams, 1855) (Gastropoda). Op. 735	available
<i>andersoni, Dermacentor</i> , Stiles, 1908, <i>U.S. Pub. Health Rep.</i> , 23 (27): 949 (Arachnida). Op. 1107	available

<i>andrenaeformis</i> , <i>Sesia</i> , Laspeyres, 1801, <i>Sesiae europaeae iconibus et descriptionibus illustratae</i> : 20 (Insecta, Lepidoptera). Op. 1287	available
<i>andreossyi</i> , <i>Pilumnus</i> , Audouin, [1826], in Savigny, <i>Descr. Egypte</i> , 1 (4) (expl. pls. Crust.): 86 (specific name of the type species of <i>Cymo</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>Aneides</i> Baird, [1849], in Heck, <i>Icon. Encyclop. Sci.</i> , 2 : 257 (gender: masculine) (type species, by monotypy: <i>Salamandra lugubris</i> Hallowell, 1849, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 4 : 126) (Amphibia). Op. 377	available
<i>Anepiodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 558 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>anglicus</i> , <i>Trochus</i> , Sowerby, 1818, <i>Min. Conch.</i> , 2 : corrigenda, as interpreted by the neotype designated by Cox, 1955 (<i>Bull. zool. Nomencl.</i> , 11 : 27) (conserved under the plenary power) (specific name of the type species of <i>Pleurotomaria</i> Defrance, 1826) (Gastropoda). Op. 582	available
<i>anglicus</i> , <i>Turbo</i> , Wood, 1828, <i>Index testaceol.</i> , Suppl.: 19 (Gastropoda). Op. 336	available
<i>angolensis</i> , <i>Pternistes afer</i> var., Bocage, 1893, <i>Jorn. Sci. math. phys. nat.</i> , (2) 3 : 154 (a lapsus calami for the subspecific name <i>benguellensis</i> Bocage, 1893). Op. 1036	index
<i>Anguilla</i> Schrank, 1798, <i>Fauna boica</i> , vol. 1, part 2, p. 304 (gender: feminine) (type species, by monotypy: <i>Muraena anguilla</i> Linnaeus, 1758) (Osteichthyes, Anguilliformes). Op. 1672	available
<i>anguilla</i> , <i>Muraena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 245 (specific name of the type species of <i>Anguilla</i> Schrank, 1798) (Osteichthyes, Anguilliformes). Op. 1672	available
<i>Anguillulina</i> Gervais & van Beneden, 1859, <i>Zool. med.</i> , 2 : 101 (a junior objective synonym of <i>Anguina</i> Scopoli, 1777). Op. 341	index
<i>Anguina</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 374 (gender: feminine) (type species, by designation by Chitwood, 1935 (<i>Proceedings helminth. Soc. Washington</i> , 2 (1): 53); <i>Vibrio tritici</i> Steinbuch, 1799, <i>Der Naturforscher</i> , Halle, 28 : 251) (Nematoda). Op. 341	available
<i>anguineus</i> , <i>Porus</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 44 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>angularis</i> , <i>Staphylinus</i> , Paykull, 1800, <i>Fauna Suecica. Insecta</i> , vol. 3, p. 395, ruled under the plenary power not to be given priority over <i>Staphylinus striatus</i> Olivier, 1795 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>angulata</i> , <i>Gryphaea</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 398 (a nomen nudum). Op. 338	index
<i>angulata</i> , <i>Gryphaea</i> , Lamarck, 1819, <i>Hist. nat. Anim. sans Vertèbr.</i> , 6 (1): 198 (Bivalvia). Op. 338	available

<i>Angulaticeras</i> Quenstedt, 1883, <i>Ammoniten schwäbisch. Jura</i> : 26 (gender: neuter) (type species, by designation by Lange, 1924 (<i>Jahrb. K. preuss. geol. Landesanst.</i> , 44 : 176): <i>Ammonites lacunatus</i> Buckman, 1844, <i>in</i> Murchison, <i>Geol. Cheltenham</i> , Ed. 2: 105) (Cephalopoda). Op. 324	available
ANGULATIDAE Hyatt, 1874, <i>Proc. Boston Soc. nat. Hist.</i> , 17 : 15 (invalid because based upon the name of a species (namely <i>Ammonites angulatus</i> Schlotheim, 1820 which later became the type species of <i>Schlotheimia</i> Bayle, 1878) and not upon the name of a type genus). Direction 14	index
<i>angulatus, Ammonites</i> , Schlotheim, 1820, <i>Die Petrefactenk.</i> : 70, as interpreted by the lectotype designated by Lange, 1951 (<i>Palaeontographica</i> , 100 (Abt. A): [123] (=explic. to pl.), pl. 1, fig. 2) (specific name of the type species of <i>Schlotheimia</i> Bayle, 1878) (Cephalopoda). Op. 323	available
<i>angulatus, Ammonites</i> , Sowerby, 1815, <i>Min. Conch.</i> , 2 : 9, pl. 107, fig. 1 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 323	index
<i>angulatus, Cyrtograpsus</i> , Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 250 (specific name of the type species of <i>Cyrtograpsus</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>angulatus, Naiadites</i> , Dawson, 1860, <i>Supplement to 'Acadian Geology'</i> : 45, as interpreted by reference to the specimen No. 3132 in the Redpath Museum, Montreal, Canada (Bivalvia). Op. 734	available
<i>angulatus, Panulirus</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 81 (specific name of the type species of <i>Puerulus</i> Ortmann, 1897) (Crustacea, Decapoda). Op. 519	available
<i>angulicollis, Odynerus</i> , Spinola, 1851, <i>Hist. Chile, Zool.</i> , 6 : 261 (specific name of the type species of <i>Hypalastor</i> Saussure, 1856) (Insecta, Hymenoptera). Op. 893	available
<i>angulosa, Madrepora</i> , Pallas, 1766, <i>Elenchus zoophytorum sistens generum ...</i> , 28 , p. 299 (specific name of the type species of <i>Mussa</i> Oken, 1815) (Anthozoa). Op. 2061	available
<i>angusta, Gryphaea</i> , Lamarck, 1819, <i>Hist. nat. Anim. sans Vertèbr.</i> , 6 (1): 200 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 310	index
<i>angustata, Cypraea</i> , Gmelin, 1791, <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3421, as interpreted by the neotype designated by Griffiths, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 319) (Gastropoda). Op. 1197	available
<i>angustata, Molanna</i> , Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3) 4 : 214 (specific name of the type species of <i>Molanna</i> Curtis, 1834) (Insecta, Trichoptera). Op. 586	available
<i>angustatus, Staphylinus</i> , Geoffroy, 1785, <i>Entomologia Parisiensis</i> , vol. 1, p. 172 (Insecta, Coleoptera). Op. 2053	available
<i>angustatus, Staphylinus</i> , Solier, 1849, <i>Zoologia</i> , 4 : 320, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. angustatus</i> Schrank, 1781, <i>S. angustatus</i> Geoffroy, 1785 and <i>S. angustatus</i> Paykull, 1789 (Insecta, Coleoptera). Op. 2053	available

<i>angusticolle</i> , Coryphium , Stephens, 1834, <i>Illustrations of British entomology, Mandibulata</i> , vol. 5, p. 344 (specific name of the type species of Coryphium Stephens, 1834) (Insecta, Coleoptera). Op. 1597	available
<i>angusticollis</i> , Lesteva , Mannerheim, 1830, <i>Précis d'un nouvel arrangement de la famille des brachélytres de l'ordre des insectes coléoptères</i> , p. 56, a nomen protectum, ruled under the plenary power to be given precedence over <i>Staphylinus fulvus</i> De Geer, 1774 and <i>Carabus abbreviatus</i> Fabricius, 1779 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>angustifrons</i> , Asaphus , Dalman, [1827], <i>K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 1826(2): 239 (specific name of the type species of Ptychopyge Angelin, 1854) (Trilobita). Op. 538	available
<i>angustior</i> , Vertigo , Jeffreys, 1830, <i>Trans. linn. Soc. London</i> , 16(2): 361 (Gastropoda). Op. 336	available
<i>angustula</i> , Buprestis , Illiger, 1803, <i>Magazin für Insektenkunde</i> , 2: 240, given precedence under the plenary power over the name <i>pavida</i> Fabricius, 1793, as published in the binomen <i>Buprestis pavida</i> , whenever the two are considered to be synonyms (Coleoptera). Op. 2221	available
<i>angustus</i> , Ixodes , Neumann, 1899, <i>Mémoires de la Société Zoologique de France</i> , 12: 136, as defined by the neotype (catalogue no. RML 49479 in the U.S. National Tick collection, Department of Entomology, Museum Support Center, Smithsonian Institution, Washington, D.C., U.S.A.) designated under the plenary power, the type status of the holotype being suppressed under the plenary power (Arachnida, Acari). Op. 1624	available
<i>angustus</i> , Nabis , Spinola, 1837, <i>Essai sur les genres d'insectes appartenants à l'ordre des Hémiptères ... Gènes</i> : 107 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1302	index
<i>ani</i> , Crotophaga , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 105 (specific name of the type species of Crotophaga Linnaeus, 1758) (Aves). Direction 43	available
ANILIIDAE Stejneger, 1907, <i>Bull. U.S. nat. Mus.</i> , 58: 225 (type genus: Anilius Oken, 1816) (Reptilia). Op. 651	available
Anilius Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3: 284 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Anguis scytale</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 228) (Reptilia). Op. 651	available
Anisarthria Stephens, 1830, <i>Illustrations of British Entomology, Mandibulata</i> , 3: 61 (gender: feminine) (type species, by designation by Westwood, 1838 (<i>Synopsis of the genera of British insects</i> (part), London: 14): Dermestes melas Marsham 1802, <i>Entomologia britannica</i> : 78) ruled under the plenary power not to be given priority over the generic name <i>Ptenidium</i> Erichson, 1845 whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1277	available
<i>Anisocaris</i> Ortmann, 1893, in Hensen, <i>Ergebn. Plankton Exped.</i> , 2(G)(b): 72, 74 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 433	index

<i>anisotae</i> , <i>Achaetoneura</i> , Webber, 1930, <i>Proc. U.S. nat. Mus.</i> , 78 (10): 13 (specific name of the type species of <i>Lespesia</i> Robineau-Desvoidy, 1863) (Insecta, Diptera). Op. 1255	available
<i>Ankyloptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Ankylostoma</i> Lutz, 1885, <i>Sammel. klin. Vortr.</i> (fasc. 88): 2295 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchyllostoma</i>) Dubini, 1843). Direction 76	index
<i>Ankylostomum</i> Bugnion, 1881, <i>Brit. med. J.</i> , 1881 : 382 (an incorrect subsequent spelling for <i>Ancylostoma</i> (emendation of <i>Agchyllostoma</i>) Dubini, 1843). Direction 76	index
<i>annectens</i> , <i>Desmophyes</i> , Haeckel, 1888, <i>Report on the scientific results of the voyage of H.M.S. Challenger during the years 1872–76, Zoology</i> , 28 : 170 (specific name of the type species of <i>Desmophyes</i> Haeckel, 1888) (Cnidaria). Op. 2157	available
<i>Anniella</i> Gray, 1852, <i>Annals and Magazine of Natural History</i> , (2) 10 (59): 440 (gender: feminine) (type species, by monotypy: <i>Anniella pulchra</i> Gray, 1852) (Reptilia, Squamata). Op. 1735	available
<i>annulata</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 578 (specific name of the type species of <i>Hylaeus</i> Fabricius, 1793) (Insecta, Hymenoptera). Op. 1713	available
<i>annulatum</i> , <i>Piroplasma</i> , Dschunkowsky & Luhs, [1906], <i>Rep. VIIIth int. vet. Congr.</i> (Budapest, 1905), 3 : 290, as interpreted by Witenberg, 1947 (<i>Bull. zool. Nomencl.</i> , 1 : 233, 234) (Sporozoa). Op. 266	available
<i>annulatus</i> , <i>Sciurus</i> , Desmarest, 1822, <i>Ency. méth.</i> , Mamm. (2): 338 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 464	index
<i>annulatus</i> , <i>Sciurus</i> , Desmoulin, 1824, <i>Dict. class. Hist. Nat.</i> , 6 : 73 (a junior primary homonym of <i>annulatus</i> , <i>Sciurus</i> , Desmarest, 1822). Op. 464	index
<i>annulatus</i> , <i>Spiroglyphus</i> , Daudin, 1800, <i>Recueil de mémoires et de notes sur des espèces inédites ou peu connues de Mollusques, de Vers, et de Zoophytes</i> , p. 50 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>annulicornis</i> , <i>Coccobius</i> , Ratzeburg, 1852, <i>Die Ichneumonen der Forstinsecten in forstlicher und entomologischer Beziehung</i> , vol. 3, p. 195, as defined by the neotype designated by LaSalle & Bouček, 1989, <i>Bulletin of Zoological Nomenclature</i> , 46 : 133 (specific name of the type species of <i>Coccobius</i> Ratzeburg, 1852) (Insecta, Hymenoptera). Op. 1646	available
<i>annulicornis</i> , <i>Pandalus</i> , Leach, [1815], <i>Malac. podophth. Brit.</i> (2): expl. pl. 40 (a junior objective synonym of <i>montagui</i> , <i>Pandalus</i> , [Leach, 1814]). Direction 47	index
<i>anoa</i> , <i>Bos bubalus</i> , Kerr, 1792, <i>Animal Kingdom</i> : 239 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1349	index

- Anobium** Fabricius, 1775, *Syst. Entomol.*: 62 (gender: neuter) (type species, by designation under the plenary power: **Ptinus punctatus** de Geer, 1774, *Mém. Ins.*, **4**: 230) (Insecta, Coleoptera). Op. 1062 available
- Anodius** Motschulsky, 1860, in Schrenk, *Reisen und Forschungen im Amur-Lande*, **2**, zweite Lieferung, Coleopteren: 156, 157 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1145 index
- Anodon** Oken, 1815, *Lehrb. Naturgesch.*, **3**(1): 326 (an unjustified emendation of **Anodonta** Lamarck, 1799, and invalid also by reason of having been included in a work rejected for nomenclatural purposes). Op. 561 index
- Anodon** Smith, 1829, *Zool. J.*, **4**: 143 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 387 index
- Anodonta** Herrich-Schaeffer, 1855, *Samml. Aussereur. Schmett.*, **1**: 78 (a junior homonym of **Anodonta** Lamarck, 1799). Direction 72 index
- Anodonta** Lamarck, 1799, *Mém. Soc. Hist. nat. Paris*, **1799**: 87 (gender: feminine) (type species, by monotypy: **Mytilus cygneus** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 706) (Bivalvia). Op. 94 **Anodonta** Rambur, 1858, *Cat. syst. Lep. Andalusie*: pl. 4 (a junior homonym of **Anodonta** Lamarck, 1799). Direction 72 available
- Anodonta** Saunders, 1843, *Ann. Mag. nat. Hist.*, **11**: 66 (a junior homonym of **Anodonta** Lamarck, 1799). Direction 72 index
- Anodonte** Fischer von Waldheim, 1823, *Mém. Soc. imp. Nat. Moscou*, **6**: 230 (an unjustified emendation of **Anodonta** Lamarck, 1799). Op. 561 index
- Anodontes** Cuvier, 1817, *Règne Anim.*, **2**: 472 (an unjustified emendation of **Anodonta** Lamarck, 1799). Op. 561 index
- Anodontigenus** [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427 index
- Anolis** Daudin, 1802, *Histoire naturelle, générale et particulière des Reptiles*, vol. 4, p. 50 (gender: masculine) (type species, by designation under the plenary power: **Anolis carolinensis** Voigt, 1832) (Reptilia, Sauria). Op. 1385 available
- Anomala** Samouelle, 1819, *The Entomologist's Useful Compendium*, p. 191 (gender: feminine) (type species, by monotypy: **Melolontha frischii** Fabricius, 1775) (Insecta, Coleoptera). Op. 1546 available
- Anomala** von Block, 1799, in Becker, *Der Plauische Grund bei Dresden, mit Hinsicht auf Naturgeschichte und schöne Gartenkunst*, p. 119, and all uses of the name prior to the publication of **Anomala** Samouelle, 1819 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1546 index
- Anomalina** d'Orbigny, 1826, *Annales des Sciences Naturelles*, **7**: 282 (gender: feminine) (type species, by designation under the plenary power: **Anomalina ariminensis** d'Orbigny in Fornasini, 1902) (Foraminiferida). Op. 1902 available

<i>anomalipes</i> , <i>Thaumastoplax</i> , Miers, 1881, <i>Ann. Mag. nat. Hist.</i> , (5)8: 261 (specific name of the type species of <i>Thaumastoplax</i> Miers, 1881) (Crustacea, Decapoda). Direction 36	available
<i>anomalus</i> , <i>Cancer (Astacus)</i> , Herbst, 1804, <i>Versuch Naturgesch. Krabben Krebse</i> , 3(4): 45 (valid name at the date of Opinion 434 of the type species of <i>Thalassina</i> Latreille, 1806) (Crustacea, Decapoda). Op. 434	available
<i>anomalus</i> , <i>Halictus</i> , Robertson, 1892, <i>American Naturalist</i> , 26: 272 (specific name of the type species of <i>Dialictus</i> Robertson, 1902) (Insecta, Hymenoptera). Op. 1882	available
<i>Anomigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>anonyma</i> , <i>Limenitis</i> , Lewis, 1872, <i>Zoologist</i> , (2)(7): 3074 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 562	index
<i>anonymus</i> , <i>Pogoniulus chrysoconus</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12)9: 368 (a junior primary homonym of <i>anonymus</i> , <i>Pogoniulus chrysoconus</i> , Horniman, 1940). Op. 480	index
<i>anonymus</i> , <i>Pogoniulus chrysoconus</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>Anopheles</i> Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1: 10 (gender: masculine) (type species, by designation under the plenary power: <i>Anopheles maculipennis</i> Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1: 11) (Insecta, Diptera). Op. 547	available
ANOPHELINA Theobald, 1901, <i>Monogr. Culic.</i> , 1: 97 (type genus: <i>Anopheles</i> Meigen, 1818) (an incorrect original spelling for ANOPHELINAE Theobald, 1901, but available as a name for a familygroup taxon below the subfamily level unless and until other terminations are prescribed for the names of such taxa). Op. 547	index
ANOPHELINAE (correction of ANOPHELINA) Theobald, 1901, <i>Monogr. Culic.</i> , 1: 97 (type genus: <i>Anopheles</i> Meigen, 1818) (Insecta, Diptera). Op. 547	available
<i>anophtalmus</i> , <i>Palaemon</i> , Kollar, 1848, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 1: 137 (an incorrect original spelling for <i>anophthalmus</i> , <i>Palaemon</i> , Kollar, 1848). Op. 470	index
<i>anophthalmus</i> (emendation under the plenary power of <i>anophtalmus</i>), <i>Palaemon</i> , Kollar, 1848, <i>SitzBer. Kais. Akad. Wiss. Wien</i> , 1: 137 (valid name at the date of Opinion 470 of the type species of <i>Troglocaris</i> Dormitzer, 1853) (Crustacea, Decapoda). Op. 470	available
<i>Anoplus</i> Dufour, 1834, <i>Annls. Soc. entomol. Fr.</i> , 2: 484 (gender: masculine) (type species, by designation under the plenary power: <i>Sphex nigerrimus</i> Scopoli, 1763, <i>Entomol. Carn.</i> : 295) (Insecta, Hymenoptera). Op. 997 <i>noura</i> Gervais, 1843, <i>Ann. Soc. entomol. France</i> , 11, Bull.: xlvii (a junior homonym of <i>Anoura</i> Gray, 1838). Op. 435	available

<i>Anoplocephala</i> Blanchard, 1848, <i>Annales Sciences naturelles, Paris</i> (3) <i>Zoologie</i> , 10 : 344 (gender: feminine) (type species, by subsequent designation by Braun, 1900, in <i>Bronn's Klassen und Ordnungen des Tierreichs</i> , vol. 4, Abt. Ib, Lief. 59-62, p. 1657):	
<i>Taenia perfoliata</i> Schrank, 1788 (Cestoda). Op. 77, Op. 1427 <i>Anoplocephala</i> Stål, 1870, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , 9 (1): 88 (a junior homonym of <i>Anoplocephala</i> Blanchard, 1848) (Insecta, Heteroptera). Op. 1427	available
<i>anserinus, Pediculus</i> , Fabricius, 1805, <i>Syst. Antliat.</i> : 345 (valid name at the date of Opinion 629 of the type species of <i>Trinoton</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 629	available
<i>Antalastor</i> Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 328 (an objective junior synonym of <i>Alastor</i> Lepeletier, 1841) (ruled under the plenary power to be available from the date of publication by H. de Saussure). Op. 893	index
<i>Antalis</i> Adams & Adams, [1854], <i>Gen. rec. Moll.</i> , 1 : 457 (gender: feminine) (type species, by designation by Pilsbry & Sharp, 1897 (in Tryon, <i>Man. Conch.</i> , 17 : 37): <i>Dentalium entalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 785) (Scaphopoda). Op. 361	available
<i>Antalis</i> Herrmannsen, 1846, <i>Indicus Gen. Malacoz. Primordia</i> , 1 : 63 (a nomen nudum). Op. 361	index
<i>antarctica, Tullbergia</i> , Lubbock, 1876, <i>Ann. Mag. nat. Hist.</i> , (4) 18 : 324 (specific name of the type species of <i>Tullbergia</i> Lubbock, 1876) (Insecta, Collembola). Op. 291	available
<i>antarcticus, Crangon</i> , Pfeffer, 1887, <i>Jahrb. Hamb. wiss. Anst.</i> , 4 : 45 (specific name of the type species of <i>Notocrangon</i> Coutière, 1900) (Crustacea, Decapoda). Op. 470	available
<i>antarcticus, Scyllarus</i> , Lund, 1793, <i>Skr. naturh. Selsk. Kh.</i> , 2 (2): 22, as interpreted by the lectotype designated by Holthuis, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 111) (specific name of the type species of <i>Parribacus</i> Dana, 1852) (Crustacea, Decapoda). Op. 519	available
<i>antarticus, Canis</i> , Kerr, 1792, <i>Anim. Kingd.</i> : 136 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 451	index
<i>Antedon</i> Fréminville, 1811, <i>Nouv. Bull. Sci. Soc. philomat. Paris</i> , 2 (49): 349 (gender: feminine) (type species, by monotypy: <i>Antedon gorgonia</i> Fréminville, 1811, <i>Nouv. Bull. Sci. Soc. philomat. Paris</i> , 2 (49): 349, valid name: <i>Asterias bifida</i> Pennant, 1777) (Crinoidea). Op. 73, Direction 72	available
<i>antennatus, Penaeus</i> , Risso, 1816, <i>Hist. nat. Crust. env. Nice</i> : 96 (specific name of the type species of <i>Aristeus</i> Duvernoy, 1840) (Crustacea, Decapoda). Op. 864	available
<i>Antepipona</i> Saussure, 1855, <i>Et. Fam. Vespa.</i> , 3 : 244 (gender: feminine) (type species: <i>Odynerus silaos</i> Saussure, 1853, <i>Et. Fam. Vespa.</i> , 1 : 213) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Anthalia</i> Zetterstedt, 1838, <i>Insecta laponica</i> : 538 (gender: feminine) (type species, by designation under the plenary power: <i>Anthalia schoenherri</i> Zetterstedt, 1838, <i>Insecta laponica</i> : 539) (Insecta, Diptera). Op. 1347	available

<i>Anthanassa</i> Scudder, 1875, <i>Bull. Buffalo Soc. nat. Hist.</i> , 2 : 268 (gender: feminine) (type species, by designation under the plenary power: <i>Melitaea texana</i> Edwards, 1863, <i>Proceedings entomol. Soc. Philadelphia</i> , 2 : 81) (Insecta, Lepidoptera). Op. 839	available
<i>Anthaxia</i> Eschscholtz, 1829, <i>Abbildungen und Beschreibungen neuer Tierarten, während des Flottcapitains v. Kotzebue zweiter Reise um die Welt, auf der Russisch-Kaiserlichen Kriegsschlup Predpriate in den Jahren 1823-1826. Zoologischer Atlas, erste Hefte</i> , p. 9 (gender: feminine) (type species, by designation under the plenary power: <i>Buprestis nitida</i> Rossi, 1792, a junior subjective synonym of <i>Buprestis fulgurans</i> Schrank, 1789) (Insecta, Coleoptera). Op. 2009	available
ANTHIDIIDAE Ashmead, 1899, <i>Transactions of the American Entomological Society</i> , 26 : 72 (type genus: <i>Anthidium</i> Fabricius, 1804), ruled under the plenary power that this name and other family-group names based on <i>Anthidium</i> are to be given precedence over STELIDIDAE Schenck, 1860 and other family-group names based on <i>Stelis</i> Panzer, 1806 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Anthidium</i> Fabricius, 1804, <i>Systema Piezatorum</i> , p. 364 (gender: neuter) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes ...</i> , p. 439: <i>Apis manicata</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1713	available
ANTHOCORIDAE Fieber, 1837 (as ANTHOCORIDEA), <i>Beitr. Nat. Heilwiss.</i> , 1 : 106 (type genus: <i>Anthocoris</i> Fallén, 1814) (Insecta, Hemiptera). Direction 109	available
ANTHOCORIDEA Fieber, 1837, <i>Beitr. Nat. Heilwiss.</i> , 1 : 106 (type genus: <i>Anthocoris</i> Fallén, 1814) (an incorrect original spelling for ANTHOCORIDAE Fieber, 1837). Direction 109	index
<i>Anthocoris</i> Fallén, 1814, <i>Spec. nov. Hemipt. (1)</i> : 9 (gender: masculine) (type species, by designation by Westwood, [1840] (<i>Introd. mod. Class. Ins.</i> , 2 , Syn. Gen. brit. Ins.: 120): <i>Cimex nemorum</i> Linnaeus, 1761, <i>Fauna svec.</i> (Ed. 2): 254) (Insecta, Hemiptera). Op. 104, Direction 63	available
<i>Anthophagus</i> Gravenhorst, 1802, <i>Coleoptera Microptera Brunsicensia ...</i> , p. 120 (gender: masculine) (type species, by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera, synoptiskt bearbetade</i> , vol. 1, p. 48: <i>Staphylinus alpinus</i> Fabricius, 1793) (Insecta, Coleoptera). Op. 2084	available
<i>Anthophora</i> Latreille, 1803, <i>Nouv. Dict. Hist. nat.</i> , 18 : 167 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Apis pilipes</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 383) (Insecta, Hymenoptera). Op. 151	available
ANTHOPHORIDAE Dahlbom, 1835, <i>Clavis novi hymenopterorum systematis ...</i> , p. 5 (type genus: <i>Anthophora</i> Latreille, 1803), ruled under the plenary power that this name and other family-group names based on <i>Anthophora</i> are to be given precedence over EUCERIDAE Latreille, 1802, XYLOCOPIDAE Latreille, 1802, CERATINIDAE Latreille, 1802 and NOMADIDAE Fallén, 1813 and other family-group names based on <i>Eucera</i> Scopoli, 1770, <i>Xylocopa</i> Latreille, 1802, <i>Ceratina</i> Latreille, 1802 and <i>Nomada</i> Scopoli, 1770 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available

<i>anthraciniformis</i> , <i>Sphinx</i> , Esper, 1798, <i>Die Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen</i> , Suppl. Bd. (2 Abschnitt), Abendschmett.: 29 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1287	index
<i>Anthraconauta</i> Pruvost, 1930, <i>Mém. Mus. roy. Hist. nat. Belg.</i> , 44 : 247 (gender: masculine) (type species, by original designation: <i>Unio phillipsii</i> Williamson, 1836, <i>Phil. Mag.</i> , (3) 9 : 350, 351, to be interpreted by reference to specimen L10106 in the Geology Department of the Manchester Museum, England) (Bivalvia). Op. 595	available
<i>Anthrenus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 113 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Mroczkowski, 1968, <i>Annales Zoologici</i> , 26 : 139: <i>Dermestes scrophulariae</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
ANTHRIBIDAE Billberg, 1820, <i>Enumeratio insectorum in museo Gust. Joh. Billberg</i> , p. 39 (type genus: <i>Anthribus</i> Geoffroy, 1762), ruled under the plenary power that this name and other family-group names based on <i>Anthribus</i> are to be given precedence over CHORAGIDAE Kirby, 1819 and other family-group names based on <i>Choragus</i> Kirby, 1819 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1756	available
<i>Anthribus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 306 (gender: masculine) (type species, by subsequent designation by Jordan, 1931, <i>Novitates Zoologicae</i> , 36 : 287: <i>Anthribus fasciatus</i> Forster, 1770) (Insecta, Coleoptera). Op. 1754	available
<i>anthyllidis</i> , <i>Lycastes</i> , Hübner, [1819], <i>Verzeichniss bekannter Schmettlinge</i> , p. 118, and all uses of the name prior to that by Boisduval, 1828 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1391	index
<i>anthyllidis</i> , <i>Zygaena</i> , Boisduval, [1828], <i>Essai sur une Monographie des Zygénides</i> , p. 78 (Insecta, Lepidoptera). Op. 1391	available
<i>antillarum</i> , <i>Cimex</i> , Kirkaldy, 1909, <i>Cat. Hemipt. (Heteropt.)</i> , 1 (Cimicidae): 284 (specific name of the type species of <i>Tetyra</i> Fabricius, 1803) (Insecta, Hemiptera). Op. 255	available
<i>antilope</i> , <i>Bledius</i> , Peyron, 1858, <i>Annales de la Société Entomologique de France</i> , (3) 6 : 431, ruled under the plenary power not to be given priority over <i>Bledius graellsii</i> Fauvel, 1865 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>antinomia</i> , <i>Terebratula</i> , Catullo, 1827, <i>Saggio di Zoologia Fossile</i> , Padua, p. 169, pl. 5, figs. p, r, s, t (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1466	index
<i>Antiope</i> Alder & Hancock, 1848, <i>Ann. Mag. nat. Hist.</i> , (2) 1 : 190 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678	index
<i>antipai</i> , <i>Styloptocuma</i> , Băcescu & Muradian, 1974, <i>Revue Roumaine de Biologie</i> , 19 : 71 (specific name of the type species of <i>Styloptocuma</i> Băcescu & Muradian, 1974) (Cumacea). Op. 1769	available

<i>antiqua</i> , <i>Belemnoteuthis</i> , Pearce, 1847, <i>London Geological Journal</i> , 2 : pls. 15-16 (specific name of the type species of <i>Belemnotheutis</i> Pearce, 1842) (Cephalopoda, Coleoidea). Op. 1914	available
<i>antiqua</i> , <i>Carbonicola</i> , Hind, 1894, <i>Carbonicola, Anthracomya and Naiadites</i> (Palaeontogr. Soc.): 80 (Bivalvia). Op. 858	available
<i>antiqua</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 503 (specific name of the type species of <i>Orgyia</i> Ochsenheimer, 1810) (Insecta, Lepidoptera). Op. 1283	available
<i>antiquus</i> , <i>Conus</i> , Lamarck, 1810, <i>Ann. Mus. Hist. nat.</i> , Paris, 15 : 439, as interpreted by the lectotype designated by Kohn, 1982 (<i>Bull. zool. Nomencl.</i> , 39 : 283, 284) (Gastropoda). Op. 1350	available
<i>Antirhynchonella</i> Oehlert, 1887, in Fischer, <i>Manuel Conchyl.</i> , 11 : 1311 (gender: feminine) (type species, by original designation: <i>Atrypa linguifera</i> Sowerby, 1839, in Murchison, <i>Silurian System</i> : 629) (Brachiopoda). Op. 374	available
<i>Antirhynchonella</i> Quenstedt, 1871, <i>Petrifactenk. Deutschlands</i> , 2 (Brach.): 727 (a nomen nudum). Op. 374	index
<i>Antispila</i> Hübner, [1825], <i>Verzeichniss bekannter Schmetterlinge</i> , p. 419 (gender: feminine) (type species, by designation under the plenary power: <i>Antispila stadtmuellerella</i> Hübner, [1825], a junior subjective synonym of <i>Tinea metallella</i> [Denis & Schiffermüller], 1775) (Insecta, Lepidoptera). Op. 1479	available
<i>antivertigo</i> , <i>Pupa</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 57 (Gastropoda). Op. 336	available
<i>Antodynerus</i> Saussure, 1855, <i>Et. Fam. Vesps.</i> , 3 : 242, 287 (gender: masculine) (type species: <i>Vespa flavescens</i> Fabricius, 1775, <i>Syst. entomol.</i> : 370 (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Anura</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 27 (a junior homonym of <i>Anura</i> Hodgson, 1841). Op. 435	index
ANUROPHORINAE Börner, June 1901, <i>Zool. Anz.</i> , 24 : 341 (type genus: <i>Anurophorus</i> Nicolet, [1842]) (Insecta, Collembola). Op. 439	available
<i>Anurophorus</i> Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 53 (gender: masculine) (type species, by designation under the plenary power: <i>Anurophorus laricis</i> Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 53) (Insecta, Collembola). Op. 439	available
ANUROPIDAE Stebbing, 1893, <i>History of Crustacea</i> : 345 (type genus: <i>Anuropus</i> Beddard, 1886) (Crustacea, Isopoda). Op. 1357	available
<i>Anuropoda</i> Băcescu, 1980, <i>Trav. Mus. Hist. nat. Bucuresti</i> , 22 : 381 (gender: feminine) (type species, by monotypy: <i>Anuropoda francispori</i> Băcescu, 1980, <i>Trav. Mus. Hist. nat. Bucuresti</i> , 22 : 384) (Crustacea, Tanaidacea). Op. 1357	available

ANUROPODIDAE Băcescu, 1980, <i>Trav. Mus. Hist. nat. Bucuresti</i> , 22 : 384 (type genus: <i>Anuropoda</i> Băcescu, 1980) (Crustacea, Tanaidacea). Op. 1357	available
ANUROPODINAE (correction by Calman, 1907, of ANUROPODIDAE) Stebbing, 1893, <i>History of Crustacea</i> : 345 (type genus: <i>Anuropus</i> Beddard, 1886) (invalid in consequence of a ruling under the plenary power that the stem of the name of the type genus is ANUROP-). Op. 1357	index
<i>Anuropus</i> Beddard, 1886, <i>Proceedings zool. Soc. London</i> , 1886 : 112 (gender: masculine) (type species, by monotypy: <i>Anuropus branchiatus</i> Beddard, 1886, <i>Proceedings zool. Soc. London</i> , 1886 : 384) (Crustacea, Isopoda). Op. 1357	available
<i>Apaloderma</i> Swainson, 1833, <i>Zool. Illustr.</i> , (2) 3 (24): pl. 107 (gender: neuter) (type species, by original designation: <i>Trogon narina</i> Stephens, 1815, in Shaw, <i>Gen. Zool. (Aves)</i> , 9 (1): 14) (Aves). Op. 67	available
APARALLACTINAE Bourgeois, 1968, <i>Publ. Univ. Offic. Congo Lumumbashi</i> , 18 : 165 (type genus: <i>Aparallactus</i> Smith, 1849), ruled under the plenary power to be given precedence over the family-group name URIECHINAE Cope, 1893 whenever <i>Aparallactus</i> Smith, 1849 and <i>Uriechis</i> Peters, 1854 are placed in the same family-group taxon (Reptilia). Op. 1201	available
<i>Aparallactus</i> Smith, 1849, <i>Illustrations of the zoology of South Africa</i> , Reptilia: 15 (gender: masculine) (type species, by monotypy: <i>Aparallactus capensis</i> Smith, 1849, <i>Illustrations of the zoology of South Africa</i> , Reptilia: 16) (Reptilia). Op. 1201	available
<i>Apatania</i> Kolenati, 1847, <i>Allgem. deutsch. Naturhist. Ztg.</i> , 2 (5-6): folio page appendix (gender: feminine) (type species, by designation under the plenary power: <i>Apatania wallengreni</i> McLachlan, 1871, <i>Entomol. mon. Mag.</i> , 7 : 281) (Insecta, Trichoptera). Op. 586	available
APATANIIDAE Wallengren, 1891, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 24 (10): 85 (type genus: <i>Apatania</i> Kolenati, 1847) (Insecta, Trichoptera). Op. 586	available
<i>Apatele</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Apatura</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1181 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Apatura</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 280 (conserved under the plenary power) (gender: feminine) (type species, by designation by Curtis, 1831 (<i>Brit. Entomol.</i> , 5 : pl. 338); <i>Papilio iris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 476, as interpreted by the lectotype designated under the plenary power, namely the specimen figured by South, 1906 (<i>The Butterflies of the British Isles</i> : pl. 29, fig. 1) (type locality: 'England')) (Insecta, Lepidoptera). Op. 232, Op. 264	available
APATURIDAE (correction of APATURIDES) Boisduval, 1840, <i>Genera et Index methodicus Europaeorum Lepidopterorum</i> : 24 (type genus: <i>Apatura</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 99, Direction 118	available
APATURIDES Boisduval, 1840, <i>Genera et Index methodicus Europaeorum Lepidopterorum</i> : 24 (type genus: <i>Apatura</i> Fabricius, 1807) (an incorrect original spelling for APATURIDAE Boisduval, 1840). Direction 99	index

- Apedoipelte* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 561 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Apeistus* Motschulsky, 1840, *Bulletin de la Société Impériale des Naturalistes de Moscou*, **1840**: 186 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1397 index
- Aper* Pallas, 1766, *Miscell. zool.*: 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466 index
- aperea**, *Cavia*, Erxleben, 1777, *Systema regni animalis ... Classis 1 (Mammalia)*, p. 348, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027 available
- Aphanes* Holmberg, 1918, *Physis* (Buenos Aires), **4**: 146 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- APHANIDAE Lethierry & Severin, 1894, *Cat. gén. Hémipt.*, **2**: 188 (type genus: *Aphanus* auct.) (invalid because based on a misidentified type genus). Op. 676 index
- Aphanius** Nardo, 1827, *Giornale di Fisica, Chimica, Storia naturale, Medicina ed Arti (Pavia)*, Decade Seconde, **10**: 34, 39-40 (gender: masculine) (type species, by subsequent designation by Jordan, 1917, *Leland Stanford Junior University Publications, University Series*, **27**: 121: *Aphanius nanus* Nardo, 1827, a junior subjective synonym of *Lebias fasciata* Valenciennes in Humboldt & Valenciennes, 1821) (Osteichthyes). Op. 2057 available
- aphanoides*, *Tritomacera*, Costa, 1841, *Ann. Soc. entomol. France*, (1)**10**: 296, 297 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 680 index
- Aphanus** Laporte, 1833, *Mag. Zool.*, **2**, Suppl.: 35 (conserved under the plenary power) (gender: masculine) (type species, by designation by Kirkaldy, 1900 (*Entomologist*, **33**(448): 241): *Cimex rolandri* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 448) (Insecta, Hemiptera). Op. 676 available
- Aphelocheira* Stephens, 1836, *Ill. Brit. Entomol.*, Mand., **6**: 179 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 758 index
- APHIDAE [Leach, 1815], *in Brewster's Edinburgh Ency.*, **9**: 125, 126 (type genus: *Aphis* Linnaeus, 1758) (an incorrect subsequent spelling for APHIDIDAE Latreille, [1802]). Op. 677 index
- APHIDIDAE** (correction of APHIDII) Latreille, [1802], *in Sonnini's Buffon, Hist. nat. gén. partic. Crust. Ins.*, **3**: 263 (type genus: *Aphis* Linnaeus, 1758) (Insecta, Hemiptera). Op. 677 available
- APHIDII Latreille, [1802], *in Sonnini's Buffon, Hist. nat. gén. partic. Crust. Ins.*, **3**: 263 (type genus: *Aphis* Linnaeus, 1758) (an incorrect original spelling for APHIDIDAE Latreille, [1802]). Op. 677 index

APHIDINA Burmeister, 1835, <i>Handb. Entomol.</i> , 2 : 85 (type genus: <i>Aphis</i> Linnaeus, 1758) (an incorrect subsequent spelling for APHIDIDAE Latreille, [1802]). Op. 677	index
<i>Aphidius</i> Nees, 1818, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 9 : 302 (gender: masculine) (type species, by designation under the plenary power: <i>Aphidius avenae</i> Haliday, 1834, <i>Entomol. Mag.</i> , 2 (1): 99) (Insecta, Hymenoptera). Op. 284	available
APHIIDAE Baker, 1921, <i>Proc. entomol. Soc. Washington</i> , 23 : 101 (type genus: <i>Aphis</i> Linnaeus, 1758) (an incorrect subsequent spelling for APHIDIDAE Latreille, [1802]). Op. 677	index
<i>Aphis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 451 (gender: feminine) (type species, by designation under the plenary power: <i>Aphis sambuci</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 451) (Insecta, Hemiptera). Op. 677	available
<i>Aphonopelma</i> Pocock, 1901, <i>Annals and Magazine of Natural History</i> , (7) 8 (48): 553 (gender: neuter) (type species, by original designation: <i>Eurypelma seemanni</i> Pickard-Cambridge, 1897), ruled under the plenary power to be given precedence over <i>Rhechostica</i> Simon, 1892 whenever the two names are considered to be synonyms (Arachnida, Araneae). Op. 1637	available
<i>Aphrophora</i> Germar, 1821, <i>Mag. Entomol.</i> (Germar), 4 (1): 48-50 (gender: feminine) (type species, by designation under the plenary power: <i>Cercopis alni</i> Fallén, [1806], <i>K. Svensk. Vetensk.-Akad. nya Handl.</i> , 26 (4): 240-243) (Insecta, Hemiptera). Op. 590	available
APHROPHORIDAE (correction by Dohrn, 1859, of APHROPHORIDES) Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Hémipt.</i> : 563 (type genus: <i>Aphrophora</i> Germar, 1821) (Insecta, Hemiptera). Op. 590	available
<i>apiarius, Attelabus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 388 (specific name of the type species of <i>Trichodes</i> Herbst, 1792) (Insecta, Coleoptera). Op. 1273	available
<i>apiaster, Merops</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 117 (specific name of the type species of <i>Merops</i> Linnaeus, 1758) (Aves). Direction 4	available
<i>apiata, Alauda</i> , Vieillot, 1816, <i>Nouveau dictionnaire d'histoire naturelle</i> , Ed. 2, vol. 1, p. 342 (Aves). Op. 1859	available
<i>apicalis, Pygophora</i> , Schiner, 1868, <i>Nov. Reise, Diptera</i> : 295 (specific name of the type species of <i>Pygophora</i> Schiner, 1868) (Insecta, Diptera). Op. 867	available
<i>apicalis, Tachinus</i> , Erichson, 1839, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 1, p. 250, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>T. apicalis</i> Stephens, 1832 (Insecta, Coleoptera). Op. 2053	available
APIDAE Burmeister, 1843, <i>Organ. Trilob.</i> : table opp. p. 38 (type genus: <i>Apus</i> Cuvier, 1800) (an incorrect original spelling for APODIDAE Burmeister, 1843) (invalid because the name of the type genus is a junior homonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>apii, Alyisia</i> , Curtis, 1826, <i>British entomology</i> , vol. 2, p. 141 (specific name of the type species of <i>Dapsilarthra</i> Foerster, 1862) (Insecta, Hymenoptera). Op. 1424	available

APISTINI Ganglbauer, 1899, <i>Die Käfer von Mitteleuropa</i> , p. 873 (invalid because based on a junior homonym, <i>Apistus</i> Agassiz, 1846) (Insecta, Coleoptera). Op. 1397	index
<i>Apistus</i> Agassiz, 1846, <i>Nomenclatoris zoologici index universalis</i> , p. 29 (a junior homonym of <i>Apistus</i> Cuvier in Cuvier & Valenciennes, 1829) (Insecta, Coleoptera). Op. 1397	index
<i>Apletodon</i> Briggs, 1955, <i>Stanford Ichth. Bull.</i> , 6 : 22, 25 (gender: masculine) (type species, by monotypy: <i>Lepadogaster microcephalus</i> Brook, 1889, <i>Proceedings roy. phys. Soc. Edinburgh</i> , 10 : 166, pl. 7, figs. 1- 4) (Osteichthyes). Op. 638	available
<i>Aplexa</i> Fleming, [1820], in Brewster's <i>Edinburgh Ency.</i> , 14 : 617 (gender: feminine) (type species, by monotypy: <i>Bulla hypnorum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727) (Gastropoda). Op. 335	available
<i>Aplysia</i> (emendation of <i>Laplysia</i>) Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1082 (gender: feminine) (type species, by designation under the plenary power: <i>Aplysia depilans</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3103) (Gastropoda). Op. 200	available
APLYSIIDAE Swainson, 1840 (as APLYSIANAE), <i>Treatise Malacology</i> : 247, 248, 251 (type genus: <i>Aplysia</i> Linnaeus, 1767) (Gastropoda). Op. 1182	available
APODES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 132 (type genus: <i>Monops</i> Billberg, 1820) (invalid because based upon the specific name of the type species of the type genus). Op. 502	index
APODIDAE (correction by Agassiz, 1846 (<i>Nomencl. zool. Index univ.</i> : 30) of APIDAE) Burmeister, 1843, <i>Organ. Trilob.</i> : table opp. p. 38 (type genus: <i>Apus</i> Cuvier, 1800) (invalid because the name of the type genus is a junior homonym of <i>Apus</i> Scopoli, 1777). Op. 50 APODIDAE Reichenow, 1897, <i>Orn. Monatsber.</i> , 5 : 10 (type genus: <i>Apus</i> Scopoli, 1777) (invalid because published for some purpose other than zoological nomenclature). Op. 502	index
APODINAE Hartert, 1897, <i>Das Tierreich</i> , 1 : 80 (type genus: <i>Apus</i> Scopoli, 1777) (Aves). Op. 502	available
<i>Apodium</i> Rafinesque, 1814, <i>Princip. fond. somiol.</i> : 29 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 502	index
<i>Apolybas</i> Alvarenga, 1965, <i>Boletim da Universidade Federal do Paraná, Zoologia</i> , 2 (6): 81 (a junior objective synonym of <i>Lybas</i> Lacordaire, 1842) (Insecta, Coleoptera). Op. 1824	index
<i>Apolygus</i> China, 1941, <i>Proceedings r. entomol. Soc. London (B)</i> , 10 : 60 (gender: masculine) (type species, by original designation: <i>Phytocoris limbatus</i> Fallén, 1829, <i>Hemipt. svec.</i> : 92) (Insecta, Hemiptera). Op. 667	available
<i>Aponaulax</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 571 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

- Apophaneros* Holmberg, 1918, *Physis* (Buenos Aires), **4**: 145 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Aporcelaimus* Thorne & Swanger, 1936, *Capita Zoologica*, **6**(4): 123 (gender: masculine) (type species, by designation under the plenary power: *Dorylaimus superbus* de Man, 1880) (Nematoda). Op. 1904 available
- Apos* Scopoli, 1777, *Introd. Hist. nat.*: 404 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 502
- Apostraphia* Hübner, 1816, *Verz. bekannt. Schmett.*, (1): 13 (a junior objective synonym of *Heliconius* Kluk, 1802). Op. 382 index
- appendiculata*, *Blastophaga*, Mayr, 1885, *Verh. zool.-bot. Ges. Wien*, **35**(1): 161, 164 (specific name of the type species of *Ceratosolen* Mayr, 1885) (Insecta, Hymenoptera). Op. 682 available
- appendiculata*, *Fasciola*, Rudolphi, 1802, *Archiv Zool.* (Wiedemann), **3**(1): 78 (specific name of the type species of *Hemimurus* Rudolphi, 1809) (Trematoda). Direction 77 available
- appendiculatus*, *Caligus*, Müller, 1852, *Arch. Naturgesch.*, **18**(1): 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 943 index
- applanata*, *Globigerina*, Hantken, 1883, *Ertek. Termesz. Köreböl. Tud. Akad.*, **13**: 11, pl. 2, fig. 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1316 index
- Aptenodita* Bonnaterre, 1791, *Ency. méth., Orn.*, **1**: xxxiv (an incorrect subsequent spelling for *Aptenodytes* Miller, 1778). Direction 44 index
- Aptenodites* Lesson, 1837, *Compl. Buffon*, **9**: 542 (an incorrect subsequent spelling for *Aptenodytes* Miller, 1778). Direction 44 index
- Aptenodyta* Gmelin, 1788, in Linnaeus, *Systema Naturae*, Ed. 13, vol. 2, part 1, pp. 242, 559 (an incorrect subsequent spelling for *Aptenodytes* Miller, 1778). Direction 44 index
- Aptenodytes* Forster, 1777, in Forster, *Voy. World*, **1**: 98 (a nomen nudum). Direction 44 index
- Aptenodytes* Miller, 1778, *Var. Subj. nat. Hist.*: pl. 23 (gender: masculine) (type species, by monotypy: *Aptenodytes patagonica* Miller, 1778, *Var. Subj. nat. Hist.*: pl. 23) (Aves). Op. 67 *aptera*, *Forficula*, Charpentier, 1825, *Hor. Entomol.*: 69 (specific name of the type species of *Chelidura* Berthold, 1827) (Insecta, Dermaptera). Direction 5 available
- Apterembia* Ross, 1957, *Bull. zool. Nomencl.*, **13**: 81 (gender: feminine) (type species, by original designation for the replaced name *Dictyoploca* Krauss, 1911: *Dictyoploca cercocyrtta* Krauss, 1911, *Zoologica*, Stuttgart, No. 60: 55) (Insecta, Embioptera). Op. 545 available

<i>Apterornis</i> Owen, 1848, <i>Proceedings of the Zoological Society of London</i> , 16 : 1, ruled under the plenary power to be an incorrect original spelling of <i>Aptornis</i> (Aves). Op. 1874	index
<i>apterum, Ptilium</i> , Guérin-Méneville, 1839, <i>Dict. pitt. hist. nat. phén. nature</i> : 621 (specific name of the type species of <i>Ptinella</i> Motschulsky, 1844) (Insecta, Coleoptera). Op. 1307	available
<i>Apteryx</i> Shaw, 1813, <i>Nat. Miscell.</i> , 24 : pl. 1057 (gender: feminine) (type species, by monotypy: <i>Apteryx australis</i> Shaw, 1813, <i>Nat. Miscell.</i> , 24 : pl. 1057) (Aves). Op. 67	
<i>Aptinothrips</i> Haliday, 1836, <i>Entomol. Mag.</i> , 3 : 445 (gender: masculine) (type species, by designation under the plenary power: <i>Thrips (Aptinothrips) rufa</i> Haliday, 1836, <i>Entomol. Mag.</i> , 3 : 445) (Insecta, Thysanoptera). Op. 1338	available
<i>Aptornis</i> Owen, 1848, <i>Proceedings of the Zoological Society of London</i> , 16 : 1 (gender: masculine) (type species, by monotypy: <i>Dinornis otidiformis</i> Owen, 1844), ruled under the plenary power to be the correct original spelling of <i>Apterornis</i> (Aves). Op. 1874	available
APTORNITHIDAE Bonaparte, 1856, <i>Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris</i> , 43 : 109 (type genus: <i>Aptornis</i> Owen, 1848) (Aves). Op. 1874	available
<i>Apus</i> Cuvier, [1797-1798], <i>Tabl. élém. Hist. nat. Anim.</i> : 700 (a nomen nudum). Op. 502	index
<i>Apus</i> Cuvier, 1800, <i>Leçons Anat. comp.</i> , 1 : tabl. 7 (a junior homonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>Apus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 16 (a junior homonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>Apus</i> Schaeffer, 1756, <i>Krebsart. Kiefenfuss</i> : 131 (invalid because published before the starting point of zoological nomenclature). Op. 502	index
<i>Apus</i> Schoch, 1868, <i>Mikr. Thiere</i> , 2 : iii, 21 (a junior homonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>Apus</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 483 (gender: masculine) (type species, by monotypy: <i>Hirundo apus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1: 192) (Aves). Op. 502	available
<i>apus, Hirundo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 192 (specific name of the type species of <i>Apus</i> Scopoli, 1777) (Aves). Op. 502	available
<i>apus, Monoculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 635, as interpreted by the lectotype designated by Holthuis, 1956 (<i>in</i> Holthuis & Hemming, <i>Bull. zool. Nomencl.</i> , 12 : 72) (specific name of the type species of <i>Lepidurus</i> Leach, 1819) (Crustacea, Branchiopoda). Op. 502	available
<i>apus, Prionorhynchotus</i> , Tilesius von Tilenum, 1818, <i>Ann. Wetterau. Ges. Naturk.</i> , 4 : 6 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
APUSIENS Milne Edwards, 1840, <i>in</i> Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 3 : 353 (type genus: <i>Apus</i> Cuvier, 1800) (a vernacular (French) name). Op. 502	index

<i>Aquarius</i> Schellenberg, 1800, <i>Geschl. Land. u. Wass. Wanz. Schweiz.</i> : 25 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex najas</i> de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3: 313) (Insecta, Hemiptera). Op. 247	available
<i>aquatica, Podura</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 609 (specific name of the type species of <i>Podura</i> Linnaeus, 1758) (Insecta, Collembola). Op. 239	available
<i>aquatica, Silpha</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 362 (specific name of the type species of <i>Helophorus</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1724	available
<i>aquaticus, Gordius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647 (specific name of the type species of <i>Gordius</i> Linnaeus, 1758) (Nematomorpha). Direction 77	available
<i>aquaticus, Oniscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637 (specific name of the type species of <i>Asellus</i> Geoffroy, 1762) (Isopoda). Op. 1754	available
<i>aquaticus, Rallus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 153 (specific name of the type species of <i>Rallus</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>aquaticus, Sminthurus</i> , Bourlet, 1842, <i>Ann. Soc. entomol. France</i> , 10, Bull.: xli (specific name of the type species of <i>Sminthurides</i> Börner, 1900) (Insecta, Collembola). Op. 291	available
<i>aquileiae flava</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5: 148 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>aquileiae nigra</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5: 148 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>aquilina, Hesperia</i> , Plötz, 1883, <i>Entomol. Ztg.</i> , Stettin, 44: 33 (specific name of the type species of <i>Artines</i> Godman, [1901]) (Insecta, Lepidoptera). Op. 826	available
<i>arabica, Voluta</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3461, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2: fig. 52) as <i>Buccin[um] arabicum</i> (valid name at the date of Opinion 479 of the type species of <i>Alcithoë</i> Adams & Adams, 1853) (Gastropoda). Op. 479	available
<i>arabicum, Buccin[um]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2: fig. 52 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>aracari, Ramphastos</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 104 (specific name of the type species of <i>Pteroglossus</i> Illiger, 1811) (Aves). Direction 43	available
<i>Arachnoides</i> Klein, 1778, <i>Nat. Disp. Echin.</i> (Leske's Ed.): 26 (not made available in the work cited). Op. 277	index
<i>Arachnoides</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 218 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Echinus placenta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 666) (Echinoidea). Op. 277	available
<i>Araeopus</i> Spinola, 1839, <i>Ann. Soc. entomol. France</i> , 8: 336 (a junior objective synonym of <i>Delphax</i> Fabricius, 1798). Op. 602	index

<i>Aramus</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 58 (gender: masculine) (type species, by monotypy: <i>Ardea scolopacea</i> Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 647) (Aves). Op. 67 <i>aranaeoides</i> , <i>Scarabaeus</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 62 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	available
<i>aranea, Lichas</i> , Holzapfel, 1895, <i>Abh. K.-preuss. geol. Landesanst.</i> , 16 : 32 (specific name of the type species of <i>Radiolichas</i> Reed, 1923) (Trilobita). Op. 615	available
<i>araneiformis</i> , <i>Radiolichas</i> , Tripp, 1957, <i>Geol. Mag.</i> , 94 : 118 (a junior synonym of <i>aranea, Lichas</i> , Holzapfel, 1895). Op. 615	index
<i>araneus, Lichas</i> , Lindström, 1885, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 6 : 58 (Trilobita). Op. 615	available
<i>araneus, Sorex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 53 (specific name of the type species of <i>Sorex</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>Arapaima</i> Müller, 1843, <i>Arch. Naturges.</i> , Jahrg. 9, 1 : 192 (gender: feminine) (type species, by monotypy: <i>Sudis gigas</i> Schinz, 1822, in Cuvier, <i>Das Thierreich aus dem französischen frey übersetzt ...</i> , 2 : 305) (Osteichthyes). Op. 1132	available
<i>arararacina</i> , <i>Psittacus</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 9 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>aratae, Palaeothentes</i> , Ameghino, 1887, <i>Bol. Mus. de la Plata</i> , 1 : 5 (specific name of the type species of <i>Palaeothentes</i> Ameghino, 1887) (Mammalia). Op. 1241	available
<i>arbuscula, Dendritina</i> , d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , (1) 7 : 285 (specific name of the type species of <i>Dendritina</i> d'Orbigny, 1826) (Foraminiferida). Op. 1570	available
<i>arbuscula, Eudendrium</i> , Wright, 1859, <i>Edinburgh New Philosophical Journal</i> , (n.s.) 10 : 113, ruled under the plenary power not to be invalid by reason of having been replaced before 1961 as a junior secondary homonym of <i>Tubularia arbuscula</i> d'Orbigny, 1846 (Hydrozoa). Op. 1956	available
<i>arbuscula</i> , <i>Tubularia</i> , d'Orbigny, 1846, <i>Zoophytes in: Voyage dans l'Amérique méridionale</i> , vol. 5, part 4, p. 28 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1956	index
<i>arbustorum, Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 771 (specific name of the type species of <i>Arianta</i> Turton, 1831) (Gastropoda). Op. 335	available
<i>arbustorum, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 591, ruled under the plenary power that all previous type fixations are set aside and the male specimen labelled Lpm, Sorsele, 10/8/58, leg. S. Gaunitz, R. Dahl Coll., BM 1997–740 is designated as the neotype (Insecta, Diptera). Op. 2153	available
<i>Arca</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 693 (gender: feminine) (type species, by designation under the plenary power: <i>Arca noae</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 693) (Bivalvia). Op. 189	available

<i>Arcania</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 24 (gender: feminine) (type species, by monotypy: <i>Cancer erinaceus</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 325) (Crustacea, Decapoda). Op. 73 <i>Arcella</i> Ehrenberg, [1830], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1830 : 40 (gender: feminine) (type species, by original designation: <i>Arcella vulgaris</i> Ehrenberg, [1830], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1830 : 40, pl. 1, fig. 6) (Rhizopoda). Op. 77 <i>Arcella</i> Ehrenberg, 1838, <i>Die Infusionsth.</i> : 132 (a junior homonym of <i>Arcella</i> Ehrenberg, [1830]). Direction 76	available
ARCHAEOCIDARIDAE McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 3 : 253 (type genus: <i>Archaeocidaris</i> McCoy, 1844) (Echinoidea). Direction 41	available
<i>Archaeocidaris</i> McCoy, 1844, <i>Syn. Char. Carb. Limest. Foss. Ireland</i> : 173 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Cidaris urii</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 478) (Echinoidea). Op. 370	available
<i>Archaeopterix</i> (Anon.), 1861, <i>Neues Jahrb. Min.</i> , 1861 : v (an incorrect subsequent spelling for <i>Archaeopteryx</i> von Meyer, 1861). Op. 607	index
ARCHAEOPTERYGIDAE Huxley, 1871, <i>Man. Anat. vert. Anim.</i> : 233 (type genus: <i>Archaeopteryx</i> von Meyer, 1861) (Aves). Op. 607	available
<i>Archaeopteryx</i> von Meyer, 1861, <i>Neues Jahrb. Min.</i> , 1861 : 578 (gender: feminine) (type species, by monotypy: <i>Archaeopteryx lithographica</i> von Meyer, 1861, <i>Neues Jahrb. Min.</i> , 1861 : 578) (Aves). Op. 607	available
<i>Archaeoteuthis</i> Roemer, 1855, in Bronn, <i>Lethaea geogn.</i> (Ed. 3), 1 : 520 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 438	index
<i>Archarias</i> Dejean, 1821, <i>Catalogue de la collection de Coléoptères de M. le Baron Dejean</i> , p. 86 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1449	index
<i>Archeopteryx</i> Owen, 1863, <i>Proceedings roy. Soc. London</i> , 12 : 272 (an incorrect subsequent spelling for <i>Archaeopteryx</i> von Meyer, 1861). Op. 607	index
<i>Archias</i> Paulson, 1875, <i>Izslyed. Rakoobr. krasn. Morya [Stud. Crust. Red Sea]</i> : 56 (gender: masculine) (type species, by monotypy: <i>Archias sexdentatus</i> Paulson, 1875, <i>Izslyed. Rakoobr. krasn. Morya [Stud. Crust. Red Sea]</i> : 57) (Crustacea, Decapoda). Op. 73 <i>Archigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	available
<i>archytas, Papilio</i> , Stoll, [1787], <i>Aanhangsel van het werk de Uitlandsche Kapellen</i> , p. 25, pl. 5, fig. 5 (senior subjective synonym of the specific name of <i>Anteros axiochus</i> Hewitson, [1867], the type species of <i>Ourocnemis</i> Baker, 1887) (Insecta, Lepidoptera). Op. 1381	available
<i>Arcopagus</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 80, 83 (a junior objective synonym of <i>Bryaxis</i> Kugelann, 1794). Op. 887	index

<i>arcta</i> , <i>Sertularia</i> , Dalyell, 1847, <i>Rare and remarkable animals of Scotland, represented from living subjects: with practical observations on their nature</i> , vol. 1, p. 224 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1485	index
<i>arctica</i> , <i>Lithodes</i> , Latreille, 1806, <i>Gen. Crust. Ins.</i> , 1 : 40 (a junior objective synonym of <i>maja</i> , <i>Cancer</i> , Linnaeus, 1758). Op. 511	index
<i>arctica</i> , <i>Nucula</i> , Gray, 1824, <i>Suppl. App. Parry's Voy. N.W. Passage</i> : 241 (specific name of the type species of <i>Portlandia</i> Mörch, 1857) (Bivalvia). Op. 769	available
<i>Arctictis</i> Temminck, [1824], <i>Monogr. Mamm.</i> , 1 : xxi (gender: feminine) (type species, by monotypy: <i>Viverra binturong</i> Raffles, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 253) (Mammalia). Op. 384	available
<i>arcticus</i> , <i>Colymbus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 135 (Aves). Direction 75	available
<i>arcticus</i> , <i>Platygaster</i> , Zetterstedt, 1838, <i>Insecta Lapponica descripta</i> , Section 3, Diptera, p. 574 (specific name of the type species of <i>Glabellula</i> Bezzi, 1902) (Insecta, Diptera). Op. 1545	available
<i>Arctocephalus</i> Cuvier, 1826, Phoque in Cuvier, F. (Ed.), <i>Dictionnaire des Sciences Naturelles</i> , vol. 39 (Perroq - Phoq), p. 554 (gender: masculine) (type species, by designation under the plenary power: <i>Phoca pusilla</i> Schreber, 1775) (Mammalia, Pinnipedia). Op. 1962	available
<i>Arctogale</i> Gray, [1865], <i>Proceedings zool. Soc. London</i> , 1864 : 508, 528, 542 (a junior homonym of <i>Arctogale</i> Kaup, 1829). Op. 384	index
<i>Arctogalidia</i> Merriam, 1897, <i>Science</i> (n.s.), 5 : 302 (gender: feminine) (type species, by monotypy through the replaced name <i>Arctogale</i> Gray, [1865]: <i>Paradoxurus trivirgatus</i> Gray, 1832, <i>Proceedings zool. Soc. London</i> , 2 (1832): 68) (Mammalia). Op. 384	available
ARCTOGALIDIINAE Pocock, 1933, <i>Proc. zool. Soc. London</i> , 1933 (No. 2): 967, 977 (type genus: <i>Arctogalidia</i> Merriam, 1897) for use by those who consider that <i>Arctogalidia</i> Merriam and <i>Paradoxurus</i> Cuvier, 1821 belong to different family-group taxa (Mammalia). Direction 53	available
<i>Arctopsis</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 155 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 708	index
<i>arctos</i> , <i>Ursus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 47 (specific name of the type species of <i>Ursus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>Arctus</i> Dana, 1852, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 6 : 14, 19 (a junior homonym and junior objective synonym of <i>Arctus</i> de Haan, [1849], and a junior objective synonym of <i>Scyllarus</i> Fabricius, 1775). Op. 519	index
<i>Arctus</i> de Haan, [1849], in Siebold, <i>Fauna japon.</i> (Crust.), (6, 7): xx, 238 (a junior objective synonym of <i>Scyllarus</i> Fabricius, 1775). Op. 519	index

<i>arctus, Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633, as interpreted by the lectotype designated by Holthuis, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 111) (specific name of the type species of <i>Scyllarus</i> Fabricius, 1775) (Crustacea, Decapoda). Op. 519	available
<i>arcuata, Anas</i> , Horsfield, 1824, in: <i>Zoological researches in Java, and the neighbouring islands</i> , part 8, pl. [65], as defined by the lectotype (specimen no. 1880.1.1.2436 in the collections at Tring of the Natural History Museum, London) designated under the plenary power, ruled under the plenary power to be treated as the specific name of a then new nominal species (Aves, Anseriformes). Op. 1764	available
<i>arcuata, Buprestis</i> , Laporte & Gory, 1838, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 159, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis arcuata</i> Say, 1825 (Insecta, Coleoptera). Op. 2008	available
<i>arcuata, Buprestis</i> , Say, 1825, <i>Annals of the Lyceum of New York</i> , 1 : 251 (Insecta, Coleoptera). Op. 2008	available
<i>arcuata, Gryphaea</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 398, as interpreted by the lectotype designated by Cox, 1951 (<i>Bull. zool. Nomencl.</i> , 2 : 324-331) (specific name of the type species of <i>Gryphaea</i> Lamarck, 1801) (Bivalvia). Op. 338	available
<i>arcuata, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 592, as defined by the neotype (male specimen, in the Natural History Museum, London, marked 'NEOTYPE, det. P.J. Chandler, 31.3.2000', collected from Voss, S.W. Norway, by A.E. Stubbs, in 1977) designated under the plenary power (Insecta, Diptera). Op. 1982	available
<i>arcuata, Scaeva</i> , Fallén, 1817, <i>Dipt. svec., Syrphici</i> : 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 978	index
<i>Ardea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 141 (gender: feminine) (type species, by designation by Gray, 1840 (<i>List Gen. Birds</i> : 66): <i>Ardea cinerea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 143) (Aves). Op. 67 <i>ardeola, Dromas</i> , Paykull, 1805, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 26 (3): 182, 188, pl. 8 (specific name of the type species of <i>Dromas</i> Paykull, 1805) (Aves). Direction 43	available
<i>arenacea, Spirillina</i> , Williamson, 1858, <i>Rec. Foram. Gt. Brit.</i> : 93, pl. 7, fig. 203, as interpreted by the lectotype designated by Barnard, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 33, 34, pls. 1, 2) (Rhizopoda). Op. 706	available
<i>Arenaeus</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2) 12 : 130 (gender: masculine) (type species, by monotypy: <i>Portunus cribarius</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 259) (Crustacea, Decapoda). Op. 73 <i>arenarea, Motacilla</i> , Wilkes, 1817, <i>Encyclopaedia Londinensis</i> , vol. 16, p. 85 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	available
<i>Arenaria</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>arenaria, Succinea</i> , Bouchard-Chantereaux, 1837, <i>Mém. Soc. Agric. Boulogne-sur-Mer</i> , (2) 1 : 190 (Gastropoda). Op. 336	available

<i>Arenarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>arenarius</i> , <i>Cancer</i> , Catesby, 1771, <i>Natural History of Carolina</i> (Edwards' ed.), 2 : pl. 35; Linn. Index, No. 35 (included in a work rejected for nomenclatural purposes). Op. 262	index
<i>arenarius</i> , <i>Scarabaeus</i> , Fabricius, 1787, <i>Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentilis specificis, emendationibus, observationibus</i> , p. 11 (Insecta, Coleoptera). Op. 2150	available
<i>arenarius</i> , <i>Scarabaeus</i> , Olivier, 1789, <i>Entomologie, ou Histoire Naturelle des Insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères</i> . 1 , Scarabé, p. 96, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Scarabaeus arenarius</i> Fabricius, 1787 (Insecta, Coleoptera). Op. 2150	available
<i>arenatus</i> , <i>Ammonites</i> , Quenstedt, 1886, <i>Die Ammoniten des Schwäbischen Jura, II, Der Braune Jura</i> , p. 482 (specific name of the type species of <i>Prepapillites</i> Buckman, 1927) (Ammonoidea). Op. 2123	available
<i>Arengus</i> Cornide, 1788, <i>Hist. Peces Galicia</i> : 91 (included in a work rejected for nomenclatural purposes). Op. 799	index
<i>arenicola</i> , <i>Arizona elegans</i> , Dixon, 1960, <i>Southwestern Naturalist</i> , 5 : 226, as interpreted by the lectotype designated by Williams & Smith, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 300) (Reptilia). Op. 717	available
<i>arenicola</i> , <i>Holothuria</i> , Semper, 1868, <i>Reisen im Archipel der Philippinen II</i> , vol. 1, p. 81 (Holothuroidea). Op. 1533	available
<i>arenosa</i> , <i>Bodotria</i> , Goodsir, 1843, <i>Edinburgh New Philosophical Journal</i> , 34 : 128 (specific name of the type species of <i>Bodotria</i> Goodsir, 1843) (Cumacea). Op. 1592	available
<i>areolata</i> , <i>Lacerta</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 24 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Arete</i> Stimpson, 1860, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 1860 : 32 (gender: feminine) (type species, by monotypy: <i>Arete dorsalis</i> Stimpson, 1860, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 1860 : 32) (Crustacea, Decapoda). Op. 470	available
<i>Argas</i> Latreille, 1795, <i>Mag. encyclop.</i> , 4 : 18 (gender: masculine) (type species, by monotypy, through Latreille, [1802] (in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 66): <i>Acarus reflexus</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 426) (Arachnida). Op. 73, Direction 90	available
<i>Argas</i> Scouler, 1835, <i>Rec. gen. Sci.</i> , 1 (2): 137 (a junior homonym of <i>Argas</i> Latreille, 1795). Direction 90	index
<i>Arge</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> , (4): 60 (a junior homonym of <i>Arge</i> Schrank, 1802). Op. 400	index

Arge Schrank, 1802, <i>Fauna boica</i> , 2 (2): 209 (gender: feminine) (type species, by designation by Rohwer, 1911 (<i>Tech. Ser. U.S. Bur. Entomol.</i> , 20 (2): 74): Tenthredo enodis Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 922) (Insecta, Hymenoptera). Op. 157	available
<i>argentea</i> , Anniella nigra , Hunt, 1983, <i>Copeia</i> , 1983 (1): 86 (a junior objective synonym of Anniella pulchra Gray, 1852) (Reptilia, Squamata). Op. 1735	index
<i>argenteus</i> , Prochilodus , Agassiz, 1829, <i>Sci. Gen. Spec. Pisc. Brasil.</i> : 63, pl. 38 (specific name of the type species of Prochilodus Agassiz, 1829) (Osteichthyes). Op. 772	available
<i>argiades</i> , Papilio , Pallas, 1771, <i>Reise russ. Reichs</i> , 1 : 472 (valid name at the date of Opinion 503 of the type species of Everes Hübner, [1819]) (Insecta, Lepidoptera). Op. 503	available
Argiope Audouin, 1826, in Savigny, <i>Explication sommaire des planches d'Arachnides de l'Egypte et de la Syrie</i> , 1 (4): 121 (gender: feminine) (type species, by designation by Bonnet, 1955 (<i>Bibliographia Aranearium</i> , 2 (1): 687): Aranea sericea Olivier, 1798, <i>Araignée</i> , <i>Aranea. Encycl. Méth. Hist. Nat. Ins.</i> , Paris: 198) (Arachnida). Op. 1038	available
' <i>Argiopes</i> L. Agassiz' Levi, 1970, <i>Bull. zool. Nomencl.</i> , 27 : 201 (an incorrect subsequent spelling for Argiope Audouin, 1826). Op. 1038	index
Argis Krøyer, 1842, <i>Naturhist. Tidsskrift</i> , 4 (3): 255, 267 (gender: feminine) (type species, by monotypy: Crangon lar Owen, 1839, <i>Zool. Beechey's Voy. 'Blossom'</i> : 88) (Crustacea, Decapoda). Op. 470	available
argo , Argonauta , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 708 (specific name of the type species of Argonauta Linnaeus, 1758) (Cephalopoda). Direction 73	available
Argonauta Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 708 (gender: masculine) (type species, by designation by Children, 1824 (<i>Quart. J. Sci. Lit. Arts</i> , 16 : 252): Argonauta argo Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 708) (Cephalopoda). Op. 94, Direction 72	available
<i>Argus</i> Bohadsch, 1761, <i>De quibusdam Animalibus marinis</i> : 56 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 185, Op. 429	index
<i>Argus</i> Boisduval, [1832], <i>Icon. hist. Lépidopt. nouv.</i> , 1 (5/6): 49 (a junior homonym of <i>Argus</i> Bohadsch, 1761). Op. 429	index
<i>Argus</i> Scopoli, 1763, <i>Entomol. carn.</i> : 176 (a junior homonym of <i>Argus</i> Bohadsch, 1761). Op. 429	index
<i>argus</i> , Anthias , Bloch, 1792, <i>Naturgeschichte der Ausländischen Fische</i> , part 6, p. 111 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Osteichthyes). Op. 1439	index
<i>argus</i> , Cephalopholis , Schneider in Bloch & Schneider, 1801, <i>Systema ichthyologiae</i> , p. 311 (Osteichthyes). Op. 1439	available

<i>argus</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 483, as interpreted by reference to the male genitalia figured by Chapman, 1909 (<i>in Tutt, Nat. Hist. brit. Butts.</i> , 3: pl. XX, fig. 1) (specific name of the type species of <i>Plebejus</i> Kluk, 1802) (Insecta, Lepidoptera). Op. 269	available
<i>argus</i> , <i>Polyplectron</i> , Temminck, 1807, <i>Cat. syst. Cab. Ornith.</i> : 149 (a junior objective synonym of <i>bicalcaratus</i> , <i>Pavo</i> , Linnaeus, 1758). Direction 44	index
<i>arguta</i> , <i>Lacerta</i> , Pallas, 1773, <i>Reise Russland</i> , 2: 718 (specific name of the type species of <i>Ommateremias</i> Lantz, 1928) (Reptilia). Op. 1318	available
ARGYNNIDAE Duponchel, [1835], <i>in Godart, Hist. nat. Lépid. pap. France</i> , Suppl., 1 livr. 23: 394, 395 (type genus: <i>Argynnis</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 99, Direction 118	available
ARGYNNIDINAE Aurivillius, [1911], <i>in Seitz, Grossshmett. Erde</i> , 13(107): 121; <i>ibid.</i> , [1913], <i>ibid.</i> , 13(150): 229 (type genus: <i>Argynnис</i> Fabricius, 1807) (an incorrect subsequent spelling for ARGYNNIDAE Duponchel, [1835]). Direction 99	index
<i>Argynnis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6: 283 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 440, 353); <i>Papilio paphia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 481) ruled under the plenary power to be given precedence over <i>Argyreus</i> Scopoli, 1777 whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 161	available
<i>Argyope</i> Audouin, 1826, <i>in Savigny, Explication sommaire des planches d'Arachnides de l'Egypte et de la Syrie</i> , 1(4): 121 (an incorrect original spelling for <i>Argiope</i> Audouin, 1826). Op. 1038	index
' <i>Argyopes</i> Latreille' Agassiz, 1846, <i>Nomenclator Zoologicus</i> , Soloduri: 2 (an incorrect subsequent spelling for <i>Argiope</i> Audouin, 1826). Op. 1038	index
<i>Argyreus</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 431 (gender: masculine) (type species, by designation by Reuss, 1928 (<i>Int. entomol. Z.</i> , 22: 146); <i>Papilio niphe</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 785) by direction under the plenary power, not available for use in preference to <i>Argynnis</i> Fabricius, 1807 (type species: <i>Papilio paphia</i> Linnaeus, 1758), but available for use by those who do not consider the type species of these two genera to be congeneric with one another (Insecta, Lepidoptera). Op. 161, Direction 2	available
<i>argyrocephala</i> , <i>Tachina</i> , Meigen, 1824, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 4, p. 372 (valid subjective synonym of the specific name of <i>Musca leucocephala</i> Rossi, 1790, the type species of <i>Metopia</i> Meigen, 1803) (Insecta, Diptera). Op. 1772	available
<i>Argyrodes</i> Guénée, 1845, <i>Annales de la Société Entomologique de France</i> , (2)3: 322, and all uses of the name prior to the publication of <i>Argyrodes</i> Simon, 1864 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1426	index
<i>Argyrodes</i> Simon, 1864, <i>Histoire naturelle des Araignées</i> , Ed. 1, p. 253 (gender: masculine) (type species, by tautonymy: <i>Linyphia argyrodes</i> Walckenaer, 1841) (Arachnida, Araneae). Op. 1426	available

<i>argyrodes, Linyphia</i> , Walckenaer, 1841, <i>Roret's Suites à Buffon</i> , Aptères II, p. 282 (specific name of the type species of <i>Argyrodes</i> Simon, 1864) (Arachnida, Araneae). Op. 1426	available
<i>argyrognomon, Papilio</i> , Bergsträsser, [1779], <i>Nomencl. Beschr. Ins. Grafshaft Hanau-Münzenberg</i> , 2: 76, pl. 46, figs. 1, 29, as interpreted by reference to the male genitalia figured by Chapman, 1917 (<i>in</i> Oberthür, <i>Etudes Lépidopt. comp.</i> , 14: pl. VIII, fig. 23) (specific name of the type species of <i>Lycaeides</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 269	available
<i>Argyrosomus</i> de la Pylaie, 1835, <i>C.R. Congrès Sci. France</i> , Poitiers: 532 (gender: masculine) (type species, by monotypy: <i>Cheilodipterus aquila</i> Lacepède, 1803, <i>Hist. Nat. Poiss.</i> , 5: 684) (Osteichthyes). Op. 988	available
<i>Arianta</i> Turton, 1831, <i>Manual land & fresh-water Shells brit. Islands</i> : 35 (gender: feminine) (type species, by monotypy: <i>Helix arbustorum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 771) (Gastropoda). Op. 335	available
<i>aries, Ovis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 70 (specific name of the type species of <i>Ovis</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>arietans, Vipera (Echidna)</i> , Merrem, 1820, <i>Tent. Syst. Amph.</i> : 152 (specific name of the type species of <i>Bitis</i> Gray, 1842) (Reptilia). Direction 1	available
<i>Arieticeras</i> Quenstedt, 1883, <i>Ammoniten schwäbisch. Jura</i> , 1: 44, 113 (not made available in the work cited). Op. 337	index
<i>Arieticeras</i> Seguenza, 1885, <i>Nat. sicil.</i> , 4: 255 (gender: neuter) (type species, by designation by Levi, 1896 (<i>Boll. Soc. geol. ital.</i> , 15: 272): <i>Ammonites algovianus</i> Oppel, 1863, <i>Pal. Mitt.</i> , 1(3): 137) (Cephalopoda). Op. 337	available
ARIETICERATINAE Howarth, 1955, <i>Proc. Yorks. geol. Soc.</i> , 30: 166 (conserved under the plenary power) (type genus: <i>Arieticeras</i> Seguenza, 1885), for use by those who consider that <i>Arieticeras</i> Seguenza and <i>Hildoceras</i> Hyatt, 1867 belong to different family-group taxa (Cephalopoda). Direction 70	available
ARIETIDAE Hyatt, 1875, <i>Proc. Boston Soc. nat. Hist.</i> , 17: 225 (type genus: <i>Arietites</i> Waagen, 1869) (an incorrect original spelling for ARIETITIDAE Hyatt, 1875). Direction 14	index
Arietites Waagen, 1869, <i>Geogn.-pal. Beitr.</i> , 2: 247 (gender: masculine) (type species, by monotypy: <i>Ammonites bucklandi</i> Sowerby, 1816, <i>Min. Conch.</i> , 2: 69) (Cephalopoda). Op. 305	available
ARIETITIDAE (correction by Haug, 1885 (<i>Neues Jahrb. Min.</i> , Beil.-Band. 3: 713) of ARIETIDAE Hyatt, 1875, <i>Proc. Boston Soc. nat. Hist.</i> , 17: 225 (type genus: <i>Arietites</i> Waagen, 1869) (Cephalopoda). Direction 14	available
<i>ariminensis, Anomalina</i> , d'Orbigny <i>in</i> Fornasini, 1902, <i>Memorie della Reale Accademia della Scienze dell'Istituto di Bologna, Scienze Naturali</i> , (5)10: 63, fig. 62, as defined under the plenary power by the holotype from Rimini, Italy (catalogue no. F0437 in the Muséum National d'Histoire Naturelle, Paris) (specific name of the type species of <i>Anomalina</i> d'Orbigny, 1826) (Foraminiferida). Op. 1902	available

<i>Arion</i> Féruccac, 1819, <i>Hist. nat. gén. partic. Moll. terrestr. fluviat.</i> , 2 : 50, 53 (gender: masculine) (type species, by designation by Fleming, 1822 (<i>Ency. Brit.</i> , Suppl. 4th, 5th & 6th eds., 5 : 572); <i>Limax ater</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 652) (Gastropoda). Op. 335	available
<i>arion, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 483 (Insecta, Lepidoptera). Op. 503	available
ARIONIDAE Gray, 1840, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 2): 101 (type genus: <i>Arion</i> Féruccac, 1819) (Gastropoda). Direction 27	available
<i>Arisbe</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (6): 89 (gender: feminine) (type species, by designation under the plenary power: <i>Papilio leonidas</i> Fabricius, 1793, <i>Entomol. syst.</i> , 3 : 35) (Insecta, Lepidoptera). Op. 823	available
<i>Arisphinctes</i> Buckman, 1924, <i>Type Ammonites</i> , 5 : 33, pl. 511 (gender: masculine) (type species, by original designation: <i>Arisphinctes ariprepes</i> Buckman, 1924, <i>Type Ammonites</i> , 5 : 33, pl. 511, valid name: <i>Perisphinctes cotovui</i> Simionescu, 1907) (Cephalopoda). Op. 306	available
ARISTAEINA Wood-Mason, 1891, in Wood-Mason & Alcock, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 278 (type genus: <i>Aristeus</i> Duvernoy, 1840) (an incorrect original spelling for ARISTEINAE Wood-Mason, 1891). Op. 864	index
<i>Aristaeomorpha</i> Wood-Mason, 1891, in Wood-Mason & Alcock, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 286 (gender: feminine) (type species, by original designation: <i>Aristeus rostridentatus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 189) (Crustacea, Decapoda). Op. 864	available
<i>Aristaeus</i> Wood-Mason, 1891, in Wood-Mason & Alcock, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 278 (an incorrect subsequent spelling for <i>Aristeus</i> Duvernoy, 1840). Op. 864	index
ARISTEINAE (correction of ARISTAEINA) Wood-Mason, 1891, in Wood-Mason & Alcock, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 278 (type genus: <i>Aristeus</i> Duvernoy, 1840) (Crustacea, Decapoda). Op. 864	available
<i>Aristeus</i> Duvernoy, 1840, <i>C.R. Acad. Sci.</i> , Paris, 11 : 217 (gender: masculine) (type species, by original designation: <i>Penaeus antennatus</i> Risso, 1816, <i>Hist. nat. Crust. env. Nice</i> : 96) (Crustacea, Decapoda). Op. 864	available
<i>aristolochiae, Papilio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 443 (conserved under the plenary power) (Insecta, Lepidoptera). Op. 265	available
<i>aristolochiae, Papilio</i> , Pallas, all uses of, by that author, prior to <i>aristolochiae, Papilio</i> , Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 265	index
<i>Arizona</i> Kennicott, 1859, in Baird, <i>Rep. U.S. Mexican Boundary Survey</i> , 2 Rept.: 18, 19, pl. 13 (gender: feminine) (type species, by monotypy: <i>Arizona elegans</i> Kennicott, 1859, in Baird, <i>Rep. U.S. Mexican Boundary Survey</i> , 2 Rept.: 18, 19, pl. 13) (Reptilia). Op. 717	available

ARMADILLIDAE Brandt, [1831], in Brandt & Ratzeburg, <i>Medizinische Zoologie oder getreue Darstellung und Beschreibung der Thiere die in der Arzneimittellehre in Betracht kommen, in systematischer Folge herausgegeben</i> , vol. 2, p. 80 (type genus: <i>Armadillo</i> Latreille, 1802) (Isopoda). Op. 1897	available
ARMADILLIDIIDAE Brandt, 1833, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 6 : 184 (type genus: Armadillidium Brandt in Brandt & Ratzeburg, [1831]) (Isopoda). Op. 1897	available
<i>Armadillidium</i> Brandt in Brandt & Ratzeburg, [1831], <i>Medizinische Zoologie oder getreue Darstellung und Beschreibung der Thiere die in der Arzneimittellehre in Betracht kommen, in systematischer Folge herausgegeben</i> , vol. 2, p. 81 (gender: neuter) (type species, by subsequent designation by Fowler, 1912, <i>Report of the New Jersey State Museum</i> , 1911 : 225: <i>Armadillidium commutatum</i> Brandt in Brandt & Ratzeburg, [1831], a junior subjective synonym of Armadillo vulgaris Latreille, 1804) (Isopoda). Op. 1897	available
<i>Armadillo</i> Cuvier, 1792, <i>Journal d'Histoire Naturelle</i> (Paris), 2 (13): 27, and all uses of the name prior to the publication of Armadillo Latreille, 1802 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Diplopoda). Op. 1897	index
Armadillo Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 43 (gender: masculine) (type species, by designation under the plenary power: Armadillo officinalis Duméril, 1816) (Isopoda). Op. 1897	available
<i>armadillo</i> , <i>Oniscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Isopoda). Op. 1897	index
armata , Acanthephyra , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 12 (specific name of the type species of Acanthephyra Milne Edwards, 1881) (Crustacea, Decapoda). Op. 359	available
armata , Banareia , Milne Edwards, 1869, <i>Ann. Soc. entomol. France</i> , (4) 9 : 168 (specific name of the type species of Banareia Milne Edwards, 1869) (Crustacea, Decapoda). Direction 36	available
armata , Maja , Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 6 : 98, as interpreted by the lectotype designated by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 186) (valid name at the date of Opinion 708 of the type species of Pisa [Leach, 1814]) (Crustacea, Decapoda). Op. 708	available
armata , Oceania , Kölliker, 1853, <i>Zeitschrift für wissenschaftliche Zoologie</i> , 4 : 323 (specific name of the type species of Oceania Péron & Lesueur, 1810) (Cnidaria, Hydrozoa). Op. 2166	available
armata , Podura , Nicolet, [1842], <i>Neue Denkschr. allg. Schweiz. Gesellschaft</i> , 6 : 57 (specific name of the type species of Ceratophysella Börner, 1932) (Insecta, Collembola). Op. 1193	available
armata , Tubina , (Barrande MS) Owen, 1859, <i>Ency. Brit.</i> (8th ed.), 17 : 111, fig. 17 (specific name of the type species of Tubina (Barrande MS) Owen, 1859) (Gastropoda). Op. 436	available

<i>armatus</i> , <i>Aristeus</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5)8: 188 (specific name of the type species of <i>Plesiopenaeus</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>armatus</i> , <i>Potamocarcinus</i> , Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3)20: 208 (specific name of the type species of <i>Potamocarcinus</i> Milne Edwards, 1853) (Crustacea, Decapoda). Direction 36	available
<i>armifera</i> , <i>Pupa</i> , Say, 1821, <i>J. Acad. nat. Sci. Philadelphia</i> , 2: 162 (Gastropoda). Direction 72	available
<i>armigera</i> , <i>Noctua</i> , Hübner, [1808], <i>Sammel. europ. Schmett.</i> , 4: fig. 370 (Insecta, Lepidoptera). Op. 1120	available
<i>Armigerus</i> Clessin, 1884, <i>Conch. Cab. Martini-Chemnitz</i> (Ed. 2), I, 17: 120 (gender: masculine) (type species, by designation by Morrison, 1947 (<i>Nautilus</i> , 61(1): 30, 31); <i>Planorbis albicans</i> Pfeiffer, 1839) ruled under the plenary power not to be given priority over <i>Biomphalaria</i> Preston, 1910 whenever the two names are considered synonyms (Gastropoda). Op. 735	available
<i>armillatus</i> , <i>Rodens</i> , [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VI (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Arndtiella</i> Eichler, [1946], <i>Phthirapterarum Mundi Cat.</i> : 5 (a junior objective synonym of <i>Eureum</i> Nitzsch, 1818). Op. 343	index
<i>Arndtiella</i> Eichler, 1948, <i>Naturwissenschaften</i> , 1948(2): 31 (a junior homonym of <i>Arndtiella</i> Eichler, [1946], and a junior objective synonym of <i>Eureum</i> Nitzsch, 1818). Op. 343	index
<i>arnee</i> , <i>Bos</i> , Kerr, 1792, <i>The animal kingdom or zoological system of the celebrated Sir Charles Linnaeus</i> , vol. 1, part 1 (Mammalia), p. 336, ruled under the plenary power to be not invalid by reason of being predicated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>Arnioceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (No. 5): 73 (gender: neuter) (type species, by designation under the plenary power: <i>Arnioceras cuneiforme</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (No. 5): 73) (Cephalopoda). Op. 307	available
ARNIOCERATIDAE Spath, 1924, <i>Proc. Geol. Assoc.</i> , London, 35: 189 (type genus: <i>Arnioceras</i> Hyatt, 1867) (Cephalopoda). Direction 14	available
<i>arnouxii</i> , <i>Gymnodactylus</i> , Duméril, 1851, <i>Catalogue méthodique de la collection des reptiles du Muséum d'Histoire Naturelle de Paris</i> , p. 44, ruled under the plenary power not to be given priority over the specific name of <i>Heteronota pelagica</i> Girard, 1857 whenever the two names are considered to be synonyms (Reptilia, Sauria). Op. 1647	available
<i>Arpidiphorus</i> Ziegler in Dejean, 1821, <i>Catalogue de la collection de coléoptères de M. le Baron Dejean</i> , p. 47, ruled under the plenary power to be an incorrect original spelling of <i>Aspidiphorus</i> (Insecta, Coleoptera). Op. 1862	index
<i>arquata</i> , <i>Kelaeno</i> , Münster, 1842, in Münster, G. Graf zu (Ed.), <i>Beiträge zur Petrefacten-Kunde</i> , part 5, p. 96 (specific name of the type species of <i>Muensterella</i> Schevill, 1950) (Cephalopoda, Coleoidea). Op. 1860	available

<i>Arquatula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 53 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Artemesia</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : xii, lxxvi, 219, 227, 228, 277, 280, 281 (gender: feminine) (type species, by monotypy: <i>Artemesia longinaris</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 281) (Crustacea, Decapoda). Op. 864	available
<i>Artemia</i> Leach, 1819, Entomostraca in: <i>Dict. Sci. Nat.</i> , 14 : 543 (gender: feminine) (type species, by designation by Lucas, 1840 (<i>Histoire naturelle des Crustacés, des Arachnides et des Myriapodes</i> : 289); <i>Cancer salinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 634) ruled under the plenary power to be given precedence over the generic name <i>Eulimene</i> Latreille, 1816 whenever the two names are considered synonyms (Crustacea, Branchiopoda). Op. 1301	available
<i>Artemisia</i> Latreille, 1816, in Cuvier, <i>Le Règne Animal</i> (Ed. 1), 3 : 68 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1301	index
<i>Artemisus</i> Lamarck, 1818, <i>Histoire naturelle des animaux sans vertèbres</i> , 5 : 135 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1301	index
<i>Artheneis</i> Spinola, 1837, <i>Essai Genres Ins. Ordre Hémipt.</i> : 250 (gender: feminine) (type species, by designation under the plenary power: <i>Artheneis foveolata</i> Spinola, 1837, <i>Essai Genres Ins. Ordre Hémipt.</i> : 253) (Insecta, Hemiptera). Op. 31 <i>articulatis, Harpa</i> , Lamarck, 1822, <i>Histoire Naturelle des Animaux sans Vertèbres</i> , part 7, p. 256 (Gastropoda). Op. 1518	available
<i>artifex, Cardiaspis</i> , Schwarz, 1898, <i>Proc. entomol. Soc. Washington</i> , 4 : 72 (specific name of the type species of <i>Cardiaspina</i> Crawford, 1911) (Insecta, Hemiptera). Op. 725	available
<i>Artines</i> Godman, [1901], in Godman & Salvin, <i>Biol. centr.-amer.</i> , Lep. Rhop., 2 : 608 (gender: masculine) (type species, by designation under the plenary power: <i>Hesperia aquilina</i> Plötz, 1883, <i>Entomol. Ztg.</i> , Stettin, 44 : 33) (Insecta, Lepidoptera). Op. 826	available
<i>aruensis, Polycesta</i> , Obenberger, 1924, <i>Acta Entomologica Musaei Nationalis Prague</i> , 2 : 100, ruled to retain priority over <i>Polycesta deserticola</i> Barr, 1974 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 2114	available
<i>arvensis, Alauda</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 165 (specific name of the type species of <i>Alauda</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Arvicola</i> Lacepède, 1799, <i>Tabl. Mamm.</i> : 10 (gender: masculine) (type species, by monotypy: <i>Mus amphibius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 61) (Mammalia). Op. 91, Direction 24	available
<i>aryxna, Megathymus</i> , Dyar, 1905, <i>J. N.Y. entomol. Soc.</i> , 13 : 141, as interpreted by the lectotype designated by Skinner & Williams, 1924 (<i>Trans. amer. entomol. Soc.</i> , 50 : 204), namely the specimen figured by Druce, [1897] (in Godman & Salvin, <i>Biologia centr.-amer.</i> , Lep. Het., 3 : pl. 69, fig. 4) (Insecta, Lepidoptera). Op. 483	available
ASAPHIDAE Burmeister, 1843, <i>Organ. Trilob.</i> : 118 (type genus: <i>Asaphus</i> Brongniart, 1822) (Trilobita). Op. 510	available

<i>Asaphus</i> Brongniart, 1817, in Desmarest, <i>Nouv. Dict. Hist. nat.</i> (Ed. 2), 8 : 517 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 510	index
<i>Asaphus</i> Brongniart, 1822, in Brongniart & Desmarest, <i>Hist. nat. Crust. foss.</i> : 17-25 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Entomostracites expansus</i> Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 25) (<i>Tribobita</i>). Op. 510	available
<i>Ascalapha</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4-6 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>ascanius</i> , <i>Papilio</i> , Cramer, [1775], <i>Uitl. Kapellen</i> , 1 (2): 20, pl. 14, fig. A (conserved under the plenary power) (Insecta, Lepidoptera). Op. 265	available
<i>ascanius</i> , <i>Papilio</i> , Linnaeus, 1768, <i>Dissert. acad. sistens in Iter in Chinam</i> : 7, 8 (nota d) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 265	index
<i>ascanius</i> , <i>Scarabaeus</i> , Kirby, 1819, <i>Transactions of the Linnean Society of London</i> , 12 : 399 (specific name of the type species of <i>Bothynus</i> Hope, 1837) (Coleoptera) Op. 2199	available
<i>Ascaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 648 (gender: feminine) (type species, by designation by Stiles & Hassall, 1905 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 79 : 60-62)); <i>Ascaris lumbricoides</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 648) (Nematoda). Op. 66 <i>ascensionis</i> , <i>Caranx</i> , Cuvier in Cuvier & Valenciennes, 1833, <i>Histoire naturelle des poissons</i> , vol. 9, p. 102 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1841	available
<i>Ascitellina</i> Marwick, 1928, <i>Trans. N.Z. Inst.</i> , 58 : 467 (gender: feminine) (type species, by original designation: <i>Ascitellina donaciformis</i> Marwick, 1928, <i>Trans. N.Z. Inst.</i> , 58 : 467, 468, figs. 59, 60) (Bivalvia). Op. 987	available
<i>Ascopora</i> Trautschold, 1876, <i>Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou</i> , 13 : 367 (gender: feminine) (type species, by designation under the plenary power: <i>Ceriopora nodosa</i> Fischer von Waldheim, 1837) (Bryozoa, Cryptostomata). Op. 1786	available
<i>Asellus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 671 (gender: masculine) (type species, by subsequent monotypy by Fourcroy, 1785, <i>Entomologia Parisiensis</i> , vol. 2, p. 541: <i>Oniscus aquaticus</i> Linnaeus, 1758) (Isopoda). Op. 1754	available
<i>asellus</i> , <i>Oniscus</i> , Cuvier, 1792, <i>J. Hist. nat.</i> (Choix de Mém.), 2 : 23 (a junior homonym of <i>asellus</i> , <i>Oniscus</i> , Linnaeus, 1758). Direction 88	index
<i>asellus</i> , <i>Oniscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637, as defined by the neotype (male specimen, catalogue no. 1994.3341 in the Crustacea Section of the Natural History Museum, London, from the Linneträdgården, Uppsala, Sweden) designated under the plenary power (specific name of the type species of <i>Oniscus</i> Linnaeus, 1758) (Crustacea, Isopoda). Op. 1837, Direction 88	available
<i>asini</i> , <i>Pes</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 122 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Asiraca</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : xii, 202 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 434): <i>Cicada clavicornis</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4: 41) (Insecta, Hemiptera). Op. 602	available
ASIRACIDES Motschulsky, 1863, <i>Bull. Soc. imp. Nat. Moscou</i> , 36: 108 (type genus: <i>Asiraca</i> Latreille, 1796) (an incorrect original spelling for ASIRACINAE Motschulsky, 1863). Op. 602	index
ASIRACINAE (correction of ASIRACIDES) Motschulsky, 1863, <i>Bull. Soc. imp. Nat. Moscou</i> , 36: 108 (type genus: <i>Asiraca</i> Latreille, 1796) (Insecta, Hemiptera). Op. 602	available
<i>aspalacis, Amphipsylla</i> , Jordan, 1929, <i>Novit. zool.</i> , 35: 161, pl. 10, figs. 22, 24 (Insecta, Siphonaptera). Op. 491	available
<i>asparagi, Chrysomela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 376 (specific name of the type species of <i>Crioceris</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 908, Op. 1754	available
<i>asper, Cancer</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4: 8 (specific name of the type species of <i>Eury nome</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 712	available
<i>asper, Favosites</i> , d'Orbigny, 1850, <i>Prodrome de paléontologie stratigraphique universelle</i> , 1: 49 (specific name of the type species of <i>Paleofavosites</i> Twenhofel, 1914) (Anthozoa). Op. 1059	available
<i>asper, Pecten</i> , Lamarck, 1819, <i>Hist. nat. Anim. sans Vertèbr.</i> , 6(1): 167, 180 (Bivalvia). Op. 311	available
<i>aspera, Trigonia</i> , Lamarck, 1819, <i>Hist. nat. Anim. sans Vertèbr.</i> , 6(1): 63 (Bivalvia). Op. 327	available
<i>Aspergilligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>aspersa, Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 59 (Gastropoda). Op. 336	available
<i>aspersa, Idalia</i> , Alder & Hancock, 1845, <i>Mon. Brit. nudibr. Mollusca Fam.</i> 1, pl. 26 (Gastropoda). Op. 1014	available
ASPIDIPHORIDAE Kiesenwetter, 1877 (1859), <i>Naturgeschichte der Insecten Deutschlands</i> (W.F. Erichson), vol. 1 (Insecta, Coleoptera), part 5, Hälften 1, p. 198 (type genus: <i>Aspidiphorus</i> Ziegler in Dejean, 1821), ruled under the plenary power that this name and other family-group names based on <i>Aspidiphorus</i> are not to be given priority over SPHINDIDAE Jacquelin du Val, [1861] and other family-group names based on <i>Sphindus</i> Megerle in Dejean, 1821 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1862	available
<i>Aspidiphorus</i> Ziegler in Dejean, 1821, <i>Catalogue de la collection de coléoptères de M. le Baron Dejean</i> , p. 47 (gender: masculine) (type species, by monotypy: <i>Nitidula orbiculata</i> Gyllenhal, 1808) (Insecta, Coleoptera). Op. 1862	available
<i>Aspidophorus</i> Agassiz, 1846, <i>Nomenclatoris Zoologici Index Universalis ...</i> , p. 36 (an unjustified emendation of <i>Aspidiphorus</i> Ziegler in Dejean, 1821 and a junior homonym of <i>Aspidophorus</i> Lacepède, [1801]) (Insecta, Coleoptera). Op. 1862	index

<i>Aspidophorus</i> Lacepède, [1801], <i>Histoire naturelle des poissons</i> , vol. 3, p. 221 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Scorpaeiformes). Op. 1855	index
<i>Aspidoproctus</i> Newstead, [April 1901], <i>Proceedings zool. Soc. London</i> , 1900 : 948 (gender: masculine) (type species, by monotypy: <i>Walkeriana pertinax</i> Newstead, [April 1901], <i>Proceedings zool. Soc. London</i> , 1900 : 947, pl. 59) (Insecta, Hemiptera). Op. 268	available
<i>Aspis</i> Laurenti, 1768, <i>Specimen Medicum</i> : 105 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 661	index
<i>assectella, Roeslerstammia</i> , Zeller, 1839, <i>Isis</i> (von Oken), 1839 (3): col. 203 (specific name of the type species of <i>Acrolepiopsis</i> Gaedike, 1970) (Insecta, Lepidoptera). Op. 1910	available
<i>assimilis, Curculio</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 134, and all uses of the name prior to the publication of <i>Curculio assimilis</i> Paykull, 1792 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1529	index
<i>assimilis, Curculio</i> , Paykull, 1792, <i>Monographia Curculionum Sueciae</i> , p. 69 (specific name of the type species of <i>Ceutorhynchus</i> Germar, 1824) (Insecta, Coleoptera). Op. 1529	available
<i>assimilis, Philonthus</i> , Nordmann, 1837, <i>Symbolae ad monographiam staphylinorum</i> , p. 78, ruled under the plenary power not to be given priority over <i>Staphylinus fulgidus</i> Fabricius, 1793 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>assulata, Cidaris</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
ASTACIDAE (correction by Samouelle, 1819 (<i>Entomol. useful Compendium</i> : 94) of ASTACINI) Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 32 (type genus: <i>Astacus</i> Fabricius, 1775) (Crustacea, Decapoda). Direction 12	available
<i>Astacilla</i> Cordner, 1793, <i>Remarkable ruins and romantic prospects of North Britain. With ancient monuments and singular subjects of natural history</i> , pl. 4 (gender: feminine) (type species, by subsequent designation by Fowler, 1912, <i>Report of the New Jersey State Museum for 1911</i> , p. 525: <i>Oniscus longicornis</i> J. Sowerby, 1805), ruled under the plenary power to be the correct original spelling of the name published as 'Astacillæ' (Isopoda). Op. 1369	available
ASTACINI Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 32 (type genus: <i>Astacus</i> Fabricius, 1775) (an incorrect original spelling for ASTACIDAE but available for use for a taxon belonging to any category within the family-group for which the termination '-INI' is considered appropriate). Direction 12	index
<i>Astacoides</i> Guérin-Méneville, 6-13 May 1839, <i>Rev. zool.</i> , 2 : 109 (gender: masculine) (type species, by monotypy: <i>Astacoides goudotii</i> Guérin-Méneville, 6-13 May 1839, <i>Rev. zool.</i> , 2 : 109, valid name: <i>Astacus madagascarensis</i> Milne Edwards & Audouin, 1839) (Crustacea, Decapoda). Op. 519	available

<i>Astacopodium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 60 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Astacopsis</i> Huxley, [1879], <i>Proceedings zool. Soc. London</i> , 1878 : 760, 764 (gender: feminine) (type species, by monotypy: <i>Astacus franklinii</i> Gray, 1845, <i>in</i> Eyre, <i>J. Exped. Discov. centr. Australia</i> , 1 : 409) (Crustacea, Decapoda). Op. 559	available
<i>Astacus</i> Borlase, 1758, <i>Nat. Hist. Cornwall</i> : 274 (included in a work rejected for nomenclatural purposes). Op. 332	index
<i>Astacus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 413 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Cancer astacus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 631) (Crustacea, Decapoda). Op. 104, Direction 12	available
<i>Astacus</i> Gronovius, 1762, <i>Acta Helv.</i> , 5 : 365 (included in a work rejected for nomenclatural purposes). Op. 332	index
<i>Astacus</i> Gronovius, 1764, <i>Zoophylac. gronov.</i> , 2 : 227 (included in a work rejected for nomenclatural purposes). Op. 332	index
<i>Astacus</i> Pallas, 1772, <i>Spicil. Zool.</i> , 9 : 81 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 12	index
<i>Astacus</i> , any use of, prior to <i>Astacus</i> Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 12	index
<i>astacus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 631 (specific name of the type species of <i>Astacus</i> Fabricius, 1775) (Crustacea, Decapoda). Direction 12	available
<i>Astata</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : xiii (gender: feminine) (type species, by monotypy through Latreille, [1802] (<i>in</i> Sonnini's <i>Buffon, Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 336): <i>Tiphia abdominalis</i> Panzer, [1798], <i>Fauna Ins. germ.</i> (53): tab. 5) (Insecta, Hymenoptera). Op. 139	available
<i>Astatus</i> [Jurine], 1801, <i>Intell.-Bl. Lit.-Ztg.</i> , 1801 : 163 (included in a work suppressed under the plenary power for nomenclatural purposes). Direction 4	index
<i>asteria</i> , <i>Isis</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1288 (specific name of the type species of <i>Cenocrinus</i> Thomson, 1864) (Crinoidea). Op. 636	available
<i>Asteroceras</i> Hyatt, 1866, <i>Bull. Mus. comp. Zool.</i> , 3 : 78, 80 (gender: neuter) (type species, by designation by Buckman, 1911 (<i>Type Ammonites</i> , 1 : v): <i>Ammonites stellaris</i> Sowerby, 1815, <i>Min. Conch.</i> , 1 : 211, pl. 93) (Cephalopoda). Op. 324	available
ASTEROCERATIDAE Spath, 1946, <i>Ann. Mag. nat. Hist.</i> , (11) 12 : 496 (type genus: <i>Asteroceras</i> Hyatt, 1866) (Cephalopoda). Direction 14	available
<i>Asthenognathus</i> Bocourt, 1884, <i>Bull. sci. Soc. philomat. Paris</i> , (7) 8 : 149 (a junior homonym of <i>Asthenognathus</i> Stimpson, 1858). Direction 37	index

<i>Asthenognathus</i> Broom, 1915, <i>Bull. amer. Mus. nat. Hist.</i> , 25 : 125 (a junior homonym of <i>Asthenognathus</i> Stimpson, 1858). Direction 37	index
<i>Asthenognathus</i> Stimpson, 1858, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 1858 : 107 (gender: masculine) (type species, by monotypy: <i>Asthenognathus inaequipes</i> Stimpson, 1858, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 1858 : 107) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Asthenotoma</i> Harris & Burrows, 1891, <i>The Eocene and Oligocene beds of the Paris Basin</i> , p. 113 (gender: feminine) (type species, by monotypy of the replaced nominal genus <i>Oligotoma</i> Bellardi, 1875: <i>Pleurotoma meneghinii</i> Mayer, 1868) (Gastropoda). Op. 1792	available
<i>astierianus, Ammonites</i> , d'Orbigny, 1840, <i>Pal. franc., Terr. crét.</i> , 1 : 115 (specific name of the type species of <i>Olcostephanus</i> Neumayr, 1875) (Cephalopoda). Op. 575	available
<i>astoma, Volverella</i> , Bory de St Vincent, [1827], in: <i>Encyclopédie Méthodique. Histoire naturelle des Zoophytes, ou Animaux rayonnés</i> , p. 782 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Ciliophora, Suctoria). Op. 1778	index
<i>Astraea</i> [Röding], 1798, <i>Mus. bolten.</i> , (2): 79 (gender: feminine) (type species, by designation by Suter, 1913 (<i>Man. N.Z. Moll.</i> : 166): <i>Trochus imperialis</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3576, valid name: <i>Trochus heliotropium</i> Martyn, 1784) (Gastropoda). Op. 479	available
<i>Astraea</i> Hartman, 1881, <i>Cat. Gen. 'Partula'</i> : 7 (a junior homonym of <i>Astraea</i> [Röding], 1798). Op. 479	index
<i>Astraea</i> Mohnike, 1873, <i>Arch. Naturgesch.</i> , 39 : 166 (a junior homonym of <i>Astraea</i> [Röding], 1798). Op. 479	index
<i>Astraea</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.)(1): v, 827 (a junior homonym of <i>Astraea</i> [Röding], 1798, and included in a work rejected for nomenclatural purposes). Op. 479	index
<i>Astraeus</i> Laporte & Gory, 1837, <i>Mon. Bupr.</i> , 1 : 1, pl. 1, fig. 1 (gender: masculine) (type species, by monotypy: <i>Asthraeus</i> (sic) <i>flavopictus</i> Laporte & Gory, 1837, <i>Mon. Bupr.</i> , 1 : 1, pl. 1, fig. 1) (Insecta, Coleoptera). Op. 795	available
<i>Astrapia</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 36 (gender: feminine) (type species, by monotypy: <i>Paradisea</i> [sic] <i>nigra</i> Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 1, p. 401) (Aves). Op. 67 <i>Astrobumus</i> Thorell, 1876, <i>Ann. Mus. Stor. nat. Genova</i> , 8 : 466, 499 (gender: masculine) (type species, by original designation: <i>Hoplites argentatus</i> Koch, 1869, <i>Z. Ferd. Tirol.</i> , (3) 14 : 155, 156, valid name: <i>Acantholophus helleri</i> Ausserer, 1867) (Arachnida). Op. 353	available
<i>Astropodium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 62 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Astrorrhisa</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 62 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Asturina</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 24 (gender: feminine) (type species, by monotypy: <i>Asturia</i> [sic] <i>cinerea</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 68, valid name: <i>Falco nitidus</i> Latham, 1790) (Aves). Op. 67 <i>astuta</i> , <i>Bassaris</i> , Lichtenstein, [1830], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1827 : 119 (specific name of the type species of <i>Bassariscus</i> Coues, 1887) (Mammalia). Op. 384	available
<i>Atalanta</i> Stål, 1861, <i>Stettin Entomol. Ztg.</i> , 22 : 149 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678	index
<i>atalanta</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 478 (specific name of the type species of <i>Vanessa</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 4	available
<i>Atechna</i> Chevrolat, 1837, in Dejean, <i>Catalogue des Coléoptères de la collection de M. le Comte Dejean</i> , Ed. 3. Paris: 427 (gender: feminine) (type species, by designation by Chevrolat, 1843 (Chrysomélines, in C. d'Orbigny, <i>Dict. univ. Hist. nat.</i> , 3 : 656): <i>Chrysomela quatuordecimguttata</i> Fabricius, 1798, <i>Suppl. Entomol. Syst.</i> : 85, valid name: <i>Chrysomela duodecimguttata</i> Thunberg, 1787) ruled under the plenary power not to be given priority over <i>Chrysolina</i> Motschulsky, 1860 whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1279	available
ATELEYCYCLIDAE Ortmann, 1893, <i>Zool. Jahrb. (Syst.)</i> , 7 : 27 (type genus: <i>Atelecyclus</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 712	available
<i>Atelecyclus</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 430 (gender: masculine) (type species, by monotypy: <i>Cancer (Hippa) septendentatus</i> Montagu, 1813, <i>Trans. linn. Soc. London</i> , 11 : 1, valid name: <i>Cancer rotundatus</i> Olivi, 1792) (Crustacea, Decapoda). Op. 712	available
<i>Atelemelanos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 563 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Atelerythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Ateles</i> Geoffroy Saint-Hilaire, 1806, <i>Ann. Mus. Hist. nat.</i> , Paris, 7 (40-41): 269 (gender: masculine) (type species, by designation by Miller & Rehn, 1901 (<i>Proceedings Boston Soc. nat. Hist.</i> , 30 : 298, 299): <i>Simia paniscus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 26) (Mammalia). Op. 91, Direction 24	available
<i>Ateletritos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 578 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>ater</i> , <i>Capsus</i> , Jakovlev, 1889, <i>Horae Soc. entomol. Rossicae</i> , 24 : 344, ruled under the plenary power not to be rejected as a junior secondary homonym of <i>ater</i> Linnaeus, 1758, as published in the binomen <i>Cimex ater</i> , whenever the two species are placed in different genera (Insecta, Hemiptera). Op. 1325	available

<i>ater, Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 447 (specific name of the type species of <i>Capsus</i> Fabricius, 1803) ruled under the plenary power not to be interpreted as a senior secondary homonym of <i>ater</i> Jakovlev, 1889, as published in the binomen <i>Capsus ater</i> , whenever the two species are placed in different genera (Insecta, Hemiptera). Op. 298, Op. 1325	available
<i>ater, Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 385 (specific name of the type species of <i>Rhyncolus</i> Germar, 1817) (Insecta, Coleoptera). Op. 1655	available
<i>ater, Dytiscus</i> , De Geer, 1774, <i>Mémoires pour servir à l'histoire des insectes</i> , vol. 4, p. 401 (Insecta, Coleoptera). Op. 1556	available
<i>ater, Dytiscus</i> , Forster, 1771, <i>Novae species Insectorum I</i> , p. 54, and all uses of the name prior to the publication of <i>Dytiscus ater</i> De Geer, 1774 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1556	index
<i>ater, Limax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 652 (specific name of the type species of <i>Arion</i> Féruccac, 1819) (Gastropoda). Op. 335	available
<i>ater, Ptilinus</i> , Creutzer, 1796, in Panzer, <i>Ins. Germ.</i> , heft 35, tab. 9 (specific name of the type species of <i>Xyletinus</i> Latreille, 1809) (Insecta, Coleoptera). Op. 966	available
<i>ater, Sauromalus</i> , Duméril, 1856, <i>Archives du Muséum d'Histoire Naturelle, Paris</i> , 8 : 536 (specific name of the type species of <i>Sauromalus</i> Duméril, 1856) (Reptilia). Op. 2072	available
<i>Atergatis</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 4, 17 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 26): <i>Cancer integerrimus</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 272) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Atergatopsis</i> Milne Edwards, 1862, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 18 : 43 (gender: feminine) (type species, by monotypy: <i>Carpilius signatus</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 37) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>aterrima, Aleochara</i> , Gravenhorst, 1802, <i>Coleopt. micr.</i> : 83 (specific name of the type species of <i>Acrotona</i> Thomson, 1859) (Insecta, Coleoptera). Op. 600	available
<i>Athanas</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 432 (gender: masculine) (type species, by monotypy: <i>Palaemon nitescens</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 401) (Crustacea, Decapoda). Op. 470	available
<i>Athelges</i> Gerstaecker, 1862, <i>Wiegmann's Arch. Naturges.</i> , 28 : 558 (gender: masculine) (type species, by designation by Markham, 1977 (<i>Bull. zool. Nomencl.</i> , 34 : 128): <i>Athelges phyllodes</i> Gerstaecker, 1862, <i>Wiegmann's Arch. Naturges.</i> , 28 : 558, valid name: <i>Phryxus paguri</i> Rathke, 1843) (Crustacea, Isopoda). Op. 1229	available
ATHELGINAE Codreanu & Codreanu, 1956, <i>Bull. biol. France Belgique</i> , 90 : 119 (type genus: <i>Athelges</i> Gerstaecker, 1862) (Crustacea, Isopoda). Op. 1229	available
'Athelgue' Hesse, 1861, <i>Ann. Sci. nat.</i> , Paris, (4) 15 : 91, 112 (ruled under the plenary power to be a vernacular name). Op. 1229	index

<i>Atherina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 315 (gender: feminine) (type species, by monotypy: <i>Atherina hepsetus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 315) (Osteichthyes). Op. 75 <i>atherinoides</i> , <i>Notropis</i> , Rafinesque, 1818, <i>Amer. mon. Mag. crit. Rev.</i> , 2: 204 (specific name of the type species of <i>Notropis</i> Rafinesque, 1818) (Osteichthyes). Op. 1230	available
<i>Atheris</i> Cope, 1862, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 14: 337 (gender: feminine) (type species, by subsequent designation by Loveridge, 1957, <i>Bulletin of the Museum of Comparative Zoology</i> , Harvard, 117(2): 159: <i>Vipera chloroechis</i> Schlegel, 1855, a junior subjective synonym of <i>Vipera chloreichis</i> Pel, [1851]) (Reptilia, Serpentes). Op. 1634	available
<i>atheroidea</i> , <i>Lissatrypa</i> , Twenhofel, 1914, <i>Museum Bulletin, Canadian Geological Survey</i> , 3: 33 (specific name of the type species of <i>Lissatrypa</i> Twenhofel, 1914) (Brachiopoda). Op. 2022	available
<i>Atheta</i> Thomson, 1858, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 15: 36 (gender: feminine) (type species, by monotypy: <i>Aleochara graminicola</i> Gravenhorst, 1806, <i>Mon. Coleopt. micr.</i> : 176) (Insecta, Coleoptera). Op. 600	available
<i>Athyreus</i> MacLeay, 1819, <i>Horae entomol.</i> , 1(1): 123 (gender: masculine) (type species, by designation by Howden & Martinez, 1963 (<i>Canadian entomol.</i> , 95: 350): <i>Athyreus bifurcatus</i> MacLeay, 1819, <i>Horae entomol.</i> , 1(1): 124) (Insecta, Coleoptera). Op. 1299	available
<i>Atilax</i> Cuvier, 1826, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3(54): ‘Vausire’ 2 et Tab. (gender: masculine) (type species, by original designation: <i>Herpestes paludinosus</i> Cuvier, 1829, <i>Règne Anim.</i> (Ed. 2), 1: 158) (Mammalia). Op. 384	available
<i>atlantica</i> , <i>Bresilia</i> , Calman, 1896, <i>Trans. roy. Irish Acad.</i> , 31: 7 (specific name of the type species of <i>Bresilia</i> Calman, 1896) (Crustacea, Decapoda). Op. 470	available
<i>atlantica</i> , <i>Viquesnelia</i> , Morelet, 1860, <i>Iles Açores. Notice sur l'histoire naturelle des Açores suivie d'une description des mollusques terrestres de cet Archipel</i> , p. 139 (specific name of the type species of <i>Plutonia</i> Morelet in Stabile, 1864) (Gastropoda). Op. 1880	available
<i>atlanticum</i> , <i>Pyrosoma</i> , Péron, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 4: 440 (specific name of the type species of <i>Pyrosoma</i> Péron, 1804) (Urochordata). Direction 73	available
<i>atlanticus</i> , <i>Chrysops</i> , Pechuman, 1949, <i>Canadian Entomologist</i> , 81: 79 (Insecta, Diptera). Op. 1711	available
<i>atlanticus</i> , <i>Scylliorhinus</i> , Koefoed, 1927, <i>Report of the Scientific Results of Michael Sars North Atlantic Deepsea Expedition 1910</i> , 4(1): 18 (Chondrichthyes, Carcharhiniformes). Op. 1732	available
<i>atlanticus</i> , <i>Sergestes</i> , Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, (1)19: 349 (specific name of the type species of <i>Sergestes</i> Milne Edwards, 1830) (Crustacea, Decapoda). Op. 864	available
<i>atlas</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 495 (specific name of the type species of <i>Attacus</i> Linnaeus, 1767) (Insecta, Lepidoptera). Op. 450	available

<i>atomaria</i> , <i>Cicada</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 37 (specific name of the type species of <i>Allygidius</i> Ribaut, 1948) (Insecta, Hemiptera). Op. 1365	available
<i>atomaria</i> , <i>Sigara</i> , Illiger, 1807, <i>Fauna Etrusca</i> , 2 : 354 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 687	index
<i>atra</i> , <i>Aleochara</i> , Gravenhorst, 1806, <i>Mon. Coleopt. micr.</i> : 162 (specific name of the type species of <i>Thinonoma</i> Thomson, 1859) (Insecta, Coleoptera). Op. 600	available
<i>atra</i> , <i>Blatta</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 82 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>atra</i> , <i>Fulica</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 152 (specific name of the type species of <i>Fulica</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>atra</i> , <i>Tanagra</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 112 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Atractus</i> Wagler, 1828, <i>Isis von Oken</i> , 21 (7): column 741 on p. 60 (gender: masculine), type species by monotypy <i>A. trilineatus</i> Wagler, 1828 (Reptilia) Op. 2210	available
<i>Atramentarius</i> Buckland & Agassiz, 1838, in Buckland, W., <i>Geologie und Mineralogie in Beziehung zur natürlichen Theologie</i> , vol. 2, pl. 44", fig. 7, footnote (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1914	index
<i>atraria</i> , <i>Siboma</i> , Girard, 1856, <i>Researches upon the cyprinoid fishes inhabiting the freshwaters of the United States west of the Mississippi Valley, from specimens in the museum of the Smithsonian Institution</i> , p. 44, first issued as a separate in September 1856; published in the <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 8 : 208 between 30 September and 27 December 1856 (Osteichthyes, Cypriniformes). Op. 1872	available
<i>atratus</i> , <i>Coluber</i> , any use of, prior to that by Hallowell, 1845 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 644	index
<i>atratus</i> , <i>Coluber</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1103 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 644	index
<i>atratus</i> , <i>Coluber</i> , Hallowell, 1845, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 2 : 245 (conserved under the plenary power) (Reptilia). Op. 644	available
<i>atratus</i> , <i>Eudyptes</i> , Finsch, 1875, ex Hutton MS., <i>Ibis</i> : 114 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1056	index
<i>atricapillus</i> , <i>Oxytelus</i> , Germar, 1825, <i>Fauna insectorum Europae</i> , vol. 11, p. 4, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. atricapillus</i> Nicolai, 1822 (Insecta, Coleoptera). Op. 2053	available

<i>atripes</i> , <i>Cassida</i> , Le Conte, 1859, <i>Smithsonian Contributions to Knowledge</i> , 11 (6): 28 (specific name of the type species of <i>Strongylocassis</i> Hincks, 1950, replacement name for <i>Strongylaspis</i> Spaeth, 1936) (Insecta, Coleoptera). Op. 1453	available
<i>atropos</i> , <i>Alastor</i> , Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hymenopt.</i> , 2 : 669 (specific name of the type species of <i>Alastor</i> Lepeletier, 1841) (Insecta, Hymenoptera). Op. 893	available
<i>atropos</i> , <i>Drassus</i> , Walckenaer, 1830, <i>Faune française, Aranéides</i> , 27 : 171 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1119	index
<i>atropos</i> , <i>Odynerus</i> , Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hymenopt.</i> , 2 : 661 (specific name of the type species of <i>Stenancistrocerus</i> Saussure, 1863) (Insecta, Hymenoptera). Op. 893	available
<i>atropos</i> , <i>Spatangus</i> , Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 32 (specific name of the type species of <i>Moira</i> Agassiz, 1872) (Echinoidea). Op. 209	available
<i>atropunctata</i> , <i>Cicada</i> , Goeze, 1778, <i>Entomol. Beytr. Linn.</i> , 2 : 162 (valid name at the date of Opinion 647 of the type species of <i>Eupteryx</i> Curtis, 1831) (Insecta, Hemiptera). Op. 647	available
<i>atrox</i> , <i>Crotalus</i> , Baird & Girard, 1853, <i>Cat. N. Amer. Rept. Mus. Smithson. Inst.</i> , 1 (Serpents): 5 (Reptilia). Op. 365	available
<i>atrum</i> , <i>Omalium</i> , Casey, 1894, <i>Annals of the New York Academy of Sciences</i> , 7 : 420, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. atrum</i> Heer, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>atrum</i> , <i>Omalium</i> , Heer, 1839, <i>Fauna Coleopterorum Helvetica</i> , vol. 1, part 2, p. 178 (Insecta, Coleoptera). Op. 2053	available
ATTACIDAE (correction of ATTACITES) Blanchard, 1840, in Laporte, <i>Hist. nat. Anim. articulés</i> , Hist. nat. Ins. (Paris, Duménil), 3 : 483 (type genus: <i>Attacus</i> Linnaeus, 1767) (Insecta, Lepidoptera). Op. 450, Op. 1170	available
<i>Attacus</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 808 (conserved under the plenary power as of subgeneric status) (gender: masculine) (type species, by designation under the plenary power: <i>Phalaena atlas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 495) (Insecta, Lepidoptera). Op. 450	available
<i>attelaboides</i> , <i>Rhinomacer</i> , Fabricius, 1787, <i>Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus</i> , vol. 1, p. 123 (specific name of the type species of <i>Cimberis</i> Gozis, 1881) (Insecta, Coleoptera). Op. 2111	available
<i>Attelabus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 387 (gender: masculine) (type species, by designation under the plenary power: <i>Attelabus curculionoides</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 619, valid name: <i>Curculio nitens</i> Scopoli, 1763) (Insecta, Coleoptera). Op. 1239	available
<i>attenuatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : (Addit. Remarks) 14 (included in a work rejected for nomenclatural purposes). Op. 420	index

<i>attenuatus, Steno</i> , Gray, 1846, <i>The Zoology of the Voyage of H.M.S. ‘Erebus’ and ‘Terror’ during the years 1839 to 1843</i> , vol. 1 (Mammalia, Birds), p. 44 (specific name of the type species of <i>Stenella</i> Gray, 1866) (Mammalia, Cetacea). Op. 1660	available
ATTIDAE Yu, 1936, <i>Chin. J. Zool.</i> , 2 : 88 (type genus: <i>Atya</i> Leach, 1816) (an incorrect subsequent spelling for ATYIDAE (correction of ATYADEA) de Haan, [1849]). Op. 470	index
<i>Atya</i> Leach, 1816, <i>Ency. Brit.</i> , Suppl. 4th, 5th & 6th eds., 1 : 421 (gender: feminine) (type species, by monotypy: <i>Atys scaber</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 345) (Crustacea, Decapoda). Op. 470	available
ATYADEA de Haan, [1849], in Siebold, <i>Fauna japon.</i> (Crust.): 168, 184 (type genus: <i>Atya</i> Leach, 1816) (an incorrect original spelling for ATYIDAE de Haan, [1849]). Op. 470	index
<i>Atyaephyra</i> de Brito Capello, 1867, <i>Mem. Acad. Sci. Lisboa</i> , Sci. mat. phys. nat. (n. ser.), 4 (1)(7): 5 (gender: feminine) (type species, by monotypy: <i>Atyaephyra rosiana</i> de Brito Capello, 1867, <i>Mem. Acad. Sci. Lisboa</i> , Sci. mat. phys. nat. (n. ser.), 4 (1)(7): 6, valid name: <i>Hippolyte desmarestii</i> Millet, 1831) (Crustacea, Decapoda). Op. 522	available
ATYDAE Abbott, 1954, <i>American Seashells</i> , p. 278 (an incorrect subsequent spelling of ATYDIDAE Thiele, 1925) (Gastropoda). Op. 1553	index
ATYDIDAE Thiele, 1925, <i>Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition auf des Dampfer ‘Valdivia’ 1898-1899. (Gastropoda)</i> , vol. 17, part 2, p. 265 (type genus: <i>Atys</i> de Montfort, 1810), spelling emended from ATYIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Atys</i> de Montfort, 1810 is ATYD- (Gastropoda). Op. 1553	available
<i>Atyella</i> Calman, 1906, <i>Proceedings zool. Soc. London</i> , 1906 : 201 (gender: feminine) (type species, by original designation: <i>Atyella brevirostris</i> Calman, 1906, <i>Proceedings zool. Soc. London</i> , 1906 : 201) (Crustacea, Decapoda). Op. 470	available
ATYIDAE (correction by Dana, 1852 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 13, 16) of ATYADEA de Haan, [1849], in Siebold, <i>Fauna japon.</i> (Crust.): 168, 184 (type genus: <i>Atya</i> Leach, 1816) (Crustacea, Decapoda). Op. 470	available
ATYIDAE Thiele, 1925, <i>Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition auf des Dampfer ‘Valdivia’ 1898-1899. (Gastropoda)</i> , vol. 17, part 2, p. 265, spelling emended to ATYDIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Atys</i> de Montfort, 1810 is ATYD- (Gastropoda). Op. 1553	index
<i>Atypopeneus</i> (emendation under the plenary power of <i>Atypopeneus</i>) Alcock, 1905, <i>Ann. Mag. nat. Hist.</i> , (7) 16 : 524 (gender: masculine) (type species, by original designation: <i>Penaeus compressipes</i> Henderson, 1893, <i>Trans. linn. Soc. London</i> , Zool. (2) 5 : 450) (Crustacea, Decapoda). Op. 864	available
<i>Atypopeneus</i> Alcock, 1905, <i>Ann. Mag. nat. Hist.</i> , (7) 16 : 524 (ruled under the plenary power to be an incorrect original spelling for <i>Atypopenaeus</i> Alcock, 1905). Op. 864	index

<i>Atys</i> de Montfort, 1810, <i>Conchyliologie systématique, et classification méthodique des coquilles. Coquilles Univalves, non cloisonnées</i> , vol. 2, p. 342 (gender: masculine) (type species, by original designation: <i>Atys cymbulus</i> de Montfort, 1810, a junior objective synonym of <i>Bulla naucum</i> Linnaeus, 1758) (Gastropoda). Op. 1553	available
<i>Atys</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 345 (a junior homonym of <i>Atys</i> Montfort, 1810). Op. 470	index
<i>Aucella</i> Keyserling, 1846, <i>Wiss. Beobacht. Petschora-Land</i> : 297-301, pl. 16 (a junior objective synonym of <i>Buchia</i> Rouillier, 1845). Op. 492	index
AUCELLIDAE Lahusen, 1897, <i>Paleozoomorpha</i> : 351 (type genus: <i>Aucella</i> Keyserling, 1846) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 492	index
<i>Auchenia</i> Thunberg, 1792, <i>Nova Acta Upsala</i> , 5 : 95, 116 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1382	index
<i>aucta</i> , <i>Cephalops</i> , Fallén, 1817, <i>Dipt. suec.</i> , 1 (Syrphici) (6): 61 (specific name of the type species of <i>Verrallia</i> Mik, 1899) (Insecta, Diptera). Op. 597	available
<i>Audinetella</i> Spinola, 1850, <i>Tavola sinottica dei generi spettanti alla classe degli insetti arthrodignati Hemiptera Linn., Latr. Rhyngota Fabr., Rhynchota Burm.</i> , p. 86 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1742	index
<i>audouinianus</i> , <i>Platyulus</i> , Gervais, 1837, <i>Annls. Sci. nat. Zool.</i> , (3) 2 : 48 (an incorrect subsequent spelling for <i>audouinii</i> , <i>Platyulus</i> , Gervais, 1836). Op. 1065	index
<i>audouinii</i> , <i>Platyulus</i> , Gervais, 1836, <i>L'Institut</i> , (1) 4 (190): 435 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1065	index
<i>Augochlora</i> Smith, 1853, <i>Catalogue of hymenopterous insects in the collection of the British Museum</i> , part 1 (Andrenidae and Apidae), p. 73 (gender: feminine) (type species, by subsequent designation by Cockerell, 1923, <i>Annals and Magazine of Natural History</i> , (9) 11 : 448; <i>Halictus purus</i> Say, 1837) (Insecta, Hymenoptera). Op. 1952	available
AUGOCHLORINI Beebe, 1925, <i>Zoologica</i> , 6 : 102 (type genus: <i>Augochlora</i> Smith, 1853), ruled under the plenary power that this name and other family-group names based on <i>Augochlora</i> are to be given precedence over OXYSTOGLOSSINI Schrottky, 1909 and other family-group names based on <i>Oxystoglossa</i> Smith, 1853 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1952	available
<i>Augopette</i> Holmberg, 1918, <i>Physis</i> (Buenos Aires), 4 : 153 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Aulacorhynchus</i> Dittmar, 1872, <i>Verh. Russ. Min. Ges. St. Petersburg</i> , (2) 7 : 2 (a junior homonym of <i>Aulacorhynchus</i> Gould, 1834). Direction 44	index

<i>Aulacorhynchus</i> Gould, 1834, <i>Monogr. Ramphastidae</i> , Add. to Introd.: 2 (gender: masculine) (type species, by original designation: <i>Pteroglossus sulcatus</i> Swainson, July 1820, <i>Quart. J. Sci. Lit. Arts</i> , 9 (18): 267) (Aves). Op. 67 AULACOSTEPHANIDAE Spath, 1924, <i>Pal. ind.</i> (n.s.), 9 (Mem. 1): 13 (type genus: <i>Aulacostephanus</i> Tornquist, 1896), for use by those who consider that <i>Aulacostephanus</i> Tornquist and <i>Pictonia</i> Bayle, 1878 belong to different family-group taxa (Cephalopoda). Direction 14	available
<i>Aulacostephanus</i> Tornquist, 1896, <i>Abh. schweiz. pal. Ges.</i> , 23 : 5, 7 (gender: masculine) (type species, by designation under the plenary power: <i>Ammonites pseudomutabilis</i> de Loriol, 1874, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 23 : 28, pl. 5, figs. 1-3) (Cephalopoda). Op. 302	available
<i>Aulacotetartos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 571 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Aulocera</i> Butler, 1867, <i>Entomol. mon. Mag.</i> , 4 : 121 (gender: feminine) (type species, by original designation: <i>Satyrus brahminus</i> Blanchard, 1844, <i>in Jacquemont, Voy. Inde</i> , 4 : 22) (Insecta, Lepidoptera). Op. 278	available
<i>aura</i> , <i>Vultur</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 86 (specific name of the type species of <i>Cathartes</i> Illiger, 1811) (Aves). Direction 43	available
<i>aurantia</i> , <i>Eolis</i> , Alder & Hancock, 1842, <i>Ann. Mag. nat. Hist.</i> , 9 : 34 (Gastropoda). Op. 777	available
<i>aurantiaca</i> , <i>Eolis</i> , Alder & Hancock, 1851, <i>Mon. brit. nud. Moll.</i> , fam. 3: pl. 27 (an unjustified emendation of <i>aurantia</i> , <i>Eolis</i> , Alder & Hancock, 1842). Op. 777	index
<i>aurantii</i> , <i>Coccophagus</i> , Howard, 1894, <i>Insect Life</i> , 6 : 231 (specific name of the type species of <i>Prospaltella</i> Ashmead, 1904) (Insecta, Hymenoptera). Op. 845	available
<i>Aurantium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>aurantium</i> , <i>Alcyonium</i> , Pallas, 1766, <i>Elenchus Zoophytorum</i> : 357 (valid name at the date of Opinion 1182 of the type species of <i>Tethya</i> Lamarck, [1814]) (Porifera). Op. 1182	available
<i>aurata</i> , <i>Buprestis</i> , Fabricius, 1787, <i>Mantissa insectorum</i> ..., vol. 1, p. 178, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis aurata</i> Pallas, 1776 (Insecta, Coleoptera). Op. 2008	available
<i>aurata</i> , <i>Buprestis</i> , Pallas, 1776, <i>Reise durch verschiedene Provinzen des Russischen Reiches in den Jahren 1768-1774</i> , p. 719 (Insecta, Coleoptera). Op. 2008	available
<i>aurata</i> , <i>Sparus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 277 (specific name of the type species of <i>Sparus</i> Linnaeus, 1758) (Osteichthyes). Direction 34	available
<i>auratus</i> , <i>Cuculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 112 (specific name of the type species of <i>Colaptes</i> Swainson, 1825) (Aves). Direction 43	available

<i>Aurelia</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 2 : 512-514 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Medusa aurita</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 660) (Scyphozoa). Op. 515	available
AURELIDAE Agassiz, 1862, <i>Contrib. nat. Hist. U.S.A.</i> , Monogr. 2 (3): v, 80, 150 (type genus: <i>Aurelia</i> Lamarck, 1816) (an incorrect original spelling for AURELIIDAE Agassiz, 1862). Op. 515	index
AURELIIDAE (correction of AURELIDAE) Agassiz, 1862, <i>Contrib. nat. Hist. U.S.A.</i> , Monogr. 2 (3): v, 80, 150 (type genus: <i>Aurelia</i> Lamarck, 1816) (Scyphozoa). Op. 515	available
<i>Aurellia</i> Péron & Lesueur, [1810], <i>Ann. Mus. Hist. nat.</i> , Paris, 14 (83): 357 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 515	index
<i>aureoviridis</i> , <i>Buprestis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 77 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>aureus</i> , <i>Vultur</i> , Hablitzl, 1783, in Pallas, <i>Neue nord. Beytr.</i> , 4 : 64 (valid name at the date of Direction 81 of the type species of <i>Gypaetus</i> Storr, 1784) (Aves). Direction 81	available
<i>aurichalcea</i> , <i>Buprestis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 77 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>aurichalcea</i> , <i>Cicindela</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>auricoma</i> , <i>Amphitrite</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 216 (specific name of the type species of <i>Amphictene</i> Savigny, 1822) (Polychaeta). Op. 1225	available
<i>auricomus</i> , <i>Staphylinus</i> , Cameron, 1929, <i>Revue de Zoologie et de Botanique Africaines</i> , 18 (1): 65, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. auricomus</i> Brullé, 1842 (Insecta, Coleoptera). Op. 2053	available
<i>Auricularia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 62 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>auricularia</i> , <i>Forficula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423 (specific name of the type species of <i>Forficula</i> Linnaeus, 1758) (Insecta, Dermaptera). Direction 64	available
<i>auricularia</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 774 (Gastropoda). Op. 336	available
<i>auricularius</i> , <i>Unio</i> , Spengler, 1793, <i>Skr. naturh. Selsk. Khb.</i> , 3 (1): 54 (Bivalvia). Op. 495	available
<i>auriculata</i> , <i>Doris</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 229 (valid name at the date of Opinion 775 of the type species of <i>Facelina</i> Alder & Hancock, 1855) (Gastropoda). Op. 775	available
<i>Auriculigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index

- aurifer, Curculio*, Drury, 1773, *Illustrations of natural history*, vol. 1, p. 380 (specific name of the type species of *Lachnopus* Schönherr, 1840) (Insecta, Coleoptera). Op. 1451 available
- auriflamma, Mullus*, Forsskål, 1775, *Descr. Anim.*: X, 30 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 846 index
- aurigerus, Ammonites*, Oppel, 1857, *Württemb. naturw. Jahresshefte*, 13: 178 (p. 476 of the reprint under the title *Die Juraformation Englands, Frankreichs und der Südwestlichen Deutschlands*) (specific name of the type species of *Siemiradzka* Hyatt, 1900) (Cephalopoda). Op. 301 available
- auris, Peneroplis*, Defrance, 1824, *Dictionnaire des Sciences Naturelles*, vol. 32, p. 178 (specific name of the type species of *Planularia* Defrance, 1826) (Foraminiferida). Op. 1571 available
- aurismalchi, Helix*, Müller, 1774, *Vermium Terrestrium et Fluviafilium ...*, vol. 2, p. 112 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1662 index
- aurita, Cicada*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 435 (specific name of the type species of *Ledra* Fabricius, 1803) (Insecta, Hemiptera). Op. 299 available
- aurita, Medusa*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 660 (specific name of the type species of *Aurelia* Lamarck, 1816) (Scyphozoa). Op. 515 available
- aurita, Sardinella*, Valenciennes, 1847, in Cuvier & Valenciennes, *Hist. nat. Poiss.*, 20: 263 (Osteichthyes). Op. 901 available
- auritus, Labrus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 283 (specific name of the type species of *Lepomis* Rafinesque, 1819) (Osteichthyes, Perciformes). Op. 1684 available
- auritus, Podargus*, Gray, 1829, in Griffith's Cuvier, *Anim. Kingd.*, 7: 114 & pl. (specific name of the type species of *Batrachostomus* Gould, 1838) (Aves). Direction 43 available
- aurobyssus, Curculio*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380 index
- aurofasciata, Leptura*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 74 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380 index
- auropilosa, Exomalopsis*, Spinola, 1853, *Memoire della Reale Accademia delle Scienze di Torino*, (2)13: 89 (senior synonym of *Exomalopsis fulvopilosa* Spinola, 1853, specific name of the type species of *Exomalopsis* Spinola, 1853) (Insecta, Hymenoptera). Op. 2070 available
- europunctatus, Carabus*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 79 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380 index
- austeni, Simulium*, Edwards, 1915, *Bulletin of Entomological Research*, 6: 33 (Insecta, Diptera). Op. 1508 available

<i>australasiae, Scorpio</i> , Fabricius, 1775, <i>Systema entomologiae</i> , p. 399 (specific name of the type species of <i>Liocheles</i> Sundevall, 1833) (Arachnida). Op. 2037	available
<i>australe, Buccinum</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3490 (specific name of the type species of <i>Phasianella</i> Lamarck, 1804) (Gastropoda). Op. 630	available
<i>australiae, Cingula</i> , Frauenfeld, 1867, <i>Reise der Fregatte Novara um die Erde</i> , 1857-59, Zool. Theil, 2(3), Mollusca: 14 (valid name at the date of Opinion 1181 of the type species of <i>Subestea</i> Cotton, 1944) (Gastropoda). Op. 1181	available
<i>australica, Calamoecia</i> , Sars, 1908, <i>Arch. math. Naturvidensk.</i> , 29 (7): 12 (Crustacea, Copepoda). Op. 1332	available
<i>australiensis, Dromia</i> , Haswell, 1882, <i>Proc. linn. Soc. N.S. Wales</i> , 6 (4): 755 (specific name of the type species of <i>Dromidiopsis</i> Borradale, 1900) (Crustacea, Decapoda). Op. 688	available
<i>australiensis, Trigoniza</i> , Bolivar, 1898, <i>Annali del Museo Civico di Storia Naturale Giacomo Doria</i> , 39 : 95 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Orthoptera). Op. 1489	index
<i>australis, Aptynx</i> , Shaw, 1813, <i>Nat. Miscell.</i> , 24 : pl. 1057 (specific name of the type species of <i>Aptynx</i> Shaw, 1813) (Aves). Direction 43	available
<i>australis, Brunella</i> , Searle, 1911, <i>Victorian Nat.</i> , 27 : 176 (Crustacea, Copepoda). Op. 1332	available
<i>australis, Canis</i> , Kerr, 1792, <i>Anim. Kingd.</i> : 144 (Mammalia). Op. 452	available
<i>australis, Chorista</i> , Klug, 1838, <i>Physikalische Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin</i> , 1836 : 101 (specific name of the type species of <i>Chorista</i> Klug, 1836) (Insecta, Mecoptera). Op. 2047	available
<i>australis, Colochirus</i> , Ludwig, 1875, <i>Arb. zool.-zoot. Inst. Würzburg</i> , 2 (2): 12, 13 (Holothuroidea). Op. 762	available
<i>australis, Damon</i> , Simon, 1886, <i>Bulletin de la Société zoologique de France</i> , 11 : 575-576 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida). Op. 2108	index
<i>australis, Giraffa camelopardalis</i> , Rhoads, 1896, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1896 : 518 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1138	index
<i>australis, Microgaster</i> , Thomson, 1895, <i>Opuscula Entomologica</i> , p. 2241 (specific name of the type species of <i>Microgaster</i> Latreille, 1804) (Insecta, Hymenoptera). Op. 1510	available
<i>australis, Nematois</i> , Heydenreich, 1851, <i>Lepidopterorum Europaeorum Catalogus Methodicus</i> , p. 131, ruled under the plenary power to be given precedence over the name <i>Tinea aldrovandella</i> Villers, 1789 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 2131	available

<i>australis</i> , <i>Oxycanus</i> , Walker, 1856, <i>List lep. Ins. Brit. Mus.</i> (7): 1574 (specific name of the type species of <i>Oxycanus</i> Walker, 1856) (Insecta, Lepidoptera). Op. 267	available
<i>australis</i> , <i>Philonthus</i> , Cameron, 1943, <i>Annals and Magazine of Natural History</i> , (11) 10 : 342, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. australis</i> MacLeay, 1873 (Insecta, Coleoptera). Op. 2053	available
<i>australis</i> , <i>Philonthus</i> , MacLeay, 1873, <i>Transactions of the Entomological Society of New South Wales</i> , 2 : 139 (Insecta, Coleoptera). Op. 2053	available
<i>australis</i> , <i>Sterna</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 608 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409, Op. 1252	index
<i>australis</i> , <i>Termes</i> , Walker, 1853, <i>List Specs. neuropt. Ins. Coll. brit. Mus.</i> (3): 525 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1310	index
<i>australis</i> , <i>Tolema</i> , Laseron, 1955, <i>Proc. R. zool. Soc. N.S.W.</i> , 1953-54: 70, 71, figs. 1, 2 (specific name of the type species of <i>Tolema</i> Iredale, 1929) (Gastropoda). Op. 911	available
<i>austriacus</i> , <i>Cimex</i> , Schrank, 1776, <i>Beytr. z. Naturg.</i> : 78 (specific name of the type species of <i>Bellocoris</i> Hahn, 1834) (Insecta, Hemiptera). Op. 248	available
<i>Astrocochlea</i> Fischer, 1885, <i>Manuel de Conchyliologie et de Paléontologie conchyliologique</i> , p. 820 (gender: feminine) (type species, by monotypy: <i>Monodonta constricta</i> Lamarck, 1822) (Gastropoda). Op. 1930	available
<i>Astroicetes</i> Uvarov, 1925, <i>Trans. entomol. Soc. London</i> , 1924 : 271 (gender: feminine) (type species, by original designation: <i>Epacromia pusilla</i> Walker, 1870, <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 4 : 778) (Insecta, Orthoptera). Op. 357	available
<i>Autodax</i> Boulenger, 1887, <i>Ann. Mag. nat. Hist.</i> , (5) 19 : 67 (a junior objective synonym of <i>Aneides</i> Baird, [1849]). Op. 377	index
<i>Autodon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Autogoniodes</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 590 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>autographus</i> , <i>Bostrichus</i> , Ratzeburg, 1837, <i>Die Forst-Insecten ... Erster Theil, Die Käfer</i> : 194, 195 (specific name of the type species of <i>Dryocoetes</i> Eichhoff, 1864) (Insecta, Coleoptera). Op. 1145	available
<i>Automate</i> de Man, 1888, <i>Arch. Naturgesch.</i> , 53 (1): 529 (gender: feminine) (type species, by monotypy: <i>Automate dolichognatha</i> de Man, 1888, <i>Arch. Naturgesch.</i> , 53 (1): 529) (Crustacea, Decapoda). Op. 470	available

<i>avarā, Lara</i> , Le Conte, 1852, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 6 : 42 (specific name of the type species of <i>Lara</i> Le Conte, 1852) (Insecta, Coleoptera). Op. 1515	available
<i>avarus, Alpheus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 404 (specific name of the type species of <i>Alpheus</i> Fabricius, 1798) (Crustacea, Decapoda). Op. 334	available
<i>avellanae, Calycophthora</i> , Sorauer, 1886, <i>Handbuch der Pflanzenkrankheiten</i> , Ed. 2, vol. 1, p. 827, and all uses of the name prior to the publication of <i>Phytoptus avellanae</i> Nalepa, 1889 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Arachnida, Acarina). Op. 1521	index
<i>avellanae, Phytoptus</i> , Nalepa, 1889, <i>Sitzungsberichte der Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Classe, Wien</i> , 98 (1): 126 (specific name of the type species of <i>Phytoptus</i> Dujardin, 1851) (Arachnida, Acarina). Op. 1521	available
<i>avenae, Aphidius</i> , Haliday, 1834, <i>Entomol. Mag.</i> , 2 (1): 99 (specific name of the type species of <i>Aphidius</i> Nees, 1818) (Insecta, Hymenoptera). Op. 284	available
<i>avenae, Heterodera schachtii</i> , Wollenweber, 1924, <i>Illustr. Landwirtsch. Z.</i> , 12 : 101, as interpreted by the neotype designated by Franklin, Thorne & Oostenbrinck, 1959 (<i>Bull. zool. Nomencl.</i> , 17 : 79, 85) (Nematoda). Op. 601	available
<i>Avicularia</i> Gray, 1848, <i>List brit. Anim. brit. Mus.</i> , Centr.: 105, 146 (a junior homonym of <i>Avicularia</i> Lamarck, 1818). Direction 66	index
<i>Avicularia</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 107 (gender: feminine) (type species, by absolute tautonomy: <i>Aranea avicularia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 622) (Arachnida). Op. 104	available
<i>Avicularia</i> Thompson, 1848, in Gray, <i>List British Animals Brit. Mus.</i> : 105, 146 (a junior homonym of <i>Avicularia</i> Lamarck, 1818). Op. 902	index
<i>avicularia, Aranea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 622 (specific name of the type species of <i>Avicularia</i> Lamarck, 1818) (Arachnida). Direction 67	available
<i>avium, Dermanyssus</i> , Dugès, January 1834, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2) 1 : 18, as interpreted by the lectotype designated by Hemming, 1958 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 1 (F): 57) (a junior objective synonym of <i>gallinae, Acarus</i> , de Geer, 1778). Direction 92	index
<i>avium, Ligula</i> , Bloch, 1782, <i>Abh. Eingeweidewürmer</i> : 4 (specific name of the type species of <i>Ligula</i> Bloch, 1782) for use by those who consider that the species so named is not conspecific with <i>Fasciola intestinalis</i> Linnaeus, 1758 (Cestoda). Direction 77	available
<i>avosetta, Recurvirostra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 151 (specific name of the type species of <i>Recurvirostra</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Avus</i> Ortmann, 1891, <i>Zool. Jahrb. (Syst.)</i> , 6 : 15, 21 (a junior objective synonym of <i>Linuparus</i> White, 1847). Op. 519	index
<i>axelrodi, Cheirodon</i> , Schultz, 20th February 1956, <i>Tropical Fish Hobbyist</i> , 4 (No. 4): 42 (Osteichthyes). Op. 485	available

AXIIDAE Huxley, [1879], <i>Proc. zool. Soc. London</i> , 1878 : 785 (type genus: <i>Axius</i> Leach, 1815) (Crustacea, Decapoda). Op. 712	available
<i>axillaris</i> , <i>Tachinus</i> , Erichson, 1839, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 1, p. 261, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>T. axillaris</i> Gravenhorst, 1806 (Insecta, Coleoptera). Op. 2053	available
<i>axillaris</i> , <i>Tachinus</i> , Erichson, 1839, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 1, p. 261, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>T. axillaris</i> Gravenhorst, 1806 (Insecta, Coleoptera). Op. 2053	available
<i>axillaris</i> , <i>Tachinus</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropteronorum</i> , p. 29 (Insecta, Coleoptera). Op. 2053	available
<i>Axius</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 335, 343 (gender: masculine) (type species, by monotypy: <i>Axius stirynchus</i> (emendation under the plenary power of <i>stirynchus</i>) Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 343) (Crustacea, Decapoda). Op. 712	available
<i>Axius</i> Mulsant, 1850, <i>Ann. Soc. Agric. Lyon</i> , (2) 2 (Spec. Col. Securipalpes): 1002 (a junior homonym of <i>Axius</i> Leach, 1815). Op. 712	index
<i>Axolot</i> Bonaparte, 1831, <i>Giorn. Arcad. Sci. Lett. Arti.</i> , 49 : 77 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649	index
<i>Axolotus</i> Jarocki, 1822, <i>Zoologija</i> , 3 (Gady i plazy): 179 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649	index
<i>Axopora</i> Milne Edwards & Haime, [1850], <i>Mon. Brit. foss. Corals</i> : lix (gender: feminine) (type species, by original designation: <i>Geodia pyriformis</i> Michelin, [1847], <i>Iconogr. zoophyt.</i> : 178) (Hydrozoa). Op. 790	available
AXOPORIDAE Boschma, 1951, <i>Zool. Verh.</i> , Leiden, 13 : 2 (type genus: <i>Axopora</i> Milne Edwards & Haime, [1850]) (Hydrozoa). Op. 790	available
<i>aygula</i> , <i>Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1400	index
<i>Azeca</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 269 (gender: feminine) (type species, by monotypy: <i>Turbo tridens</i> Pulteney, 1799, <i>Cat. Birds, Shells, Dorsetshire</i> : 46 (appended to the 2nd edition of Hutchins' <i>History of Dorset</i>), valid name: <i>Helix (Cochlodonta) goodalli</i> Féruccac, 1821) (Gastropoda). Op. 335	available
AZECIDAE Kennard & Woodward, 1926, <i>Syn. brit. nonmarine Moll.</i> : xvi (type genus: <i>Azeca</i> Fleming, 1828) (Gastropoda). Direction 27	available
<i>azia</i> , <i>Thecla</i> , Hewitson, 1873, <i>Illustrations of diurnal Lepidoptera. Part I. Lycaenidae</i> , vol. 5, p. 144 (Insecta, Lepidoptera). Op. 2144	available

AZINIDAE Walsingham, 1906, <i>Annals and Magazine of Natural History</i> , (7) 18 : 177 (type genus: <i>Azinis</i> Walker, 1863), ruled under the plenary power that this name and other family-group names based on <i>Azinis</i> are not to be given priority over	
ETHMIIDAE Busck, 1909 and other family-group names based on <i>Ethmia</i> Hübner, [1819] whenever their type genera are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 1544	available
<i>Azinis</i> Walker, 1863, <i>List of the specimens of lepidopterous Insects in the collection of the British Museum</i> , part 28, p. 541 (gender: feminine) (type species, by monotypy: <i>Azinis hilarella</i> Walker, 1863) (Insecta, Lepidoptera). Op. 1544	available
<i>azurea, Musca</i> , Fallén, 1817, <i>Kongliga Vetenskaps Akademiens Handlingar</i> , 1816 : 245, ruled under the plenary power to be as defined by the lectotype designated by Sabrosky, 1956, <i>Proceedings of the Royal Entomological Society of London</i> , (B) 25 (9-10): 178 (specific name of the type species of <i>Protocalliphora</i> Hough, 1899) (Insecta, Diptera). Op. 1618	available
<i>Bacillus</i> Lepeletier de Saint-Fargeau & Serville, [1828], <i>Ency. méth.</i> , 10 (Ins.): 446 (gender: masculine) (type species, by monotypy: <i>Mantis rossia</i> Rossi, 1790, <i>Fauna Etrusca</i> , 1 : 259) (Insecta, Orthoptera). Op. 149	available
<i>bactrianus, Camelus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 65 (specific name of the type species of <i>Camelus</i> Linnaeus, 1758) (Mammalia). Op. 2059	available
<i>baculatus, Ammonites</i> , Quenstedt, 1857, <i>Der Jura</i> , p. 402 (specific name of the type species of <i>Baculatoceras</i> Mascke, 1907) (Ammonoidea). Op. 2123	available
<i>badium, Lathrobium</i> , Cameron, 1924, <i>Transactions of the Entomological Society of London</i> , 1924 : 193, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>L. badium</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2139	available
<i>badium, Lathrobium</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia</i> , p. 53 (Insecta, Coleoptera). Op. 2139	available
<i>Baeocera</i> Erichson, 1845, <i>Naturgeschichte der Insecten Deutschlands</i> , Abth. 1, Coleoptera, 3 : 4 (gender: feminine) (type species, by designation under the plenary power: <i>Baeocera falsata</i> Achard, 1920, <i>Bull. Soc. entomol. France</i> for 1920: 307) (Insecta, Coleoptera). Op. 1221	available
<i>Baetis</i> [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 : 137 (gender: masculine) (type species, by designation under the plenary power: <i>Ephemera fuscata</i> Linnaeus, 1761, <i>Fauna svec.</i> , Ed. 2: 376) (Insecta, Ephemeroptera). Op. 787	available
<i>Bagre</i> Cloquet, 1816, <i>Dictionnaire des sciences naturelles</i> , vol. 4, pp. 52-53 (gender: masculine) (type species, by absolute tautonomy: <i>Silurus bagre</i> Linnaeus, 1766) (Osteichthyes, Siluriformes). Op. 1402	available
<i>bagre, Silurus</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, p. 505 (specific name of the type species of <i>Bagre</i> Cloquet, 1816) (Osteichthyes, Siluriformes). Op. 1402	available
BAGRIDAE Bleeker, 1858, <i>Acta Societatis Scientiarum Indo-Neerlandicae</i> , 4 : 42 (type genus: <i>Bagrus</i> Bosc, 1816) (Osteichthyes, Siluriformes). Op. 1402	available

<i>Bagrus</i> Bosc, 1816, <i>Nouveau dictionnaire d'histoire naturelle</i> , vol. 3, p. 147 (gender: masculine) (type species, by subsequent designation by Bailey & Stewart, 1983, <i>Bulletin of Zoological Nomenclature</i> , 40 : 169: <i>Silurus bajad</i> Forskål, 1775) (Osteichthyes, Siluriformes). Op. 1402	available
<i>bahiensis</i> , <i>Pellonula</i> , Steindachner, 1879, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften. Wien</i> , 80 : 181, pl. 3, fig. 2, as defined by the lectotype (specimen no. NMV. 76436:4, 76.5 mm SL, 'Bucht von Bahia', Steindachner coll. in the Naturhistorisches Museum, Vienna) designated under the plenary power (Osteichthyes). Op. 1390	available
<i>bajad</i> , <i>Silurus</i> , Forskål, 1775, <i>Descriptiones Animalium, avium, amphibiorum, piscum, insectorum, vermium, quae in itinere orientali observavit</i> , p. 66 (specific name of the type species of <i>Bagrus</i> Bosc, 1816) (Osteichthyes, Siluriformes). Op. 1402	available
<i>Balaena</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 75 (gender: feminine) (type species, by Linnaean tautonymy: <i>Balaena mysticetus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 75) (Mammalia). Op. 75 <i>Balaeniceps</i> Gould, 1850, <i>Athenaeum</i> , 1850 : 1315 (gender: masculine) (type species, by monotypy: <i>Balaeniceps rex</i> Gould, 1850, <i>Athenaeum</i> , 1850 : 1315) (Aves). Op. 67, Direction 19	available
<i>Balanigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>balansae</i> , <i>Clistocoeloma</i> , Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 311 (specific name of the type species of <i>Clistocoeloma</i> Milne Edwards, 1873) (Crustacea, Decapoda). Direction 36	available
<i>Balantidium</i> Claparède & Lachmann, 1858, <i>Mem. Inst. nat. genevois</i> , 5 (3): 247 (gender: neuter) (type species, by monotypy: <i>Bursaria entozoon</i> Ehrenberg, 1838, <i>Die Infusionsth.</i> : 327) (Ciliophora). Op. 915	available
<i>Balcis</i> Leach in Gray, 1847, <i>Annals and Magazine of Natural History</i> , 20 (133): 271 (gender: feminine) (type species, by monotypy: <i>Balcis montagui</i> Leach in Gray, 1847, a junior subjective synonym of <i>Strombiformis albus</i> Da Costa, 1778) (Gastropoda). Op. 1739	available
<i>Balea</i> Gray, 1824, <i>Zool. J.</i> , 1 : 61 (gender: feminine) (type species, by subsequent designation by Turton, 1831, <i>A manual of the land and fresh-water shells of the British Islands</i> ..., p. 7: <i>Turbo perversus</i> Linnaeus, 1758) (Gastropoda). Op. 335, Op. 1718	available
<i>Balenosteon</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 64 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Balitochara</i> Hamilton, 1894, <i>Trans. Amer. entomol. Soc.</i> , 21 : 365 (an incorrect subsequent spelling for <i>Bolitochara</i> Mannerheim, 1831). Op. 599	index
<i>Balitora</i> Gray, 1830, <i>Illustrations of Indian zoology, chiefly selected from the collection of General Hardwicke</i> , vol. 1, part 3, pl. 88 (gender: feminine) (type species, by subsequent designation by Jordan, 1919, <i>The genera of fishes. Part 2. From Agassiz to Bleeker, 1833-1858, twenty-six years, with the accepted type of each</i> , p. 178: <i>Balitora brucei</i> Gray, 1830) (Osteichthyes, Cypriniformes). Op. 1715	available

BALITORIDAE Swainson, 1839, <i>in Lardner (Ed.), The cabinet cyclopedia</i> , vol. 2, p. 190 (type genus: Balitora Gray, 1830) (Osteichthyes, Cypriniformes). Op. 1715	available
<i>balliston</i> , <i>Lampides</i> , Hübner, [1823], <i>Zuträge zur Sammlung exotischer Schmettlinge</i> , p. 11 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1527	index
Balssia Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 267 (gender: feminine) (type species, by monotypy: Amphipalaemon gasti Balss, 1921, <i>Mitt. zool. Sta. Neapel</i> , 22 : 523) (Crustacea, Decapoda). Op. 470	available
<i>Balssiola</i> Strand, 1922, <i>Arch. Naturgesch.</i> , 88 (A4): 142 (a junior objective synonym of Micratya Bouvier, 1913). Op. 470	index
balthicus , <i>Oniscus</i> , Pallas, 1772, <i>Spicil. Zool.</i> (9): 66 (Crustacea, Isopoda). Op. 643	available
baltica , <i>Rhipidocystis</i> , Jaekel, 1901, <i>Zeitschrift der Deutschen geologischen Gesellschaft</i> , 52 (4): 665, textfig. 3 (specific name of the type species of Rhipidocystis Jaekel, 1901) (Eocrinidea). Op. 1760	available
Banareia Milne Edwards, 1869, <i>Ann. Soc. entomol. France</i> , (4) 9 : 168 (gender: feminine) (type species, by monotypy: Banareia armata Milne Edwards, 1869, <i>Ann. Soc. entomol. France</i> , (4) 9 : 168) (Crustacea, Decapoda). Op. 73 bancrofti , Spondylaspis , Signoret, 1879, <i>Ann. Soc. entomol. France</i> , (5) 9 Bull.: lxxxvi (specific name of the type species of Spondylaspis Signoret, 1879) (Insecta, Hemiptera). Op. 725	available
Bania Brusina, 1896, <i>Glasnika Hrvatskoga Naravoslovnoga Drustva</i> , 9 : 130 (gender: feminine) (type species, by monotypy: Staliao prototypica Brusina, 1872) (Gastropoda). Op. 1965	available
banksi , <i>Pipunculus</i> , Aczél, 1940, <i>Zoologischer Anzeiger</i> , 132 : 152 (specific name of the type species of Microcephalops De Meyer, 1989) (Insecta, Diptera). Op. 2000	available
banksii , <i>Psittacus</i> , Latham, 1790, <i>Index Ornithologicus, sive systema ornithologiae ...</i> , vol. 1, p. 107 (Aves, Psittaciformes). Op. 1833	available
barbara , <i>Noctua</i> , Fabricius, 1794, <i>Entomol. Syst.</i> , 3 (2): 111 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1120	index
barbata , <i>Helix (Helicigona)</i> , Féruccac, 1832, <i>Histoire naturelle générale et particulière des mollusques terrestres et fluviatiles</i> , Explication des planches des livraisons 22-27; pl. 66*, fig. 3, confirmed by the Commission that the name is first available from Féruccac (1832) and not from Féruccac (1821), as defined by the lectotype (specimen figured and named as <i>H. (H.) barbata</i> var. <i>alpha</i> by Féruccac, 1832), ruled under the plenary power to be as designated by Gittenberger & Groh, 1986, <i>Archiv für Molluskenkunde</i> , 116 : 222 (Gastropoda). Op. 1690	available
barbata , <i>Muscicapa</i> , Gmelin, [1789], <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 933 (specific name of the type species of Myiobius Darwin, 1839) (Aves). Op. 414	available

<i>barbata</i> , <i>Nais</i> , Müller, 1774, <i>Vermium Terrestrium et Fluviatilium, seu Animalium Infusoriorum, Helminthicorum et Testaceorum, non Marinorum, Succincta Historia</i> , vol. 1, part 2, p. 23 (specific name of the type species of <i>Nais</i> Müller, 1774) (Annelida). Op. 2167	available
<i>barbatum</i> , <i>Ophidion</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 259 (specific name of the type species of <i>Ophidion</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>barbatus</i> , <i>Cancer</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 460 (valid name at the date of Opinion 522 of the type species of <i>Homola</i> Leach, 1815) (Crustacea, Decapoda). Op. 522	available
<i>barbatus</i> , <i>Mullus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 299 (specific name of the type species of <i>Mullus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>barbatus</i> , <i>Vultur</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 87 (Aves). Direction 81	available
<i>barberinus</i> , <i>Mullus</i> , Lacepède, 1802, in Buffon, <i>Hist. nat., Hist. nat. Poissons</i> , 3 : 406 (Osteichthyes). Op. 846	available
<i>barbicornis</i> , <i>Curculio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 134 (Insecta, Coleoptera). Op. 345	available
<i>barbicornis</i> , <i>Rhina</i> , Latreille, [1803-1804], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 11 : 103 (Insecta, Coleoptera). Op. 345	available
<i>barbiger</i> , <i>Gecarcinus</i> , Poeppig, 1836, <i>Arch. Naturgesch.</i> , 2 (No. 1): 138 (valid name at the date of Direction 36 of the type species of <i>Paraxanthus</i> Milne Edwards & Lucas, [1844]) (Crustacea, Decapoda). Direction 36	available
<i>barbirostris</i> , <i>Curculio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 135 (specific name of the type species of <i>Rhinostomus</i> Rafinesque, 1815) (Insecta, Coleoptera). Op. 345	available
<i>barbouri</i> , <i>Natrix</i> , Taylor, 1922, <i>Philippine J. Sci.</i> , 21 : 291-293 (Reptilia). Op. 756	available
<i>Barbouria</i> Rathbun, 1912, <i>Bull. Mus. comp. Zool.</i> , 54 : 455 (gender: feminine) (type species, by monotypy: <i>Barbouria poeyi</i> Rathbun, 1912, <i>Bull. Mus. comp. Zool.</i> , 54 : 455, valid name: <i>Hippolyte cubensis</i> von Martens, 1872) (Crustacea, Decapoda). Op. 470	available
<i>Barrandella</i> Hall & Clarke, 1894, <i>Nat. Hist. New York</i> (Pal.), 8 (2): 241, 245 (a junior objective synonym of <i>Antirhynchonella</i> Oehlert, 1887). Op. 374	index
<i>barrowi</i> , <i>Otis</i> , Gray, 1829, in Griffith's Cuvier, <i>Anim. Kingd.</i> , 8 (Aves 3): 303 (Aves). Op. 407	available
<i>bartonii</i> , <i>Astacus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 407 (specific name of the type species of <i>Cambarus</i> Erichson, 1846) (Crustacea, Decapoda). Op. 519	available
<i>Bartonius</i> Ortmann, 1905, <i>Proceedings amer. phil. Soc.</i> , 44 : 97, 117 (a junior objective synonym of <i>Cambarus</i> Erichson, 1846). Op. 519	index

<i>bassanii</i> , <i>Colobodus</i> , de Alessandri, 1910, <i>Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano</i> , 7 (1): 76 (specific name of the type species of <i>Colobodus</i> Agassiz, 1844) (Osteichthyes). Op. 2102	available
<i>Bassaris</i> Lichtenstein, [1830], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1827 : 119 (a junior homonym of <i>Bassaris</i> Hübner, [1819]). Op. 384	index
<i>Bassariscus</i> Coues, 1887, <i>Science</i> , 9 : 516 (gender: masculine) (type species, by monotypy through the replaced name <i>Bassaris</i> Lichtenstein, [1830]: <i>Bassaris astuta</i> Lichtenstein, [1830], <i>Abh. K.-preuss. Acad. Wiss.</i> , Berlin, 1827 : 119) (Mammalia). Op. 384	available
<i>basteri</i> , <i>Acarus</i> , Johnston, 1836, <i>Magazine of Natural History</i> , 9 (63): 353 (senior subjective synonym of the specific name of <i>Thalassarachna verrillii</i> Packard, 1871, the type species of <i>Thalassarachna</i> Packard, 1871) (Arachnida). Op. 2051	available
<i>Bathyarca</i> Kobelt, 1891, Die Gattung <i>Arca</i> L. In: <i>Martini & Chemnitz Systematisches Conchylien Cabinet</i> (Küster, H.C., Ed.), vol. 8, part 2, p. 213 (gender: feminine) (type species, by original designation: <i>Arca pectunculoides</i> Scacchi, 1834) (Bivalvia). Op. 1887	available
<i>Bathycoelios</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 554 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Bathycrinus</i> Thomson, 1872, <i>Proceedings roy. Soc. Edinburgh</i> , 7 : 772 (gender: masculine) (type species, by monotypy: <i>Bathycrinus gracilis</i> Thomson, 1872, <i>Proceedings roy. Soc. Edinburgh</i> , 7 : 772) (Crinoidea). Op. 73, Direction 72	available
<i>Bathynectes</i> Brinkman, 1913, <i>Bergens Mus. Aarb.</i> , 1912 (9): 1 (a junior homonym of <i>Bathynectes</i> Stimpson, [1871]). Direction 37	index
<i>Bathynectes</i> Guenther, 1878, <i>Ann. Mag. nat. Hist.</i> , (5) 2 : 20 (a junior homonym of <i>Bathynectes</i> Stimpson, [1871]). Direction 37	index
<i>Bathynectes</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 145 (gender: masculine) (type species, by monotypy: <i>Bathynectes longispina</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 146, valid name: <i>Portunus superba</i> Costa, 1838) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Bathynomus</i> Milne Edwards, 1879, <i>Comptes Rendus de l'Académie des Sciences</i> , Paris, 88 : 21 (gender: masculine) (type species, by monotypy: <i>Bathynomus giganteus</i> Milne Edwards, 1879), ruled under the plenary power to be given precedence over <i>Palaega</i> Woodward, 1870 whenever the two names are considered to be synonyms (Isopoda). Op. 1668	available
<i>Bathypalaemonella</i> Balss, 1914, <i>Zool. Anz.</i> , 44 : 597 (gender: feminine) (type species, by monotypy: <i>Bathypalaemonella zimmeri</i> Balss, 1914, <i>Zool. Anz.</i> , 44 : 598) (Crustacea, Decapoda). Op. 470	available
<i>Bathyplax</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 16 (gender: feminine) (type species, by monotypy: <i>Bathyplax typhlus</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 16) (Crustacea, Decapoda). Op. 85, Direction 37	available

<i>batia</i> , <i>Ptychoparia?</i> , Walcott, 1905, <i>Proc. U.S. nat. Mus.</i> , 29 (1415): 75, 76 (specific name of the type species of <i>Chuangia</i> Walcott, 1911) (Trilobita). Op. 1261	available
<i>Batrachostomus</i> Gould, 1838, <i>Icones Avium</i> , (2): text to pl. 17 (gender: masculine) (type species, by monotypy: <i>Podargus auritus</i> Gray, 1829, in Griffith's Cuvier, <i>Anim. Kingd.</i> , 7 : 114 & pl.) (Aves). Op. 67 <i>bauri</i> , <i>Coelurus</i> , Cope, 1887, <i>American Naturalist</i> , 21 : 368, as defined by the neotype (the articulated skeleton no. AMNH 7224 in the American Museum of Natural History, New York) designated under the plenary power (specific name of the type species of <i>Coelophysis</i> Cope, 1889) (Reptilia, Saurischia). Op. 1842	available
<i>bavarica</i> , <i>Cystidea</i> , Barrande, 1868, <i>Neues Jb. Miner. Geol. Paläontol.</i> , 1868 : 694 (Cystoidea). Op. 927	available
<i>baylei</i> , <i>Pictonia</i> , Salfeld, 1913, <i>Quart. J. geol. Soc. London</i> , 69 : 429, as interpreted by reference to the specimen figured by Bayle, 1878 (<i>Explic. Carte géol. France</i> , 4 (Atlas): explic. pl. lxvi) (specific name of the type species of <i>Pictonia</i> Bayle, 1878) (Cephalopoda). Op. 426	available
<i>Bdeogale</i> Peters, 25th June 1850, <i>Spenerisch. Ztg.</i> , 1850 : 25 (also later in 1850 in <i>Vossisch. Ztg.</i>) (gender: feminine) (type species, by designation by Thomas, 1882 (<i>Proceedings zool. Soc. London</i> , 1882 : 81); <i>Bdeogale crassicauda</i> Peters, February 1852, <i>Ber. Bekannt. geeignet. Verh. K.-preuss. Acad. Wiss.</i> , Berlin, 1852 : 81; <i>id.</i> , [post February] 1852, <i>Naturwiss. Reise Mossambique</i> [sic], 1 : 119, 120, pl. 27) (Mammalia). Op. 384	available
<i>beadlei</i> , <i>Hapalorhynchus</i> , Goodman, 1987, <i>Transactions of the American Microscopical Society</i> , 106 : 80, as defined by the lectotype (specimen illustrated in Fig. 1 of Goodman, 1987, with the type locality 'near Kampala, Uganda' and the host 'Pelusios sp.') designated under the plenary power, the holotype having been set aside under the plenary power (Trematoda, Digenea). Op. 1588	available
<i>Beanea</i> Steindachner, 1902, <i>Anzeiger der Akademie der Wissenschaften, Wien</i> , 39 : 337 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1481	index
<i>beaumonti</i> , <i>Coryphella</i> , Eliot, 1906, <i>J. mar. biol. Assoc. U.K.</i> , 7 : 361 (valid name at the date of Opinion 783 of the type species of <i>Cumanotus</i> Odhner, 1907) (Gastropoda). Op. 783	available
<i>beautempsii</i> , <i>Edwardsia</i> , de Quatrefages, 1842, <i>Ann. Sci. nat. (Zool.)</i> , (2) 18 : 69 (specific name of the type species of <i>Edwardsia</i> de Quatrefages, 1841) (Anthozoa). Op. 1294	available
<i>bedeguaris</i> , <i>Ichneumon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 567 (specific name of the type species of <i>Torymus</i> Dalman, 1820) (Insecta, Hymenoptera). Direction 4	available
<i>bedoti</i> , <i>Sphaerocarcinus</i> , Zehntner, 1894, <i>Rev. Suisse Zool.</i> , 2 : 164 (specific name of the type species of <i>Sphaerocarcinus</i> Zehntner, 1894) (Crustacea, Decapoda). Direction 36	available
<i>bei</i> , <i>Eremophila alpestris</i> var., Ridgway, 1874, in Baird, Brewer & Ridgway, <i>Hist. N. Amer. Birds</i> , Land Birds, 2 : 141, 142 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 448	index

<i>Belemnella</i> Nowak, 1913, <i>Bull. Acad. Sci. Cracovie, Ser. B</i> , 1913 : 393, 403-405 (gender: feminine) (type species, by designation by von Bülow-Trummer, 1920 (<i>Fossilium Catalogus</i> , I, Animalia, pars 11: 195): <i>Belemnites lanceolatus</i> Schlotheim, 1813, <i>Leonhard's Tasch. Min.</i> , 7 : 111) (Cephalopoda). Op. 1328	available
<i>Belemnitella</i> d'Orbigny, 1840, <i>Paléontol. française, Terr. Crét.</i> , 1 (Ceph.): 59 (gender: feminine) (type species, by designation by Herrmannsen, 1846 (<i>Indicis Generum Malacozoorum Primordia</i> , 1 : 105): <i>Belemnites mucronatus</i> Schlotheim, 1813, <i>Leonhard's Tasch. Min.</i> , 7 : 111) (Cephalopoda). Op. 1328	available
BELEMNITELLIDAE Pavlow, 1914, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 21 (4): 7 (type genus: <i>Belemnitella</i> d'Orbigny, 1840) (Cephalopoda). Op. 1328	available
<i>Belemnites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 65 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Belemnites</i> Lamarck, 1799, <i>Mémoires de la Société d'Histoire Naturelle de Paris</i> , 1 : 81 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1721	index
BELEMNITIDAE Owen, 1838, <i>Transactions of the Zoological Society of London</i> , 2 (2): 127, ruled under the plenary power to be unavailable, the name of its type genus, <i>Belemnites</i> Lamarck, 1799, having been suppressed under the plenary power (Cephalopoda, Coleoidea). Op. 1721	index
<i>belemnitoeides, Orthoceras</i> , Buckland, 1830, <i>Edinburgh New Philosophical Journal</i> , 8 : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1914	index
<i>Belemnosepia</i> Buckland & Agassiz, 1836, in Buckland, W., <i>Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde</i> , 1836 : 39 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1914	index
BELEMNOSEPIIDAE Naef, 1921, <i>Fauna und Flora des Golfs von Neapel</i> , 35 : 47 (invalid because the name of the type genus, <i>Belemnosepia</i> Buckland & Agassiz in Buckland, 1836, has been suppressed) (Cephalopoda, Coleoidea). Op. 1914	index
<i>Belemnoteuthis</i> Pearce, 1847, <i>London Geological Journal</i> , 2 : pls. 15-16 (unavailable as an incorrect subsequent spelling of <i>Belemnotheutis</i> Pearce, 1842) (Cephalopoda, Coleoidea). Op. 1914	index
<i>Belemnotheutis</i> Pearce, 1842, <i>Proceedings of the Geological Society of London</i> , 3 : 593 (gender: feminine) (type species, by subsequent monotypy by Pearce, 1847, <i>London Geological Journal</i> , 2 : pls. 15-16: <i>Belemnoteuthis antiqua</i> Pearce, 1847) (Cephalopoda, Coleoidea). Op. 1914	available
<i>belemnurus, Megalaspis</i> , White, 1874, U.S. Army, <i>Geogr. Geol. Expl. Surv. W. 100th Meridian, Prelim. Rep. Invert. Foss.</i> : 11 (specific name of the type species of <i>Xenostegium</i> Walcott, 1924) (Trilobita). Op. 672	available

<i>belgica</i> , <i>Nereis cylindraria</i> , Pallas, 1766, <i>Misc. zoologica</i> : 122, as interpreted by the neotype proposed by Nielsen, Kierkegaard & Lemche, 1977 (<i>Bull. zool. Nomencl.</i> , 34 : 118) and designated under the plenary power (specific name of the type species of <i>Pectinaria</i> Lamarck, 1818) (Polychaeta). Op. 1225	available
<i>bella</i> , <i>Buprestis</i> , Gory, 1840, <i>Histoire naturelle et iconographie des insectes coléoptères. Monographie des buprestides</i> , Supplement, p. 116, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis bella</i> Guérin-Méneville, 1830 (Insecta, Coleoptera). Op. 2008	available
<i>bella</i> , <i>Xantho</i> , Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 204, pl. 3, fig. 2 (specific name of the type species of <i>Lophopanopeus</i> Rathbun, 1898) (Crustacea, Decapoda). Direction 36	available
<i>bellatrix</i> , <i>Phalaena</i> , Stoll, 1780, in Cramer, <i>Uitlandsche Kapellen (Papillons exotiques)</i> , vol. 4, p. 32, pl. 305, fig. F (specific name of the type species of <i>Crinodes</i> Herrich-Schäffer, 1855) (Insecta, Lepidoptera). Op. 1378	available
<i>Bellia</i> Bate, 1851, <i>Ann. Mag. nat. Hist.</i> , (2) 7 : 318 (a junior homonym of <i>Bellia</i> Milne Edwards, 1848). Direction 37	index
<i>Bellia</i> Gray, 1869, <i>Proceedings zool. Soc. London</i> , 1869 : 197 (a junior homonym of <i>Bellia</i> Milne Edwards, 1848). Direction 37	index
<i>Bellia</i> Milne Edwards, 1848, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 9 : 192 (gender: feminine) (type species, by monotypy: <i>Bellia picta</i> Milne Edwards, 1848, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 9 : 192) (Crustacea, Decapoda). Op. 73 <i>Bellia</i> Tutt, 1902, <i>Nat. Hist. brit. Lep.</i> , 3 : 386 (a junior homonym of <i>Bellia</i> Milne Edwards, 1848). Direction 37	available
<i>bellii</i> , <i>Liolaemus</i> , Gray, 1845, <i>Catalogue of the specimens of lizards in the collection of the British Museum</i> , p. 212 (Reptilia, Squamata). Op. 1909	available
<i>bellii</i> , <i>Tropidolepis</i> , Gray, 1831, in Griffith, E. & Pidgeon, E. (Eds.), <i>The animal kingdom arranged in conformity with its organization, by the Baron Cuvier, with additional descriptions of all the species hitherto named, and of many not before noticed</i> , vol. 9 (Supplement), p. 44 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Reptilia, Squamata). Op. 1909	index
<i>Bellocoris</i> Hahn, 1834, <i>Wanzen. Ins.</i> , 2 : 42 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex austriacus</i> Schrank, 1776, <i>Beytr. z. Naturg.</i> : 78) (Insecta, Hemiptera). Op. 248	available
<i>Bellota</i> Peckham & Peckham, 1892, <i>Occas. Pap. nat. Hist. Soc. Wisconsin</i> , 2 : 67 (gender: feminine) (type species, by designation under the plenary power: <i>Bellota peckhami</i> Galiano, 1978, <i>Rev. peruana Entomol.</i> , 21 (1): 27) (Arachnida). Op. 1265	available
<i>Belone</i> Cuvier, 1817, <i>Règne Anim.</i> , Ed. 1, 2 : 185 (conserved under the plenary power) (gender: feminine) (type species, by absolute tautonymy: <i>Esox belone</i> Linnaeus, 1761, <i>Fauna svec.</i> , Ed. 2: 126) (Osteichthyes). Op. 225	available
<i>Belone</i> Oken, 1816, <i>Lehrbuch Naturgesch.</i> , 3 (Zool.)(2): 102 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 225	index

<i>belone</i> , <i>Esox</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 126 (specific name of the type species of <i>Belone</i> Cuvier, 1817) (Osteichthyes). Op. 225	available
<i>benedicti</i> , <i>Ephyrina</i> , Smith, 1885, <i>Proc. U.S. nat. Mus.</i> , 7 : 506 (specific name of the type species of <i>Ephyrina</i> Smith, 1885) (Crustacea, Decapoda). Op. 470	available
<i>bengalensis</i> , <i>Tupinambis</i> , Daudin, [1802], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 3 : 67, a name taking precedence over <i>cepedianus</i> , <i>Tupinambis</i> , Daudin, [1802], by the action of Duméril, Bibron & Duméril, 1836 (<i>Erpétologie gén.</i> , 3 : 480) as first reviser (Reptilia). Op. 540	available
<i>benghalensis</i> , <i>Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 86 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>benghalensis</i> , <i>Corvus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 106, as interpreted under the plenary power by the neotype designated by Biswas, 1961 (<i>Bull. zool. Nomencl.</i> , 18 : 218, 219, pl. 3) (Aves). Op. 663	available
<i>bennettii</i> , <i>Cynogale</i> , Gray, [1837], <i>Proc. zool. Soc. London</i> , 4 : 88 (specific name of the type species of <i>Cynogale</i> Gray, [1837]) (Mammalia). Op. 384	available
<i>benniworthensis</i> , <i>Cucullaea</i> , Kelly, 1978, <i>Bull. zool. Nomencl.</i> , 35 : 128 (specific name of the type species of <i>Dicranodonta</i> Woods, 1899) (Bivalvia). Op. 1251	available
<i>benoit</i> , <i>Pharopteryx</i> , Rüppell, 1852, <i>Verz. Mus. Senck. naturf. Gesell. aufges. Samml.</i> , 4 : 16, ruled under the plenary power not to be given priority over the specific name <i>kleinenbergi</i> Giglioli, 1889, as published in the binomen <i>Eretmophorus kleinenbergi</i> , by those who regard both names as denoting the same taxon (Osteichthyes). Op. 1082	available
BENTHESICYMINA Wood-Mason, 1891, in Wood-Mason & Alcock, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 286 (type genus: <i>Benthesicymus</i> Bate, 1881) (an incorrect original spelling for BENTHESICYMINAE Wood-Mason, 1891). Op. 864	index
BENTHESICYMINAE (correction of BENTHESICYMINA) Wood-Mason, 1891, in Wood-Mason & Alcock, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 286 (type genus: <i>Benthesicymus</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>Benthesicymus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 171, 190 (gender: masculine) (type species, by designation by Bate, 1888 (<i>Rep. Voy. 'Challenger'</i> , (Zool.) 24 : 320); <i>Benthesicymus crenatus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 190) (Crustacea, Decapoda). Op. 864	available
<i>Benthochascon</i> Alcock & Anderson, 1899, <i>Ann. Mag. nat. Hist.</i> , (7) 3 : 10 (gender: masculine) (type species, through Article 68b(i): <i>Benthochascon hemingi</i> Alcock & Anderson, 1899, <i>Ann. Mag. nat. Hist.</i> , (7) 3 : 10) (Crustacea, Decapoda). Op. 73	
<i>Benthonectes</i> Smith, 1885, <i>Proceedings U.S. nat. Mus.</i> , 7 : 509 (gender: masculine) (type species, by monotypy: <i>Benthonectes filipes</i> Smith, 1885, <i>Proceedings U.S. nat. Mus.</i> , 7 : 509) (Crustacea, Decapoda). Op. 864	available
<i>Beosus</i> Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins. Hémipt.</i> : 254 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex maritimus</i> Scopoli, 1763, <i>Entomol. carn.</i> : 129) (Insecta, Hemiptera). Op. 249	available

<i>bequaerti</i> , <i>Pseudoblankaartia</i> , Fuller & Wharton, 1951, <i>Psyche</i> , 58 (2): 85-88 (specific name of the type species of <i>Pseudoblankaartia</i> Fuller & Wharton, 1951) (Arachnida). Op. 655	available
<i>Beraea</i> Stephens, 1833, <i>Nomencl. Brit. Ins.</i> , Ed. 2: 118 (gender: feminine) (type species, by designation under the plenary power: <i>Thya maurus</i> Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3) 4 : 216) (Insecta, Trichoptera). Op. 589	available
BERAEIDAE Wallengren, 1891, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 24 (10): 111 (type genus: <i>Beraea</i> Stephens, 1833) (Insecta, Trichoptera). Op. 589	available
<i>berecynthia</i> , <i>Papilio</i> , Poda, 1761, <i>Ins. Mus. graec.</i> : 75 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 501	index
<i>berendtii</i> , <i>Termes</i> , Pictet, 1856, in Pictet & Hagen, Die im Bernstein befindlichen Neuropteren der Vorwelt, in Berendt (Ed.), <i>Die im Bernstein befindlichen organischen Reste der Vorwelt</i> , vol. 2, p. 49 (specific name of the type species of <i>Proelectrotermes</i> von Rosen, 1913) (Insecta, Isoptera). Op. 2007	available
<i>bergeri</i> , <i>Semionotus</i> , Agassiz, 1833, <i>Recherches sur les poissons fossiles</i> , vol. 2, part 1, p. 8 (specific name of the type species of <i>Semionotus</i> Agassiz, 1832) (Osteichthyes). Op. 1438	available
<i>berghausi</i> , <i>Conus</i> , Michelotti, 1847, <i>Natuurkundige Verhandelingen van de Hollandsche Naatschappij der Wetenschappen te Haarlem</i> , (2) 3 (2): 342, ruled under the plenary power to be given precedence over the specific name of <i>Conus demissus</i> Philippi, 1836 whenever the two names are considered to be synonyms (Gastropoda). Op. 1699	available
<i>bergstraesserella</i> , <i>Tinea</i> , Fabricius, 1781, <i>Species Insectorum</i> , vol. 2, p. 302 (specific name of the type species of <i>Glyphypterix</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 1418	available
<i>Beringius</i> Dall, 1879, <i>Sci. Res. Explor. Alaska</i> , 1866-1874, 2 : pl. 2 (introduced on a plate for a projected but never published volume, the plates for which were distributed privately by the author in 1879) (not duly published for the purposes of Article 8 and therefore possesses no status in nomenclature). Op. 469	index
<i>Beringius</i> Dall, 1886, <i>Proceedings U.S. nat. Mus.</i> , 9 : 304 (gender: masculine) (type species, by monotypy: <i>Chrysodomus crebricostatus</i> Dall, 1877, <i>Prelim. Descr. new Spec. Moll. N.W. Coast Amer.</i> : 1) (Gastropoda). Op. 469	available
<i>berlandieri</i> , <i>Taxidea</i> , Baird, 1858, <i>Mammals of North America</i> : 205 (Mammalia). Op. 897	available
<i>bermudensis</i> , <i>Holacanthus ciliaris</i> , Goode, 1876, <i>Bulletin of the United States National Museum</i> , 5 : 43, as defined by the neotype (specimen no. CAS-SU 363 in the California Academy of Sciences, San Francisco) designated under the plenary power (Osteichthyes). Op. 2003	available
<i>Bernhardus</i> Dana, 1851, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 5 : 267 (a junior objective synonym of <i>Pagurus</i> Fabricius, 1775). Op. 472	index

bernhardus*, *Cancer, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 631, as interpreted by the lectotype designated by Forest & Holthuis, 1955 (*Bull. zool. Nomencl.*, **11**: 312), namely the specimen figured by Swammerdam, 1737 (*Bybel der Nature*: pl. XI, fig. 1) (specific name of the type species of ***Pagurus*** Fabricius, 1775) (Crustacea, Decapoda). Op. 472

available

bernissartensis*, *Iguanodon, Boulenger in Beneden, 1881, *Bulletin de l'Académie Royale des Sciences, des Lettres et des Beaux-Arts de Belgique*, Classe des Sciences, (3)**1**(5): 606, as defined by the lectotype (skeleton Q, catalogue no. IRSNB 1534 in the Institut Royal des Sciences Naturelles de Belgique, Brussels) designated under the plenary power (specific name of the type species of ***Iguanodon*** Mantell, 1825) (Reptilia, Ornithischia). Op. 1947

available

Berosus Leach, 1817, *The zoological miscellany*, vol. 3, p. 92 (gender: masculine) (type species, by monotypy: ***Dytiscus luridus***, Linnaeus, 1761) (Insecta, Coleoptera). Op. 1577

available

Berus Oken, 1816, *Lehrb. Naturgesch.*, **3**: 234 (included in a work rejected for nomenclatural purposes). Op. 651

index

BERYTIDAE Fieber, [1851], *Abhandlungen der Königlichen Böhmischen Gesellschaft der Wissenschaften*, **5**(7): 189 (type genus: ***Berytus*** Fabricius, 1803, a junior objective synonym of ***Neides*** Latreille, 1802) (Insecta, Heteroptera). Op. 1504

available

Berytinellus Stichel, 1957, *Illustrierte Bestimmungstabellen der Wanzen. II. Europa. (Hemiptera- Heteroptera Europae)*, vol. 4, Heft 2. *Pentatomomorpha Lygaeoidea Piesmidae, Berytidae, Lygaeidae*, part 1, p. 44 (a junior objective synonym of ***Lizinus*** Mulsant & Rey, 1870) (Insecta, Heteroptera). Op. 1504

index

Berytinus Kirkaldy, 1900, *Entomologist*, **33**: 241 (gender: masculine) (type species, by original designation: ***Cimex clavipes*** Fabricius, 1775), ruled under the plenary power to be given precedence over ***Lizinus*** Mulsant & Rey, 1870 and ***Melorus*** Mulsant & Rey, 1870, whenever it and one of the other nominal genera are considered to be synonyms (Insecta, Heteroptera). Op. 1504

available

Berytus Fabricius, 1803, *Systema Rhyngotorum*, p. 264 (a junior objective synonym of ***Neides*** Latreille, 1802) (Insecta, Heteroptera). Op. 1504

index

besseri*, *Anguis, Andrzejowski, 1832, *Nouv. Mém. Soc. imp. Nat. Moscou*, (2)**2**: 338, tab. 22, fig. 7, tab. 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642

index

Betaeus Dana, 1852, *Proceedings Acad. nat. Sci. Philadelphia*, **6**: 16 (gender: masculine) (type species, by designation by Fowler, 1912 (*Ann. Rep. New Jersey State Mus.*, **1911**: 558); ***Betaeus truncatus*** Dana, 1852, *Proceedings Acad. nat. Sci. Philadelphia*, **6**: 23) (Crustacea, Decapoda). Op. 470

available

Bethylus Latreille, [1802], in Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **3**: 315 (gender: masculine) (type species, by designation under the plenary power: ***Omalus fuscicornis*** Jurine, 1807, *Nouv. Méth. class. Hyménopt.*: 301) (Insecta, Hymenoptera). Op. 153

available

betulella*, *Calaphis, Walsh, 1862, *Proc. entomol. Soc. Philadelphia*, **1**: 301 (specific name of the type species of ***Calaphis*** Walsh, 1862) (Insecta, Hemiptera). Op. 1358

available

<i>betulina</i> , Aphis , Walker, 1852, <i>List Spec. homopt. Ins. Colls. brit. Mus.</i> , 4 : 1039, ruled under the plenary power not to be given priority over the specific name <i>callunae</i> Theobald, 1915, as published in the binomen <i>Aphis callunae</i> , whenever the two names are considered synonyms (Insecta, Hemiptera). Op. 1308	available
<i>Beyrichia</i> Boll, 1847, <i>Palaeontographica</i> , 1 : 127 (a junior homonym of <i>Beyrichia</i> McCoy, 1846). Op. 1196	index
<i>Beyrichia</i> McCoy, 1846, <i>Synopsis Silurian fossils of Ireland ...</i> , Dublin: 57 (gender: feminine) (type species, by designation under the plenary power: <i>Beyrichia kloedeni</i> McCoy, 1846, <i>Synopsis Silurian fossils of Ireland ...</i> , Dublin: 58) (Crustacea, Ostracoda). Op. 1196	available
BEYRICHIIDAE Matthew, 1886, <i>Proc. Trans. roy. Soc. Canada</i> , (1) 3 (4): 63 (type genus: <i>Beyrichia</i> McCoy, 1846) (Crustacea, Ostracoda). Op. 1196	available
<i>Bhatia</i> Distant, 1908, <i>The fauna of British India including Ceylon and Burma</i> , vol. 4 (Rhynchota), p. 357 (gender: feminine) (type species, confirmed by the Commission to be by monotypy: <i>Eutettix olivaceus</i> Melichar, 1903) (Insecta, Auchenorrhyncha). Op. 1819	available
<i>bianco debaxo</i> , <i>Ration</i> , Brants, 1827, <i>Het Geslacht der Muizen door Linnaeus opgesteld</i> (Berlin): 185 (a vernacular name). Op. 1232	index
<i>Bibio</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 756 (a junior homonym of <i>Bibio</i> Geoffroy, 1762). Op. 441	index
<i>Bibio</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 450, 568 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Tipula hortulana</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 588) (Insecta, Diptera). Op. 441	available
BIBIONIDAE (correction of BIBIONITES) Newman, 1834, <i>Entomol. Mag.</i> , 2 : 379, 387 (type genus: <i>Bibio</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
BIBIONITES Newman, 1834, <i>Entomol. Mag.</i> , 2 : 379, 387 (type genus: <i>Bibio</i> Geoffroy, 1762) (an incorrect original spelling for BIBIONIDAE Newman, 1834). Op. 441	index
<i>bibronii</i> , Agama , Duméril, 1851, <i>Cat. meth. Coll. Rept.</i> : 101 (Reptilia). Op. 952	available
<i>bibronii</i> , Proctotretus , Bell, 1842, in Darwin, C. (Ed.), <i>The zoology of the voyage of H.M.S. Beagle, under the command of Captain Fitzroy, R.N., during the years 1832-1836</i> , part 5, p. 6 (Reptilia, Squamata). Op. 1909	available
<i>bibronii</i> , <i>Trapelus (Psammorrhoa)</i> , Fitzinger, 1843, <i>Syst. Rept.</i> : 81 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 952	index
<i>bicalcaratus</i> , Pavo , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156 (specific name of the type species of <i>Polyplectron</i> Temminck, 1807) (Aves). Direction 43	available
<i>bicarinatus</i> , Astacus , Gray, 1845, in Eyre, <i>J. Exped. Discov. centr. Australia</i> , 1 : 410 (valid name at the date of Opinion 519 of the type species of <i>Cherax</i> Erichson, 1846) (Crustacea, Decapoda). Op. 519	available

<i>bicator</i> , <i>Coracias</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>bicaudata</i> , <i>Phryganea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 548 (specific name of the type species of <i>Diura</i> Billberg, 1820) (Insecta, Plecoptera). Op. 645	available
<i>bicincta</i> , <i>Eurytela</i> , Erichson, 1842, <i>Archiv für Naturgeschichte</i> , 8 (1): 286, as defined by the neotype (specimen in the Bernice P. Bishop Museum, Honolulu, Hawaii, U.S.A., labelled 'Sydney, N.S.W. Austr. m 1-1095; Coll. Koebel'; type of <i>E. bicinctellus</i> Kirk; <i>Eurytelias bicinctellus</i> 544 (Kirk.); neotype <i>Eurytela bicincta</i> (Erichson') designated under the plenary power (specific name of the type species of <i>Euryteloides</i> Ashmead, 1889) (Insecta, Auchenorrhyncha). Op. 1706	available
<i>bicinctaflava</i> , <i>Tenthredo</i> , Christ, 1791, <i>Naturgeschichte, Klassification und Nomenclatur der Insekten vom Bienen, Wespen und Ameisengeschlecht</i> , p. 442 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1602	index
<i>bicinctus</i> , <i>Crabro</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 299 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 675	index
<i>bicinctus</i> , <i>Crabro</i> , Rossi, 1794, <i>Fauna Etrusca</i> , 2 , Appendix: 123, pl. 7, fig. 0 (conserved under the plenary power) (specific name of the type species of <i>Lestiphorus</i> Lepeletier, 1832) (Insecta, Hymenoptera). Op. 675	available
<i>bicinctus</i> , <i>Smynthurus</i> , Koch, 1840, in Herrich-Schaeffer in Fürnrohr, <i>Naturhistorische Topographie von Regensburg</i> , Regensburg, 3 : 353 (specific name of the type species of <i>Deuterostomnthus</i> Börner, 1901) (Insecta, Collembola). Op. 1042	available
<i>bicirrhosum</i> , <i>Ischnosoma</i> , Cuvier, 1829, <i>Le règne animal distribué d'après son organisation pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée</i> , Ed. 2, vol. 2, p. 328 (specific name of the type species of <i>Osteoglossum</i> Cuvier, 1829) (Osteichthyes, Osteoglossiformes). Op. 1621	available
<i>bicollina</i> , <i>Bolla</i> , Jones & Holl, 1886, <i>Ann. Mag. nat. Hist.</i> , (5) 17 : 361, pl. 12, figs. 14a- c, 15, 16 (specific name of the type species of <i>Bolla</i> Jones & Holl, 1886) (Crustacea, Ostracoda). Op. 934	available
<i>bicolor</i> , <i>Cypraea</i> , Gaskoin, 1849, <i>Proc. zool. Soc. London</i> , 16 (186): 92 (Gastropoda). Op. 1197	available
<i>bicolor</i> , <i>Heteroconium</i> , Cope, 1896, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1896 : 461 (Reptilia, Squamata). Op. 1482	available
<i>bicolor</i> , <i>Lathrobium</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 2, p. 593, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>L. bicolor</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2139	available
<i>bicolor</i> , <i>Lathrobium</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensi</i> , p. 179 (Insecta, Coleoptera). Op. 2139	available

bicolor, *Lathrobium*, Heer, 1839, *Fauna Coleopterorum Helvetica*, vol. 1, part 2, p. 240
(a junior homonym of *Lathrobium bicolor* Gravenhorst, 1802) (Insecta, Coleoptera).
Op. 2126

index

bicolor, *Litosoma*, Douglas & Scott, 1868, *Entomol. mon. Mag.*, **4**: 267 (status as the specific name of the type species of *Pachylops* Fieber, 1858 set aside under the plenary power) (Insecta, Hemiptera). Op. 253, Op. 1943

available

bicolor, *Philonthus*, Fauvel, 1903, *Arkiv för Zoologi*, **1**: 240, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of *P. bicolor* Redtenbacher, 1849 (Insecta, Coleoptera). Op. 2053

available

bicolor, *Phyllobates*, Bibron, 1840, in Cocteau, J.T. & Bibron, G. Reptiles, *in de la Sagra*, R. (Ed.), *Historia física, política y natural de la Isla de Cuba*. Part 2, *Historia natural*, vol. 8, *Atlas de Zoología*, pl. 29b, (specific name of the type species of *Phyllobates* Bibron *in de la Sagra*, 1840) (Amphibia). Op. 2223

available

index

bicolor, *Staphylinus*, Laporte, 1835, *Études entomologiques, ou description d'insectes nouveaux, et observations sur leur synonymie*, p. 115, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of *S. bicolor* Paykull, 1789 and *S. bicolor* Gmelin, 1790 (Insecta, Coleoptera). Op. 2053

available

bicolor, *Zeria*, Pocock, 1897, *Annals and Magazine of Natural History*, (6)**20**: 392 (specific name of the type species of *Zeriassa* Pocock, 1897) (Arachnida). Op. 2094

available

Bicornes Schuchert & LeVene, 1929, *Brachiopoda in Pompecki* (Ed.), *Fossilium Catalogus*, **1** (Animalia): 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 907

index

bicornis, *Gomeza*, Gray, 1831, *Zool. Miscell.* (1): 39 (specific name of the type species of *Gomeza* Gray, 1831) (Crustacea, Decapoda). Direction 36

available

bicornis, *Oxytelus*, Germar, 1823, *Fauna insectorum Europae*, vol. 6, p. 15, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of *O. bicornis* Olivier, 1811 (Insecta, Coleoptera). Op. 2053

available

bicornis, *Oxytelus*, Olivier, 1811, *Encyclopédie Méthodique. Histoire naturelle. Insectes*, vol. 8, part 2, p. 615 (Insecta, Coleoptera). Op. 2053

available

bicornis, *Paralatreutes*, Kemp, 1925, *Rec. Indian Mus.*, **27**: 334 (specific name of the type species of *Paralatreutes* Kemp, 1925) (Crustacea, Decapoda). Op. 470

available

bicornis, *Rhipicentor*, Nuttall & Warburton, 1908, *Proc. Cambridge phil. Soc.*, **14**: 399-401, figs. 12-16 (specific name of the type species of *Rhipicentor* Nuttall & Warburton, 1908) (Arachnida). Direction 67

available

bidens, *Physeter*, Sowerby, 1804, *Trans. linn. Soc. London*, **7**: 10 (valid name at the date of Opinion 1289 of the type species of *Mesoplodon* Gervais, 1850) (Mammalia). Op. 1289

available

bidens, *Turbo*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 767 (Gastropoda). Op. 2176

available

<i>bidentatus</i> , <i>Xanthodes</i> , Milne Edwards, 1880, <i>Miss. Sci. Mex.</i> , Rech. zool., 5 (fasc. 8): 353, pl. 53, figs. 5-5b (specific name of the type species of <i>Tetraxanthus</i> Rathbun, 1898) (Crustacea, Decapoda). Direction 36	available
<i>bidentosus</i> , <i>Ammonites</i> , Quenstedt, 1857, <i>Der Jura</i> , p. 616 (specific name of the type species of <i>Trochiskioceras</i> Schairer & Schlamp, 1991) (Ammonoidea). Op. 2123	available
<i>Bidentula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 90 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>bifasciatus</i> , <i>Mullus</i> , Lacepède, 1802, in Buffon, <i>Hist. nat.</i> , <i>Hist. nat. Poissons</i> , 3 : 383 (specific name of the type species of <i>Parupeneus</i> Bleeker, 1863) (Osteichthyes). Op. 846	available
<i>bifasciella</i> , <i>Elachista</i> , Treitschke, 1833, in Ochsenheimer, <i>Die Schmetterlinge von Europa</i> , vol. 9, part 2, p. 182 (specific name of the type species of <i>Elachista</i> Treitschke, 1833) (Insecta, Lepidoptera). Op. 1557	available
<i>bifenestra</i> , <i>Heterodera</i> , Cooper, 1955, A preliminary key to British species of <i>Heterodera</i> for use in soil examination, in: <i>Soil Zoology, Proceedings of the University of Nottingham Second Easter School in Agricultural Science</i> , Kevan (ed.), Butterworth, London: 275, 278 (Nematoda). Op. 1336	available
<i>bifer</i> , <i>Ammonites</i> , Quenstedt, 1843, <i>Das Flözgebirge Württembergs</i> , p. 160 (specific name of the type species of <i>Bifericeras</i> Buckman, 1913) (Ammonoidea). Op. 2123	available
<i>bifida</i> , <i>Asterias</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 55 (valid name at the date of Direction 73 of the type species of <i>Antedon</i> Fréminville, 1811) (Crinoidea). Direction 73	available
<i>biformis</i> , <i>Ammonites</i> , Sowerby, 1831, in de la Beche, <i>Geol. Man.</i> : 319 (specific name of the type species of <i>Pleuroacanthites</i> Canavari, 1883) (Cephalopoda). Op. 575	available
<i>bifrons</i> , <i>Ammonites</i> , Bruguière, [1789], <i>Ency. méth.</i> , Vers, 1 (1): 40 (specific name of the type species of <i>Hildoceras</i> Hyatt, 1867) (Cephalopoda). Op. 304	available
<i>bifurcatus</i> , <i>Ammonites biplex</i> , Quenstedt, 1846, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 163, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (specific name of the type species of <i>Divisosiphinctes</i> Beurlen, 1925) (Ammonoidea). Op. 2123	available
<i>bifurcatus</i> , <i>Athyreus</i> , MacLeay, 1819, <i>Horae entomol.</i> , 1 (1): 124 (specific name of the type species of <i>Athyreus</i> MacLeay, 1819) (Insecta, Coleoptera). Op. 1299	available
<i>bigemma</i> , <i>Amoeba</i> , Schaeffer, 1918, <i>Trans. amer. microsc. Soc.</i> , 94 : 80-88 (specific name of the type species of <i>Mayorella</i> Schaeffer, 1926) (Rhizopoda). Op. 1344	available
<i>Bigotites</i> Nicolesco, 1918, <i>C.R. Sommaire Soc. géol. France</i> , (4) 18 : 36 (gender: masculine) (type species, by designation by Nicolesco, 1931 (<i>Mém. Soc. géol. France</i> , 17 : 23): <i>Bigotella petri</i> Nicolesco, 1917, <i>Bull. Soc. géol. France</i> , (4) 16 : 167, pl. 4, figs. 4, 5) (Cephalopoda). Op. 324	available

<i>biguttatus</i> , <i>Dytiscus</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 1959, and all uses of the name prior to the publication of <i>Dytiscus biguttatus</i> Olivier, 1795 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1785	index
<i>biguttatus</i> , <i>Dytiscus</i> , Olivier, 1795, <i>Entomologie, ou histoire naturelle des insectes</i> , vol. 3, no. 40, p. 26 (Insecta, Coleoptera). Op. 1785	available
<i>biguttatus</i> , <i>Portunus</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 31 (valid name at the date of Opinion 712 of the type species of <i>Xaiva</i> MacLeay, 1838) (Crustacea, Decapoda). Op. 712	available
<i>biguttatus</i> , <i>Staphylinus</i> , Bernhauer, 1937, <i>Annals and Magazine of Natural History</i> , (10)20: 304, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. biguttatus</i> Linnaeus, 1758 (Insecta, Coleoptera). Op. 2053	available
<i>biguttatus</i> , <i>Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 422 (Insecta, Coleoptera). Op. 2053	available
<i>bihamata</i> , <i>Formica</i> , Drury, 1773, <i>Illustrations of natural history; wherein are exhibited ... figures of exotic insects</i> , vol. 2, p. 73, index (specific name of the type species of <i>Polyrhachis</i> Smith, 1857) (Insecta, Hymenoptera). Op. 1919	available
<i>bilamellatus</i> , <i>Clausilia (Strobilis)</i> , Anton, 1838, <i>Verzeichniss der Conchylien Welch sich in der Sammlung von H.E. Anton befinden</i> , p. 46 (specific name of the senior subjective synonym of <i>Tornatellina clausa</i> Pfeiffer, 1842, the type species of <i>Tornatellina</i> Pfeiffer, 1842) (Gastropoda). Direction 119	available
<i>Bilharzia</i> Cobbold, 1859, <i>Trans. linn. Soc. London</i> , 22(4): 363-366 (a junior homonym of <i>Bilharzia</i> Meckel von Hemsbach, 1856). Op. 226	index
<i>Bilharzia</i> Meckel von Hemsbach, 1856, <i>Mikrogeologie</i> : 114 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 226	index
<i>bilineata</i> , <i>Buprestis</i> , Latreille, 1813, in Humboldt von & Bonpland, <i>Voyage aux régions équinoxiales du Nouveau Continent, fait en 1799-1804</i> , vol. 2, part 2, p. 60, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis bilineata</i> Weber, 1801 (Insecta, Coleoptera). Op. 2008	available
<i>bilineata</i> , <i>Buprestis</i> , Weber, 1801, <i>Observationes entomologicae, continentibus novorum quae condidit generum characteres, et nuper detectarum specierum descriptiones</i> , p. 74 (Insecta, Coleoptera). Op. 2008	available
<i>bilineatus</i> , <i>Dytiscus</i> , de Geer, 1774, <i>Mém. Hist. Ins.</i> , 4: 400 (Insecta, Coleoptera). Op. 618	available
<i>bilineatus</i> , <i>Polygnathus</i> , Roundy, 1926, <i>U.S. Geological Survey, Professional Paper no. 146</i> , p. 13 (specific name of the type species of <i>Gnathodus</i> Pander, 1856) (Conodonta). Op. 1415	available

- bilineatus*, *Psammophis moniliger* var., Peters, 1867, *Monatsber. Akad. Wiss. Berlin*: 237
 (suppressed under the plenary power for the purposes of the Principle of Priority but not
 for those of the Principle of Homonymy). Op. 1210 index
- Biloba* Stach, 1949, *Apterygotan Fauna Poland*, Fam. Neogastruridae,
 Brachystomellidae (*Acta Mon. Mus. Hist. nat. Cracoviae*): 6, 16 (a junior objective
 synonym of *Neanura* MacGillivray, 1893). Op. 435 index
- bilobatus*, *Bellerophon***, Sowerby, 1839, in Murchison, *The Silurian System, founded on
 geological researches ...*, p. 643 (specific name of the type species of *Sinuites* Koken,
 1896) (Gastropoda, Archaeogastropoda). Op. 1470 available
- bilobatus*, *Physophyscus*, Lesquereux, 1891, *Proceedings of the U.S. National Museum*,
13: 9 (suppressed under the plenary power for the purposes of the Principle of Priority
 but not for those of the Principle of Homonymy) (Trace fossil, arthropod). Op. 1520 index
- BILOBIDAE Stach, 1951, *Apterygotan Fauna Poland*, Fam. Bilobidae (*Acta Mon. Mus.
 Hist. nat. Cracoviae*): 3 (type genus: *Biloba* Stach, 1949) (a junior objective synonym of
NEANURINAE Börner, June 1901, the respective type genera of these two families
 having the same nominal species as type species). Op. 435 index
- bilocularis*, *Anomia***, Hisinger, 1799, *K. Vetensk.-Akad. Nya Handl.*, Stockholm, **19**: 285
 (specific name of the type species of *Conchidium* Oehlert, 1887) (Brachiopoda). Op.
 297 available
- bimaculata*, *Cicada*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 86 (included in a work
 suppressed under the plenary power for nomenclatural purposes). Op. 380 index
- bimaculatus*, *Elater*, Fourcroy, 1785, *Entomologia parisiensis ...*, part 1, p. 38, and all
 uses of the name prior to the publication of ***Elater bimaculatus*** Rossi, 1790 (suppressed
 under the plenary power for the purposes of both the Principle of Priority and the
 Principle of Homonymy) (Insecta, Coleoptera). Op. 1441 index
- bimaculatus*, *Elater***, Rossi, 1790, *Fauna etrusca ...*, vol. 1, p. 182 (specific name of the
 type species of *Drasterius* Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1441 available
- bimaculatus*, *Labrus***, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 285, as
 defined by the holotype (catalogue no. NRM 7 in the Swedish Museum of Natural
 History, Stockholm) (specific name of the type species of *Cichlasoma* Swainson, 1839)
 (Osteichthyes, Perciformes). Op. 1954 available
- bimammatus*, *Ammonites***, Quenstedt, 1857, *Der Jura*, p. 616 (specific name of the type
 species of *Epipeltoceras* Spath, 1924) (Ammonoidea). Op. 2123 available
- BINOCULIDAE Fowler, 1912, *Ann. Rep. New Jersey State Mus.*, **1911**: 466 (type
 genus: *Binoculus* Müller, 1776) (invalid because the name of the type genus has been
 suppressed under the plenary power). Op. 502 index
- Binoculus* Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de
 Paris*, vol. 2, p. 658 (suppressed under the plenary power for the purposes of the
 Principle of Priority but not for those of the Principle of Homonymy). Op. 502, Op.
 1754 index

<i>binotata</i> , <i>Viverra</i> , Gray, 1830, <i>Spicil. zool.</i> (2): 9 (specific name of the type species of <i>Nandinia</i> Gray, 1843) (Mammalia). Op. 384	available
<i>binotatus</i> , <i>Ammonites</i> , Oppel, 1862, <i>Paläontol. Mitt.</i> , 1 : 155 (a junior objective synonym of <i>Ammonites valdani</i> d'Orbigny, 1844). Op. 996	index
<i>binotatus</i> , <i>Gryllus (Bulla)</i> [<i>Acridium</i>], Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 2059, No. 221 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>binotatus</i> , <i>Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia ...</i> , p. 28 (Insecta, Coleoptera). Op. 2053	available
<i>binotatus</i> , <i>Staphylinus</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropterorum</i> , p. 73, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. binotatus</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2053	available
<i>binturong</i> , <i>Viverra</i> , Raffles, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 253 (specific name of the type species of <i>Arctictis</i> Temminck, [1824]) (Mammalia). Op. 384	available
<i>bioculata</i> , <i>Ephemera</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 577 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 787	index
<i>bioculata</i> , <i>Hippurites</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 104 (specific name of the type species of <i>Hippurites</i> Lamarck, 1801) (Bivalvia). Op. 613	available
<i>Biomphalaria</i> Preston, 1910, <i>Ann. Mag. nat. Hist.</i> , (8) 6 (35): 535, pl. 7, figs. 26, 26a (gender: feminine) (type species, by monotypy: <i>Biomphalaria smithi</i> Preston, 1910, <i>Ann. Mag. nat. Hist.</i> , (8) 6 (35): 535, pl. 7, figs. 26, 26a) ruled under the plenary power to be given precedence over the generic names <i>Planorbina</i> Haldeman, 1842, <i>Taphius</i> Adams & Adams, 1855 and <i>Armigerus</i> Clessin, 1884 whenever it and any of the other genera are considered synonyms (Gastropoda). Op. 735	available
<i>biplicatus</i> , <i>Turbo</i> , Montagu, 1803, <i>Test. brit.</i> , 2 : 361 (Gastropoda). Op. 336	available
<i>Biplices</i> Siemiradzki, 1891, <i>Fauna Kopalna warstw Oxfordzkich i Kimerydzkich</i> : 63 (invalid because not published in the nominative singular). Op. 504	index
<i>biporcata</i> , <i>Dactyloa</i> , Wiegmann, 1834, <i>Herpetologia mexicana, seu Descriptio amphibiorum Novae Hispaniae, quae itineribus Comitis de Sack, F. Deppe et C.G. Schiede in Museum Zoologicum Berolinense pervenerunt</i> . Pars prima Saurorum species amplectens, &c, pp. 47-48, as defined by the neotype (holotype of <i>Anolis copei</i> Bocourt, 1873 - MNHM 2426) designated under the plenary power (Reptilia). Op. 2015	available
<i>bipunctata</i> , <i>Perla</i> , Pictet, 1833, <i>Ann. Sci. nat.</i> , Paris, 28 (109): 55 (specific name of the type species of <i>Perla</i> Geoffroy, 1762) (Insecta, Plecoptera). Op. 645	available
<i>bipunctatus</i> , <i>Gryllus (Bulla)</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 427 (Insecta, Orthoptera). Op. 1103	available

<i>bipunctatus</i> , Mellinus , Fabricius, 1798, <i>Entomologia systematica emendata et aucta ...</i> , <i>Supplementum</i> , p. 265 (specific name of the type species of Prosopis Fabricius, 1804) (Insecta, Hymenoptera). Op. 1713	available
<i>bipustulata</i> , Tritoma , Fabricius, 1775, <i>Systema Entomologiae ...</i> , p. 68 (specific name of the type species of Tritoma Fabricius, 1775) (Insecta, Coleoptera). Op. 1754	available
<i>bipustulatus</i> , Lyctus , Fabricius, 1792, <i>Entomologia Systematica emendata et aucta</i> , vol. 1, part 2, p. 503 (specific name of the type species of Rhizophagus Herbst, 1793) (Insecta, Coleoptera). Op. 1810	available
<i>Biradiolites</i> d'Orbigny, 1850, <i>Pal. France, Crét.</i> , 4 (Brach.): 230 (gender: masculine) (type species, by designation by Toucas, 1909 (<i>Mém. Soc. géol. France, Paléontol.</i> , 36 : 98); <i>Biradiolites canaliculatus</i> d'Orbigny, 1850, <i>Pal. France, Crét.</i> , 4 (Brach.): 230) (Bivalvia). Op. 891	available
<i>Bironella</i> Theobald, 1905, <i>Ann. hist.-nat. Mus. nat. Hung.</i> , 3 : 69 (gender: feminine) (type species, by monotypy: <i>Bironella gracilis</i> Theobald, 1905, <i>Ann. hist.-nat. Mus. nat. Hung.</i> , 3 : 69) (Insecta, Diptera). Op. 737	available
<i>bironelli</i> , <i>Anopheles</i> , Christophers, 1924, <i>Ind. Med. Res. Mem.</i> , 3 : 5, 16 (a junior objective synonym of <i>gracilis</i> , <i>Bironella</i> , Theobald, 1905). Op. 737	index
<i>Birostrites</i> Lamarck, 1819, <i>Hist. nat. Anim. sans Vertèbr.</i> , 6 : 236 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 856	index
<i>Birulia</i> Brashnikov, 1903, <i>Annu. Mus. zool. Acad. imp. Sci. St. Pétersbourg</i> , 8 : xliv (gender: feminine) (type species, by monotypy: <i>Birulia sachalinensis</i> Brashnikov, 1903, <i>Annu. Mus. zool. Acad. imp. Sci. St. Pétersbourg</i> , 8 : xlvi) (Crustacea, Decapoda). Op. 470	available
<i>biruncinatus</i> , Ammonites , Quenstedt, 1847, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 260 (specific name of the type species of <i>Simoceras</i> Zittel, 1870) (Ammonoidea). Op. 2123	available
<i>bisbidentatus</i> , <i>Ctenophthalmus</i> , Kolenati, 1859, <i>Jh. k.k. mähr. schl. Ges. Ackerbau, Natur- und Landeskunde</i> , 1858 : 65 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 741	index
<i>bisoctodentatus</i> , Ctenophthalmus , Kolenati, 1863, <i>Hor. Soc. entomol. ross.</i> , 2 : 35, pl. 2, fig. 6, as interpreted by the neotype designated by Hopkins, 1963 (<i>Bull. zool. Nomencl.</i> , 20 : 220, pl. 4) (specific name of the type species of <i>Ctenophthalmus</i> Kolenati, 1856) (Insecta, Siphonaptera). Op. 741	available
<i>Bison</i> Smith, 1827, in Griffith's Cuvier, <i>Anim. Kingd.</i> , Mamm. Syn.: 373 (gender: masculine) (type species, by absolute tautomy: <i>Bos bison</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 72) (Mammalia). Op. 91 <i>bison</i> , <i>Bos</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 72 (specific name of the type species of <i>Bison</i> Smith, 1827) (Mammalia). Direction 22	available
<i>bisperforatus</i> , Echinodiscus , Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 198 (specific name of the type species of <i>Echinodiscus</i> Leske, 1778) (Echinoidea). Op. 277	available

- bispinosa*, *Litocheira*, Kinahan, 1856, *J. roy. Dublin Soc.*, **1**: 121 (specific name of the type species of *Litocheira* Kinahan, 1856) (Crustacea, Decapoda). Direction 36 available
- bispinosa*, *Pisitoe*, Rafinesque, 1814, *Précis Découv. somiol.*: 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1133 index
- bispinosus*, *Cancer*, Herbst, [1783], *Versuch Naturgesch. Krabben Krebse*, **1**(2-5): 144 (specific name of the type species of *Galene* de Haan, [1833]) (Crustacea, Decapoda). Direction 36 available
- bisseptemdentatus*, *Ctenophthalmus*, Kolenati, 1863, *Hor. Soc. entomol. ross.*, **2**: 36, pl. 2, fig. 7 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 741 index
- bisulcatus*, *Belemnites*, de Blainville 1827, *Mémoire sur les Belemnites, considérées zoologiquement et géologiquement*, p. 79 (senior subjective synonym of the specific name of *Belemnites bruguierianus* d'Orbigny, 1843, the type species of *Passaloteuthis* Lissajous, 1915) (Cephalopoda, Coleoidea). Op. 1721 available
- bisulcatus*, *Buceros*, [anon.], [1840], *Verz. Java Samml. Thier. Holzapfel*: No. 6 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273 index
- Bithinella* Fischer, 1885, *Manuel de conchyliologie et de paléontologie conchyliologique*, part 8, p. 725 (an unjustified emendation and junior objective synonym of *Bythinella* Moquin-Tandon, 1856) (Gastropoda). Op. 2161 index
- Bithinia* Gray, 1821, *London med. Reposit.*, **15**: 239 (an incorrect subsequent spelling for *Bithynia* Leach, 1818). Op. 475 index
- Bithynella* Fagot, 1886, *Bulletin de la Société d'Histoire naturelle de Toulouse*, **20**: 62 (an unjustified emendation and junior objective synonym of *Bythinella* Moquin-Tandon, 1856) (Gastropoda). Op. 2161 index
- Bithynia* Leach, 1818, in Clarke Abel, *Narr. Journ. Int. China*: 362 (conserved under the plenary power) (gender: feminine) (type species, by original designation: *Helix tentaculata* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 774) (Gastropoda). Op. 475 available
- BITHYNIIDAE** Troschel, 1857, *Das Gebiss der Schnecken zur Begründung einer natürliche Classification*, vol. 1(2), p. 101 (type genus: *Bithynia* Leach, 1818) (Gastropoda). Op. 475, Op. 1664 available
- Bithys* Hübner, 1818, *Zutr. Samml. exot. Schmett.*, **1**: 18, no. 44; *id.*, [1819], *Verz. bekannt. Schmett.*, (5): 75 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 541 index
- Bitinia* Sacco, 1889, *Mem. Accad. Sci. Torino*, (2)**39**: 84 (an incorrect subsequent spelling for *Bithynia* Leach, 1818). Op. 475 index
- Bitis* Gray, 1842, *Zool. Miscell.*, (4): 69 (gender: feminine) (type species, by designation under the plenary power: *Vipera (Echidna) arietans* Merrem, 1820, *Tent. Syst. Amph.*: 152) (Reptilia). Op. 188 available

<i>bituberculatum</i> , Liparthrum , (correction of <i>Leiparthrum</i>), Wollaston, 1854, <i>Insecta Maderensis, being an account of the insects of the islands of the Madeiran group</i> : 294 (specific name of the type species of Liparthrum Wollaston, 1854) (Insecta, Coleoptera). Op. 1166	available
<i>biunguiculatus</i> , Palaemon , Lucas, [1846], <i>Explor. Sci. Algérie (Zool.)</i> , 2 (Hist. nat. Anim. art.) (1): 45 (valid name at the date of Opinion 470 of the type species of Brachycarpus Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>bivittatus</i> , Cercophonius brachycentrus , Thorell, 1877, <i>Atti della Società Italiana di Scienze Naturali</i> , 19 : 183, ruled under the plenary power not to be given priority over the name Bothriurus alticola Pocock, 1899 whenever the two are considered to be synonyms (Arachnida). Op. 2074	available
<i>bizonatus</i> , Odynerus , Boisduval, 1835, in d'Urville, <i>Voy. 'Astrolabe' Entomol.</i> (2): 658 (specific name of the type species of Parodynerus Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>bjerkandrella</i> , Tinea , Thunberg, 1784, <i>D.D. Dissertatio Entomol. sistens Insecta Svecica</i> , 1 : 24, fig. (Insecta, Lepidoptera). Op. 1227	available
<i>blackburnii</i> , Hyposmocoma , Butler, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 7 (40): 400 (specific name of the type species of Hyposmocoma Butler, 1881) (Insecta, Lepidoptera). Op. 965	available
<i>blainvillici</i> (emendation of <i>blainvillii</i>), Mormoops , Leach, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 77, a name having precedence over <i>cuvieri</i> , <i>Aëllo</i> , Leach, 1821, through the action of Dobson, 1878 (<i>Cat. Chiropt. Brit. Mus.</i> : 454, nota) as first reviser (specific name of the type species of Mormoops Leach, 1821) (Mammalia). Op. 462	available
<i>blainvillii</i> , Mormoops , Leach, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 77 (an incorrect original spelling for <i>blainvillici</i> , Mormoops , Leach, 1821). Op. 462	index
<i>blainvillii</i> , Tropidogaster , Duméril & Bibron, 1837, <i>Erpét. gén.</i> , 4 : 300 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 955	index
<i>blandingii</i> , Cistuda , Holbrook, 1838, <i>North Amer. Herpet.</i> , <i>Descr. Rept. U.S. (ed. 1)</i> , 3 : 35 (conserved under the plenary power) (Reptilia). Op. 660	available
<i>Blankaartia</i> Oudemans, 1911, <i>Entomol. Berichten</i> , 3 (57): 123 (gender: feminine) (type species, by monotypy: Trombidium niloticum Trägårdh, 1905, <i>Results Swedish zool. Exped. Egypt and White Nile</i> , 1901, II : 78-82) (Arachnida). Op. 655	available
<i>Blanus</i> Wagler, 1830, <i>Nat. System der Amphibien ...</i> , München, Stuttgart and Tübingen: 197 (gender: masculine) (type species, by monotypy: Amphisbaena cinerea Vandelli, 1797, <i>Mem. Acad. real Sci. Lisboa</i> : 69) (Reptilia). Op. 1149	available
<i>Blastophaga</i> Gravenhorst, 1829, <i>Beitr. Entomol. Schlesische Fauna</i> , 1 : 27 (gender: feminine) (type species, by monotypy: <i>Blastophaga grossorum</i> Gravenhorst, 1829, <i>Beitr. Entomol. Schlesische Fauna</i> , 1 : 27, valid name: <i>Cynips pseudes</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 694	available

<i>Blastophagus</i> Eichhoff, 1864, <i>Berlin entomol. Z.</i> , 8 : 25 (a junior objective synonym of Tomicus Latreille, [1802]). Op. 670	index
<i>Blastophagus</i> Gravenhorst, 1827, <i>Uebers. Arb. Verand. schles. Ges. vaterländ Cultur</i> , Breslau, 1826 : 23 (a nomen nudum). Op. 670	index
Blatta Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 424 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 433, 246); Blatta orientalis Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 424) (Insecta, Orthoptera). Op. 104, Direction 63	available
blattae, Amoeba , Bütschli, 1878, <i>Z. wiss. Zool.</i> , 30 (2): 273-277 (specific name of the type species of Endamoeba Leidy, 1879) (Rhizopoda). Op. 312	available
Blattella Caudell, 1903, <i>Proceedings entomol. Soc. Washington</i> , 5 : 234 (gender: feminine) (type species, by designation under the plenary power: Blatta germanica Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 668) (Insecta, Dictyoptera). Op. 1231	available
BLATTELLIDAE Karny, 1908, <i>Mitt. natur. Ver. Univ. Wien</i> , 6 : 112 (type genus: Blattella Caudell, 1903) (Insecta, Dictyoptera). Op. 1231	available
Blennius Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 256 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 759); Blennius ocellaris Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 256) (Osteichthyes). Op. 92, Direction 56	available
Blennocampa Hartig, 1837, <i>Die Aderflügler Deutschlands mit besonderer Berücksichtigung ihres Larvenzustandes und ihres Wirkens in Wäldern und Gärten für Entomologen, Wald- und Gartenbesitzer ...</i> , vol. 1, p. 266 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Rohwer, 1911, <i>U.S. Department of Agriculture, Bureau of Entomology, Technical Series</i> , 20 (2): 75: <i>Tenthredo (Allantus) pusilla</i> Klug, 1816, invalid senior objective synonym of Blennocampa phyllocolpa Viitasaari & Vikberg, 1985 (Insecta, Hymenoptera). Op. 1963	available
BLENNOCAMPINI Konow, 1890, <i>Deutsche Entomologische Zeitschrift</i> , 1890 (2): 248 (type genus: Blennocampa Hartig, 1837) (Insecta, Hymenoptera). Op. 1963	available
<i>Blephara</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Blepharidia</i> Püngeler, 1900, <i>Dtsch. entomol. Z.</i> , 13 : 122 (a junior homonym of <i>Blepharidia</i> Hübner, 1822). Op. 789	index
<i>Blepharum</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
BLISSIDA Stål, 1862, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1862 : 210, 212 (type genus: Blissus Burmeister, 1835) (an incorrect original spelling for BLISSINAE Stål, 1862). Op. 705	index

BLISSINAE (correction of BLISSIDA) Stål, 1862, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1862 : 210, 212 (type genus: Blissus Burmeister, 1835) (Insecta, Hemiptera). Op. 705	available
Blissus Burmeister, 1835, <i>Handb. Entomol.</i> , 2 : 290 (gender: masculine) (type species, by monotypy: Blissus hirtulus Burmeister, 1835, <i>Handb. Entomol.</i> , 2 : 290) (Insecta, Hemiptera). Op. 705	available
blumenbachii, Calymena , Brongniart in Desmarest, 1817, <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , Ed. 2, vol. 8, p. 517 (specific name of the type species of Calymene Brongniart in Brongniart & Desmarest, 1822) (Trilobita). Op. 1433	available
blythi, Sylvia curruca , Ticehurst & Whistler, 1933, <i>Ibis</i> , 1933 : 26, as interpreted by reference to the British Museum (Natural History) specimen No. 98.9.101 (Aves). Op. 1037	available
Boa Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 214 (gender: feminine) (type species, by designation by Fitzinger, (1843) (<i>Systema Reptilium ... fasciculus primus</i> : 24): Boa constrictor Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 215) (Reptilia). Op. 1045	available
boans, Rana , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 213, as interpreted by reference to the neotype designated by Duellman, 1971 (<i>Herpetologica</i> , 27 : 399) Number 16603 in the Rijksmuseum van Natuurlijke Historie, Leiden (Amphibia). Op. 1029	available
Bodotria Goodsir, 1843, <i>Edinburgh New Philosophical Journal</i> , 34 : 128 (gender: feminine) (type species, by monotypy: Bodotria arenosa Goodsir, 1843) (Cumacea). Op. 1592	available
BODOTRIIDAE Scott, 1901, <i>Annual Report of the Fishery Board for Scotland</i> , 19 : 273 (type genus: Bodotria Goodsir, 1843) (Cumacea). Op. 1592	available
boehmi, Woehrmannia , Kittl, 1899, <i>Ann. Naturh. Hofmus. Wien</i> , 14 : 19 (specific name of the type species of Woehrmannia Boehm, 1895) (Gastropoda). Op. 639	available
<i>Bohemilla</i> Vejdovsky, 1883, <i>Sitzungsberichte der Königlichen Böhmischen Gesellschaft der Wissenschaften</i> (Prag), 1883 : 218 (a junior homonym of <i>Bohemilla</i> Barrande, 1872 and a senior objective synonym of <i>Vejdovskyella</i> Michaelsen, 1903) (Oligochaeta). Op. 1835	index
<i>Bohemillula</i> Strand, 1928, <i>Archiv für Naturgeschichte</i> , 92 (A, 8): 36 (a junior objective synonym of <i>Vejdovskyella</i> Michaelsen, 1903) (Oligochaeta). Op. 1835	index
Boiga Fitzinger, 1826, <i>Neue Classification der Reptilien nach ihren natürlichen Verwandtschaften</i> , pp. 29, 60 (gender: feminine) (type species, by subsequent designation by Cope, 1860, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1860 : 264: <i>Coluber irregularis</i> Bechstein, 1802) (Reptilia, Serpentes). Op. 1374	available
Boissonneaua Reichenbach, [1854], <i>J. Ornithol.</i> , 1 (Extra-Heft) (Aufz. Col.): 4, 11 (gender: feminine) (type species, by monotypy: Trochilus flavesiensis Loddiges, 1832, <i>Proceedings Comm. Sci. zool. Soc. London</i> , 2 (15): 7) (Aves). Op. 550	available

<i>Boissonneauana</i> Giebel, 1877, <i>Thesaur. Orn.</i> , 3 : 669-677 (an unjustified emendation of <i>Boissonneaua</i> Reichenbach, [1854]). Op. 550	index
<i>Boissonneauaxia</i> Simon, 1897, <i>Cat. Trochilidae</i> : 29 (an unjustified emendation of <i>Boissonneaua</i> Reichenbach, [1854]). Op. 550	index
<i>Bolbobythus</i> Raffray, 1904, <i>Ann. Soc. entomol. France</i> , 73 : 255 (a junior objective synonym of <i>Bythinus</i> Leach, 1817). Op. 887	index
<i>Bolboceras</i> Kirby, 1819, <i>Transactions of the Linnean Society of London</i> , 12 (2): 459 (gender: neuter), ruled under the plenary power that all previous type fixations are set aside and <i>Scarabaeus quadridens</i> Fabricius, 1781 is designated as the type species (Insecta, Coleoptera). Op. 2138	available
<i>boleti, Chrysomela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 371 (specific name of the type species of <i>Diaperis</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>boleti, Lytta</i> , Marsham, 1802, <i>Coleoptera Britannica, sistens insecta Coleoptera Britanniae indigena</i> , p. 486 (specific name of the type species of <i>Aderus</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1549	available
<i>Boletochara</i> Westwood, 1838, <i>Introd. mod. Classif. Ins. (Synopsis)</i> : 20 (an incorrect subsequent spelling for <i>Bolitochara</i> Mannerheim, 1831). Op. 599	index
<i>Bolitachara</i> Mulsant & Rey, 1872, <i>Ann. Soc. linn. Lyon</i> , (2) 19 : 215 (an incorrect subsequent spelling for <i>Bolitochara</i> Mannerheim, 1831). Op. 599	index
<i>Bolithochara</i> Laporte, 1835, <i>Études entomol.</i> : 136 (an incorrect subsequent spelling for <i>Bolitochara</i> Mannerheim, 1831). Op. 599	index
<i>BOLITOCHAIRES</i> Mulsant & Rey, 1871, <i>Ann. Soc. linn. Lyon</i> , (2) 19 (1872): 91 (type genus: <i>Bolitochara</i> Mannerheim, 1831) (an incorrect subsequent spelling for <i>BOLITOCHARINI</i> Thomson, 1859). Op. 599	index
<i>Bolitochara</i> Mannerheim, 1831, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 1 (5): 489 (gender: feminine) (type species, by designation under the plenary power: <i>Aleochara pulchra</i> Gravenhorst, 1806, <i>Mon. Coleopt. micr.</i> : 164) (Insecta, Coleoptera). Op. 599	available
<i>BOLITOCHARATES</i> Mulsant & Rey, 1871, <i>Ann. Soc. linn. Lyon</i> , (2) 19 (1872): 92 (type genus: <i>Bolitochara</i> Mannerheim, 1831) (an incorrect subsequent spelling for <i>BOLITOCHARINI</i> Thomson, 1859). Op. 599	index
<i>BOLITOCHARIDES</i> Thomson, 1859, <i>Skand. Coleopt.</i> , 1 : 31 (type genus: <i>Bolitochara</i> Mannerheim, 1831) (an incorrect original spelling for <i>BOLITOCHARINI</i> Thomson, 1859). Op. 599	index
<i>BOLITOCHARINA</i> Sharp, 1883, <i>in Godman & Salvin, Biologia cent.-amer.</i> , 1 (2): 240 (type genus: <i>Bolitochara</i> Mannerheim, 1831) (an incorrect subsequent spelling for <i>BOLITOCHARINI</i> Thomson, 1859). Op. 599	index
BOLITOCHARINI (correction of <i>BOLITOCHARIDES</i>) Thomson, 1859, <i>Skand. Coleopt.</i> , 1 : 31 (type genus: <i>Bolitochara</i> Mannerheim, 1831) (Insecta, Coleoptera). Op. 599	available

<i>Bolitophaga</i> Mulsant & Rey, 1874, <i>Ann. Soc. agric. Lyon</i> , (4)6: 295 (an incorrect subsequent spelling for Bolitochara Mannerheim, 1831). Op. 599	index
<i>Bollandia</i> Reed, 1943, <i>Annals and Magazine of Natural History</i> , (11)10: 62 (gender: feminine) (type species, by original designation: <i>Asaphus globiceps</i> Phillips, 1836) (Trilobita). Op. 1652	available
<i>bollensis</i> , <i>Loligo</i> , Schübler in Zieten, 1832, <i>Die Versteinerungen Württembergs, Expeditum des Werkes 'Unsere Zeit'</i> , part 5, p. 34 (specific name of the type species of Geoteuthis Münster, 1843) (Cephalopoda, Coleoidea). Op. 1914	available
<i>Bollia</i> Jones & Holl, 1886, <i>Ann. Mag. nat. Hist.</i> , (5)17: 360 (gender: feminine) (type species, by designation under the plenary power: <i>Bollia bicollina</i> Jones & Holl, 1886, <i>Ann. Mag. nat. Hist.</i> , (5)17: 361, pl. 12, figs. 14a-c, 15, 16) (Crustacea, Ostracoda). Op. 934	available
BOLLIIDAE Bouček, 1936, <i>Neues Jahrb.</i> , 76B(1): 40 (type genus: <i>Bollia</i> Jones & Holl, 1886) (Crustacea, Ostracoda). Op. 934	available
<i>Bolotochara</i> Mulsant & Rey, 1872, <i>Hist. nat. Coléopt. France</i> (Brév., Aléo.): 210 (an incorrect subsequent spelling for Bolitochara Mannerheim, 1831). Op. 599	index
<i>Boltenia</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , (2): 87 (gender: feminine) (type species, by designation by Huntsman, 1912 (<i>Trans. roy. canad. Inst.</i> , 9: 133): <i>Vorticella ovifera</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1319) (Ascidiacea). Op. 636	available
<i>Bombina</i> Oken, 1816, <i>Lehrbuch Naturgesch.</i> , 3(Zool.)(2): 207 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Rana bombina</i> Linnaeus, 1761, <i>Fauna svec.</i> , Ed. 2: 101) (Amphibia). Op. 453	available
<i>bombina</i> , <i>Rana</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 101 (specific name of the type species of <i>Bombina</i> Oken, 1816) (Amphibia). Op. 453	available
<i>Bombus</i> Latreille, 1802, <i>Hist. nat. Fourmis</i> : 437 (gender: masculine) (type species, by monotypy: <i>Apis terrestris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 578) (Insecta, Hymenoptera). Op. 220	available
BOMBYCES Horsfield & Moore, 1858-1859, <i>Cat. Lep. Ins. Mus. E. India Company</i> , 2: 281 (type genus: <i>Bombyx</i> Linnaeus, 1758) (an incorrect subsequent spelling for BOMBYCIDAE (correction of BOMBYCINAE) Latreille, [1802]). Op. 450	index
BOMBYCIDAE (correction of BOMBYCINAE) Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3: 404 (type genus: <i>Bombyx</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>Bombycilla</i> Vieillot, [1808], <i>Histoire naturelle des oiseaux de l'Amérique septentrionale</i> ..., vol. 1, p. 88 (gender: feminine) (type species, by monotypy: <i>Bombycilla cedrorum</i> Vieillot, [1808]) (Aves, Passeriformes). Op. 1893	available
BOMBYCINAE Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3: 404 (type genus: <i>Bombyx</i> Linnaeus, 1758) (an incorrect original spelling for the family name BOMBYCIDAE Latreille, [1802], but available as the name for the nominate subfamily of that family). Op. 450	index

BOMBYCITES Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 190, 216 (type genus: Bombyx Linnaeus, 1758) (an incorrect subsequent spelling for BOMBYCIDAE (correction of BOMBYCINAE) Latreille, [1802]). Op. 450	index
BOMBYCODEA Burmeister, 1837, <i>Handb. Nat.</i> (2): 618 (type genus: Bombyx Linnaeus, 1758) (an incorrect subsequent spelling for BOMBYCIDAE (correction of BOMBYCINAE) Latreille, [1802]). Op. 450	index
<i>bombylans, Apis</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 386 (specific name of the type species of <i>Lestis</i> Lepeletier & Serville, 1828) (Insecta, Hymenoptera). Op. 657	available
Bombyx Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 495 (conserved under the plenary power as of subgeneric status) (gender: masculine) (type species, by designation under the plenary power: Phalaena mori Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 499) (Insecta, Lepidoptera). Op. 450	available
BOMBYXIA Rafinesque, 1815, <i>Analyse Nature</i> : 127 (type genus: Bombyx Linnaeus, 1758) (an incorrect subsequent spelling for BOMBYCIDAE (correction of BOMBYCINAE) Latreille, [1802]). Op. 450	index
<i>Bomolchus</i> Von Nordmann, 1832, <i>Mikrographische Beitr. Naturgesch. Wirbell. Tiere</i> , 2 : 135 (an incorrect original spelling for Bomolochus Von Nordmann, 1832). Op. 732	index
BOMOLOCHIDAE Claus, 1875, <i>Z. wiss. Zool.</i> , 25 : 340 (type genus: Bomolochus Von Nordmann, 1832) (Crustacea, Copepoda). Op. 732	available
<i>Bomolochus</i> Von Nordmann, 1832, <i>Mikrographische Beitr. Naturgesch. Wirbell. Tiere</i> , 2 : 135 (gender: masculine) (type species, by designation under the plenary power: Bomolochus soleae Claus, 1864, <i>Z. Wiss. Zool.</i> , 14 : 374, pl. 35, figs. 16-20, pl. 36, fig. 28) (Crustacea, Copepoda). Op. 732	available
<i>bonariensis, Podalonus</i> , Burmeister, 1847, <i>Handbuch der Entomologie</i> , Band 5 (Besondere Entomologie. Fortsetzung. Coleoptera Lamellicornia Xylophila et Pectinicornia), p. 118 (specific name of the type species of Philoscaptus Brèthes, 1919) (Insecta, Coleoptera). Op. 2066	available
<i>bonnieri, Dichelopandalus</i> , Caullery, 1896, <i>Ann. Univ. Lyon</i> , 26 : 379 (specific name of the type species of Dichelopandalus Caullery, 1896) (Crustacea, Decapoda). Op. 470	available
<i>Borborus</i> Meigen, 1803, <i>Magazin für Insektenkunde (Illiger)</i> , 2 : 276 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1863	index
<i>boreale, Lathrobium</i> , Hochhuth, 1851, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 24 (2)(3): 41, ruled under the plenary power not to be given priority over the names Lathrobium geminum Kraatz, 1857 and Lathrobium volgense Hochhuth, 1851 whenever it and either of the others are considered to be synonyms (Insecta, Coleoptera). Op. 2126	available
<i>borealis, Motacilla</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 686 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409	index

<i>borealis</i> , <i>Penaeus</i> , Latreille, [1802], <i>Hist. nat. gén. partic. Crust. Ins.</i> , 6 : 250 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 381	index
<i>borealis</i> , <i>Prionotropis?</i> , Warren, 1930, <i>Trans. roy. Soc. Canad.</i> , 24 (4): 25, pl. 3, figs. 1-4, pl. 4, fig. 1 (specific name of the type species of <i>Selwynoceras</i> Warren & Stelck, 1940) (Cephalopoda). Op. 861	available
<i>borealis</i> , <i>Simulia</i> , Zetterstedt, 1842, <i>Arsberättelse om Botaniska Arbeten och Upptäckter för år 1838</i> , p. 515, ruled under the plenary power not to be given priority over the specific name of <i>Simulia ferruginea</i> Wahlberg, 1844 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1496	available
<i>boreas</i> , <i>Cancer</i> , Phipps, 1774, <i>Voy. North Pole</i> : 190 (specific name of the type species of <i>Sclerocrangon</i> Sars, 1883) (Crustacea, Decapoda). Op. 470	available
<i>Borhyaena</i> Ameghino, 1887, <i>Bol. Mus. de La Plata</i> , 1 : 8 (gender: feminine) (type species, by monotypy: <i>Boryhaena tuberata</i> Ameghino, 1887, <i>Bol. Mus. de La Plata</i> , 1 : 8) (Mammalia). Op. 1209	available
<i>Boriomyia</i> Banks, 1904, <i>Proceedings entomol. Soc. Washington</i> , 6 : 209 (gender: feminine) (type species, by designation by Killington, 1937 (<i>Mon. Brit. Neur.</i> , 2 : 253 (Ray Soc., London)): <i>Hemerobius fidelis</i> Banks, 1897, <i>Trans. Amer. entomol. Soc.</i> , 24 : 27) (Insecta, Neuroptera). Op. 752	available
<i>borneensis</i> , <i>Tarentola</i> , Gray, 1845, <i>Catalogue of the specimens of lizards in the collection of the British Museum</i> , p. 165 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1585	index
<i>Borophaga</i> Enderlein, 1924, <i>Entomologische Mitteilungen</i> , 8 : 277 (gender: feminine) (type species, by original designation: <i>Phora flavimana</i> Meigen, 1830, a junior subjective synonym of <i>Phora femorata</i> Meigen, 1830 by the first reviser action of Zetterstedt, 1848, <i>Diptera Scandinaviae disposita et descripta</i> , p. 2886) (Insecta, Diptera). Op. 1863	available
<i>Boryhaena</i> Ameghino, 1887, <i>Bol. Mus. de La Plata</i> , 1 : 8 (ruled under the plenary power to be an incorrect original spelling for <i>Borhyaena</i> Ameghino, 1887). Op. 1209	index
<i>Bos</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 71 (gender: masculine) (type species, by Linnaean tautonymy: <i>Bos taurus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 71) (Mammalia). Op. 75 <i>bosci</i> , <i>Rana</i> , Bory de St. Vincent, 1828, <i>Rés. Erpétol.</i> : 266 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	available
<i>boscii</i> , <i>Oryzaria</i> , Defrance in Bronn, 1825, <i>System der urweltlichen Pflanzenthiere</i> , p. 44 (specific name of the type species of <i>Alveolina</i> d'Orbigny, 1826) (Foraminiferida). Op. 1501	available
<i>Bostriechus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 301 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 431: <i>Dermestes capucinus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available

BOTHRIOTHORACINI Howard, 1895, *Proc. U.S. nat. Mus.*, **17**: 605 (type genus: *Bothriothorax* Ratzeburg, 1844), ruled under the plenary power to be given precedence over the family-group name TETRACNEMINI Howard, 1892 whenever *Bothriothorax* Ratzeburg, 1844 and *Tetracnemus* Westwood, 1837 are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 898

available

Bothriothorax Ratzeburg, 1844, *Ichneum. Forstins.*, **1**: 208 (gender: masculine) (type species, by monotypy: *Bothriothorax altensteinii* Ratzeburg, 1844, *Ichneum. Forstins.*, **1**: 209, as interpreted by the neotype designated by Lemche, 1965 (*Bull. zool. Nomencl.*, **22**: 125, footnote), valid name: *Encyrtus clavicornis* Dalman, 1820) (Insecta, Hymenoptera). Op. 898

available

Bothyllus Hesse, 1864, *Ann. Sci. nat.*, Paris (Zool.), (5)**1**: 347 (an incorrect subsequent spelling for *Botryllus* Gaertner, 1774). Direction 72

index

Bothynus Hope, 1837, *The Coleopterists' Manual, Containing the Lamellicorn Insects of Linneus and Fabricius*, p. 95 (gender: masculine), type species by subsequent designation by Lacordaire (1856) *Scarabaeus ascanius* Kirby, 1819 (Coleoptera) Op. 2199

available

Botrillus Oken, 1829, *Isis* (Oken), **1829**: 1114 (an incorrect subsequent spelling for *Botryllus* Gaertner, 1774). Direction 72

index

Botryllis Porro, 1841, *Note Bibl. Malac.*, (3): 99 (an incorrect subsequent spelling for *Botryllus* Gaertner, 1774). Direction 72

index

Botryllofer Dalyell, 1851, *The powers of the Creator displayed in the Creation ...*, **1**: 252, pl. 67, fig. 6 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1229

index

Botryllus Gaertner, 1774, in Pallas, *Spicil. zool.*, **10**: 34, 35 (gender: masculine) (type species, by designation by Apstein, 1915 (*SitzBer. Ges. naturf.-Freunde Berlin*, **1915**(5): 185): *Botryllus stellatus* Gaertner, 1774, in Pallas, *Spicil. zool.*, **10**: 37, valid name: *Alcyonium schlosseri* Pallas, 1766) (Urochordata). Op. 94, Direction 72

available

Botryllus Oken, 1815, *Lehrb. Naturgesch.*, **3**(Zool.)(1): 82 (a junior homonym of *Botryllus* Gaertner, 1774, and published in a work rejected for nomenclatural purposes). Direction 72

index

Botrylus Koelliker & Loewig, 1846, *Ann. Sci. nat.*, Paris (Zool.), (3)**5**: 236 (an incorrect subsequent spelling for *Botryllus* Gaertner, 1774). Direction 72

index

bottae, Pleurotoma, Valenciennes, [1839-1840], in Kiener, *Spec. Gén. Icon. Coquilles Vivantes*, **5**: 33 (specific name of the type species of *Crassispira* Swainson, 1840) (Gastropoda). Op. 754

available

Bourkelamberticeras Buckman, 1920, *Type Ammonites*, **3**: 17 (a junior objective synonym of *Lamberticeras* Buckman, 1920). Op. 324

index

Bourletia MacGillivray, 1893, *Canad. Entomol.*, **25**: 313 (a junior objective synonym of *Anurophorus* Nicolet, [1842]). Op. 439

index

Bourletiella Banks, 1899, *J. N.Y. entomol. Soc.*, **7**: 194 (gender: feminine) (type species, by original designation: *Sminthurus hortensis* Fitch, 1863, *8th Ann. Rep. N.Y. agric. Soc.*: 668) (Insecta, Collembola). Op. 291

available

BOURLEIINI Börner, 1932, *in* Brohmer, *Fauna Deutschl.* (ed. 4): 141 (type genus: *Bourletia* MacGillivray, 1893) (a junior objective synonym of **ANUROPHORINAE** Börner, 1901, the respective type genera of the two families having the same nominal species as type species). Op. 439

index

bouvieri, **Pseudopalaemon**, Sollaard, 1911, *Bull. Mus. Hist. nat.*, Paris, **17**: 12 (specific name of the type species of **Pseudopalaemon** Sollaard, 1911) (Crustacea, Decapoda). Op. 470

available

bovis, **Oestrus**, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 584 (specific name of the type species of **Hypoderma** Latreille, 1818) (Insecta, Diptera). Direction 64

available

bowmani (emendation of *bowmanni*), **Endothyra**, Phillips, [1846], *Proc. geol. polytech. Soc. West Riding, Yorks.*, **2**: 277, fig. 1, as interpreted by the neotype designated by Loeblich & Tappan, 1964 (*Treatise invert. Paleont. C, Protista 2*: C343-C346) (specific name of the type species of **Endothyra** Phillips, [1846]) (Rhizopoda). Op. 724

available

bowmani, *Endothyra*, Brown, 1843, *The Elements of Fossil Conchology*: 17 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 724

index

bowmanii, *Endothyra*, Brown, 1843, *The Elements of Fossil Conchology*: 17 (an incorrect original spelling for *bowmani*, *Endothyra*, Brown, 1843). Op. 724

index

bowmanni, *Endothyra*, Phillips, [1846], *Proc. geol. polytech. Soc. West Riding, Yorks.*, **2**: 277, fig. 1 (an incorrect original spelling for *bowmani*, *Endothyra*, Phillips, [1846]). Op. 724

index

Box Gistel, 1848, *Naturgeschichte des Thierreichs für höhere Schulen*, p. viii (an unnecessary replacement name for *Aspidiphorus* Ziegler in Dejean, 1821) (Insecta, Coleoptera). Op. 1862

index

Brachycarpus Bate, 1888, *Rep. Voy. 'Challenger'* (Zool.), **24**: 781, 795 (gender: masculine) (type species, by original designation: *Brachycarpus savignyi* Bate, 1888, *Rep. Voy. 'Challenger'* (Zool.), **24**: 795, valid name: *Palaemon biunguiculatus* Lucas, [1846]) (Crustacea, Decapoda). Op. 470

available

brachydactila, *Alauda*, Leisler, 1814, *Ann. Wetterau. Ges. gesammte Naturk.*, **3**(2): 357 (an incorrect original spelling for *brachydactyla*, *Alauda*, Leisler, 1814). Op. 411

index

brachydactyla (emendation of *brachydactila*), *Alauda*, Leisler, 1814, *Ann. Wetterau. Ges. gesammte Naturk.*, **3**(2): 357 (Aves). Op. 411

available

Brachyderes Schönherr, 1823, *Isis* (von Oken), **1823**: col. 1140 (gender: masculine) (type species, by original designation: *Curculio incanus* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1440

available

BRACHYDERINAE Schönherr, 1837, *Curculionidum dispositio methodica ...*, p. 10 (type genus: **Brachyderes** Schönherr, 1823) (Insecta, Coleoptera). Op. 1440

available

Brachyepidonta Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 582 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

<i>Brachymesodon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 560 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
Brachynotus de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.), (1): 5 (gender: masculine) (type species, by subsequent monotypy: <i>Goneplax sexdentatus</i> Risso, 1827, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 13) (Crustacea, Decapoda). Op. 712	available
<i>Brachynotus</i> Kirby, 1837, in Richardson's <i>Fauna Bor. Amer.</i> , 4 : 249 (a junior homonym of Brachynotus de Haan, [1833]). Op. 712	index
Brachyomus Lacordaire, 1863, <i>Histoire naturelle des insectes. Genera des Coléoptères</i> ..., p. 130 (gender: masculine) (type species, by subsequent designation by Wibmer & O'Brien, 1986, <i>Memoirs of the American Entomological Institute</i> , no. 39, p. 73: <i>Curculio octotuberculatus</i> Fabricius, 1787) (Insecta, Coleoptera). Op. 1493	available
<i>Brachyparatasis</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 569 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
Brachyplatystoma Bleeker, 1862, <i>Atlas ichthyologique des Indes Orientales Néerlandaises, publié sous les auspices du Gouvernement colonial néerlandais.</i> Tome II. Siluroïdes, Chacoïdes et Hétérobranchoïdes, p. 10 (gender: neuter), type species by original designation <i>Platystoma vaillantii</i> Valenciennes in Cuvier & Valenciennes, 1840, ruled under the plenary power to be given precedence over the names <i>Piratinga</i> Bleeker, 1858 and <i>Piramutana</i> Bleeker, 1858 whenever it and either of these two names are considered to be synonyms (Osteichthyes) Op. 2208	available
Brachyptera Newport, 1848, <i>Proceedings of the Linnean Society, London</i> , 1 : 388 (gender: feminine) (type species, by subsequent designation by Frison, 1929, <i>Bulletin of the Illinois State Natural History Survey</i> , 18 : 373: <i>Nemoura trifasciata</i> Pictet, 1832) (Insecta, Plecoptera). Op. 1916	available
brachyptera, Echeneis , Lowe, 1839, <i>Proc. zool. Soc. London</i> , 7 : 89 (Osteichthyes). Op. 1033	available
BRACHYPTERAINAE Zwick, 1973, <i>Das Tierreich</i> , 94 : 308 (type genus: Brachyptera Newport, 1848), spelling emended from BRACHYPTERINAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Brachyptera Newport, 1848 is BRACHYPTERA- (Insecta, Plecoptera). Op. 1916	available
BRACHYPTERINAE Erichson, [1845], <i>Naturgeschichte der Insecten Deutschlands</i> , Abt. 1 (Insecta, Coleoptera), vol. 3, p. 125 (type genus: Brachypterus Kugelann, 1794), ruled under the plenary power that this name and other family-group names based on Brachypterus are not to be given priority over KATERETIDAE Erichson in Agassiz, [1846] and other family-group names based on Kateretes Herbst, 1793 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1916	available
BRACHYPTERINAE Zwick, 1973, <i>Das Tierreich</i> , 94 : 308, spelling emended to BRACHYPTERAINAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Brachyptera Newport, 1848 is BRACHYPTERA- (Insecta, Plecoptera). Op. 1916	index

<i>Brachypterolus</i> Grouvelle, 1913, <i>Ann. Soc. entomol. France</i> , 81 : 387 (gender: masculine) (type species, by designation by Jelinek & Steel, 1966 (<i>Bull. zool. Nomencl.</i> , 23 : 240): <i>Cateretes</i> [sic, recte <i>Kateretes</i>] <i>gravidus</i> Illiger, 1798, <i>Käfer Preuss.</i> : 395) (Insecta, Coleoptera). Op. 876	available
<i>Brachypterus</i> Kugelann, 1794, <i>Neuestes Magazin für Liebhaber der Entomologie</i> , 1 (5): 560 (gender: masculine) (type species, by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera synoptiskt bearbetade</i> , vol. 1, p. 67: <i>Dermestes urticae</i> Fabricius, 1792) (Insecta, Coleoptera). Op. 1916	available
<i>brachypterus</i> , <i>Dermestes</i> , Fabricius, 1792, <i>Entomol. syst.</i> , 1 : 235 (specific name of the type species of <i>Proteinus</i> Latreille, 1796) (Insecta, Coleoptera). Op. 876	available
<i>brachypterus</i> , <i>Gryllus</i> , Haan, 1842, <i>Verhandelingen over de natuurlijke Geschiedenis der Nederlandsche overzeesche Bezittingen, door de Leden der natuurkundige Commissie in Indië en andere Schrijvers</i> , vol. 3, p. 230, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Gryllus brachypterus</i> Linnaeus, 1761, of <i>Gryllus brachypterus</i> Linnaeus, 1763 and of <i>Gryllus brachypterus</i> Ocskay, 1826 (specific name of the type species of <i>Duolandrevus</i> Kirby, 1906) (Insecta, Orthoptera). Op. 2075	available
<i>brachypterus</i> , <i>Gryllus</i> , Linnaeus, 1761, <i>Fauna Suecica</i> , p. 237 (specific name of the type species of <i>Metrioptera</i> Wesmaël, 1838) (Insecta, Orthoptera). Op. 2075	available
<i>brachypterus</i> , <i>Gryllus</i> , Ocskay, 1826, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino- Carolinae Naturae Curiosorum</i> , 13 : 409, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Gryllus brachypterus</i> Linnaeus, 1761 and of <i>Gryllus brachypterus</i> Linnaeus, 1763 (specific name of the type species of <i>Euthystira</i> Fieber in Kelch, 1852) (Insecta, Orthoptera). Op. 2075	available
<i>Brachypus</i> Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 20, 50 (a junior homonym of <i>Brachypus</i> Meyer, 1814). Op. 502	index
<i>Brachypus</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 338 (a junior homonym of <i>Brachypus</i> Meyer, 1814). Op. 502	index
<i>Brachypus</i> Guilding, 1828, <i>Zool. J.</i> , 4 (14): 167 (a junior homonym of <i>Brachypus</i> Meyer, 1814). Op. 502	index
<i>Brachypus</i> Meigen, 1824, <i>Syst. Beschr. zweifl. Ins.</i> , 4 : 34 (a junior homonym of <i>Brachypus</i> Meyer, 1814). Op. 502	index
<i>Brachypus</i> Meyer, 1814, <i>Ann. Wetterau. Ges. gesammte Naturk.</i> , 3 : 333 (a junior objective synonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>Brachypus</i> Schoenherr, 1826, <i>Circ. Disp. meth.</i> : 217 (a junior homonym of <i>Brachypus</i> Meyer, 1814). Op. 502	index
<i>Brachypus</i> Swainson, 1824, <i>Zool. J.</i> , 1 (3): 305 (a junior homonym of <i>Brachypus</i> Meyer, 1814). Op. 502	index
<i>Brachyrhinus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 200 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 982	index

BRACHYRRHINIDAE Bedel, 1883, <i>Ann. Soc. entomol. France</i> , (6)2, Faune Coléopt. Bassin Seine: 20, 30 (type genus: <i>Brachyrhinus</i> Latreille, [1802]) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 982	index
Brachystira Fieber, 1858, <i>Wien entomol. Monats.</i> , 2: 301 (gender: feminine) (type species, by monotypy: <i>Miris calcaratus</i> Fallén, 1807, <i>Mon. Cimicum Svec.</i> : 110, 111) (Insecta, Hemiptera). Op. 898	available
<i>brachythaerus</i> , any use of, in combination with the generic name <i>Productus</i> (or <i>Producta</i>), prior to brachythaerus , Productus , Morris, 1845 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 486	index
<i>brachythaerus</i> , <i>Producta</i> , Sowerby, 1844, in Darwin, <i>Geol. Observ. volcanic Islands</i> : 158 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 486	index
brachythaerus , Productus , Morris, 1845, in de Strzelecki, <i>Phys. Descript. N.S. Wales & van Diemen's land</i> : pl. 14, fig. 4c, as conserved under the plenary power and as interpreted by reference to the specimen figured by Morris and refigured by Hill, 1950 (<i>Univ. Qld. Papers</i> , Dept. Geol., 3(2): 19), preserved in the British Museum (Natural History), London (specific name of the type species of <i>Terrakea</i> Booker, 1930) (Brachiopoda). Op. 486	available
<i>Brachyura</i> Kuhl & van Hasselt, 1822, <i>Algemeene Konst- en Letterbode</i> , 1(7): 101 suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy (Reptilia) Op. 2210	index
brachyura , Sylvia , Vieillot, [1820], in Bonnaterre & Vieillot, <i>Tableau encyclopaedique et méthodique, trois règnes de la nature, ornithologie</i> , vol. 2, p. 459 (Aves). Op. 1859	available
brachyuris , Dorylaimus , de Man, 1880, <i>Tijdschrift der Nederlandsche Dierkundige Vereeniging</i> , 5: 83, as defined by the female lectotype (slide no. VAS 254 in the Zoological Museum, University of Amsterdam) designated by Loof, 1961, <i>Beaufortia</i> , 8: 239 (specific name of the type species of <i>Nygolaimus</i> Cobb, 1913) (Nematoda). Op. 1876	available
brachyurus , Lynceus , Müller, 1776, <i>Zool. dan. Prodri.</i> : 199 (specific name of the type species of <i>Lynceus</i> Müller, 1776) (Crustacea, Branchiopoda). Op. 532	available
brachyurus , Procyon , Wiegmann, 1837, <i>Arch. Naturges.</i> , 3(1): 369 (Mammalia). Op. 1076	available
Bracon Fabricius, [1804-1805], <i>Syst. Piezat.</i> : 102 (gender: masculine) (type species, by designation under the plenary power: Ichneumon minutator Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 225) (Insecta, Hymenoptera). Op. 162	available
bradyi , Squilla , Milne Edwards, 1869, in De Folin & Périer, <i>Fonds de la Mer</i> , 1: 137 (specific name of the type species of Coronida Brooks, 1886) (Crustacea, Stomatopoda). Op. 785	available
Bradypus Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 34 (gender: masculine) (type species, by designation by Miller & Rehn, 1901 (<i>Proceedings Boston Soc. nat. Hist.</i> , 30: 8) Bradypus tridactylus Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 34) (Mammalia). Op. 91, Direction 24	available

<i>Brahmaea</i> Walker, 1855, <i>List of the specimens of lepidopterous insects in the collection of the British Museum</i> , vol. 5, p. 1200 (gender: feminine) (type species, confirmed by the Commission to be by subsequent designation by Hampson, [1893], <i>The fauna of British India, including Ceylon and Burma, moths</i> , vol. 1, p. 29: <i>Bombyx certhia</i> Fabricius, 1793) (Insecta, Lepidoptera). Op. 1698	available
<i>brahminus, Satyrus</i> , Blanchard, 1844, in Jacquemont, <i>Voy. Inde</i> , 4: 22 (specific name of the type species of <i>Aulocera</i> Butler, 1867) (Insecta, Lepidoptera). Op. 278	available
<i>branchialis, Doris</i> , Rathke, 1806, in Müller, <i>Zool. Dan.</i> (ed. 3), 4: 33, Tab. 149, figs. 5-7 (valid name at the date of Opinion 783 of the type species of <i>Favorinus</i> Gray, 1850) (Gastropoda). Op. 783	available
<i>branchialis, Lernaea</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1092 (specific name of the type species of <i>Lernaeocera</i> (emendation under the plenary power of <i>Lerneocera</i>) Blainville, 1822) (Crustacea, Copepoda). Op. 481	available
<i>branchiatus, Anuropus</i> , Beddard, 1886, <i>Proc. zool. Soc. London</i> , 1886: 384 (specific name of the type species of <i>Anuropus</i> Beddard, 1886) (Crustacea, Isopoda). Op. 1357	available
<i>brandti, Otocorys</i> , Dresser, 1874, <i>Hist. Birds Europe</i> , 4(32): 397, 402 (Aves). Op. 448	available
<i>brandtii, Holothuria</i> , Selenka, 1867, <i>Zeitschrift für Wissenschaftliche Zoologie</i> , 17: 339 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Holothuroidea). Op. 1533	index
<i>brantsii, Euryotis</i> , A. Smith, 1834, <i>South African Quarterly Journal</i> , 2: 150 (Mammalia, Rodentia). Op. 1586	available
<i>brasilianus, Chomatobius</i> , Humbert & Saussure, 1870, <i>Revue et Magasin de Zoologie Pure et Appliquée</i> , (2)22: 205 (Chilopoda). Op. 2071	available
<i>brasiliensis, Alastor</i> , Saussure, 1856, <i>Et. Fam. Vespa</i> , 3: 329 (specific name of the type species of <i>Hypalastoroides</i> Saussure, 1856) (Insecta, Hymenoptera). Op. 893	available
<i>brasiliensis, Blatta</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 272 (specific name of the type species of <i>Epilampra</i> Burmeister, 1838) (Insecta, Dictyoptera). Op. 1231	available
<i>brasiliensis, Lutra</i> , Brisson, 1762, <i>Règn. Anim.</i> (ed. 2): 202 (included in a work in which the author did not apply the principles of binomial nomenclature). Direction 79	index
<i>brasiliensis, Lutra</i> , Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2: 316 (not made available in the work cited). Direction 79	index
<i>brasiliensis, Mugil</i> , Spix in Spix & Agassiz, 1831, <i>Selecta genera et species piscium quos in itinere per Brasiliam ...</i> , part 2, p. 134 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1787	index
<i>brasiliensis, Mustela lutris</i> var., Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 1, p. 93 (valid name at the date of Direction 79 of the type species of <i>Pteronura</i> Gray, 1837) (Mammalia). Op. 384, Direction 79	available

<i>brassicae</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 467 (specific name of the type species of <i>Pieris</i> Schrank, 1801) (Insecta, Lepidoptera). Op. 278	available
<i>Brassolis</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1181 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Brassolis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 282 (conserved under the plenary power) (gender: feminine) (type species, by designation by Blanchard, 1840 (<i>Hist. nat. Ins.</i> , 3 : 453); <i>Papilio sophorae</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 471) (Insecta, Lepidoptera). Op. 232	available
<i>brattenburgicus</i> , <i>Craniolites</i> , Schlotheim, 1820, <i>Die Petrefactenkunde auf ihrem jetzigen Standpunkte</i> , 1 : 246 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1469	index
<i>brazieri</i> , <i>Megapodius</i> , Sclater, 1869, <i>Proc. zool. Soc. London</i> , 1869 : 529 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>bremii</i> , <i>Termopsis</i> , Heer, 1849, <i>Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens. Zweiter Theil: Heuschrecken, Florfliegen, Aderflügler, Schmetterlinge und Fliegen</i> , p. 31 (specific name of the type species of <i>Termopsis</i> Heer, 1849) (Insecta, Isoptera). Op. 2124	available
<i>Bremus</i> Panzer, [1801-1804], <i>Fauna Ins. germ.</i> , (85): pls. 19-21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 220	index
<i>brentii</i> , <i>Lichenella</i> , Gray, 1858, <i>Proc. zool. Soc. London</i> , 26 : 322 (rejected for all nomenclatural purposes other than those of the Principle of Homonymy as a name applied to a specimen not of the Animal Kingdom). Op. 617	index
<i>Bresilia</i> Calman, 1896, <i>Trans. roy. Irish Acad.</i> , 31 : 7 (gender: feminine) (type species, by monotypy; <i>Bresilia atlantica</i> Calman, 1896, <i>Trans. roy. Irish Acad.</i> , 31 : 7) (Crustacea, Decapoda). Op. 470	available
BRESILIDAE Kemp, 1910, <i>Sci. Invest. Fish. Br. Ireland</i> , 1908 (1): 35 (type genus: <i>Bresilia</i> Calman, 1896) (an incorrect subsequent spelling for BRESILIIDAE Calman, 1896). Op. 470	index
BRESILIIDAE Calman, 1896, <i>Trans. roy. Irish Acad.</i> , 31 : 7 (type genus: <i>Bresilia</i> Calman, 1896) (Crustacea, Decapoda). Op. 470	available
<i>brevilabiatus</i> , <i>Geophilus</i> , Newport, 1845, <i>Transactions of the Linnean Society of London</i> , 19 (9): 436 (senior subjective synonym of <i>Orphnæus lividus</i> Meinert, 1870, the type species of <i>Orphnæus</i> Meinert, 1870) (Chilopoda). Op. 2071	available
<i>brevimanus</i> , <i>Delphinus</i> , Wagner, 1846, <i>Die Säugetiere in Abbildungen nach der Natur mit Beschreibungen von D. Johann Christian Daniel von Schreber</i> , vol. 7 (<i>Ruderfüsser und Fischzitzthiere</i>), pl. 361, fig. 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Cetacea). Op. 1660	index

<i>brevipalpis</i> , <i>Helophorus</i> , Bedel, 1881, <i>Annales de la Société Entomologique de France</i> , 6(Supplement): 301, ruled under the plenary power to be given precedence over the specific name of <i>Helophorus creticus</i> Kiesenwetter, 1858 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1629	available
<i>brevipalpis</i> , <i>Toxorhynchites</i> , Theobald, Nov. 1901, <i>Monogr. Culic.</i> , 1: 235 (specific name of the type species of <i>Toxorhynchites</i> Theobald, July 1901) (Insecta, Diptera). Op. 548	available
<i>brevipenne</i> , <i>Omalium</i> , Motschulsky, 1860, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 33(2): 545, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. brevipenne</i> Gyllenhal, 1810 (Insecta, Coleoptera). Op. 2053	available
<i>brevipennis</i> , <i>Limnephilus</i> , Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3)4(2): 125 (Insecta, Trichoptera). Op. 596	available
<i>brevipennis</i> , <i>Proctotrupes</i> , Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3: 309 (specific name of the type species of <i>Proctotrupes</i> Latreille, 1796) (Insecta, Hymenoptera). Direction 2	available
<i>Brevipes</i> [Palmer], 1836, <i>Analyst</i> , 4: 101 (a junior objective synonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>breviremis</i> , <i>Phyllodoce</i> , de Quatrefages, 1865, <i>Histoire Naturelle des Annelés Marins et d'Eau Douce</i> , vol. 2, p. 132 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Polychaeta). Op. 1589	index
<i>brevirostris</i> , <i>Atyella</i> , Calman, 1906, <i>Proc. zool. Soc. London</i> , 1906: 201 (specific name of the type species of <i>Atyella</i> Calman, 1906) (Crustacea, Decapoda). Op. 470	available
<i>brevirostris</i> , <i>Pandalus</i> , Rathke, 1843, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 20(1): 17 (specific name of the type species of <i>Pandalina</i> Calman, 1899) (Crustacea, Decapoda). Op. 470	available
<i>briareus</i> , <i>Phasma (Diura)</i> , Gray, 1834, <i>Trans. entomol. Soc. London</i> , 1: 45 (specific name of the type species of <i>Ctenomorphodes</i> Karny, 1923) (Insecta, Phasmida). Op. 641	available
<i>Brintesia</i> Fruhstorfer, [1911], in Seitz, <i>Grossschmett. Erde</i> , 9: 307 (gender: feminine) (type species, by original designation: <i>Papilio circe</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 495) (Insecta, Lepidoptera). Direction 96	available
<i>Brissoides</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 104 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>brissonii</i> , <i>Fringilla</i> , Lichtenstein, 1823, <i>Verz. Doubl. Berliner Mus.</i> : 22 (type locality: Bahia, Brazil) (Aves). Op. 1126	available
<i>Brissus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 104 (included in a work rejected for nomenclatural purposes). Op. 592	index

- Brissus* Dahl, 1823, *Col. u. Lepid.*: 61 (emendation of *Bryssus* Dejean, 1821) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- Brissus* Gray, 1825, *Ann. Phil.*, **26**: 431 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: *Spatangus brissus* var. *unicolor* Leske, 1778, *Addit. J.T. Klein Nat. Disp. Echin.*: 248, pl. 26, figs. B, C) (Echinoidea). Op. 209 available
- Brissus* Leske, 1778, *Addit. J.T. Klein nat. Disp. Echin.*: 29 (not made available in the work cited). Op. 209 index
- Brissus* Link, 1807, *Beschr. nat.-Samml. Univ. Rostock*, **4**: 24 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- Brissus* Modeer, 1793, *K. Vetensk.-Akad. Handl.*, Stockholm, **14**: 14 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- Brissus* Müller, 1781, *Zool. dan. (Danm. Norges Dyr Hist.)* (Danish Ed.): 20 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- Brissus* Oken, 1815, *Lehrb. Naturgesch.*, **3** (Zool.)(1): 354 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- Brissus*, any use of, prior to *Brissus* Gray, 1825 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- Brius* Dejean, 1821, *Catalogue de la collection des Coléoptères de M. le Baron Dejean*, p. 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1474 index
- brochi*, *Tergipes*, Risso, 1818, *J. Phys.*, **87**: 373 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 773 index
- Brondelia* Bourguignat, 1862, *Revue et Magasin de Zoologie*, (2)**14**: 20 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1410 index
- brongniarti*, *Ammonites*, Sowerby, 1817, *Min. Conch.*, **2**: 190 (specific name of the type species of *Sphaeroceras* Bayle, 1878) (Cephalopoda). Op. 300 available
- bronni*, *Liparoceras*, Spath, 1938, *Cat. Ammon. Liass. Fam. Liparocerat.*: 43 (specific name of the type species of *Liparoceras* Hyatt, 1867) (Cephalopoda). Op. 308 available
- BRONTEIDES Hawle & Corda, 1847, *K. Böhm. Gesell. Wiss. (Prague)*, Abh. 5: 55 (type genus: *Brontes* Goldfuss, 1839) (invalid because based on a junior homonym). Op. 1004 index

<i>Brontes</i> Goldfuss, 1839, <i>Nova Acta Phys. Med. Acad. Caes. Leop. Carol.</i> , 19 : 360 (a junior homonym of <i>Brontes</i> Fabricius, 1801). Op. 1004	index
<i>Brontias</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
brooksi, Chagrinichnites , Feldmann, Osgood, Szmuc & Meinke, 1978, <i>Journal of Paleontology</i> , 52 : 288 (Trace fossil, arthropod). Op. 1520	available
Brotogeris Vigors, 1825, <i>Zool. J.</i> , 2 (7): 400 (gender: feminine) (type species, by monotypy: Psittacus pyrrhopterus Latham, 1801, <i>Index ornithol.</i> , Suppl.: xxii) (Aves). Op. 67 <i>Brotogerys</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 54 (an unjustified emendation of Brotogeris Vigors, 1825). Direction 44	available
brouni, Drosophila , Hutton, 1901, <i>Trans. New Zealand Inst.</i> , 33 : 91 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 396	index
brucei, Balitora , Gray, 1830, <i>Illustrations of Indian zoology, chiefly selected from the collection of General Hardwicke</i> , vol. 1, part 3, pl. 88, as defined by the neotype designated by Kottelat, 1988, <i>Revue Suisse de Zoologie</i> , 95 (2): 491-492 (specific name of the type species of Balitora Gray, 1830) (Osteichthyes, Cypriniformes). Op. 1715	available
brucei, Trypanosoma , Plimmer & Bradford, 1899, <i>Proceedings of the Royal Society of London</i> , 65 : 280, ruled under the plenary power to be the correct original spelling of brucii (Mastigophora). Op. 1484	available
BRUCHIDAE Latreille, 1802, <i>Histoire naturelle, générale et particulière, des crustacés et des insectes</i> , vol. 3, p. 192 (type genus: Bruchus Linnaeus, 1767) (Insecta, Coleoptera). Op. 1809	available
<i>Bruchus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 163, and all uses of the name prior to the publication of Bruchus Linnaeus, 1767 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1809	index
Bruchus Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 604 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides et des insectes</i> , p. 430: Dermestes pisorum Linnaeus, 1758) (Insecta, Coleoptera). Op. 1809	available
brucii, Trypanosoma , Plimmer & Bradford, 1899, <i>Proceedings of the Royal Society of London</i> , 65 : 280, ruled under the plenary power to be an incorrect original spelling of brucei (Mastigophora). Op. 1484	index
brunnea, Cubaris , Brandt, 1833, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 6 : 190 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Isopoda). Op. 1848	index
brunneicornis, Hodotermes , Hagen, 1858, <i>Linnaea Entomologica</i> , 12 : 105 (specific name of the type species of Stolotermes Hagen, 1858) (Insecta, Isoptera). Op. 2124	available

- brunneolus*, *Pseudotolithus*, Jordan & Richardson, 1909, *Mem. Carnegie Mus.*, **4**: 191
 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1272 index
- brunneus*, *Lyctus*, Fabricius, 1792, *Entomologia systematica*, vol. 1, part 2, p. 503
 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1771 index
- brunneus*, *Tachinus*, Erichson, 1839, *Genera et species Staphylinorum insectorum coleopterorum familiae*, part 1, p. 249 (Insecta, Coleoptera). Op. 2053 available
- brunneus*, *Tachinus*, Ullrich, 1975, *Monographie der Gattung Tachinus Gravenhorst (Coleoptera: Staphylinidae)* ..., p. 207, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of *T. brunneus* Erichson, 1839 (Insecta, Coleoptera). Op. 2053 available
- brunneus*, *Xylotrogus*, Stephens, 1830, *Illustrations of British entomology. Mandibulata*, vol. 3, p. 117 (specific name of the type species of *Xylotrogus* Stephens, 1830) (Insecta, Coleoptera). Op. 1771 available
- bryani*, *Labeceras*, Whitehouse, 1926, *Mem. Queensland Mus.*, **8**: 227, pl. xxxix, figs. 4a, b (specific name of the type species of *Labeceras* Spath, 1925) (Cephalopoda). Op. 556 available
- Bryaxis* Kugelann, 1794, *N. Mag. Lieb. Entomol. von Schneider*, **1**(5): 580-582 (gender: masculine) (type species, by designation under the plenary power: *Pselaphus bulbifer* Reichenbach, 1816, *Mon. Pselaph.*: 37) (Insecta, Coleoptera). Op. 887 available
- Bryaxis* Leach, 1817, *Zool. Miscell.*, **3**: 81, 85 (a junior homonym of *Bryaxis* Kugelann, 1794). Op. 887 index
- bryce*, *Papilio*, [Hübner, 1790-1793], *Lep. Linn.*: 9 (included in a work rejected for nomenclatural purposes). Op. 975 index
- bryoniae*, *Papilio*, [Hübner, 1790-1793], *Lep. Linn.*: 14 (included in a work rejected for nomenclatural purposes). Op. 975 index
- Brysocrypta* Westwood, 1840, *Introd. mod. classif. Ins.*, Synopsis: 118 (an incorrect subsequent spelling for *Byrsocrypta* Haliday, 1838). Op. 1019 index
- Bryssus* Dejean, 1821, *Cat. Coléopt.*, [Ed. 1]: 96 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209 index
- bubalus*, *Catostomus*, Rafinesque, 1818, *American Monthly Magazine and Critical Review*, **3**(3): 355 (specific name of the type species of *Ictiobus* Rafinesque, 1820) (Osteichthyes, Cypriniformes). Op. 1582 available
- Bubo* Brisson, 1760, *Ornithologia*, **1**: 477-486 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 21 index
- Bubo* Duméril, 1806, *Zoologie analytique*, p. 34 (gender: masculine) (type species, by subsequent monotypy by Froriep, 1806, *C. Duméril's analytische Zoologie aus dem französischen mit Zusätzen*, p. 35: *Strix bubo* Linnaeus, 1758) (Aves). Direction 122 available

<i>Bubo</i> Rambur, 1842, in Roret's Suites à Buffon, <i>Hist. nat. Ins. Neuropt.</i> : 353 (a junior homonym of <i>Bubo</i> Duméril, 1806). Direction 21	index
<i>bubo, Murex rana</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 748 (specific name of the type species of <i>Tutufa</i> Jousseaume, 1881) (Gastropoda). Op. 1074	available
<i>bubo, Strix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 92 (specific name of the type species of <i>Bubo</i> Duméril, 1806) (Aves). Direction 122	available
<i>bucatus, Adianthus</i> , Ameghino, 1891, <i>Revista Argentina de Historia Natural</i> , 1 : 134, as defined by the neotype (specimen no. A1812 in the Museo Argentino de Ciencias Naturales, described and figured by Ameghino, 1894, <i>Boletín de la Academia Nacional de Ciencias en Córdoba</i> , 13 : 259-452 and 1897, <i>Boletín del Instituto Geográfico Argentino</i> , 18 : 406-521, fig. 41) designated under the plenary power (specific name of the type species of <i>Adianthus</i> Ameghino, 1891) (Mammalia). Op. 1409	available
<i>buccalis, Thyone</i> , Stimpson, 1856, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1854-1856 : 386 (Holothuroidea). Op. 762	available
<i>buccatus, Conops</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 605 (specific name of the type species of <i>Myopa</i> Fabricius, 1775) (Insecta, Diptera). Op. 1870	available
<i>Buccinigenus</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
BUCCINULIDAE Finlay, 1928, <i>Trans. New Zealand Inst.</i> , 59 : 250 (type genus: <i>Buccinulum</i> Deshayes, 1830) (Gastropoda). Op. 479	available
<i>Buccinulum</i> Deshayes, 1830, <i>Ency. méth.</i> , Vers 2 (1): 143 (gender: neuter) (type species, by designation by Iredale, 1921 (<i>Proceedings malac. Soc. London</i> , 14 : 208), from among the species cited by Swainson, 1837 (<i>Cat. foreign Shells Manchester nat. Hist. Soc.</i> : 81) (the first author to cite nominal species for this genus): <i>Murex lineatus</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3559, valid name: <i>Buccin[um] linea</i> Martyn, 1784) (Gastropoda). Op. 479	available
<i>Buccinum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 734 (gender: neuter) (type species, by designation by Montfort, 1810 (<i>Conch. syst. Class. méth. Coquilles</i> , 2 : 463); <i>Buccinum undatum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 740) (Gastropoda). Op. 94, Direction 72	available
<i>Bucephalus</i> Baer, 1827, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum</i> , 13 : 570 (gender: masculine) (type species, by monotypy: <i>Bucephalus polymorphus</i> Baer, 1827) (Trematoda). Op. 1717	available
<i>bucephalus, Opilio</i> , Koch, 1835, <i>Ins. Germ.</i> , heft 128: tab. 21 (specific name of the type species of <i>Platybunus</i> Koch, 1839) (Arachnida). Op. 976	available
<i>buchi, Orthoceratites</i> , de Verneuil, 1850, <i>Bull. Soc. géol. France</i> , (2) 7 : 778 (specific name of the type species of <i>Jovellania</i> Bayle, 1879) (Cephalopoda). Op. 726	available
<i>Buchia</i> Rouillier, 1845, <i>Bull. Soc. imp. Nat. Moscou</i> , 18 : 289 (gender: feminine) (type species, by monotypy: <i>Avicula mosquensis</i> von Buch, 1844, <i>Neues Jahrb. Min.</i> , 1844 : 537, as interpreted by the lectotype designated by Pavlov, 1907 (<i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 17 : 23-25)) (Bivalvia). Op. 492	available

BUCHIIDAE Cox, 1953, <i>Falkland Is. Dependencies Survey, Sci. Rep. No. 4</i> : 6 (conserved under the plenary power) (type genus: Buchia Rouillier, 1845) (Bivalvia). Op. 492	available
<i>bucklandi, Ammonites</i> , Sowerby, 1816, <i>Min. Conch.</i> , 2 : 69 (specific name of the type species of <i>Arietites</i> Waagen, 1869) (Cephalopoda). Op. 305	available
<i>bucklandii, Peltoura</i> [sic], Milne Edwards, 1840, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 3 : 345 (Trilobita). Op. 466	available
<i>Buffonita</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Bufonites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 105 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Buglossa</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 106 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Bugula</i> Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , 3 : 89 (gender: feminine) (type species, by designation under the plenary power: <i>Sertularia neritina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 815) (Bryozoa). Op. 902	available
<i>Bulbifer</i> Dejean, 1821, <i>Catalogue de la collection de Coléoptères de M. le Baron Dejean</i> , p. 99 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1448	index
<i>bulbifer, Pselaphus</i> , Reichenbach, 1816, <i>Mon. Pselaph.</i> : 37 (specific name of the type species of <i>Bryaxis</i> Kugelann, 1794) (Insecta, Coleoptera). Op. 887	available
<i>bulbosus, Rhizograpus</i> , Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 460 (specific name of the type species of <i>Rhizograpta</i> Spencer, 1878) (Graptolithina). Op. 650	available
BULIMIDAE Guilding, 1828, <i>Zool. J.</i> , 3 : 532 (type genus: <i>Bulimus</i> Scopoli, 1777) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 475	index
<i>Bulimigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Bulimina</i> d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , 7 : 269 (gender: feminine) (type species, by subsequent designation by Cushman, 1911, <i>Bulletin of the United States National Museum</i> , 71 (2): 76: <i>Bulimina marginata</i> d'Orbigny, 1826) (Foraminifera). Op. 2018	available
<i>Bulimina</i> Ehrenberg, 1831, <i>Symbolae physicae seu icones et descriptiones animalium evertebratorum depositis insectis, quae ex itineribus per Africam, Borealem et Asiam Occidentalem ...</i> , 1. Pars zoologica. Animalia Evertebrata. Animalia Mollusca, p. [84] (a junior homonym of <i>Bulimina</i> d'Orbigny, 1826) (Gastropoda). Op. 2018	index
BULIMINIDAE Jones in Griffith & Henfrey, 1875, <i>The micrographic dictionary</i> , Ed. 3, vol. 1, p. 320 (type genus: <i>Bulimina</i> d'Orbigny, 1826) (Foraminifera). Op. 2018	available

BULIMINIDAE Kobelt, 1880, <i>Illustriertes Conchylienbuch</i> , vol. 2, p. 272, spelling emended to BULIMINUSIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Buliminus Beck, 1837 is BULIMINUS- (Gastropoda). Op. 2018	index
BULIMINUINAE Schileyko, 1998, Treatise on Recent terrestrial pulmonate molluscs. Part 2. <i>Ruthenica</i> , supplement 2: 183 (an unjustified emendation and junior objective synonym of BULIMINUSIDAE Kobelt, 1880) (Gastropoda). Op. 2018	index
Buliminus Beck, 1837, <i>Index Molluscorum praesentis aevi musei principis augustissimi Christiani Frederici</i> , p. 68 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Bulimina</i> Ehrenberg, 1831: Bulimus labrosus Olivier, 1804) (Gastropoda). Op. 2018	available
BULIMINUSIDAE Kobelt, 1880, <i>Illustriertes Conchylienbuch</i> , vol. 2, p. 272 (type genus: Buliminus Beck, 1837), spelling emended from BULIMINIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Buliminus is BULIMINUS-, ruled under the plenary power that this name and other family-group names based on Buliminus are not to be given priority over ENIDAE Woodward, 1903 (1880) and other family-group names based on Ena Turton, 1831 whenever their type genera are placed in the same family-group taxon (Gastropoda). Op. 2018	available
<i>Bulimula</i> Dall, 1885, <i>Proceedings U.S. nat. Mus.</i> , 8: 260 (an incorrect subsequent spelling for <i>Bulimus</i> Scopoli, 1777). Op. 475	index
<i>Bulimus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Bulimus</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers. 1(1): xvi, 286 (a later usage of <i>Bulimus</i> Scopoli, 1777, often cited as the name of a separately established genus in which case it would be a junior homonym of <i>Bulimus</i> Scopoli, 1777). Op. 475	index
<i>Bulimus</i> Pallary, 1901, <i>Mém. Soc. géol. France</i> , Pal. Mém., 29: 79 (an incorrect subsequent spelling for <i>Bulinus</i> Müller, 1781). Op. 475	index
<i>Bulimus</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 392 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 475	index
<i>Bulimus</i> Scopoli, 1786, <i>Delic. Flor. Faun. insubr.</i> , 1: 67 (a later usage of <i>Bulimus</i> Scopoli, 1777, often cited as the name of a separately established genus in which case it would be a junior homonym of <i>Bulimus</i> Scopoli, 1777). Op. 475	index
<i>Bulinus</i> Broderip, 1828, <i>Zool. J.</i> , 4(14): 222 (an unjustified emendation of <i>Bulimus</i> Scopoli, 1777, and a junior homonym of <i>Bulinus</i> Müller, 1781). Op. 475	index
<i>Bulla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 427 (not made available in the work cited; published as a term intermediate between generic and specific names and not possessing the status of a subgeneric name). Op. 299	index
<i>Bulla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 725 (gender: feminine) (type species, by designation under the plenary power: Bulla ampulla Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727) (Gastropoda). Op. 196	available

<i>bullata</i> , <i>Akera</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 242 (specific name of the type species of <i>Akera</i> Müller, 1776) (Gastropoda). Op. 539	available
<i>Bulligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>bulloides</i> , <i>Globigerina</i> , d'Orbigny, 1826, <i>Ann. Sci. nat.</i> , Paris, (1)7(27): 277 (specific name of the type species of <i>Globigerina</i> d'Orbigny, 1826) (Rhizopoda). Op. 552	available
BUNGARIDAE Fitzinger, 1826, <i>Neue Classification der Reptilien ...</i> (Wien, Hübner): 11, 32 (type genus: <i>Bungarus</i> Daudin, 1803), ruled under the plenary power not to be given priority over either ELAPIDAE Boie, 1827 or HYDROPHIIDAE Fitzinger, 1843 whenever <i>Elaps</i> Schneider, 1801 or <i>Hydrophis</i> Latreille, 1801 are placed in the same family-group taxon as <i>Bungarus</i> Daudin, 1803 (Reptilia). Op. 1201	available
<i>Bungarus</i> Daudin, 1803, <i>Mag. encycl.</i> , An 8, 5(20): 434 (gender: masculine) (type species, by subsequent monotypy: <i>Bungarus annularis</i> Daudin, 1803, <i>in</i> Sonnini's <i>Buffon</i> , Rept. V: 265, valid name: <i>Pseudoboa fasciata</i> Schneider, 1801) (Reptilia). Op. 1201	available
<i>Buprestis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 408 (gender: feminine) (type species, by designation under the plenary power: <i>Buprestis octoguttata</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1784	available
<i>Burhinus</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 250 (gender: masculine) (type species, by monotypy: <i>Charadrius magnirostris</i> Latham, 1801, <i>Index ornithol.</i> , Suppl.: lxvi) (Aves). Op. 67 <i>Bursaria</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1(1): 62 (gender: feminine) (type species, by designation by Apstein, 1915 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1915: 122): <i>Bursaria truncatella</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1(1): 62) (Ciliophora). Op. 104, Direction 76	available
<i>bursaria</i> , <i>Aphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 453 (specific name of the type species <i>Pemphigus</i> Hartig, 1839) (Insecta, Hemiptera). Op. 1019	available
<i>burtini</i> , <i>Terebratula</i> , Defrance, 1824, <i>Dict. Sci. nat.</i> , 32: 301 (specific name of the type species of <i>Stringocephalus</i> Defrance, 1825) (Brachiopoda). Op. 807	available
<i>bushae</i> , <i>Ledella</i> , Warén, 1978, <i>Sarsia</i> , 63: 213, 214 (specific name of the type species of <i>Ledella</i> Verrill & Bush, 1897) (Bivalvia). Op. 1306	available
<i>butumbiana</i> , <i>Helix</i> , von Martens, 1895, <i>Nachrichtsblatt der Deutschen Malakozoologischen Gesellschaft</i> , 27: 179 (specific name of the type species of <i>Massaihelix</i> Germain, 1913) (Gastropoda). Op. 2081	available
<i>buxi</i> , <i>Coccus</i> , Fonscolombe, 1834, <i>Annls. Soc. entomol. France</i> , 3: 218 (specific name of the type species of <i>Eriococcus</i> Targioni-Tozzetti, 1868) (Insecta, Hemiptera). Op. 1203	available
<i>Buxtonia</i> Thomas, 1914, <i>Mem. geol. Surv. U.K., Pal.</i> , 1(4): 259 (gender: feminine) (type species, by original designation: <i>Productus scabriculus</i> Sowerby, 1814, <i>Min. Conch.</i> , 1: 157, pl. 69, fig. 1, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12)4: 104, pl. 5, figs. 5 a-c)) (Brachiopoda). Op. 420	available

<i>byronia</i> , <i>Phoca</i> , de Blainville, 1820, <i>Journal de Physique, de Chimie et d'Histoire Naturelle</i> , 91 : 287, 300 (first available subjective synonym of <i>Phoca leonina</i> Molina, 1782, the type species of <i>Otaria</i> Péron, 1816 and a junior primary homonym of <i>Phoca leonina</i> Linnaeus, 1758) (Mammalia, Pinnipedia). Op. 1962	available
<i>Byrrhus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 108, and all uses of the name prior to the publication of <i>Byrrhus</i> Linnaeus, 1767 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
<i>Byrrhus</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 568 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 428: <i>Dermestes pilula</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>Byrsocrypta</i> Haliday, 1838, <i>Ann. nat. Hist.</i> , 2 (9): 190 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1019	index
<i>Bythia</i> Bollinger, 1912, <i>NachBl. deutsch. Malakozool. Ges.</i> , 44 : 177 (an incorrect subsequent spelling for <i>Bithynia</i> Leach, 1818). Op. 475	index
<i>Bythina</i> Rosen, 1925, <i>Arch. Molluskenk.</i> , 57 (3): 120 (an incorrect subsequent spelling for <i>Bithynia</i> Leach, 1818). Op. 475	index
<i>Bythinea</i> Nevill, 1881, <i>J. asiat. Soc. Bengal</i> , 50 (Pt. 2)(3): 156 (an incorrect subsequent spelling for <i>Bithynia</i> Leach, 1818). Op. 475	index
<i>Bythinella</i> Moquin-Tandon, 1856, <i>Histoire naturelle des mollusques terrestres et fluviatiles de France ...</i> , pp. 515–516 (gender: feminine), ruled under the plenary power that all previous fixations of the type species are set aside and <i>Bulinus viridis</i> Poiret, 1801 is designated as the type species (Gastropoda). Op. 2161	available
<i>Bythinia</i> MacGillivray, 1843, <i>Hist. Moll. Aberdeen</i> : 124 (an incorrect subsequent spelling for <i>Bithynia</i> Leach, 1818). Op. 475	index
<i>Bythinia</i> Stein, 1850, <i>Schnecken Muscheln Berlins</i> : 95 (an unjustified emendation of <i>Bithinia</i> Gray, 1821). Op. 475	index
<i>Bythinus</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 80, 83 (gender: masculine) (type species, by designation by Westwood, 1838 (<i>Introd. mod. Classific. Ins.</i> , Generic Synopsis: 21): <i>Pselaphus securiger</i> Reichenbach, 1816, <i>Mon. Pselaph.</i> : 45) (Insecta, Coleoptera). Op. 887	available
<i>Bythis</i> Geyer, [1827-1831], in Hübner, <i>Zutr. Samml. exot. Schmett.</i> , 3 : 11 (an incorrect subsequent spelling for <i>Bithys</i> Hübner, 1818). Op. 541	index
<i>Bythocaris</i> Sars, 1870, <i>Forh. Vidensk.-Selsk. Christiania</i> , 1869 : 149 (gender: feminine) (type species, by monotypy: <i>Bythocaris simplicirostris</i> Sars, 1870, <i>Forh. Vidensk.-Selsk. Christiania</i> , 1869 : 149) (Crustacea, Decapoda). Op. 470	available
<i>Bythynia</i> Prashad, 1925, <i>Rec. Indian Mus.</i> , 27 : 349 (an incorrect subsequent spelling for <i>Bithynia</i> Leach, 1818). Op. 475	index

<i>Bytinia</i> Millet de la Turtaudière, 1870, <i>Faune Invertébrés Maine-et-Loire</i> , 1 : 56 (an incorrect subsequent spelling for <i>Bithynia</i> Leach, 1818). Op. 475	index
<i>Byzenus</i> Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>caballus</i> , <i>Equus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 73 (specific name of the type species of <i>Equus</i> Linnaeus, 1758) (Mammalia). Op. 271	available
<i>cabrilla</i> , <i>Perca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 294 (specific name of the type species of <i>Serranus</i> Cuvier, 1817) (Osteichthyes). Direction 57	available
<i>Cacatoes</i> Duméril, 1805, <i>Zoologie analytique, ou méthode naturelle de classification des animaux</i> , pp. 50, 51 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1949	index
<i>Cacatua</i> Vieillot, 1817, in: <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , vol. 17, p. 6 (gender: feminine) (type species, by subsequent designation by Salvadori, 1891, in Sharpe, R.D. (Ed.), <i>Catalogue of the birds in the collection of the British Museum</i> , vol. 20, pp. 115, 124: <i>Cacatua cristata</i> Vieillot, 1817, a junior subjective synonym of <i>Psittacus albus</i> Müller, 1776) (Aves, Psittaciformes). Op. 1949	available
CACATUINAE Gray, 1840, <i>A list of the genera of birds, with an indication of the typical species of each genus</i> , p. 53 (type genus: <i>Cacatua</i> Vieillot, 1817) (Aves, Psittaciformes). Op. 1949	available
CACOSTERNINAE Noble, 1931, <i>The Biology of the Amphibia</i> , p. 540 (type genus: <i>Cacosternum</i> Boulenger, 1887), ruled under the plenary power that this name and other family-group names based on <i>Cacosternum</i> are to be given precedence over HEMIMANTIDAE Hoffmann, 1878 and other familygroup names based on <i>Hemimantis</i> Peters, 1863, but are not to be given priority over PETROPEDETINAE Noble, 1931 and other family-group names based on <i>Petropedetes</i> Reichenow, 1874, whenever their type genera are placed in the same family-group taxon (Amphibia, Anura). Op. 1921	available
<i>Cacosternum</i> Boulenger, 1887, <i>Annals and Magazine of Natural History</i> , (5) 20 : 51 (gender: neuter) (type species, by monotypy: <i>Cacosternum nanum</i> Boulenger, 1887) (Amphibia, Anura). Op. 1921	available
<i>Cacoxenus</i> Loew, 1858, <i>Wiener Entomologischen Monatsschrift</i> , 2 : 217 (gender: masculine) (type species, by monotypy: <i>Cacoxenus indagator</i> Loew, 1858) (Insecta, Diptera). Op. 1879	available
<i>cadaverinus</i> , <i>Tenebrio</i> , Fabricius, 1792, <i>Entomol. syst.</i> , 1 : 113 (specific name of the type species of <i>Phaleria</i> Latreille, [1802]) (Insecta, Coleoptera). Op. 1039	available
<i>Cadlina</i> Bergh, 1878, in Semper, <i>Reisen im Arch. Phillip. Malak. Unters.</i> , II, 2: xxxiv (gender: feminine) (type species, by monotypy: <i>Doris repanda</i> Alder & Hancock, 1842, <i>Ann. Mag. nat. Hist.</i> , 9 : 32, valid name: <i>Doris laevis</i> Linnaeus, 1767) (Gastropoda). Op. 812	available

<i>Cadoceras</i> Fischer, 1882, <i>Manuel Conchyl.</i> : 394 (gender: neuter) (type species, by designation by Spath, 1932 (<i>Meddelelser om Grønland</i> , 87 (No. 7): 58): <i>Ammonites sublaevis</i> Sowerby, 1814, <i>Min. Conch.</i> , 1: 117, pl. 54) (Cephalopoda). Op. 324	available
CADOCERATIDAE Hyatt, 1900, in Eastman's Zittel, <i>Textb. Palaeont.</i> , 1 (2): 580 (type genus: <i>Cadoceras</i> Fischer, 1882) (Cephalopoda). Direction 14	available
<i>Cadomites</i> Munier-Chalmas, 1892, <i>Bull. Soc. géol. France</i> , (3) 20 C.R.: clxx (gender: masculine) (type species, by original designation: <i>Ammonites deslongchampsi</i> (Defrance MS) d'Orbigny, 1846, <i>Paléont. franç., Terr. jurass.</i> , 1 : 405, pl. 138, figs. 1, 2) (Cephalopoda). Op. 324	available
<i>Caecilia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 229 (gender: feminine) (type species, by subsequent designation by Dunn, 1942, <i>Bulletin of the Museum of Comparative Zoology</i> , Harvard, 91 : 494: <i>Caecilia tentaculata</i> Linnaeus, 1758) (Amphibia, Gymnophiona). Op. 1462	available
CAECILIAIDAE Rafinesque, 1814, <i>Specchio delle scienze o Giornale Enciclopedico di Sicilia</i> , 2 : 104 (an emended spelling of CAECILIIDAE , adopted and placed on the Official List in Op. 1462 but deleted and placed on the Official Index in Op. 1830) (Amphibia, Gymnophiona). Op. 1462, Op. 1830	index
CAECILIIDAE Kolbe, 1880, <i>Stettiner Entomologische Zeitung</i> , 41 : 183, spelling emended to CAECILIUSIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Caecilius</i> Curtis, 1837 is CAECILIUS- (Insecta, Psocoptera). Op. 1462, Op. 1830	index
CAECILIIDAE Rafinesque, 1814, <i>Specchio delle scienze o Giornale Enciclopedico di Sicilia</i> , 2 : 104 (type genus: <i>Caecilia</i> Linnaeus, 1758) (Amphibia, Gymnophiona). Op. 1462, Op. 1830	available
<i>Caecilius</i> Curtis, 1837, <i>British entomology</i> ..., p. 648 (gender: masculine) (type species, by subsequent designation by Mockford, 1969, <i>Transactions of the American Entomological Society</i> , 95 : 78: <i>Caecilius fenestratus</i> Curtis, 1837, a junior subjective synonym of <i>Psocus fuscopterus</i> Latreille, 1799) (Insecta, Psocoptera). Op. 1462	available
CAECILIUSIDAE Kolbe, 1880, <i>Stettiner Entomologische Zeitung</i> , 41 : 183 (type genus: <i>Caecilius</i> Curtis, 1837), spelling emended from CAECILIIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Caecilius</i> Curtis, 1837 is CAECILIUS- (Insecta, Psocoptera). Op. 1462, Op. 1830	available
<i>caecutiens, Tabanus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 602 (specific name of the type species of <i>Chrysops</i> Meigen, 1803) (Insecta, Diptera). Op. 851	available
<i>caedemadens, Cassida</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 65, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>Caelotes</i> Blackwall, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 4 : 276 (an unjustified emendation of <i>Coelotes</i> Blackwall, 1841). Op. 1119	index

<i>caeneus</i> , <i>Caenisites</i> , Buckman, 1925, <i>Type Ammonites</i> , 5: pl. 572 (specific name of the type species of <i>Caenisites</i> Buckman, 1925) (Cephalopoda). Op. 482	available
<i>caeneus</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 796 (an incorrect original spelling for <i>cereus</i> , <i>Papilio</i> , Linnaeus, 1767). Op. 755	index
<i>caenguru</i> , all uses of, in combination with <i>Mus</i> , <i>Yerboa</i> , <i>Jaculus</i> , <i>Zerbua</i> , <i>Didelphis</i> , <i>Didelphys</i> and <i>Macropus</i> (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 760	index
<i>Caenisites</i> Buckman, 1925, <i>Type Ammonites</i> , 5: pl. 572 (gender: masculine) (type species, by monotypy: <i>Caenisites caeneus</i> Buckman, 1925, <i>Type Ammonites</i> , 5: pl. 572) (Cephalopoda). Op. 482	available
<i>caenius</i> , <i>Charis</i> , Grote & Robinson, 1869, <i>Trans. Amer. entomol. Soc.</i> , 2: 310, 311 (an incorrect subsequent spelling for <i>cereus</i> , <i>Papilio</i> , Linnaeus, 1767). Op. 755	index
<i>Caenolestes</i> Thomas, 1895, <i>Proceedings zool. Soc. London</i> , 1895: 875 (gender: masculine) (type species, through <i>Hyracodon</i> Tomes, 1863, <i>non</i> Leidy, 1856: <i>Hyracodon fuliginosus</i> Tomes, 1863, <i>Proceedings zool. Soc. London</i> , 1863: 51, pl. 8) (Mammalia). Op. 1241	available
CAENOESTIDAE Trouessart, 1898, <i>Catalogus Mammalium tam viventium quam fossilium</i> , new ed., Berlin: 1205 (type genus: <i>Caenolestes</i> Thomas, 1895), ruled under the plenary power to be given precedence over the family-group names ABDERITIDAE Ameghino, 1889, GARZONIIDAE Ameghino, 1891 and DECASTIDAE Ameghino, 1893 whenever <i>Caenolestes</i> Thomas, 1895 and <i>Abderites</i> Ameghino, 1887, <i>Garzonia</i> Ameghino, 1891 or <i>Decastis</i> Ameghino, 1891 are placed in the same family-group taxon (Mammalia). Op. 1241	available
<i>Caenotropus</i> Guenther, 1864, <i>Cat. Fishes Brit. Mus.</i> , 5: 297 (gender: masculine) (type species, by designation by Eigenmann, 1910 (<i>Repts. Princeton Univ. Expeds. Patagonia</i> , 1896-9, 3(4): 424): <i>Microdus labyrinthicus</i> Kner, 1858, <i>Sitzungsber. k. Akad. Wiss. Wien</i> , 30, Heft 13: 77) (Osteichthyes). Op. 1150	available
<i>Caeparia</i> Stål, 1877, <i>Ofversigt af Vetenskaps-Akademien Förfärlingar. Stockholm</i> , 34(10): 37 (gender: feminine) (type species, by designation under the plenary power: <i>Panesthia saussurii</i> Wood-Mason, 1876) (Insecta, Dictyoptera). Op. 1373	available
<i>caerulans</i> , <i>Gryllus</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 701 (specific name of the type species of <i>Sphingonotus</i> (emendation of <i>Sphingonothus</i>) Fieber, 1852) (Insecta, Orthoptera). Direction 5	available
<i>caerulea</i> , <i>Buprestis</i> , Olivier, 1790, <i>Entomologie, ou histoire naturelle des insectes ... Coléoptères, genera 9-34</i> , vol. 2(32), p. 21, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis caerulea</i> Thunberg, 1789 (Insecta, Coleoptera). Op. 2008	available
<i>caerulea</i> , <i>Buprestis</i> , Thunberg, 1789, <i>Novas Insectorum species. 5. Dissertation</i> , p. 91 (Insecta, Coleoptera). Op. 2008	available
<i>caerulea</i> , <i>Doris</i> , Montagu, 1804, <i>Trans. linn. Soc. London</i> , 7: 78 (specific name of the type species of <i>Trinchesia</i> Ihering, 1879) (Gastropoda). Op. 777	available

<i>caeruleocephala</i> , Phalaena , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 504 (specific name of the type species of Diloba Boisduval, 1840) (Insecta, Lepidoptera). Op. 494	available
<i>caeruleovittata</i> , Clupea , Richardson, 1846, <i>15th. Rept. Brit. Assoc.</i> (Cambridge, 1845): 305 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 901	index
<i>caerulescens</i> , Carabus , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 78 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>caerulescens</i> , Gryllus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 432 (specific name of the type species of Oedipoda Latreille, 1829) (Insecta, Orthoptera). Direction 5	available
<i>caeruleus</i> , Clerus , de Geer, 1775, <i>Mém. Hist. Ins.</i> , 5 : 164 (specific name of the type species of Korynetes Herbst, (1792)) (Insecta, Coleoptera). Op. 604	available
<i>caeruleus</i> , Falco , Desfontaines, [1789], <i>Mém. Acad. roy. Sci.</i> , Paris, 1787 : 503 (valid name at the date of Direction 43 of the type species of Elanus Savigny, 1809) (Aves). Direction 43	available
<i>caeruleus</i> , Heliases , Cuvier, 1830, <i>Histoire Naturelle des Poissons</i> , vol. 5, p. 497 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1563	index
<i>caesa</i> , Agathis , Klug, 1835, in Waltl, <i>Reise durch Tyrol Oberitalien und Piemont nach den südlichen Spanien</i> , vol. 2, p. 89 (specific name of the type species of Disophrys Foerster, 1862) (Insecta, Hymenoptera). Op. 1531	available
<i>caesius</i> , Coluber , Cloquet, 1818, <i>Dict. Sci. nat.</i> , 11 : 201 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 328	index
<i>caesum</i> , Ptilium , Erichson, 1845, <i>Naturgeschichte der Insekten Deutschlands</i> , 3 : 26 (specific name of the type species of Ptilium Gyllenhal, 1827) (Insecta, Coleoptera). Op. 1277	available
<i>cafer</i> , Cuculus , Lichtenstein, 1793, <i>Cat. Rerum nat. rariss. Hamb.</i> , 1 : 14 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 407	index
<i>cafra</i> , Otis , Lichtenstein, 1793, <i>Cat. Rerum nat. rariss. Hamb.</i> , 1 : 36 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 407	index
<i>cainii</i> , Cherax , Austin in Austin & Ryan, 2002, <i>Invertebrate Systematics</i> , 16 : 360 as defined by the holotype WAM C 28348 in the Western Australian Museum (Crustacea) Op. 2212	available
<i>Cairina</i> Fleming, 1822, <i>Phil. Zool.</i> , 2 : 260 (gender: feminine) (type species, by monotypy: <i>Anas moschata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 124) (Aves). Op. 67 <i>cajennensis</i> , Acarus , Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 372 (specific name of the type species of Amblyomma Koch, 1844) (Arachnida). Direction 67	available

<i>Calamaria</i> Boie in Boie, 1827, <i>Isis von Oken</i> , 20 (6): column 519 (gender: feminine) (type species, designated under the plenary power: <i>Calamaria linnaei</i> H. Boie in F. Boie, 1827) (Reptilia) Op. 2196	available
<i>Calamopora</i> Goldfuss, 1829, <i>Petrefacta Germaniae</i> , 1 (2): 77 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1059	index
<i>Calamus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 111 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Calandra</i> Bartram, 1791, <i>Trav. Carolina, Georgia, Florida</i> : 289 (included in a work rejected for nomenclatural purposes). Op. 447	index
<i>Calandra</i> Brookes, 1830, <i>Mus. Brookes</i> : 93 (a junior homonym of <i>Calandra</i> Clairville & Schellenberg, 1798). Op. 572	index
<i>Calandra</i> Clairville & Schellenberg, 1798, <i>Entomol. helv.</i> , 1 : pl. 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 572	index
<i>Calandra</i> Gistl, 1848, <i>Nat. Thierr.</i> : 136 (a junior homonym of <i>Calandra</i> Clairville & Schellenberg, 1798). Op. 572	index
<i>Calandra</i> Lesson, 1837, <i>Compl. Buffon</i> , 8 : 120 (a junior homonym of <i>Calandra</i> Clairville & Schellenberg, 1798). Op. <i>Calandra</i> Oken, 1817, <i>Isis</i> (Oken), 1817 : 1184 (a junior homonym of <i>Calandra</i> Clairville & Schellenberg, 1798). Op. 572	index
<i>Calandra</i> Rafinesque, 1815, <i>Analyse Nature</i> : 68 (a junior homonym of <i>Calandra</i> Clairville & Schellenberg, 1798). Op. 572	index
CALANDRADAЕ Guilding, 1828, <i>Trans. Soc. Encour. Arts</i> , 46 : 143 (type genus: <i>Calandra</i> Clairville & Schellenberg, 1798) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 572	index
CALANDRAEIDES Schoenherr, 1826, <i>Circ. Disp. meth.</i> : 23, 323 (type genus: <i>Calandra</i> Clairville & Schellenberg, 1798) (an incorrect original spelling for CALANDRINI Schoenherr, 1826). Op. 572	index
CALANDRIDES Schoenherr, 1837, <i>Gen. Spec. Circ.</i> , 4 (2): 790 (type genus: <i>Calandra</i> Clairville & Schellenberg, 1798) (an incorrect subsequent spelling for CALANDRINI Schoenherr, 1826). Op. 572	index
CALANDRINI (correction of CALANDRAEIDES) Schoenherr, 1826, <i>Circ. Disp. meth.</i> : 23, 323 (type genus: <i>Calandra</i> Clairville & Schellenberg, 1798) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 572	index
CALAPHIDINI Oestlund, 1918, <i>Rep. Minn. St. Entomol.</i> , 18 : 64 (type genus: <i>Calaphis</i> Walsh, 1862) (Insecta, Hemiptera). Op. 1358	available
<i>Calaphis</i> Walsh, 1862, <i>Proceedings entomol. Soc. Philadelphia</i> , 1 : 301 (gender: feminine) (type species, by monotypy: <i>Calaphis betulella</i> Walsh, 1862, <i>Proceedings entomol. Soc. Philadelphia</i> , 1 : 301) (Insecta, Hemiptera). Op. 1358	available

<i>Calappa</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 309, 345 (a junior homonym and a junior objective synonym of <i>Calappa</i> Weber, 1795). Op. 712	index
<i>Calappa</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 92 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 95, 422); <i>Cancer granulatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627) (Crustacea, Decapoda). Op. 712	available
CALAPPIDAE (correction of CALAPPIDEA) de Haan, [1833], <i>in Siebold, Fauna japon.</i> (Crust.) (1): ix (type genus: <i>Calappa</i> Weber, 1795) (Crustacea, Decapoda). Op. 712	available
CALAPPIDEA de Haan, [1833], <i>in Siebold, Fauna japon.</i> (Crust.) (1): ix (type genus: <i>Calappa</i> Weber, 1795) (an incorrect original spelling for CALAPPIDAE de Haan, [1833]). Op. 712	index
<i>Calataria</i> Sjöstedt, 1921, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 62 (No. 3): 40 (a junior objective synonym of <i>Chortoicetes</i> Brunner von Wattenwyl, 1893). Op. 357	index
<i>calcar</i> , <i>Calcarina</i> , d'Orbigny, 1839, <i>in de la Sagra, Histoire physique, politique et naturelle de l'Ile de Cuba</i> , p. 81 (Foraminiferida). Op. 1464	available
<i>calcaratus</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 450 (specific name of the type species of <i>Alydus</i> Fabricius, 1803) (Insecta, Hemiptera). Op. 244	available
<i>calcaratus</i> , <i>Hemimantis</i> , Peters, 1863, <i>Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1863 : 452, issued in the serial in 1864 but published as a separate in 1863 (specific name of the type species of <i>Hemimantis</i> Peters, 1863) (Amphibia, Anura). Op. 1921	available
<i>calcaratus</i> , <i>Miris</i> , Fallén, 1807, <i>Mon. Cimicum Svec.</i> : 110, 111 (specific name of the type species of <i>Brachystira</i> Fieber, 1858) (Insecta, Hemiptera). Op. 898	available
<i>Calcarina</i> d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , (1) 7 : 276 (gender: feminine) (type species, by subsequent designation by Parker & Jones, 1859, <i>Annals and Magazine of Natural History</i> , (3) 3 : 482; <i>Nautilus spengleri</i> Gmelin, 1791) (Foraminiferida). Op. 1569	available
CALCARINIDAE Pallary, 1909, <i>Mémoires présentés à l'Institut Egyptien</i> , 6 (1): 12 (based on <i>Calcarina</i> Moquin-Tandon, 1848, a junior homonym of <i>Calcarina</i> d'Orbigny, 1826) (Gastropoda). Op. 2135	index
<i>Calceoligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Calcinus</i> Dana, 1851, <i>Proceedings Acad. nat. Sci. Philadelphia</i> , 5 : 268 (gender: masculine) (type species, by designation by Dana, 1852 (<i>Amer. J. Sci. Arts</i> , (2) 13 : 122); <i>Cancer tibicen</i> Herbst, 1791, <i>Versuch Naturgesch. Krabben Krebse</i> , 2 (1): 25) (Crustacea, Decapoda). Op. 712	available
<i>calcitrans</i> , <i>Conops</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 604 (specific name of the type species of <i>Stomoxys</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available

<i>Calendra</i> Clairville & Schellenberg, 1798, <i>Entomol. helv.</i> , 1 : 62 (an incorrect original spelling for <i>Calandra</i> Clairville & Schellenberg, 1798 through the action of Fabricius, 1801, acting as first reviser). Op. 572	index
CALENDRINAE Leng, 1920, <i>Cat. Col. Amer. N. of Mexico</i> : 335 (type genus: <i>Calandra</i> Clairville & Schellenberg, 1798) (an incorrect subsequent spelling for CALANDRINI Schoenherr, 1826). Op. 572	index
<i>Calephelis</i> Grote & Robinson, 1869, <i>Trans. Amer. entomol. Soc.</i> , 2 : 310, 311 (gender: feminine) (type species, by designation under the plenary power: <i>Erycina virginiensis</i> Guérin-Méneville, [1831], <i>Icon. Règne Anim.</i> , Ins.: 489) (Insecta, Lepidoptera). Op. 755	available
<i>calidris</i> , <i>Motacitta</i> [sic], Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 8 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>californiana</i> , <i>Aspidonectes</i> , Rivers, 1889, <i>Proc. California Acad. Sci.</i> , (2) 2 : 233-236 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1236	index
<i>californiana</i> , <i>Terebratula</i> , (Koch MS.) Küster, [1844], in Martini, <i>Syst. Conch. Cabinet</i> , 7 (1): pl. 2b; <i>id.</i> , [1848], <i>ibid.</i> , 7 : 38 (specific name of the type species of <i>Laqueus</i> Dall, 1870) (Brachiopoda). Op. 449	available
<i>californiana</i> , <i>Terebratula</i> , Troschel, 1849, <i>Arch. Naturgesch.</i> , 15 (2): 99 (a junior primary homonym of <i>californiana</i> , <i>Terebratula</i> , (Koch MS.) Küster, [1844])). Op. 449	index
<i>californica</i> , <i>Terebratula</i> , (Koch MS.) Carpenter, 1864, <i>Suppl. Rep. Brit. Assoc.</i> , 1863 (33rd Meeting): 568, 574 (an incorrect subsequent spelling for <i>californiana</i> , <i>Terebratula</i> , (Koch MS.) Küster, [1844])). Op. 449	index
<i>californica</i> , <i>Terebratula</i> , (Koch MS.) Dall, 1870, <i>Amer. J. Conch.</i> , 6 : 123 (an incorrect subsequent spelling for <i>californiana</i> , <i>Terebratula</i> , (Koch MS.) Küster, [1844])). Op. 449	index
<i>californica</i> , <i>Terebratula</i> , Sowerby, 1846, <i>Thes. Conch.</i> , 1 (7): 352, pl. 70, figs. 50-52 (an incorrect subsequent spelling for <i>californiana</i> , <i>Terebratula</i> , (Koch MS.) Küster, [1844])). Op. 449	index
<i>californicus</i> , <i>Odynerus</i> , Saussure, 1870, <i>Rev. Mag. Zool.</i> , (2) 22 : 57 (specific name of the type species of <i>Pachodynerus</i> Saussure, 1870) (Insecta, Hymenoptera). Op. 893	available
<i>californiensis</i> , <i>Chromodoris</i> , Bergh, 10 May 1879, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 31 : 112-114 (Gastropoda). Op. 1253	available
CALIGINAE Orfila, 1949, <i>Acta zool. lilloana</i> , 8 : 585 (type genus: <i>Caligo</i> Hübner, [1819]) (an unjustified emendation of CALIGONINAE Fruhstorfer, [1912]). Op. 577	index
CALIGININAE (correction of CALIGONINAE) Fruhstorfer, [1912], in Seitz, <i>Grossschmett. Erde</i> , 5 (137): 290 (type genus: <i>Caligo</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 577	available

<i>Caligo</i> Boisduval, 1870, <i>Consid. Lép. Guatemala</i> : 54 (a junior homonym of <i>Caligo</i> Hübner, [1819]). Op. 577	index
<i>Caligo</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> , (4): 51 (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proceedings amer. Acad. Arts Sci.</i> , Boston, 10 : 129); <i>Papilio eurilochus</i> Cramer, [1775], <i>Uitl. Kapellen</i> , 1 (3): 53, pl. 53, fig. A) (Insecta, Lepidoptera). Op. 577	available
CALIGONINAE Fruhstorfer, [1912], in Seitz, <i>Grossschmett. Erde</i> , 5 (137): 290 (type-genus: <i>Caligo</i> Hübner, [1819]) (an incorrect original spelling for CALIGININAE Fruhstorfer, [1912]). Op. 577	index
<i>Caliroa</i> A. Costa, 1859, Imenotteri. Part 3a (Trivellarti sessiliventri) in Costa, O., <i>Fauna del Regno Napoli</i> , part 5 (Imenotteri), p. 59 (gender: feminine) (type species, by monotypy: <i>Caliroa sebetia</i> A. Costa, 1859, a junior subjective synonym of <i>Tenthredo (Allantus) cinctia</i> Klug, 1816) (Insecta, Hymenoptera). Op. 1963	available
CALIROINI Benson, 1938, <i>Transactions of the Entomological Society of London</i> , 87 (15): 368 (type genus: <i>Caliroa</i> A. Costa, 1859) (Insecta, Hymenoptera). Op. 1963	available
CALLAPHIDINAE Börner, 1952, <i>Mitt. thüring. bot. Ver.</i> , Beiheft 3: 32 (type genus: <i>Callaphis</i> Walker, 1870) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 1358	index
<i>Callaphis</i> Walker, 1870, <i>The Zoologist</i> , 5 : 2000 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1358	index
<i>callewaerti</i> (emendation of <i>callewaerti</i>), <i>Tchagra senegala</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12)9 : 367 (a junior primary homonym of <i>callewaerti</i> , <i>Tchagra senegala</i> , Horniman, 1940). Op. 480	index
<i>callewaerti</i> , <i>Tchagra senegala</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>Callianassa</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 400 (gender: feminine) (type species, by monotypy: <i>Cancer (Astacus) subterraneus</i> Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 88) (Crustacea, Decapoda). Op. 434	available
CALLIANASSIDAE Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 12, 14, 19 (type genus: <i>Callianassa</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 434	available
<i>Callianidea</i> H. Milne Edwards, 1837, <i>Histoire naturelle des crustacés, comprenant l'anatomie, la physiologie et la classification de ces animaux</i> , vol. 2, p. 319 (gender: feminine) (type species, by monotypy: <i>Callianidea typa</i> H. Milne Edwards, 1837) (Crustacea, Decapoda). Op. 1522	available
CALLIANIDEINAE De Man, 1928, <i>Siboga Expeditions Monograph</i> , 39 (a6): 30 (type genus: <i>Callianidea</i> H. Milne Edwards, 1837) (Crustacea, Decapoda). Op. 1522	available
<i>callida</i> , <i>Dorippe</i> , Fabricius, 1798, <i>Entomologia systematica ... Supplementum</i> , p. 362 (specific name of the type species of <i>Neodorippe</i> Serène & Romimohtarto, 1969) (Crustacea, Decapoda). Op. 1437	available

- Callimone* Spinola, 1811, *Ann. Mus. Hist. nat.*, Paris, **17**(98): 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 4 index
- Callinectes* Stimpson, 1860, *Ann. Lyc. nat. Hist. New York*, **7**: 220 (gender: masculine) (type species, by designation under the plenary power: *Callinectes sapidus* Rathbun, 1896, *Proceedings U.S. nat. Mus.*, **18**: 352) (Crustacea, Decapoda). Op. 712 available
- Calliongmus* Linck, 1790, *Mag. N. Phys. Naturg.*, **6**(3): 34 (an incorrect subsequent spelling for *Callionymus* Linnaeus, 1758). Direction 56 index
- Callionimus* Gouan, 1770, *Hist. Pisc.*: 121 (an incorrect subsequent spelling for *Callionymus* Linnaeus, 1758). Direction 56 index
- Callionymus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 249 (gender: masculine) (type species, by designation by Bleeker, 1879 (*Versl. Akad. Wetensch. Amsterdam*, **1879**: 80); *Callionymus lyra* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 249) (Osteichthyes). Op. 77, Direction 56 available
- calliotis*, *Actinopterella*, La Rocque, 1948, *Univ. Microfilms Publ.*, No. 1059: 22 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318 index
- Calliphora* Robineau-Desvoidy, 1830, *Mém. présentés Acad. roy. Sci. Inst. France*, **2**: 433 (gender: feminine) (type species, by original designation: *Musca vomitoria* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 595) (Insecta, Diptera). Op. 274 available
- Callisea* Dana, 1852, *Proceedings of the Academy of Natural Sciences, Philadelphia*, **6**: 11 (a junior objective synonym of *Callianisea* H. Milne Edwards, 1837) (Crustacea, Decapoda). Op. 1522 index
- Callithraupis* Berlepsch, 1879, *Ornithologisches Centralblatt*, **4**(8): 63 (a junior objective synonym of *Cyanicterus* Bonaparte, 1850 and *Neothraupis* Berlepsch, 1879 (Aves). Op. 2004 index
- Callitroga* Brauer, 1883, *Denkschriften der Akademie der Wissenschaften. Wien. Mathematisch-Naturwissenschaftliche Klasse*, **47**: 74 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1399 index
- Calopanchax* Myers, 1933, *Copeia*, **1933**(4): 184 (gender: masculine) (type species, by designation under the plenary power: *Aphyosemion occidentale* Stenholz Clausen, 1966, *Revue Zool. Bot. afr.*, **73**: 331) (Osteichthyes). Op. 1010 available
- Callopistes* Gravenhorst, 1837, *Nova Acta Academiae Caesarea Leopoldino-Carolinae Germanicae Naturae Curiosorum*, **18**(2): 743 (gender: masculine) (type species, by monotypy: *Callopistes maculatus* Gravenhorst, 1837) (Reptilia). Op. 2118 available
- Callopora* Hall, 1852, *Palaeontology of New York*, **2**: 144 (a junior homonym of *Callopora* Gray, 1848). Op. 1034 index
- Callorhinus* Gray, 1859, *Proceedings of the Zoological Society of London*, **1859**: 359 (gender: masculine) (type species, by monotypy: *Phoca ursina* Linnaeus, 1758) (Mammalia, Pinnipedia). Op. 1962 available

<i>Callotaria</i> Palmer, 1892, <i>Proceedings of the Biological Society of Washington</i> , 7 : 156 (a junior objective synonym of <i>Callorhinus</i> Gray, 1859) (Mammalia, Pinnipedia). Op. 1962	index
<i>calloviensis</i> , <i>Ammonites</i> , Sowerby, 1815, <i>Min. Conch.</i> , 2 : 3, pl. 104 (specific name of the type species of <i>Sigaloceras</i> Hyatt, 1900) (Cephalopoda). Op. 324	available
<i>callunae</i> , <i>Aphis</i> , Theobald, 1915, <i>Entomologist</i> , 48 : 260, 261, ruled under the plenary power to be given precedence over the specific name <i>betulina</i> Walker, 1852, as published in the binomen <i>Aphis betulina</i> , whenever the two names are considered synonyms (Insecta, Hemiptera). Op. 1308	available
<i>Calma</i> Alder & Hancock, 1855, <i>Mon. brit. nud. Moll.</i> , (7), App. xxi (gender: feminine) (type species, by original designation: <i>Eolis glaucoidea</i> Alder & Hancock, 1854, <i>Ann. Mag. nat. Hist.</i> , (2) 14 : 104) (Gastropoda). Op. 780	available
<i>Calmania</i> Bouvier, 1909, <i>C.R. Acad. Sci.</i> , Paris, 148 : 1730 (a junior homonym of <i>Calmania</i> Laurie, 1906). Op. 470	index
CALMIDAE Iredale & O'Donoghue, 1923, <i>Proc. malac. Soc. London</i> , 15 : 200 (type genus: <i>Calma</i> Alder & Hancock, 1855) (Gastropoda). Op. 780	available
<i>Calocaris</i> Bell, 1846, <i>Hist. Brit. stalk-eyed Crust.</i> , (5): 231 (gender: feminine) (type species, by monotypy: <i>Calocaris macandreae</i> Bell, 1846, <i>Hist. Brit. stalk-eyed Crust.</i> , (5): 233) (Crustacea, Decapoda). Op. 712	available
<i>Calopodium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 114 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Calopora</i> Hall, 1851, <i>Am. J. Sci. Arts</i> , (ser. 2), 11 : 400 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1034	index
<i>Calotermes</i> Hagen, 1858, <i>Linnaea Entomologica</i> , 12 : 32-33 (a junior objective synonym of <i>Kalotermes</i> Hagen, 1853) (Insecta, Isoptera). Op. 2007	index
<i>Calycoceras</i> Hyatt, 1900, in Zittel-Eastman, <i>Textb. Pal.</i> (Ed. 2), 1 : 589 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites navicularis</i> Mantell, 1822, <i>Fossils South Downs</i> : 198) (Cephalopoda). Op. 557	available
<i>Calymena</i> Desmarest, 1817, <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , Ed. 2, vol. 8, p. 517 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Trilobita). Op. 1433	index
<i>Calymene</i> Brongniart in Brongniart & Desmarest, 1822, <i>Histoire naturelle des Crustacés fossiles</i> , p. 11 (gender: feminine) (type species, by subsequent designation by Milne Edwards, 1844, in Cuvier, <i>Le règne animal</i> , Disciples edition, vol. 18, pl. 80, figs. 1, 1a, 1b: <i>Calymene blumenbachii</i> Brongniart in Desmarest, 1817) (Trilobita). Op. 1433	available
CALYMENIDAE Milne Edwards, 1840, <i>Histoire naturelle des Crustacés</i> , in: Roret's <i>Suites à Buffon</i> , vol. 3, p. 293 (type genus: <i>Calymene</i> Brongniart in Brongniart & Desmarest, 1822) (Trilobita). Op. 1433	available

<i>Calypso</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 74 (a junior objective synonym of <i>Melia</i> Bosc, 1813). Op. 434	index
<i>Calyptograpsus</i> Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 459 (ruled under the plenary power to be an incorrect original spelling for <i>Calyptograptus</i> Spencer, 1878). Op. 650	index
<i>Calyptograptus</i> (emendation of <i>Calyptograpsus</i>) Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 459 (conserved under the plenary power) (gender: masculine) (type species, by designation by Miller, 1889 (<i>N. Amer. Geol. Pal.</i> : 175): <i>Calyptograpsus</i> [sic] <i>cyathiformis</i> Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 459) (Graptolithina). Op. 650	available
<i>Calyptonotus</i> Douglas & Scott, 1865, <i>Brit. Hemipt.</i> , 1 : 471 (a junior objective synonym of <i>Aphanus</i> Laporte, 1833). Op. 676	index
<i>Calyptraea</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 78 (gender: feminine) (type species, by monotypy: <i>Patella chinensis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 781) (Gastropoda). Op. 94 <i>Calyptraeigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	available
CAMACEA Blainville, 1825, <i>Man. Malac.</i> : 541 (type genus: <i>Chama</i> Linnaeus, 1758) (an incorrect original spelling for CHAMIDAE Blainville, 1825). Op. 484	index
<i>Camarophoria</i> Herrmannsen, 1846, <i>Indicis Gen. Malacoz.</i> : 161 (an incorrect subsequent spelling for <i>Camerophoria</i> King, 1846). Op. 770	index
<i>Cambarellus</i> Ortmann, 1905, <i>Proceedings Amer. phil. Soc.</i> , 44 : 97, 106 (gender: masculine) (type species, by original designation: <i>Cambarus montezumae</i> De Saussure, 1857, <i>Rev. Mag. Zool.</i> , (2) 9 : 102) (Crustacea, Decapoda). Op. 519	available
CAMBARINAE Hobbs, 1942, <i>Univ. Florida Publ. (Biol. Ser.)</i> , 3 (2): 23 (type genus: <i>Cambarus</i> Erichson, 1846) (Crustacea, Decapoda). Op. 519	available
<i>Cambaroides</i> Faxon, 1884, <i>Proc. amer. Acad. Arts Sci.</i> , Boston, 20 : 149 (gender: masculine) (type species, by designation by Faxon, 1898 (<i>Proc. U.S. nat. Mus.</i> , 20 : 665): <i>Astacus japonicus</i> de Haan, [1841], in Siebold, <i>Faun. japon.</i> , (Crust.): 164, pl. 35, fig. 9) (Crustacea, Decapoda). Direction 12	available
<i>Cambarus</i> Erichson, 1846, <i>Arch. Naturgesch.</i> , 12 (1): 88, 89, 95 (gender: masculine) (type species, by designation by Faxon, 1898 (<i>Proc. U.S. nat. Mus.</i> , 20 : 644): <i>Astacus bartonii</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 407) (Crustacea, Decapoda). Op. 519	available
<i>cam briensis</i> , <i>Ctenodonta</i> , Hicks, 1873, <i>Quart. J. geol. Soc. London</i> , 29 : 47 (Bivalvia). Op. 1022	available
<i>camelopardalis</i> , <i>Cervus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66 (specific name of the type species of <i>Giraffa</i> Brisson, 1762) (Mammalia, Artiodactyla). Op. 1894	available
<i>Camelus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 65 (gender: masculine) (type species, by designation under the plenary power: <i>Camelus bactrianus</i> Linnaeus, 1758) (Mammalia). Op. 2059	available

<i>camelus, Struthio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 155 (type locality, as restricted by Rothschild, 1910 (<i>Bull. brit. Ornith. Club</i> , 39 : 83) and as further restricted by Stresemann, 1926 (<i>Orn. Monatsber.</i> , 34 : 139): ‘Sennar, North Africa’) (specific name of the type species of <i>Struthio</i> Linnaeus, 1758) (Aves). Op. 413	available
<i>Camerina</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers 1 , (1): xvi (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 1	index
<i>cameronensis, Petropedetes</i> , Reichenow, 1874, <i>Archiv für Naturgeschichte</i> , 40 (1.3): 290 (specific name of the type species of <i>Petropedetes</i> Reichenow, 1874) (Amphibia, Anura). Op. 1921	available
<i>Camerophoria</i> King, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 89-91 (a junior objective synonym of <i>Stenoscisma</i> Conrad, 1839). Op. 770	index
<i>CAMEROPHORIINAE</i> Waagen, 1883, <i>Palaeontol. Indica</i> , (13) 1 (1-5): 435 (type genus: <i>Camerophoria</i> King, 1846) (rejected before 1961 because the name of the type genus is a junior objective synonym of <i>Stenoscisma</i> Conrad, 1839). Op. 770	index
<i>camilla, Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend.</i> 172 (a junior primary homonym of <i>camilla, Papilio</i> , Linnaeus, 1763). Op. 562	index
<i>camilla, Papilio</i> , Linnaeus, 1764, <i>Mus. Lud. Ulr.</i> : 304 (specific name of the type species of <i>Ladoga</i> Moore, [1898]) (Insecta, Lepidoptera). Op. 562, Op. 1917	available
<i>camillus, Papilio</i> , Cramer, [1780], <i>De uitlandsche Kapellan voorkomende in de drie Waereldeelen Asia, Africa en America</i> , vol. 4, part 25, p. 20 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1917	index
<i>camillus, Papilio</i> , Fabricius, 1781, <i>Species Insectorum ...</i> , vol. 2, p. 11 (Insecta, Lepidoptera). Op. 1917	available
<i>campanula, Distoma</i> , Dujardin, 1844, <i>Histoire naturelle des helminthes ou vers intestinaux</i> , p. 435 (Trematoda). Op. 1717	available
<i>Campanularia</i> Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , 2 , Paris (Verdière): 112 (gender: feminine) (type species, by designation by Naumov, 1960 (<i>Fauna S.S.R.</i> , 70 : 249) and ratified under the plenary power: <i>Sertularia volubilis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 811) (Hydrozoa). Op. 1345	available
<i>campbelli, Bothrops</i> , Freire Lascano, 1991, <i>Dos nuevas especies de Bothrops en el Ecuador</i> (Serpientes venenosas), p. 2, as defined by the male holotype (specimen no. INHMT 1956 in the herpetological collection of the Instituto Nacional de Higiene y Medicina Tropical ‘Leopoldo Izquierdo Pérez’, Guayaquil, Ecuador) (Reptilia, Serpentes). Op. 1939	available
<i>Campeloma</i> Rafinesque, 1819, <i>Journal de Physique, de Chimie, d'Histoire Naturelle</i> , 88 : 423 (gender: neuter) (type species, by monotypy: <i>Campeloma crassula</i> Rafinesque, 1819) (Gastropoda). Op. 1931	available

<i>Campephaga</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 39 (gender: feminine) (type species, by monotypy: <i>Campephaga nigra</i> Vieillot, 1817, <i>Nouv. Dict. Hist. nat.</i> , (Ed. 2), 10 : 50) (Aves). Op. 67 <i>campestris</i> , <i>Andrena</i> , Eversmann, 1852, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 25 (2) no. 3: 20 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1511	available
<i>campestris</i> , <i>Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 428 (specific name of the type species of <i>Gryllus</i> Linnaeus, 1758) (Insecta, Orthoptera). Direction 64	available
<i>Camponotus</i> Mayr, 1861, <i>Die Europ. Formiciden</i> : 10, 25, 35 (gender: masculine) (type species, by designation by Bingham, 1903 (<i>Fauna Brit. India</i> , Hymen., 2 : 347); <i>Formica ligniperda</i> Latreille, 1802, <i>Hist. nat. Fourmis</i> : 88) (Insecta, Hymenoptera). Op. 424	available
<i>Camposichthys</i> Travassos, 1946, <i>Summa Brasiliensis Biologiae</i> , 1 : 132 (a junior objective synonym of <i>Cynodon</i> Spix in Spix & Agassiz, 1829) (Osteichthyes). Op. 2012	index
<i>Campsicnemus</i> Haliday, 1851, in Walker's <i>Ins. Brit.</i> , Diptera, 1 : 187 (conserved under the plenary power) (gender: masculine) (type species, by designation by Coquillet, 1910 (<i>Proc. U.S. nat. Mus.</i> , 37 : 518); <i>Dolichopus scambus</i> Fallén, 1823, <i>Dipt. svec.</i> , 2 , <i>Mon. Dolichop.</i> , (3): 19) (Insecta, Diptera). Op. 531	available
<i>Camptandrium</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 106 (gender: neuter) (type species, by monotypy: <i>Camptandrium sexdentatum</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 107) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Camptoplaax</i> Miers, 1884, <i>Rep. Voy. 'Alert'</i> : 239 (gender: feminine) (type species, by monotypy: <i>Camptoplaax coppingeri</i> Miers, 1884, <i>Rep. Voy. 'Alert'</i> : 239) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Camptosceles</i> Haliday, 1832, <i>Zool. J.</i> , 5 (19): 357 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 531	index
<i>Campylirhynchus</i> Dejean, 1821, <i>Catalogue de la Collection des Coléoptères de M. le Baron Dejean</i> , p. 84 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1529	index
CAMPYLYNOTIDAE Sollaard, 1913, <i>Bull. Mus. Hist. nat.</i> , Paris, 19 : 184 (type genus: <i>Campylonotus</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>Campylonotus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 767 (gender: masculine) (type species, by designation by Holthuis, 1955 (<i>Zool. Verh.</i> , Leiden, 26 : 41); <i>Campylonotus semistriatus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 768) (Crustacea, Decapoda). Op. 470	available
<i>Campylostreira</i> Fieber, 1844, <i>Entomologische Monographien</i> (Prague): 43 (gender: feminine) (type species, by designation under the plenary power: <i>Tingis verna</i> Fallén, 1826, <i>Supplementum Monographiae Cimicum Sveciae</i> (Lund): 16) (Insecta, Hemiptera). Op. 1222	available

<i>camtschatkensis</i> , <i>Motacilla</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 986 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409	index
<i>canaliculata</i> , <i>Ampullaria</i> , Lamarck, 1804, <i>Annales du Muséum National d'Histoire Naturelle</i> , 5(25): 32 (specific name of the type species of <i>Amauropsina</i> Chelot, 1885) (Gastropoda). Op. 1997	available
<i>canaliculata</i> , <i>Ampullaria</i> , Lamarck, 1822, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 6, part 2, p. 178, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Ampullaria canaliculata</i> Lamarck, 1804 (Gastropoda). Op. 1997	available
<i>canaliculata</i> , <i>Bulla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 539	index
<i>canaliculata</i> , <i>Processa</i> , Leach, [1815], <i>Malac. podophth. Brit.</i> (4): explic. pl. 41 (specific name of the type species of <i>Processa</i> Leach, [1815]) (Crustacea, Decapoda). Op. 434	available
<i>canaliculatus</i> , <i>Biradiolites</i> , d'Orbigny, 1850, <i>Pal. France, Crét.</i> , 4 (Brach.): 230 (specific name of the type species of <i>Biradiolites</i> d'Orbigny, 1850) (Bivalvia). Op. 891	available
<i>canaliculus</i> , [<i>Mytilus</i>], Martyn, 1784, <i>Univ. Conch.</i> , 2: fig. 78 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>canaliculus</i> , <i>Mytilus</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3363, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2: fig. 78) as [<i>Mytilus</i>] <i>canaliculus</i> (Bivalvia). Op. 479	available
<i>canalifera</i> , <i>Ampullaria</i> , Lamarck, 1822, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 7, p. 549 (a junior objective synonym of <i>Ampullaria canaliculata</i> Lamarck, 1804) (Gastropoda). Op. 1997	index
<i>Cancellarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>cancellata</i> , <i>Oniscia</i> , Sowerby, 1824, <i>The Genera of Recent and Fossil Shells</i> (24), London: no pagination, but follows pl. 233 (specific name of the type species of <i>Oniscidia</i> Mörch, 1852) (Gastropoda). Op. 1040	available
<i>cancellatus</i> , <i>Sigaretus</i> , Lamarck, 1822, <i>Anim. sans Vert.</i> , (6)2: 208 (specific name of the type species of <i>Vanikoro</i> Quoy & Gaimard, 1832) (Gastropoda). Op. 1009	available
<i>cancellius</i> , <i>Soldat.[us]</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 89 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Cancer</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 625 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 422, 94); <i>Cancer pagurus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627) (Crustacea, Decapoda). Op. 104	available

<i>cancriformis</i> , <i>Apus</i> , Bosc, [1801-1802], in Castel's Buffon, <i>Hist. nat. Crust.</i> , 2 : 244 (specific name of the type species of <i>Triops</i> Schrank, 1803) (Crustacea, Branchiopoda). Op. 502	available
<i>cancriformis</i> , <i>Limulus</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 169 (a junior objective synonym of <i>apus</i> , <i>Monoculus</i> , Linnaeus, 1758). Op. 502	index
<i>cancroides</i> , <i>Acarus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 616 (specific name of the type species of <i>Chelifer</i> Geoffroy, 1762) (Arachnida, Pseudoscorpionida). Op. 1542	available
<i>Candace</i> Dana, 1849, <i>Proc. Amer. Acad. Arts Sci.</i> , 2 : 22 (an incorrect subsequent spelling for <i>Candacia</i> Dana, 1846). Op. 733	index
<i>Candacia</i> Dana, 1846, <i>Amer. J. Sci. Arts</i> , (2) 1 : 228 (gender: feminine) (type species, by designation under the plenary power: <i>Candace pachydactyla</i> Dana, 1849, <i>Proc. Amer. Acad. Arts Sci.</i> , 2 : 23) (Crustacea, Copepoda). Op. 733	available
CANDACIDAE Giesbrecht, 1892, <i>Fauna Flora Golfs Neapel</i> , 19 : 67 (type genus: <i>Candacia</i> Dana, 1846) (an incorrect original spelling for CANDACIIDAE Giesbrecht, 1892). Op. 733	index
CANDACIIDAE (correction of CANDACIDAE) Giesbrecht, 1892, <i>Fauna Flora Golfs Neapel</i> , 19 : 67 (type genus: <i>Candacia</i> Dana, 1846) (Crustacea, Copepoda). Op. 733	available
<i>candida</i> , <i>Cypris</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 199 (specific name of the type species of <i>Candonia</i> Baird, [1846]) (Crustacea, Ostracoda). Op. 533	available
<i>candida</i> , <i>Folsomia</i> , Willem, 1902, <i>Annales de la Société Entomologique de Belgique</i> , 46 : 280 (specific name of the type species of <i>Folsomia</i> Willem, 1902) (Collembola). Op. 1431	available
<i>candidaria</i> , <i>Bapta</i> , Leech, 1897, <i>Ann. Mag. nat. Hist.</i> , (6) 19 : 198 (specific name of the type species of <i>Lamprocabera</i> Inoue, 1958) (Insecta, Lepidoptera). Op. 1305	available
<i>candidum</i> , <i>Didemnum</i> , Savigny, 1816, <i>Mémoires sur les animaux sans vertèbres</i> , part 2, pp. 14, 194 (specific name of the type species of <i>Didemnum</i> Savigny, 1816) (Tunicata, Ascidiaceae). Op. 1412	available
<i>candidus</i> , <i>Conus</i> , Born, 1778, <i>Index Mus. Caes. Vindobonensis</i> (1): 130 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 757	index
<i>candidus</i> , <i>Solen</i> , Renier, [1804], <i>Tav. alfab. Conch. adriat.</i> : V (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>candiota</i> , <i>Helix</i> , Pfeiffer, 1849, Die Schnirkelschnecken (Gattung <i>Helix</i>) in Abbildungen nach der Natur mit Beschreibungen, in Küster (Ed.), <i>Systematisches Conchylien-Cabinet von Martini und Chemnitz</i> , vol. 1, part 12, p. 255 (specific name of the type species of <i>Xeromunda</i> Monterosato, 1892) (Gastropoda). Op. 1719	available
<i>Candonia</i> Baird, [1846], <i>Berwickshire Nat. Hist. Club</i> , 2 (13): 152, 153 (gender: feminine) (type species, by designation under the plenary power: <i>Cypris candida</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 199) (Crustacea, Ostracoda). Op. 533	available

- CANDONINAE** Kaufmann, 1900, *Mitt. Naturf. Ges. Bern.*, **1900**: 107, 108 (type genus: *Candonia* Baird, [1846]) (Crustacea, Ostracoda). Op. 533 available
- Canentis** Pavesi, 1897, *Annali del Museo Civico di Storia Naturale di Genova*, **38**: 158 (gender: masculine) (type species, by original designation: *C. ruspolii* Pavesi, 1897), ruled under the plenary power not to be given priority over the name *Zeriassa* Pocock, 1897 whenever the two names are considered to be synonyms (Arachnida). Op. 2094 available
- canguru*, all uses of (and its various spellings *cangaru*, *cangura*), in combination with *Mus*, *Yerboa*, *Jaculus*, *Zerbua*, *Didelphis*, *Didelphys* and *Macropus* (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 760 index
- canguru*, *Mus*, Statius Müller, 1776, *Des Ritters C. von Linné ...*, Supplementsband: 62 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 760 index
- canicularis**, **Musca**, Linnaeus, 1761, *Fauna svec.* (ed. 2): 454 (Insecta, Diptera). Op. 884 available
- canifrons*, *Chrysops*, Walker, 1848, *List of the specimens of dipterous insects in the collection of the British Museum*, part 1, p. 197 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1711 index
- canina**, **Taenia**, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 820 (specific name of the type species of *Dipylidium* Leuckart, 1863) (Cestoda). Direction 77 available
- Canis** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 38 (gender: masculine) (type species, by Linnaean tautonymy: *Canis familiaris* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 38) (Mammalia). Op. 91, Direction 24 available
- canis**, **Ricinus**, de Geer, 1778, *Mém. Hist. Ins.*, **7**: 81, as interpreted by the neotype designated by Clay & Hopkins, 1954 (*Bull. Brit. Mus. (nat. Hist.) Entomol.*, **3**: 244) (specific name of the type species of *Trichodectes* Nitzsch, 1818) (Insecta, Mallophaga). Op. 627 available
- ‘cannelée, Prosthète’, Hesse, 1861, *Ann. Sci. nat.*, Paris, (4)**15**: 109 (a vernacular name). Op. 1229 index
- Canonicacros* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Canonicopempton* Holmberg, 1918, *Physis* (Buenos Aires), **4**: 2 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- canorus**, **Cuculus**, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 110 (specific name of the type species of *Cuculus* Linnaeus, 1758) (Aves). Direction 17 available

<i>Cantharidus</i> Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 250 (gender: masculine) (type species, by original designation: <i>Trochus iris</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3580, valid name: [<i>Limax</i>] <i>opalus</i> Martyn, 1784) (Gastropoda). Op. 479	available
<i>cantiana</i> , <i>Helix</i> , Montagu, 1803, <i>Test. brit.</i> , 2 : 422 (Gastropoda). Op. 336	available
<i>cantianum</i> , <i>Mantelliceras</i> , Spath, 1926, <i>Geol. Mag.</i> , 63 : 82 (Cephalopoda). Op. 557	available
<i>cantillans</i> , <i>Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 86 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>caparoch</i> , <i>Strix</i> , Müller, 1766, <i>Des Ritters C. von Linne's ... vollständige Natursystem ...</i> , Supplement, p. 69 (valid specific name at the time of the Commission's ruling of <i>Strix hudsonia</i> Gmelin, 1788, the type species of <i>Surnia</i> Duméril, 1806) (Aves). Direction 122	available
<i>Capella</i> Frenzel, 1801, <i>Beschr. Vögel und Eier Wittenberg</i> : 56 (a name published in synonymy without an independent description and rejected by its author). Direction 39	index
<i>Capella</i> Keyserling & Blasius, 1840, <i>Wirbelth. Europas</i> , 1 : 9 (a junior objective synonym of <i>Rupicapra</i> Blainville, 1816). Direction 39	index
<i>capensis</i> , <i>Algyra</i> , A. Smith, 1838, <i>Magazine of Natural History and Journal of Zoology, Botany, Mineralogy, Geology and Meteorology</i> , 2 : 94 (senior subjective synonym of <i>Ichnotropis macrolepidota</i> Peters, 1854, the type species of <i>Ichnotropis</i> Peters, 1854) (Reptilia, Sauria). Op. 1422	available
<i>capensis</i> , <i>Aparallactus</i> , Smith, 1849, <i>Illustrations of the zoology of South Africa</i> : 16 (specific name of the type species of <i>Aparallactus</i> Smith, 1849) (Reptilia). Op. 1201	available
<i>capensis</i> , <i>Dytiscus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 78 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>capensis</i> , <i>Gebia major</i> , Krauss, 1843, <i>Die Südafrikanischen Crustaceen. Eine Zusammenstellung aller bekannten Malacostraca ...</i> , p. 54, as defined by the neotype (the female specimen from Saldanha Bay, South Africa, no. 14895 in the South African Museum, Cape Town) designated under the plenary power (Crustacea, Decapoda). Op. 1753	available
<i>capensis</i> , <i>Strix bubo</i> , Daudin, 1800, <i>Traité d'Ornith.</i> , 2 : 209 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 895	index
<i>capensis</i> , <i>Strix</i> , Smith, 1834, <i>South African Quart. J.</i> , (2) 2 (1): 317 (Aves). Op. 895	available
<i>capensis</i> , <i>Viverra</i> , Schreber, [1776], <i>Die Säugthiere</i> , 3 : pl. 125; <i>id.</i> , [1777], <i>ibid.</i> , 3 : 450 (valid name at the date of Opinion 384 of the type species of <i>Mellivora</i> Storr, 1780) (Mammalia). Op. 384	available
<i>capensis</i> , <i>Yerbua</i> , Forster, 1778, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 39 : 111 (Mammalia). Op. 730	available

<i>caperans</i> , <i>Brachycerus</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 55, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>Caphyra</i> Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 32 (a junior homonym of <i>Caphyra</i> Guérin-Méneville, 1832). Direction 37	index
<i>Caphyra</i> Guérin-Méneville, 1832, <i>Ann. Sci. nat.</i> , Paris, 25 (99): 285 (gender: feminine) (type species, by monotypy: <i>Caphyra rouxi</i> Guérin-Méneville, 1832, <i>Ann. Sci. nat.</i> , Paris, 25 (99): 287) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>capillaceus</i> , <i>Pectunculus</i> , da Costa, 1778, <i>British Conchology</i> , p. 187 (a junior objective synonym of the specific name of <i>Venus exoleta</i> Linnaeus, 1758) (Bivalvia). Op. 1414	index
<i>capillatus</i> , <i>Solenopotes</i> , Enderlein, 1904, <i>Zool. Anz.</i> , 28 : 144 (specific name of the type species of <i>Solenopotes</i> Enderlein, 1904) (Insecta, Anoplura). Op. 1050	available
<i>capistrata</i> , <i>Tanagra</i> , Wied, 1821, <i>Reise nach Brasilien in den Jahren 1815-1817</i> , vol. 2, p. 179 (specific name of the type species of <i>Schistochlamys</i> Reichenbach, 1850) (Aves). Op. 2004	available
<i>capistratus</i> , <i>Psittacus</i> , Bechstein, 1811, <i>Lathams Uebers. Vögel</i> , 4 (1): 68, pl. 3 (Aves). Direction 82	available
<i>capitata</i> , <i>Larentia</i> , Herrich-Schäffer, 1839, <i>Deutschlands Insekten</i> , Heft 165, pl. 3, ruled under the plenary power to be given precedence over the specific name <i>posticata</i> Fabricius, 1794, as published in the binomen <i>Phalaena posticata</i> , whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1361	available
<i>Capito</i> Gistl, 1848, <i>Nat. Thierr.</i> : xi (a junior homonym of <i>Capito</i> Vieillot, 1816). Direction 44	index
<i>Capito</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 27 (gender: masculine) (type species, by monotypy: <i>Bucco niger</i> Müller, [1776], <i>Linné vollständ. Natursyst.</i> , Suppl.: 89) (Aves). Op. 67 <i>caponis</i> , <i>Pediculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 614, as interpreted by the neotype designated by Clay & Hopkins, 1955 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 10 : 288), namely the male specimen figured by Clay, 1938 (<i>Proc. zool. Soc. London</i> (B), 108 : 112, fig. 1a) (specific name of the type species of <i>Lipeurus</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 342	available
<i>Capra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 68 (gender: feminine) (type species, by Linnaean tautonomy: <i>Capra hircus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 68) (Mammalia). Op. 91, Direction 24	available
<i>caprae</i> , <i>Sarcoptes</i> , Delafond & Bourguignon, (January) 1858, <i>Arch. gén. Méd.</i> , Paris, (5)11 : 29, 31 (specific name of the type species of <i>Choriopites</i> Gervais & van Beneden, 1859) (Arachnida). Direction 93	available
<i>Caprimulgus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 193 (gender: masculine) (type species, by Linnaean tautonomy: <i>Caprimulgus europaeus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 193) (Aves). Direction 17	available

<i>capsiformis</i> , <i>Nabis</i> , Germar, [1838], <i>Silbermann's Rev. entomol.</i> , t. 5: 132 (Insecta, Hemiptera). Op. 1302	available
<i>Capsigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Capsularia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 115 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Capsus</i> Fabricius, 1803, <i>Syst. Rhyng.</i> : 241 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex ater</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 447) (Insecta, Hemiptera). Op. 298	available
<i>capucina</i> , <i>Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 29 (specific name of the type species of <i>Cebus</i> Erxleben, 1777) (Mammalia). Direction 22	available
<i>capucinus</i> , <i>Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 355 (specific name of the type species of <i>Bostrichus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>caputmedusae</i> , <i>Encriinus</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 379 (a junior objective synonym of <i>asteria</i> , <i>Isis</i> , Linnaeus, 1767). Op. 636	index
<i>caputmortuum</i> , <i>Dromia</i> , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 178 (a junior secondary homonym of <i>caputmortuum</i> , <i>Cancer</i> , Linnaeus, 1767). Op. 688	index
<i>Capys</i> Hewitson, [1865], <i>Illustrations of Diurnal Lepidoptera</i> . Lycaenidae. (Supplement), vol. 1, p. 59 (gender: masculine) (type species, by monotypy: <i>Papilio alpheus</i> Cramer, [1777]) (Insecta, Lepidoptera). Op. 1398	available
<i>caraboides</i> , <i>Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 354 (specific name of the type species of <i>Platycerus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>Carabus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 413 (gender: masculine) (type species, by designation under the plenary power: <i>Carabus granulatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 413) (Insecta, Coleoptera). Op. 243	available
<i>caractaci</i> , <i>Calymene blumenbachii</i> , Salter, 1865, <i>Mon. Brit. Trilobites</i> : 96 (specific name of the type species of <i>Flexicalymene</i> Shirley, 1936) (Trilobita). Op. 736	available
<i>Caragolus</i> Monterosato, 1884, <i>Nomenclatura generica e specifica di alcune conchiglie mediterranee</i> , p. 43 (a junior objective synonym of <i>Osilinus</i> Philippi, 1847 and of <i>Trochocochlea</i> Mörch, 1852) (Gastropoda). Op. 1930	index
CARCHARHINIDAE Garman, 1913, <i>The Plagiostoma</i> : 106 (type genus: <i>Carcharhinus</i> Blainville, 1816) (Chondrichthyes). Op. 723	available
<i>Carcharhinus</i> Blainville, 1816, <i>Bull. sci. Soc. philomat. Paris</i> , 1816: 121 (gender: masculine) (type species, by designation under the plenary power: <i>Carcharias melanopterus</i> Quoy & Gaimard, 1824, in Freycinet, <i>Voy. autour Monde 'Uranie' & 'Physicienne'</i> , (Zool.): 194) (Chondrichthyes). Op. 723	available

CARCHARIAE Müller & Henle, [1839], <i>Syst. Beschr. Plagiost.</i> : xvii (type genus: <i>Carcharias</i> Rafinesque, 1809) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 723	index
<i>Carcharias</i> Cuvier, 1817, <i>Règne Anim.</i> , 2 : 125 (a junior homonym of <i>Carcharias</i> Rafinesque, 1809). Op. 723	index
<i>Carcharias</i> Müller & Henle, [1839], <i>Syst. Beschr. Plagiost.</i> : 37 (a junior homonym of <i>Carcharias</i> Rafinesque, 1809). Op. 723	index
<i>Carcharias</i> Rafinesque, 1810, <i>Caratteri di alcuni nuovi generi e nuove specie di Animali e Piante della Sicilia con varie osservazioni sopra i medesimi</i> , p.10 (gender: masculine) (type species, by monotypy: <i>Carcharias taurus</i> Rafinesque, 1810), name deleted from the Official Index and placed on the Official List by ruling under the plenary power, ruled under the plenary power not to be given precedence over <i>Odontaspis</i> Agassiz, 1838 whenever the two names are considered to be synonyms (Chondrichthyes). Op. 723, Op. 1459	available
<i>Carcharias</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 3 : 119 (a junior homonym of <i>Carcharias</i> Rafinesque, 1809). Op. 723	index
<i>carcharias, Squalus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 235, as interpreted by Bigelow & Schroeder, 1948 (<i>Fishes of the Western North Atlantic</i> : 134, 135, figs. 20, 21) (specific name of the type species of <i>Carcharodon</i> Smith, 1838) (Chondrichthyes). Op. 723	available
CARCHARIIDAE Müller & Henle, [1839], <i>Systematische Beschreibung Plagiostomen</i> , p. xvii, correction of CARCHARIAE (type genus: <i>Carcharias</i> Rafinesque, 1810), ruled under the plenary power that this name and other family-group names based on <i>Carcharias</i> are not to be given priority over ODONTASPIDIDAE Müller & Henle, [1839] and other family-group names based on <i>Odontaspis</i> Agassiz, 1838 whenever their type genera are placed in the same family-group taxon (Chondrichthyes, Lamniformes). Op. 1459	available
<i>Carcharinus</i> Cloquet, 1817, <i>Dict. Sci. nat.</i> , 7 : 7 (an incorrect subsequent spelling for <i>Carcharhinus</i> Blainville, 1816). Op. 723	index
<i>Carcharodon</i> Smith, in Müller & Henle, 1838, <i>Mag. nat. Hist. (n.s.)</i> , 2 : 37 (gender: masculine) (type species, by subsequent monotypy through <i>Carcharias lamia</i> Rafinesque, 1810 (<i>Indice Ittiol. Sicilia</i> : 44), through Opinion 723 and Article 67e (1961 Code): <i>Squalus carcharias</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 235) (Chondrichthyes). Op. 723	available
<i>Carcharodus</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> , (7): 110 (gender: masculine) (type species, by designation under the plenary power: <i>Papilio alceae</i> Esper, [1780], <i>Die Schmett.</i> , 1 (Bd. 2) Forts. Tagschmett.: 4, pl. 51, fig. 3♀) (Insecta, Lepidoptera). Op. 270	available
<i>Carcharorhinus</i> Agassiz, 1846, <i>Nomencl. Zool. Index Univ.</i> : 65 (an unjustified emendation of <i>Carcharhinus</i> Blainville, 1816). Op. 723	index
<i>Carcinides</i> Rathbun, 1897, <i>Proc. biol. Soc. Washington</i> , 11 : 164 (a junior objective synonym of <i>Carcinus</i> [Leach, 1814]). Op. 330	index

<i>Carcinion</i> Jarocki, 1825, <i>Zoologia czyli zwiérzetopismo Ogólne, podług Náynowszego Systematu</i> , vol. 5, p. 108 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1575	index
<i>Carcinochelis</i> Fieber, 1861, <i>Die europäischen Hemiptera Halbflügler (Rhynchota Heteroptera). Nach der analytischen Methode Bearbeitet</i> , p. 34 (gender: masculine) (type species, by designation under the plenary power: <i>Carcinochelis alutaceus</i> Handlirsch, 1897) (Insecta, Heteroptera). Op. 1641	available
<i>Carcinopodium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 115 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Carcinus</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 390 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Cancer maenas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627) (Crustacea, Decapoda). Op. 330	available
<i>Carcinus</i> Latreille, 1796, <i>Précis caract. Ins.</i> : 197 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 330	index
<i>Cardiaspina</i> Crawford, 1911, <i>Pomona Coll. J. Entomol.</i> , 3 : 632 (gender: feminine) (type species, by original designation: <i>Cardiaspis artifex</i> Schwarz, 1898, <i>Proc. entomol. Soc. Washington</i> , 4 : 72) (Insecta, Hemiptera). Op. 725	available
<i>Cardigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
CARDINALINAE Sushkin, 1925, <i>Auk</i> , 42 : 260 (type genus: <i>Cardinalis</i> Bonaparte, 1838) (Aves). Op. 784	available
<i>Cardinalis</i> Bonaparte, 1838, <i>Proc. zool. Soc. London</i> , 1837 : 111 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 43): <i>Cardinalis virginianus</i> Bonaparte, 1838, <i>Proc. zool. Soc. London</i> , 1837 : 111, valid name: <i>Loxia cardinalis</i> Linnaeus, 1758) (Aves). Op. 784	available
<i>Cardinalis</i> Jarocki, 1821, <i>Zoologia</i> , 2 : 133 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 784	index
<i>cardinalis, Loxia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 172 (valid name at the date of Opinion 784 of the type species of <i>Cardinalis</i> Bonaparte, 1838) (Aves). Op. 784	available
<i>Cardinia</i> Agassiz, [1840], in Sowerby, <i>Min. Conch.</i> (German ed.): 58 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 292	index
<i>Cardinia</i> Agassiz, [1841], in Sowerby, <i>Min. Conch.</i> (German ed.): 207 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Unio listeri</i> Sowerby, 1817, <i>Min. Conch.</i> , 2 : 123) (Bivalvia). Op. 292	available
<i>Cardinia</i> Agassiz, 1838, <i>Verh. Schweiz. naturf. Ges.</i> , 23 : 104 (a nomen nudum). Op. 292	index

<i>Cardinia</i> Roemer, 1839, <i>Verstein. norddeutsch. Oolithengebirges Nachtr.</i> : 38 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 292	index
<i>Carditigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>cardui</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 443 (specific name of the type species of <i>Tingis</i> Fabricius, 1803) (Insecta, Hemiptera). Direction 4	available
<i>cardui</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 475 (specific name of the type species of <i>Cynthia</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 4	available
<i>cardui</i> , <i>Phalaena (Noctua)</i> , Hübner, 1790, <i>Beitr. Gesch. Schmett.</i> , 2 : 84, pl. 1, fig. B (Insecta, Lepidoptera). Op. 1227	available
<i>cardui</i> , <i>Phalaena (Tortrix)</i> , Ström, 1783, <i>Nye Saml. k. dansk. Vid. Selsk. Christ.</i> , 2 : 87 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1227	index
<i>Carduus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>caricae</i> , <i>Cynips</i> , Linnaeus, 1762, in Hasselquist, <i>Reise nach Palästina</i> : 426 (conserved under the plenary power) (valid name at the date of Opinion 694 of the type species of <i>Philotrypesis</i> Förster, 1878) (Insecta, Hymenoptera). Op. 694	available
<i>caricae</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 484 (specific name of the type species of <i>Nymphidium</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>Caridella</i> Calman, 1906, <i>Proc. zool. Soc. London</i> , 1906 : 198 (gender: feminine) (type species, by original designation: <i>Caridella cunningtoni</i> Calman, 1906, <i>Proc. zool. Soc. London</i> , 1906 : 199) (Crustacea, Decapoda). Op. 470	available
<i>Caridina</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 362 (gender: feminine) (type species, by indication under Article 68(c): <i>Caridina typus</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 363) (Crustacea, Decapoda). Op. 470	available
<i>Caridinopsis</i> Bouvier, 1912, <i>Bull. Mus. Hist. nat.</i> , Paris, 18 : 300 (gender: feminine) (type species, by monotypy: <i>Caridinopsis chevalieri</i> Bouvier, 1912, <i>Bull. Mus. Hist. nat.</i> , Paris, 18 : 300) (Crustacea, Decapoda). Op. 559	available
<i>Caridion</i> Goës, 1863, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 20 : 170 (gender: masculine) (type species, by monotypy through <i>Doryphorus</i> Norman, 1861 (for which <i>Caridion</i> Goës, 1863, is a replacement name): <i>Hippolyte gordoni</i> Bate, 1888, <i>Nat. Hist. Rev.</i> , 5 : iv) (Crustacea, Decapoda). Op. 470	available
<i>Carina</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 115 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>carinata</i> , <i>Dipsas</i> , Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 181 (specific name of the type species of <i>Pareas</i> Wagler, 1830) (Reptilia). Op. 963	available

<i>carinata</i> , <i>Drosophila</i> , Grimshaw, 1901, <i>Fauna Hawaiiensis</i> , 3 (1): 55-57, 71, 72 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1099	index
<i>carinata</i> , <i>Phyllophis</i> , Günther, 1864, <i>The reptiles of British India</i> , p. 295, ruled under the plenary power not to be invalid by reason of having been replaced before 1961 as a junior secondary homonym of <i>Coluber carinatus</i> Linnaeus, 1758 (Reptilia, Serpentes). Op. 1867	available
<i>carinata</i> , <i>Pseudopinnixa</i> , Ortmann, 1894, <i>Zool. Jahrb.</i> , Jena (Syst.), 7 : 694 (specific name of the type species of <i>Pseudopinnixa</i> Ortmann, 1894) (Crustacea, Decapoda). Direction 36	available
<i>carinatus</i> , <i>Cancer</i> , Brünnich, 1768, <i>Ichthyol. massil.</i> : 102 (valid name at the date of Opinion 382 of the type species of <i>Sicyonia</i> Milne Edwards, 1830) (Crustacea, Decapoda). Op. 382	available
<i>carinatus</i> , <i>Chlorophis</i> , Andersson, 1901, <i>Bih. k. svensk. Vet.-Akad. Handl.</i> , 27 (5): 9, ruled under the plenary power to be given precedence over the specific name <i>nigrofasciatus</i> Buchholz & Peters, 1875, as published in the binomen <i>Philothamnus nigrofasciatus</i> , whenever the two names are considered synonyms (Reptilia). Op. 1214	available
<i>carinatus</i> , <i>Planorbis</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 157 (Gastropoda). Op. 336	available
<i>Carinifex</i> Binney, 1863, <i>Syn. Spec. air-breathing Moll. N. Amer.</i> : [11] (included in a work rejected as not properly published). Op. 432	index
<i>Carinifex</i> Binney, 1865, <i>Smithson. Misc. Coll.</i> , 7 (2) (No. 143): 74, 75 (conserved under the plenary power) (gender: feminine) (type species, by designation by Fischer, 1883 (<i>Manuel Conchyl.</i> , 1 : 508); <i>Planorbis newberryi</i> Lea, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 91) (Gastropoda). Op. 432	available
<i>Carininota</i> Volkovitsh, 1979, <i>Entomologicheskoe Obozrenie</i> , 58 (2): 352 [In Russian; English translation in <i>Entomological Review</i> , 58 (2), 1979] (gender: feminine) (type species, by original designation: <i>Buprestis flavofasciata</i> Piller & Mitterpacher, 1783) (Insecta, Coleoptera). Op. 2008	available
<i>carinipes</i> , <i>Durckheimia</i> , de Man, 1889, <i>Zool. Jahrb.</i> , Jena (Syst.), 4 : 442 (specific name of the type species of <i>Durckheimia</i> de Man, 1889) (Crustacea, Decapoda). Direction 36	available
<i>carinipes</i> , <i>Zozymodes</i> , Heller, 1861, <i>Verh. zool.-bot. Ges. Wien</i> , 11 (Abh.): 8; <i>id.</i> , 1861, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math.-nat. Cl.), 43 (No. 1): 327 (specific name of the type species of <i>Zozymodes</i> Heller, 1861) (Crustacea, Decapoda). Direction 36	available
<i>Carinula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 115 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>carnegiei</i> , <i>Tribolbina</i> , Latham, 1932, <i>Trans. roy. Soc. Edinburgh</i> , 57 : 358, 359 (specific name of the type species of <i>Tribolbina</i> Latham, 1932) (Crustacea, Ostracoda). Op. 1118	available
<i>Carnifex</i> Keep, 1893, <i>West Coast Shells</i> (1893 ed.): 116 (an incorrect subsequent spelling for <i>Carinifex</i> Binney, 1865). Op. 432	index

<i>carnivora</i> , <i>Musca</i> , Fabricius, 1794, <i>Entomologia systematica emendata et aucta ...</i> , vol. 4, p. 313 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1670	index
<i>carolina</i> , <i>Libellula</i> , Linnaeus, 1763, <i>Amoenitates Academicae</i> , 6 : 411 (specific name of the type species of <i>Tramea</i> Hagen, 1861) (Insecta, Odonata). Op. 2158	available
<i>carolinensis</i> , <i>Anolis</i> , Voigt, 1832, in Cuvier, <i>Das Thierreich ... Nach der zweiten ... Ausgabe übersetzt und durch Zusätze erweitert von F.S. Voigt</i> , p. 71 (specific name of the type species of <i>Anolis</i> Daudin, 1802) (Reptilia, Sauria). Op. 1385	available
<i>carolinensis</i> , <i>Columba</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 286 (Aves). Direction 18	available
<i>carolinensis</i> , <i>Speocarcinus</i> , Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 59 (specific name of the type species of <i>Speocarcinus</i> Stimpson, 1859) (Crustacea, Decapoda). Direction 36	available
<i>caronii</i> , <i>Cymopolia</i> , Roux, 1830, <i>Crust. Médit.</i> (5): pl. 21 (valid name at the date of Opinion 712 of the type species of <i>Palicus</i> Philippi, 1838) (Crustacea, Decapoda). Op. 712	available
<i>Carpilius</i> Desmarest, 1823, <i>Dict. Sci. nat.</i> , 28 : 228, nota (gender: masculine) (type species, by monotypy: <i>Cancer maculatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626) (Crustacea, Decapoda). Op. 73 <i>Carpilodes</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2) 12 : 126 (gender: masculine) (type species, by monotypy: <i>Carpilodes tristis</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 77) (Crustacea, Decapoda). Op. 73 <i>carpini</i> , <i>Anobium</i> , Herbst, 1793, in Jablonsky, <i>Natursystem aller bekannten ... Insekten ... Der Käfer</i> (5): 58 (specific name of the type species of <i>Priobium</i> Motschulsky, 1845) (Insecta, Coleoptera). Op. 1062	available
<i>carpio</i> , <i>Cyprinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 320 (specific name of the type species of <i>Cyprinus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Carpoporus</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 138 (gender: masculine) (type species, by monotypy: <i>Carpoporus papulosus</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 139) (Crustacea, Decapoda). Op. 73 <i>carteri</i> , <i>Palaega</i> , Woodward, 1870, <i>Geological Magazine</i> , 7 : 496 (specific name of the type species of <i>Palaega</i> Woodward, 1870) (Isopoda). Op. 1668	available
<i>carteri</i> , <i>Spirifer</i> , Hall, 1857, <i>Ann. Rep. New York State Cab. nat. Hist.</i> , 10 : 150, considered by some to be a senior subjective synonym of <i>Syringothyris typa</i> Winchell, 1863 (Brachiopoda). Direction 73	available
<i>carthami</i> , <i>Papilio</i> , Hübner, [1813], <i>Sammlung europäischer Schmetterlinge</i> , vol. 1, pl. 143 (Insecta, Lepidoptera). Op. 1599	available
<i>Carthusiana</i> Kobelt, 1871, <i>Catalog der im Europäischen Faunengebiet lebenden Binnенconchylien: mit besonderer Berücksichtigung der in Rossmässler's Sammlung enthaltenen Arten</i> , p. 24 (an objective synonym of <i>Monacha</i> Fitzinger, 1833) (Gastropoda). Op. 2135	index

CARTHUSIANINI Kobelt, 1904, <i>Iconographie der Land- und Süßwasser-Mollusken mit vorzüglicher Berücksichtigung der Europäischen noch nicht abgebildeten Arten</i> , Neue Folge, Bd. 11, p. 162 (based on <i>Carthusiana</i> Kobelt, 1871, a generic name placed on the Official Index in Opinion 2135, replaced under Article 40.2 by MONACHINAE / MONACHINI Wenz, 1930 (1904) (Gastropoda). Op. 2135	index
<i>cartusiana</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 15 (specific name of the type species of Monacha Fitzinger, 1833) (Gastropoda). Op. 431	available
<i>Carupa</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2) 12 : 129 (gender: feminine) (type species, by monotypy: <i>Carupa tenuipes</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 85) (Crustacea, Decapoda). Op. 73 CARYCHIADAЕ Jeffreys, 1830, <i>Trans. linn. Soc. London</i> , 16 : 324 (type genus: <i>Carychium</i> Müller, 1774) (an incorrect original spelling for CARYCHIIDAE Jeffreys, 1830). Direction 27	available
CARYCHIIDAE (correction by Jeffreys, 1862 (<i>Brit. Conch.</i> , 1 : 299) of CARYCHIADAЕ Jeffreys, 1830, <i>Trans. linn. Soc. London</i> , 16 : 324 (type genus: <i>Carychium</i> Müller, 1774) (Gastropoda). Direction 27	available
<i>Carychium</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 125 (gender: neuter) (type species, by monotypy: <i>Carychium minimum</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 125) (Gastropoda). Op. 335	available
<i>casertanum</i> , <i>Cardium</i> , Poli, 1791, <i>Test. Sicil.</i> , 1 , Bivalvia: 65, pl. 16, fig. 1 (Bivalvia). Op. 587	available
<i>caspia</i> , <i>Sterna</i> , Pallas, 1770, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 14 (1): 582 (Aves). Op. 904	available
<i>caspicus</i> , <i>Colymbus</i> , Hablizl, 1783, in Pallas, <i>Neue nord. Beytr.</i> , 4 : 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 406	index
<i>caspius</i> , <i>Culex</i> , Pallas, 1771, <i>Reise Prov. Russl.</i> , 1 : 475 (Insecta, Diptera). Op. 711	available
<i>Cassida</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 362 (gender: feminine) (type species, by designation by Spaeth, 1914 (<i>Verh. zool.-bot. Ges. Wien</i> , 64 : [140]): <i>Cassida nebula</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 363) (Insecta, Coleoptera). Op. 1023	available
CASSIDAE (emendation under the plenary power of CASSIDITES) Latreille, 1825, <i>Fam. Règn. Anim.</i> : 194 (type genus: <i>Cassis</i> Scopoli, 1777) (Gastropoda). Op. 1023	available
<i>Cassidella</i> Hofker, 1953, <i>The Micropaleontologist</i> , 7 (1): 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1834	index
CASSIDIINAE (correction of CASSIDIADAЕ) Stephens, 1831, <i>Ill. Brit. Entomol.</i> , Mand., 4 : 364, 365 (type genus: <i>Cassida</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1023	available
<i>Cassigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Cassis</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 393 (gender: feminine) (type species, by designation by Montfort, 1810 (<i>Conchyl. syst.</i> , 2 : 599): <i>Buccinum cornutum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 735) (Gastropoda). Op. 1023	available
<i>cassivelanus</i> , <i>Cancer</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 6 (valid name at the date of Opinion 689 of the type species of <i>Corystes</i> Bosc, [1801-1802]) (Crustacea, Decapoda). Op. 689	available
<i>castaneum</i> , <i>Colydium</i> , Herbst, 1797, <i>Natursystem aller Insecten: die Käfer</i> , vol. 7, p. 282 (specific name of the type species of <i>Tribolium</i> MacLeay, 1825) (Insecta, Coleoptera). Op. 1495	available
<i>Castiarina</i> Gory & Laporte, 1837, <i>Histoire naturelle et iconographie des insectes coléoptères, publiée par monographies séparées</i> . Texte vol. 2. Suite aux Buprestides, p. 22 (gender: feminine) (type species, by subsequent designation by Barker, 1979, <i>Transactions of the Royal Society of South Australia</i> , 103 : 1: <i>Stigmodera pertii</i> Gory & Laporte, 1837) (Insecta, Coleoptera). Op. 1628	available
<i>Castnia</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Castnia</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 280 (conserved under the plenary power) (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 440, 357): <i>Papilio icarus</i> Cramer, [1775], <i>Uitl. Kapellen</i> , 1 (2): 26, pl. 18, figs. A, B) (Insecta, Lepidoptera). Op. 232	available
<i>Castor</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 58 (gender: masculine) (type species, by Linnaean tautomy: <i>Castor fiber</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 58) (Mammalia). Op. 75 <i>castor</i> , <i>Monoculus</i> , Jurine, 1820, <i>Hist. Monocles</i> : 50 (specific name of the type species of <i>Diaptomus</i> Westwood, 1836) (Crustacea, Copepoda). Direction 67	available
<i>Catabrachys</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Catacus</i> Rafinesque, 1815, <i>Analyse de la Nature, ou Tableau de l'Univers et des Corps Organisés</i> , p. 64 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1949	index
<i>Catadolichos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Catapaguroides</i> Milne Edwards & Bouvier, 1892, <i>Ann. Sci. nat.</i> , Paris (Zool.), (7) 13 : 211 (gender: masculine) (type species, by designation by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 243): <i>Catapaguroides microps</i> Milne Edwards & Bouvier, 1892, <i>Ann. Sci. nat.</i> , Paris (Zool.), (7) 13 : 211) (Crustacea, Decapoda). Op. 712	available

<i>cataphractus</i> , <i>Cottus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 264 (specific name of the type species of <i>Agonus</i> Bloch & Schneider, 1801) (Osteichthyes, Scorpinaeformes). Op. 1855	available
<i>Cataphryxus</i> Shiino, 1936, <i>Mem. Coll. Sci. Kyoto imp. Univ.</i> , (B)11: 172, 173 (gender: masculine) (type species, through <i>Epiphryxus</i> Shiino, 1934 (<i>Mem. Coll. Sci. Kyoto imp. Univ.</i> , (B)9: 281): <i>Epiphryxus primus</i> Shiino, 1934, <i>Mem. Coll. Sci. Kyoto imp. Univ.</i> , (B)9: 281-283) (Crustacea, Isopoda). Op. 1242	available
<i>catarractus</i> , <i>Cycloderes</i> , Sahlberg, 1823, <i>Periculi entomographici</i> ..., pp. 21, 83 (specific name of the type species of <i>Cycloderes</i> Sahlberg, 1823) (Insecta, Coleoptera). Op. 1440	available
<i>cataspila</i> , <i>Emys</i> , Günther, 1885, <i>Biologia centrali-americana, Reptilia and Batrachia</i> : 4, pl. 6, fig. B (Reptilia). Op. 1313	available
<i>Cathammistes</i> Illiger, 1807, <i>Magazin für Insektenkunde</i> , 6: 297 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1891	index
<i>Cathartes</i> Illiger, 1811, <i>Prod. Syst. Mamm. Avium</i> : 236 (gender: masculine) (type species, by designation by Vigors, 1825 (<i>Zool. J.</i> , 2: 384): <i>Vultur aura</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 86) (Aves). Op. 67 <i>Cathartes</i> d'Orbigny, [1835], <i>Voy. Amér. mérid.</i> , 9: tab. 1 (an incorrect subsequent spelling for <i>Cathartes</i> Illiger, 1811). Direction 44	available
<i>catinatum</i> , <i>Cyathostomum</i> , Looss, 1900, <i>Zentralblatt für Bakteriologie Parasitenkunde, Infektionskrankheiten und Hygiene</i> , Abteilung 1, Originale 1, 27: 156 (Nematoda). Op. 1972	available
<i>Catoplatus</i> Spinola, 1837, <i>Essai Genres Ins. Ordre Hémipt.</i> : 167 (gender: masculine) (type species, by designation under the plenary power: <i>Tingis fabricii</i> Stål, 1868, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm (n.s.), 7 (No. 11): 93 (also p. 93 of the separate with the title <i>Hémipt. Fab.</i>) (Insecta, Hemiptera). Op. 250	available
<i>Catoptrus</i> Milne Edwards, 1870, <i>Ann. Sci. nat.</i> , Paris (Zool.), (5)13 (No. 2): [1] (gender: masculine) (type species, by monotypy: <i>Catoptrus nitidus</i> Milne Edwards, 1870, <i>Ann. Sci. nat.</i> , Paris (Zool.), (5)13 (No. 2): [1]) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>catta</i> , <i>Lemur</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 30 (specific name of the type species of <i>Lemur</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>catulloï</i> , <i>Terebratula</i> , Pictet, 1867, <i>Mélanges Paléontologiques</i> , vol. 1(3), p. 202 (Brachiopoda). Op. 1466	available
<i>catus</i> , <i>Felis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 42 (specific name of the type species of <i>Felis</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>caucasicus</i> , <i>Androctonus</i> , Nordmann, 1840, Notice sur les scorpions de la faune pontique. In: <i>Voyage dans la Russie méridionale et la Crimée, par la Hongrie, la Valachie et la Moldavie, exécuté en 1837 ...</i> , vol. 3, p. 731 (Arachnida, Scorpiones). Op. 1933	available

<i>caucasicus</i> , <i>Aradus</i> , Kolenati, 1857, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 29 (4): 438, as defined by the neotype (male specimen labelled '(1) Derbent; (2) 13' in the Jakovlev collection in the Zoological Institute, Russian Academy of Sciences, St Petersburg, Russia) designated under the plenary power (Insecta, Heteroptera). Op. 1783	available
<i>caucasicus</i> , <i>Pomatoschistus</i> , Berg, 1916, <i>Les poissons des eaux douces de la Russie</i> : 409 (Osteichthyes). Op. 860	available
<i>caucasius</i> , <i>Scorpio</i> , Fischer von Waldheim, 1813, <i>Zoognosia tabulis synopticis illustrata</i> ..., Ed. 3, vol. 1, p. 401 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Scorpiones). Op. 1933	index
<i>caudata</i> , <i>Idalla</i> , Ørsted, 1844, <i>De regionis marinis</i> : 73 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1014	index
<i>caudatum</i> , <i>Strombidion</i> , Fromentel, 1876, <i>Études sur les microzoaires ou infusoires proprement dits comprenant de nouvelles recherches sur leur organisation, leur classification et la description des espèces nouvelles ou peu connues</i> , p. 264, pl. 24, figs. 7-8 (Ciliophora, Oligotrichida). Op. 1955	available
<i>caudatus</i> , <i>Priapulus</i> , Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , 3 : 77 (specific name of the type species of <i>Priapulus</i> Lamarck, 1816) (Priapulida). Op. 1013	available
<i>caudolineata</i> , <i>Ahaetulla</i> , Gray, [1834], <i>Ill. Ind. Zool.</i> (2): pl. 81 (specific name of the type species of <i>Dendrelaphis</i> Boulenger, 1890) (Reptilia). Op. 524	available
<i>Cavator</i> Blackwall, 1840, <i>Proc. linn. Soc. London</i> , 1 (8): 66, and <i>Ann. Mag. nat. Hist.</i> , (1)6 : 229 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1119	index
<i>Cavolina</i> Abildgaard, 1791, <i>Skr. Naturh.-Selsk. Copenhagen</i> , 1 (2): 175 (an incorrect original spelling for <i>Cavolinia</i> Abildgaard, 1791). Op. 883	index
<i>Cavolina</i> Bruguière, 1791, <i>Ency. méth.</i> (Tabl. Vers): pl. 85 (an incorrect original spelling for <i>Cavolinia</i> Bruguière, 1791). Op. 883	index
<i>Cavolina</i> Forbes & Hanley, 1851, <i>Hist. brit. Moll.</i> , 3 : 597 (a junior objective synonym of <i>Eubranchus</i> Forbes, 1838). Op. 883	index
<i>Cavolinia</i> (emendation of <i>Cavolina</i>) Abildgaard, 1791, <i>Skr. Naturh.-Selsk. Copenhagen</i> , 1 (2): 175 (gender: feminine) (type species, by monotypy: <i>Cavolina</i> (sic) <i>natans</i> Abildgaard, 1791, <i>Skr. Naturh.-Selsk. Copenhagen</i> , 1 (2): 175, valid name: <i>Anomia tridentata</i> Forsskål, 1775) (Gastropoda). Op. 883	available
<i>Cavolinia</i> (emendation of <i>Cavolina</i>) Bruguière, 1791, <i>Ency. méth.</i> (Tabl. Vers): pl. 85 (ruled under the plenary power to be a junior homonym of <i>Cavolinia</i> Abildgaard, 1791). Op. 883	index
<i>Cavolinia</i> Nardo, 1833, <i>Isis</i> (Oken), 1833 : 523 (a junior homonym of <i>Cavolinia</i> Abildgaard, 1791). Op. 883	index

<i>Cavolinia</i> Schweigger, 1819, <i>Beob. naturh. Reisen</i> : 99 (a junior homonym of <i>Cavolinia</i> Abildgaard, 1791). Op. 883	index
CAVOLINIDAE d'Orbigny, 1842, <i>Paléont. franç., Terr. crèt.</i> , 2 : 21 (type genus: <i>Cavolinia</i> Bruguière, 1791) (invalid because the name of the type genus is a junior homonym). Op. 883	index
CAVOLINIIDAE Gray, 1850 (correction of CAVOLINIDAE), <i>Cat. Moll. Coll. Brit. Mus.</i> (2), Pteropoda: 3, 4 (type genus: <i>Cavolinia</i> Abildgaard, 1791) (Gastropoda). Op. 883	available
<i>cayennensis, Buprestis</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 1931 (Insecta, Coleoptera). Op. 2008	available
<i>cayennensis, Buprestis</i> , Herbst, 1801, <i>Natursystem aller bekannten in- und ausländischen Insecten, als eine Fortsetzung der Büssonschen Naturgeschichte. Der Käfer</i> , vol. 9, p. 56, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis cayennensis</i> Gmelin, 1790 (Insecta, Coleoptera). Op. 2008	available
<i>Cebus</i> Eberhard, 1768, <i>Versuch neuen Entwurfs Thiergesch.</i> : 20 (included in a work rejected for nomenclatural purposes). Op. 445	index
<i>Cebus</i> Erxleben, 1777, <i>Syst. Regni Anim.</i> : 44 (gender: masculine) (type species, by designation by Elliot, 1913 (<i>Review of Primates</i> , 1 : lv; 2 : 64): <i>Simia capucina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 29) (Mammalia). Op. 91, Direction 24	available
<i>Cebus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 53 (a junior homonym of <i>Cebus</i> Erxleben, 1777). Direction 24	index
CECILINIA Rafinesque, 1814, <i>Specchio delle scienze o Giornale Enciclopedico di Sicilia</i> , 2 : 104 (an incorrect original spelling of CAECILIIDAE) (Amphibia, Gymnophiona). Op. 1462, Op. 1830	index
<i>Ceciliooides</i> Féruccac, 1814, <i>Mém. géol. Terr. form. Débris foss. Moll.</i> : 48 (gender: feminine) (type species, by monotypy: <i>Buccinum acicula</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 150) (Gastropoda). Op. 335	available
<i>cedrorum, Bombycilla</i> , Vieillot, [1808], <i>Histoire naturelle des oiseaux de l'Amérique septentrionale ...</i> , vol. 1, p. 88 (specific name of the type species of <i>Bombycilla</i> Vieillot, [1808]) (Aves, Passeriformes). Op. 1893	available
CELAENIDAE Naef, 1922, <i>Die fossilen Tintenfische</i> , p. 150 (an incorrect subsequent spelling of KELAENIDAE Naef, 1921) (Cephalopoda, Coleoidea). Op. 1860	index
<i>Celaeno</i> Wagner, 1860, <i>Abhandlungen der Mathemat.-Physikalischen Classe der königlich bayerischen Akademie der Wissenschaften</i> , 8 (3): 779 (a junior objective synonym of <i>Kelaeno</i> Münster, 1842 and a junior homonym of <i>Celaeno</i> Rafinesque-Schmaltz, 1815) (Cephalopoda, Coleoidea). Op. 1860	index
<i>celata, Cliona</i> , Grant, 1826, <i>The Edinburgh New Philosophical Journal</i> , 1826 : 78 (specific name of the type species of <i>Cliona</i> Grant, 1826) (Porifera). Op. 2133	available

<i>Cellaria</i> Ellis & Solander, 1786, <i>Nat. Hist. Zoophytes</i> : 18 (gender: feminine) (type species, by designation under the plenary power: <i>Farcimia sinuosa</i> Hassall, 1840, <i>Ann. Mag. nat. Hist.</i> , 6 : 172) (Bryozoa). Op. 949	available
<i>cellaria</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 28 (specific name of the type species of <i>Oxychilus</i> Fitzinger, 1833) (Gastropoda). Op. 431	available
<i>cellaris</i> , <i>Dermestes</i> , Scopoli, 1763, <i>Entomologia Carniolica</i> , p. 16 (specific name of the type species of <i>Cryptophagus</i> Herbst, 1792) (Insecta, Coleoptera). Op. 1810	available
<i>Celtia</i> Neale, 1973, <i>Rev. española Micropaleontol.</i> , 5 : 436 (gender: feminine) (type species, by original designation: <i>Cythere quadridentata</i> Baird, 1850, <i>The natural history of British Entomostraca</i> , London (Ray Society): 173) (Crustacea, Ostracoda). Op. 1173	available
<i>cenea</i> , <i>Charis</i> , Seitz, [1917], <i>The Macrolepidoptera of the World</i> , Amer. Rophalocera, 5 : 698 (an incorrect subsequent spelling for <i>cereus</i> , <i>Papilio</i> , Linnaeus, 1767). Op. 755	index
<i>Cenobita</i> H. Milne Edwards, 1837, <i>Histoire naturelle des Crustacés</i> , vol. 2, p. 238 (an incorrect subsequent spelling of <i>Coenobita</i> Latreille, 1829) (Crustacea, Decapoda). Op. 1575	index
<i>Cenobites</i> Berthold, 1827, <i>Latreille's Natürliche Familien des Thierreichs</i> , p. 263 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1575	index
CENOBITIDAE Dana, 1851, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 5 : 269 (an incorrect original spelling of COENOBITIDAE) (Crustacea, Decapoda). Op. 1575	index
<i>Cenocrinus</i> Thomson, 1864, <i>Intell. Observ.</i> , 6 : 2 (gender: masculine) (type species, by monotypy: <i>Isis asteria</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1288) (Crinoidea). Op. 636	available
<i>Centracantha</i> Rafinesque, 1810, Maggio, <i>Ind. ittiol. Sicil.</i> : 67 (an unjustified emendation of <i>Centracanthus</i> Rafinesque, 1810). Op. 960	index
CENTRACANTHIDAE Fowler, 1925 (1829), <i>Amer. Mus. Novit.</i> , 162 : 4 (type genus: <i>Centracanthus</i> Rafinesque, 1810) (Osteichthyes). Op. 960	available
<i>Centracanthus</i> (emendation under the plenary power of <i>Centracantus</i>) Rafinesque, 1810, Aprile, <i>Caratt. nuovi Gen. nuove Spec. Anim. Sicilia</i> : 42 (gender: masculine) (type species, by monotypy: <i>Centracantus cirrus</i> Rafinesque, 1810, Aprile, <i>Caratt. nuovi Gen. nuove Spec. Anim. Sicilia</i> : 43) (Osteichthyes). Op. 960	available
CENTRACANTIDAE Fowler, 1936, <i>Mar. Fish. W. Africa</i> , 2 : 860 (type genus: <i>Centracanthus</i> Rafinesque, 1810) (an incorrect subsequent spelling for CENTRACANTHIDAE Fowler, 1925 (1829)). Op. 960	index
<i>Centracantus</i> Rafinesque, 1810, Aprile, <i>Carratt. nuovi Gen. nuove Spec. Anim. Sicilia</i> : 42 (ruled under the plenary power to be an incorrect original spelling for <i>Centracanthus</i> Rafinesque, 1810). Op. 960	index

CENTRIDINI (correction by Moure, 1945 of CENTRINI) Cockerell & Cockerell, 1901, <i>Ann. Mag. nat. Hist.</i> , (7)7: 47 (type genus: <i>Centris</i> Fabricius, 1804) (Insecta, Hymenoptera). Op. 567	available
CENTRINI Cockerell & Cockerell, 1901, <i>Ann. Mag. nat. Hist.</i> , (7)7: 47 (type genus: <i>Centris</i> Fabricius, 1804) (an incorrect original spelling for CENTRIDINI Cockerell & Cockerell, 1901). Op. 567	index
<i>Centris</i> Fabricius, 1804, <i>Syst. Piezat.</i> : 354 (gender: feminine) (type species, by designation under the plenary power: <i>Apis haemorrhoidalis</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 386) (Insecta, Hymenoptera). Op. 567	available
<i>Centrocercus</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 18, 86 (a junior homonym of <i>Centrocercus</i> Swainson, [1832]). Direction 44	index
<i>Centrocercus</i> Swainson, [1832], in Richardson, <i>Fauna Bor.-americana</i> , 2: 342 (gender: masculine) (type species, by monotypy: <i>Tetrao urophasianus</i> Bonaparte, 1827, <i>Zool. J.</i> , 3(10): 213) (Aves). Op. 67 <i>Centronotus</i> Lacepède, 1801, <i>Histoire naturelle des poissons</i> , vol. 3, p. 309, and all uses of the name prior to the publication of <i>Centronotus</i> Bloch & Schneider, 1801 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1799	available
<i>Centronotus</i> Swainson, 1833, <i>Zool. Illustr.</i> , (2)3: pl. 100 (a junior homonym of <i>Centronotus</i> Schneider, 1801). Op. 886	index
<i>centuncularis</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 575 (specific name of the type species of <i>Megachile</i> Latreille, 1802) (Insecta, Hymenoptera). Op. 219	available
<i>Cephalemyia</i> Rondani, 1856, <i>Dipterol. Ital. Prodr.</i> , 1: 43 (an incorrect subsequent spelling for <i>Cephalemyia</i> Latreille, 1818). Direction 63	index
<i>Cephalemyia</i> Latreille, 1818, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 23: 273 (a junior objective synonym of <i>Oestrus</i> Linnaeus, 1758). Direction 63	index
<i>Cephalograpsus</i> Hopkinson, 1869, <i>J. Quekett Micr. Club</i> , 1: 159 (ruled under the plenary power to be an incorrect original spelling for <i>Cephalograpthus</i> Hopkinson, 1869). Op. 650	index
<i>Cephalograpthus</i> (emendation of <i>Cephalograpsus</i>) Hopkinson, 1869, <i>J. Quekett Micr. Club</i> , 1: 159 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Diplograppus</i> [sic] <i>cometa</i> Geinitz, 1852, <i>Verstein. Grauwackenform.</i> , 1: 26) (Graptolithina). Op. 650	available
<i>Cephalomutilla</i> André, (1908), <i>An. Mus. nac. Buenos Aires</i> , (3)10: 194 (gender: feminine) (type species, by designation under the plenary power: <i>Ephuta</i> (<i>Traumatomutilla</i>) <i>graviceps</i> André, 1903, <i>Ann. Soc. entomol. France</i> , 72: 453) (Insecta, Hymenoptera). Op. 542	available
<i>Cephalomyia</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 71 (an unjustified emendation of <i>Cephalemyia</i> Latreille, 1818). Direction 63	index

<i>Cephalopterus</i> Geoffroy Saint-Hilaire, 1809, <i>Ann. Mus. Hist. nat.</i> , Paris, 13 (75): 238 (gender: masculine) (type species, by monotypy: <i>Cephalopterus ornatus</i> Geoffroy Saint-Hilaire, 1809, <i>Ann. Mus. Hist. nat.</i> , Paris, 13 (75): 238) (Aves). Op. 67 <i>Cephalopterus</i> Powrie, 1870, <i>Trans. Edinburgh geol. Soc.</i> , 1 : 298 (a junior homonym of <i>Cephalopterus</i> Geoffroy Saint-Hilaire, 1809). Direction 44	available
<i>Cephalopterus</i> Risso, 1810, <i>Ichth. Nice</i> : 14 (a junior homonym of <i>Cephalopterus</i> Geoffroy Saint-Hilaire, 1809). Direction 44	index
<i>Cephalosphaera</i> Enderlein, 1936, <i>Dipt. Thierw. Mitteleurop.</i> , 6 : 3 (gender: feminine) (type species, by original designation: <i>Pipunculus furcatus</i> Egger, 1860, <i>Verh. zool.-bot. Ges. Wien</i> , 10 : 347) (Insecta, Diptera). Op. 597	available
<i>cephalotes</i> , <i>Halictus</i> , Dalla Torre, 1896, <i>Catalogus Hymenopterorum</i> , vol. 10, p. 57 (valid replacement of the specific name of <i>Halictus cephalicus</i> Robertson, 1892, the type species of <i>Paralictus</i> Robertson, 1901) (Insecta, Hymenoptera). Op. 1882	available
<i>cephalotes</i> , <i>Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia</i> ..., p. 22 (a nomen protectum) (Insecta, Coleoptera). Op. 2053	available
<i>cephalotes</i> , <i>Tenthredo</i> , Fabricius, 1781, <i>Species Insectorum</i> ..., vol. 1, p. 408 (specific name of the type species of <i>Megalodontes</i> Latreille, 1802) (Insecta, Hymenoptera). Op. 1829	available
<i>cephalus</i> , <i>Mugil</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 316 (specific name of the type species of <i>Mugil</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Cephenemya</i> Robineau-Desvoidy, 1830, <i>Mém. prés. Acad. roy. Sci. Inst. France</i> , 2 : 26 (an incorrect subsequent spelling for <i>Cephenemyia</i> Latreille, 1818). Direction 63	index
<i>Cephenemyia</i> Latreille, 1818, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 23 : 271 (gender: feminine) (type species, by monotypy: <i>Oestrus trompe</i> Modeer, 1786, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 7 : 134) (Insecta, Diptera). Op. 106, Direction 63	available
<i>Cephenomyia</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 72 (an unjustified emendation of <i>Cephenemyia</i> Latreille, 1818). Direction 63	index
<i>Cephus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 303 (gender: masculine) (type species, by monotypy: <i>Sirex pygmaeus</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 929) (Insecta, Hymenoptera). Op. 139	available
<i>Ceramites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 120 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ceraphron</i> Jurine, 1807, <i>Nouv. Méth. class. Hyménopt.</i> : 303 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Ceraphron sulcatus</i> Jurine, 1807, <i>Nouv. Méth. class. Hyménopt.</i> : 303) (Insecta, Hymenoptera). Op. 174	available
<i>Ceraphron</i> Panzer, [1805], <i>Fauna Ins. germ.</i> , (97): tab. 16 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 2	index

<i>cerasi</i> , <i>Chrysomela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 376 (specific name of the type species of <i>Orsodacne</i> Latreille, 1802) (Insecta, Coleoptera). Op. 1989	available
<i>cerasi</i> , <i>Pharalis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
<i>cerasinus</i> , <i>Hypsilepis cornutus</i> , Cope, 1868, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1867 : 159, ruled under the plenary power to be interpreted by the lectotype designated by Gilbert, 1964 (<i>Bull. Florida State Mus. biol. Sci.</i> , 8 : 137) (Osteichthyes). Op. 1206	available
<i>Cerasionotos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 586 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Cerastes</i> Laurenti, 1768, <i>Specimen Medicum</i> : 81 (gender: feminine) (type species, by designation under the plenary power: <i>Coluber cerastes</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 217) (Reptilia). Op. 661	available
<i>cerastes</i> , <i>Coluber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 217 (specific name of the type species of <i>Cerastes</i> Laurenti, 1768) (Reptilia). Op. 661	available
<i>Cerastoma</i> Troschel, 1838, <i>Arch. Naturgesch.</i> , 1838 (2): 281 (an incorrect subsequent spelling for <i>Cerostoma</i> Conrad, 1837). Op. 704	index
<i>ceratentoma</i> , <i>Eolidia</i> , Otto, 1821, <i>Consp. Anim. quor. marit. non edit.</i> , 1 : 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 774	index
<i>Ceratina</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 380 (gender: feminine) (type species, by monotypy: <i>Hylaeus albilabris</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 305, valid name: <i>Apis cucurbitina</i> Rossi, 1792) (Insecta, Hymenoptera). Op. 1001	available
CERATINIDAE (correction of CERATINAE) Latreille, 1802, in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 380 (type genus: <i>Ceratina</i> Latreille, 1802), ruled under the plenary power that it and other family-group names based on <i>Ceratina</i> Latreille, 1802 are not to be given priority over ANTHOPHORIDAE Dahlbom, 1835 and other family-group names based on <i>Anthophora</i> Latreille, 1803 (Insecta, Hymenoptera). Op. 1001, Op. 1713	available
CERATIOCARIDAE Salter, 1860, <i>Ann. Mag. nat. Hist.</i> , (3) 5 : 162 (type genus: <i>Ceratiocaris</i> McCoy, 1849) (an incorrect original spelling for CERATIOCARIDIDAE Salter, 1860). Op. 690	index
CERATIOCARIDIDAE (correction of CERATIOCARIDAE) Salter, 1860, <i>Ann. Mag. nat. Hist.</i> , (3) 5 : 162 (type genus: <i>Ceratiocaris</i> McCoy, 1849) (Crustacea, Archaeostraca). Op. 690	available

<i>Ceratiocaris</i> McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2)4: 412 (gender: feminine) (type species, by designation by Miller, 1889 (<i>North American Geology and Paleontology for the use of amateurs, students and scientists</i> : 537): <i>Ceratiocaris solenoides</i> McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2)4: 413) to be given precedence over <i>Leptocheles</i> McCoy, 1849, by the action of Barrande, 1853 (<i>Neue Jährb. Min., Geol. Palaeont. Abh.</i> , 1853: 341, 342) acting as first reviser (Crustacea, Archaeostraca). Op. 690	available
<i>Ceration</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 147 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ceratites</i> de Haan, 1825, <i>Monographiae Ammoniteorum et Goniatiteorum Specimen</i> , p. 39 (gender: masculine) (type species, by designation under the plenary power: <i>Ammonites nodosus</i> Schlotheim, 1813) (Cephalopoda, Ammonoidea). Op. 1806	available
<i>Ceratomya</i> Sandberger, 1864, <i>Würzburg. naturw. Z.</i> , 5: 16 (gender: feminine) (type species, by designation under the plenary power: <i>Isocardia excentrica</i> Roemer, 1836, <i>Versteinerungen des norddeutschen Oolithen-Gebirges</i> : 106) (Bivalvia). Op. 742	available
CERATOMYIDAE Arkell, 1934, <i>Brit. Corallian Lamellibr.</i> (Palaeontogr. Soc.): 315 (type genus: <i>Ceratomya</i> Sandberger, 1864) (Bivalvia). Op. 742	available
<i>Ceratomyopsis</i> Cossmann, 1915, <i>Bull. Soc. nivern. Lett. Sci.</i> , (3)15: 7 (gender: feminine) (type species, by designation by Rollier, 1913 (<i>Mém. Soc. pal. Suisse</i> , 39: 269) through <i>Ceromyopsis</i> de Loriol, 1897: <i>Ceromyopsis helvetica</i> de Loriol, 1897, <i>Mém. Soc. pal. Suisse</i> , 24: 79) (Bivalvia). Op. 742	available
<i>ceratophthalma, Hymenocera</i> , Balss, 1913, <i>Zool. Anz.</i> , 42: 236 (specific name of the type species of <i>Phyllognathia</i> Borradaile, 1915) (Crustacea, Decapoda). Op. 470	available
<i>ceratophthalmus, Cancer</i> , Pallas, 1772, <i>Spicil. Zool.</i> , 9: 83 (specific name of the type species of <i>Ocypode</i> Weber, 1795) (Crustacea, Decapoda). Op. 712	available
<i>ceratophthalmus, Phacops</i> , Goldfuss, 1843, <i>Neues Jahrbuch für Mineralogie, Geologie und Paläontologie</i> , 1834: 564 (specific name of the type species of <i>Cyphaspis</i> Burmeister, 1843) (Trilobita). Op. 1434	available
<i>Ceratophysella</i> Börner, 1932, in Brohmer, <i>Fauna von Deutschland</i> (ed. 4): 140 (gender: feminine) (type species, by monotypy: <i>Podura armata</i> Nicolet, [1842], <i>Neue Denkschr. allg. Schweiz. Gesellschaft</i> , 6: 57) (Insecta, Collembola). Op. 1193	available
<i>Ceratophyus</i> Fischer von Waldheim, 1824, <i>Entomogr. imp. ross.</i> , 2: 143 (gender: masculine) (type species, by designation by Jekel, 1866 (<i>Ann. Soc. entomol. France</i> , (4)5: 522, 535): <i>Scarabaeus dispar</i> Fabricius, 1781, <i>Spec. Ins.</i> , 1: 5) (Insecta, Coleoptera). Op. 346	available
<i>Ceratoplax</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858: 96 (gender: feminine) (type species, by monotypy: <i>Ceratoplax ciliatus</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858: 96) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Ceratosolen</i> Mayr, 1885, <i>Verh. zool.-bot. Ges. Wien</i> , 35(1): 150, 159, 160, 164 (conserved under the plenary power) (gender: masculine) (type species, by designation by Ashmead, 1904 (<i>Mem. Carnegie Mus.</i> , 1(4): 233): <i>Blastophaga appendiculata</i> Mayr, 1885, <i>Verh. zool.-bot. Ges. Wien</i> , 35(1): 161, 164) (Insecta, Hymenoptera). Op. 682	available

<i>Ceratostoma</i> Herrmannsen, 1846, <i>Indicis Gen. Malacoz. Primordia</i> , 1 : 206 (gender: neuter) (type species, by monotypy, through <i>Cerostoma</i> Conrad, 1837: <i>Cerostoma nuttalli</i> Conrad, 1837, <i>J. Acad. nat. Sci. Philadelphia</i> , 7 : 263) (Gastropoda). Op. 704	available
<i>cercocyrtia</i> , <i>Dictyoploca</i> , Krauss, 1911, <i>Zoologica</i> , Stuttgart, No. 60: 55 (specific name of the type species of <i>Apterembia</i> Ross, 1957) (Insecta, Embioptera). Op. 545	available
<i>Cercopis</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 688 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 434, 264): <i>Cicada sanguinolenta</i> Scopoli, 1763, <i>Entomol. carn.</i> : 112) (Insecta, Hemiptera). Op. 317	available
<i>Cercopithecus</i> Brünnich, 1771, <i>Zool. Fund.</i> : 40, 34 (a junior objective synonym of <i>Cercopithecus</i> Linnaeus, 1758). Op. 238	available
<i>Cercopithecus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 26 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Simia diana</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 26) (Mammalia). Op. 104, Op. 238	available
<i>Cerebratulus</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XXI (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Cerebratulus marginatus</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XXI) (Nemertea). Op. 477	available
<i>cerentatoma</i> , <i>Eolidia</i> , Pruvot-Fol, 1954, <i>Faune France</i> , 58 : 442 (an incorrect subsequent spelling for <i>Eolidia ceratentoma</i> Otto, 1821). Op. 774	index
<i>Cereopsis</i> Latham, 1801, <i>Index ornithol.</i> , Suppl.: lxvii (gender: feminine) (type species, by monotypy: <i>Cereopsis novaehollandiae</i> Latham, 1801, <i>Index ornithol.</i> , Suppl.: lxvii) (Aves). Op. 67 <i>cereus</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, Errata (valid name at the date of Opinion 232 of the type species of <i>Emesis</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232, Op. 755	available
<i>Cerion</i> [Röding], 1798, <i>Mus. bolten.</i> , 2 : 90 (gender: neuter) (type species, by designation by Dall, 1894 (<i>Bull. Mus. comp. Zool.</i> , 25 (9): 121): <i>Turbo uva</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 765) (Gastropoda). Op. 119	available
<i>Cerithiigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Cerithium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Cerithium</i> Bruguière, [1789], <i>Ency. méth., Hist. nat. Vers</i> , 1 (1): xv (gender: neuter) (type species, by designation under the plenary power: <i>Cerithium adansonii</i> Bruguière, 1792, <i>Ency. méth., Hist. nat. Vers</i> , 1 (2): 479) (Gastropoda). Op. 1109	available
CERMATOBIIDAE Haase, 1885, <i>Zool. Anzeiger</i> , 8 : 695 (type genus: <i>Cermatobius</i> Haase, 1885), ruled under the plenary power not to be given priority over HENICOPIDAE Pocock, 1901 whenever <i>Cermatobius</i> Haase, 1885 and <i>Henicops</i> Newport, 1844 are placed in the same family-group taxon (Chilopoda). Op. 1228	available

<i>Cermatobius</i> Haase, 1885, <i>Zool. Anz.</i> , 8 : 695 (gender: masculine) (type species, by monotypy: <i>Cermatobius martensi</i> Haase, 1885, <i>Zool. Anz.</i> , 8 : 695) (Chilopoda). Op. 1228	available
<i>Cerocoma</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 357 (gender: feminine) (type species, by subsequent monotypy by Fabricius, 1775, <i>Systema Entomologiae</i> , p. 262: <i>Meloe schaefferi</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
CEROMYIDAE Fischer, 1887, <i>Man. Conchyl.</i> : 1164 (type genus: <i>Ceromya</i> Agassiz, 1842) (invalid because the name of the type genus is a junior homonym). Op. 742	index
<i>Ceroplesia</i> Serville, 1835, <i>Annales de la Société Entomologique de France</i> , 4 : 93 (gender: masculine) (type species, by designation under the plenary power: <i>Lamia aethiops</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1407	available
<i>Cerostoma</i> Conrad, 1837, <i>J. Acad. nat. Sci. Philadelphia</i> , 7 : 263 (a junior homonym of <i>Cerostoma</i> Latreille, [1802]). Op. 704	index
<i>cerroazulensis</i> , <i>Globigerina</i> , Cole, 1928, <i>Bull. amer. Paleontol.</i> , 14 (no. 53): 17 (Rhizopoda). Op. 1316	available
<i>Certhia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 118 (gender: feminine) (type species, by Linnaean tautonymy: <i>Certhia familiaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 118) (Aves). Direction 17	available
<i>certhia</i> , <i>Bombyx</i> , Fabricius, 1793, <i>Entomologia systematica emendata et aucta</i> , vol. 3, part 1, p. 412 (specific name of the type species of <i>Brahmaea</i> Walker, 1855) (Insecta, Lepidoptera). Op. 1698	available
<i>cerulea</i> , <i>Sterna</i> , Bennet, 1840, <i>Narr. Whaling Voy.</i> , 2 : 248 (Aves). Op. 409, Op. 1252	available
CERVULINAE Sclater, 1870, <i>Proc. zool. Soc. London</i> , 1870 : 115 (type genus: <i>Cervulus</i> Blainville, 1816) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 544	index
<i>cervulum</i> , <i>Lophiotherium</i> , Gervais, 1850, <i>Zool. Pal. franç.</i> (ed. 1): explic. pl. 11, figs. 10, 10a, 11, 12, as interpreted by the lectotype designated by Hopwood, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 197) (specific name of the type species of <i>Lophiotherium</i> Gervais, 1850) (Mammalia). Op. 530	available
<i>Cervulus</i> Blainville, 1816, <i>Bull. Sci. Soc. philomat. Paris</i> , 1816 : 74 (a junior objective synonym of <i>Muntiacus</i> Rafinesque, 1815). Op. 460	index
<i>Cervus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66 (gender: masculine) (type species, by Linnaean tautonymy: <i>Cervus elaphus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 67) (Mammalia). Op. 91, Direction 24	available
<i>cervus</i> , <i>Pangonia</i> , Wiedemann, 1828, <i>Aussereurop. zweifl. Insekt.</i> , 1 : 94 (specific name of the type species of <i>Elaphella</i> Bezzi, 1913) (Insecta, Diptera). Op. 530	available
<i>Cerylon</i> Latreille, 1802, <i>Histoire naturelle générale et particulière des crustacés et des insectes</i> , vol. 3, p. 205 (gender: neuter) (type species, by designation under the plenary power: <i>Lyctus histeroides</i> Fabricius, 1792) (Insecta, Coleoptera). Op. 1811	available

CERYLONIDAE Billberg, 1820, <i>Enumeratio Insectorum in Museo Gust. Joh. Billberg</i> , p. 47 (type genus: Cerylon Latreille, 1802), ruled under the plenary power that this name and other family-group names based on Cerylon are not to be given priority over	
COLYDIIDAE Erichson, 1842 and other family-group names based on Colydium Fabricius, 1792 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1811	available
cessacii , Epimelus , Milne Edwards, 1878, <i>Bull. Sci. Soc. philomat. Paris</i> , (7)2: 227 (specific name of the type species of Epimelus Milne Edwards, 1878) (Crustacea, Decapoda). Direction 36	available
Cetiosauriscus Huene, 1927, <i>Eclogae Geologicae Helvetiae</i> , 20(3): 453 (gender: masculine) (type species, by designation under the plenary power: Cetiosauriscus stewarti Charig, 1980) (Reptilia, Sauropodomorpha). Op. 1801	available
Ceutorhynchus Germar, 1824, <i>Insectorum species novae aut minus cognitae</i> , p. 214 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera</i> , vol. 1, p. 140: Curculio assimilis Paykull, 1792) (Insecta, Coleoptera). Op. 1529	available
ceylanica , Hirudo , Blainville, [June] 1827, <i>Dict. Sci. nat.</i> , 47: 271 (specific name of the type species of Haemadipsa Tennent, 1859) (Hirudinea). Direction 77	available
ceylonicus , Phryrus , Koch, 1843, <i>Die Arachniden. Getreu nach der Natur Abgebildet und Beschrieben</i> , vol. 10, p. 35, ruled under the plenary power to be given precedence over the names Phalangium reniforme Linnaeus, 1758 and Phalangium lunatum Pallas, 1772 whenever it and either of the other two are considered to be synonyms (Arachnida). Op. 2082	available
Chaemapelria Allen, 1908, <i>Bull. amer. Mus. nat. Hist.</i> , 24: 46 (an unjustified emendation of Chaemepelia Swainson, 1827). Direction 35	index
Chaemepelia Swainson, 1827, <i>Zool. J.</i> , 3(11): 361 (a junior objective synonym of Columbigallina Boie, 1826). Direction 35	index
Chaemepella Bangs, 1907, <i>Auk</i> , 24: 292 (an unjustified emendation of Chaemepelia Swainson, 1827). Direction 35	index
Chaemepilia Lawrence, 1862, <i>Ann. Lyceum nat. Hist. New York</i> , 7: 301 (an unjustified emendation of Chaemepelia Swainson, 1827). Direction 35	index
Chaeraps Huxley, [1879], <i>Proc. zool. Soc. London</i> , 1878: 752, 755, 764, 767-771, 775, 776, 786 (an incorrect subsequent spelling for Cherax Erichson, 1846). Op. 519	index
Chaetoderma Lovén, 1844, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1: 116 (gender: neuter) (type species, by monotypy: Chaetoderma nitidulum Lovén, 1844, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1: 116) (Caudofoveata). Op. 764	available
Chaetoderma Moser, 1907, <i>Ann. Soc. entomol. Belg.</i> , 51: 319 (a junior homonym of Chaetoderma Lovén, 1844). Op. 764	index
Chaetoderma Swainson, 1839, <i>The Natural History of Fishes, Amphibians & Reptiles, or monocardian animals</i> , 2: 194, 327, 441 (an incorrect original spelling for Chaetodermis Swainson, 1839). Op. 764	index

CHAETODERMATIDAE (correction of CHAETODERMATA) von Jhering, 1876, <i>Jb. dtsch. malakol. Ges.</i> , Jahrg. 3: 137 (type genus: Chaetoderma Lovén, 1844) (Caudofoveata). Op. 764	available
Chaetodermis Swainson, 1839, <i>The Natural History of Fishes, Amphibians & Reptiles, or monocardian animals</i> , 2: 194, 327, 441 (gender: masculine) (type species, by designation by Bleeker, 1866 (<i>Ned. Tijdschr. Dierk.</i> , 3: 12, 26): Balistes penicilligerus Cuvier, 1817, <i>Le Règne Animal</i> , 4: 185, pl. 9, fig. 3) (Osteichthyes). Op. 764	available
Chaetolonchaea Czerny, 1934, in Lindner, <i>Flieg. palaearkt. Reg.</i> , 43: 26 (gender: feminine) (type species, by original designation: Lonchaea dasyops Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5: 308) (Insecta, Diptera). Op. 652	available
Chaetopsylla Kohaut, 1903, <i>Allat. Közlem.</i> , Budapest, 2: 37 (gender: feminine) (type species, by designation by da Cunha, 1914 (<i>Contrib. Estudo Sifonapteros Brasil</i> : 105): Chaetopsylla rothschildi Kohaut, 1903, <i>Allat. Közlem.</i> , Budapest, 2: 40, pl. 4, figs. 7-9; pl. 5, figs. 3, 5, 6) (Insecta, Siphonaptera). Op. 388	available
Chaetopteryx Stephens, 1829, <i>Nomencl. Brit. Ins.</i> : 28 (gender: feminine) (type species, by monotypy: Phryganea villosa Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 200) (Insecta, Trichoptera). Op. 596	available
Chagrinichnites Feldmann, Osgood, Szmuc & Meinke, 1978, <i>Journal of Paleontology</i> , 52: 288 (gender: masculine) (Trace fossil, arthropod). Op. 1520	available
Chaitophorus Koch, 1854, <i>Die Pflanzenläuse, Aphiden, getreu nach dem Leben abgebildet und beschrieben</i> : 1 (gender: masculine) (type species, by designation under the plenary power: Chaitophorus leucomelas Koch, 1854, <i>Die Pflanzenläuse, Aphiden, getreu nach dem Leben abgebildet und beschrieben</i> : 4, 5, figs. 5, 6) (Insecta, Hemiptera). Op. 1161	available
Chalarodon Peters, 1854, <i>Monat. König. Akad. Wiss. Berlin</i> : 616 (gender: masculine) (type species, by monotypy: Chalarodon madagascariensis Peters, 1854, <i>Monat. König. Akad. Wiss. Berlin</i> : 616) (Reptilia). Op. 955	available
Chalinolobus Peters, 1866, <i>Monatsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin</i> , 1866: 680 (gender: masculine) (type species, by original designation: Vespertilio tuberculatus J.R. Forster, 1844) (Mammalia). Op. 1994	available
challengeri, Antedon , Clark, 1907, <i>Smithsonian Miscellaneous Collections</i> , 50(3): 353 (specific name of the type species of Isometra Clark, 1908) (Crinoidea). Op. 2132	available
chalybata, Paradisea [sic], Forster, 1781, <i>Indische Zool.</i> : 40 (specific name of the type species of Manucodia Boddaert, 1783) (Aves). Direction 43	available
<i>chalybea, Manucodia</i> , Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 39 (a junior objective synonym of chalybata, Paradisea [sic], Forster, 1781). Direction 44	index
<i>chalybeata, Paradisea</i> [sic], Stiles, 1916, <i>Smithson. Publ.</i> , 2409: 181 (an incorrect subsequent spelling for chalybata, Paradisea [sic], Forster, 1781). Direction 44	index
Chama da Costa, 1778, <i>Hist. nat. Test. Brit.</i> : 230 (a junior homonym of Chama Linnaeus, 1758). Op. 484	index

<i>Chama</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 691 (gender: feminine) (type species, by designation by Children, 1823 (<i>Quart. J. Sci. Lit. Arts</i> , 15 : 28); <i>Chama lazarus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 691) (Bivalvia). Op. 484	available
<i>Chama</i> Mörch, 1853, <i>Cat. Conchyl. Yoldi</i> , 2 : 33 (a junior homonym of <i>Chama</i> Linnaeus, 1758). Op. 484	index
<i>Chama</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.)(1): 253 (published in a work rejected for nomenclatural purposes). Op. 484	index
CHAMACEA Menke, 1830, <i>Synopsis meth. Moll.</i> (ed. alt.): 109 (type genus: <i>Chama</i> Linnaeus, 1758) (an incorrect subsequent spelling for CHAMIDAE Blainville, 1825). Op. 484	index
CHAMACIDAE d'Orbigny, 1839, in Webb & Berthelot, <i>Hist. nat. Iles Canaries</i> , 2 (2): 104 (type genus: <i>Chama</i> Linnaeus, 1758) (an incorrect subsequent spelling for CHAMIDAE Blainville, 1825). Op. 484	index
CHAMADAE Fleming, 1828, <i>Hist. brit. Anim.</i> : 408, 409 (type genus: <i>Chama</i> Linnaeus, 1758) (an incorrect original spelling for CHAMIDAE Fleming, 1828, a nominal family-group taxon established without knowledge of the prior establishment of the same nominal taxon by Blainville in 1825). Op. 484	index
<i>chamaeleon, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 589 (specific name of the type species of <i>Stratiomys</i> Geoffroy, 1762) (Insecta, Diptera). Op. 442	available
<i>Chamaemyia</i> Meigen, 1803, Illiger's <i>Mag. f. Insektenk.</i> , 2 : 278 (gender: feminine) (type species, by designation under the plenary power: <i>Chamaemyia elegans</i> Panzer, (1806-1809), <i>Fauna Ins. germ.</i> , (105): 12) (Insecta, Diptera). Op. 847	available
CHAMAEMYIIDAE Hendel, 1910, <i>Wien. Entomol. Ztg.</i> , 29 : 313 (type genus: <i>Chamaemyia</i> Meigen, 1803) (Insecta, Diptera). Op. 847	available
<i>Chamaepelia</i> Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 1 : 584 (an unjustified emendation of <i>Chaemepelia</i> Swainson, 1827). Direction 35	index
<i>Chamaepilea</i> Bryant, 1866, <i>Proc. Boston. Soc. nat. Hist.</i> , 10 : 257 (an unjustified emendation of <i>Chaemepelia</i> Swainson, 1827). Direction 35	index
<i>Chamaepsila</i> Hendel, 1917, <i>Deutsche Entomologische Zeitschrift</i> (Berlin), 1917 : 37 (gender: feminine) (type species, by original designation: <i>Musca rosae</i> Fabricius, 1794) (Insecta, Diptera). Op. 1938	available
CHAMIDAE (correction by Broderip, 1839 (<i>Penny Cyclopaedia</i> , 14 : 319) of CAMACEA) Blainville, 1825, <i>Man. Malac.</i> : 541 (type genus: <i>Chama</i> Linnaeus, 1758) (Bivalvia). Op. 484	available
<i>Chamigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Chanda</i> Hamilton-Buchanan, 1822, <i>An account of the fishes of the Ganges</i> : 103, 370 (gender: feminine) (type species, by designation under the plenary power: <i>Chanda nama</i> Hamilton-Buchanan, 1822, <i>An account of the fishes of the Ganges</i> : 109) (Osteichthyes). Op. 1121	available

<i>Chapmania</i> Silvestri & Prever, 1904, <i>in Silvestri, Riv. Ital. Sci. nat., Boll. Nat.</i> , 24 (12): 117-119, text-figs. 1-3 (a junior homonym of <i>Chapmania</i> Monticelli, 1893). Op. 765	index
<i>Chapmanina</i> Silvestri, 1931, <i>Boll. Soc. geol. Ital.</i> , 50 : 63-73, pl. 1 (gender: feminine) (type species, by designation under the plenary power: <i>Chapmania gassinenensis</i> Silvestri, 1905, <i>Boll. Soc. geol. Ital.</i> , 23 1904 (1905): 481, 482, 485 footnote 2) (Rhizopoda). Op. 765	available
<i>chaquensis</i> , <i>Leptodactylus</i> , Cei, 1950, <i>Acta Zoologica Lilloana</i> , 9 : 417 (Amphibia). Op. 2044	available
CHARAXEIDI Wheeler, 1903, <i>Butts. Switz.</i> : 99, 149 (type genus: <i>Charaxes</i> Ochsenheimer, 1816) (an incorrect subsequent spelling at the tribe-name level for CHARAXIDAE Doherty, 1886). Op. 577	index
<i>Charaxes</i> Ochsenheimer, 1816, <i>Schmett. Europa</i> , 4 : 18 (gender: masculine) (type species, by monotypy: <i>Papilio jasius</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 749, errata) (Insecta, Lepidoptera). Op. 577	available
CHARAXIDAE Doherty, 1886, <i>J. asiat. Soc. Bengal</i> , (2) 55 (2): 109, 124 (type genus: <i>Charaxes</i> Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 577	available
CHARAXIDINAE Aurivillius, [1911], <i>in Seitz, Grossschmett. Erde</i> , 13 (107): 122 (type genus: <i>Charaxes</i> Ochsenheimer, 1816) (an incorrect subsequent spelling at subfamily-name level for CHARAXIDAE Doherty, 1886). Op. 577	index
<i>charithonia</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 757 (specific name of the type species of <i>Heliconius</i> Kluk, 1802) (Insecta, Lepidoptera). Op. 382	available
<i>charlottae</i> , <i>Tellina</i> , Smith, 1885, <i>Rep. Voy. 'Challenger'</i> (Zool.), 13 : 100 (specific name of the type species of <i>Maoritellina</i> Finlay, 1927) (Bivalvia). Op. 987	available
<i>Charonia</i> Gistl, [1847], <i>Handb. Naturgesch.</i> : 559, 586 (gender: feminine) (type species, by original designation: <i>Murex tritonis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 754) (Gastropoda). Op. 886	available
<i>Charybdis</i> Cocco, 1832, <i>Effem. Sci. Lett. Sicil.</i> , 2 : 204 (a nomen nudum). Op. 712	index
<i>Charybdis</i> de Haan, [1833], <i>in Siebold, Fauna japon.</i> (Crust.), (1): 3, 10 (gender: feminine) (type species, by designation by Glaessner, 1929 (<i>Fossil Cat. Anim.</i> , 41 : 113): <i>Cancer feriatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627) (Crustacea, Decapoda). Op. 712	available
<i>Chasmagnathus</i> de Haan, [1833], <i>in Siebold, Fauna japon.</i> (Crust.): 5; <i>id.</i> , [1835], <i>ibid.</i> : 27 (gender: masculine) (type species, by monotypy: <i>Ocypode (Chasmagnathus) convexa</i> de Haan, [1835], <i>in Siebold, Fauna japon.</i> (Crust.): 28, 56) (Crustacea, Decapoda). Op. 85, Direction 86	available
<i>Chasmocarcinus</i> Rathbun, 1898, <i>Bull. Lab. nat. Hist. State Univ. Iowa</i> , 4 : 284 (gender: masculine) (type species, by original designation: <i>Chasmocarcinus typicus</i> Rathbun, 1898, <i>Bull. Lab. nat. Hist. State Univ. Iowa</i> , 4 : 285) (Crustacea, Decapoda). Op. 85, Direction 37	available

<i>Chauna</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 253 (gender: feminine) (type species, by monotypy: <i>Parra chavaria</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 260) (Aves). Op. 67 <i>Chauna</i> Loew, 1847, <i>Entomol. Ztg. Stettin</i> , 8 : 370 (a junior homonym of <i>Chauna</i> Illiger, 1811). Direction 44	available
<i>chavaria, Parra</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 260 (specific name of the type species of <i>Chauna</i> Illiger, 1811) (Aves). Direction 43	available
<i>Cheilosia</i> Meigen, 1822, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 3, p. 296 (gender: feminine) (type species, under the plenary power by subsequent designation by Coquillett, 1910, <i>Proceedings of the United States National Museum</i> , 37 : 521: <i>Syrphus flavipes</i> Panzer, 1798) (Insecta, Diptera). Op. 1744	available
<i>Cheilosia</i> Panzer, [1809], <i>Faunae insectorum germanicae initia oder Deutschlands Insecten</i> , Heft 108, p. 14, and all uses of the name prior to the publication of <i>Cheilosia</i> Meigen, 1822 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 1744	index
<i>cheiragonus, Cancer</i> , Tilesius, 1815, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 5 : 347 (valid name at the date of Direction 36 of the type species of <i>Telmessus</i> White, 1846) (Crustacea, Decapoda). Direction 36	available
<i>Cheiridium</i> Menge, 1855, <i>Neueste Schriften der Naturforschenden Gesellschaft</i> , 5 (2): 36 (gender: neuter) (type species, by subsequent designation by Simon, 1879, <i>Les arachnides de France</i> , vol. 7 (Les ordres des chernetes, scorpiones et opiliones), p. 43: <i>Chelifer museorum</i> Leach, 1817) (Arachnida, Pseudoscorpionida). Op. 1697	available
<i>Cheirurus</i> Beyrich, 1845, <i>Ueber einige böhmischen Trilobiten</i> , p. 5 (gender: masculine) (type species, by subsequent designation by Barton, 1913, <i>Bulletin of the Museum of Comparative Zoology</i> , Harvard, 54 (21): 547: <i>Cheirurus insignis</i> Beyrich, 1845) (Trilobita). Op. 1435	available
<i>chelata, Aranea</i> , O.F. Müller, 1764, <i>Fauna Insectorum Fridrichsdalina</i> , p. 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida). Op. 2049	index
<i>chelata, Sertularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 816 (specific name of the type species of <i>Scruparia</i> Oken, 1815) (Bryozoa). Op. 902	available
<i>chelicornis, Solpuga</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 218, ruled under the plenary power to be available despite having been published in a suppressed work (specific name of the type species of <i>Solpuga</i> Lichtenstein, 1796) (Solifugae). Op. 1820	available
<i>Chelidura</i> Berthold, 1827, <i>in Latreille, Nat. Fam. Thieirr.</i> : 409 (gender: feminine) (type species, by designation by Serville, 1831 (<i>Ann. Sci. nat.</i> , Paris, 22 : 36): <i>Forficula aptera</i> Charpentier, 1825, <i>Hor. Entomol.</i> : 69) (Insecta, Dermaptera). Op. 149	available

<i>Chelifer</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 617 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 424: ‘ <i>Scorpio cancroides</i> Fabricius, 1775’ (= <i>Acarus cancroides</i> Linnaeus, 1758), ruled under the plenary power to be available (Arachnida, Pseudoscorpionida). Op. 1542, Op. 1754	available
CHELIFERIDAE Westwood, 1838, <i>The Entomologist's text book; an introduction to the natural history, structure, physiology and classification of Insects, including the Crustacea and Arachnida</i> , p. 145 (type genus: <i>Chelifer</i> Geoffroy, 1762) (Arachnida, Pseudoscorpionida). Op. 1542	available
<i>Cheloniceras</i> Hyatt, 1903, <i>U.S. geol. Surv. Mon.</i> , 44 : 101 footnote, 129 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites cornuelianus</i> d'Orbigny, 1841, <i>Paléont. franç.</i> , Terr. crét., 1 : 364, pl. 112, figs. 1, 2) (Cephalopoda). Op. 428	available
CHELONICERATIDAE Spath, 1923, <i>Mon. Ammonoidea of the Gault</i> (Palaeontogr. Soc.), 1 : 35 (type genus: <i>Cheloniceras</i> Hyatt, 1903) (Cephalopoda). Op. 428	available
<i>Chelonus</i> Panzer, 1806, <i>Kritische Revision der Insektenfaune Deutschlands, nach dem System bearbeitet</i> , vol. 2, p. 99 (gender: masculine) (type species, by subsequent designation by Curtis, 1837, <i>British entomology</i> , vol. 14, p. 672: <i>Ichneumon oculator</i> Fabricius, 1775) (Insecta, Hymenoptera). Op. 1546	available
<i>Chelydra</i> Schweigger, 1812, <i>Koenigsberger Arch. Naturwiss.</i> , 1 : 292 (gender: feminine) (type species, by monotypy: <i>Testudo serpentina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 199) (Reptilia). Op. 92 <i>Chemelys</i> Rafinesque, 1832, <i>Atl. J. and Friend of Knowl.</i> , 1 : 64 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1309	available
<i>Cheraps</i> Erichson, 1846, <i>Arch. Naturgesch.</i> , 12 (1): 101 (an incorrect original spelling for <i>Cherax</i> Erichson, 1846, under the ruling given under the plenary power). Op. 519	index
<i>Cherax</i> Erichson, 1846, <i>Arch. Naturgesch.</i> , 12 (1): 88, 89 (gender: masculine) (type species, by monotypy: <i>Astacus (Cheraps) preissii</i> Erichson, 1846, <i>Arch. Naturgesch.</i> , 12 (1): 101, valid name: <i>Astacus bicarinatus</i> Gray, 1845) (Crustacea, Decapoda). Op. 519	available
<i>Chermes</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 453 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 731	index
<i>chermesina</i> , <i>Amphinome</i> , Renier, [1804], <i>Prospetto Classe Vermi</i> : xviii (not made available in the work cited which was rejected for nomenclatural purposes). Op. 316	index
CHERMIDES Fallén, 1814, <i>Spec. nov. Hemipt. Disp. Meth.</i> : 22 (type genus: <i>Chermes</i> Linnaeus, 1758) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 731	index
<i>Chetoderma</i> Kowalevsky & Marion, 1887, <i>Ann. Mus. Hist. nat. Marseille</i> , 3 , Mém. 1: 8 (an incorrect subsequent spelling for <i>Chaetoderma</i> Lovén, 1844). Op. 764	index

<i>chevalieri</i> , <i>Caridinopsis</i> , Bouvier, 1912, <i>Bull. Mus. Hist. nat.</i> , Paris, 18 : 300 (specific name of the type species of <i>Caridinopsis</i> Bouvier, 1912) (Crustacea, Decapoda). Op. 559	available
<i>Cheylatus</i> Mégnin, 1878, <i>J. Anat. Physiol.</i> , 14 : 421 (an incorrect subsequent spelling for <i>Cheyletus</i> Latreille, 1796). Direction 66	index
<i>Cheyletes</i> Sundevall, 1833, <i>Consp. Arach.</i> , (2): 37 (an incorrect subsequent spelling for <i>Cheyletus</i> Latreille, 1796). Direction 66	index
<i>Cheyletus</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 179 (gender: masculine) (type species, by monotypy: <i>Acarus eruditus</i> Schrank, 1781, <i>Enum. Ins. Austr. indig.</i> : 513) (Arachnida). Op. 104	available
<i>Cheylatus</i> Oudemans, 1906, <i>Mém. Soc. zool. France</i> , 19 : 212 (an incorrect subsequent spelling for <i>Cheyletus</i> Latreille, 1796). Direction 66	index
<i>chiametla</i> , <i>Coluber</i> , Shaw, 1802, <i>General Zoology</i> (Amphibia), 3 (2): 440 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1246	index
<i>Chicoreus</i> Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 611 (gender: masculine) (type species, by original designation: <i>Murex ramosus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 747) (Gastropoda). Op. 911	available
<i>chilensis</i> , <i>Conger</i> , Guichenot, 1849, in Gay, <i>Hist. fis. polit. Chile</i> , <i>Zoologia</i> , 2 : 339 (valid name at the date of Opinion 1200 of the type species of <i>Genypterus</i> Philippi, 1857) (Osteichthyes). Op. 1200	available
<i>chilensis</i> , <i>Corystoides</i> , Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amér. mérid.</i> , 6 (Crust.): 31 (specific name of the type species of <i>Corystoides</i> Milne Edwards & Lucas, [1844]) (Crustacea, Decapoda). Direction 36	available
<i>chilensis</i> , <i>Echiurus</i> , Diesing, 1859, <i>SitzBer. Kais. Akad. Wiss. Wien</i> , 37 : 778 (specific name of the type species of <i>Urechis</i> Seitz, 1907) (Echiuroidea). Op. 941	available
<i>chilensis</i> , <i>Pyura</i> , Molina, 1782, <i>Sag. Stor. nat. Chili</i> : 348 (specific name of the type species of <i>Pyura</i> Molina, 1782) (Asciidiacea). Op. 1182	available
<i>chilensis</i> , <i>Scorpio</i> , Molina, 1782, <i>Saggio sulla storia naturale del Chili</i> , p. 347 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida). Op. 2097	index
<i>Chilodus</i> Müller & Troschel, 1844, <i>Arch. Naturg.</i> , Jahrgang 10, 1 : 85 (gender: masculine) (type species, by monotypy: <i>Chilodus punctatus</i> Müller & Troschel, 1844, <i>Arch. Naturg.</i> , Jahrgang 10, 1 : 85) (Osteichthyes). Op. 1150	available
<i>Chilolepis</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 794	index
<i>Chilosia</i> Agassiz, 1846, <i>Nomenclatoris Zoologici Index Universalis</i> , p. 80 (an unjustified emendation of <i>Cheilosia</i> Meigen, 1822) (Insecta, Diptera). Op. 1744	index

<i>Chimaera</i> Hitchcock, 1858, <i>Ichnol. New England</i> : 118 (a junior homonym of <i>Chimaera</i> Linnaeus, 1758). Direction 56	index
<i>Chimaera</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 236 (gender: feminine) (type species, by Linnaean tautonomy: <i>Chimaera monstrosa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 236) (Chondrichthyes). Op. 77, Direction 56	available
<i>Chimaera</i> Ochsenheimer, 1808, <i>Schmett. Europa</i> , 2: 2 (a junior homonym of <i>Chimaera</i> Linnaeus, 1758). Direction 56	index
<i>Chimaera</i> Poli, 1791, <i>Test. Sicil.</i> , 1: Introd. 31 (a junior homonym of <i>Chimaera</i> Linnaeus, 1758). Direction 56	index
<i>chimaera, Uratelornis</i> , Rothschild, 1895, <i>Novit. zool.</i> , 2: 479 (specific name of the type species of <i>Uratelornis</i> Rothschild, 1895) (Aves). Direction 43	available
<i>chimaerae, Crobylophorus</i> , Krøyer, 1852, <i>Danmarks fiske</i> , 3(2): 813 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 913	index
<i>Chimaira</i> Duméril, 1856, <i>Mém. Acad. Sci. Inst. France</i> , 27: 155 (an incorrect subsequent spelling for <i>Chimaera</i> Linnaeus, 1758). Direction 56	index
<i>chinensis, Ablabes</i> , Günther, 1889, <i>Ann. Mag. nat. Hist.</i> , (6)4: 220 (Reptilia). Op. 744	available
<i>chinensis, Odynerus</i> , Saussure, 1863, <i>Mém. Soc. Phys. Hist. Nat. Genève</i> , 17: 230 (specific name of the type species of <i>Stenodynerus</i> Saussure, 1863) (Insecta, Hymenoptera). Op. 893	available
<i>chinensis, Patella</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 781 (specific name of the type species of <i>Calyptaea</i> Lamarck, 1799) (Gastropoda). Direction 73	available
<i>chiragra, Cancer</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 409 (specific name of the type species of <i>Lissa</i> Leach, 1815) (Crustacea, Decapoda). Op. 522	available
<i>chiragra, Lygaeus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4: 168 (specific name of the type species of <i>Megalonotus</i> Fieber, [1860]) (Insecta, Hemiptera). Op. 676	available
<i>chiragra, Squilla</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 1: 515 (specific name of the type species of <i>Gonodactylus</i> Berthold, 1827) (Crustacea, Stomatopoda). Op. 785	available
<i>Chitinotylenchus</i> Micoletzky, 1922, <i>Arch. Naturges.</i> , A 87: 546, 575 (gender: masculine) (type species, by designation by Filipjev, 1936 (<i>Proc. helminthol. Soc. Washington</i> , 3: 81): <i>Chitinotylenchus paragracilis</i> Micoletzky, 1922, <i>Arch. Naturges.</i> , A 87: 547, 575) ruled under the plenary power not to be given priority over <i>Ditylenchus</i> Filipjev, 1936 whenever the two names are considered synonyms (Nematoda). Op. 1184	available
<i>Chitonigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>chitra, Chitra</i> , Nutaphand, 1986, <i>Thai Zoological Magazine</i> , 1(4): 66, ruled under the plenary power to be given precedence over the name <i>Chitra selenkae</i> Jaekel, 1911 whenever the two are considered to be synonyms (Reptilia). Op. 2119	available

<i>Chloralictus</i> Robertson, 1902, <i>Canadian Entomologist</i> , 34 : 245 (gender: masculine) (type species, by original designation: <i>Halictus cressonii</i> Robertson, 1890), ruled under the plenary power to be given precedence over <i>Paralictus</i> Robertson, 1901 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1882	available
<i>chlorechis</i> , <i>Vipera</i> , Pel, [1851], <i>Nederlandsch Tijdschrift voor Jagtkunde</i> , 1 : 172 (senior subjective synonym of the specific name of <i>Vipera chloroechis</i> Schlegel, 1855, the type species of <i>Atheris</i> Cope, 1862) (Reptilia, Serpentes). Op. 1634	available
<i>Chlorima</i> Germar, 1817, <i>Magazin der Entomologie</i> , 2 : 341 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1642	index
<i>Chlorocurtis</i> Kemp, 1925, <i>Rec. Indian Mus.</i> , 27 : 272, 279 (gender: masculine) (type species, by monotypy: <i>Chlorocurtis miser</i> Kemp, 1925, <i>Rec. Indian Mus.</i> , 27 : 280, valid name: <i>Virbius jactans</i> Nobili, 1904) (Crustacea, Decapoda). Op. 470	available
<i>Chlorodiella</i> Rathbun, 1897, <i>Proceedings of the Biological Society of Washington</i> , 11 : 157 type species <i>Cancer niger</i> Forskål, 1775 (Crustacea) Op. 2204	available
CHLORODIELLINEAE Ng & Holthuis, 2007, <i>Bulletin of Zoological Nomenclature</i> , 64 (1): 22 subfam. nov. (type genus <i>Chlorodiella</i> Rathbun, 1897) (Crustacea) Op. 2204	available
CHLORODIINAE Dana, 1851, <i>American Journal of Science and Arts</i> , (2) 12 (34): 125 a family-group name based on the generic name <i>Chlorodius</i> , a misspelling for <i>Clorodius</i> A.G. Desmarest, 1823 (Crustacea) Op. 2204	index
<i>chlorodippe</i> , <i>Argynnis</i> , Herrich-Schaeffer, 1851, <i>Syst. Schmett. Europe</i> , 6 : 5 (Insecta, Lepidoptera). Op. 923	available
<i>chlorodippe</i> , <i>Argynnis</i> , Villiers & Guénée, 1835, <i>Tab. syn. Lep. Europe</i> : 56 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 923	index
<i>Chlorodius</i> Milne Edwards, 1834, <i>Histoire naturelle des Crustacés, comprenant l'anatomie, la physiologie et la classification de ces animaux</i> , vol. 1, p. 399 a misspelling of <i>Clorodius</i> A.G. Desmarest, 1823 (Crustacea) Op. 2204	index
<i>Chlorodopsis</i> Milne Edwards, 1863, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 20 : 292 (a nomen nudum). Direction 37	index
<i>Chlorodopsis</i> Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 227 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 26); <i>Chlorodopsis melanochirus</i> Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 228) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Chloroechis</i> Bonaparte, 1849, <i>Proceedings of the Zoological Society of London</i> , 1849 : 145 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1634	index
<i>chlorographa</i> , <i>Leptosia</i> , Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 13, pl. 9, figs. 47, 48 (specific name of the type species of <i>Leptosia</i> Hübner, 1818) (Insecta, Lepidoptera). Op. 584	available

<i>Chlorophanus</i> Sahlberg, 1823, <i>Periculi entomographici, species insectorum nondum descriptas proposituri, fasciculus</i> , p. 4 (gender: masculine) (type species, by monotypy: <i>Chlorophanus fallax</i> Sahlberg, 1823, a junior subjective synonym of <i>Curculio excisus</i> Fabricius, 1801) (Insecta, Coleoptera). Op. 1642	available
CHLOROPINAE Loew, 1862, in Peters, <i>Naturwiss. Reise Mossambique</i> , 5 : 34 (type genus: <i>Chlorops</i> Meigen, 1803) (Insecta, Diptera). Direction 28	available
<i>Chlorops</i> Meigen, 1803, <i>Mag. f. Insektenk.</i> (Illiger), 2 : 278 (gender: feminine) (type species, by designation under the plenary power: <i>Musca pumilionis</i> Bjerckander, 1778, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 39 : 201) (Insecta, Diptera). Op. 348	available
<i>chlorotis</i> , <i>Muscicapa</i> , Forster, 1794, <i>Mag. merkwürdig. neuen Reise Beschreib.</i> , 5 : 128 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 410	index
<i>Chlorotocella</i> Balss, 1914, <i>Abh. K.-bayer. Akad. Wiss.</i> , Suppl., 2 (10): 33 (gender: feminine) (type species, by monotypy: <i>Chlorotocella gracilis</i> Balss, 1914, <i>Abh. K.-bayer. Akad. Wiss.</i> , Suppl., 2 (10): 33) (Crustacea, Decapoda). Op. 470	available
<i>Chlorotocoides</i> Kemp, 1925, <i>Rec. Indian Mus.</i> , 27 : 271, 276 (gender: masculine) (type species, by monotypy: <i>Chlorotocus spinicauda</i> de Man, 1902, <i>Abh. Senckenb. naturf. Ges.</i> , 25 : 856) (Crustacea, Decapoda). Op. 470	available
<i>Chlorotocus</i> Milne Edwards, 1882, <i>Arch. Miss. Sci. litt.</i> , (3) 9 : 14 (gender: masculine) (type species, by monotypy: <i>Chlorotocus gracilipes</i> Milne Edwards, 1882, <i>Arch. Miss. Sci. litt.</i> , (3) 9 : 14, valid name: <i>Pandalus crassicornis</i> Costa, 1871) (Crustacea, Decapoda). Op. 470	available
<i>Choerodes</i> Leidy, 1852, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 6 : 52 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Artiodactyla). Op. 1393	index
<i>Choeropsis</i> Leidy, 1852, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , (2) 2 : 213 (gender: feminine) (type species, by monotypy: <i>Hippopotamus liberiensis</i> Morton, 1849) (Mammalia, Artiodactyla). Op. 1393	available
<i>Choetoderma</i> Swainson, 1839, <i>The Natural History of Fishes, Amphibians & Reptiles, or monocardian animals</i> , 2 : 194, 327, 441 (an incorrect original spelling for <i>Chaetodermis</i> Swainson, 1839). Op. 764	index
<i>Choloepus</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 108 (gender: masculine) (type species, by subsequent designation by Gray, 1827 (Synopsis of the species of the Class Mammalia ..., vol. 5 in: Griffith, E., Smith, C.H. & Pidgeon, E. (Eds.), <i>The animal kingdom arranged in conformity with its organisation, by the Baron Cuvier</i> ..., p. 275: <i>Bradypus didactylus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 35) (Mammalia). Op. 91, Op. 1922, Direction 24	available
<i>Cholus</i> Germar, 1824, <i>Insectorum, species novae aut minus cognitae, descriptionibus illustratae</i> , vol. 1, Coleoptera, p. 212 (gender: masculine) (type species, by subsequent designation by Schönherz, 1826, <i>Curculionidum dispositio methodica</i> , p. 20: <i>Cholus albicinctus</i> Germar, 1824) (Insecta, Coleoptera). Op. 1449	available

CHORAGIDAE Kirby, 1819, <i>Transactions of the Linnean Society of London</i> , 12 : 447 (type genus: <i>Choragus</i> Kirby, 1819), ruled under the plenary power that this name and other family-group names based on <i>Choragus</i> are not to be given priority over	
ANTHRIBIDAE Billberg, 1820 and other family-group names based on <i>Anthribus</i> Geoffroy, 1762 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1756	available
<i>Choragus</i> Kirby, 1819, <i>Transactions of the Linnean Society of London</i> , 12 : 447 (gender: masculine) (type species, by monotypy: <i>Choragus sheppardi</i> Kirby, 1819) (Insecta, Coleoptera). Op. 1756	available
<i>chordatus, Stylephorus</i> , Shaw, 1791, <i>Philosophical Transactions of the Royal Society of London</i> , 1 : 90 (specific name of the type species of <i>Stylephorus</i> Shaw, 1791) (Osteichthyes, Saccopharyngiformes). Op. 1603	available
<i>chorea, Musca</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 2 : 444 (specific name of the type species of <i>Lonchaea</i> Fallén, 1820) (Insecta, Diptera). Op. 652	available
<i>Chorioptes</i> Gervais & Beneden, 1859, <i>Zool. med.</i> , 1 : 463 (gender: masculine) (type species, by original designation: <i>Sarcoptes caprae</i> Delafond & Bourguignon, (January 1858, <i>Arch. gén. Méd.</i> , (5) 11 : 29, 31) (Arachnida). Op. 104, Direction 93	available
<i>Chorismus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 577, 616 (gender: masculine) (type species, by designation by Calman, 1907 (<i>Nat. Antarct. Exped.</i> , Nat. Hist., 2 (Crust.) (1): 3): <i>Chorismus tuberculatus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 617) (Crustacea, Decapoda). Op. 470	available
<i>Chorista</i> Klug, 1836, <i>Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1 : 54 (gender: masculine) (type species, by subsequent monotypy <i>Chorista australis</i> Klug, 1838) (Insecta, Mecoptera). Op. 2047	available
CHORISTEIDAE Verrill, 1882, <i>Transactions of the Connecticut Academy of Arts and Sciences</i> , 5 (2): 540 (type genus: <i>Choristes</i> Carpenter in Dawson, 1872), spelling emended from CHORISTIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Choristes</i> is CHORISTE- (Gastropoda). Op. 2047	available
<i>Choristes</i> Carpenter in Dawson, 1872, <i>The Canadian Naturalist and Quarterly Journal of Science</i> , (n.s.) 6 (4): 392 (gender: masculine) (type species, by monotypy: <i>Choristes elegans</i> Carpenter in Dawson, 1872) (Gastropoda). Op. 2047	available
CHORISTIDAE Esben-Petersen, 1915, <i>Entomologiske Meddelelser</i> , (2) 5 : 232 (type genus: <i>Chorista</i> Klug, 1836) (Insecta, Mecoptera). Op. 2047	available
CHORISTIDAE Verrill, 1882, <i>Transactions of the Connecticut Academy of Arts and Sciences</i> , 5 (2): 540, spelling emended to CHORISTEIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Choristes</i> is CHORISTE- (Gastropoda). Op. 2047	index
<i>Choristochromata</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 564 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>Chorthippus</i> Fieber, 1852, <i>in</i> Kelch, <i>Grund. Orth. Oberschles.</i> : 1 (gender: masculine) (type species, by designation by Kirby, 1910 (<i>Syn. Cat. Orthopt.</i> , 3 : 185): <i>Acrydium albomarginatum</i> de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 480) (Insecta, Orthoptera). Op. 609	available
<i>Chortoicetes</i> Brunner von Wattenwyl, 1893, <i>Ann. Mus. Stor. nat. Genova</i> , 33 : 123 (gender: feminine) (type species, by designation under the plenary power: <i>Epacromia terminifera</i> Walker, 1870, <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 4 : 777) (Insecta, Orthoptera). Op. 357	available
<i>chrishna, Ammonites</i> , Forbes, 1846, <i>Transactions of the Geological Society, London</i> , 7 : 103, ruled under the plenary power not to be given priority over the specific name of <i>Ammonites neubergicus</i> Hauer, 1858 whenever the two names are considered to be synonyms (Cephalopoda, Ammonoidea). Op. 1519	available
<i>Chromadora</i> Bastian, 1865, <i>Transactions of the Linnean Society of London</i> , 25 : 167 (gender: feminine) (type species, by designation under the plenary power: <i>Chromadora nudicapitata</i> Bastian, 1865) (Nematoda). Op. 1815	available
<i>Chromis</i> Cuvier <i>in</i> Desmarest, 1814, <i>Bulletin des Sciences, par la Société Philomathique de Paris</i> , (3) 1 : 88 (gender, as confirmed by the Commission: feminine) (type species, by original designation: <i>Sparus chromis</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1417	available
<i>chromis, Sparus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 280 (specific name of the type species of <i>Chromis</i> Cuvier <i>in</i> Desmarest, 1814) (Osteichthyes, Perciformes). Op. 1417	available
CHROMODORIDIDAE Bergh, 1892, <i>Malacologische Untersuchungen in: Reisen im Archipel der Philippinen von Dr C. Semper</i> , section 2, vol. 3, part 18, p. 1103, correction of CHROMODORIDAE (type genus: <i>Chromodoris</i> Alder & Hancock, 1855) (Gastropoda). Op. 1375	available
<i>Chromodoris</i> Alder & Hancock, 1855, <i>Monograph of the British nudibranchiate Mollusca</i> , Appendix, p. xvii (gender: feminine) (type species, by monotypy: <i>Doris magnifica</i> Quoy & Gaimard, 1832) (Gastropoda). Op. 1375	available
<i>chronus, Diura</i> , Gray, 1833, <i>Entomol. Aust.</i> , 1 : 20, 26, pl. 5, fig. 2, as interpreted by the lectotype designated by Key, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 236) (valid name at the date of Opinion 641 of the type species of <i>Ctenomorpha</i> Gray, 1833) (Insecta, Phasmida). Op. 641	available
<i>Chrysaor</i> Hübner, [1809], <i>Sammel. exot. Schmett.</i> , 1 : pl. [161] (a junior homonym of <i>Chrysaor</i> Montfort, 1808). Op. 789	index
<i>Chrysaor</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>chrysis, Lygaeus</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 109, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Heteroptera). Op. 1820	available

<i>chrysis, Staphylinus</i> , Bernhauer, 1936, <i>Revue de Zoologie et de Botanique Africaines</i> , 29(1): 24, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. chrysis</i> Gravenhorst, 1806 (Insecta, Coleoptera). Op. 2053	available
<i>chrysis, Staphylinus</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropteronum</i> , p. 214 (Insecta, Coleoptera). Op. 2053	available
<i>Chrysitella</i> Zeller, 1839, <i>Isis (von Oken)</i> , 1839(3): col. 203 (an unused objective synonym of <i>Roeslerstamia</i> Zeller, 1839) (Insecta, Lepidoptera). Op. 1910	index
<i>Chrysobothris</i> Eschscholtz, 1829, <i>Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten ... auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823-1826</i> , part 1, p. 9 (gender: feminine) (type species, by subsequent designation by Westwood, [1838], <i>Synopsis of the genera of British insects</i> , p. 24 (published with <i>An introduction to the modern classification of insects ...</i> , vol. 1, part 3, pp. 113-160): <i>Buprestis chrysostigma</i> Linnaeus, 1758), ruled under the plenary power to be the correct original spelling of <i>Chrysobotris</i> (Insecta, Coleoptera). Op. 1784	available
<i>Chrysobotris</i> Eschscholtz, 1829, <i>Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten ... auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823-1826</i> , part 1, p. 9, ruled under the plenary power to be an incorrect original spelling of <i>Chrysobothris</i> (Insecta, Coleoptera). Op. 1784	index
<i>chrysocephala, Meliphaga</i> , Lewin, 1808, <i>Birds New Holland</i> : 10 (specific name of the type species of <i>Sericulus</i> Swainson, 1825) (Aves). Direction 43	available
<i>Chrysoclista</i> Stainton, 1854, <i>Insecta Britannica</i> , Lepidoptera, p. 240 (gender: feminine) (type species, by subsequent designation by Fletcher, 1928, <i>Catalogue of Indian Insects</i> , part 16, p. 25: <i>Phalaena linneella</i> Clerck, 1759) (Insecta, Lepidoptera). Op. 1418	available
<i>Chrysodema</i> Laporte & Gory, 1835, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 1 (gender: feminine) (type species, by designation under the plenary power: <i>Chrysodema sonneratii</i> Laporte & Gory, 1835) (Insecta, Coleoptera). Op. 2076	available
<i>chrysodon, Nereis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 114 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Chrysolina</i> Motschulsky, 1860, <i>Schrenck's Reisen und Forschungen im Amur-Lande</i> , 2: 210 (gender: feminine) (type species, by original designation: <i>Chrysomela staphylaea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 370) ruled under the plenary power to be given precedence over the generic name <i>Atechna</i> Chevrolat, 1837 whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1279	available
<i>Chrysolophus</i> Gray, [1833-34], <i>Ill. Ind. Zool.</i> , 2: pl. 41, fig. 2 (gender: masculine) (type species, by monotypy: <i>Phasianus pictus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158) (Aves). Op. 67 <i>Chrysolophus</i> Swainson, 1837, <i>Nat. Hist. Classif. Birds</i> , 2: 225 (a junior homonym of <i>Chrysolophus</i> Gray, [1833-34]). Direction 44	available

<i>Chrysomela</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 368 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Considérations générales sur l'ordre naturel des Crustacés, Arachnides et Insectes</i> , Paris, 3: 432): <i>Chrysomela populi</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 370) (Insecta, Coleoptera). Op. 1279	available
<i>chrysomelinus, Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423 (specific name of the type species of <i>Tachyporus</i> Gravenhorst, 1802) (Insecta, Coleoptera). Op. 1743	available
<i>Chrysomyia</i> Macquart, 1834, <i>Histoire naturelle des Insectes. Diptères</i> , vol. 2, p. 262 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1443	index
<i>Chrysopa</i> [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9(1): 138 (gender: feminine) (type species, by designation under the plenary power: <i>Hemerobius perla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 549) (Insecta, Neuroptera). Op. 211	available
CHRYSOPHANIDI Scudder, (1889), <i>Butts. New England</i> (2) (Pt. 6): 797 (type genus: <i>Chrysophanus</i> Hübner, 1818, incorrectly treated as having <i>Papilio hippothoe</i> Linnaeus, 1761 as type species) (invalid under the plenary power because based on a misidentified type genus). Op. 541	index
<i>Chrysophanus</i> Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1: 24, no. 68; <i>id.</i> , [1819], <i>Verz. bekannt. Schmett.</i> , (5): 72 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 541	index
CHYSOPINA Schneider, 1851, <i>Symbolae ad monographiam generis Chrysopae, Leach. Vratislaviae</i> : 35 (type genus: <i>Chrysopa</i> [Leach, 1815]) (an incorrect original spelling for CHYSOPINAE Schneider, 1851). Op. 851	index
CHYSOPINAE (correction of CHYSOPINA) Schneider, 1851, <i>Symbolae ad monographiam generis Chrysopae, Leach. Vratislaviae</i> : 35 (type genus: <i>Chrysopa</i> [Leach, 1815]) (Insecta, Neuroptera). Op. 851	available
CHYSOPINAE Lutz, 1909, <i>Zool. Jahrb.</i> , Suppl. 10 (4): 674 (type genus: <i>Chrysops</i> Meigen, 1803) (ruled under the plenary power to be an incorrect original spelling for CHYSOPSINAE Lutz, 1909). Op. 851	index
<i>Chrysops</i> Meigen, 1803, <i>Mag. f. Insektenk.</i> (Illiger), 2: 265 (gender: masculine) (type species, by monotypy: <i>Tabanus caecutiens</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 602) (Insecta, Diptera). Op. 851	available
<i>chrysops, Sylvia</i> , Latham, 1801, <i>Index orn.</i> , Suppl.: liv (Aves). Op. 410	available
CHYSOPSINAE (emendation under the plenary power of CHYSOPINAE) Lutz, 1909, <i>Zool. Jahrb.</i> , Suppl. 10 (4): 674 (type genus: <i>Chrysops</i> Meigen, 1803) (Insecta, Diptera). Op. 851	available
<i>chrysopterus, Scarus</i> , Bloch & Schneider, 1801, <i>Systema Ichthyologiae iconibus cx illustratum</i> , p. 286 (specific name of the type species of <i>Sparisoma</i> Swainson, 1839) (Osteichthyes, Perciformes). Op. 1945	available

<i>chrysoscelis</i> , <i>Hyla femoralis</i> , Cope, 1880, <i>Bulletin of the United States National Museum</i> , 17 : 29, as defined by the neotype (specimen no. 37293 in the Texas Natural History Collection, University of Texas at Austin) designated under the plenary power (Amphibia, Anura). Op. 1716	available
<i>chrysostigma</i> , <i>Buprestis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 409 (specific name of the type species of <i>Chrysobothris</i> Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1784	available
<i>chrysothorax</i> , <i>Vespa</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 203, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Hymenoptera). Op. 1820	available
<i>chrysotis</i> , <i>Certhia</i> , Latham, 1801, <i>Index orn.</i> , Suppl.: 38 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 792	index
<i>Chrystallophrisson</i> Lütken, 1877, <i>Zool. Record</i> , 12 (for 1875), Vermes: 543 (an incorrect subsequent spelling for <i>Crystallophrisson</i> Möbius, 1875). Op. 764	index
<i>Chrystallophrysson</i> Wirén, 1892, <i>K. svensk. Vetensk.-Akad. Handl.</i> , 23 (12): 4 (an incorrect subsequent spelling for <i>Crystallophrisson</i> Möbius, 1875). Op. 764	index
CHTENOPTERYGIDAE Grimpe, 1922, <i>Sitzungsberichte der naturforschenden Gesellschaft zu Leipzig</i> , 45-48 (1918-1921) : 45 (type genus: <i>Chtenopteryx</i> Appellöf, 1890) (corrected original spelling of CTENOPTERYGIDAE) (Cephalopoda, Coleoidea). Op. 1793	available
<i>Chtenopteryx</i> Appellöf, 1890, <i>Bergens Museums Aarsberetning</i> , 1889 (33): 3 (gender: feminine) (type species, by monotypy: <i>Chtenopteryx fimbriatus</i> Appellöf, 1890, a junior subjective synonym of <i>Sepioteuthis sicula</i> Verany, 1851), spelling confirmed as correct by the Commission (Cephalopoda, Coleoidea). Op. 1793	available
<i>Chuangia</i> Walcott, 1911, <i>Smithson. misc. Colls.</i> , 57 (4): 72 (gender: feminine) (type species, by designation under the plenary power: <i>Ptychoparia? batia</i> Walcott, 1905, <i>Proc. U.S. nat. Mus.</i> , 29 (1415): 75, 76) (Trilobita). Op. 1261	available
<i>Chyromya</i> Robineau-Desvoidy, 1830, <i>Essai sur les Myodaires</i> : 620 (gender: feminine) (type species, by monotypy: <i>Chyromya fenestrarum</i> Robineau-Desvoidy, 1830, <i>Essai sur les Myodaires</i> : 621, valid name: <i>Musca flava</i> Linnaeus, 1758) (Insecta, Diptera). Op. 847	available
CHYROMYIDAE Hendel, 1916, <i>Entomol. Mitt.</i> , 5 : 297 (type genus: <i>Chyromya</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 847	available
<i>Chysata</i> Tottenham, 1945, <i>Proc. roy. entomol. Soc. London (B)</i> , 14 : 70 (a junior objective synonym of <i>Tachyusa</i> Erichson, 1837). Op. 600	index
<i>Cicadella</i> Duméril, 1806, <i>Zool. Analyt.</i> (Paris ed.): 266 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 647	index

<i>Cicadella</i> Latreille, 1817, in Cuvier, <i>Règne Anim.</i> , 3 : 406 (conserved under the plenary power) (gender: feminine) (type species, by designation by Van Duzee, 1916 (<i>Checklist Hemipt. Amer. N. of Mexico</i> : 66): <i>Cicada viridis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 438) (Insecta, Hemiptera). Op. 647	available
<i>Cicadella</i> , all uses of, prior to that by Latreille, 1817 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 647	index
CICADELLIDAE Latreille, 1825, <i>Fam. nat. Règne Anim.</i> : 427 (type genus: <i>Cicadella</i> Latreille, 1817) (Insecta, Hemiptera). Op. 647	available
<i>Cichlasoma</i> Swainson, 1839, <i>The natural history of fishes, amphibians and reptiles, or monocardian animals</i> , vol. 2, p. 230 (gender: neuter) (type species, by designation under the plenary power: <i>Labrus bimaculatus</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1954	available
<i>cichorii, Meloe</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 419 (specific name of the type species of <i>Mylabris</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1809	available
<i>Cicinnurus</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 35 (gender: masculine) (type species, by monotypy: <i>Paradisaea regia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 110) (Aves). Op. 67 <i>Cidaris</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 131 (included in a work rejected for nomenclatural purposes). Op. 592	available
<i>ciliaris, Asterias</i> , Philippi, 1837, <i>Arch. Naturgesch.</i> , 3 (1): 194 (Asteroidea). Op. 210	available
<i>ciliata, Eschara</i> , Pallas, 1766, <i>Elench. Zooph.</i> : 38 (specific name of the type species of <i>Microporella</i> Hincks, 1877) (Bryozoa). Op. 458	available
<i>ciliata, Notonecta</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 524, 525 (specific name of the type species of <i>Enithares</i> Spinola, 1837) (Insecta, Hemiptera). Op. 875	available
<i>ciliata, Squilla</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 333 (specific name of the type species of <i>Pseudosquilla</i> Dana, 1852) (Crustacea, Stomatopoda). Op. 785	available
<i>ciliatus, Ceratoplax</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 96 (specific name of the type species of <i>Ceratoplax</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>ciliatus, Glossograpus</i> [sic], Emmons, 1855, <i>Amer. Geol.</i> , 1 : 108 (specific name of the type species of <i>Glossograpthus</i> Emmons, 1855) (Graptolithina). Op. 650	available
CIMBERIDAE Gozis, 1882, <i>Feuille des Jeunes Naturalistes</i> , 12 (137): 58 (an incorrect original spelling of CIMBERIDIDAE) (Insecta, Coleoptera). Op. 2111	index
CIMBERIDIDAE Gozis, 1882, <i>Feuille des Jeunes Naturalistes</i> , 12 (137): p. 58 (type genus: <i>Cimberis</i> Gozis, 1881), ruled under the plenary power that it and other family-group names based on <i>Cimberis</i> are not to be given priority over NEMONYCHIDAE Bedel, 1882 and other family-group names based on <i>Nemonyx</i> Redtenbacher, 1845 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 2111	available

<i>Cimberis</i> Gozis, 1881, <i>Annales de la Société entomologique de France</i> , (6)1(3)(Bulletin): cxii (gender: feminine) (type species, by subsequent designation by Kuschel, 1959, <i>Investigaciones Zoológicas Chilensis</i> , 5: 234: <i>Rhinomacer attelaboides</i> Fabricius, 1787) (Insecta, Coleoptera). Op. 2111	available
<i>Cimbex</i> Olivier, 1790, <i>Ency. méth.</i> , 5 (Ins.): 762 (gender: masculine) (type species, by designation under the plenary power: <i>Tenthredo lutea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 555) (Insecta, Hymenoptera). Op. 144, Op. 216	available
<i>Cimex</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 441 (gender: masculine) (type species, by designation by Latreille, [1803-1804] (<i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 12: 237): <i>Cimex lectularius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 441) (Insecta, Hemiptera). Op. 81 CIMICIDAE Latreille, [1802], (as CIMICIDES), <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3: 240 (type genus: <i>Cimex</i> Linnaeus, 1758) (Insecta, Hemiptera). Direction 109	available
CIMICIDES Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3: 240 (type genus: <i>Cimex</i> Linnaeus, 1758) (an incorrect original spelling for CIMICIDAE Latreille, [1802]). Direction 109	index
<i>cimicoides, Eureum</i> , Burmeister, 1838, <i>Handb. Entomol.</i> , 2(2): 441 (specific name of the type species of <i>Eureum</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 343	available
<i>cimicoides, Nepa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 440 (specific name of the type species of <i>Ilyocoris</i> Stål, 1861) (Insecta, Hemiptera). Op. 681	available
<i>cimolius, Chiton</i> , Reeve, 1847, <i>Conchologia Iconica</i> , London, 4 Chiton (no. 141) (specific name of the type species of <i>Lorica</i> Adams & Adams, 1852) (Polyplacophora). Op. 1044	available
<i>Cinara</i> Curtis, 1835, <i>Brit. Entomol.</i> , 7: pl. 576 (gender: feminine) (type species, by designation under the plenary power: <i>Aphis pini</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 453, to be interpreted by reference to the description published by de Geer, 1773 (<i>Mém. Hist. Ins.</i> , 3(2): 27-39) as selected by Goeze, 1778 (<i>Entomol. Beytr. Linn.</i> , 2: 304, 305) as first reviser) (Insecta, Hemiptera). Op. 399, Op. 398	available
<i>Cinaria</i> Baker, 1920, <i>Bull. U.S. Dep. Agric.</i> , No. 826: 15 (an incorrect subsequent spelling for <i>Cinara</i> Curtis, 1835). Op. 399	index
CINARINI Börner, 1930, <i>Arch. klass. phyl. Entomol.</i> , 1: 125 (type genus: <i>Cinara</i> Curtis, 1835) (published as a name for a taxon below subfamily rank) (Insecta, Hemiptera). Direction 54	available
<i>cincolor</i> , <i>Crotalus durissus</i> , Notestein (by whom this name was attributed to 'J.'), 1905, <i>Seventh Rep. Michigan Acad. Sci.</i> : 123 (published in synonymy without independent indication, definition or description). Op. 339	index
<i>cincta, Domomyza</i> , Rondani, 1856, <i>Dipterologiae italicae prodromus. I. Genera italica ordinis Dipterorum ordinatim disposita et distincta et in families et stirpes aggregata</i> , p. 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1879	index
<i>cincta, Podura</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 609 (specific name of the type species of <i>Orchesella</i> Templeton, 1835) (Insecta, Collembola). Op. 291	available

<i>cinctella</i> , <i>Helix</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 87 (specific name of the type species of <i>Hygromia</i> Risso, 1826) (Gastropoda). Op. 335	available
<i>cinctimanus</i> , <i>Carpilius</i> , White, [1849], in Adams & White, <i>Zool. 'Samarang'</i> (4) Crust.: 37 (specific name of the type species of <i>Liomera</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>cinerea</i> , <i>Amphisbaena</i> , Vandelli, 1797, <i>Mem. Acad. real Sci. Lisboa</i> : 69 (specific name of the type species of <i>Blanus</i> Wagler, 1830) (Reptilia). Op. 1149	available
<i>cinerea</i> , <i>Ardea</i> , Linnaeus, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 143 (specific name of the type species of <i>Ardea</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>cinerea</i> , <i>Lutra</i> , Illiger, [1815], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1804-1811 : 90 (name of a species of which <i>Amblonyx concolor</i> Rafinesque, 1832, is considered to be a subspecies) (Mammalia). Op. 384	available
<i>cinerea</i> , <i>Motacilla</i> , [Tunstall], 1771, <i>Ornithologia britannica</i> : 2 (Aves). Op. 882	available
<i>cinerea</i> , <i>Nepa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 440, ruled under the plenary power to be given precedence over the specific name <i>rubra</i> Linnaeus, 1758, as published in the binomen <i>Nepa rubra</i> , whenever the two names are considered synonyms (Insecta, Hemiptera). Op. 1335	available
<i>cinerea</i> , <i>Perla</i> , Retzius, 1783, in de Geer, <i>Gen. Spec. Ins.</i> : 60 (specific name of the type species of <i>Nemoura</i> Latreille, 1796) (Insecta, Plecoptera). Op. 653	available
<i>cinerea</i> , <i>Salamandra</i> , Green, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 356 (conserved under the plenary power) (Amphibia). Op. 665	available
<i>cinerea</i> , <i>Simia (Papio)</i> , Kerr, 1792, <i>The Animal Kingdom</i> , Mammalia: 62 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 935	index
<i>cinerea</i> , <i>Stenopoda</i> , Laporte, [1833], <i>Essai class. Syst. Hemipt., Mag. Zool.</i> 2, Suppl.: 26 (specific name of the type species of <i>Stenopoda</i> Laporte, [1833]) (Insecta, Hemiptera). Op. 868	available
<i>cinereiceps</i> , <i>Thamnophilus</i> , Pelzeln, 1868, <i>Zur Ornithologie Brasiliens</i> (2): 145 (Aves). Op. 1180	available
<i>cinereoargenteus</i> , <i>Canis</i> , Schreber, [1776], <i>Die Säugthiere</i> , 3 : 360, pl. 92 (valid name at the date of Opinion 384 of the type species of <i>Urocyon</i> Baird, 1857) (Mammalia). Op. 384	available
<i>cinereoniger</i> , <i>Limax</i> , Wolf, 1803, in Sturm's <i>Deutschlands Fauna</i> , 6 (Wurm.) (1): 7 (Gastropoda). Op. 336	available
<i>cinereous</i> , <i>Crotalus</i> , Le Conte, 1852, in Hallowell, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 (5): 177 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 365	index
<i>cinereus</i> , <i>Acilius</i> , Leach, 1817, <i>Zool. Miscell.</i> , 3 , Index: 143 (a junior objective synonym of <i>sulcatus</i> , <i>Dytiscus</i> , Linnaeus, 1758). Op. 619	index

cinereus, *Dytiscus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 412, as interpreted by a neotype (specimen in the Lund Museum, Sweden, bearing identification labels as *Graphoderus cinereus* (Linnaeus, 1758) by Angus, Foster & Nilsson plus the locality data 'S: NA, Kvismaren 11/6 1982 Leg. Fagelstn' and red labels 'Neoty whole' and 'Neotype ♂ *Dytiscus cinereus* Linnaeus, 1758 des. A. Nilsson 1986') designated under the plenary power, the neotype noted in Op. 618 having been set aside under the plenary power (specific name of the type species of *Graphoderus* Dejean, 1833) (Insecta, Coleoptera). Op. 618, Op. 1543

available

cinereus, *Oniscus*, Zenker in Panzer, 1799, *Fauna insectorum Germaniae initia, oder Deutschlands Insecten ...*, Heft 62, no. 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Isopoda). Op. 1897

index

cinereus, *Todos* [sic], Linnaeus, 1776, *Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.*: 12 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412

index

cingala, *Eterusia*, Moore, 1877, *Annals and Magazine of Natural History*, (4)20: 343 (Insecta, Lepidoptera). Op. 2151

available

cingulata, *Actia*, Robineau-Desvoidy, 1830, *Mémoires présentés par divers Savants à l'Académie Royale des Sciences de l'Institut de France*, vol. 2, p. 86 (specific name of the type species of *Elfia* Robineau- Desvoidy, 1850) (Insecta, Diptera). Op. 1432

available

Ciniflo Blackwall, 1840, *Proc. linn. Soc. London*, 1(8): 66, and *Ann. Mag. nat. Hist.*, (1)6: 229 (a junior objective synonym of *Amaurobius* Koch, 1837). Op. 1119

index

CINIFLONIDAE Blackwall, 1840, *Trans. linn. Soc. London*, 18(4): 606 (type genus: *Ciniflo* Blackwall, 1840) (a junior objective synonym of AMAUROBIINAE Thorell, 1870, the respective type genera of these two families having the same nominal species as type species). Op. 1119

index

cinnabarina, *Meloe*, Scopoli, 1763, *Entomologia carniolica*, p. 60 (specific name of the senior subjective synonym of *Cucujus depresso* Fabricius, 1775, the type species of *Cucujus* Fabricius, 1775) (Insecta, Coleoptera). Op. 1754

available

cinnamomea, *Ancilla*, Lamarck, 1801, *Syst. Anim. sans Vertèbr.*: 73 (specific name of the type species of *Ancilla* Lamarck, 1799) (Gastropoda). Op. 579

available

cinnamopterum, *Tetropium*, Kirby, 1837, in Richardson, *Fauna Boreali-Americanana*, part 4, p. 174 (specific name of the type species of *Tetropium* Kirby, 1837) (Insecta, Coleoptera). Op. 1473

available

Cinxia Stål, 1862, *Stettin Entomol. Ztg.*, 23: 105 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678

index

cinxia, *Tenthredo (Allantus)*, Klug, 1816, *Magazin. Gesellschaft Naturforschender Freunde zu Berlin*, 8(1): 69-70 (senior subjective synonym of *Caliroa sebetia* A. Costa, 1859, the type species of *Caliroa* A. Costa, 1859) (Insecta, Hymenoptera). Op. 1963

available

<i>Ciona</i> Fleming, 1822, <i>The philosophy of zoology</i> (Edinburgh): 512 (gender: feminine) (type species, by monotypy: <i>Ascidia intestinalis</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12. vol. 1, part 2, p. 1087) (Urochordata). Op. 1172	available
<i>Circaetus</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 23 (gender: masculine) (type species, by monotypy: <i>Falco gallicus</i> Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 1, p. 259) (Aves). Op. 67 <i>Circe</i> Schumacher, 1817, <i>Essai vers test.</i> : 50, 152 (gender: feminine) (type species, by monotypy: <i>Circe violacea</i> Schumacher, 1817, <i>Essai vers test.</i> : 50, 152, valid name: <i>Venus scripta</i> Linnaeus, 1758) (Bivalvia). Op. 1189	available
<i>circe</i> , <i>Papilio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 495 (specific name of the type species of <i>Brintesia</i> Fruhstorfer, [1911]) (Insecta, Lepidoptera). Direction 96	available
<i>circellaris</i> , <i>Aleochara</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropteronorum</i> , p. 155 (specific name of the type species of <i>Geostiba</i> Thomson, 1858) (Insecta, Coleoptera). Op. 2098	available
<i>circezandis</i> , <i>Aphis</i> , Fitch, 1870, <i>Trans. New York Agric. Soc.</i> , for 1869, 29 : 501, 502 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1137	index
CIRCINAE Dall, 1895, <i>Trans. Wagner free Inst. Sci. Philadelphia</i> , 3 (3): 552 (type genus: <i>Circe</i> Schumacher, 1817) (a junior homonym of CIRCINAE Sundevall, 1836). Op. 1189	index
CIRCINAE Sundevall, 1836, <i>K. Vetenskaps-Akad. Handl.</i> for 1835: 113 (type genus: <i>Circus</i> Lacepède, 1799) (Aves). Op. 1189	available
<i>circularis</i> , <i>Coccinella</i> , Olivier, 1791, <i>Encyclopédie Méthodique. Histoire Naturelle. Insectes</i> , vol. 6, p. 62 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1693	index
<i>circumluteola</i> , <i>Banksinella luteolateralis</i> , Theobald, 1908, <i>Entomologist</i> , 41 : 107 (Insecta, Diptera). Op. 1775	available
<i>circumscriptus</i> , <i>Arion</i> , Johnston, 1828, <i>Edinburgh new phil. J.</i> , 5 : 76 (Gastropoda). Op. 336	available
<i>circumspinosus</i> , <i>Ammonites inflatus</i> , Quenstedt, 1857, <i>Der Jura</i> , p. 609, ruled under the plenary power to be an available name (senior subjective synonym of <i>Ammonites circumspinosus</i> Oppel, 1863; specific name of the type species of <i>Physodoceras</i> Hyatt, 1900) (Ammonoidea). Op. 2123	available
<i>Circus</i> Lacepède, 1799, <i>Tableau des Oiseaux</i> : 4 (gender: masculine) (type species, by designation by Lesson, 1828 (<i>Man. Ornithol.</i> , 1 : 105): <i>Falco aeruginosus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 91) (Aves). Op. 1189	available
<i>cirrhatus</i> , <i>Pelecanus</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 576 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409	index

<i>cirridioides</i> , <i>Euomphalus</i> , Kittl, 1894, <i>Jahrb. k.-k. geol. Reichsanst.</i> , 44 : 117, pl. 1, fig. 22 (Gastropoda). Op. 639	available
<i>cirrosa</i> , <i>Sciaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289 (specific name of the type species of <i>Umbrina</i> Cuvier, 1817) (Osteichthyes). Op. 988	available
<i>cirrus</i> , <i>Centracanthus</i> [sic], Rafinesque, Aprile 1810, <i>Caratt. nuovi Gen. nuove Spec. Anim. Sicilia</i> : 43 (specific name of the type species of <i>Centracanthus</i> Rafinesque, 1810) (Osteichthyes). Op. 960	available
<i>Cistela</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 115 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
<i>Cistena</i> Leach, 1816, <i>Encycl. brit.</i> , <i>Annulosa</i> , Suppl. to eds. 4-6, 1 : 452 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1225	index
<i>citrinellae</i> , <i>Pediculus</i> , Schrank, 1776, <i>Beytr. z. Naturg.</i> : 116, pl. 5, fig. 7, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 229) (Insecta, Mallophaga). Op. 627	available
<i>citrinus</i> , <i>Motacilla</i> , Wilkes, 1817, <i>Encyclopaedia Londinensis</i> , vol. 16, p. 78 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>citrofasciata</i> , <i>Musca</i> , De Geer, 1776, <i>Mémoires pour servir à l'histoire des insectes</i> , vol. 6, p. 118 (Insecta, Diptera). Op. 1982	available
<i>citrosa</i> , <i>Paidia</i> , Geyer, 1832, <i>Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fliegemuster neuer oder rarer nichteuropäische Gattungen</i> , vol. 4, p. 18, pl. [114], figs. 661, 662 (specific name of the type species of <i>Oncopus</i> Herrich-Schäffer, 1855) (Lepidoptera). Op. 2189	available
<i>civetta</i> , <i>Viverra</i> , Schreber, [1777], <i>Die Säugthiere</i> , 3 : 418; <i>id.</i> , [1778], <i>ibid.</i> , 3 : pl. 111 (specific name of the type species of <i>Civettictis</i> Pocock, 1915) (Mammalia). Op. 384	available
<i>Civettictis</i> Pocock, 1915, <i>Proc. zool. Soc. London</i> , 1915 : 134, 139 (gender: feminine) (type species, by monotypy: <i>Viverra civetta</i> Schreber, [1777], <i>Die Säugthiere</i> , 3 : 418; <i>id.</i> , [1778], <i>ibid.</i> : pl. 111) (Mammalia). Op. 384	available
' <i>cladophore</i> , <i>Athelgue'</i> , Hesse, 1861, <i>Ann. Sci. nat.</i> , Paris, (4) 15 : 91 (ruled under the plenary power to be a vernacular name). Op. 1229	index
<i>Clamator</i> Blyth, [1852], <i>Cat. Birds Mus. asiat. Soc.</i> : 250 (a junior homonym of <i>Clamator</i> Kaup, 1829). Direction 44	index
<i>Clamator</i> Kaup, 1829, <i>Skizz. Entwickel.-Gesch. naturl. Syst. europ. Thierwelt</i> : 53 (gender: masculine) (type species, by monotypy: <i>Cuculus glandarius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 111) (Aves). Op. 67 <i>clamosus</i> , <i>Cuculus</i> , Latham, 1801, <i>Index. orn.</i> , Suppl.: xxx (Aves). Op. 407	available

<i>Claria</i> Kutikova, Markevich & Spiridonov, 1990, <i>Rotifera. Proceedings of the third All-Union Rotifer symposium</i> , 118 (gender: feminine) (type species, by monotypy: <i>Claria segmentata</i> Kutikova, Markevich & Spiridonov, 1990) (Rotifera). Op. 2032	available
CLARIAIDAE Kutikova, Markevich & Spiridonov, 1990, <i>Rotifera. Proceedings of the third All-Union Rotifer symposium</i> , p. 118 (type genus: <i>Claria</i> Kutikova, Markevich & Spiridonov, 1990), spelling emended from CLARIIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Claria</i> is CLARIA- (Rotifera). Op. 2032	available
CLARIIDAE Kutikova, Markevich & Spiridonov, 1990, <i>Rotifera. Proceedings of the third All-Union Rotifer symposium</i> , p. 118, spelling emended to CLARIAIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Claria</i> is CLARIA- (Rotifera). Op. 2032	index
<i>clathrata</i> , <i>Anguilla</i> , Richardson, 1844, <i>Zool. Voy. ‘Sulphur’</i> , 1: 104 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 901	index
<i>clathrata</i> , <i>Haliotis</i> , Lichtenstein, 1794, <i>Catalogus rerum naturalium rarissimum. Sectio secunda continens Conchylia, item mineralia, ligna exotica, et arte parata</i> , p. 105, and all uses of the name prior to the publication of <i>Haliotis clathrata</i> Reeve, 1846 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1950	index
<i>clathrata</i> , <i>Haliotis</i> , Reeve, 1846, <i>Conchologia Iconica</i> , vol. 3, Monograph of the genus <i>Haliotis</i> , pl. 17, fig. 71 (Gastropoda). Op. 1950	available
<i>Clathurella</i> Carpenter, 1857, <i>Cat. Mazatlan Shells</i> : 399 (gender: feminine) (type species, by designation under the plenary power: <i>Clavatula rava</i> Hinds, 1843, <i>Proc. zool. Soc. London</i> , 1843: 39) (Gastropoda). Op. 666	available
<i>Clausilia</i> Draparnaud, 1805, <i>Histoire naturelle des Mollusques terrestres et fluviatiles de la France</i> , p. 24 (gender: feminine) (type species, by designation under the plenary power: <i>Pupa rugosa</i> Draparnaud, 1801) (Gastropoda). Op. 1455	available
CLAUSOCALANIDAE Giesbrecht, 1892, <i>Fauna und Flora des Golfes von Neapel</i> , vol. 19, p. 185 (type genus: <i>Clausocalanus</i> Giesbrecht, 1888) (Copepoda). Op. 1503	available
<i>Clausocalanus</i> Giesbrecht, 1888, <i>Atti della Accademia Nazionale dei Lincei, Rendiconti</i> , (4)4(2): 334 (gender: masculine) (type species, by monotypy: <i>Calanus mastigophorus</i> Claus, 1863) (Copepoda). Op. 1503	available
<i>Clavatuligenus</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>clavatus</i> , <i>Cimex</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 729 (specific name of the type species of <i>Pilophorus</i> Hahn, 1826) (Insecta, Hemiptera). Op. 254	available
<i>clavatus</i> , <i>Conchiosaurus</i> , Meyer, [1833], <i>Museum Senckenbergianum. Abhandlungen aus dem Gebiete der beschriebenden Naturgeschichte</i> , 1(1): 8 (specific name of the type species of <i>Conchiosaurus</i> Meyer, [1833]) (Reptilia, Sauropterygia). Op. 1907	available

<i>clavatus</i> , <i>Oreaster</i> , Müller & Troschel, 1842, <i>System der Asteridien</i> : 49 (Asteroidea). Op. 707	available
<i>Clavelina</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 2 : 87, 109, 171 (gender: feminine) (type species, by designation by Apstein, 1915 (<i>SitzBer. Ges. naturf.-Freunde Berlin</i> , 1915 (5): 185): <i>Ascidia lepadiformis</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 226) (Urochordata). Op. 94, Direction 72	available
<i>Clavella</i> Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , vol. 3 (Zoologie), part 1, p. 358 (gender: feminine) (type species, ruled under the plenary power to be valid by monotypy: <i>Lernaea uncinata</i> Müller, 1776, a junior subjective synonym of <i>Lernaea adunca</i> Ström, 1762), ruled under the plenary power to be available despite having been published in a rejected work (Copepoda). Op. 1817	available
<i>Clavellaria</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 264 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 216	index
<i>Clavellarius</i> Olivier, 1789, <i>Ency. méth.</i> , 4 (Ins.): 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 216	index
<i>Clavicera</i> Latreille, 1802, <i>Hist. nat. Fourmis</i> : 432 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1001	index
<i>clavicornis</i> , <i>Cicada</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 41, conserved by suppression under the plenary power of the specific names of <i>Cimex aequinoctialis</i> Scopoli, 1763 and <i>Cicada quadristriata</i> Gmelin in Linnaeus, 1790 (specific name of the type species of <i>Asiraca</i> Latreille, 1796) (Insecta, Hemiptera). Op. 602, Op. 1935	available
<i>clavicornis</i> , <i>Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 355 (senior subjective synonym of <i>Tenebrio hirticornis</i> De Geer, 1775, the type species of <i>Orthocerus</i> Latreille, 1796) (Insecta, Coleoptera). Op. 1811	available
<i>clavicornis</i> , <i>Encyrtus</i> , Dalman, 1820, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 1820 : 161 (valid name at the date of Opinion 898 of the type species of <i>Bothriothorax</i> Ratzeburg, 1844) (Insecta, Hymenoptera). Op. 898	available
<i>clavicornis</i> , <i>Lygaeus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 169 (valid name at the date of Opinion 319 of the type species of <i>Rhypodes</i> Stål, 1868) (Insecta, Hemiptera). Op. 319	available
<i>clavifrons</i> , <i>Calymene</i> , Dalman, 1827, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , 1826 : 75 (specific name of the type species of <i>Cyrtometopus</i> Angelin, 1854) (Trilobita). Op. 1434	available
<i>claviger</i> , <i>Culex</i> , Meigen, 1804, <i>Klass. Beschr. zweifl. Ins.</i> , 1 (1): 4 (Insecta, Diptera). Op. 547	available
<i>claviger</i> , <i>Rhabdosphaera</i> , Murray & Blackman, 1898, <i>Philos. Trans. roy. Soc. London B (Biol.)</i> , 190 : 438, 439, pl. 15, figs. 13, 14 (specific name of the type species of <i>Rhabdosphaera</i> Haeckel, 1894) (Coccolithophorida). Op. 805	available

<i>clavigera, Cidaris</i> , Mantell, 1822, <i>The fossils of the South Downs; or illustrations of the geology of Sussex</i> , p. 194 (specific name of the type species of <i>Tylocidaris</i> Pomel, 1883) (Echinoidea). Op. 1458	available
<i>clavigera, Doris</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 229 (specific name of the type species of <i>Limacia</i> Müller, 1781) (Gastropoda). Op. 833	available
<i>Clavigerinella</i> Bolli, Loeblich & Tappan, 1957, <i>Studies in foraminifera</i> . United States National Museum Bulletin, Smithsonian Institution no. 215, p. 30 (gender: feminine) (type species, by original designation: <i>Clavigerinella akersi</i> Bolli, Loeblich & Tappan, 1957) (Foraminiferida). Op. 2105	available
<i>clavipes, Cimex</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 729 (specific name of the type species of <i>Berytinus</i> Kirkaldy, 1900) (Insecta, Heteroptera). Op. 1504	available
<i>clavipes, Curculio</i> , Bonsdorff, 1785, <i>Hist. nat. Curcul. svec.</i> (2): 40 (specific name of the type species of <i>Otiorhynchus</i> Germar, 1824) (Insecta, Coleoptera). Op. 982	available
<i>clavipes, Sphex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 569 (valid name at the date of Opinion 1106 of the type species of <i>Rhopalum</i> Stephens, 1829) (Insecta, Hymenoptera). Op. 1106	available
<i>clavus, Conus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 716 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 753	index
<i>Cleiothyridina</i> Buckman, 1906, <i>Ann. Mag. nat. Hist.</i> , (7)18: 323 (gender: feminine) (type species, by designation by King, 1850 (<i>The Permian fossils of England</i> : 137 footnote) through <i>Cleiothyridina</i> Phillips, 1841 (<i>Figures and descriptions of the Palaeozoic Fossils of Cornwall, Devon and West Somerset</i> : 55); <i>Atrypa pectinifera</i> Sowerby, 1840, <i>The Mineral Conchology of Great Britain</i> , London, 7: 14) (Brachiopoda). Op. 1041	available
<i>Cleiothyridina</i> Phillips, 1841, <i>Figures and descriptions of the Palaeozoic Fossils of Cornwall, Devon and West Somerset</i> : 55 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1041	index
<i>cleo, Papilio</i> , [Hübner, 1790-1793], <i>Lep. Linn.</i> : 10 (included in a work rejected for nomenclatural purposes). Op. 975	index
<i>Cleobis</i> Simon, 1879, <i>Annales de la Société Entomologique de France</i> , (5)9: 145 (a junior homonym of <i>Cleobis</i> Dana, 1847) (Arachnida). Op. 2050	index
<i>Clerus</i> Geoffroy, 1762, <i>Hist. abr. Ins. env. Paris</i> : 303 (gender: masculine) (type species, by designation under the plenary power: <i>Clerus mutillarius</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 157) (Insecta, Coleoptera). Op. 1273	available
<i>Clibanarius</i> Dana, 1852, <i>Amer. J. Sci. Arts</i> , (2)13: 122 (gender: masculine) (type species, by absolute tautonymy: <i>Cancer clibanarius</i> Herbst, 1791, <i>Versuch Naturgesch. Krabben Krebse</i> , 2(1): 20) (Crustacea, Decapoda). Op. 712	available
<i>Clibanarius</i> Gozis, 1882, <i>Mitt. Schweiz. entomol. Ges.</i> , 6: 295 (a junior homonym of <i>Clibanarius</i> Dana, 1852). Op. 712	index

<i>clibanarius</i> , <i>Cancer</i> , Herbst, 1791, <i>Versuch Naturgesch. Krabben Krebse</i> , 2 (1): 20 (specific name of the type species of <i>Clibanarius</i> Dana, 1852) (Crustacea, Decapoda). Op. 712	available
<i>Clidastes</i> Cope, 1868, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 20 : 181 (gender: masculine) (type species, by designation under the plenary power: <i>Clidastes propython</i> Cope, 1869) (Reptilia, Sauria). Op. 1750	available
CLIIDAE Jeffreys, 1869, <i>British conchology</i> , vol. 5, p. 118 (type genus: <i>Clio</i> Linnaeus, 1767), nomen protectum by Bouchet & Rocroi, 2005, <i>Malacologia</i> , 47 : 51 (Pteropoda). Op. 2133	available
<i>Clinocoris</i> Fallén, 1829, <i>Hemipt. svec.</i> : 141 (a junior objective synonym of <i>Cimex</i> Linnaeus, 1758). Direction 63	index
<i>Clinocoris</i> Hahn, 1834, <i>Wanzen. Ins.</i> , 2 (3): 70 (a junior homonym of <i>Clinocoris</i> Fallén, 1829). Direction 63	index
<i>Clinophilus</i> Blanford, 1903, <i>Nature</i> , 69 : 200 (an unjustified emendation of <i>Klinophilos</i> Kirkaldy, 1899). Direction 63	available
<i>clintonensis</i> , <i>Graptolites</i> , Hall, 1843, <i>Geology of New York. Part IV. Survey of the Fourth Geological District</i> , p. 74, and all uses of the name prior to the publication of <i>Graptolithus clintonensis</i> Hall, 1852 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Graptolithina). Op. 1730	index
<i>clintonensis</i> , <i>Graptolithus</i> , Hall, 1852, <i>Palaeontology of New York. Volume II, containing descriptions of the organic remains of the Lower Middle Division of the New York System</i> , p. 39, as defined by the lectotype (specimen no. 30951 in the American Museum of Natural History, New York, U.S.A., figured by Hall, 1852, pl. A17, fig. 1a) designated by the Commission (Graptolithina). Op. 1730	available
<i>Clio</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, p. 1094 (gender: feminine) (type species, by subsequent designation by Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 15 : 203: <i>Clio pyramidata</i> Linnaeus, 1767) (Pteropoda). Op. 2133	available
<i>Cliona</i> Grant, 1826, <i>The Edinburgh New Philosophical Journal</i> , 1826 : 78 (gender: feminine) (type species, by monotypy: <i>Cliona celata</i> Grant, 1826) (Porifera). Op. 2133	available
CLIONAIDAE d'Orbigny, 1851, <i>Cours élémentaire de paléontologie et de géologie stratigraphiques</i> , vol. 2, p. 209 (type genus: <i>Cliona</i> Grant, 1826), spelling emended from CLIONIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Cliona</i> Grant, 1826 is CLIONA- (Porifera). Op. 2133	available
<i>Clione</i> Pallas, 1774, <i>Spicilegia Zoologica</i> , vol. 1, fasc. 10, p. 28 (gender: feminine) (type species, by monotypy: <i>Clione borealis</i> Pallas, 1774, a junior synonym of <i>Clio limacina</i> Phipps, 1774) (Pteropoda). Op. 2133	available
<i>Clione</i> Rafinesque, 1815, <i>Analyse de la Nature ou tableau de l'univers et des corps organisés</i> , p. 141 (a junior homonym of <i>Clione</i> Pallas, 1774, ruled under the plenary power not to be the type genus of CLIONIDAE Rafinesque, 1815) (Pteropoda). Op. 2133	index

CLIONIDAE d'Orbigny, 1851, <i>Cours élémentaire de paléontologie et de géologie stratigraphiques</i> , vol. 2, p. 209, an incorrect original spelling of CLIONAIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Cliona</i> Grant, 1826 is CLIONA- (Porifera). Op. 2133	index
CLIONIDAE Rafinesque, 1815, <i>Analyse de la Nature ou tableau de l'univers et des corps organisés</i> , p. 141 (type genus, as ruled under the plenary power: <i>Clione</i> Pallas, 1774) (Pteropoda). Op. 2133	available
Clistocoeloma Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 310 (gender: neuter) (type species, by monotypy: <i>Clistocoeloma balansae</i> Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 311) (Crustacea, Decapoda). Op. 85, Direction 37	available
Clivipollia Iredale, 1929, <i>The Australian Zoologist</i> , 5 : 347 (gender: feminine) (type species, by monotypy: <i>Clivipollia imperita</i> Iredale, 1929) (Gastropoda). Op. 1981	available
Clonograpus Hall & Nicholson, 1873, in Nicholson, <i>Ann. Mag. nat. Hist.</i> , (4) 9 : 138 (ruled under the plenary power to be an incorrect original spelling for Clonograptus Hall & Nicholson, 1873). Op. 650	index
Clonograptus (emendation of <i>Clonograpus</i>) Hall & Nicholson, 1873, in Nicholson, <i>Ann. Mag. nat. Hist.</i> , (4) 9 : 138 (conserved under the plenary power) (gender: masculine) (type species, by designation by Miller, 1889 (<i>N. Amer. Geol. Pal.</i> : 179): <i>Graptolithus rigidus</i> Hall, 1858, <i>Geol. Surv. Canada</i> , Rept. for 1857: 121) (Graptolithina). Op. 650	available
CLORODIINAE Dana, 1851, <i>American Journal of Science and Arts</i> , (2) 12 (34): 125 a family-group name based on the generic name <i>Clorodius</i> A.G. Desmarest, 1823, suppressed under the plenary power (Crustacea) Op. 2204	index
Clorodius Desmarest, 1823, <i>Dictionnaire des sciences naturelles</i> , 28 : 228 suppressed for the purposes of the Principle of Priority but not for those of the Principle of Homonymy (Crustacea) Op. 2204	index
<i>cloropus</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 385 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1655	index
clotho , Alastor , Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hymenopt.</i> , 2 : 668 (specific name of the type species of <i>Alastoroides</i> Saussure, 1856) (Insecta, Hymenoptera). Op. 893	available
clouei , Ergasticus , Studer, 1883, <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1882 (2): 7, 8 (specific name of the type species of <i>Ergasticus</i> Studer, 1883) (Crustacea, Decapoda). Op. 712	available
Clunio Haliday, 1855, <i>Natural History Review</i> , 2 : 62 (gender: masculine), type species <i>Clunio marinus</i> Haliday, 1855, by monotypy (Diptera) Op. 2206	available
CLUNIONINAE Kieffer, 1906, <i>Genera Insectorum</i> , 42 : 3 (type genus <i>Clunio</i> Haliday, 1855), ruled under the plenary power (together with other family-group names based on <i>Clunio</i>) not to be given priority over ORTHOCLADIINAE Kieffer, 1911 and other familygroup names based on <i>Orthocladius</i> van der Wulp, 1874 whenever their type genera are placed in the same family-group taxon (Diptera) Op. 2206	available

<i>Clupea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 317 (gender: feminine) (type species, by designation by Gill, 1861 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1861 : 35): <i>Clupea harengus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 317) (Osteichthyes). Op. 77, Direction 56	available
<i>clymenoides</i> , <i>Johnstonia</i> , Quatrefages, [1866 (summer)], <i>Histoire naturelle des annelés marins et d'eau douce. Annélides et géphyriens</i> , vol. 2, p. 244, as defined by the lectotype (specimen A'(R)-1868, no. 239b in the Quatrefages collection in the Muséum National d'Histoire Naturelle, Paris) designated by Mackie & Gobin, 1993, <i>Zoologica Scripta</i> , 22 : 231 (specific name of the type species of <i>Johnstonia</i> Quatrefages, 1866) (Polychaeta). Op. 1807	available
<i>clypeatus</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>clypeatus</i> , <i>Pagurus</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> , vol. 1, p. 328 (specific name of the type species of <i>Coenobita</i> Latreille, 1829), as defined by the neotype (male specimen USNM 126773 in the U.S. National Museum, Washington) designated under the plenary power (Crustacea, Decapoda). Op. 1575, Op. 2052	available
<i>Clytia</i> Lamouroux, 1812, <i>Nouv. Bull. sci. Soc. philom. Paris</i> , 3 : 184 (gender: feminine) (type species, by designation under the plenary power: <i>Campanularia johnstoni</i> Alder, 1856, <i>Ann. Mag. nat. Hist.</i> , (2) 18 : 359, 360) (Hydrozoa). Op. 1345	available
<i>Cnetha</i> Enderlein, 1921, <i>Deutsche Tierärztliche Wochenschrift</i> , 29 : 199 (gender: feminine) (type species, by designation under the plenary power: <i>Simulium vernum</i> Macquart, 1826) (Insecta, Diptera). Op. 1416	available
COBITIDAE Swainson, 1839, in Lardner, <i>The Cabinet Cyclopædia</i> , vol. 2, p. 190 (type genus: <i>Cobitis</i> Linnaeus, 1758), spelling emended from COBITIDIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Cobitis</i> Linnaeus, 1758 is COBIT- (Osteichthyes, Cypriniformes). Op. 1500	available
<i>Cobitis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 303 (gender: feminine) (type species, by designation under the plenary power: <i>Cobitis taenia</i> Linnaeus, 1758) (Osteichthyes, Cypriniformes). Op. 1500	available
<i>Cobra</i> Laurenti, 1768, <i>Specimen medicum</i> : 103 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 1	index
<i>coburgensis</i> , <i>Thalassides</i> , Berger, 1833, <i>Neues Jahrb. Min.</i> , 1833 : 69 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 292	index
<i>coccinea</i> , <i>Amphinome</i> , Renier, [1804], <i>Prospetto Classe Vermi</i> : xviii (included in a work rejected for nomenclatural purposes). Op. 316	index
<i>coccinea</i> , <i>Cantharis</i> , Linnaeus, 1761, <i>Fauna Suecica</i> , Ed. 2, p. 202 (specific name of the type species of <i>Pyrochroa</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>coccineus</i> , <i>Coluber</i> , Blumenbach, 1788, <i>Magazin f. d. neuste aus d. Physik u. Naturg.</i> , 5 (1): 11, pl. 1 (Reptilia). Op. 804	available

<i>cocco</i> , <i>Peneus</i> , Prestandrea, 1833, <i>Effem. sci. lett. Sicilia</i> , 6 : 6 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 611	index
<i>Coccobius</i> Ratzeburg, 1852, <i>Die Ichneumonen der Forstinsecten in forstlicher und entomologischer Beziehung</i> , vol. 3, p. 195 (gender: masculine) (type genus, by subsequent designation by Gahan & Fagan, 1923, <i>Bulletin of the United States National Museum</i> , 124 : 37: <i>Coccobius annulicornis</i> Ratzeburg, 1852) (Insecta, Hymenoptera). Op. 1646	available
COCCOLITHIDAE Poche, 1913, <i>Arch. Protistenk.</i> , 30 : 157 (type genus: <i>Coccolithus</i> Schwarz, 1894) (Coccolithophorida). Op. 805	available
<i>Coccolithus</i> Schwarz, 1894, <i>Ann. Mag. nat. Hist.</i> , (6) 14 : 341-346 (gender: masculine) (type species, by monotypy: <i>Coccolithus oceanicus</i> Schwarz, 1894, <i>Ann. Mag. nat. Hist.</i> , (6) 14 : 346, valid name: <i>Coccospaera pelagica</i> Wallich, 1877) (Coccolithophorida). Op. 805	available
<i>Coccus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 455 (gender: masculine) (type species, by designation under the plenary power: <i>Coccus hesperidum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 455) (Insecta, Hemiptera). Op. 1303	available
<i>coccus</i> , <i>Dactylopius</i> , Costa, 1829, <i>Fauna del Regno di Napoli</i> , Cocciniglieri: 16 (specific name of the type species of <i>Dactylopius</i> Costa, Nov. 1829) (Insecta, Hemiptera). Op. 1247	available
<i>Coccyzus</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 28 (gender: masculine) (type species, by monotypy: <i>Cuculus americanus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 111) (Aves). Op. 67 <i>Cochlea</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	available
<i>Cochlicella</i> Féruccac, 1821, <i>Tabl. syst. Anim. moll. terrestr. fluviat.</i> : 56 (gender: feminine) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 173): <i>Helix conoidea</i> Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 68) (Gastropoda). Op. 335	available
<i>Cochliomyia</i> Townsend, 1915, <i>Journal of the Washington Academy of Sciences</i> , 5 : 644 (gender: feminine) (type species, by original designation: <i>Musca macellaria</i> Fabricius, 1775) (Insecta, Diptera). Op. 1399	available
<i>coelebs</i> , <i>Fringilla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 179 (specific name of the type species of <i>Fringilla</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>Coeliodes</i> Schönherr, 1837, <i>Genera et Species Curculionidum</i> , vol. 4, p. 282 (gender: masculine) (type species, by original designation: <i>Curculio quercus</i> Fabricius, 1787, a junior primary homonym replaced by <i>Curculio dryados</i> Gmelin, 1790) (Insecta, Coleoptera). Op. 1529	available
<i>Coeloides</i> Wesmael, 1838, <i>Nouveaux Mémoires de l'Académie Royale des Sciences et Belles-Lettres de Bruxelles</i> , 11 : 59 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Telenga, 1936, <i>Faune de l'URSS (Institut Zoologique de l'Académie des Sciences de l'URSS)</i> , 5 (2): 74: <i>Coeloides scolyticida</i> Wesmael, 1838) (Insecta, Hymenoptera). Op. 1530	available

<i>Coelophysis</i> Cope, 1889, <i>American Naturalist</i> , 23 : 626 (gender: feminine) (type species, by subsequent designation by Hay, 1930, <i>Second bibliography and catalogue of the fossil Vertebrata of North America</i> , vol. 2, p. 186: <i>Coelurus bauri</i> Cope, 1887) (Reptilia, Saurischia). Op. 1842	available
<i>Coelotes</i> Blackwall, 1841, <i>Trans. linn. Soc. London</i> , 18 (4): 618 (gender: masculine) (type species, by monotypy: <i>Clubiona saxatilis</i> Blackwall, 1833, <i>London Phil. Mag. J. Sci.</i> , (3) 3 : 436) (Arachnida). Op. 1119	available
<i>Coenobita</i> Latreille, 1829, <i>Les Crustacés, les Arachnides et les Insectes, distribués en familles naturelles, ouvrage formant les tomes 4 et 5 celui de M. le baron Cuvier sur le règne animal</i> , Ed. 2, p. 77 (gender: masculine) (type species, by monotypy: <i>Pagurus clypeatus</i> Fabricius, 1787) (Crustacea, Decapoda). Op. 1575	available
COENOBITIDAE Dana, 1851, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 5 : 269, correction by Ortmann, 1892, <i>Zoologische Jahrbücher (Systematik, Geographie und Biologie)</i> , 6 : 271, of CENOBITIDAE (type genus: <i>Coenobita</i> Latreille, 1829) (Crustacea, Decapoda). Op. 1575	available
<i>Coenomyia</i> Latreille, 1796, <i>Précis des caractères génériques des insectes dans un ordre naturel</i> , p. 159 (gender: feminine) (type species, by subsequent monotypy by Latreille, [1802], <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 439: <i>Musca ferruginea</i> Scopoli, 1763) (Insecta, Diptera). Op. 1870	available
<i>Coenophthalmus</i> Milne Edwards, 1879, <i>Miss. Sci. Mex.</i> , Rech. zool., 5 (fasc. 6): 236 (gender: masculine) (type species, by monotypy: <i>Coenophthalmus tridentatus</i> Milne Edwards, 1879, <i>Miss. Sci. Mex.</i> , Rech. zool., 5 (fasc. 6): 237, pl. 42, fig. 2) (Crustacea, Decapoda). Op. 73 <i>Coereba</i> Vieillot, 1807, <i>Ois. Amér. sept.</i> , 2 : 70 (gender: feminine) (type species, by monotypy: <i>Certhia flaveola</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 119) (Aves). Op. 67 <i>Coerebra</i> Boie, 1826, <i>Isis (Oken)</i> , 1826 : 971 (an incorrect subsequent spelling for <i>Coereba</i> Vieillot, 1807). Direction 44	available
<i>coerulea</i> , <i>Rana</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 19 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>coeruleus</i> , <i>Cyclops</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 200 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 203	index
<i>coffeae</i> , <i>Lecanium</i> , Walker, 1852, <i>List of the specimens of homopterous insects in the collection of the British Museum</i> , part 4, p. 1079 (specific name of the type species of <i>Saissetia</i> Déplanche, 1859) (Insecta, Sternorrhyncha). Op. 1627	available
<i>coffeae</i> , <i>Pediculus</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 740 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1247	index
<i>coffeae</i> , <i>Saissetia</i> , Déplanche, 1859, <i>Messager de Tahiti, Papeete</i> , 8 (no. 9): 7 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Sternorrhyncha). Op. 1627	index

<i>cognatus</i> , Philonthus , Sharp, 1876, <i>Transactions of the Entomological Society of London</i> , 1876 : 169, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. cognatus</i> Stephens, 1832 (Insecta, Coleoptera). Op. 2053	available
<i>cognatus</i> , Philonthus , Stephens, 1832, <i>Illustrations of British entomology ... Mandibulata</i> , vol. 5, p. 229 (Insecta, Coleoptera). Op. 2053	available
<i>cognatus</i> , Scolopostethus , Fieber, [1860], <i>Euro. Hemipt.</i> : 49, 188 (specific name of the type species of <i>Scolopostethus</i> Fieber, [1860]) (Insecta, Hemiptera). Op. 680	available
<i>Colaceutes</i> Hartmann, 1856, <i>Dissertatio inauguralis hist. nat. Univ. Frédéric-Guillaume</i> (ed. Fr. Guil. Nietack) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 815	index
<i>Colaptes</i> Swainson, 1825, in Vigors, <i>Trans. linn. Soc. London</i> , 14 (3): 457 (gender: masculine) (type species, by monotypy: <i>Cuculus auratus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 112) (Aves). Op. 67 <i>colberti</i> , <i>Rioarribasaurus</i> , Hunt & Lucas, 1991, <i>Palaeontologische Zeitschrift</i> , 65 : 191 (a junior objective synonym of <i>Coelurus bauri</i> Cope, 1887) (Reptilia, Saurischia). Op. 1842	available
<i>colchicus</i> , Phasianus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158 (specific name of the type species of <i>Phasianus</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>coleoptrata</i> , Sigara , Fabricius, [1777], <i>Genera insectorum eorumque characteres naturales secundum numerum, figuram ...</i> , p. 298, as defined by the lectotype designated by Jansson, 1986, <i>Acta Entomologica Fennica</i> , 47 : 20 (specific name of the type species of <i>Cymatia</i> Flor, 1860) (Insecta, Heteroptera). Op. 1650, Op. 1794	available
<i>coleoptratus</i> , Thysanus , Kerrich, 1953, <i>Bull. entomol. Res.</i> (London), 44 : 802 (specific name of the type species of <i>Kerrichiella</i> Rosanov, 1965) (Insecta, Hymenoptera). Op. 1143	available
<i>coli</i> , Amoeba , Grassi, 1879, <i>Gazz. med. lombarda</i> , 39 (45): 445, as conserved as a binomen under the plenary power and as interpreted by Dobell, 1919 (<i>The Amoebae living in Man</i> : 78-92; pl. I, figs. 12-15; pl. II, fig. 17; pl. IV, figs. 55-69) (specific name of the type species of <i>Entamoeba</i> Casagrandi & Barbagallo, 1895) (Rhizopoda). Op. 312	available
<i>coli</i> , <i>Amoeba</i> , Lösch, 1875, <i>Virchows Arch. path. Anat.</i> , 65 (2): 208, pl. 10, figs. 1-3 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 312	index
COLIADINAE (correction of COLIANA) Swainson, 1827, <i>Phil. Mag.</i> (n.s.), 1 (3): 188 (type genus: <i>Colias</i> Fabricius, 1807), ruled under the plenary power not to have priority over PIERIDAE Duponchel, [1835] by those who believe that their respective type genera lie in the same family-group taxon (Insecta, Lepidoptera). Direction 99, Direction 112	available
COLIANA Swainson, 1827, <i>Phil. Mag.</i> (n.s.), 1 (3): 188 (type genus: <i>Colias</i> Fabricius, 1807) (an incorrect original spelling for COLIADINAE Swainson, 1827). Direction 99	index

<i>Colias</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 284 (gender: feminine) (type species, by designation under the plenary power: <i>Papilio hyale</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 469) (Insecta, Lepidoptera). Op. 146	available
<i>olibreve</i> , Ratton, Brants, 1827, <i>Der Geslacht der Muizen door Linnaeus opgesteld</i> (Berlin): 186 (a vernacular name). Op. 1232	index
<i>Colletes</i> Latreille, 1802, <i>Histoire naturelle des fourmis</i> , p. 423 (gender: masculine) (type species, by monotypy: <i>Apis succincta</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1713	available
COLLETIDAE Lepeletier, 1841, <i>Histoire naturelle des insectes, Hyménoptères</i> , vol. 2, p. 295 (type genus: <i>Colletes</i> Latreille, 1802), ruled under the plenary power that this name and other family-group names based on <i>Colletes</i> are to be given precedence over PROSOPIDIDAE Fallén, 1813 and HYLAEIDAE Viereck, 1916 (1813) and other family-group names based on <i>Prosopis</i> Fabricius, 1804 and <i>Hylaeus</i> Fabricius, 1793 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Collignonceras</i> Breistroffer, 1947, <i>Proc. verb. mens. Soc. Sci. Dauphiné</i> , 26th year, no. 195: 5 pp. unnumbered (gender: neuter) (type species, by original designation: <i>Ammonites woollgari</i> Mantell, 1822, <i>Fossils of the South Downs</i> : 141, 197) ruled under the plenary power to be given precedence over the generic name <i>Selwynoceras</i> Warren & Stelck, 1940 whenever the two names are considered synonyms (Cephalopoda). Op. 861	available
<i>Collocalia</i> Gray, 1840, <i>List Genera Birds</i> : 8 (gender: feminine) (type species, by original designation: <i>Hirundo esculenta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 191) (Aves). Op. 457	available
<i>Colluricincla</i> Vigors & Horsfield, 1826, <i>Trans. linn. Soc. London</i> , 15 (1): 213 (gender: feminine) (type species, by monotypy: <i>Colluricincla cinerea</i> Vigors & Horsfield, 1826, <i>Trans. linn. Soc. London</i> , 15 (1): 214) (Aves). Op. 67 COLOBINAE Jerdon, 1867 (1825), <i>The Mammals of India</i> (Roorkee): 3 (type genus: <i>Colobus</i> Illiger, 1811) to be considered the senior synonym of PRESBYTINA Gray, 1825, as required by Article 40b, whenever the two names are considered to denote a single family-group taxon at a given rank (Mammalia). Op. 1202	available
<i>Colobodus</i> Agassiz, 1844, <i>Recherches sur les poissons fossiles</i> , vol. 2, <i>L'histoire de l'ordre des Ganoides</i> , p. 237 (gender: masculine) (type species, by designation under the plenary power and as defined by the neotype specimen T 4843 in the Paläontologisches Institut und Museum der Universität Zürich, <i>Colobodus bassanii</i> de Alessandri, 1910 designated by Mutter, 2003, <i>Bulletin of Zoological Nomenclature</i> , 60 : 136) (Osteichthyes). Op. 2102	available
<i>Colobopempton</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 587 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>coloboptera, Vespa</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 202, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Hymenoptera). Op. 1820	available

<i>Colobus</i> Albers, 1850, <i>Die Heliceen</i> : 177 (a junior homonym of <i>Colobus</i> Illiger, 1811). Direction 24	index
<i>Colobus</i> Audinet-Serville, 1834, <i>Ann. Soc. entomol. France</i> , 2 : 554 (a junior homonym of <i>Colobus</i> Illiger, 1811). Direction 24	index
<i>Colobus</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 69 (gender: masculine) (type species, by designation by Elliot, 1913 (<i>Review of Primates</i> , 1 : lxv; 2 : 115); <i>Cebus polykomos</i> Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 202) (Mammalia). Op. 122, Direction 24	available
<i>Colobus</i> Merrem, 1820, <i>Tent. Syst. Amph.</i> : 13, 75 (a junior homonym of <i>Colobus</i> Illiger, 1811). Direction 24	index
<i>Colobus</i> Schoenherr, 1842, <i>Gen. Spec. Curc.</i> , 6 (2): 267 (a junior homonym of <i>Colobus</i> Illiger, 1811). Direction 24	index
<i>Colomerus</i> Newkirk & Keifer, 1971, <i>Eriophyid Studies, C-5, Agriculture Research Service, U.S. Department of Agriculture</i> , p. 6 (gender: masculine) (type species, by original designation: <i>Eriophyes gardeniella</i> Keifer, 1964) (Arachnida, Acarina). Op. 1521	available
<i>Colon</i> Herbst, 1797, <i>Natursystem aller bekannten in- und ausländischen Insekten. Der Käfer</i> , part 7, p. 224 (gender: neuter) (type species, by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera, synoptiskt bearbetade</i> , vol. 1, p. 60; <i>Colon viennensis</i> Herbst, 1797), ruled under the plenary power to be the correct original spelling of <i>Kolon</i> (Insecta, Coleoptera). Op. 1810	available
<i>colon, Papilio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 531 (specific name of the type species of <i>Telicota</i> Moore, [1881]) (Insecta, Lepidoptera). Op. 831	available
<i>colonorum, Agama</i> , Daudin, [1802], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 3 : 336 (a junior objective synonym of <i>agama, Lacerta</i> , Linnaeus, 1758). Op. 565	index
<i>colorado, Agrotiphila</i> , Smith, 1891, <i>Trans. Amer. entomol. Soc.</i> , 18 : 133-135 (specific name of the type species of <i>Agrotiphila</i> Grote, 1875) (Insecta, Lepidoptera). Op. 983	available
<i>colorata, Echis</i> , Guenther, 1878, <i>Proc. zool. Soc. London</i> , 1878 : 977, ruled under the plenary power to be given precedence over the specific name <i>froenata</i> Duméril, Bibron & Duméril, 1854, as published in the binomen <i>Echis froenata</i> , whenever the two names are considered synonyms (Reptilia). Op. 1176	available
<i>Colpidium</i> Stein, 1860, <i>SitzBer. Königl.-Böhm. Ges. Wiss.</i> , 1860 (1): 47 (gender: neuter) (type species, by monotypy: <i>Paramecium colpoda</i> Losana, 1829, <i>Mem. R. Accad. Sci. Torino</i> , 29 (Class Sci. Fis. e Mat.): 45) (Ciliophora). Op. 915	available
<i>Colpocephalum</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 298 (gender: neuter) (type species, by designation under the plenary power: <i>Colpocephalum zebra</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 438) (Insecta, Mallophaga). Op. 342	available
<i>Colpoda</i> (emendation under the plenary power of <i>Kolpoda</i>) Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 56 (gender: feminine) (type species, by designation by Taylor & Furgason, 1938 (<i>Arch. Protistenk.</i> , 90 : 321); <i>Kolpoda cucullus</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 58) (Ciliophora). Op. 915	available

<i>colpoda</i> (emendation under the plenary power of <i>kolpoda</i>), Paramecium , Losana, 1829, <i>Mem. R. Accad. Sci. Torino</i> , 29 (Class Sci. Fis. e Mat.): 45 (specific name of the type species of Colpidium Stein, 1860) (Ciliophora). Op. 915	available
Coluber Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 216 (gender: masculine) (type species, by designation by Fitzinger, 1843 (<i>Systema reptilium</i> , Fasc. 1, Amblyglossae: 26): Coluber constrictor Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 216) (Reptilia). Op. 1201	available
coluber , Holothuria , Semper, 1868, <i>Reisen im Archipel der Philippinen</i> , 2 : 90 (Holothuroidea). Op. 762	available
Colubraria Schumacher, 1817, <i>Essai d'un nouveau système des habitations des vers testacés ...</i> , p. 76 (gender: feminine) (type species, by monotypy: Colubraria granulata Schumacher, 1817) (Gastropoda). Op. 1765	available
COLUBRIDAE Oppel, 1811, <i>Die Ordnungen, Familien und Gattungen der Reptilien</i> , ... (Munich, Lindauer): 217 (type genus: Coluber Linnaeus, 1758) (Reptilia). Op. 1201	available
Columba Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 162 (gender: feminine) (type species, by designation by Vigors, 1825 (<i>Trans. linn. Soc. London</i> , 14 : 481): Columba oenas Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 162) (Aves). Direction 38	available
<i>columbarum</i> , Acarus , Shaw, 1793, <i>Nat. Miscell.</i> , 4 : text to pl. 108 (a nomen nudum). Direction 90	index
Columbella Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 70 (gender: feminine) (type species, by monotypy: Voluta mercatoria Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 730) (Gastropoda). Op. 94 <i>Columbelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	available
columbia , Selkirkia , Conway Morris, 1977, <i>Special Pap. Palaeontology</i> (No. 20): 33 (valid name at the date of Opinion 1337 of the type species of Selkirkia Walcott, 1911 (Priapulida). Op. 1337	available
columbianus , Euderus , Ashmead, 1888, <i>Can. Entomol.</i> , 20 : 103 (specific name of the type species of Galeopsomyia Girault, 1916) (Insecta, Hymenoptera). Op. 1351	available
Columbigallina Boie, 1826, <i>Isis</i> (Oken), 1826 : 977 (gender: feminine) (type species, by monotypy: Columba passerina Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 165) (Aves). Direction 35	available
<i>Columbigallina</i> Oken, 1817, <i>Isis</i> (Oken), 1817 : 1184 (a nomen nudum). Direction 35	index
<i>Columbigallus</i> Streubel, 1842, in Ersch & Grube, <i>Allg. Ency.</i> , (3) 17 : 94 (an unjustified emendation of Columbigallina Boie, 1826). Direction 35	index
Columbina Spix, 1825, <i>Avium. Spec. nov. Brasil.</i> , 2 : 57 (gender: feminine) (type species, by designation by Gray, 1841 (<i>List Genera Birds</i> (ed. 2): 75): Columbina strepitans Spix, 1825, <i>Avium Spec. nov. Brasil.</i> , 2 : 57) (Aves). Direction 35	available

<i>Columbus</i> [Tunstall], 1771, <i>Ornithol. Brit.</i> : [2] (an incorrect subsequent spelling for <i>Columba</i> Linnaeus, 1758, and included in a work rejected for nomenclatural purposes). Direction 38	available
<i>Columbus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 84 (an incorrect original spelling for <i>Colymbus</i> Linnaeus, 1758). Direction 38	index
<i>columnares, Asterias</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 60 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>columnaris, Decastis</i> , Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 305 (specific name of the type species of <i>Decastis</i> Ameghino, 1891) (Mammalia). Op. 1241	available
<i>colus, Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 753 (specific name of the type species of <i>Fusinus</i> Rafinesque, 1815) (Gastropoda). Op. 1765	available
COLYDIIDAE Erichson, 1842, <i>Archiv für Naturgeschichte</i> , 8 : 213 (type genus: <i>Colydium</i> Fabricius, 1792), ruled under the plenary power that this name and other family-group names based on <i>Colydium</i> are to be given precedence over CERYLONIDAE Billberg, 1820 and ORTHOCEPINI Blanchard, 1845 (1820) and other family-group names based on <i>Cerylon</i> Latreille, 1802 and <i>Orthocerus</i> Latreille, 1796 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1811	available
<i>Colydium</i> Fabricius, 1792, <i>Entomologia Systematica</i> , vol. 1, part 2, p. 495 (gender: neuter) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides et des insectes</i> , p. 431: <i>Bostrichus elongatus</i> Fabricius, 1787) (Insecta, Coleoptera). Op. 1811	available
COLYMBIDAE Coues, 1903, <i>Key N. Amer. Birds</i> (ed. 5), 2 : 104 (type genus: <i>Colymbus</i> Linnaeus, 1758, correctly treated as having <i>Colymbus cristatus</i> Linnaeus, 1758 as type species) (invalid because the name of the type genus has been suppressed under the plenary power). Direction 75	index
COLYMBIDAE Shaw, 1824, <i>Gen. Zool. (Aves)</i> , 12 : 230 (type genus: <i>Colymbus</i> Linnaeus, 1758, incorrectly treated as having <i>Colymbus immer</i> Brünnich, 1764 as type species) (invalid (i) because the name of the type genus has been suppressed under the plenary power and (ii) because based upon an incorrectly determined type genus). Direction 75	index
<i>Colymbus</i> Hadding, 1913, <i>Lunds Univ. Arssk. (n.f.)</i> , 9 (2) (No. 15): 79 (a junior homonym of <i>Colymbus</i> Linnaeus, 1758). Op. 401	index
<i>Colymbus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 135 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 401	index
<i>Colymbus</i> Paetel, 1875, <i>Fam. Gatt. Moll.</i> : 50 (a junior homonym of <i>Colymbus</i> Linnaeus, 1758). Op. 401	index
<i>comanthi, Pontoniopsis</i> , Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 213 (specific name of the type species of <i>Pontoniopsis</i> Borradaile, 1915) (Crustacea, Decapoda). Op. 559	available

<i>comata</i> , <i>Bohemilla</i> , Vejdovsky, 1883, <i>Sitzungsberichte der Königlichen Böhmischen Gesellschaft der Wissenschaften</i> (Prag), 1883 : 218 (specific name of the type species of <i>Vejdovskyella</i> Michaelsen, 1903) (Oligochaeta). Op. 1835	available
<i>comatularum</i> , <i>Alpheus</i> , Haswell, 1882, <i>Proc. linn. Soc. N.S. Wales</i> , 6 : 762 (valid name at the date of Opinion 470 of the type species of <i>Synalpheus</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>comatus</i> , <i>Scarabaeus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 61 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cometa</i> , <i>Diplograpsus</i> [sic], Geinitz, 1852, <i>Verstein. Grauwackenform.</i> , 1 : 26 (specific name of the type species of <i>Cephalograptus</i> Hopkinson, 1869) (Graptolithina). Op. 650	available
<i>Cominella</i> Gray, 1850, <i>Figs. moll. Anim.</i> , 4 : 72 (gender: feminine) (type species, by designation by Iredale, 1918 (<i>Proc. malac. Soc. London</i> , 13 (1/3): 34): <i>Buccinum testudineum</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers, 1 (1): 266, valid name: <i>Buccin[um] maculosum</i> Martyn, 1784) (Gastropoda). Op. 479	available
COMINELLIDAE Fischer, 1884, <i>Man. Conchyl.</i> : 624 (type genus: <i>Cominella</i> Gray, 1850) (Gastropoda). Op. 479	available
<i>comma</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 484 (specific name of the type species of <i>Hesperia</i> Fabricius, 1793) (Insecta, Lepidoptera). Op. 1240	available
<i>commensalis</i> , <i>Stegopontonia</i> , Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 258 (specific name of the type species of <i>Stegopontonia</i> Nobili, 1906) (Crustacea, Decapoda). Op. 470	available
<i>commersonianus</i> , <i>Stolephorus</i> , [Lacepède, 1803], <i>Smithson. misc. Coll.</i> , 73 (4): 1, 2 (a name published inadvertently in 1926 in Opinion 93, in error for <i>Stolephorus commersonii</i> Lacepède, 1803, in the same binomen). Op. 749	index
<i>commersonii</i> , <i>Stolephorus</i> , Lacepède, 1803, <i>Hist. nat. Poiss.</i> , 5 : 381 (specific name of the type species of <i>Stolephorus</i> Lacepède, 1803) (Osteichthyes). Op. 749	available
<i>Cominella</i> Kittl, 1887, <i>Ann. Naturh. Hofmus. Wien</i> , 2 : 250 (an incorrect subsequent spelling for <i>Cominella</i> Gray, 1850). Op. 479	index
<i>commune</i> , <i>Phyllosoma</i> , Leach, 1818, <i>J. Phys. Chim. Hist. nat.</i> , 86 : 307 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 507	index
<i>communis</i> , <i>Ammonites</i> , Sowerby, 1815, <i>Min. Conch.</i> , 2 : 10 (specific name of the type species of <i>Dactylioceras</i> Hyatt, 1867) (Cephalopoda). Op. 576	available
<i>communis</i> , <i>Coturnix</i> , Bonaterre, 1791, <i>Ency. méth., Orn.</i> , 1 : 217 (a junior objective synonym of <i>coturnix</i> , <i>Tetrao</i> , Linnaeus, 1758). Direction 44	index
<i>communis</i> , <i>Monograptus convolutus</i> var., Lapworth, 1876, <i>Geol. Mag.</i> , 13 : 358, pl. xiii, figs. 4a, b (Graptolithina). Op. 571	available

<i>communis</i> , <i>Palaemon</i> , Anslijn, 1826, <i>Natuurk. Verh. Wetensch. Haarlem</i> , 15 : 262 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 564	index
<i>complanata</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 769 (Gastropoda). Op. 336	available
<i>complanatus</i> , <i>Julus</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 502 (specific name of the type species of <i>Polydesmus</i> Latreille, [1802]) (Diplopoda). Direction 67	available
<i>complanatus</i> , <i>Lumbricus</i> , Dugès, 1828, <i>Annales des Sciences Naturelles</i> , 15 : 289 (specific name of the type species of <i>Octodrilus</i> Omodeo, 1956) (Oligochaeta). Op. 1403	available
<i>compressa</i> , <i>Ephyra</i> , de Haan, [1844], in Siebold, <i>Fauna japon.</i> (Crust.): pl. 46, fig. 7 (specific name of the type species of <i>Paratya</i> Miers, 1882) (Crustacea, Decapoda). Op. 470, Direction 85	available
<i>compressa</i> , <i>Millepora</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 792 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 967	index
<i>compressa</i> , <i>Millepora</i> , Sowerby, 1805, <i>Brit. Miscell.</i> , 1 : 83, as interpreted by the neotype designated by Ryland, 1969 (<i>Bull. zool. Nomencl.</i> , 26 : 60) and as conserved under the plenary power (specific name of the type species of <i>Porella</i> Gray, 1848) (Bryozoa). Op. 967	available
<i>compressipes</i> , <i>Penaeus</i> , Henderson, 1893, <i>Trans. linn. Soc. London, Zool.</i> , (2) 5 : 450 (specific name of the type species of <i>Atypopenaeus</i> Alcock, 1905) (Crustacea, Decapoda). Op. 864	available
<i>compressus</i> , <i>Anchistiooides</i> , Paulson, 1875, <i>Issled. Rakoobr. krasn. Morja [Stud. Crust. Red Sea]</i> : 115 (specific name of the type species of <i>Anchistiooides</i> Paulson, 1875) (Crustacea, Decapoda). Op. 470	available
<i>compressus</i> , <i>Eugeniacrinites</i> , Goldfuss, 1829, <i>Petrefacta Germaniae</i> , Bd. 1, Lief. 2, p. 164 (specific name of the type species of <i>Gammarocrinites</i> Quenstedt, 1857) (Crinoidea). Op. 2155	available
<i>comptonii</i> , <i>Cypraea</i> , Gray, 1847, <i>Juke's Voyage of H.M.S. Fly</i> , 2 Appendix: 356 (Gastropoda). Op. 1197	available
<i>Compylirynchus</i> Hummel, 1823, <i>Essais Entomologiques</i> , vol. 1, no. 3, p. 24 (an incorrect subsequent spelling of <i>Campylirynchus</i> Dejean, 1821) (Insecta, Coleoptera). Op. 1529	index
<i>conaxis</i> , <i>Strombodes</i> , McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 3 : 10, pl. 49 (a junior objective synonym of <i>floriformis</i> , <i>Erismatolithus Madreporites</i> , Martin, 1809). Op. 419	index
<i>concava</i> , <i>Orbulites</i> , Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 2, p. 197 (specific name of the type species of <i>Orbitolina</i> d'Orbigny, 1850) (Foraminiferida). Op. 1587	available

<i>concavus</i> , <i>Ammonites</i> , Sowerby, 1815, <i>Min. Conch.</i> , 1 : 214, pl. 94, as interpreted by reference to the holotype, refigured by Buckman, 1887 (<i>Monogr. Inf. Oolite Ammonites</i> (Palaeontogr. Soc.): pl. 2, figs. 6, 7) (specific name of the type species of <i>Ludwigella</i> Buckman, 1901) (Cephalopoda). Op. 324	available
<i>Conchaecia</i> Dana, 1849, <i>Proc. amer. Acad. Arts Sci.</i> , 2 : 51-53 (ruled under the plenary power to be an incorrect original spelling for <i>Conchoecia</i> Dana, 1849). Op. 534	index
<i>Conchella</i> Gray, 1848, <i>List of the specimens of British animals in the collection of the British Museum. Part 1. Centroniae or radiated animals</i> , p. 88 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1485	index
<i>Conchidium</i> Bronn, 1848, <i>Index palaeontol.</i> , 1 : 322 (not made available in the work cited). Op. 297	index
<i>Conchidium</i> Hisinger, 1799, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 19 : 285 (not made available in the work cited). Op. 297	index
<i>Conchidium</i> Oehlert, 1887, in Fischer, <i>Manuel Conchyl.</i> , (11): 1311 (gender: neuter) (type species, by original designation: <i>Anomia bilocularis</i> Hisinger, 1799, <i>K. Vetensk. Akad. Nya Handl.</i> , Stockholm, 19 : 285) (Brachiopoda). Op. 297	available
<i>Conchidium</i> Wahlenberg, 1821, <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 63, 67 (not made available in the work cited). Op. 297	index
<i>Conchiosaurus</i> Meyer, [1833], <i>Museum Senckenbergianum. Abhandlungen aus dem Gebiete der beschriebenden Naturgeschichte</i> , 1 (1): 8 (gender: masculine) (type species, by monotypy: <i>Conchiosaurus clavatus</i> Meyer, [1833]), ruled under the plenary power not to be given priority over <i>Nothosaurus</i> Münster, 1834 whenever the two are considered to be synonyms (Reptilia, Sauropterygia). Op. 1907	available
<i>Conchodytes</i> Peters, 1852, <i>Ber. Bekannt. geeignet. Verh. K.-preuss. Akad. Wiss.</i> , Berlin, 1852 : 588, 591 (gender: masculine) (type species, by designation by Hilgendorf, 1879 (<i>Monatsber. K.-preuss. Akad. Wiss.</i> , Berlin, 1878 : 835); <i>Conchodytes tridacnae</i> Peters, 1852, <i>Ber. Bekannt. geeignet. Verh. K.-preuss. Akad. Wiss.</i> , Berlin, 1852 : 594) (Crustacea, Decapoda). Op. 383	available
<i>Conchoecia</i> (emendation under the plenary power of <i>Conchaecia</i>) Dana, 1849, <i>Proc. amer. Acad. Arts Sci.</i> , Boston, 2 : 51-53 (gender: feminine) (type species, by designation under the plenary power: <i>Conchoecia magna</i> Claus, 1874, <i>Schriften zool. Inhalts</i> , Wien, 1 : 6, pl. 1, fig. 6c; pl. 2, figs. 16, 18) (Crustacea, Ostracoda). Op. 534	available
CONCHOECIDAE Sars, [1866], <i>Forh. Vidensk.-Selsk. Christiana</i> , 7 : 114 (type genus: <i>Conchoecia</i> Dana, 1849) (an incorrect original spelling for CONCHOECIIDAE Sars, [1866]). Op. 534	index
CONCHOECIIDAE (correction of CONCHOECIDAE) Sars, [1866], <i>Forh. Vidensk.-Selsk. Christiana</i> , 7 : 114 (type genus: <i>Conchoecia</i> Dana, 1849) for use by those who regard this name as representing a taxon distinct from HALOCYPRIDIIDAE Dana, [1853] (Crustacea, Ostracoda). Op. 534	available

<i>conchyliophorus</i> , <i>Trochus</i> , Born, 1780, <i>Testacea Musei Caesarei Vindobonensis</i> : 333 (valid name at the date of Opinion 715 of the type species of <i>Xenophora</i> Fischer von Waldheim, 1807) (Gastropoda). Op. 715	available
<i>concinna</i> , <i>Haemaphysalis</i> , Koch, 1844, <i>Arch. Naturgesch.</i> , 10 (1): 237 (specific name of the type species of <i>Haemaphysalis</i> Koch, 1844) (Arachnida). Direction 67	available
<i>concinnus</i> , <i>Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia ...</i> , p. 21 (Insecta, Coleoptera). Op. 2053	available
<i>concinnus</i> , <i>Staphylinus</i> , Marsham, 1802, <i>Coleoptera Britannica</i> , vol. 1, p. 510, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. concinnus</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2053	available
<i>Concolepadigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>concolor</i> , <i>Amblyonyx</i> , Rafinesque, 1832, <i>Atlantic J.</i> , 1 (2): 62 (specific name of the type species of <i>Amblyonyx</i> Rafinesque, 1832) (Mammalia). Op. 384	available
<i>concolor</i> , <i>Crotalus durissus</i> var., Garman (by whom this name was attributed to Jan), 1883, <i>Mem. Mus. comp. Zool.</i> , 8 : 175 (published in synonymy without independent indication, definition or description). Op. 339	index
<i>concolor</i> , <i>Crotalus durissus</i> var., Gloyd (by whom this name was attributed to Jan), 1940, <i>Spec. Publ. Chicago Acad. Sci.</i> , 4 : 171 (published in synonymy without independent indication, definition or description). Op. 339	index
<i>concolor</i> , <i>Crotalus durissus</i> var., Jan, 1859, <i>Rev. Mag. Zool.</i> , (2) 10 : 153 (also often cited by title of paper: <i>Prodrome Iconograph. descr. Ophid.</i> : 153) (a nomen nudum). Op. 339	index
<i>concolor</i> , <i>Crotalus</i> , Woodbury, 1929, <i>Bull. Univ. Utah</i> , 20 (6): 3 (also numbered ‘Biol. Ser., 1(2)’) (Reptilia). Op. 339	available
<i>condylatus</i> , <i>Cancer</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 324 (specific name of the type species of <i>Herbstia</i> Milne Edwards, 1834) (Crustacea, Decapoda). Op. 712	available
<i>Condylocardia</i> Bernard, 1896, <i>Bull. Mus. Hist. nat. Paris</i> , 2 : 195 (gender: feminine) (type species, by designation by Bernard, 1897 (<i>J. Conchyliol.</i> , 44 : 175): <i>Condylocardia sanctipauli</i> Bernard, 1896, <i>Bull. Mus. Hist. nat. Paris</i> , 2 : 196) (Bivalvia). Op. 872	available
CONDYLOCARDIIDAE (correction of CONDYLOCARDIDÉS) Bernard, 1896, <i>Bull. Mus. Hist. nat. Paris</i> , 2 : 195 (type genus: <i>Condylocardia</i> Bernard, 1896) (Bivalvia). Op. 872	available
<i>Condylura</i> Barnes, 1826, <i>Amer. J. Sci.</i> , 11 : 278 (a junior homonym of <i>Condylura</i> Illiger, 1811). Direction 24	index
<i>Condylura</i> Berthold, 1827, <i>in Latreille, Nat. Fam. Thierr.</i> : 269; <i>id.</i> , 1829, <i>in Cuvier, Règne Anim.</i> (ed. 2), 4 : 153 (a junior homonym of <i>Condylura</i> Illiger, 1811). Direction 24	index

<i>Condylura</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 125 (gender: feminine) (type species, by designation by True, 1896 (<i>Proc. U.S. nat. Mus.</i> , 19 (1101): 77): <i>Sorex cristatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 53) (Mammalia). Op. 91, Direction 24	available
<i>Condylurus</i> Blainville, 1838, <i>Ann. franç. étrang. Anat. Phys.</i> , 2 : 219 (an unjustified emendation of <i>Condylura</i> Illiger, 1811). Direction 24	index
<i>Condytura</i> Bell, 1839, in Todd, <i>Cyclop. Anat. Physiol.</i> , 2 : 996 (an incorrect subsequent spelling for <i>Condylura</i> Illiger, 1811). Direction 24	index
<i>Conepatus</i> Gray, 1837, <i>Mag. nat. Hist.</i> (n.s.), 1 : 581 (gender: masculine) (type species, by monotypy: <i>Conepatus humboldtii</i> Gray, 1837, <i>Mag. nat. Hist.</i> (n.s.), 1 : 581) (Mammalia). Op. 384	available
<i>confluens</i> , <i>Corisa</i> , Fieber, 1851, <i>Species generis Corisa</i> , p. 18, a preprint from <i>Abhandlungen der Königlichen Böhmischen Gesellschaft der Wissenschaften</i> , (5) 7 : 230 (1852) (Insecta, Heteroptera). Op. 1795	available
<i>confusus</i> , <i>Ammonites</i> , Quenstedt, 1856, <i>Der Jura</i> , p. 127 (specific name of the type species of <i>Microceras</i> Hyatt, 1867) (Ammonoidea). Op. 2123	available
<i>Conger</i> Cuvier, 1817, <i>Règne Anim.</i> , (ed. 1), 2 : 231 (not made available in the work cited). Direction 87	index
<i>Conger</i> Houttuyn, 1764, <i>Natuurl. Hist.</i> (Deel 1), 7 : 103 (not made available in the work cited). Direction 87	index
<i>Conger</i> Oken, 1817, <i>Isis</i> (Oken), 1817 : 1181 (gender: masculine) (type species, by absolute tautonomy: <i>Muraena conger</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 245) (Osteichthyes). Op. 93, Direction 87	available
<i>Conger</i> Schaeffer, 1760, <i>Epistola Stud. ichthyol. meth.</i> : 20 (included in a work rejected for nomenclatural purposes). Direction 87	index
<i>Conger</i> Walbaum, 1792, <i>Artedi Ichthyol.</i> (ed. 2), 3 : 580 (included in a work rejected for nomenclatural purposes). Direction 87	index
<i>conger</i> , <i>Muraena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 245) (specific name of the type species of <i>Conger</i> Oken, 1817) (Osteichthyes). Direction 87	available
<i>conglobator</i> , <i>Oniscus</i> , Pallas, 1766, <i>Miscellanea zoologica</i> , p. 194 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Isopoda). Op. 1574	index
<i>conica</i> , <i>Pangonia</i> , Bigot, 1857, <i>Ann. Soc. entomol. France</i> , 5 : 278 (specific name of the type species of <i>Mycteroomyia</i> Philippi, 1865) (Insecta, Diptera). Op. 1238	available
<i>conicum</i> , <i>Acrydium</i> , Olivier, 1791, <i>Ency. méth.</i> , 6 : 230 (valid name at the date of Opinion 969 of the type species of <i>Pyrgomorpha</i> Audinet-Serville, [1838]) (Insecta, Orthoptera). Op. 969	available
CONIDOPHYRIDAE Kirby, 1941, <i>Protozoa in biological research</i> , p. 954 (type genus: <i>Conidophrys</i> Chatton & Lwoff, 1934) (Ciliophora). Op. 2106	available

<i>Conidophrys</i> Chatton & Lwoff, 1934, <i>Comptes Rendus des Séances de l'Académie des Sciences (Paris)</i> , 199 (16): 697 (gender: feminine) (type species, by original designation: <i>Conidophrys pilisuctor</i> Chatton & Lwoff, 1934) (Ciliophora). Op. 2106	available
<i>Conigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Coniporus</i> Thomson, 1859, <i>Skandinaviens Coleoptera, synoptiskt bearbetade</i> , vol. 1, p. 90 (a junior objective synonym of <i>Aspidiphorus</i> Ziegler in Dejean, 1821) (Insecta, Coleoptera). Op. 1862	index
<i>connubialis</i> , <i>Catocala</i> , Guénée, 1852, <i>Histoire naturelle des insectes. Species général des Lépidoptères</i> , vol. 7 (Noctuelites), part 3, p. 105 (Insecta, Lepidoptera). Op. 1774	available
<i>conocephali</i> , <i>Cryptothrips</i> , Karny, 1913, <i>Bulletin du Jardin Botanique de Buitenzorg</i> , 2 : 98 (specific name of the type species of <i>Eugynothrips</i> Priesner, 1926) (Insecta, Thysanoptera). Op. 1442	available
<i>Conochinus</i> Dohrn, 1859, <i>Cat. Hemipt.</i> : 48 (an incorrect subsequent spelling for <i>Conorhinus</i> Laporte, [1833]). Direction 63	index
<i>conoidea</i> , <i>Bulla</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1185 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 841	index
<i>conoidea</i> , <i>Helix</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 68 (specific name of the type species of <i>Cochlicella</i> Féruccac, 1821) (Gastropoda). Op. 335	available
<i>Conoideus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Conomelus</i> Fieber, 1866, <i>Verh. zool.-bot. Ges. Wien</i> , 16 : 520 (gender: masculine) (type species, by designation under the plenary power: <i>Delphax anceps</i> Germar, 1821, <i>Mag. Entomol.</i> , 4 : 105) (Insecta, Hemiptera). Op. 648	available
<i>Conorchinus</i> Spinola, 1852, <i>Mem. Soc. Modena</i> , 25 : 86 (an incorrect subsequent spelling for <i>Conorhinus</i> Laporte, [1833]). Direction 63	index
<i>Conorhinus</i> Laporte, [1833], <i>Essai Syst. Class. Hémipt.</i> : 78 (<i>Mag. Zool.</i> , 2 , Suppl.) (a junior objective synonym of <i>Triatoma</i> Laporte, [1832]). Direction 63	index
<i>Conorrhinus</i> Jeannel, 1919, in Alluaud & Jeannel, <i>Voy. Afr. orient.</i> , Ins. Hemipt. (3): 176, 177 (an incorrect subsequent spelling for <i>Conorhinus</i> Laporte, [1833]). Direction 63	index
<i>conradi</i> , <i>Acantholoma</i> [sic], Castelnau, 1843, <i>Essai Syst. silur. Amér. sept.</i> : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 498	index
<i>consanguinea</i> , <i>Davila</i> , Distant, 1893, <i>Biol. centr.-Amer.</i> , Heteroptera, 1 Suppl.: 395 (specific name of the type species of <i>Peggichisme</i> Kirkaldy, 1904) (Insecta, Hemiptera). Op. 1284	available

<i>consimilis</i> , Berytus , Horváth, 1885, <i>Rev. Entomol.</i> , 4 : 320-324, as interpreted by the lectotype designated by Péricart, 1976 (<i>Bull. zool. Nomencl.</i> , 32 : 255, 256) (Insecta, Hemiptera). Op. 1191	available
<i>conspicuus</i> , Tanystropheus , von Meyer, [1852], <i>Zur Fauna der Vorwelt</i> (2): 42 (specific name of the type species of Tanystropheus von Meyer, [1852]) (Reptilia). Op. 1186	available
<i>constricta</i> , Monodonta , Lamarck, 1822, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 7 (Histoire des mollusques), p. 36 (specific name of the type species of Austrocochlea Fischer, 1885) (Gastropoda). Op. 1930	available
<i>constricta</i> , Nuculites , Conrad, 1842, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 249, pl. 15, fig. 8 (specific name of the type species of Palaeoneilo (emendation of <i>Palaeaniilo</i>) Hall, 1869) (Bivalvia). Op. 215	available
<i>constricta</i> , <i>Sminthopsis murina</i> var., Spencer, 1896, <i>Rep. Horn Exped. Central Australia</i> (2), Zoology: 33 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1198	index
<i>constricta</i> , Tachyusa , Erichson, 1837, <i>Käf. Mark Brandenb.</i> , 1 : 307 (specific name of the type species of Tachyusa Erichson, 1837) (Insecta, Coleoptera). Op. 600	available
<i>Constrictor</i> Laurenti, 1768, <i>Specimen medicum exhibens synopsin Reptilium emendatam</i> ... (Viennae): 106 (a junior objective synonym of Boa Linnaeus, 1758). Op. 1045	index
<i>constrictor</i> , Boa , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 215 (specific name of the type species of Boa Linnaeus, 1758) (Reptilia). Op. 1045	available
<i>constrictor</i> , Coluber , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 216 (specific name of the type species of Coluber Linnaeus, 1758) (Reptilia). Op. 1201	available
<i>Consul</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Consul</i> Hübner, [1807], <i>Sammel. exot. Schmett.</i> , 1 : pl. [148] (gender: masculine) (type species, by monotypy: Papilio fabius Cramer, [1776], <i>Uitl. Kapellen</i> , 1 (8): 141, pl. 90, figs. C, D) (Insecta, Lepidoptera). Op. 278	available
<i>connectum</i> , Cyclostoma , Millet, 1813, <i>Moll. terr. fluv. obs. Dépt. Maine et Loire</i> : 5, as interpreted by the lectotype designated by Forcart, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 46) (Gastropoda). Op. 573	available
<i>contorta</i> , Helix , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 770 (Gastropoda). Op. 336	available
<i>contractus</i> , Curculio , Geoffroy in Fourcroy, 1785, <i>Entomologia parisiensis: sive Catalogus Insectorum quae in Agro Parisiensi reperiuntur: secundum methodum Geoffraeanam in sectiones, genera et specibus distributus: cui addita sunt nomina trivialia et fere trecentae novae species</i> , p. 126, all uses of the name before Marsham (1802) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Coleoptera) Op. 2192	index
<i>contractus</i> , Curculio , Marsham, 1802, <i>Coleoptera Britannica, sistens Insecta Coleoptera Britanniae indigena, secundum methodum Linnaeanam disposita</i> , p. 250 (Coleoptera) Op. 2192	available

<i>Conulus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Conulus</i> Fitzinger, 1833, <i>Beitr. Landesk. Oesterreich. Enns</i> , 3 : 94 (a junior homonym of <i>Conulus</i> Leske, 1778). Op. 335	index
<i>convexa, Ocypode (Chasmagnathus)</i> , de Haan, [1835], <i>in</i> Siebold, <i>Fauna japon.</i> (Crust.): 28, 56 (conserved under the plenary power) (specific name of the type species of <i>Chasmagnathus</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 86	available
<i>convexus, Ocypode</i> , Quoy & Gaimard, 1825, <i>in</i> Freycinet, <i>Voy. autour Monde ‘Uranie’ & ‘Physicienne’</i> (Zool.): 525 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 86	index
<i>convexus, Ruppellioides</i> , Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 279 (specific name of the type species of <i>Ruppellioides</i> Milne Edwards, 1867) (Crustacea, Decapoda). Direction 36	available
<i>conyzae, Euribia</i> , Hering, 1933, <i>Amateur de Papillons</i> , 6 : 309, ruled under the plenary power not to be given priority over the specific name of <i>Euribia jaceana</i> Hering, 1935 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1619	available
<i>Cookia</i> Lesson, [1832], <i>Illustr. Zool.</i> , (5): pl. 15 (gender: feminine) (type species, by monotypy and through Opinion 479 and Article 67e (1961 Code): <i>Turbo sulcatus</i> Gmelin, [1791], <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3592, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 1 : fig. 75)) (Gastropoda). Op. 479	available
<i>Cookia</i> Silvestri, 1896, <i>Nat. sicil.</i> (n.s.), 1 : 158 (a junior homonym of <i>Cookia</i> Lesson, [1832]). Op. 479	index
<i>coombii, Cypraea</i> , Sowerby in Dixon, 1850, <i>The geology and fossils of the Tertiary and Cretaceous formations of Sussex</i> , p. 188, pl. 8, fig. 6, ruled to retain priority over <i>Ovula gisortiana</i> Passy, 1859 whenever the two names are considered to be synonyms (Gastropoda). Op. 2107	available
<i>copei, Anolis</i> , Bocourt, 1873, <i>in</i> Duméril, Bocourt & Mocquard (Eds.), <i>Recherches Zoologiques</i> , vol. 3, (Section 1). Etudes sur les reptiles et les Batraciens. <i>Mission Scientifique au Mexique et dans l’Amérique Centrale</i> , p. 77 (a junior objective synonym of <i>Dactyloa biporcata</i> Wiegmann, 1834) (Reptilia). Op. 2015	index
<i>Cophixalus</i> Boettger, 1892, <i>Katalog der Batrachier-Sammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft im Frankfurt-am-Main</i> (Knauer, Frankfurt): 24 (gender: masculine) (type species, by designation under the plenary power: <i>Sphenophryne verrucosa</i> Boulenger, 1898, <i>Annali Mus. Genova</i> , (2) xviii: 707) (Amphibia). Op. 1266	available
<i>coppingeri, Camptopanax</i> , Miers, 1884, <i>Rep. Voy. ‘Alert’</i> : 239 (specific name of the type species of <i>Camptopanax</i> Miers, 1884) (Crustacea, Decapoda). Direction 36	available
<i>Coppinia</i> Hassall, 1848, <i>Zoologist</i> , 6 : 2223 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1485	index

- Coprinisphaera** Sauer, 1955, *Boletín del Instituto de Ciencias Naturales del Ecuador*, 1(2): 123 ruled under the plenary power to be given precedence over the name *Fontanai* Roselli, 1939, whenever the two are considered to be synonyms (Ichnotaxa) Op. 2211 available
- Copris** Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de Paris*, vol. 1, p. 87 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, *Considerations générales sur ... les classes des crustacés, des arachnides et des insectes*, p. 428: *Scarabaeus lunaris* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754 available
- Coproica** Rondani, 1861, *Dipterologiae italicae prodromus. Species Italicae ordinis Dipterorum ...*, vol. 4, p. 10 (gender: feminine) (type species, by designation under the plenary power: *Limosina acutangula* Zetterstedt, 1847) (Insecta, Diptera). Op. 1839 available
- Coprophilus** Latreille, 1829, *Le règne animal ...*, (Ed. Cuvier), Ed. 2, vol. 4, p. 439 (gender: masculine) (type species, by designation under the plenary power: *Staphylinus striatulus* Fabricius, 1792) (Insecta, Coleoptera). Op. 1722 available
- Coptorhinus* Dejean, 1833, *Catalogue des coléoptères de la collection de M. le Comte Dejean*, Ed. 2, part 2, p. 152 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1838 index
- Coptorhinus* Guérin Méneville, [1838], Crustacés, arachnides et insectes. In Duperrey (Ed.), *Voyage autour du monde ... sur la corvette de Sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825 ... Zoologie*, vol. 2, part 2, p. 72 (a junior homonym of *Coptorhinus* Dejean, 1833) (Insecta, Coleoptera). Op. 1838 index
- Cor Bertrand*, 1763, *Dict. Univ. Foss. Propres Foss. Accid.*, 2: 104 (included in a work rejected for nomenclatural purposes). Op. 592 index
- cor, Terebratula*, Bruguière, 1792, *Choix des mémoires ... formant les collections du Journal d'Histoire naturelle*, vol. 1, p. 425 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Brachiopoda). Op. 1466 index
- Cora Bonaparte*, 1854, *Ann. Sci. nat.*, Paris, (4)1(3): 138 (a junior homonym of *Cora* Selys, 1853). Op. 632 index
- Cora Jan*, 1863, *Elenco sist. Ofidi*: 74 (a junior homonym of *Cora* Selys, 1853). Op. 632 index
- CORACES** Naumann, 1822, *Natur. Vögel Deutschl.*, 2: i, 3 (type genus: **Coracias** Linnaeus, 1758) (an incorrect subsequent spelling for **CORACIIDAE** (correction of **CORACINIA**) Rafinesque, 1815). Direction 58 index
- Coracia Brisson*, 1760, *Ornithologia*, 2: 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 404 index
- Coracia Hübner*, [1819], *Verz. bekannt. Schmett.*, (11): 168 (a junior homonym of *Coracia* Brisson, 1760). Op. 404 index
- Coracia Mörch*, 1865, *J. Conchyliol.*, 13: 385 (a junior homonym of *Coracia* Brisson, 1760). Op. 404 index

CORACIANAE Gray, 1840, <i>List Gen. Birds</i> : 9 (type genus: <i>Coracias</i> Linnaeus, 1758) (an incorrect subsequent spelling for CORACIIDAE (correction of CORACINIA) Rafinesque, 1815). Direction 58	index
<i>Coracias</i> Herrmannsen, 1847, <i>Indicis Gen. Malacoz. Primordia</i> , 1 : 303 (a junior homonym of <i>Coracias</i> Linnaeus, 1758). Op. 404	index
<i>Coracias</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 107 (gender: masculine) (type species, by designation by Selby, 1825 (<i>Ill. brit. Ornith.</i> , 1 (Landbirds): xxvii): <i>Coracias garrulus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 107) (Aves). Op. 404	available
CORACIIDAE (correction of CORACINIA) Rafinesque, 1815, <i>Analyse Nature</i> : 67 (type genus: <i>Coracias</i> Linnaeus, 1758) (Aves). Direction 58	available
<i>coracina, Phalaena</i> , Esper, 1805, <i>Die europäischen Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen</i> , teil 4, Abschn. 2: 74, ruled under the plenary power to be given precedence over the specific name <i>hirtata</i> Fabricius, 1794, as published in the binomen <i>Phalaena hirtata</i> , whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1362	available
CORACINIA Rafinesque, 1815, <i>Analyse Nature</i> : 67 (type genus: <i>Coracias</i> Linnaeus, 1758) (an incorrect original spelling for CORACIIDAE Rafinesque, 1815). Direction 58	index
<i>Coracius</i> Deby, 1845, <i>Zoologist</i> , 3 : 1021 (an incorrect subsequent spelling for <i>Coracias</i> Linnaeus, 1758). Direction 58	index
<i>corallinus, Hippurites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 263 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>corallinus, Trachycarcinus</i> , Faxon, 1893, <i>Bull. Mus. comp. Zool.</i> , 24 : 156 (specific name of the type species of <i>Trachycarcinus</i> Faxon, 1893) (Crustacea, Decapoda). Direction 36	available
<i>Coralliocaris</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 38 (gender: feminine) (type species, by designation by Kingsley, 1880 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1879 : 423): <i>Oedipus superbus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 25) (Crustacea, Decapoda). Op. 470	available
<i>coralliophila, Panenka</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 118 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>Corallium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 60 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>corallofungitae, Alcyonia</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 14 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>coranguinum, Spatangus</i> , Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 221 (specific name of the type species of <i>Micraster</i> Agassiz, 1836) (Echinoidea). Op. 608	available

<i>corax</i> , <i>Corvus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 105 (specific name of the type species of <i>Corvus</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>corax</i> , <i>Pithecopus hylax</i> , Fruhstorfer, [1919], <i>Arch. Naturgesch.</i> , 83 , Sect. A. 1 (1917): 79 (specific name of the type species of <i>Pithecopus</i> Horsfield, [1828]) (Insecta, Lepidoptera). Op. 822	available
<i>Corbicula</i> Megerle von Muehlfeld, 1811, <i>Mag. Ges. Naturf. Freunde</i> , Berlin, 5 : 56 (gender: feminine) (type species, by monotypy: <i>Tellina fluminialis</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 205) (Bivalvia). Op. 335	available
<i>Corbuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>cordatus</i> , <i>Ammonites</i> , Sowerby, 1813, <i>Min. Conch.</i> , 1 : 51, as interpreted by the lectotype designated under the plenary power, namely the specimen figured by Sowerby, 1813 (<i>Min. Conch.</i> , 1 : pl. 17, fig. 4) (Cephalopoda). Op. 235	available
<i>cordatus</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 104 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>cordatus</i> , <i>Echinus</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 58 (specific name of the type species of <i>Echinocardium</i> Gray, 1825) (Echinoidea). Op. 209	available
<i>Coregonus</i> Jarocki, 1822, <i>Zoologica</i> , 4 : 35 (a junior homonym of <i>Coregonus</i> Linnaeus, 1758). Direction 56	index
<i>Coregonus</i> Lacepède, 1803, <i>Hist. nat. Poiss.</i> , 5 : 239 (a junior homonym of <i>Coregonus</i> Linnaeus, 1758). Direction 56	index
<i>Coregonus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 310 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Salmo lavaretus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 310) (Osteichthyes). Op. 93 <i>Coretus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	available
<i>coriacea</i> , <i>Meladema</i> , Laporte, 1835, <i>Études entomologiques, ou description d'insectes nouveaux; et observations sur la synonymie</i> , part 1, p. 98 (specific name of the type species of <i>Meladema</i> Laporte, 1835) (Insecta, Coleoptera). Op. 1725	available
<i>coriacea</i> , <i>Testudo</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 350 (specific name of the type species of <i>Dermochelys</i> Blainville, 1816) (Reptilia). Direction 57	available
<i>coriaceus</i> (emendation of <i>coriacea</i>), <i>Phlaeothrips</i> , Haliday, 1836, <i>Entomol. Mag.</i> , 3 : 442 (specific name of the type species of <i>Phlaeothrips</i> Haliday, 1836) (Insecta, Thysanoptera). Op. 865	available
<i>coriarius</i> , <i>Cerambyx</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 389 (specific name of the type species of <i>Prionus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>coridon</i> , <i>Papilio</i> , Poda, 1761, <i>Ins. Mus. graec.</i> : 77 (specific name of the type species of <i>Lysandra</i> Hemming, 1933) (Insecta, Lepidoptera). Op. 429	available

<i>Corisa</i> Amyot & Serville, 1843, <i>Hist. nat. Ins. Hémipt.</i> : 445 (an unjustified emendation of <i>Corixa</i> Geoffroy, 1762). Op. 739	index
<i>Coriscus</i> Schrank, 1796, <i>Samml. nat. phys. Aufsätze</i> : 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 244	index
<i>Corisella</i> Lundblad, 1928, <i>Zool. Anz.</i> , 79 : 148, 158 (gender: feminine) (type species, by designation by Hungerford, 1948 (<i>Univ. Kansas Sci. Bull.</i> , 32 : 259)): <i>Corixa mercenaria</i> Say, 1832, <i>Descr. new spp. heteropt. Hemipt. N. America</i> : 39) (Insecta, Hemiptera). Op. 1311	available
CORISIDES Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins. Hémipt.</i> : II, 444 (type genus: <i>Corisa</i> Amyot & Serville, 1843) (a junior objective synonym of CORIXIDAE [Leach, 1815]). Op. 739	index
<i>Coriudo</i> Fleming, 1822, <i>Phil. Zool.</i> , 2 : 271 (a junior objective synonym of Dermochelys Blainville, 1816). Direction 56	index
<i>Corixa</i> Geoffroy, 1762, <i>Hist. abrégée. Ins. Paris</i> , 1 : 478 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Sigara punctata</i> Illiger, 1807, in Rossi, <i>Fauna Etrusca</i> (ed. 2): 354) (Insecta, Hemiptera). Op. 281	available
CORIXIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 124 (type genus: <i>Corixa</i> Geoffroy, 1762) (an incorrect original spelling for CORIXIDAE [Leach, 1815]). Op. 739	index
CORIXIDAE (correction of CORIXIDA) [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 124 (type genus: <i>Corixa</i> Geoffroy, 1762) (Insecta, Hemiptera). Op. 739	available
<i>Cornalatus</i> Attems, 1931, <i>Zoologica Stuttgart</i> , 30 (79): 40 (gender: masculine) (type species, by designation under the plenary power: <i>Cornalatus permutteratus</i> Attems, 1938) (Diplopoda, Polydesmida). Op. 1498	available
<i>cornalianus, Ichthyosaurus</i> , Bassani, 1886, <i>Atti della Società Italiana di Scienze Naturali</i> , 29 : 20, as defined by the neotype (specimen no. T2420 in the Paläontologisches Institut und Museum der Universität Zürich) designated under the plenary power (specific name of the type species of <i>Mixosaurus</i> Baur, 1887) (Reptilia). Op. 1977	available
<i>cornea, Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 770 (Gastropoda). Op. 336	available
<i>cornea, Mactra</i> , Poli, 1795, <i>Testacea utriusque Siciliae</i> , 1 : 73, 74 (valid name at the date of Opinion 1141 of the type species of <i>Donacilla</i> Philippi, 1836) (Bivalvia). Op. 1141	available
<i>cornea, Tellina</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 678 (specific name of the type species of <i>Sphaerium</i> Scopoli, 1777) (Bivalvia). Op. 336	available
<i>corni, Lecanium</i> , Bouché, 1844, <i>Entomol. Z. Stettin</i> , Jahrg. 5(8): 298 (specific name of the type species of <i>Parthenolecanium</i> Šulc, 1908) (Insecta, Hemiptera). Op. 1303	available

<i>cornicis, Ricinus</i> , de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 76, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 239) (Insecta, Mallophaga). Op. 627	available
<i>cornigerus, Trilobites</i> , Schlotheim, 1820, <i>Die Petrefactenk.</i> : 38 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 510	index
<i>cornuelianus, Ammonites</i> , d'Orbigny, 1841, <i>Pal. franç.</i> , Terr. crét., 1 : 364, pl. 112, figs. 1, 2 (specific name of the type species of <i>Cheloniceras</i> Hyatt, 1903) (Cephalopoda). Op. 428	available
<i>Cornufer</i> Tschudi, 1838, <i>Classif. der Batrachier</i> [preprint of <i>Mém. Soc. Sci. Nat. Neuchâtel</i> , 2]: 28 (gender: masculine) (type species, by designation under the plenary power: <i>Halophila vitiensis</i> Girard, 1853, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 423) ruled under the plenary power not to be given priority over <i>Platymantis</i> Günther, 1858 by those who consider the type species of those nominal genera to belong to the same taxonomic genus (Amphibia). Op. 1104	available
<i>cornupastoris, Hippurites</i> , DesMoulins, 1826, <i>Bull. Hist. nat. Soc. linn. Bordeaux</i> , 1 : 288, pl. 10 (specific name of the type species of <i>Durania</i> Douvillé, 1908) (Bivalvia). Op. 891	available
<i>cornus, Drupa</i> , [Röding], 1798, <i>Museum Boltenianum</i> (2): 56 (valid name at the date of Opinion 1154 of the type species of <i>Drupella</i> Thiele, 1925) (Gastropoda). Op. 1154	available
<i>Cornuspira</i> Schulze, 1854, <i>Ueber den Organismus der Polythalamien (Foraminiferen), nebst Bemerkungen ueber die Rhizopoden im Allgemeinen</i> (Leipzig): 40 (gender: feminine) (type species, by designation by Brady, 1884 (<i>Rept. Voy. Challenger, Zool.</i> , 9 : 199): <i>Orbis foliaceus</i> Philippi, 1844, <i>Enum. Moll. Siciliae</i> , 2 : 147) (Rhizopoda). Op. 1114	available
<i>cornuta, Phagocata</i> , Shishkov, 1903, <i>Archs. Zool. exp. gen.</i> , (4) 1 : 401-409, pl. 16, ruled under the plenary power not to be given priority over the specific name <i>montenigrina</i> Mrázek, 1904, as published in the binomen <i>Planaria montenigrina</i> , whenever the two names are considered synonyms (Turbellaria). Op. 1127	available
<i>cornuta, Trogosita</i> , Fabricius, 1798, <i>Supplementum Entomol. syst.</i> : 51 (valid name at the date of Opinion 1039 of the type species of <i>Gnatocerus</i> Thurnberg, 1814) (Insecta, Coleoptera). Op. 1039	available
<i>cornutum, Buccinum</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 735 (specific name of the type species of <i>Cassis</i> Scopoli, 1777) (Gastropoda). Op. 1023	available
<i>cornutus, Callionymus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 37 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cornutus, Oxytelus</i> , Bernhauer, 1936, <i>Philippine Journal of Science</i> , 61 (1): 86, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. cornutus</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2053	available
<i>cornutus, Oxytelus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsicensia ...</i> , p. 109 (Insecta, Coleoptera). Op. 2053	available

<i>coronalis</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>coronata</i> , <i>Acidaspis</i> , Salter, 1853, <i>Mem. geol. Surv. U.K.</i> , 2 (1): pl. 9, figs. 6-9, ruled under the plenary power to be given precedence over the specific name <i>quadrimucronatus</i> Murchison, 1839, as published in the binomen <i>Paradoxides</i> <i>quadrimucronatus</i> , whenever the two names are considered synonyms (Trilobita). Op. 1223	available
<i>coronata</i> , <i>Doris</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105 (specific name of the type species of <i>Doto</i> Oken, 1815) (Gastropoda). Op. 697	available
<i>coronata</i> , <i>Nereis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 114 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>coronata</i> , <i>Pelta</i> , Quatrefages, 1844, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 1 : 151 (valid name at the date of Opinion 811 of the type species of <i>Runcina</i> Forbes, 1851) (Gastropoda). Op. 811	available
<i>coronata</i> , <i>Randallia</i> , Alcock & Anderson, 1894, <i>J. asiat. Soc. Bengal</i> , 63 (2): 177 (specific name of the type species of <i>Pariphiculus</i> Alcock, 1896) (Crustacea, Decapoda). Direction 36	available
<i>coronatum</i> , <i>Douvilleiceras</i> , Rouchadzé, 1932, <i>Bull. Inst. géol. Géorgie</i> , 1 (3): 195, pl. 3, fig. 4; text-figs. 12, 13 (specific name of the type species of <i>Megatyloceras</i> Humphrey, 1949) (Cephalopoda). Op. 428	available
<i>Coroniceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 3 : 77 (gender: neuter) (type species, by designation by Bonarelli, 1900 (<i>Pal. Ital.</i> , 5 : 58); <i>Ammonites kridion</i> Hehl, [1830], in Zieten, <i>Verstein. Würtemb.</i> , (1): 4, pl. 3, fig. 2) (Cephalopoda). Op. 324	available
<i>Coronida</i> Brooks, 1886, <i>Johns Hopkins Univ. Circ.</i> , 5 (49): 84 (gender: feminine) (type species, by designation by Balss, 1938 (Bronn's <i>Klassen Ord. Tierr.</i> , 5 (1)(6)(2): 130); <i>Squilla bradyi</i> Milne Edwards, 1869, in De Folin & Périer, <i>Fonds de la Mer</i> , 1 : 137) (Crustacea, Stomatopoda). Op. 785	available
<i>Coroniderichthus</i> Hansen, 1895, <i>Ergebn. Plankton-Exped.</i> , 2 (G)(c): 81, 83, 98, 102 (a junior objective synonym of <i>Coronida</i> Brooks, 1886). Op. 785	index
<i>Coronis</i> Desmarest, (September) 1823, <i>Dict. Sci. nat.</i> , 28 : 345 (gender: feminine) (type species, by subsequent monotypy: <i>Coronis scolopendra</i> Latreille, 1828, <i>Ency. méth.</i> , 10 (Ins.): 474) (Crustacea, Stomatopoda). Op. 785	available
<i>Coronis</i> Gloger, 1827, <i>Notizen (Froriep)</i> , 16 : 277 (a junior homonym of <i>Coronis</i> Desmarest, 1823). Op. 785	index
<i>Coronis</i> Hübner, (21 December) 1823, <i>Verz. bekannt. Schmett.</i> , (17): 265 (a junior homonym of <i>Coronis</i> Desmarest, 1823). Op. 785	index
<i>Coronuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>corrigiolata</i> , <i>Musca</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 955 (specific name of the type species of <i>Micropoza</i> Meigen, 1803) (Insecta, Diptera). Op. 369	available
<i>corrugata</i> , <i>Gryphaea</i> , Say, 1823, in James, <i>Account of an expedition from Pittsburgh to the Rocky Mountains, performed in the years 1819 and '20, under the command of Major Stephen H. Long</i> , vol. 2, p. 410 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bivalvia). Op. 1635	index
<i>corrugatus</i> , <i>Hylodes</i> , Duméril, 1853, <i>Ann. Sci. nat. (Zool.)</i> , (3)19: 176 (valid name at the date of Opinion 1104 of the type species of <i>Platymantis</i> Günther, 1858) (Amphibia). Op. 1104	available
<i>corticalis</i> , <i>Curculio</i> , Paykull, 1792, <i>Monographia curculionum sueciae</i> , p. 41 (specific name of the senior subjective synonym of <i>Curculio lymexylon</i> Fabricius, 1792, the type species of <i>Dryophthorus</i> Germar, 1824) (Insecta, Coleoptera). Op. 1448	available
<i>corticis</i> , <i>Trips</i> , de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3: 11 (specific name of the type species of <i>Hoplothrips</i> Amyot & Serville, 1843) (Insecta, Thysanoptera). Op. 865	available
<i>Corticularia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 162 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>corus</i> , <i>Papilio</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 3(1): 41 (specific name of the type species of <i>Euploea</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>Corvus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 105 (gender: masculine) (type species, by Linnaean tautonomy: <i>Corvus corax</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 105) (Aves). Direction 17	available
<i>corydon</i> , <i>Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend</i> : 184 (an unjustified emendation of <i>coridon</i> , <i>Papilio</i> , Poda, 1761). Op. 429	index
<i>Coryhaena</i> Stiles, 1922, <i>Smithson. misc. Coll.</i> , 73 (No. 1): 73 (an incorrect subsequent spelling for <i>Coryphaena</i> Linnaeus, 1758). Direction 56	index
<i>coryli</i> , <i>Coccus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 456 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1303	index
<i>coryli</i> , <i>Phytoptus</i> , Frauenfeld, 1865, <i>Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien</i> , 15: 263 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Acarina). Op. 1521	index
<i>coryligallarum</i> , <i>Phytoptus</i> , Targioni-Tozzetti, 1885, <i>Atti della R. Accademia economica-agrario dei Georgofili di Firenze</i> , 1885: 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Acarina). Op. 1521	index
<i>Corynetes</i> Paykull, 1798, <i>Fauna svec.</i> , 1: 274 (an unjustified emendation of <i>Korynetes</i> Herbst, (1792)). Op. 604	index

<i>Coryphaena</i> Coues, 1889, <i>Cent. Dict.</i> , 2(5): 1286 (a nomen nudum). Direction 56	index
<i>Coryphaena</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 261 (gender: feminine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16: 454): <i>Coryphaena hippurus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 261) (Osteichthyes). Op. 77, Direction 56	available
<i>Coryphella</i> Gray, 1850, <i>Figs. moll. Anim.</i> , 4: 109 (gender: feminine) (type species, by designation by Alder & Hancock, 1855 (<i>Mon. brit. nud. Moll.</i> , (7), App.: xxii): <i>Eolis rufibranchialis</i> Johnston, 1832, <i>Mag. nat. Hist.</i> , 5: 428, valid name: <i>Eolidia verrucosa</i> Sars, 1829) (Gastropoda). Op. 781	available
CORYPHELLIDAE Bergh, 1889, in Carus, <i>Prodr. Fauna Med.</i> , 2: 211 (type genus: <i>Coryphella</i> Gray, 1850) (Gastropoda). Op. 781	available
<i>Coryphium</i> Stephens, 1834, <i>Illustrations of British entomology, Mandibulata</i> , vol. 5, p. 344 (gender: neuter) (type species, by monotypy: <i>Coryphium angusticolle</i> Stephens, 1834) (Insecta, Coleoptera). Op. 1597	available
<i>Corystes</i> Bosc, [1801-1802], <i>Hist. nat. Crust.</i> , 1: 65 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Hippa dentata</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2: 475, valid name: <i>Cancer cassivelanus</i> Pennant, 1777) (Crustacea, Decapoda). Op. 689	available
CORYSTIDAE Samouelle, 1819, <i>Entomol. useful Compendium</i> : 82 (type genus: <i>Corystes</i> Bosc, [1801- 1802]) (Crustacea, Decapoda). Op. 689	available
<i>Corystoides</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amér. mérid.</i> , 6 (Crust.): 31 (gender: masculine) (type species, by monotypy: <i>Corystoides chilensis</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amér. mérid.</i> , 6 (Crust.): 31) (Crustacea, Decapoda). Op. 73 <i>Coscinocyathus</i> Bornemann, 1884, <i>Z. dt. geol. Ges.</i> , 36: 704 (gender: masculine) (type species, by designation under the plenary power: <i>Coscinocyathus dianthus</i> Bornemann, 1884, <i>Z. dt. geol. Ges.</i> , 36: 704) (Archaeocyatha). Op. 1007	available
COSMOPTERIGIDAE (correction of COSMOPTERYGIDAE) Heinemann & Wocke, 1876, <i>Die Schmetterlinge Deutschlands und der Schweiz</i> , 2(2): 520 (type genus: <i>Cosmopterix</i> Hübner, 1825) (Insecta, Lepidoptera). Op. 866	available
<i>Cosmopterix</i> Hübner, 1825, <i>Verz. bekannt. Schmett.</i> : 424 (gender: feminine) (type species, by designation under the plenary power: <i>Tinea zieglerella</i> Hübner, [1805-1810], <i>Samml. europ. Schmett.</i> , Tab. Tinea 44, fig. 306) (Insecta, Lepidoptera). Op. 866	available
<i>Cossmannella</i> Mayer-Eymar, 1896, <i>J. Conchyiol.</i> , 44: 366 (gender: feminine) (type species, by designation under the plenary power: <i>Cardita fajumensis</i> Oppenheim, 1903, <i>Palaeontographica</i> , 30, Abt. 3, Heft 1-2: 105) (Bivalvia). Op. 1177	available
<i>costata</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 31 (Gastropoda). Op. 336	available
<i>costata</i> , <i>Porambonites</i> , Pander, 1830, <i>Beiträge zur Geognosie des russischen Reiches</i> , p. 96 (specific name of the type species of <i>Platystrophia</i> King, 1850, as defined by the neotype designated by Zuykov, 1999, <i>Proceedings of the Estonian Academy of Sciences</i> , 48(4): 200 (Brachiopoda). Op. 2154	available

<i>costata</i> , <i>Zanclea</i> , Gegenbaur, 1856, <i>Zeitschrift für Wissenschaftliche Zoologie</i> , 8 (2): 229 (specific name of the type species of <i>Zanclea</i> Gegenbaur, 1856) (Hydrozoa). Op. 1752	available
<i>costatum</i> , <i>Oosternum</i> , Sharp, 1882, Insecta. Coleoptera. Vol. 1, part 2 in Godman, F.D. & Salvini, O., <i>Biologia Centrali-Americanana</i> , vol. 16, p. 112 (specific name of the type species of <i>Oosternum</i> Sharp, 1882) (Insecta, Coleoptera). Op. 1891	available
<i>costatum</i> , <i>Scutellum</i> , Pusch, 1833, <i>Geognostische Beschreibung von Polen, sowie den übrigen Nord- Karpathenländern</i> (1): 119 (specific name of the type species of <i>Scutellum</i> Pusch, 1833) (Trilobita). Op. 1004	available
<i>costatus</i> , <i>Silurus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , p. 306 (specific name of the type species of <i>Platydoras</i> Bleeker, 1862) (Osteichthyes) Op. 2209	available
<i>costulatus</i> , <i>Halictus</i> , Kriechbaumer, 1873, <i>Verhandlungen der Zoologisch-botanischen Gesellschaft in Wien</i> , 23 : 59 (Insecta, Hymenoptera). Op. 1511	available
<i>cothurnix</i> , <i>Oriolus</i> , Scopoli, 1786, <i>Delic. Flor. Faun. insubr.</i> , 1 : 87 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>Cotinis</i> Burmeister, 1842, <i>Handb. Entomol.</i> , 3 : 254 (gender: feminine) (type species, by designation by Casey, 1915 (<i>Mem. Coleopt.</i> , 6 : 277): <i>Gymnetis mutabilis</i> Gory & Percheron, [1836], <i>Mon. Cétoines</i> , (13): 334) (Insecta, Coleoptera). Op. 806	available
<i>cotovui</i> , <i>Perisphinctes</i> , Simionescu, 1907, <i>Public. Fond. Adamach. Acad. Romana</i> , 4 (21): 151, pl. vii, fig. 1, as interpreted by the lectotype designated by Arkell, 1939 (<i>Monogr. Ammonites Engl. Corall. Beds</i> (Palaeontogr. Soc.): 126) (valid name at the date of Opinion 306 of the type species of <i>Arisiphinctes</i> Buckman, 1924) (Cephalopoda). Op. 306	available
COTTIDAE (correction of COTTINI) Bonaparte, [1832], <i>Saggio distrib. met. Anim. vert.</i> : 90, 103 (type genus: <i>Cottus</i> Linnaeus, 1758) (Osteichthyes). Direction 87	available
COTTINI Bonaparte, [1832], <i>Saggio distrib. met. Anim. vert.</i> : 90, 103 (type genus: <i>Cottus</i> Linnaeus, 1758) (an incorrect original spelling for COTTIDAE Bonaparte, [1832], but available for a family-group taxon belonging to a category not having a prescribed termination). Direction 87	available
<i>Cottus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 264 (gender: masculine) (type species, by designation by Girard, 1850 (<i>Proc. Boston Soc. nat. Hist.</i> , 3 : 184): <i>Cottus gobio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 265) (Osteichthyes). Op. 77 <i>Coturnix</i> Bonnaterre, 1790, <i>Ency. méth., Ornithol.</i> , 1 : lxxxvii (conserved under the plenary power) (gender: feminine) (type species, by absolute tautonomy through Opinion 67 and Article 67e (1961 Code): <i>Tetrao coturnix</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 161) (Aves). Op. 67, Direction 21, Direction 43	available
<i>Coturnix</i> Brisson, 1760, <i>Ornithologia</i> , 1 : 247-261 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 21	index
<i>Coturnix</i> Cuvier, 1800, <i>Leçons Anat. comp.</i> , 1 : 2 (a nomen nudum). Direction 44	index

<i>Coturnix</i> Nozeman & Vosmaer, 1758, <i>Geslacht. Vogel.</i> : 3, 39 (Dutch translation of Moehring, 1752, <i>Avium Genera</i>) (included in a work rejected for nomenclatural purposes). Direction 21	index
<i>coturnix</i> , <i>Tetrao</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 161 (specific name of the type species of <i>Coturnix</i> Bonnaterre, 1790) (Aves). Direction 43	available
<i>couchii</i> , <i>Lepidogaster</i> [sic], Kent, 1883, <i>Handb. Marine Freshw. Fishes Brit. Is.</i> : 55, 56 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 638	index
<i>Coutierea</i> Nobili, 1901, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 16 (415): 4 (gender: feminine) (type species, by monotypy: <i>Coralliocaris agassizi</i> Coutière, 1901, <i>Bull. Mus. Hist. nat.</i> , Paris, 7 : 115) (Crustacea, Decapoda). Op. 470	available
<i>Crabro</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 373 (gender: masculine) (type species, by designation under the plenary power: <i>Vespa cibraria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 573) (Insecta, Hymenoptera). Op. 144	available
<i>Crabro</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 261 and all uses of the name <i>Crabro</i> prior to the publication of <i>Crabro</i> Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1754, Direction 4	index
<i>Crago</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 159 (a junior objective synonym of <i>Crangon</i> Fabricius, 1798). Op. 334	index
<i>CRAGONIDAE</i> Rathbun, 1904, <i>Proc. biol. Soc. Washington</i> , 17 : 172 (type genus: <i>Crago</i> Lamarck, 1801) (a junior objective synonym of CRANGONIDAE Haworth, 1825, the respective type genera of the two families having the same nominal species as type species). Op. 334	index
<i>cranchii</i> , <i>Achaeus</i> , Leach, 1817, <i>Malac. podophth. Brit.</i> (16): text to pl. 22C (specific name of the type species of <i>Achaeus</i> Leach, 1817) (Crustacea, Decapoda). Op. 712	available
<i>cranchii</i> , <i>Hippolyte</i> , Leach, [1817], <i>Malac. podophth. Brit.</i> (16): pl. 38, figs. 17-21 (specific name of the type species of <i>Thoralus</i> Holthuis, 1947) (Crustacea, Decapoda). Op. 347	available
<i>Crangon</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 387, 409 (conserved under the plenary power) (gender: feminine) (type species, by absolute tautonymy: <i>Cancer crangon</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 632) (Crustacea, Decapoda). Op. 334	available
<i>Crangon</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 334	index
<i>crangon</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 632 (specific name of the type species of <i>Crangon</i> Fabricius, 1798) (Crustacea, Decapoda). Op. 334	available
CRANGONIDAE Haworth, 1825, <i>Phil. Mag. J. Sci.</i> , 65 : 184 (type genus: <i>Crangon</i> Fabricius, 1798) (Crustacea, Decapoda). Op. 334	available

CRANGONIDAE Rathbun, 1904, <i>Proc. biol. Soc. Washington</i> , 17 : 172 (type genus: <i>Crangon</i> Weber, 1795) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 334	index
CRANGONIENS Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 339 (type genus: <i>Crangon</i> Fabricius, 1798) (a vernacular (French) name). Op. 334	index
<i>Crangonus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 98 (a junior objective synonym of <i>Crangon</i> Fabricius, 1798). Op. 522	index
<i>Crangonyx</i> Bate, 1859, <i>Nat. Hist. Rev. Dublin</i> , 6 (<i>Proc. Dublin zool. bot. Ass.</i> , Feb. 18, 1859): 165 (gender: masculine) (type species, by monotypy: <i>Crangonyx subterraneus</i> Bate, 1859, <i>Nat. Hist. Rev. Dublin</i> , 6 (<i>Proc. Dublin zool. bot. Ass.</i> , Feb. 18, 1859): 165) (Crustacea, Amphipoda). Op. 1133	available
<i>craniolaris</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626 (specific name of the type species of <i>Leucosia</i> Weber, 1795) (Crustacea, Decapoda). Op. 712	available
<i>Craniolites</i> Schlotheim, 1820, <i>Die Petrefactenkunde auf ihrem jetzigen Standpunkte</i> , 1 : 246 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1469	index
<i>crassa</i> , <i>Fenestella</i> , McCoy, 1844, <i>Syn. Char. Carb. Limest. Foss. Ireland</i> : 501 (specific name of the type species of <i>Fenestrellina</i> d'Orbigny, 1849) (Bryozoa). Op. 622	available
<i>Crassatelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>crassicauda</i> , <i>Bdeogale</i> , Peters, February 1852, <i>Ber. Bekannt. geeignet. Verh. K.-preuss. Acad. Wiss.</i> , Berlin, 1852 : 81; <i>id.</i> , [post Feb.] 1852, <i>Naturwiss. Reise Mossambique</i> [sic], 1 : 119, 120, pl. 27 (specific name of the type species of <i>Bdeogale</i> Peters, 25th June 1850) (Mammalia). Op. 384	available
<i>crassicauda</i> , <i>Entomostracites</i> , Wahlenberg, [1818], <i>Nova Acta K.vet.-Soc. Upsala</i> , 8 : 27 (specific name of the type species of <i>Illaenus</i> Dalman, [1827]) (Trilobita). Op. 508	available
<i>crassicaudatus</i> , <i>Galago</i> , Geoffroy, 1812, <i>Ann. Mus. Hist. nat. Paris</i> , 19 : 166, as interpreted by the neotype proposed by Olson, 1980 (<i>Bull. zool. Nomencl.</i> , 37 : 182, 183) and designated under the plenary power (Mammalia). Op. 1329	available
<i>crassicorn</i> , <i>Omalium</i> , Lea, 1906, <i>Proceedings of the Linnean Society of New South Wales</i> , 31 : 212, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. crassicorn</i> Matthews, 1863 (Insecta, Coleoptera). Op. 2053	available
<i>crassicornis</i> , <i>Cicada</i> , Panzer, 1796, <i>Fauna Ins. germ.</i> , 35 : 19 (specific name of the type species of <i>Delphax</i> Fabricius, 1798) (Insecta, Hemiptera). Op. 602	available
<i>crassicornis</i> , <i>Pandalus</i> , Costa, 1871, <i>Ann. Mus. zool. Univ. Napoli</i> , 6 : 89 (valid name at the date of Opinion 470 of the type species of <i>Chlorotocus</i> Milne Edwards, 1882) (Crustacea, Decapoda). Op. 470	available

<i>crassicornis</i> , <i>Pediculus</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 383, as interpreted by the neotype designated by Clay & Hopkins, 1951 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 2 : 19) (specific name of the type species of <i>Anaticola</i> Clay, 1936) (Insecta, Mallophaga). Op. 627	available
<i>crassimanus</i> , <i>Eucrate</i> , Dana, 1851, <i>Boston J. nat. Hist.</i> , 7 : 588, nota (specific name of the type species of <i>Eucratopsis</i> Smith, 1869) (Crustacea, Decapoda). Direction 36	available
<i>crassinoda</i> , <i>Depranella</i> [sic], Ulrich, 1890, <i>J. Cincinnati Soc. nat. Hist.</i> : 118, pl. 8, figs. 1a-c (specific name of the type species of <i>Drepanella</i> (emendation of <i>Depranella</i>) Ulrich, 1890) (Crustacea, Ostracoda). Op. 591	available
<i>crassipennis</i> , <i>Syrphus</i> , Fabricius, 1794, <i>Entomol. Syst.</i> , 4 : 284 (specific name of the type species of <i>Ectophasia</i> Townsend, 1912) (Insecta, Diptera). Op. 896	available
<i>crassipes</i> , <i>Pachygrapsus</i> , Randall, 1840, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 127 (specific name of the type species of <i>Pachygrapsus</i> Randall, 1840) (Crustacea, Decapoda). Op. 712	available
<i>crassipes</i> , <i>Paracolletes</i> , Smith, 1853, <i>Catalogue of hymenopterous insects in the collection of the British Museum</i> , part 1, p. 6 (specific name of the type species of <i>Paracolletes</i> Smith, 1853) (Insecta, Hymenoptera). Op. 1713	available
<i>crassipes</i> , <i>Paraphronima</i> , Claus, 1879, <i>Arbeiten aus dem Zoologischen Institut der Universität Wien</i> , 2 : 65 (Amphipoda). Op. 1878	available
<i>crassipes</i> , <i>Phlyxia</i> , Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 433; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 304 (specific name of the type species of <i>Phlyxia</i> Bell, 1855) (Crustacea, Decapoda). Direction 36	available
<i>crassipes</i> , <i>Pterodactylus</i> , von Meyer, 1857, <i>Neues Jahrb. Min. Geol. Pal.</i> , 1857 : 535, ruled under the plenary power not to be given priority over the specific name <i>lithographica</i> , as published in the binomen <i>Archaeopteryx lithographica</i> von Meyer, 1861, whenever the two names are considered synonyms (Aves). Op. 1070	available
<i>Crassispira</i> Swainson, 1840, <i>Treatise Malacol.</i> : 151, 313 (gender: feminine) (type species, by designation under the plenary power: <i>Pleurotoma bottae</i> Valenciennes, [1839-1840], <i>in</i> Kiener, <i>Spec. Gén. Icon. Coquilles Vivantes</i> , 5 : 33) (Gastropoda). Op. 754	available
<i>Crassostrea</i> Sacco, 1897, <i>in</i> Bellardi & Sacco, <i>Moll. Terr. terz. Piemonte Liguria</i> , 23 : 15 (gender: feminine) (type species, by original designation: <i>Ostrea virginica</i> Gmelin, [1791], <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3336 (incorrectly cited by Sacco as <i>virginiana</i>) for use by those who consider that the type species of this genus is not congeneric with <i>Ostrea edulis</i> Linnaeus, 1758, the type species of <i>Ostrea</i> Linnaeus, 1758 (Bivalvia). Op. 338	available
<i>crassula</i> , <i>Campeloma</i> , Rafinesque, 1819, <i>Journal de Physique, de Chimie, d'Histoire Naturelle</i> , 88 : 423 (specific name of the type species of <i>Campeloma</i> Rafinesque, 1819) (Gastropoda). Op. 1931	available
<i>crassum</i> , <i>Sarmatium</i> , Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 251 (specific name of the type species of <i>Sarmatium</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available

<i>crassus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. G[3], pl. 16, fig. 2 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>crassus</i> , <i>Democricetodon brevis</i> , Freudenthal, 1969, <i>Bulletin of Zoological Nomenclature</i> , 25 : 181 (specific name of the type species of <i>Democricetodon</i> Fahlbusch, 1964) (Mammalia, Rodentia). Op. 1419	available
<i>crassus</i> , <i>Gonatonotus</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 10 (specific name of the type species of <i>Eugonatonotus</i> Schmitt, 1926) (Crustacea, Decapoda). Op. 470	available
<i>crassus</i> , <i>Productus</i> , Fleming, 1828, <i>Hist. brit. Anim.</i> : 379, as interpreted by the neotype designated by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 101, 118, pl. 6, figs. 1a-b) (Brachiopoda). Op. 420	available
<i>crassus</i> , <i>Unio</i> , Philipsson, 1788, <i>Dissertatio Hist. nat. sist. nova Test. Gen.</i> : 17 (Bivalvia). Op. 336	available
<i>Cratena</i> Bergh, 1864, <i>K. Danske Vid. Selsk. Skr. Math.-nat. Afd.</i> , (5) 7 : 213 (gender: feminine) (type species, by original designation: <i>Doris peregrina</i> Gmelin, 1791, <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105) (Gastropoda). Op. 776	available
<i>Crateraster</i> Spencer, 1913, <i>Phil. Trans. Roy. Soc. (B)</i> , 204 : 120 (gender: masculine) (type species, by original designation: <i>Asterias quinqueloba</i> Goldfuss, 1831, <i>Petref. German.</i> , 1 : 209, pl. 63, fig. 5, subfigs. ‘u’, ‘t’, as interpreted by the lectotype designated under the plenary power) (Asteroidea). Op. 331	available
<i>crebricostatus</i> , <i>Chrysodomus</i> , Dall, 1877, <i>Prelim. Descr. new Spec. Moll. N.W. Coast Amer.</i> : 1 (specific name of the type species of <i>Beringius</i> Dall, 1886) (Gastropoda). Op. 469	available
<i>crenata</i> , [<i>Helix</i>], Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 69 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>crenata</i> , <i>Helix</i> , Gmelin, [1791], <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3623, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2 : fig. 69) as [<i>Helix</i>] <i>crenata</i> (a name possessing precedence over <i>Helix crenata</i> Gmelin, [1791], <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3655, through the first reviser selection made by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 398)) (valid name at the date of Opinion 479 of the type species of <i>Amphibola</i> Schumacher, 1817) (Gastropoda). Op. 479	available
<i>crenata</i> , <i>Helix</i> , Gmelin, [1791], <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3655 (a junior primary homonym of <i>crenata</i> , <i>Helix</i> , Gmelin, [1791], <i>ibid.</i> : 3623, through the first reviser selection made by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 398)). Op. 479	index
<i>Crenatuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>crenatus</i> , <i>Benthescycmus</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 190 (specific name of the type species of <i>Benthescycmus</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available

<i>crenatus</i> , <i>Cancer (Eucrate)</i> , de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 36, 51 (specific name of the type species of <i>Eucrate</i> de Haan, [1835]) (Crustacea, Decapoda). Direction 36	available
<i>Crenephilus</i> Wickham, 1895, <i>Canad. Entomol.</i> , 27 : 214 (an incorrect subsequent spelling for <i>Creniphilus</i> Horn, 1890). Op. 583	index
<i>Creniigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Creniphilus</i> Horn, 1890, <i>Trans. amer. entomol. Soc.</i> , 17 : 262, 265 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Hydrobius rufiventris</i> Horn, 1873, <i>Proc. amer. phil. Soc.</i> , 13 : 135) (Insecta, Coleoptera). Op. 583	available
<i>Creniphilus</i> Motschulsky, 1845, <i>Bull. Soc. imp. Nat. Moscou</i> , 18 (i): 32, errata (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 583	index
<i>Crenitis</i> Bedel, 1881, <i>Faune Coléopt. Bassin Seine</i> , 1 : 306, note (gender: feminine) (type species, by monotypy: <i>Hydrobius punctatostriatus</i> Letzner, [1841], <i>Uebers. Arb. Veränd. schles. Ges. vaterländ. Cultur</i> , Breslau, 1840 : 81) (Insecta, Coleoptera). Op. 583, Op. 1891	available
<i>Crenophilus</i> Agassiz, 1846, <i>Nomencl. zool. Index univ.</i> : 103 (an unjustified emendation of <i>Creniphilus</i> Motschulsky, 1845). Op. 583	index
<i>Crenophilus</i> Agassiz, 1848, <i>Nomencl. zool. Index univ.</i> : 299 (an unjustified emendation of <i>Creniphilus</i> Motschulsky, 1845). Op. 583	index
<i>Crenophilus</i> d'Orchymont, 1942, <i>Mém. Mus. roy. Hist. nat. Belg.</i> , (2) 27 : 28 (an unjustified emendation of <i>Creniphilus</i> Horn, 1890). Op. 583	index
<i>crenulatus</i> , <i>Byrrhus</i> , Rossi, 1794, <i>Mantissa Insectorum, exhibens species nuper in Etruria collectas, adjectis faunae Etruscae illustrationibus ac emendationibus</i> , vol. 2, p. 81, as defined by the lectotype designated by Bameul, 1991, <i>Bulletin de la Société Entomologique de France</i> , 95 : 257 (senior subjective synonym of <i>Pimelia pygmaea</i> Fabricius, 1798, the type species of <i>Georissus</i> Latreille, 1809) (Insecta, Coleoptera). Op. 1891	available
<i>crenulatus</i> , <i>Monograptus vomerinus</i> , Elles & Wood, 1911, <i>Palaeontographical Society (Monograph)</i> , p. 412, as defined by the lectotype (specimen no. BU 1555 in Birmingham University, Birmingham, U.K., figured by Elles & Wood, 1911, text-fig. 278a) designated by the Commission (Graptolithina). Op. 1731	available
<i>crenulatus</i> , <i>Monograptus</i> , Törnquist, 1881, <i>Geologiska Föreningens i Stockholm Förhandlingar</i> , 5 : 438, and all uses of the name prior to the publication of <i>Monograptus vomerinus crenulatus</i> Elles & Wood, 1911 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Graptolithina). Op. 1731	index
<i>Creophilus</i> Samouelle, 1819, <i>Entomol. useful Compendium</i> : 172 (gender: masculine) (type species, by original designation: <i>Staphylinus maxillosus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 421) (Insecta, Coleoptera). Op. 546	available

<i>Crepiduligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>crepitans, Psophia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 154 (specific name of the type species of <i>Psophia</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>cressonii, Halictus</i> , Robertson, 1890, <i>Transactions of the American Entomological Society</i> , 17 : 317 (specific name of the type species of <i>Chloralictus</i> Robertson, 1902) (Insecta, Hymenoptera). Op. 1882	available
<i>creticus, Helophorus</i> , Kiesenwetter, 1858, <i>Berliner Entomologische Zeitschrift</i> , 2 : 40, ruled under the plenary power not to be given priority over the specific name of <i>Helophorus brevipalpis</i> Bedel, 1881 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1629	available
<i>creusa, Anthocharis</i> , Doubleday, [1847], <i>Gen. diurn. Lep.</i> (1): 56, pl. 7, fig. 1 (Insecta, Lepidoptera). Op. 270	available
<i>cibaria, Vespa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 573 (specific name of the type species of <i>Crabro</i> Fabricius, 1775) (Insecta, Hymenoptera). Direction 4	available
<i>cibrarius, Portunus</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 259 (specific name of the type species of <i>Arenaeus</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>Cribrilina</i> Gray, 1848, <i>List Brit. Anim.</i> , (1): 117, 147 (gender: feminine) (type species, by monotypy: <i>Lepralia punctata</i> Hassall, 1841, <i>Ann. Mag. nat. Hist.</i> , 7 : 368, pl. ix, fig. 7) (Bryozoa). Op. 1016	available
<i>Cricetus</i> Leske, 1779, <i>Anfangsgr. Naturgesch.</i> , 1 : 168 (gender: masculine) (type species, by absolute tautonymy: <i>Mus cricetus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 60) (Mammalia). Op. 91 <i>cricetus, Mus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 60 (specific name of the type species of <i>Cricetus</i> Leske, 1779) (Mammalia). Direction 22	available
<i>Criconema</i> Hofmänner & Menzel, 1914, <i>Zoologischer Anzeiger</i> , 44 : 88 (gender: neuter) (type species, by designation under the plenary power: <i>Eubostrichus guernei</i> Certes, 1889) (Nematoda). Op. 2046	available
<i>Criconemoides</i> Taylor, 1936, <i>Transactions of the American Microscopical Society</i> , 55 : 406 (gender: masculine) (type species, by original designation <i>Criconema morgense</i> Hofmänner & Menzel, 1914) (Nematoda). Op. 2046	available
<i>crinifer, Thinobius</i> , Smetana, 1959, <i>Časopis Československé Společnosti Entomologické</i> , 56 (3): 271 (Insecta, Coleoptera). Op. 2129	available
<i>Crinocerus</i> Burmeister, 1835, <i>Handb. Entomol.</i> , 2 (1): 318 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex sanctus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 709) (Insecta, Hemiptera). Op. 1054	available
<i>Crinodes</i> Herrich-Schäffer, 1855, <i>Systematische Bearbeitung Schmetterlinge Europa</i> , vol. 6, p. 91 (gender: masculine) (type species, by designation under the plenary power: <i>Phalaena bellatrix</i> Stoll, 1780) (Insecta, Lepidoptera). Op. 1378	available

<i>Crioceris</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 237 (gender: masculine) (type species, by designation under the plenary power: <i>Chrysomela asparagi</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 376) (Insecta, Coleoptera). Op. 908, Op. 1754	available
<i>Criomorphus</i> Mulsant, 1839, <i>Histoire Naturelle des Coléoptères de France</i> , part 1, p. 58 (a junior homonym of <i>Criomorphus</i> Curtis, 1829) (Insecta, Coleoptera). Op. 1473	index
<i>Criopoderma</i> Poli, 1795, <i>Testacea utriusque Siciliae eorumque historia et anatome</i> , vol. 2, p. 255 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1467	index
<i>Criopododerma</i> Agassiz, 1848, <i>Nomenclatoris Zoologici Index Universalis</i> , p. 301 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1467	index
<i>Criopus</i> Poli, 1791, <i>Testacea utriusque Siciliae eorumque historia et anatome</i> , vol. 1, p. 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1467	index
<i>crispata</i> , <i>Cythere</i> , Brady, 1868, <i>Ann. Mag. nat. Hist.</i> , (4)2: pl. 14, figs. 14, 15, as interpreted by the holotype identified by Athersuch, 1982 (<i>Bull. zool. Nomencl.</i> , 39: 226, 227) (Crustacea, Ostracoda). Op. 1346	available
<i>crissale</i> , <i>Toxostoma</i> , Baird, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 10: 117, 118, ruled under the plenary power to be a correct original spelling (Aves). Op. 1249	available
<i>crista</i> , <i>Nautilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 709 (Gastropoda). Op. 336	available
<i>cristata</i> , <i>Columba</i> , Pallas, 1764, in Vroeg, <i>Cat. Vogel.</i> : Adumbr. 2 (valid name at the date of Direction 43 of the type species of <i>Goura</i> Stephens, 1819) (Aves). Direction 43	available
<i>cristata</i> , <i>Dexia</i> , Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5: 41 (valid name at the date of Opinion 553 of the type species of <i>Estheria</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 553	available
<i>cristata</i> , <i>Hystrix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 56 (specific name of the type species of <i>Hystrix</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>cristata</i> , <i>Phoca</i> , Erxleben, 1777, <i>Syst. Regni Anim.</i> : 590 (specific name of the type species of <i>Cystophora</i> Nilsson, 1820) (Mammalia). Direction 22	available
<i>cristata</i> , <i>Stomoxys</i> , Fabricius, 1805, <i>Systema antiatorum secundum ordines, genera, species</i> , p. 281, as defined by the holotype in the Zoological Museum, University of Copenhagen (Insecta, Diptera). Op. 1975	available
<i>cristata</i> , <i>Valvata</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 198 (specific name of the type species of <i>Valvata</i> Müller, 1774) (Gastropoda). Op. 335	available
<i>cristata</i> , <i>Viverra</i> , Sparrman, 1783, <i>Resa Goda Hopps-Udden</i> , 1: 581 (valid name at the date of Opinion 384 of the type species of <i>Proteles</i> Geoffroy Saint-Hilaire, 1824) (Mammalia). Op. 384	available

<i>cristatus</i> , <i>Caprimulgus</i> , Shaw, [August] 1790, <i>in</i> White, <i>J. Voy. N.S. Wales</i> : 241 et pl. (valid name at the date of Direction 43 of the type species of <i>Aegothelos</i> Vigors & Horsfield, 1826) (Aves). Direction 43	available
<i>cristatus</i> , <i>Colymbus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 135 (specific name of the type species of <i>Podiceps</i> Latham, 1787) (Aves). Op. 401	available
<i>cristatus</i> , <i>Pavo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156 (specific name of the type species of <i>Pavo</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>cristatus</i> , <i>Psittacus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 99 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1949	index
<i>cristatus</i> , <i>Sorex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 53 (specific name of the type species of <i>Condylura</i> Illiger, 1811) (Mammalia). Direction 22	available
<i>Crobylophorus</i> Krøyer, 1852, <i>Danmarks fiske</i> , 3(2): 813 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 913	index
<i>crocea</i> , <i>Squilla</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>Crocidura</i> Wagler, 1832, <i>Isis</i> (Oken), 1832: 275 (gender: feminine) (type species, by designation by Palmer, 1904 (<i>N. Amer. Fauna</i> , 23: 204): <i>Sorex leucodon</i> Hermann, 1780, <i>in</i> Zimmermann, <i>Geogr. Gesch. Mens.</i> , 2: 383) (Mammalia). Op. 91, Direction 24	available
<i>Crocidurus</i> Schulze, 1890, <i>Schr. Ver. Harzes</i> , 5: 28 (an unjustified emendation of <i>Crocidura</i> Wagler, 1832). Direction 24	index
<i>crocodila</i> , <i>Belona</i> , Peron & Lesueur, 1821, <i>J. Acad. nat. Sci. Philadelphia</i> , 2: 129 (Osteichthyes). Op. 900	available
<i>Crocodilus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 183 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>croesella</i> , <i>Phalaena</i> , Scopoli, 1763, <i>Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates. Methodo Linnaeana</i> , p. 251, ruled under the plenary power that all previous type fixations are set aside and the specimen in the Natural History Museum, London, bearing two labels: 5 x 7 mm, black ink ‘Croat.[ia] Man[n]’; 8 x10 mm, black ink and print ‘Zeller Coll. Walsingham Collection 1910–427’ is designated as the neotype (Insecta, Lepidoptera). Op. 2181	available
<i>Crossarchus</i> Cuvier, 1825, <i>in</i> Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3(47): ‘Mangue’ 3 et Tab. (gender: masculine) (type species, by original designation: <i>Crossarchus obscurus</i> Cuvier, 1825, <i>in</i> Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3(47): ‘Mangue’ 3 et Tab.) (Mammalia). Op. 384	available

<i>Crotalus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 214 (gender: masculine) (type species, by designation by Fitzinger, 1843 (<i>Syst. Rept.</i> : 29): <i>Crotalus horridus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 214) (Reptilia). Op. 92, Direction 56	available
<i>Crotophaga</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 105 (gender: feminine) (type species, by monotypy: <i>Crotophaga ani</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 105) (Aves). Op. 67 <i>crucialis</i> , <i>Hyla</i> , Harlan, 1826, <i>Amer. J. Sci. Arts</i> , 10 (7): 64 (Amphibia). Op. 1072	available
<i>crucifera</i> , <i>Cicindela</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cruciger</i> , <i>Bufo</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 209 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>crucigerum</i> , <i>Phrynidium</i> , Lichtenstein & Martens, 1856, <i>Nomenclator reptilium et amphibiorum musei zoologici berolinensis</i> , p. 41, as defined by the neotype (specimen from the vicinity of Rancho Grande on the road from Maracay to Ocumare de la Costa, ca. 1000 m above sea level, Estado Aragua, Venezuela, ZSM 93/1947/10, Zoologische Staatssammlung, Munich) designated under the plenary power (Amphibia). Op. 2013	available
<i>cruentata</i> , <i>Nectarinia senegalensis</i> , Rüppell, 1845, <i>Systematische Uebersicht der Vögel Nord-Ost-Afrika's nebst Abbildungen und Beschreibungen von fünfzig theils unbekannten, theils noch nicht bildlich dargestellten Arten</i> . VIII, pp. 26–27, L pls. Schmerber'sche Buchhandlung, Frankfurt am Main (a junior objective synonym of <i>Cinnyris proteus</i> Rüppell, 1840) (Aves). Op. 2187	index
<i>cruentatus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>cruentus</i> , <i>Odynerus</i> , Saussure, 1855, <i>Et. Fam. Vespa</i> , 3 : 221 (formerly specific name of the type species of <i>Ancistroceroides</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893, Op. 1363	available
<i>crumena</i> , <i>Conchylolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. R[1], pl. 36, fig. 4, as interpreted by the neotype designated by Muir-Wood, 1956 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 14 : 111, 112) (conserved under the plenary power) (Brachiopoda). Op. 419	available
<i>crustulum</i> , <i>Parapronoe</i> , Claus, 1879, <i>Arbeiten aus dem Zoologischen Institut der Universität zu Wien</i> , 2 : 31 (Amphipoda). Op. 1889	available
<i>Cryniphilus</i> Motschulsky, 1845, <i>Bull. Soc. imp. Nat. Moscou</i> , 18 (i): 32 (an incorrect original spelling for <i>Creniphilus</i> Motschulsky, 1845). Op. 583	index
<i>Cryopus</i> Deshayes, 1836, in Lamarck, <i>Histoire naturelle des Animaux sans vertèbres</i> , Ed. 2, <i>revue et augmentée de notes ... par MM. G.P. Deshayes et H. Milne Edwards</i> , vol. 7, p. 314 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1467	index

- Cryphops*** Richter & Richter, 1926, *Abhandlungen der Preussischen geologischen Landesanstalt*, **99**: 157 (gender: masculine) (type species, by original designation: *Phacops cryptopthalmus* Emmrich, 1844) (Trilobita). Op. 2006 available
- Crypteuna*** Motschulsky, 1863, *Bulletin de la Société Impériale des Naturalistes de Moscou*, **36**(1): 448 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1891 index
- CRYPTINAE** Kirby, 1837, in Richardson, *Fauna Boreali-Americanæ*, part 4, p. 259 (type genus: *Cryptus* Fabricius, 1804) (Insecta, Hymenoptera). Op. 1757 available
- Cryptobranchus*** Leuckart, 1821, *Isis* (Oken), **1821**, Litt. Anz.: 260 (gender: masculine) (type species, by monotypy: *Salamandra gigantea* Barton, 1808, *Not. Siren Lacert.*: 8, valid name: *Salamandra alleganiensis* Daudin, [1803]) (Amphibia). Op. 92
- Cryptocampus*** Hartig, 1837, *Die Aderflügler Deutschlands mit besonderer Berücksichtigung ihres Larvenzustandes und ihres Wirkens in Wäldern und Gärten für Entomologen, Wald- und Gartenbesitzer ...*, vol. 1, p. 221 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Rohwer, 1911, *U.S. Department of Agriculture, Bureau of Entomology, Technical Series*, **20**(2): 77: *Nematus (Cryptocampus) medullarius* Hartig, 1837, a junior subjective synonym of *Cynips amerinae* Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1963 available
- Cryptocephalus*** Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de Paris*, vol. 1, p. 231 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, *Considerations générales sur ... les classes des crustacés, des arachnides et des insectes*, p. 432: *Chrysomela sericea* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754 available
- Cryptocheles*** Sars, 1870, *Forh. Vidensk.-Selsk. Christiania*, **1869**: 150 (gender: feminine) (type species, by monotypy: *Cryptocheles pygmaea* Sars, 1870, *Forh. Vidensk.-Selsk. Christiania*, **1869**: 150) (Crustacea, Decapoda). Op. 470 available
- Cryptocnemus*** Stimpson, 1858, *Proc. Acad. nat. Sci. Philadelphia*, **1858**: 162 (gender: masculine) (type species, by monotypy: *Cryptocnemus pentagonus* Stimpson, 1858, *Proc. Acad. nat. Sci. Philadelphia*, **1858**: 162) (Crustacea, Decapoda). Op. 73
- Cryptocoeloma*** Miers, 1884, *Report on the Zoological collections made in the Indo-Pacific Ocean during the voyage of H.M.S. ‘Alert’ 1881-2*, p. 227 (gender: neuter) (type species, by designation under the plenary power: *Cryptocoeloma haswelli* Rathbun, 1923) (Crustacea, Decapoda). Op. 1554 available
- Cryptocraspedon*** Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 569 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Cryptonymus*** Eichwald, 1825, *Geogn.-zool. Ingriam Mar. Balt. Prov. Trilob. Observ.*: 44 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 508 index
- cryptoecium, Cribrina***, Norman, 1903, *Ann. Mag. nat. Hist.*, (7)**12**: 102, as interpreted by the lectotype designated by Ryland & Stebbing, 1968 (*Bull. zool. Nomencl.*, **25**: 63) (Bryozoa). Op. 1016 available

<i>Cryptophagus</i> Herbst, 1792, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 4, p. 172 (gender: masculine) (type species, by subsequent designation by Westwood, [1838], <i>Synopsis of the genera of British insects</i> , p. 13, published with <i>An introduction to the modern classification of insects ...</i> , vol. 1, part 1, pp. 1-48: <i>Dermestes cellaris</i> Scopoli, 1763), ruled under the plenary power to be the correct original spelling of <i>Kryptophagus</i> (Insecta, Coleoptera). Op. 1810	available
<i>cryptopthalmus, Phacops</i> , Emmrich, 1844, <i>Zur Naturgeschichte der Trilobiten</i> , p. 15 (specific name of the type species of <i>Cryphops</i> Richter & Richter, 1926) (Trilobita). Op. 2006	available
<i>Cryptopleurum</i> Mulsant, 1844, <i>Hist. nat. coléoptères de France</i> , Palpicornes: 188 (gender: neuter) (type species, by designation under the plenary power: <i>Sphaeridium minutum</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 68) (Insecta, Coleoptera). Op. 1178	available
<i>Cryptoprocta</i> Bennett, 1833, <i>Proc. zool. Soc. London</i> , 1 (1833): 46 (gender: feminine) (type species, by original designation: <i>Cryptoprocta ferox</i> Bennett, 1833, <i>Proc. zool. Soc. London</i> , 1 (1833): 46) (Mammalia). Op. 384	available
CRYPTOPROCTIDAE (correction by Flower, 1869 (<i>Proc. zool. Soc. London</i> , 1869 : 37) of CRYPTOPROCTINA Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 508, 545 (type genus: <i>Cryptoprocta</i> Bennett, 1833) (Mammalia). Direction 53	available
CRYPTOPROCTINA Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 508, 545 (type genus: <i>Cryptoprocta</i> Bennett, 1833) (an incorrect original spelling for CRYPTOPROCTIDAE Gray, [1865]). Direction 53	index
<i>Cryptoptache</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 558 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
CRYPTORHYNCHINAE (correction of CRYPTORHYNCHIDES) Schoenherr, 1825, <i>Isis</i> (Oken), 1825 : col. 585 (type genus: <i>Cryptorhynchus</i> Illiger, 1807) (Insecta, Coleoptera). Op. 808	available
<i>Cryptorhynchus</i> Illiger, 1807, <i>Mag. Insektenk.</i> , 6 : 330 (gender: masculine) (type species, by designation under the plenary power: <i>Curculio lapathi</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 379) (Insecta, Coleoptera). Op. 808	available
<i>Cryptotis</i> Pomel, 1848, <i>Archive des Sciences Physiques et Naturelles, Genève</i> , 9 : 249 (gender: masculine) (type species, by monotypy: <i>Sorex cinereus</i> Bachman, 1837) (Mammalia). Op. 2164	available
<i>cryptotis, Rana</i> , Boulenger, 1907, <i>Annals and Magazine of Natural History</i> , (7) 20 : 109, ruled under the plenary power to be given precedence over the name <i>Chiromantis kachowskii</i> Nikolsky, 1900 whenever the two names are considered to be synonyms (Amphibia). Op. 1983	available
<i>Cryptus</i> Fabricius, [1804-1805], <i>Syst. Piezat.</i> : 70 (gender: masculine) (type species, by designation by Curtis, 1837 (<i>Brit. Entomol.</i> , 3 : pl. 668): <i>Cryptus viduatorius</i> Fabricius, [1804-1805], <i>Syst. Piezat.</i> : 70) (Insecta, Hymenoptera). Op. 157, Op. 1757	available

- Cryptus* Jurine, 1801, *Intelligenzblatt der Litteratur Zeitung, Erlangen*, vol. 1, no. 21, p. 163 (a name published in a work rejected for nomenclatural purposes) (Insecta, Hymenoptera). Op. 1757 index
- Cryptus* Panzer, 1804, *Fauna insectorum Germaniae initia; oder Deutschlands Insecten ...*, Heft 88, pl. 17 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1757 index
- crystallina*, *Helix*, Müller, 1774, *Verm. terrestr. fluviat. Hist.*, **2**: 23 (Gastropoda). Op. 336 available
- crystallina*, *Podura*, Müller, 1776, *Zool. dan. Prodr.*: 184 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1064 index
- crystallinus*, *Polycitor*, Renier, [1804], *Prospetto Classe Vermi*: XVII (conserved under the plenary power) (specific name of the type species of *Polycitor* Renier, [1804]) (Urochordata). Op. 478 available
- Crystallophrysson* Graff, 1875, *Z. wiss. Zool.*, **26**: 188 (an incorrect subsequent spelling for *Crystallophrisson* Möbius, 1875). Op. 764 index
- Ctenites* Bertrand, 1763, *Dict. Univ. Foss. Propres Foss. Accid.*, **1**: 183) (included in a work rejected for nomenclatural purposes). Op. 592 index
- Ctenium* Menge, 1871, *Schriften der Naturforschenden Gesellschaft in Danzig*, (2)**2**: 292 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Araneae). Op. 1426 index
- Ctenomorpha* Gray, 1833, *Entomol. Aust.*, (1): 16, 27 (gender: feminine) (type species, by designation by Kirby, 1904 (*Syn. Cat. Orthopt.*, **1**: 388): *Ctenomorpha marginipennis* Gray, 1833, *Entomol. Aust.*, (1): 16, pl. 1, fig. 2, valid name: *Diura chronus* Gray, 1833) (Insecta, Phasmida). Op. 641 available
- Ctenomorphodes* Karny, 1923, *Treubia*, **3**: 240 (gender: masculine) (type species, by original designation: *Phasma (Diura) briareus* Gray, 1834, *Trans. entomol. Soc. London*, **1**: 45) (Insecta, Phasmida). Op. 641 available
- CTENOPHTHALMINAE** Rothschild, 1915, *Entomol. mon. Mag.*, **51**: 77 (type genus: *Ctenophthalmus* Kolenati, 1856) (Insecta, Siphonaptera). Op. 741 available
- Ctenophthalmus* Kolenati, 1856, *Parasiten der Chiroptern* (Brünn ed.): 33 (gender: masculine) (type species, by designation under the plenary power: *Ctenophthalmus bisoctodentatus* Kolenati, 1863, *Hor. Soc. entomol. ross.*, **2**: 35, pl. 2, fig. 6) (Insecta, Siphonaptera). Op. 741 available
- Ctenopsyllus* Kolenati, 1863, *Hor. Soc. entomol. ross.*, **2**: 37 (a junior homonym of *Ctenopsyllus* Kolenati, 1856). Op. 285 index
- CTENOPTERYGIDAE** Grimpe, 1922, *Sitzungsberichte der naturforschenden Gesellschaft zu Leipzig*, **45- 48 (1918-1921)**: 45 (an incorrect original spelling of **CHTENOPTERYGIDAE**) (Cephalopoda, Coleoidea). Op. 1793 index

<i>Ctenopteryx</i> Joubin, 1900, <i>Résultats des Campagnes Scientifiques accomplies sur son yacht par Albert Ier Prince Souverain de Monaco</i> , 17 : 9 (an incorrect subsequent spelling of <i>Chtenopteryx</i> Appellöf, 1890) (Cephalopoda, Coleoidea). Op. 1793	index
<i>Ctenopteryx</i> Pfeffer, 1900, <i>Mitteilungen aus dem Naturhistorischen Museum in Hamburg</i> , 17 : 171 (an unjustified emendation of <i>Chtenopteryx</i> Appellöf, 1890 and a junior homonym of <i>Ctenopteryx</i> Flach, 1889) (Cephalopoda, Coleoidea). Op. 1793	index
<i>ctenopus</i> , <i>Halacarus</i> , Gosse, 1855, <i>Annals and Magazine of Natural History</i> , (2) 16 : 28, as defined by the neotype (specimen labelled USNM No. 44-211-27) designated under the plenary power (specific name of the type species of <i>Halacarus</i> Gosse, 1855) (Arachnida). Op. 2051	available
CUBARIDAE Brandt, 1833, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 6 : 189 (type genus: <i>Cubaris</i> Brandt, 1833) (Crustacea, Isopoda). Op. 1848	available
<i>Cubaris</i> Billberg, 1820, <i>Enumeratio Insectorum in Museo Gust. Joh. Billberg</i> , p. 137, and all uses of the name prior to the publication of <i>Cubaris</i> Brandt, 1833 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Crustacea, Isopoda). Op. 1848	index
<i>Cubaris</i> Brandt, 1833, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 6 : 189 (gender: feminine) (type species, by subsequent designation by Budde-Lund, 1909, <i>Denkschriften der Medicinisch- Naturwissenschaftlichen Gesellschaft zu Jena</i> , 14 (1): 54: <i>Cubaris murina</i> Brandt, 1833) (Crustacea, Isopoda). Op. 1848	available
<i>cubensis</i> , <i>Epilobocera</i> , Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 234 (specific name of the type species of <i>Epilobocera</i> Stimpson, 1860) (Crustacea, Decapoda). Direction 36	available
<i>cubensis</i> , <i>Hippolyte</i> , von Martens, 1872, <i>Arch. Naturgesch.</i> , 38 (1): 136 (valid name at the date of Opinion 470 of the type species of <i>Barbouria</i> Rathbun, 1912) (Crustacea, Decapoda). Op. 470	available
<i>cubensis</i> , <i>Lysianax</i> , Stebbing, 1897, <i>Transactions of the Linnean Society of London</i> , (2), Zoology, 7 : 29 (specific name of the type species of <i>Shoemakerella</i> Pirlot, 1936) (Amphipoda). Op. 1639	available
<i>Cubiceps</i> Lowe, 1843, <i>Proc. zool. Soc. London</i> , 11 : 82 (gender: masculine) (type species, by designation by Jordan & Evermann, 1919 (<i>Gen. Fish.</i> (2): 215): <i>Seriola gracilis</i> Lowe, 1843, <i>Proc. zool. Soc. London</i> , 11 : 82) (Osteichthyes). Op. 461	available
<i>cubicus</i> , <i>Cancer</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 89 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>Cucujus</i> Fabricius, 1775, <i>Systema Entomologiae ...</i> , p. 204 (gender: masculine) (type species, by monotypy: <i>Cucujus depressus</i> Fabricius, 1775, a junior subjective synonym of <i>Meloe cinnabarinus</i> Scopoli, 1763) (Insecta, Coleoptera). Op. 1754	available
<i>Cucujus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 123, and all uses of the name prior to the publication of <i>Cucujus</i> Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index

<i>Cucullaeigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>cucullatus, Megalodon</i> , Sowerby, 1827, <i>The mineral conchology of Great Britain</i> , part 97 (vol. 6), p. 132 (specific name of the type species of <i>Megalodon</i> Sowerby, 1827) (Bivalvia). Op. 1829	available
<i>cucullus, Kolpoda</i> , Müller, 1773, <i>Verm. terrestre. fluviat. Hist.</i> , 1 : 58 (specific name of the type species of <i>Colpoda</i> Müller, 1773) (Ciliophora). Op. 915	available
<i>Cuculus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 110 (gender: masculine) (type species, by Linnaean tautonymy: <i>Cuculus canorus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 110) (Aves). Direction 17	available
<i>cucurbitina, Apis</i> , Rossi, 1792, <i>Mant. Ins.</i> , 1 : 145 (valid name at the date of Opinion 1001 of the type species of <i>Ceratina</i> Latreille, [1802]) (Insecta, Hymenoptera). Op. 1001	available
<i>culinaris, Tenebrio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 417 (specific name of the type species of <i>Uloma</i> Dejean, 1821) (Insecta, Coleoptera). Op. 1039	available
<i>Cultellaria</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 187 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Culter</i> Basilewsky, 1855, <i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 10 : 236 (gender: masculine) (type species, by designation by Bleeker, 1863 (<i>Atlas ichthyol. Indes orient. néerland.</i> , 3 : 33); <i>Culter alburnus</i> Basilewsky, 1855, <i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 10 : 236) (Osteichthyes). Op. 513	available
<i>Cuma</i> H. Milne Edwards, 1828, <i>Annales des Sciences Naturelles</i> , Paris, (1) 13 : 287 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cumacea). Op. 1592	index
<i>Cuma</i> Humphrey, 1797, <i>Museum Calonnianum</i> , p. 35 (included in a work rejected for nomenclatural purposes) (Mollusca). Op. 1592	index
<i>cumanense, Phascolosoma</i> , Keferstein, 1867, <i>Zeitschrift für Wissenschaftliche Zoologie</i> , 17 : 53, ruled under the plenary power to be given precedence over the specific name of <i>Lumbricus edule</i> Pallas, 1774 whenever the two names are considered to be synonyms (Sipuncula). Op. 1389	available
<i>Cumanotus</i> Odhner, 1907, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 41 (4): 26, 29, 101, text-figs. 2-4 (gender: masculine) (type species, by monotypy: <i>Cumanotus laticeps</i> Odhner, 1907, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 41 (4): 26, 29, 101, text-figs. 2-4, valid name: <i>Coryphella beaumonti</i> Eliot, 1906) (Gastropoda). Op. 783	available
<i>cumingianus, Aculus (Aculystrium)</i> , Bourguignat, May 1853, <i>J. Conchyliol.</i> , 4 : 170 (specific name of the type species of <i>Aculystrium</i> Bourguignat, February 1853) (Gastropoda). Op. 364	available
<i>cumingii, Lithadia</i> , Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 434; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 305 (specific name of the type species of <i>Lithadia</i> Bell, 1855) (Crustacea, Decapoda). Direction 36	available

<i>Cummingella</i> Reed, 1942, <i>Ann. Mag. nat. Hist.</i> , (11)9: 653 (gender: feminine) (type species, by designation under the plenary power: <i>Phillipsia jonesii</i> Portlock, 1843, <i>Rep. Geol. Londonderry</i> : 308, pl. xi, fig. 3, as interpreted by the lectotype designated by Stubblefield, 1952 (<i>Bull. zool. Nomencl.</i> , 6: 152) (type locality: ‘Clonfeacle, Co. Tyrone’)) (Trilobita). Op. 352	available
<i>cuneatus</i> , <i>Donax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 683 (specific name of the type species of <i>Latona</i> Schumacher, 1817) (Bivalvia). Op. 1057	available
<i>cuneiforme</i> , <i>Arnioceras</i> , Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (No. 5): 73 (specific name of the type species of <i>Arnioceras</i> Hyatt, 1867) (Cephalopoda). Op. 307	available
<i>Cuniculus</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 98 (gender: masculine) (type species, by designation under the plenary power: <i>Mus pacas</i> Linnaeus, 1766), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Rodentia). Op. 1894	available
<i>Cuniculus</i> Meyer, 1790, <i>Magazin für Thiergeschichte, Thieranatomie und Thierarzneykunde</i> , vol. 1, part 1, p. 52 (a junior homonym of <i>Cuniculus</i> Brisson, 1762) (Mammalia, Rodentia). Op. 1894	index
<i>Cuniculus</i> Wagler, 1830, <i>Natürliches System der Amphibien, mit vorangehender Classification der Säugthiere und Vögel</i> , p. 21 (a junior homonym of <i>Cuniculus</i> Brisson, 1762) (Mammalia, Rodentia). Op. 1894	index
<i>cuniculus</i> , <i>Podalgus</i> , Burmeister, 1847, <i>Handbuch der Entomologie</i> , Band 5 (Besondere Entomologie. Fortsetzung. Coleoptera Lamellicornia Xylophila et Pectinicornia), p. 119 (specific name of the type species of <i>Podalgus</i> Burmeister, 1847) (Insecta, Coleoptera). Op. 2066	available
<i>cunningtoni</i> , <i>Caridella</i> , Calman, 1906, <i>Proc. zool. Soc. London</i> , 1906: 199 (specific name of the type species of <i>aridella</i> Calman, 1906) (Crustacea, Decapoda). Op. 470	available
<i>Cuon</i> Hodgson, 1838, <i>Ann. nat. Hist.</i> , 1: 152 (gender: masculine) (type species, by monotypy: <i>Cuon primaevus</i> Hodgson, 1838, <i>Ann. nat. Hist.</i> , 1: 152) (Mammalia). Op. 384	available
CUPIDIDI Tutt, [1907], <i>Nat. Hist. brit. Butts.</i> , 2: 327 (type genus: <i>Cupido</i> Schrank, 1801) (an incorrect original spelling for CUPIDINIDI Tutt, [1907]). Op. 503	index
CUPIDINIDI (correction of CUPIDIDI) Tutt, [1907], <i>Nat. Hist. brit. Butts.</i> , 2: 327 (published as a name for a taxon below subfamily rank) (type genus: <i>Cupido</i> Schrank, 1801) selected by Verity, 1943 (<i>Farfalle diurne Ital.</i> , 2: 85), acting as first reviser, to take precedence below the name EVERIDI Tutt, [1907]) for use by those who consider that <i>Cupido</i> Schrank and <i>Everes</i> Hübner, [1819] belong to different familygroup taxa (Insecta, Lepidoptera). Op. 503	available
<i>Cupido</i> Schrank, 1801, <i>Fauna boica</i> , 2(1): 153 (gender: masculine) (type species, by designation under the plenary power: <i>Papilio minimus</i> Fuessly, 1775, <i>Verz. bekannt. Schweiz. Ins.</i> : 31) (Insecta, Lepidoptera). Op. 503	available
<i>cupido</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 482 (specific name of the type species of <i>Helicopis</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available

<i>cupratus</i> , <i>Eurhin</i> , Illiger, 1807, <i>Magazin Insektenk.</i> (Illiger), 6 : 309 (specific name of the type species of <i>Eurhinus</i> Illiger, 1807) (Insecta, Coleoptera). Op. 1352	available
<i>cupreus</i> , <i>Coluber</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 28 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cupriacella</i> , <i>Tinea</i> , Hübner, 1819, <i>Sammlung Europäischer Schmetterlinge Lepidoptera VIII</i> . Tineae, pl. 67, fig. 445, as defined by the neotype (female specimen: ♀, POLAND: Glogów; 'Scab. succisa, Torfwiesen, Glogau, Zeller 1/ [18]53'; Stainton Coll., Brit. Mus. 1893-134, in the Natural History Museum, London) designated under the plenary power (Insecta, Lepidoptera). Op. 2067	available
<i>cupriceps</i> , <i>Chrysomela</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 66 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cuprifera</i> , <i>Buprestis</i> , Kirby, 1818, <i>Transactions of the Linnean Society of London</i> , 12 : 457 (Insecta, Coleoptera). Op. 2008	available
<i>cuprifera</i> , <i>Buprestis</i> , Laporte & Gory, 1836, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 59, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis cuprifera</i> Kirby, 1818 (Insecta, Coleoptera). Op. 2008	available
<i>cupulifer</i> , <i>Pilumnus</i> , Latreille, 1825, <i>Ency. méth.</i> , 10 (Ins.): 124 (specific name of the type species of <i>Polydectus</i> Milne Edwards, 1837) (Crustacea, Decapoda). Direction 36	available
<i>curculionoides</i> , <i>Metopias</i> , Gory, 1832, <i>Magasin de Zoologie</i> , 2 : pl. 42 [2 pp. text, 1 pl.] (specific name of the type species of <i>Metopias</i> Gory, 1832) (Insecta, Coleoptera). Op. 1772	available
<i>curema</i> , <i>Mugil</i> , Valenciennes in Cuvier & Valenciennes, 1836, <i>Histoire naturelle des poissons</i> , vol. 11, p. 87, as defined by the lectotype (specimen no. A.3638 in the Muséum National d'Histoire Naturelle, Paris) designated by Harrison, 1993, <i>Bulletin of Zoological Nomenclature</i> , 50 : 145 (Osteichthyes, Perciformes). Op. 1787	available
<i>Curimata</i> Bosc, 1817, <i>Nouv. Dict. d'Hist. nat.</i> (nouv. ed.), 9 : 9 (gender: feminine) (type species, by designation under the plenary power: <i>Salmo edentulus</i> Bloch, 1794, <i>Naturgesch. Ausl. Fische</i> , 8 : pl. 380) (Osteichthyes). Op. 772	available
<i>Curimata</i> Walbaum, 1792, <i>Artedi Genera Piscium</i> , Ichth. (ed. 2), 3 : 80 (published in the binomen <i>Salmo (Curimata) Marggravii</i> as a specific name but mistakenly considered by some authors to be a generic name). Op. 772	index
<i>curimata</i> , <i>Salmo</i> , Walbaum, 1792, <i>Artedi Genera Piscium</i> , Ichth. (ed. 2), 3 : 80 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 772	index
CURIMATINAE Eigenmann & Eigenmann, 1889, <i>Ann. N.Y. Acad. Sci.</i> , 4 : 409 (type genus: <i>Curimata</i> Bosc, 1817) (Osteichthyes). Op. 772	available
<i>cursor</i> , <i>Nematocarcinus</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 14 (specific name of the type species of <i>Nematocarcinus</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available

<i>cursor</i> , <i>Papirius</i> , Lubbock, 1862, <i>Trans. linn. Soc. London</i> , 23 : 436-438 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1092	index
<i>cursor</i> , <i>Staphylinus</i> , Müller, 1776, <i>Zoologiae Danicae prodromus, seu animalium Daniae et Norvegiae indigenarum characteres</i> , p. 97, ruled under the plenary power not to be given priority over <i>Staphylinus rivularis</i> Paykull, 1789 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>curtistylus</i> , <i>Psectrocladius</i> , Goetghebuer, 1921, <i>Mémoires du Musée royal d'histoire naturelle de Belgique</i> , 8 (4): 101 (specific name of the type species of <i>Pseudorthocladius</i> Goetghebuer, 1943) (Insecta, Diptera). Op. 2179	available
<i>curvicollis</i> , <i>Lepidocyrtus</i> , Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839 (1): 392 (specific name of the type species of <i>Lepidocyrtus</i> Bourlet, 1839) (Insecta, Collembola). Op. 291	available
<i>curvicornu</i> , <i>Neokentroceras</i> , Spath, 1922, <i>Trans. r. Soc. Edinburgh</i> , 53 : 139 (specific name of the type species of <i>Neokentroceras</i> Spath, 1921) (Cephalopoda). Op. 1254	available
<i>curvipes</i> , <i>Dolichopus</i> , Fallén, 1823, <i>Dipt. svec.</i> , 2 , <i>Mon. Dolichop.</i> (3): 20 (Insecta, Diptera). Op. 531	available
<i>curvipes</i> , <i>Sphaerocera</i> , Latreille, 1805, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 14, p. 394 (specific name of the type species of <i>Sphaerocera</i> Latreille, 1804) (Insecta, Diptera). Op. 1863	available
<i>curvirostra</i> , <i>Loxia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 171 (specific name of the type species of <i>Loxia</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>curvirostra</i> , <i>Munidopsis</i> , Whiteaves, 1874, <i>Amer. J. Sci.</i> , (3) 7 : 212 (specific name of the type species of <i>Munidopsis</i> Whiteaves, 1874) (Crustacea, Decapoda). Op. 712	available
<i>curvirostris</i> , <i>Haliporus</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 185 (specific name of the type species of <i>Haliporus</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>curvulena</i> , <i>Zaphrentis</i> , Thomson, 1881, <i>Proc. phil. Soc. Glasgow</i> , 13 : 223, 236 (specific name of the type species of <i>Amplexizaphrentis</i> Vaughan, 1906) (Anthozoa). Op. 854	available
<i>cuspidatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Y[3], pl. 46, figs. 3, 4; pl. 47, fig. 5 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>cuspidatus</i> , <i>Spirifer</i> , Sowerby, 1816, <i>Min. Conch.</i> , 2 : 42, pl. 120, figs. 1-3, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 112, pl. 4, figs. 1a-d) (Brachiopoda). Op. 420	available
<i>Cuthona</i> Alder & Hancock, 1855, <i>Mon. brit. nud. Moll.</i> , App.: xxii (gender: feminine) (type species, by monotypy: <i>Eolis nana</i> Alder & Hancock, 1842, <i>Ann. Mag. nat. Hist.</i> , 9 : 36) (Gastropoda). Op. 773	available
<i>Cuthonella</i> Bergh, 1884, <i>Rep. Voy. 'Challenger'</i> (Zool.), 26 : 23 (gender: feminine) (type species, by monotypy: <i>Cuthonella abyssicola</i> Bergh, 1884, <i>Rep. Voy. 'Challenger'</i> (Zool.), 26 : 24, pl. 10, figs. 1-2; pl. 11, fig. 2; pl. 12, figs. 9-13) (Gastropoda). Op. 783	available

CUTHONIDAE Odhner, 1934, <i>Brit. Antarct. (Terra Nova) Exp.</i> , Nat. Hist. Rept., Zool., 7: 278 (type genus: Cuthona Alder & Hancock, 1855) (Gastropoda). Op. 773	available
<i>cuticulare</i> , <i>Orchelimum</i> , Audinet-Serville, 1838, <i>Hist. nat. Ins. Orth.</i> : 523, 524 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1148	index
<i>cuvieri</i> , <i>Dorippe</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 35 (specific name of the type species of <i>Paromola</i> Wood-Mason & Alcock, 1891) (Crustacea, Decapoda). Op. 712	available
<i>cuvieri</i> , <i>Helicarion</i> , Féruccac, 1821, <i>Tableaux systématiques des animaux mollusques ... suivis d'un prodrome général ...</i> , p. 23 (folio), p. 19 (quarto), as defined by the neotype designated by Kershaw, 1979, <i>Journal of the Malacological Society of Australia</i> , 4(3): 150 (specific name of the type species of <i>Helicarion</i> Féruccac, 1821) (Gastropoda). Op. 1678	available
<i>cuvieri</i> , <i>Inoceramus</i> , Mantell, [May] 1822, <i>Foss. South Downs</i> : 213, pl. 27, fig. 4; pl. 28, figs. 1, 4 (a junior primary homonym of <i>cuvierii</i> , <i>Inoceramus</i> , Sowerby, 1814). Op. 473	index
<i>cuvieri</i> , <i>Inoceramus</i> , Smith, 1816, <i>Strata Syst. organ. Foss.</i> : 10, 'Lower Chalk' pl., fig. 1 (a junior primary homonym of <i>cuvierii</i> , <i>Inoceramus</i> , Sowerby, 1814). Op. 473	index
<i>cuvierii</i> , <i>Inoceramus</i> , Sowerby, [post-October 1822], <i>Trans. linn. Soc. London</i> , 13: 457, pl. 25, figs. 1-3 (a junior primary homonym of, and a junior objective synonym of, <i>cuvierii</i> , <i>Inoceramus</i> , Sowerby, 1814). Op. 473	index
<i>cuvierii</i> , <i>Inoceramus</i> , Sowerby, 1814, <i>Ann. Phil.</i> , 4: 448, as interpreted by the lectotype designated by Cox, 1955 (<i>Bull. zool. Nomencl.</i> , 11: 242, 243) namely the specimen figured by Sowerby, 1822 (<i>Trans. linn. Soc. London</i> , 13: pl. 25, figs. 2, 3) (specific name of the type species of <i>Inoceramus</i> Sowerby, 1814) (Bivalvia). Op. 473	available
<i>cyanea</i> , <i>Buprestis</i> , Fabricius, 1775, <i>Systema Entomologiae, sistens insectorum classes, ordines, genera, species ...</i> , p. 223 (specific name of the type species of <i>Phaenops</i> Dejean, 1833) (Insecta, Coleoptera). Op. 1826	available
<i>cyanea</i> , <i>Lema</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 92 (specific name of the type species of <i>Lema</i> Fabricius, 1798) (Insecta, Coleoptera). Op. 908	available
<i>cyanea</i> , <i>Loxia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 174 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1126	index
<i>cyanea</i> , <i>Muscicapa</i> , Müller, [1776], <i>Linné vollständ. Natursyst.</i> , Suppl.: 170 (Aves). Op. 415	available
<i>cyanea</i> , <i>Muscicapa</i> , Vieillot, 1818, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 21: 447 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 415	index
<i>cyanea</i> , <i>Muscitrea</i> , Hume, 1877, <i>Stray Feathers</i> , 5: 101 (conserved under the plenary power) (Aves). Op. 415	available

<i>cyanea</i> , <i>Papilio</i> , Cramer, [1775], <i>De Uitlandsche Kapellen voorkommende in de drie Waerelddeelen Asia, Africa en America</i> , vol. 1, p. 120 (specific name of the type species of <i>Pepliphorus</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 1773	available
<i>cyanea</i> , <i>Tanagra</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 315 (Aves). Op. 1126	available
<i>cyaneofulvus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 72 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cyaneopunctatus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 72 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>cyanipes</i> , <i>Buprestis</i> , Fabricius, 1787, <i>Mantissa insectorum ...</i> , vol. 1, p. 178 (Insecta, Coleoptera). Op. 2008	available
<i>cyanipes</i> , <i>Buprestis</i> , Say, 1823, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 3 : 164, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis cyanipes</i> Fabricius, 1787 (Insecta, Coleoptera). Op. 2008	available
<i>cyathiformis</i> , <i>Calyptograpsus</i> [sic], Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 459 (specific name of the type species of <i>Calyptograptus</i> Spencer, 1878) (Graptolithina). Op. 650	available
<i>Cyathocrinites</i> Miller, 1821, <i>Nat. Hist. Crinoidea</i> : 85 (gender: masculine) (type species, by designation under the plenary power: <i>Cyathocrinites planus</i> Miller, 1821, <i>Nat. Hist. Crinoidea</i> : 85) (Crinoidea). Op. 917	available
<i>Cyatholithus</i> Huxley, 1868, <i>Trans. roy. Microsc. Soc. (n.s.)</i> , 15 : 206 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 805	index
<i>Cyathostomum</i> Molin, 1861, <i>Memorie del Reale Istituto Veneto di Scienze, Lettere ed Arti</i> , 9 : 453 (gender: neuter) (type species, by monotypy: <i>Strongylus tetracanthus</i> Mehlis, 1831) (Nematoda). Op. 1972	available
CYCLADIDAE (as CYCLADIA) Rafinesque, 1820, <i>Ann. gén. Sci. phys.</i> , 5 : 318 (see also Prime, 1851, <i>Proc. Boston Soc. nat. Hist.</i> : 155) (type genus: <i>Cyclas</i> Lamarck, [1798]) (invalid because the name of the type genus is a junior objective synonym rejected before 1961). Direction 117	index
<i>Cycladigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Cyclas</i> Lamarck, [1798], <i>Tabl. encycl. trois règnes de la nature</i> : pls. 301, 302 (a junior objective synonym of <i>Sphaerium</i> Scopoli, 1777). Direction 117	index
<i>Cyclaxyra</i> Broun, 1893, <i>Manual of New Zealand Coleoptera</i> , part 5, p. 1076 (gender: feminine) (type species, by monotypy: <i>Cyclomorpha politula</i> Broun, 1881) (Insecta, Coleoptera). Op. 1472	available

<i>Cycloceras</i> M'Coy, 1844, <i>A synopsis of the characters of the Carboniferous Limestone fossils of Ireland</i> , p. 6 (gender: neuter) (type species, designated under the plenary power: <i>Cycloceras laevigatum</i> M'Coy, 1844) (Cephalopoda, Nautiloidea). Op. 1720	available
<i>Cycloderes</i> Sahlberg, 1823, <i>Periculi entomographici</i> ..., pp. 21, 83 (gender: masculine) (type species, by monotypy: <i>Cycloderes catarractus</i> Sahlberg, 1823) (Insecta, Coleoptera). Op. 1440	available
<i>Cyclodius</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2)12: 126 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 26): <i>Cyclodius ornatus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6: 80) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Cyclogra</i> Wood, 1842, <i>Ann. Mag. nat. Hist.</i> , (1)9: 458 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1114	index
<i>Cyclope</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4: 170, 271 (gender: feminine) (type species, by designation by Keen, 1964 (<i>Bull. zool. Nomencl.</i> , 21: 303): <i>Cyclope neritoidea</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4: 170, 271, valid name: <i>Buccinum neriteum</i> Linnaeus, 1758) (Gastropoda). Op. 793	available
<i>Cyclopterus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 260 (gender: masculine) (type species, by Linnaean tautonomy: <i>Cyclopterus lumpus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 260) (Osteichthyes). Op. 77, Direction 56	available
<i>Cyclopterus</i> Marseul, 1872, <i>Abeille</i> , 10: 30 (a junior homonym of <i>Cyclopterus</i> Linnaeus, 1758). Direction 56	index
<i>Cyclosalpa</i> Blainville, 1827, <i>Dict. Sci. nat.</i> , 47: 108 (gender: feminine) (type species, by designation by Metcalfe, 1918 (<i>Bull. U.S. nat. Mus.</i> , 100, 2(2): 9): <i>Salpa pinnata</i> Forsskål, 1775, <i>Descr. Anim.</i> : 112) (Urochordata). Op. 888	available
<i>Cyclosiphon</i> Ehrenberg, 1856, <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1855 (Phys.): 168 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy in Opinion 127). Direction 76	index
<i>Cyclostomigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>cydippe</i> , <i>Papilio</i> , all uses of, subsequent to Linnaeus, 1761, and prior to <i>cydippe</i> , <i>Papilio</i> , Linnaeus, 1767 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 501	index
<i>cydippe</i> , <i>Papilio</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 281 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 501	index
<i>cydippe</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 776 (Insecta, Lepidoptera). Op. 501	available

<i>cygneus</i> , <i>Mytilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 706, as defined by the lectotype (shell inscribed '218' and 'cygneus' in Linnaeus's handwriting in the collection of the Linnean Society of London) designated by Bloomer, 1938, <i>Journal of Conchology</i> , 21 : 39 (specific name of the type species of Anodonta Lamarck, 1799) (Bivalvia). Op. 336, Op. 1651	index
<i>Cylichna</i> Lovén, 1846, <i>Öfvers. K. Vet. Ak. Förh.</i> , III(5): 142 (gender: feminine) (type species, by designation by Pilsbry, 1893 (<i>in Tryon, Man. Conch.</i> , 15 : 287)): Bulla cylindracea Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), iv: 100 (Gastropoda). Op. 1030	available
<i>Cylichnóstomum</i> Looss, 1901, <i>Records of the Egyptian Government School of Medicine</i> , Cairo, 1 : 36, 86 (a junior objective synonym of Cyathostomum Molin, 1861) (Nematoda). Op. 1972	index
<i>Cylicostomum</i> Railliet, 1901, <i>Echo Vétérinaire</i> (Liège), 30 (1): 40 (a junior objective synonym of Cyathostomum Molin, 1861) (Nematoda). Op. 1972	index
<i>cylindracea</i> , Bulla , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), IV : 100 (specific name of the type species of Cylichna Lovén, 1846) (Gastropoda). Op. 1030	available
<i>cylindraceus</i> , Turbo , da Costa, 1778, <i>Hist. nat. Testac. Brit.</i> : 89 (valid name at the date of Opinion 335 of the type species Lauria Gray, 1840) (Gastropoda). Op. 335	available
<i>cylindraria</i> , <i>Nereis</i> , Pallas, 1766, <i>Misc. zoologica</i> : 117 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1225	index
<i>Cylindrella</i> Swainson, 1840, <i>A Treatise on Malacology, in Lardner's Cabinet Cyclopaedia</i> , London: 135 (a nomen nudum). Op. 1030	index
<i>Cylindrella</i> Swainson, 1840, <i>A Treatise on Malacology, in Lardner's Cabinet Cyclopaedia</i> , London: 311 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1030	index
<i>Cylindrella</i> Swainson, 1840, <i>A Treatise on Malacology, in Lardner's Cabinet Cyclopaedia</i> , London: 326 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1030	index
<i>cylindrica</i> , Buprestis , Fabricius, 1775, <i>Systema entomologia</i> , p. 220 (specific name of the type species of Acmaeodera Eschscholtz, 1829) (Insecta, Coleoptera). Op. 2100	available
<i>cylindrica</i> , Vertigo , Féruccac, 1807, <i>Essai Méth. conchyl.</i> : 52 (Gastropoda). Op. 336	available
<i>cylindricum</i> , Pinnotheres , Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 452 (specific name of the type species of Pinnixa White, 1846) (Crustacea, Decapoda). Direction 36	available
<i>cylindricus</i> , <i>Ptilinus</i> , Müller, 1776, <i>Zoologiae Danicae prodromus</i> , p. 81 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
<i>cylindricus</i> , Trochus , Gmelin, 1791, <i>Caroli a Linné Systema Naturae</i> , Ed. 13, vol. 1, part 6 (Vermes), p. 3572. <i>Lipsiae</i> (senior synonym of <i>Solarium herberti</i> Deshayes, 1830, specific name of the type species of Heliacus d'Orbigny, 1842) (Gastropoda). Op. 2185	available

<i>Cylindrogaster</i> Lioy, 1864, <i>Atti dell'Istituto Veneto di Scienze, Lettere ed Arti</i> , (3)9(2): 1327 (a junior objective synonym of <i>Sicus</i> Scopoli, 1763) (Insecta, Diptera). Op. 1870	index
<i>cylindrus, Cancer</i> , Fabricius, 1777, <i>Gen. Ins.</i> : 248 (specific name of the type species of <i>Ixa</i> Leach, 1815) (Crustacea, Decapoda). Direction 36	available
<i>Cyllopisalia</i> Pace, 1982, <i>Bollettino della Società entomologica Italiana</i> , 114: 40 (gender: feminine) (type species, by original designation of the replaced nominal genus <i>Parapisalia</i> Scheerpeltz, 1966: <i>Homalota difformis</i> Mulsant & Rey, 1853) (Insecta, Coleoptera). Op. 2113	available
<i>Cymatia</i> Flor, 1860, <i>Die Rhynchoten Livlands</i> , vol. 1, p. 799 (gender: feminine) (type species, by subsequent designation by Kirkaldy, 1898, <i>Entomologist</i> , 31: 252: <i>Sigara coleoptrata</i> Fabricius, [1777]) (Insecta, Heteroptera). Op. 1650, Op. 1794	available
CYMATIINAE Walton in Hutchinson, 1940, <i>Transactions of the Connecticut Academy of Arts and Sciences</i> , 33: 344 (type genus: <i>Cymatia</i> Flor, 1860), spelling emended from CYMATIINAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Cymatia</i> Flor, 1860 is CYMATIA- (Insecta, Heteroptera). Op. 1650	available
CYMATIINAE Iredale, 1913 (1854), <i>The Nautilus</i> , 27: 56 (type genus: <i>Cymatium</i> [Röding], 1798) (Gastropoda). Op. 1650	available
CYMATIINAE Walton in Hutchinson, 1940, <i>Transactions of the Connecticut Academy of Arts and Sciences</i> , 33: 344, spelling emended to CYMATIINAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Cymatia</i> Flor, 1860 is CYMATIA- (Insecta, Heteroptera). Op. 1650	index
<i>Cymatium</i> [Röding], 1798, <i>Museum Boltenianum, sive catalogus cimeliorum e tribus regnis naturae quae olim collegerat joa. Fried. Bolten ... pars secunda</i> , p. 129 (gender: neuter) (type species, by subsequent designation by Dall, 1904, <i>Smithsonian Miscellaneous Collections</i> , 47: 133: <i>Murex femorale</i> Linnaeus, 1758) (Gastropoda). Op. 1650	available
<i>Cymbium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Cymo</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> , (Crust.): 5, 22 (gender: masculine) (type species, by monotypy: <i>Pilumnus andreossyi</i> Audouin, [1826], in Savigny, <i>Descr. Egypte</i> , 1(4) (expl. pls. Crust.): 86) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>cymodoce, Ammonites</i> , d'Orbigny, 1850, <i>Pal. franç.</i> , Terr. jurass., 1: 534, pl. 202, figs. 3, 4 (nec figs. 1, 2) as interpreted by the lectotype designated by Tornquist, 1896 (<i>Abh. schweiz. pal. Ges.</i> , 23: 8) (Cephalopoda). Op. 426	available
<i>cymodoce, Cancer</i> , Herbst, 1801, <i>Versuch einer Naturgeschichte der Krabben und Krebse</i> , vol. 3, part 2, p. 22 (senior subjective synonym of the specific name of <i>Trapezia dentifrons</i> Latreille, 1828, the type species of <i>Trapezia</i> Latreille, 1828) (Crustacea, Decapoda). Op. 1614	available

<i>Cymonomus</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 (1): 26 (gender: masculine) (type species, by monotypy: <i>Cymonomus quadratus</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 (1): 26) (Crustacea, Decapoda). Op. 712	available
<i>Cymopolia</i> Roux, 1830, <i>Crust. Médit.</i> , (5): pl. 21 (a junior homonym of <i>Cymopolia</i> Lamouroux, 1816). Op. 712	index
CYMOPOLIIDAE (correction of CYMOPOLIDAE) Dana, 1854, <i>Amer. J. Sci.</i> , (2) 18 : 9 (type genus: <i>Cymopolia</i> Roux, 1830) (invalid because the name of the type genus is a junior homonym). Op. 712	index
<i>Cynocephalus</i> Boddaert, 1768, <i>Dierkundig Mengelwerk</i> , 2 : 8 (gender: masculine) (type species, by monotypy: <i>Lemur volans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 30) (Mammalia). Op. 1077	available
<i>Cynochampsia</i> Owen, 1859, <i>Quart. J. geol. Soc. London</i> (1) <i>Proc. geol. Soc. London</i> , 16 : 61 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1324	index
<i>Cynodon</i> Cuvier, 1829, <i>Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée</i> , Ed. 2, vol. 2, p. 312 and all uses of the name <i>Cynodon</i> prior to the publication of <i>Cynodon</i> Spix in Spix & Agassiz, 1829 (suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy) (Osteichthyes). Op. 2012	index
<i>Cynodon</i> Spix in Spix & Agassiz, 1829, <i>Selecta genera et species piscium quos in itinere per Brasiliam ... Collegit et pingendos curavit Dr. J.B. de Spix ... Digessit, descripsit et observationibus anatomicis illustravit Dr. L. Agassiz</i> , pl. 26 (gender: masculine) (type species, by designation under the plenary power: <i>Cynodon gibbus</i> Spix & Agassiz, 1829), ruled under the plenary power not to be given priority over the name <i>Rhaphiodon</i> Agassiz in Spix & Agassiz, 1829 whenever the two names are considered to be synonyms (Osteichthyes). Op. 2012	available
<i>Cynogale</i> Gray, [1837], <i>Proc. zool. Soc. London</i> , 4 : 88 (gender: feminine) (type species, by monotypy: <i>Cynogale bennettii</i> Gray, [1837], <i>Proc. zool. Soc. London</i> , 4 : 88) (Mammalia). Op. 384	available
<i>Cynogale</i> Lund, 1842, <i>K. Danske Vid. Selsk. Afh.</i> , 9 : 203 (a junior homonym of <i>Cynogale</i> Gray, [1837]). Op. 384	index
CYNOGALINA Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 507, 521 (type genus: <i>Cynogale</i> Gray, [1837]) (an incorrect original spelling for CYNOGALINAE Gray, [1865]). Direction 53	index
CYNOGALINAE (correction by Gill, 1872 (<i>Smithson. misc. Coll.</i> , 230 : 4, 62) of CYNOGALINA Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 507, 521 (type genus: <i>Cynogale</i> Gray, [1837]) (Mammalia). Direction 53	available

<i>Cynthia</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 281 (gender: feminine) (type species, by designation by Westwood, [1840] (<i>Introd. mod. Class. Ins.</i> , 2 , Syn. Gen. brit. Ins.: 87): <i>Papilio cardui</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 475) by direction under the plenary power, not to be used in preference to <i>Vanessa</i> Fabricius, 1807, but available for use by those who consider that the type species of this genus is not congeneric with <i>Papilio atlanta</i> Linnaeus, 1758, the type species of <i>Vanessa</i> Fabricius, 1807 (Insecta, Lepidoptera). Direction 4	available
<i>Cyon</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 113 (an unjustified emendation of <i>Cuon</i> Hodgson, 1838). Op. 384	index
<i>cyparissa, Papilio</i> , Cramer, [1775], <i>Uitlandsche Kapellen ...</i> , vol. 1, part 4, p. 63, pl. 39, figs. D, E (specific name of the type species of <i>Euphaedra</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 1380	available
<i>Cyphaspis</i> Burmeister, 1843, <i>Organisation und Ubersicht Trilobiten</i> , p. 103 (gender: feminine) (type species, by designation under the plenary power: <i>Phacops ceratophthalmus</i> Goldfuss, 1843) (Trilobita). Op. 1434	available
<i>Cyphodeirus</i> Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 63 (an incorrect original spelling for <i>Cyphoderus</i> Nicolet, [1842]). Op. 291	index
<i>Cyphoderus</i> (emendation of <i>Cyphodeirus</i>) Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 63 (gender: masculine) (type species, by designation by Börner, 1903 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1903 : 180): <i>Cyphodeirus</i> [sic] <i>albinus</i> Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 67) (Insecta, Collembola). Op. 291	available
<i>Cyphogastra</i> Deyrolle, 1864, <i>Annales de la Société Entomologique de Belgique</i> , 8 : 36 (gender: feminine) (type species, by subsequent designation by Bellamy, 1998, <i>Deutsche Entomologische Zeitschrift</i> , 45 (1): 10: <i>Buprestis foveicollis</i> Boisduval, 1835) (Insecta, Coleoptera). Op. 2008	available
<i>Cyphonota</i> Dejean, 1833, <i>Catalogue des Coléoptères de la collection de M. le Comte Dejean, Livraison 1</i> , p. 79 (suppressed for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2083	index
<i>Cyphosoma</i> Mannerheim, 1837, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 1837 (8): 91 (gender: neuter) (type species, by subsequent designation by Bily, 2001, <i>Folia heyrovskyanana</i> , 9 (2): 150, of the replaced nominal genus <i>Cyphonota</i> Dejean, 1833: <i>Buprestis tatarica</i> Pallas, 1773) (Insecta, Coleoptera). Op. 2083	available
<i>Cypraeigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>cyprinacea, Lernaea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 655 (specific name of the type species of <i>Lernaea</i> Linnaeus, 1758) (Crustacea, Copepoda). Op. 481	available
<i>cyprinoides, Mormyrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 327 (specific name of the type species of <i>Mormyrus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available

<i>Cyprinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 320 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 254)): <i>Cyprinus carpio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 320) (Osteichthyes). Op. 77, Direction 56	available
CYPSELINAE Bonaparte, 1838, <i>Geogr. comp. List Birds Eur. N. Amer.</i> : 8 (type genus: <i>Cypselus</i> Illiger, 1811) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 502	index
<i>Cypselus</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 229 (a junior objective synonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>Cyrnus</i> Stephens, 1836, <i>Ill. Brit. Entomol.</i> , Mand., 6 : 174 (gender: masculine) (type species, by designation under the plenary power: <i>Cyrnus unipunctatus</i> Stephens, 1836, <i>Ill. Brit. Entomol.</i> , Mand., 6 : 175, valid name: <i>Philopotamus trimaculatus</i> Curtis, 1834) (Insecta, Trichoptera). Op. 691	available
<i>Cyrtodaria</i> Reuss, 1801, <i>Repertorium Commentationum</i> , vol. 1, p. 351 (gender: feminine) (type species, by subsequent monotypy by Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 15 : 190: <i>Mya siliqua</i> Spengler, 1793) (Bivalvia). Op. 1414	available
<i>Cyrtograpus</i> Carruthers, 1867, <i>Intell. Observ.</i> , 11 : 369 (a junior homonym of <i>Cyrtograpus</i> Dana, 1851). Direction 37	index
<i>Cyrtograpus</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 250 (gender: masculine) (type species, by monotypy: <i>Cyrtograpus angulatus</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 250) (Crustacea, Decapoda). Op. 85, Direction 37	available
CYRTOGRAPTIDAE Bouček, 1933, <i>Prace geol.-palaeont. ustavu Karlovy University:</i> T.P., 11 [footnote] (type genus: <i>Cyrtograpta</i> Lapworth, 1873) (Graptolithina). Op. 650	available
<i>Cyrtograpta</i> Lapworth, 1873, <i>Geol. Mag.</i> , 10 : table i (gender: masculine) (type species, by monotypy, through <i>Cyrtograpus</i> Carruthers, 1867: <i>Cyrtograpus murchisonii</i> Carruthers, 1867, in Murchison, <i>Siluria</i> (ed. 4), App.: 540) (Graptolithina). Op. 650	available
<i>Cyrtometopus</i> Angelin, 1854, <i>Palaeontologica Scandinavica</i> , p. 32 (gender: masculine) (type species, by monotypy: <i>Calymene clavifrons</i> Dalman, 1827) (Trilobita). Op. 1434	available
<i>Cystia</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Cystidea</i> Barrande, 1868, <i>Neues Jb. Miner. Geol. Paläontol.</i> , 1868 : 694 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 927	index
<i>Cystigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Cystioceras</i> Börner, 1912, in Schille, <i>Spraw. Komisji Fysiogr. Kraju</i> , 46 : 126, 127 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1193	index

<i>Cystophora</i> Nilsson, 1820, <i>Skand. Fauna, Dagg. Djur.</i> : 382 (gender: feminine) (type species, by designation by Allen, 1880 (<i>U.S. geol. geogr. Surv. Terr., Misc. Publ.</i> , 12 : 273); <i>Phoca cristata</i> Erxleben, 1777, <i>Syst. Regni Anim.</i> : 590) (Mammalia). Op. 91, Direction 24	available
<i>Cystophora</i> Yabe & Hayasaka, 1916, <i>J. geol. Soc. Tokyo</i> , 23 (No. 271): 70 (a junior homonym of <i>Cystophora</i> Nilsson, 1820). Direction 24	index
<i>Cytamoeba</i> Danilewsky, 1891, <i>Ann. Inst. Pasteur</i> , 5 (12): 762 (included in a work rejected for nomenclatural purposes). Op. 283	index
<i>Cytherigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Cytosporon</i> Danilewsky, 1891, <i>Ann. Inst. Pasteur</i> , 5 (12): 762 (included in a work rejected for nomenclatural purposes). Op. 283	index
<i>Cytozoon</i> Danilewsky, 1891, <i>Ann. Inst. Pasteur</i> , 5 (12): 780 (included in a work rejected for nomenclatural purposes). Op. 283	index
CYZICIDAE Stebbing, 1910, <i>Ann. S. Afr. Mus.</i> , 6 (4): 486 (type genus: <i>Cyzicus</i> Audouin, 1837) (Crustacea, Branchiopoda). Op. 553	available
<i>Cyzicus</i> Audouin, 1837, <i>Ann. Soc. entomol. France</i> , 6 : x (gender: masculine) (type species, by monotypy: <i>Limnadia tetracera</i> Krynicki, 1830, <i>Bull. Soc. imp. Nat. Moscou</i> , 2 (11): 176) (Crustacea, Branchiopoda). Op. 553	available
<i>czizeki, Tipula</i> , de Jong, 1925, <i>Een Studien over Emelten en haare bestrijding, Verh. Mededeel. Plantenz. Dienst Wageningen</i> : 42 (Insecta, Diptera). Op. 1160	available
<i>Dacryopilumnus</i> Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 263 (gender: masculine) (type species, by monotypy: <i>Dacryopilumnus eremita</i> Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 264) (Crustacea, Decapoda). Op. 73 <i>Dactylamoeba</i> Korotneff, 1880, <i>Arch. Zool. exp. gen.</i> , 8 : 470 (gender: feminine) (type species, by monotypy: <i>Dactylamoeba elongata</i> Korotneff, 1880, <i>Arch. Zool. exp. gen.</i> , 8 : 469, 470) ruled under the plenary power not to be given priority over the generic name <i>Mayorella</i> Schaeffer, 1926 whenever the two names are considered synonyms (Rhizopoda). Op. 1344	available
<i>Dactylioceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 95 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites communis</i> Sowerby, 1815, <i>Min. Conch.</i> , 2 : 10) (Cephalopoda). Op. 576	available
DACTYLIOCERATIDAE (correction of DACTYLOIDAE) Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 87, 94 (type genus: <i>Dactylioceras</i> Hyatt, 1867) (Cephalopoda). Op. 576	available
<i>Dactylocera</i> Latreille, 1829, in Cuvier, <i>Règne Animal</i> (ed. 2), 4 : 117 (a junior objective synonym of <i>Phrosina</i> Risso, 1822). Op. 1133	index
<i>Dactyloceras</i> Fischer, 1879, <i>J. Conchyliol.</i> , 27 : 254 (an incorrect subsequent spelling for <i>Dactylioceras</i> Hyatt, 1867). Op. 576	available

DACTYLOIDAE Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 87, 94 (type genus: <i>Dactylioceras</i> Hyatt, 1867) (an incorrect original spelling for DACTYLIOCERATIDAE Hyatt, 1867). Op. 576	index
DACTYLOPHIIDAE (correction of DACTYLOPITES) Signoret, 1875, <i>Ann. Soc. entomol. France</i> , (5) 5 : 305 (type genus: Dactylopius Costa, (Nov. 1829)) (Insecta, Hemiptera). Op. 1247	available
<i>Dactylopius</i> Costa, (Nov. 1829), <i>Fauna del Regno di Napoli</i> , Coccinigliferi: 2, 15 (gender: masculine) (type species, by designation under the plenary power: Dactylopius coccus Costa, (Nov. 1829), <i>Fauna del Regno di Napoli</i> , Coccinigliferi: 16) (Insecta, Hemiptera). Op. 1247	available
DACTYLOPODIINAE Lang, 1936, <i>Further zool. results of the Swedish Antarctic Exped.</i> , 3 (3): 22, 29 (type genus: Dactylopusia Norman, 1903) (an incorrect original spelling for DACTYLOPUSIINAE Lang, 1936). Op. 1356	index
<i>Dactylopusia</i> Norman, 1903, <i>Ann. Mag. nat. Hist.</i> , (7) 11 : 368 (gender: feminine) (type species, by designation under the plenary power: Dactylops tisboides Claus, 1863, <i>Die frei lebenden Copepoden</i> : 126) (Crustacea, Copepoda). Op. 1356	available
DACTYLOPUSIINAE (correction by Vervoort (1963) of DACTYLOPODIINAE) Lang, 1936, <i>Further zool. results of the Swedish Antarctic Exped.</i> , 3 (3): 22, 29 (type genus: Dactylopusia Norman, 1903) (Crustacea, Copepoda). Op. 1356	available
<i>daea, Palaeopsylla</i> , Dampf, 1910, <i>Zool. Jahresb.</i> , 12 , Suppl.: 633, figs. Q-V, to be interpreted as directed under the plenary power by reference to the lectotype designated by Hopkins, 1956 (<i>Bull. zool. Nomencl.</i> , 11 : 351) (Insecta, Siphonaptera). Op. 491	available
<i>dahalacensis, Estheria</i> , Rüppell, 1837, in Straus-Durckheim, <i>Abh. Mus. Senckenb.</i> , 2 (2): 126 (Crustacea, Branchiopoda). Op. 553	available
<i>Daira</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 4, 18 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: Cancer perlatus Herbst, [1790], <i>Versuch. Naturgesch. Krabben Krebse</i> , 1 (8): 265) (Crustacea, Decapoda). Op. 73, Direction 78	available
<i>Daira</i> Gistl, [1847], <i>Handb. Naturgesch.</i> : 575 ; <i>id.</i> , 1848, <i>Nat. Thierr.</i> : 174 (a junior homonym of <i>Daira</i> de Haan, [1833]). Direction 78	index
<i>Daira</i> Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, 20 : 392 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 78	index
<i>Dairilia</i> Dana, 1853, <i>U.S. Explor. Exped.</i> , 13 (2): 1595, 1596 (conserved under the plenary power) (gender: feminine) (type species, by monotypy through <i>Daira</i> Milne Edwards, 1830 (for which Dairilia Dana, 1853, was published as a replacement name)): <i>Daira gabertii</i> Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, 20 : 393) (Crustacea, Amphipoda). Direction 78	available
<i>Dairinia</i> Bate, 1862, <i>Cat. amph. Crust. Brit. Mus.</i> : 309 (an incorrect subsequent spelling for Dairilia Dana, 1853). Direction 78	index

<i>Daldorfia</i> Rathbun, 1904, <i>Proc. biol. Soc. Washington</i> , 17 : 171 (gender: feminine) (type species, by monotypy: <i>Cancer horridus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 629) (Crustacea, Decapoda). Op. 696	available
<i>Dalla</i> Mabille, 1904, <i>Genera Insectorum</i> , 17 : 107 (gender: feminine) (type species, by subsequent designation by Lindsey, 1921, <i>University of Iowa Studies in Natural History</i> , 9 (4): 58: <i>Cyclopides eryonas</i> Hewitson, 1877) (Insecta, Lepidoptera). Op. 1669	available
<i>Dama</i> Frisch, 1775, <i>Natur-Syst. vierfüssig. Thiere</i> : 3, [31], table at end (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Cervus dama</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 67) (Mammalia). Op. 581	available
<i>Dama</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 342 (a nomen nudum). Op. 581	index
<i>Dama</i> Gray, 1850, <i>Gleanings Menagerie Knowlsey Hall</i> , Horned Quadr., 1 : 5 (a junior homonym of <i>Dama</i> Frisch, 1775). Op. 581	index
<i>Dama</i> Smith, 1827, in Griffith's Cuvier, <i>Anim. Kingdom</i> : Syn. 306 (a junior homonym of <i>Dama</i> Frisch, 1775). Op. 581	index
<i>Dama</i> Zimmermann, 1777, <i>Spec. zool. geogr.</i> : 353, 532 (included in a work rejected for nomenclatural purposes). Op. 581	index
<i>Dama</i> Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 129 (a junior homonym of <i>Dama</i> Frisch, 1775). Op. 581	index
<i>dama</i> , <i>Cervus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 67 (specific name of the type species of <i>Dama</i> Frisch, 1775) (Mammalia). Op. 581	available
<i>Damalis</i> Fabricius, 1805, <i>Systema Antliatorum</i> : 147 (gender: masculine) (type species, by designation under the plenary power: <i>Damalis planiceps</i> Fabricius, 1805, <i>Systema Antliatorum</i> : 148) (Insecta, Diptera). Op. 1342	available
<i>damesi</i> , <i>Desmoceras</i> , Jimbo, 1894, <i>Palaeontol. Abhandl.</i> , 6 (N.F., 2) (3): 172 (specific name of the type species of <i>Damesites</i> Matsumoto, 1942) (Cephalopoda). Op. 555	available
<i>Damesites</i> Matsumoto, 1942, <i>Proc. imp. Acad. Japan</i> , 18 : 24 (conserved under the plenary power) (gender: masculine) (type species, by original designation: <i>Desmoceras damesi</i> Jimbo, 1894, <i>Pal. Abhandl.</i> , 6 (N.F. 2)(3): 172) (Cephalopoda). Op. 555	available
<i>danae</i> , <i>Goniosoma</i> , Milne Edwards, 1869, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 5 : 153 (specific name of the type species of <i>Thalamonyx</i> Milne Edwards, 1873) (Crustacea, Decapoda). Direction 36	available
<i>danae</i> , <i>Nikoides</i> , Paulson, 1875, <i>Issljed. Rakoobr. krasn. Morja [Stud. Crust. Red Sea]</i> : 98 (specific name of the type species of <i>Nikoides</i> Paulson, 1875) (Crustacea, Decapoda). Op. 470	available
<i>danae</i> , <i>Taningia</i> , Joubin, 1931, <i>Annales de l'Institut Océanographique</i> , 10 : 181, ruled under the plenary power to be given precedence over the specific name of <i>Octopodoteuthis persica</i> Naef, 1923 whenever the two names are considered to be synonyms (specific name of the type species of <i>Taningia</i> Joubin, 1931) (Cephalopoda, Coleoidea). Op. 1768	available

DANAIDAE (correction of DANAIDES) Boisduval, [1833], <i>Icon. hist. Lépid. Europ.</i> , 1(9): 84 (type genus: <i>Danaus</i> Kluk, 1802) (Insecta, Lepidoptera). Direction 99	available
DANAIDES Boisduval, [1833], <i>Icon. hist. Lépid. Europ.</i> , 1(9): 84 (type genus: <i>Danaus</i> Kluk, 1802) (an incorrect original spelling for DANAIDAE Boisduval, [1833]). Direction 99	index
DANAIDIDAE Reuter, 1897, <i>Acta Soc. Sci. fenn.</i> , 22: 301 (type genus: <i>Danaus</i> Kluk, 1802) (an incorrect subsequent spelling for DANAIDAE Boisduval, [1833]). Direction 99	index
<i>dananus</i> , <i>Eubrontes</i> , Hitchcock, 1845, <i>Assoc. amer. Geologists, Naturalists Rep.</i> , 1845: 23 (a junior objective synonym of <i>sillimani</i> , <i>Ornithoidichnites</i> , Hitchcock, 1843). Op. 535	index
<i>Danaus</i> Kluk, 1802, <i>Zwierz. Hist. nat. pocz. gospod.</i> , 4: 84 (gender: masculine) (type species, by designation by Hemming, 1933 (<i>Entomologist</i> , 66: 222): <i>Papilio plexippus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 471, as interpreted by the neotype designated under the plenary power, namely the male specimen figured by Clark, 1941 (<i>Proc. U.S. nat. Mus.</i> , 90: pl. 71, fig. 1) and refigured in Opinion 282 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 6: pl. 2) (restricted type locality: 'Kendall, New York State')) (Insecta, Lepidoptera). Op. 278	available
<i>danieli</i> , <i>Mastigodryas</i> , Amaral, 1934, <i>Mems. Inst. Butantan</i> , 8: 158 (specific name of the type species of <i>Mastigodryas</i> Amaral, 1934) (Reptilia). Op. 1035	available
<i>danilewskyi</i> , <i>Leukocytozoen</i> , Ziemann, 1898, <i>Ueber Malaria- und andere Blutparasiten nebstd Anhang. Eine wirksame Methode der Chromatin- und Blutfärbung</i> , p. 128, pl. 3, figs. 29-33 (specific name of the type species of <i>Leucocytozoon</i> Berestneff, 1904) (Protista). Op. 1971	available
<i>dantici</i> , <i>Vespa</i> , Rossi, 1790, <i>Fauna Etrusca</i> , 2: 89 (specific name of the type species of <i>Euodynerus</i> Dalla Torre, 1904) (Insecta, Hymenoptera). Op. 893	available
<i>Dapanus</i> Hentz, 1867, <i>Proc. Boston Soc. nat. Hist.</i> , 11: 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1083	index
<i>daplidice</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 468 (specific name of the type species of <i>Pontia</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>Dapsilarthra</i> Foerster, 1862, <i>Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens</i> , 19: 267 (gender: feminine) (type species, by monotypy: <i>Alysia apii</i> Curtis, 1826) (Insecta, Hymenoptera). Op. 1424	available
<i>Dardanus</i> Paulson, 1875, <i>Issljed. Rakoobr. krasn. Morja [Stud. Crust. Red Sea]</i> : 90 (gender: masculine) (type species, by monotypy: <i>Dardanus hellerii</i> Paulson, 1875, <i>Issljed. Rakoobr. krasn. Morja [Stud. Crust. Red Sea]</i> : 90, valid name: <i>Pagurus sanguinolentus</i> Quoy & Gaimard, 1825) (Crustacea, Decapoda). Op. 472	available
<i>dardanus</i> , <i>Papilio</i> , Brown, 1776, <i>New Illustr. Zool.</i> : 52 (conserved under the plenary power) (Insecta, Lepidoptera). Op. 620	available

<i>dardanus</i> , <i>Papilio</i> , Cramer, 1775, <i>Uitl. Kapellen</i> , 1 : 25, pl. 17, figs. E, F (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 620	index
<i>dardanus</i> , <i>Papilio</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 3 : 10 (a junior primary homonym of <i>dardanus</i> , <i>Papilio</i> , Brown, 1776). Op. 620	index
<i>Daristane</i> Walker, 1859, <i>J. linn. Soc. London</i> , 3 : 193 (gender: feminine) (type species, by monotypy: <i>Daristane tibaria</i> Walker, 1859, <i>J. linn. Soc. London</i> , 3 : 194) ruled under the plenary power not to be given priority over <i>Striglina</i> Guénée, 1877 whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1075	available
<i>darwiniensis</i> , <i>Mastotermes</i> , Froggatt, 1897, <i>Proceedings of the Linnean Society of New South Wales</i> , 21 : 519, as defined by the neotype (a female alate registered as Type No. 9033 in the Australian National Insect Collection, CSIRO, Canberra) designated by Hill, 1942, <i>Termites (Isoptera) from the Australian Region</i> , p. 21, and confirmed by the Commission (Insecta, Isoptera). Op. 1808	available
<i>darwinii</i> , <i>Pholas</i> , Sowerby, 1849, <i>Thesaurus conchylium</i> , 2 (10): 490, pl. 107, figs. 76, 77 (specific name of the type species of <i>Netastoma</i> Carpenter, 1864) (Bivalvia). Op. 1296	available
<i>Dasineura</i> Rondani, 1840, <i>Memoria per servire alla ditterologia italiana</i> . No. 2 (Sopra alcuni nuovi generi di insetti ditteri), p. 12 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Rondani, 1860, <i>Atti della Società Italiana di Scienze Naturali</i> , 2 : 288: <i>Tipula sisymbrii</i> Schrank, 1803) (Insecta, Diptera). Op. 1911	available
<i>Dasiopa</i> Coquillett, 1910, <i>Proc. U.S. nat. Mus.</i> , 37 : 531 (an incorrect subsequent spelling for <i>Dasiops</i> Rondani, 1856). Op. 652	index
<i>Dasiops</i> Rondani, 1856, <i>Dipterol. ital. Prodr.</i> , 1 : 120 (gender: masculine) (type species, by designation under the plenary power: <i>Lonchaea latifrons</i> Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5 : 308) (Insecta, Diptera). Op. 652	available
<i>dasiops</i> , <i>Lonchea</i> [sic], Rondani, 1856, <i>Dipterol. ital. Prodr.</i> , 1 : 120 (an incorrect subsequent spelling for <i>dasyops</i> , <i>Lonchaea</i> , Meigen, 1826). Op. 652	index
<i>Dasycaris</i> Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 240 (gender: feminine) (type species, by monotypy: <i>Dasycaris symbiotes</i> Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 240) (Crustacea, Decapoda). Op. 470	available
<i>Dasychira</i> Hübner, [1809], <i>Sammel. exot. Schmett.</i> , 1 : pl. [178] (gender: feminine) (type species, by monotypy: <i>Dasychira tephra</i> Hübner, [1809], <i>Sammel. exot. Schmett.</i> , 1 : pl. [178]) (Insecta, Lepidoptera). Op. 1283	available
DASYCHIRIDAE Packard, 1864, <i>Proc. entomol. Soc. Philadelphia</i> , 3 : 331 (type genus: <i>Dasychira</i> Hübner, [1809]), ruled under the plenary power not to be given priority over LYMANTRIIDAE Hampson, [1893] whenever <i>Dasychira</i> Hübner, [1809] and <i>Lymantria</i> Hübner, [1819] are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 1283	available

<i>Dasyneura</i> Agassiz, 1846, <i>Nomenclator Zoologicus. Nomina Systematica Generum Dipterorum</i> , p. 11 (an unjustified emendation of <i>Dasineura</i> Rondani, 1840 and a junior homonym of <i>Dasyneura</i> Saunders, 1842) (Insecta, Diptera). Op. 1911	index
<i>Dasyops</i> Scudder, 1882, <i>Nomencl. zool.</i> (an incorrect subsequent spelling for <i>Dasiops</i> Rondani, 1856). Op. 652	index
<i>dasyops</i> , <i>Lonchaea</i> , Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5 : 308 (specific name of the type species of <i>Chaetolonchaea</i> Czerny, 1934) (Insecta, Diptera). Op. 652	available
DASYPELTINAE Cope, 1886, <i>Proc. amer. phil. Soc.</i> , 23 : 494 (type genus: <i>Dasypeltis</i> Wagler, 1830) (Reptilia). Direction 54	available
<i>Dasypeltis</i> Wagler, 1830, <i>Naturl. Syst. Amph.</i> : 178 (conserved under the plenary power) (gender: masculine) (type species, by original designation: <i>Coluber scaber</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 223) (Reptilia). Op. 387	available
<i>Dasypoda</i> Latreille, 1802, <i>Histoire naturelle des fourmis ...</i> , p. 424 (gender: feminine) (type species, by subsequent designation by Blanchard, 1840, Hyménoptères. In Castelnau, F.L.N. de Laporte, <i>Histoire naturelle des insectes</i> , vol. 3, p. 414: <i>Andrena hirtipes</i> Fabricius, 1793) (Insecta, Hymenoptera). Op. 1926	available
DASYPODAIDAE Börner, 1919, <i>Biologisches Zentralblatt</i> , 39 (4): 180 (type genus: <i>Dasypoda</i> Latreille, 1802), spelling emended from DASYPODIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Dasypoda</i> Latreille, 1802 is DASYPODA- (Insecta, Hymenoptera). Op. 1926	available
DASYPODIDAE Börner, 1919, <i>Biologisches Zentralblatt</i> , 39 (4): 180, spelling emended to DASYPODAIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Dasypoda</i> Latreille, 1802 is DASYPODA- (Insecta, Hymenoptera). Op. 1926	index
DASYPODIDAE Gray, 1821, <i>London Medical Repository, Monthly Journal and Review</i> , 15 (1): 305 (type genus: <i>Dasypus</i> Linnaeus, 1758) (Mammalia, Xenarthra). Op. 1926	available
<i>Dasyprocta</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 93 (gender: feminine) (type species, by designation by Thomas, 1903 (<i>Ann. Mag. nat. Hist.</i> , (7) 12 : 464) under Opinion 6: <i>Mus aguti</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 80) (Mammalia). Op. 91, Direction 24	available
<i>Dasyprocta</i> Lund, 1840, <i>Écho Monde Savant</i> , 1840 : 191 (an incorrect subsequent spelling for <i>Dasyprocta</i> Illiger, 1811). Direction 24	index
<i>Dasypus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 50 (gender: masculine) (type species, by Linnaean tautonymy: <i>Dasypus novemcinctus</i> Linnaeus, 1758) (Mammalia, Xenarthra). Op. 1926	available
<i>Datames</i> Simon, 1879, <i>Annales de la Société Entomologique de France</i> , (5) 9 : 133 (a junior homonym of <i>Datames</i> Stål, 1875) (Arachnida). Op. 2050	index
<i>dauci</i> , <i>Aphis</i> , Fabricius, 1775, <i>Entomol. Syst.</i> : 737 (valid name at the date of Opinion 646 of the type species of <i>Semiaphis</i> Van der Goot, 1913) (Insecta, Hemiptera). Op. 646	available

<i>dauuricus</i> , <i>Erinaceus</i> , Sundevall, 1842, <i>K. svenska Vetenskaps Akad. Handl.</i> , for 1841: 237, ruled under the plenary power to be given precedence over the specific name <i>sibiricus</i> Erxleben, 1777, as published in the binomen <i>Erinaceus sibiricus</i> , whenever the two names are considered synonyms (Mammalia). Op. 1243	available
<i>Davaenaea</i> Cohn, 1900, <i>Zool. Anz.</i> , 23 : 92 (an incorrect subsequent spelling for <i>Davainea</i> Blanchard & Railliet, 1891). Direction 76	index
<i>Davaenea</i> Cohn, 1899, <i>Zbl. Bakt. (Abt. 1)</i> , 25 : 419 (an incorrect subsequent spelling for <i>Davainea</i> Blanchard & Railliet, 1891). Direction 76	index
<i>Davainaea</i> Diamare, 1893, <i>Boll. Soc. Nat. Napoli</i> , (1) 7 : 11 (an incorrect subsequent spelling for <i>Davainea</i> Blanchard & Railliet, 1891). Direction 76	index
<i>Davainea</i> Blanchard & Railliet, 1891, <i>Mém. Soc. zool. France</i> , 4 : 420, 428 (gender: feminine) (type species, by designation by Stiles & Hassall, 1896 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 12 : 46); <i>Taenia proglottina</i> Davaine, 1860, <i>Traité Entozool.</i> , (ed. 1): xxxix-xl, figs. 5, 13) (Cestoda). Op. 84, Direction 76	available
<i>davainei</i> (correction of <i>davainii</i>), <i>Tylenchus</i> , Bastian, 1865, <i>Trans. linn. Soc. London</i> , 25 (2): 126 (specific name of the type species of <i>Tylenchus</i> Bastian, 1865) (Nematoda). Op. 341	available
<i>Davainia</i> Cohn, 1899, <i>Zbl. Bakt. (Abt. 1)</i> , 25 : 415, 419 (an incorrect subsequent spelling for <i>Davainea</i> Blanchard & Railliet, 1891). Direction 76	index
<i>davainii</i> , <i>Tylenchus</i> , Bastian, 1865, <i>Trans. linn. Soc. London</i> , 25 (2): 126 (an incorrect original spelling for <i>davainei</i> , <i>Tylenchus</i> , Bastian, 1865). Op. 341	index
<i>debilis</i> , <i>Hymenopenaeus</i> , Smith, 1882, <i>Bull. Mus. comp. Zool.</i> , 10 : 91 (specific name of the type species of <i>Hymenopenaeus</i> Smith, 1882) (Crustacea, Decapoda). Op. 864	available
<i>debilis</i> , <i>Leptacinus</i> , Cameron, 1950, <i>Explorations du Parc National Albert. Mission G.F. de Witte</i> , (1933- 1935), 59 : 28, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>L. debilis</i> Erichson, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>debilis</i> , <i>Leptacinus</i> , Erichson, 1839, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 1, p. 336 (Insecta, Coleoptera). Op. 2053	available
<i>debilis</i> , <i>Leptopodia</i> , Smith, 1871, <i>Rep. Peabody Acad. Sci.</i> , 1869/1870 (app.): 87 (Crustacea, Decapoda). Op. 763	available
DECASTIDAE Ameghino, 1893, <i>Rev. gen. Sci. (Paris)</i> , 4 : 79 (type genus: <i>Decastis</i> Ameghino, 1891), ruled under the plenary power not to be given priority over the family-group names CAENOESTIDAE Trouessart, 1898 or PALAEOTHENTIDAE Sinclair, 1906 whenever <i>Decastis</i> Ameghino, 1891 and <i>Caenoestes</i> Thomas, 1895 or <i>Palaeothentes</i> Ameghino, 1887 are placed in the same family-group taxon (Mammalia). Op. 1241	available
<i>Decastis</i> Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 19 (gender: feminine) (type species, by original designation: <i>Decastis columnaris</i> Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 305) (at the time of Opinion 1241 treated as a junior subjective synonym of <i>Dipilus</i> Ameghino, 1890) (Mammalia). Op. 1241	available

<i>decemnotatus</i> , <i>Agabus</i> , Aubé, 1838, <i>Species général des Hydrocanthares et Gyriniens</i> , par le docteur Ch. Aubé; pour faire suite au species général des Coléoptères de la collection de M. le Comte Dejean, vol. 6, p. 319 (specific name of the type species of <i>Platynectes</i> Régimbart, 1879) (Insecta, Coleoptera). Op. 1796	available
<i>decipiens</i> , <i>Chaetetes</i> , Rominger, 1866, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1866 : 116, 117 (specific name of the type species of <i>Peronopora</i> Nicholson, 1881) (Bryozoa). Op. 838	available
<i>Deckenia</i> Hilgendorf, 1869, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1868 : 2 (gender: feminine) (type species, by monotypy: <i>Deckenia imitatrix</i> Hilgendorf, 1869, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1868 : 2) (Crustacea, Decapoda). Op. 73 <i>decollata</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 773 (specific name of the type species of <i>Rumina</i> Risso, 1826) (Gastropoda). Op. 335	available
<i>decolorata</i> , <i>Lycaena argiades</i> var., Staudinger, 1886, <i>Stett. entomol. Zs.</i> , 47 : 204 (Insecta, Lepidoptera). Op. 970	available
<i>decora</i> , <i>Spirifera</i> , Phillips, 1836, <i>Ill. Geol. Yorks.</i> , 2 : 219, pl. 10, fig. 9, to be interpreted by reference to the holotype refigured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : pl. 5, figs. 6a-c) (Brachiopoda). Op. 421	available
<i>decorata</i> , <i>Oxystoglossa</i> , Smith, 1853, <i>Catalogue of hymenopterous insects in the collection of the British Museum</i> , part 1 (Andrenidae and Apidae), p. 83 (specific name of the type species of <i>Oxystoglossa</i> Smith, 1853) (Insecta, Hymenoptera). Op. 1952	available
<i>decorsei</i> , <i>Geloius</i> , Bolivar, 1905, <i>Boln. R. esp. Hist. nat.</i> , 5 : 286, as interpreted by the neotype designated by Wintrebert, 1972 (<i>Annals Mus. r. Afr. cent. (Zool.)</i> , 198 : 64) and ratified under the plenary power (Insecta, Orthoptera). Op. 1091	available
<i>decurtatus</i> , <i>Curculio</i> , Gmelin, [1790], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 1747 (a junior objective synonym of <i>abbreviatus</i> , <i>Curculio</i> , Fabricius, 1787). Op. 572	index
<i>deformis</i> , <i>Ricinula</i> , Reeve, 1846, <i>Conchologia iconica: or, illustrations of the shells of molluscous animals</i> , <i>Ricinula</i> , pl. 6, fig. 44, text (specific name of the type species of <i>Risomurex</i> Olsson & McGinty, 1958) (Gastropoda). Op. 1623	available
<i>defossus</i> , <i>Ammonites</i> , Simpson, 1843, <i>A monograph of the ammonites of the Yorkshire Lias</i> (London): 15, as interpreted by the lectotype designated under the plenary power (Cephalopoda). Op. 1088	available
<i>Defrancia</i> Millet, 1826, <i>Mém. linn. Soc. Paris</i> , 5 : 437 (a junior homonym of <i>Defrancia</i> Bronn, 1825). Op. 666	index
<i>Defrancia</i> Möller, 1842, <i>Ind. Moll. Groenl.</i> : 12 (a junior homonym of <i>Defrancia</i> Bronn, 1825). Op. 666	index
<i>Degeeria</i> Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 70 (a junior homonym of <i>Degeeria</i> Meigen, 1838). Op. 440	index
<i>Degeeria</i> Nicolet, 1841, <i>Bibl. Univ. Genève</i> (n.s.), 32 : 384 (a nomen nudum). Op. 440	index

DEGEERIADAЕ Lubbock, 1873, <i>Monogr. Collemb. Thysan.</i> : 129 (type genus: <i>Degeeria</i> Nicolet, [1842]) (an incorrect original spelling for DEGEERIIDAE Lubbock, 1873). Op. 440	index
<i>Degeeriella</i> Neumann, 1906, <i>Bull. zool. Soc. France</i> , 20 : 60 (gender: feminine) (type species, by designation by Johnston & Harrison, 1911 (<i>Proc. linn. Soc. N.S. Wales</i> , 36 : 326): <i>Nirmus discocephalus</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 430, as interpreted by the neotype designated by Clay, 1958 (<i>Bull. Brit. Mus. (nat. Hist.)</i> , <i>Entomol.</i> , 7 : 168)) (Insecta, Mallophaga). Op. 627	available
DEGEERIELLINI Eichler, 1937, in Niethammer, <i>Handb. dtsch. Vogelkunde</i> , 1 : 360 (type genus: <i>Degeeriella</i> Neumann, 1906) for use by those who consider that <i>Degeeriella</i> Neumann, 1906 and <i>Philopterus</i> Nitzsch, 1818 belong to different taxa of the family-group (Insecta, Mallophaga). Op. 627	available
DEGEERIIDAE (correction by Tullberg, 1876 (<i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 33 (No. 5): 31) of DEGEERIADAЕ Lubbock, 1873, <i>Monogr. Collemb. Thysan.</i> : 129 (type genus: <i>Degeeria</i> Nicolet, [1842])) (invalid because the name of the type genus is a junior homonym of <i>Degeeria</i> Meigen, 1838). Op. 440	index
<i>Deidamia</i> von Willemoes-Suhm, 1873, in Thomson, <i>Nature</i> (London), 8 : 51 (a junior homonym of <i>Deidamia</i> Clemens, 1859). Op. 579	index
<i>deissneri</i> , <i>Ospromenus</i> , Bleeker, 1859, <i>Natuurkundig Tijdschrift voor Nederlandsch Indië</i> , 18 : 376, as defined by the neotype (specimen no. ZRC 31377 in the Zoological Reference Collection, National University of Singapore) designated under the plenary power (specific name of the type species of <i>Parosphromenus</i> Bleeker, 1877) (Osteichthyes, Perciformes). Op. 1946	available
<i>dejeanii</i> , <i>Dufourea</i> , Lepeletier, 1841, <i>Histoire naturelle des insectes</i> , vol. 2, p. 228 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2001	index
<i>dekayi</i> , <i>Tropidonotus</i> , Holbrook, 1842, <i>North Amer. Herpet.</i> , 4 : 54 (specific name of the type species of <i>Storeria</i> Baird & Girard, 1853) (Reptilia). Op. 632	available
<i>delfini</i> , <i>Galaxias</i> , Philippi, 1895, <i>Verh. deutsch wiss. Ver. Santiago Chile</i> , 3 : 17-22, ruled under the plenary power not to be given priority over the specific name <i>platei</i> Steindachner, 1898, as published in the binomen <i>Galaxias platei</i> , whenever the two names are considered synonyms (Osteichthyes). Op. 1153	available
<i>delicata</i> , <i>Harpa</i> , Perry, 1811, <i>Conchology, or the Natural History of Shells; containing a new arrangement of the genera and species ...</i> , pl. 40, fig. 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1518	index
<i>Delocrinus</i> Miller & Gurley, 1890, <i>J. Cincinnati Soc. Nat. Hist.</i> , 13 : 9 (gender: masculine) (type species, by original designation: <i>Poteriocrinus hemisphericus</i> Shumard, 1858, in Shumard & Swallow, <i>St. Louis Acad. Sci., Trans.</i> , 1 : 221) (Crinoidea). Op. 1006	available
DELPHACIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 : 125 (type genus: <i>Delphax</i> Fabricius, 1798) (an incorrect original spelling for DELPHACIDAE [Leach, 1815]). Op. 602	index

DELPHACIDAE (correction of DELPHACIDA) [Leach, 1815], <i>in</i> Brewster's <i>Edinburgh Ency.</i> , 9 : 125 (type genus: <i>Delphax</i> Fabricius, 1798) (Insecta, Hemiptera). Op. 602	available
<i>Delphax</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 511 (gender: masculine) (type species, by designation under the plenary power: <i>Cicada crassicornis</i> Panzer, 1796, <i>Fauna Ins. germ.</i> , 35 : 19) (Insecta, Hemiptera). Op. 602	available
<i>Delphinuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Delphinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 77 (gender: masculine) (type species, by Linnaean tautonymy: <i>Delphinus delphis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 77) (Mammalia). Op. 75 <i>delphis</i> , <i>Delphinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 77 (specific name of the type species of <i>Delphinus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>demissus</i> , <i>Conus</i> , Philippi, 1836, <i>Enumeratio molluscorum Siciliae</i> , vol. 1, p. 239, ruled under the plenary power not to be given priority over the specific name of <i>Conus</i> <i>berghausi</i> Michelotti, 1847 whenever the two names are considered to be synonyms (Gastropoda). Op. 1699	available
<i>democratica</i> , <i>Salpa</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 112 (specific name of the type species of <i>Thalia</i> Blumenbach, 1798) (Urochordata). Op. 888	available
<i>Democricetodon</i> Fahlbusch, 1964, <i>Abhandlungen der Bayerischen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Klasse</i> , (n.f.) 118 : 19 (gender: masculine) (type species, by designation under the plenary power: <i>Democricetodon</i> <i>crassus</i> Freudenthal, 1969) (Mammalia, Rodentia). Op. 1419	available
<i>Demodex</i> Owen, 1843, <i>Lect. comp. Anat. Phys. invertebr. Anim.</i> : 252 (gender: masculine) (type species, by monotypy: <i>Acarus folliculorum</i> Simon, 1842, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1842 : 231) (Arachnida). Op. 104	available
<i>demodocus</i> , <i>Papilio</i> , Esper, [1798], <i>Ausl. Schmett.</i> (14): 205, pl. 51, fig. 1 (specific name of the type species of <i>Princeps</i> Hübner, [1807]) (Insecta, Lepidoptera). Direction 2	available
<i>demophile</i> , <i>Papilio</i> , [Hübner, 1790-1793], <i>Lep. Linn.</i> : 10 (included in a work rejected for nomenclatural purposes). Op. 975	index
<i>Dendraspis</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 28 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 709	index
<i>Dendrelaphis</i> Boulenger, 1890, <i>Faun. Brit. Ind.</i> , Rept. Batr.: 239 (gender: masculine) (type species, by monotypy: <i>Ahaetulla caudolineata</i> Gray, [1834], <i>Ill. Ind. Zool.</i> , (2): pl. 81) (Reptilia). Op. 524	available
<i>dendriticum</i> , <i>Distoma</i> , Rudolphi, 1819, <i>Entoz. Syn. Mant.</i> : 93, 364 (valid name at the date of Direction 77 of the type species of <i>Dicrocoelium</i> Dujardin, [1844]) (Trematoda). Direction 77	available

<i>Dendritina</i> d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , (1)7: 285 (gender: feminine) (type species, by subsequent designation by Cushman, 1927, <i>Contributions from the Cushman Laboratory for Foraminiferal Research</i> , 3(4): 189: Dendritina arbuscula d'Orbigny, 1826) (Foraminifera). Op. 1570	available
<i>Dendroaspis</i> Schlegel, 1848, <i>Over Elaps jamesonii Traill</i> etc., <i>Natura Artis Magistra</i> 1848: 5 (gender: feminine) (type species, by monotypy: Elaps jamesonii Traill, 1843, <i>Edinburgh new phil. J.</i> , 34(66): 54) (Reptilia). Op. 709	available
<i>Dendrobates</i> Wagler, 1830, <i>Natürliches System der Amphibien mit vorangehender Classification der Säugthiere und Vögel. Ein Beitrag zur vergleichenden Zoologie</i> , vi, p. 202 (gender: masculine), type species <i>Rana tinctoria</i> Cuvier, 1797, by subsequent designation by Duméril & Bibron (1841) (Amphibia). Op. 2223	index
DENDROBATIDAE Cope, 1865 (1850), <i>Natural History Review</i> , N.S., 5: 100, ruled under the plenary power to be given precedence over the family-group name PHYLLOBATIDAE Fitzinger, 1843 whenever the two are regarded as synonyms (Amphibia). Op. 2223	index
<i>Dendrochariessa</i> Gistl, 1848, <i>Naturgeschichte des Thierreiches für höhere Schulen</i> , p. ix (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1825	index
<i>Dendroctonus</i> Erichson, 1836, <i>Arch. Naturgesch.</i> , 2(1): 52 (gender: masculine) (type species, by designation under the plenary power: Bostrichus micans Kugelmann, 1794, <i>Mag. Lieb. Entomol.</i> [Schneider's], 5: 523) (Insecta, Coleoptera). Op. 670	available
<i>Dendrophis</i> Boie, 1826, in Fitzinger, <i>Neue Classif. Rept.</i> : 29, 60 (a junior objective synonym of Leptophis Bell, 1825). Op. 524	index
<i>Dendrophyllia</i> Blainville, 1830, <i>Dictionnaire des sciences naturelles</i> , vol. 60, p. 319 (gender: feminine) (type species, by subsequent designation by Milne Edwards & Haime, 1850, <i>A monograph of the British fossil corals. First part. Introduction; corals from the Tertiary and Cretaceous Formations</i> , p. liii: Madrepora ramea Linnaeus, 1758) (Anthozoa). Op. 2061	available
DENDROPHYLLIIDAE Gray, 1847, <i>Annals and Magazine of Natural History</i> , 19: 128 (type genus: Dendrophyllia Blainville, 1830) (Anthozoa). Op. 2061	available
<i>Dendropoma</i> Mörch, 1861, <i>Proceedings of the Zoological Society of London</i> , 1861: 153 (gender: neuter) (type species, by subsequent designation by Keen, 1961, <i>Bulletin of the British Museum (Natural History)</i> , 7(3): 189: Siphonium (Dendropoma) lituellum Mörch, 1861) (Gastropoda). Op. 1425	available
<i>Dendryphantes</i> Koch, 1837, <i>Uebers. Arachnidensyst.</i> , 1: 31 (gender: masculine) (type species, by designation by Thorell, [1870] (<i>Nova Acta K. vet.-Soc. Upsala</i> , (3)7(fasc. 1) (No. 1): 214): Aranea hastatus Clerck, [1758], <i>Aran. svec.</i> : 115) (Arachnida). Op. 104, Direction 66	available
<i>densispina, Membranipora</i> , Levinsen, 1925, <i>Kongelige Danske Videnskabernes Selskabs Skrifter, Naturvidenskabelig og mathematisk Afdeling</i> , 8, 7: 316 (specific name of the type species of Marssonopora Lang, 1914) (Bryozoa, Cheilostomata). Op. 1608	available

Dentale da Costa, 1778, *Hist. Nat. Test. Brit.*: 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 361

index

Dentalium Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 785 (gender: neuter) (type species, by designation by Montfort, 1810 (*Conch. syst. Class. méth. Coquilles*, **2**: 23); ***Dentalium elephantinum*** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 785) (Scaphopoda). Op. 94, Direction 72

available

Dentalius Forbes, 1841, *Hist. brit. Starfishes*: 253 (an incorrect subsequent spelling for ***Dentalium*** Linnaeus, 1758). Direction 72

index

dentata, *Hippa*, Fabricius, 1793, *Entomol. syst.*, **2**: 475 (a junior objective synonym of ***cassivelaunus***, ***Cancer***, Pennant, 1777). Op. 689

index

dentata, ***Nursilia***, Bell, 1855, *Proc. linn. Soc. London*, **2**: 434; *id.*, 1855, *Trans. linn. Soc. London*, **21**: 309 (specific name of the type species of ***Nursilia*** Bell, 1855) (Crustacea, Decapoda). Direction 36

available

dentata, ***Sphaerocoryphe***, Angelin, 1854, *Palaeontol. Scand.* (1): 66, pl. 34, fig. 6 (specific name of the type species of ***Sphaerocoryphe*** Angelin, 1854) (Trilobita). Op. 614

available

dentatum, ***Entodinium***, Stein, 1858, *Abh. Königl.-böhm. Ges. Wiss.*, (5)**10**: 69, as determined by Schuberg, 1888 (*Zool. Jahrb.*, Jena (Syst.), **3**: 365-418); by Kofoid & MacLennan, 1932 (*Univ. Calif. Publ. Zool.*, **37**: 53-152); and by Wertheim, 1935 (*Veterinarskog Arhiva*, **5**: 388-526) (specific name of the type species of ***Diplodinium*** Schuberg, 1888) (Ciliophora). Op. 202

available

dentatus, ***Ammonites***, Sowerby, 1821, *Min. Conch.*, **4**: 3, pl. 308, as interpreted by Spath, 1925 (*Mon. Ammonoidea of the Gault* (Palaeontogr. Soc.)), **1**: 10 (specific name of the type species of ***Hoplites*** Neumayr, 1875) (Cephalopoda). Op. 353

available

dentatus, ***Cancer***, Herbst, 1785, *Versuch einer Naturgeschichte der Krabben und Krebse, nebst einer systematischen Beschreibung ihrer verschiedenen Arten*, vol. 1, p. 186 (specific name of the type species of the genus ***Eitisus*** H. Milne Edwards, 1834 (Crustacea) Op. 2204

available

dentatus, ***Chelanops***, Banks, 1895, *Journal of the New York Entomological Society*, **3**: 6 (specific name of the type species of ***Mirochernes*** Beier, 1930) (Arachnida, Pseudoscorpionida). Op. 1653

available

dentatus, ***Pediculus***, Scopoli, 1763, *Entomol. carn.*: 383, as interpreted under the plenary power by the neotype designated by Clay & Hopkins, 1951 (*Bull. Brit. Mus. (nat. Hist.) Entomol.*, **2**: 17, figs. 21, 22, pl. 1, fig. 5) (Insecta, Mallophaga). Op. 629

available

dentatus, ***Stephanurus***, Diesing, 1839, *Ann. wiener Mus. Naturgesch.*, **2**(2): 232 (conserved under the plenary power) (specific name of the type species of ***Stephanurus*** Diesing, 1839) (Nematoda). Op. 340

available

dentatus, ***Strongylus***, Rudolphi, 1803, *Archiv Zool. (Wiedemann)*, **3**(2): 12, as interpreted by the descriptions and figures published by Goodey, 1924 (*J. Helminth.*, **2**(1): 1-14, figs. 1-15) (specific name of the type species of ***Oesophagostomum*** Molin, 1861) (Nematoda). Op. 340

available

<i>dentex, Cyprinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 325 (senior subjective synonym of <i>Salmo niloticus</i> Linnaeus, 1758, the type species of <i>Alestes</i> Müller & Troschel, 1844, by the first reviser action of Valenciennes, 1849, in Cuvier & Valenciennes, <i>Histoire naturelle des poissons</i> , vol. 22, p. 185) (Osteichthyes, Characiformes). Op. 1813	available
<i>dentex, Hastrum</i> , Perry, 1811, <i>Conchology</i> : pl. 44 (rejected as a nomen oblitum). Op. 886	index
<i>dentex, Scomber</i> , Bloch & Schneider, 1801, <i>Systema ichthyologiae iconibus cx illustratum ...</i> , vol. 1, p. 30 (specific name of the type species of <i>Pseudocaranx</i> Bleeker, 1863) (Osteichthyes, Perciformes). Op. 1841	available
<i>denticolle, Omalium</i> , Beck, 1817, <i>Beiträge zur baierischen Insektenfauna, oder Beschreibung und Abbildung neuentdeckter Käfer ...</i> , vol. 7, p. 26 (Insecta, Coleoptera). Op. 2053	available
<i>denticolle, Omalium</i> , Sharp, 1889, <i>Annals and Magazine of Natural History</i> , (6)3: 475, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. denticolle</i> Beck, 1817 (Insecta, Coleoptera). Op. 2053	available
<i>denticulata, [Patella]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2: fig. 65 (conserved under the plenary power) (Gastropoda). Op. 479	available
<i>denticulatus, Borborus</i> , Meigen, 1830, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 6, p. 200 (specific name of the type species of <i>Ischiolepta</i> Lioy, 1864) (Insecta, Diptera). Op. 1839	available
<i>denticulatus, Cancer</i> , Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9: 87 (specific name of the type species of <i>Pirimela</i> Leach, [1816]) (Crustacea, Decapoda). Direction 36	available
<i>dentipes, Alpheus</i> , Guérin, 1832, <i>Expéd. sci. Morée, Zool.</i> (2): 39 (conserved under the plenary power) (Crustacea, Decapoda). Op. 606	available
<i>dentiventris, Halictoides</i> , Nylander, 1848, <i>Notiser ur Sällskapets pro fauna et flora Fennica</i> , vol. 1, p. 195, as defined by the lectotype (female specimen no. 5153 in the Zoological Museum, Helsinki) designated by Ebmer, 1976, <i>Nachrichtenblatt der Bayerischen Entomologen</i> , 25: 1 (specific name of the type species of <i>Halictoides</i> Nylander, 1848) (Insecta, Hymenoptera). Op. 2001	available
<i>depicta, Aglaja</i> , [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (ruled under the plenary power to be an available name) (Gastropoda). Op. 1079	available
<i>depilans, Aplysia</i> (or <i>Laplysia</i>), all uses of, prior to <i>depilans, Aplysia</i> , Gmelin, [1791] (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 200	index
<i>depilans, Aplysia</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3103 (conserved under the plenary power) (specific name of the type species of <i>Aplysia</i> (emendation of <i>Laplysia</i>) Linnaeus, 1767) (Gastropoda). Op. 200	available
<i>depilans, Laplysia</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1082 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 200	index

<i>deplanatus, Euryetus</i> , Cano, 1889, <i>Boll. Soc. Nat. Napoli</i> , (1)3: 88 nota, 200 (specific name of the type species of <i>Euryetus</i> Cano, 1889) (Crustacea, Decapoda). Direction 36	available
<i>Depranella</i> Ulrich, 1890, <i>J. Cincinnati Soc. nat. Hist.</i> , 1890: 117, 118 (ruled under the plenary power to be an incorrect original spelling for <i>Drepanella</i> Ulrich, 1890). Op. 591	index
DEPRANELLINEAE Howe, 1955, <i>Handbook of Ostracod Taxonomy</i> : 61 (type genus: <i>Depranella</i> Ulrich, 1890) (an invalid spelling because the name of the type genus has been emended under the plenary power to <i>Drepanella</i> Ulrich, 1890). Op. 591	index
<i>depressa, Buprestis</i> , Fabricius, 1775, <i>Systema entomologiae</i> ..., p. 219, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis depressa</i> Linnaeus, 1771 (Insecta, Coleoptera). Op. 2008	available
<i>depressa, Buprestis</i> , Linnaeus, 1771, <i>Mantissa Plantarum</i> , p. 533 (Insecta, Coleoptera). Op. 2008	available
<i>depressa, Panoplax</i> , Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 151 (specific name of the type species of <i>Panoplax</i> Stimpson, [1871]) (Crustacea, Decapoda). Direction 36	available
<i>depressicornis, Antilope</i> , Smith, 1827, in: <i>Griffith's Cuvier, Mammals</i> , 4: 239 (Mammalia). Op. 1349	available
<i>depressus, Cancer</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 406 (specific name of the type species of <i>Plagusia</i> Latreille, 1804) (Crustacea, Decapoda). Op. 712	available
<i>depressus, Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 128 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>depressus, Echinus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 124 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>depurator, Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627, as interpreted by the neotype designated under the plenary power, namely the specimen figured by Holthuis, 1956 (<i>Bull. zool. Nomencl.</i> , 12: 104, 105, pl. 2) (Crustacea, Decapoda). Direction 84	available
<i>derbyensis</i> (emendation of <i>derbiensis</i>), <i>Entomolithus</i> , Phillips, 1836, <i>Ill. Geol. Yorks.</i> , 2: 240 (Trilobita). Op. 352	available
<i>derbyensis, Entomolithus Onicites</i> , Martin, 1809, <i>Petrif. derb.</i> : Sign. X & Y, pl. 45, figs. 1, 2; pl. 45*, fig. 1 (included in a work rejected for nomenclatural purposes). Op. 352	index
<i>derelicta, Doris</i> , Fischer, 1867, <i>Journal de Conchyliologie</i> , (3)15: 7, as defined by the neotype (specimen labelled as the neotype in the Muséum National d'Histoire Naturelle, Paris, collected from Castropol, Asturias, Spain) designated under the plenary power (a junior objective synonym of <i>Doris verrucosa</i> Linnaeus, 1758) (Gastropoda). Op. 1980	index

<i>Dermacentor</i> Koch, 1844, <i>Arch. Naturgesch.</i> , 10 (1): 235 (gender: masculine) (type species, by designation by Neumann, 1901 (<i>Mém. Soc. zool. France</i> , 14 : 340)): <i>Acarus reticulatus</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 428) (Arachnida). Op. 73, Direction 66	available
<i>Dermanissus</i> Kolenati, [1856], <i>Paras. Chiropt.</i> : 19, 21, 50 (an unjustified emendation of <i>Dermanyssus</i> Dugès, 1834). Direction 92	index
<i>Dermanyssus</i> Dugès, January 1834, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2) 1 : 18 (gender: masculine) (type species, by monotypy and through Article 67e (1961 Code): <i>Acarus gallinae</i> de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 111, pl. 6, figs. 13, 14) (Arachnida). Op. 104, Direction 92	available
<i>Dermatochelys</i> Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 133 (a junior objective synonym of <i>Dermochelys</i> Blainville, 1816). Direction 56	index
<i>Dermochelis</i> Lesueur, 1829, in Cuvier, <i>Règne Anim.</i> (ed. 2), 2 : 14 (an incorrect subsequent spelling for <i>Dermochelys</i> Blainville, 1816). Direction 56	index
<i>Dermochelys</i> Blainville, 1816, <i>J. Phys. Chim. Hist. nat.</i> , 83 : 259 (gender: feminine) (type species, by monotypy through Cuvier, 1829 (<i>Règne Anim.</i> (ed. 2), 2 : 14)): <i>Testudo coriacea</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 350) (Reptilia). Op. 92, Direction 56	available
<i>deroissyi</i> , <i>Spirifera</i> , Léveillé, 1835, <i>Mém. Soc. géol. Fr.</i> , 2 : 39 (Brachiopoda). Op. 1041	available
<i>Desarpentriesina</i> Leraut, 1983, <i>Entomologica Gallica</i> , 1 (1): 6 (a junior objective synonym of <i>Poecilonota</i> Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1825	index
<i>deschiensiana</i> , <i>Bithinia</i> , Deshayes, 1862, in: <i>Description des animaux sans vertèbres du Bassin de Paris</i> , part 2, p. 492 (specific name of the type species of <i>Euchilus</i> Sandberger, 1870) (Gastropoda). Op. 1965	available
<i>Desidea</i> Koehler, 1855, <i>Annales des Sciences Naturelles, Zoologie</i> , 20 (4): 12 (an incorrect subsequent spelling of <i>Dysidea</i> Johnston, 1842) (Porifera, Keratosa). Op. 1550	index
<i>deslongchampsi</i> , <i>Ammonites</i> , (Defrance MS) d'Orbigny, 1846, <i>Pal. franç.</i> , Terr. jurass., 1 : 405, pl. 138, figs. 1, 2 (specific name of the type species of <i>Cadomites</i> Munier-Chalmas, 1892) (Cephalopoda). Op. 324	available
<i>desmaresti</i> , <i>Ogygia</i> , Brongniart, in Brongniart & Desmarest, 1822, <i>Hist. nat. Crust.</i> : 28 (specific name of the type species of <i>Ogygites</i> Tromelin & Lebesconte, 1876) (Trilobita). Op. 1259	available
<i>desmarestii</i> , <i>Hippolyte</i> , Millet, 1831, <i>Mém. Soc. Agric. Sci. Arts</i> , Angers, 1 : 56 (valid name at the date of Opinion 522 of the type species of <i>Atyaephyra</i> de Brito Capello, 1867) (Crustacea, Decapoda). Op. 522	available
<i>desmarestii</i> , <i>Paludina</i> , Prévost, 1821, <i>Journal de Physique, de Chimie, d'Histoire naturelle et des Arts</i> , 92 : 426 (specific name of the type species of <i>Stalioa</i> Brusina, 1870) (Gastropoda). Op. 1965	available

<i>Desmocaris</i> Sollaard, 1911, <i>C.R. Acad. Sci.</i> , Paris, 152 : 913 (gender: feminine) (type species, by monotypy: <i>Palaemonetes trispinosus</i> Aurivillius, 1898, <i>Bihang K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 24 (4)(1): 29) (Crustacea, Decapoda). Op. 470	available
<i>Desmognathus</i> Baird, (1850), <i>J. Acad. nat. Sci. Philadelphia</i> , (2) 1 (4): 282 (gender: masculine) (type species, by designation by Stejneger & Barbour, 1917 (<i>Checklist N. Amer. Amph. Rept.</i> : 22): <i>Triturus fuscus</i> Rafinesque, 1820, <i>Annals of Nature</i> : 4) (Amphibia). Op. 92, Direction 56	available
<i>Desmophyes</i> Haeckel, 1888, <i>Jenaische Zeitschrift für Naturwissenschaft</i> , 22 : 36 (gender: masculine) (type species, by monotypy: <i>Desmophyes annectens</i> Haeckel, 1888) (Cnidaria). Op. 2157	available
<i>Desorella</i> Cotteau, 1855, <i>Bulletin de la Société géologique de France</i> , (2) 12 : 710 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Cotteau, 1873, <i>in d'Orbigny, Paléontologie Française</i> , vol. 9, p. 333: <i>Hyboclypus elatus</i> Desor, 1847) (Echinoidea). Op. 1512	available
<i>desponsa, Melissodes</i> , Smith, 1854, <i>Catalogue of hymenopterous insects in the collection of the British Museum</i> , part 2 (Apidae), p. 310 (Insecta, Hymenoptera). Op. 1852	available
<i>destructor, Scolytus</i> , Olivier, 1795, <i>Entomologie</i> , 4 (78): 1-14, pls. 1, 2 (a junior objective synonym of <i>scolytus, Bostriochus</i> , Fabricius, 1775). Op. 683	index
<i>desultor, Lipistius</i> [sic], Schiødte, 1849, <i>Nat. Tidskr.</i> , (2) 2 : 621 (specific name of the type species of <i>Liphistius</i> Schiødte, 1849) (Arachnida). Op. 933	available
<i>detrita, Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 101 (Gastropoda). Op. 336	available
<i>Deuteros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 581 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Deuterostminthurus</i> Börner, 1901, <i>Zool. Anz.</i> , 24 (645): 345 (gender: masculine) (type species, by designation under the plenary power: <i>Smynthurus bicinctus</i> Koch, 1840, <i>in Herrich-Schaeffer, in Fürnrohr, Naturhistorische Topographie von Regensburg</i> , Regensberg, 3 : 353) (Insecta, Collembola). Op. 1042	available
<i>Deuterythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Dexia</i> Meigen, 1826, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 5, p. 33 (gender: feminine) (type species, by designation under the plenary power: <i>Musca rustica</i> Fabricius, 1775) (Insecta, Diptera). Op. 1475	available
<i>Dexilla</i> Westwood, 1840, <i>Synopsis of the genera of the British Insects</i> , p. 140 (a junior objective synonym of <i>Dexia</i> Meigen, 1826) (Insecta, Diptera). Op. 1475	index
<i>diabolica, Mutilla</i> , Gerstaecker, 1874, <i>Arch. Naturgesch.</i> , 40 : 76 (Insecta, Hymenoptera). Op. 542	available

<i>diacantha</i> , <i>Portunus</i> , Latreille, 1825, <i>Ency. méth.</i> , 10 (Ins.): 190 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 712	index
<i>Diadema</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 426 (conserved under the plenary power) (gender: neuter) (type species, by designation under the plenary power: <i>Echinometra setosa</i> Leske, 1778, <i>Addit. J.T. Klein Nat. Disp. Echin.</i> : 35, pl. 37, figs. 1-12; pl. 47, figs. 1, 2) (Echinoidea). Op. 206	available
<i>Diadema</i> Ranzani, 1817, <i>Opusc. Sci.</i> , Bologna, 1 : 276 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 206	index
<i>Diadema</i> Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 34, 90 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 206	index
<i>Diademodon</i> Seeley, 1894, <i>Phil. Trans. roy. Soc. London</i> (B), 185 : 1030 (gender: masculine) (type species, by original designation: <i>Diademodon tetragonus</i> Seeley, 1894, <i>Phil. Trans. roy. Soc. London</i> (B), 185 : 1030) (Reptilia). Op. 1324	available
<i>Dialectus</i> Robertson, 1902, <i>Canadian Entomologist</i> , 34 : 48 (gender: masculine) (type species, by original designation and monotypy: <i>Halictus anomalus</i> Robertson, 1892), ruled under the plenary power to be given precedence over <i>Paralictus</i> Robertson, 1901 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1882	available
<i>diana</i> , <i>Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 26 (specific name of the type species of <i>Cercopithecus</i> Linnaeus, 1758) (Mammalia). Op. 238	available
<i>dianthus</i> , <i>Coscinocyathus</i> , Bornemann, 1884, <i>Z. dt. geol. Ges.</i> , 36 : 704 (specific name of the type species of <i>Coscinocyathus</i> Bornemann, 1884) (Archaeocyatha). Op. 1007	available
<i>Diaperis</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 337 (gender: feminine) (type species, by subsequent monotypy by Müller, 1776, <i>Zoologiae Danicae prodromus</i> , p. 74: <i>Chrysomela boleti</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>diaphana</i> , <i>Helix</i> , Studer, 1820, in Meisner's <i>Naturw. Anz., Allg. Schweiz. Ges.</i> , 3 : 86 (p. 13 of the separate with the title <i>Syst. Verz. schweiz. Conch.</i>) (specific name of the type species of <i>Vitrea</i> Fitzinger, 1833) (Gastropoda). Op. 335	available
<i>diaphanus</i> , <i>Papilio</i> , Drury, 1773, <i>Ill. nat. Hist.</i> , 2 : Index, 13, pl. 7, fig. 3 (specific name of the type species of <i>Greta</i> Hemming, 1934) (Insecta, Lepidoptera). Op. 985	available
<i>Diaphoreolis</i> Iredale & O'Donoghue, 1923, <i>Proc. malac. Soc. London</i> , 15 : 202 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 777	index
<i>Diaphoroglyptos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 581 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>Diaprepes</i> Schoenherr, 1823, <i>Isis</i> (Oken), 1823 : 1140 (gender: masculine) (type species, by original designation: <i>Curculio spengleri</i> (emendation of <i>sprengleri</i>) Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 609) (Insecta, Coleoptera). Op. 572	available
<i>Diaprosteci</i> Costa, 1828, <i>Pontano</i> , 1 : 453 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1247	index
<i>Diaptomus</i> Westwood, 1836, in Partington, <i>Brit. Cyclop. nat. Hist.</i> , 2 : 228 (gender: masculine) (type species, by original designation: <i>Monoculus castor</i> Jurine, 1820, <i>Hist. Monocles</i> : 50) (Crustacea, Copepoda). Op. 104, Direction 66	available
<i>Diaraetria</i> Grote, 1882, <i>New Check List N. Amer. Moths</i> : 56 (an incorrect subsequent spelling for <i>Diatraea</i> Guilding, 1828). Op. 594	index
<i>Diastictopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Diastocera</i> Dejean, 1835, <i>Catalogue de la collection de Coléoptères de M. le Comte Dejean</i> , vol. 4, p. 342 (gender: feminine) (type species, by monotypy: <i>Lamia trifasciata</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1407	available
<i>Diastylis</i> Say, 1818, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 1 (11): 313 (gender: feminine) (type species, by designation under the plenary power: <i>Cuma rathkii</i> Krøyer, 1841) (Cumacea). Op. 2020	available
<i>Diatelerythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 583 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Diatraea</i> Guilding, 1828, <i>Trans. Soc. Encour. Arts</i> , 46 : 148, 149, 1 pl. (gender: feminine) (type species, by monotypy: <i>Diatraea sacchari</i> Guilding, 1828, <i>Trans. Soc. Encour. Arts</i> , 46 : 148, 149, 1 pl., valid name: <i>Phalaena saccharalis</i> Fabricius, 1794) (Insecta, Lepidoptera). Op. 594	available
<i>Diatrea</i> Guilding, 1828, <i>Trans. Soc. Encour. Arts</i> , 46 : plate (an incorrect original spelling for <i>Diatraea</i> Guilding, 1828). Op. 594	index
<i>Diazona</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 2 : 35, 174 (gender: feminine) (type species, by original designation: <i>Diazona violacea</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 2 : 35) (Urochordata). Op. 94 <i>Diazone</i> Usov, 1875, <i>Arch. Naturgesch.</i> , 41 (1): 3 (an incorrect subsequent spelling for <i>Diazona</i> Savigny, 1816). Direction <i>Dicellographus</i> Hopkinson, 1871, <i>Geol. Mag.</i> , 7 : 20 (ruled under the plenary power to be an incorrect original spelling for <i>Dicellograpta</i> Hopkinson, 1871). Op. 650	available
<i>Dicellograpta</i> (emendation of <i>Dicellographus</i>) Hopkinson, 1871, <i>Geol. Mag.</i> , 7 : 20 (conserved under the plenary power) (gender: masculine) (type species, by designation by Gurley, 1896 (<i>J. Geol.</i> , 4 : 70): <i>Didymograpta</i> [sic] <i>elegans</i> Carruthers, 1868, <i>Geol. Mag.</i> , 5 : 129) (Graptolithina). Op. 650	available

Dicellomus Hall, 1871, *Prelim. Notice: 23rd Ann. Rep. State Cab. Nat. Hist. N.Y.*: 1-5
(gender: masculine) (type species, by designation under the plenary power: **Lingula polita** Hall, 1861, *Rep. Superintendent Geol. Surv. Wisconsin*: 24) (Brachiopoda). Op. 721

available

Diceratigenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427

index

Dicerca Eschscholtz, 1829, *Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten ... auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetię in den Jahren 1823-1826*, part 1, p. 9 (gender: feminine) (type species, by subsequent designation by Westwood, [1838], *Synopsis of the genera of British insects*, p. 24, published with *An introduction to the modern classification of insects ...*, vol. 1, part 3, pp. 113-160: **Buprestis aenea** Linnaeus, 1761), ruled under the plenary power to be the correct original spelling of *Dicerea* (Insecta, Coleoptera). Op. 1784

available

Dicerca Eschscholtz, 1829, *Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten ... auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetię in den Jahren 1823-1826*, part 1, p. 9, ruled under the plenary power to be an incorrect original spelling of **Dicerca** (Insecta, Coleoptera). Op. 1784

index

Dicerorhinus Gloger, 1841, *Handb. Naturgesch.*: 125 (gender: masculine) (type species, by monotypy: **Rhinoceros sumatrensis** Fischer, 1814, *Zoognosie*, 3: 301) (Mammalia). Op. 1080

available

Dichelopandalus Caullery, 1896, *Ann. Univ. Lyon*, 26: 379 (gender: masculine) (type species, by monotypy: **Dichelopandalus bonnieri** Caullery, 1896, *Ann. Univ. Lyon*, 26: 379) (Crustacea, Decapoda). Op. 470

available

Dichograpus Salter, 1861, *Geologist*, 4: 74 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 650

index

Dichograpus Salter, 1863, *Quart. J. geol. Soc. London*, 19: 139 (a junior homonym of *Dichograpus* Salter, 1861). Op. 650

index

DICHOGRAPTIDAE Lapworth, 1873, *Geol. Mag.*, 10: table i (type genus: **Dichograptus** Hall, 1865) (Graptolithina). Op. 650

available

Dichograptus Hall, 1865, *Geol. Surv. Canada, Canadian Organic Remains*, Decade 2 (gender: masculine) (type species, by designation by Gurley, 1896 (*J. Geol.*, 4: 64): **Dichograpus sedgwickii** Salter, 1863, *Quart. J. Geol. Soc. London*, 19: 137) (Graptolithina). Op. 650

available

dichotoma, Antilope, Gervais, 1849, *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences*, 28: 549 (specific name of the type species of **Procervulus** Gaudry, 1877) (Mammalia, Artiodactyla). Op. 1791

available

dichotomous, Staurograpsus [sic], Emmons, 1855, *Amer. Geol.*, 1: 109 (specific name of the type species of **Staurograptus** Emmons, 1855) (Graptolithina). Op. 650

available

Dichromatopoda Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 564 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Dichrorampha Guenée, 1845, *Annales de la Société Entomologique de France*, (2)**3**: 185 (gender: feminine) (type species, ruled under the plenary power to be by designation by Fernald, 1908, *The genera of the Tortricidae and their types*, p. 56: *Grapholitha plumbagana* Treitschke, 1830), ruled under the plenary power to be given precedence over the name *Amaurosetia* Stephens, 1835 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 1999

available

dicquemari, *Tergipes*, Risso, 1818, *J. Phys.*, **87**: 373 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 773

index

Dicrania Macquart, 1834, in Roret's Suites à Buffon, *Hist. nat. Ins.*, Dipt., **1**: 195 (a junior homonym of *Dicrania* Lepeletier & Serville, 1828). Op. 530

index

Dicranodonta Woods, 1899, Cretaceous Lamellibranchia (*Palaeontogr. Soc. London*), **1**: 53 (gender: feminine) (type species, by designation under the plenary power: *Cucullaea benniworthensis* Kelly, 1978, *Bull. zool. Nomencl.*, **35**: 128) (Bivalvia). Op. 1251

available

Dicranomyia Hunter, 1901, *Trans. amer. entomol. Soc.*, **27**: 135 (a junior homonym of *Dicranomyia* Stephens, 1829). Op. 530

index

Dicrocoelium Dujardin, [1844], in Roret's Suites à Buffon, *Hist. nat. Helminthes.*: 391 (gender: neuter) (type species, by designation by Stiles & Hassall, 1898 (*Arch. Parasitol.*, **1**(1): 88): *Fasciola lanceolata* Rudolphi, 1803, *Archiv. Zool.* (Wiedemann), **3**(2): 24, valid name: *Distoma dendriticum* Rudolphi, 1819) (Trematoda). Op. 84, Direction 76

available

DICTYOCLOSTIDAE Stehli, 1954, *Bull. amer. Mus. nat. Hist.*, **105**(3): 316 (type genus: *Dictyoclostus* Muir-Wood, 1930) (Brachiopoda). Direction 62

available

Dictyoclostus Muir-Wood, 1930, *Ann. Mag. nat. Hist.*, (10)**5**: 103 (gender: masculine) (type species, by original designation: *Conchyliolithus Anomites semireticulatus* Martin, 1809, *Petrif. derb.*: sign. O[3], pl. 32, figs. 1-3, pl. 33, fig. 4, as conserved under the plenary power and as interpreted by the neotype designated by Muir-Wood, 1956 (*Ops. Decl. int. Comm. zool. Nomencl.*, **14**(3): 110, 111)) (Brachiopoda). Op. 419

available

Dictyoconos Blanckenhorn, 1900, *Z. deutsche geol. Ges.*, **52**: 419, 432, 434-436 (an incorrect original spelling for *Dictyoconus* Blanckenhorn, 1900). Op. 585

index

Dictyoconus Blanckenhorn, 1900, *Z. deutsche geol. Ges.*, **52**: 419, 432, 434-436 (gender: masculine) (type species, by designation by Woodring, 1924 (*Geol. Surv. Rep. Haiti*, Appendix 1: 608): *Patellina egyptiensis* Chapman, 1900, *Geol. Mag.*, (4)**7**: 11, 12, pl. 2, figs. 1-3) (Rhizopoda). Op. 585

available

Dictyonota Curtis, 1827, *Brit. Entomol.*, **7**: pl. 154 (gender: feminine) (type species, by designation under the plenary power: *Dictyonota strichnocera* Fieber, 1844, *Entomol. Monogr.*: 95) (Insecta, Hemiptera). Op. 251

available

<i>Dictyophara</i> Germar, 1833, <i>Revue Entomol.</i> (Silbermann), 1 (4): 175 (gender: feminine) (type species, by designation by Desmarest, 1845 (<i>in d'Orbigny, Dict. univ. Hist. nat.</i> , 5 : 121); <i>Fulgora europaea</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 704) (Insecta, Hemiptera). Op. 322	available
<i>Dictyophora</i> Burmeister, 1835, <i>Handb. Entomol.</i> , 2 (1): 159 (an unjustified emendation of <i>Dictyophara</i> Germar, 1833). Op. 322	index
DICTYOPHORINI Kirby, 1902 [Feb. 4], <i>Proc. zool. Soc. London</i> , 1902 : 97 (type genus: <i>Dictyophorus</i> Thunberg, 1815) (Insecta, Orthoptera). Op. 969	available
<i>Dictyophorus</i> Thunberg, 1815, <i>Mém. Acad. Sci. St. Pétersbourg</i> , 5 : 214, 217, 258 (gender: masculine) (type species, by designation by Kirby, 1902 (<i>Trans. entomol. Soc. London</i> , 1902 : 88); <i>Gryllus spumans</i> Thunberg, 1787, <i>Mus. Nat. Acad. Upsal.</i> , 5 : 59) (Insecta, Orthoptera). Op. 969	available
<i>Dictyoploca</i> Jordan, [October] 1911, <i>in Seitz, Grossschmett. Erde</i> , 2 (90): 218 (conserved under the plenary power) (gender: feminine) (type species, by designation by Jordan, 1957 (<i>Entomologist</i> , 90 : 50); <i>Saturnia simla</i> Westwood, 1847, <i>Cab. orient. Entomol.</i> : 41) (Insecta, Lepidoptera). Op. 545	available
<i>Dictyoploca</i> Krauss, 1911, <i>Zoologica</i> , Stuttgart (60): 55 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 545	index
<i>Dicyrtoma</i> Bourlet, 1842, <i>Ann. Soc. entomol. France</i> , 10 , Bull. (4me trimestre): xl-xli (gender: neuter) (type species, by designation under the plenary power: <i>Papirius fuscus</i> Lubbock, 1873, <i>Monograph of Thysanura and Collembola</i> : 120-122) (Insecta, Collembola). Op. 1092	available
<i>Dicyrtomina</i> Börner, 1903, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1903 (3): 167 (gender: feminine) (type species, by designation under the plenary power: <i>Podura minuta</i> Fabricius, 1783, <i>K. danske Vidensk. Selsk. Skr.</i> , 2 (2): 307) (Insecta, Collembola). Op. 1092	available
<i>didactylus, Bradypus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 35 (specific name of the type species of <i>Choloepus</i> Illiger, 1811) (Mammalia). Direction 22	available
<i>Didelphis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 54 (gender: masculine) (type species, by designation by Thomas, 1888 (<i>Cat. Marsup. Monotremat. Brit. Mus.</i> : 316); <i>Didelphis marsupialis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 54) (Mammalia). Op. 91, Direction 24	available
<i>Didemnum</i> Savigny, 1816, <i>Mémoires sur les animaux sans vertèbres</i> , part 2, pp. 14, 20, 138, 184 (gender: neuter) (type species, by subsequent designation by Hartmeyer, 1909, <i>Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin</i> , 1909 (9): 578; <i>Didemnum candidum</i> Savigny, 1816) (Tunicata, Ascidiaceae). Op. 1412	available
<i>Didermocerus</i> Brookes, 1828, <i>A catalogue of the anatomical and zoological museum of Joshua Brookes, Part One</i> , London: 75 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1080	index

<i>Didiastictopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 558 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Didymograpus</i> McCoy, (1851), in Sedgwick & McCoy, <i>Syn. Classif. Brit. palaeoz. Rocks</i> , (1): 9 (ruled under the plenary power to be an incorrect original spelling for <i>Didymograpthus</i> McCoy, 1851). Op. 650	index
<i>Didymograpthus</i> (emendation of <i>Didymograpus</i>) McCoy, (1851), in Sedgwick & McCoy, <i>Syn. Classif. Brit. palaeoz. Rocks</i> , (1): 9 (conserved under the plenary power) (gender: masculine) (type species, by designation by Miller, 1889 (<i>N Amer. Geol. Pal.</i> : 185): <i>Graptolithus murchisoni</i> Beck, 1839, in Murchison, <i>Silurian System</i> : 694) (Graptolithina). Op. 650	available
<i>Didymuria</i> Kirby, 1904, <i>Syn. Cat. Orthopt.</i> , 1 : 381 (gender: feminine) (type species, by original designation: <i>Phasma violescens</i> Leach, 1814, <i>Zool. Miscell.</i> , 1 : 26, pl. 9) (Insecta, Phasmida). Op. 641	available
<i>Diemichylus</i> Cope, 1859, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 11 : 128 (an incorrect subsequent spelling for <i>Diemictylus</i> Rafinesque, 1820). Op. 635	index
<i>Diemyctelus</i> Gunther, 1901, in Godman & Salvin, <i>Biologia centr.-amer.</i> , Zool., Batrach.: 294 (an incorrect subsequent spelling for <i>Diemictylus</i> Rafinesque, 1820). Op. 635	index
<i>Diemyctylus</i> Hallowell, 1856, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 8 : 6-11 (an unjustified emendation of <i>Diemictylus</i> Rafinesque, 1820). Op. 635	index
<i>Diestecodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 573 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>difficilis</i> , <i>Holothuria</i> , Semper, 1868, <i>Reisen im Archipel der Philippinen</i> , 1 : 92 (Holothuroidea). Op. 914	available
<i>diformis</i> , <i>Homalota</i> , Mulsant & Rey, 1853, <i>Annales de la Société Linnéenne de Lyon</i> , (2): 33 (specific name of the type species of <i>Cylopisalia</i> Pace, 1982) (Insecta, Coleoptera). Op. 2113	available
<i>diffractum</i> , <i>Otarion</i> , Zenker, 1833, <i>Beitr. nat. Urwelt.</i> : 44 (specific name of the type species of <i>Otarion</i> Zenker, 1833) (Trilobita). Direction 67	available
<i>digenea</i> , <i>Lacerta fiumana lissana</i> var., Wettstein, 1926, in Kammerer, <i>Artenwandel auf Ins.</i> : 279, tab. 4, figs. 28, 29 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>digitata</i> , <i>Hastigerina</i> , Rhumbler, 1911, <i>Die allgemeinen Organisationsverhaltnisse der Foraminiferen, Plankton Expedition Humboldt-Stiftung, Ergeben 3</i> , pp. 163, 202, as defined by the neotype BMNH Cat. no. 1959.5.11.744 in the collections of the Natural History Museum, London, designated by Banner, 1965, <i>Micropaleontology</i> , 5 : 115, and ruled under the plenary power to be deemed to be the specific name of a then new nominal species (specific name of the type species of <i>Hastigerinella</i> Cushman, 1927) (Foraminiferida). Op. 2105	available

<i>digitata</i> , <i>Patella</i> , Fischer von Waldheim, 1807, <i>Muséum-Demidoff mis en ordre systématique et décrit</i> , vol. 3, p. 115 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1868	index
<i>diglossis</i> , <i>Chirotes</i> , Saenz, 1869, <i>Anales de la Universidad Nacional de Estados Unidos de Colombia</i> , 1869 : 73 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1482	index
<i>diguetti</i> , <i>Cambarus</i> , Bouvier, 1897, <i>Bull. Mus. Hist. nat.</i> , Paris, 3 : 227 (specific name of the type species of <i>Procambarus</i> Ortmann, 1905) (Crustacea, Decapoda). Op. 519	available
<i>Digymnoptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 547 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Dihora</i> [anon.], 1842, <i>Neues Jahrb. Min.</i> , 1842 : 496 (a junior objective synonym of <i>Cardinia</i> Agassiz, [1841]). Op. 292	index
<i>dilatata</i> , <i>Antinomia</i> , Catullo, 1851, <i>Quarterly Journal of the Geological Society of London</i> , 7 : 75, fig. 4 (replaced by Pictet, 1867, <i>Mélanges Paléontologiques</i> , vol. 1(3), p. 202, when a junior homonym of <i>Terebratula dilatata</i> Lamarck, 1819) (Brachiopoda). Op. 1466	index
<i>dilatatus</i> , <i>Planorbis</i> , Gould, 1841, <i>Rep. Invertebr. Massachusetts</i> : 210 (Gastropoda). Op. 336	available
<i>dilatatus</i> , <i>Trilobus</i> , Brünnich, 1781, <i>Nye Samml. k. dansk. Skr.</i> , 1 : 393 (specific name of the type species of <i>Ogygiocaris</i> Angelin, 1854) (Trilobita). Op. 1259	available
<i>dilatipes</i> , <i>Pilumnus</i> , Adams & White, [1849], <i>Zool. ‘Samarang’</i> (4) Crust.: 44, pl. IX, fig. 4 (specific name of the type species of <i>Lophopilumnus</i> Miers, 1886) (Crustacea, Decapoda). Direction 36	available
<i>Dileueocraspedon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 582 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Diliopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 558 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Diloba</i> Boisduval, 1840, <i>Gén. Index méth. europ. Lépid.</i> : 88 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Phalaena caeruleocephala</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 504) (Insecta, Lepidoptera). Op. 494	available
DILOBINAE Aurivillius, 1889, <i>Nord Fjär. Handb. Sveriges, Norges, Danmarks och Finlands Macrolepid.</i> : 79 (type genus: <i>Diloba</i> Boisduval, 1840) (Insecta, Lepidoptera). Op. 494	available

<i>Dilophaspis</i> Traquair in Walther, 1903, <i>Neues Jahrbuch für Mineralogie, Geologie und Paläontologie</i> , 17 : 30 (gender: feminine) (type species, by original designation: <i>D. lata</i> Traquair in Walther, 1903), ruled under the plenary power not to be given priority over the name <i>Nahecaris</i> Jaekel, 1921 whenever the two names are considered to be synonyms (Malacostraca). Op. 2109	available
<i>dimidiata, Apis</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 316 (conserved under the plenary power) (specific name of the type species of <i>Eulaema</i> Lepeletier, 1841) (Insecta, Hymenoptera). Op. 567	available
<i>dimidiata, Apis</i> , Gmelin, [1790], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 5, p. 2780 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 567	index
<i>dimidiata, Apis</i> , Olivier, 1789, <i>Ency. méth.</i> , 4 (Ins): 64 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 567	index
<i>dimidiatus, Acarus</i> , Hermann, 1804, <i>Mem. Apter.</i> : 85, pl. 6, fig. 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1298	index
<i>dimidiatus, Staphylinus</i> , Laporte, 1835, <i>Études entomologiques, ou description d'insectes nouveaux, et observations sur leur synonymie</i> , p. 115, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. dimidiatus</i> Sahlberg, 1830, <i>S. dimidiatus</i> Say, 1830 and <i>S. dimidiatus</i> Lacordaire, 1835 (Insecta, Coleoptera). Op. 2053	available
<i>dimidiatus, Sunius</i> , Stephens, 1833, <i>Illustrations of British entomology ... Mandibulata</i> , vol. 5, p. 277 (Insecta, Coleoptera). Op. 2139	available
<i>dimidiatus, Sunius</i> , Wollaston, 1864, <i>Catalogue of the coleopterous insects of the Canaries in the collection of the British Museum</i> , p. 591, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. dimidiatus</i> Stephens, 1833 (Insecta, Coleoptera). Op. 2139	available
<i>diminuta, Taenia</i> , Rudolphi, 1819, <i>Entozoorum Synopsis, cui accedunt mantissa duplex et indices locupletissimi</i> , p. 689 (specific name of the type species of <i>Hymenolepis</i> Weinland, 1858) (Cestoda). Op. 1428	available
<i>dingo, Canis</i> , Meyer, 1793, <i>Syst.-summ. Uebers. newest. zool. Entdeck. Neuholland Africa</i> : 33 (Mammalia). Op. 451	available
<i>Dinochoerus</i> Gloger, [1841], <i>Hand- und Hilfsbuch Naturgesch.</i> , 1 : 131 (a junior objective synonym of <i>Phacochoerus</i> Cuvier, 1826). Op. 466	index
<i>Dinodontosaurus</i> Romer, 1943, <i>Bulletin of the Museum of Comparative Zoology</i> , Harvard, 92 : 336 (gender: masculine) (type species, by monotypy: <i>Dinodontosaurus oliveirai</i> Romer, 1943, a junior subjective synonym of <i>Dicynodon turpior</i> Huene, 1935) (Reptilia, Synapsida). Op. 1802	available
<i>Dioctophyma</i> Bosc, 1803, <i>Nouveau Dictionnaire d'Histoire Naturelle ...</i> , vol. 7, p. 255 (an incorrect subsequent spelling of <i>Dioctophyme</i> Collet-Meygret, 1802) (Nematoda). Op. 1552	index

DIOCTOPHYMATIDAE Railliet, 1915, <i>Recueil de Médecine vétérinaire</i> , 41 (15): 493 (based on an incorrect subsequent spelling of <i>Dioctophyme</i> Collet-Meygret, 1802) (Nematoda). Op. 1552	index
<i>Dioctophyme</i> Collet-Meygret, 1802, <i>Journal de Physique, de Chimie et d'Histoire naturelle</i> , 55 : 463 (gender: neuter) (type species, by subsequent monotypy: <i>Strongylus gigas</i> Rudolphi, 1802, a junior subjective synonym of <i>Ascaris renales</i> Goeze, 1782), the original spelling of this name ruled by the Commission to be correct (Nematoda). Op. 1552	available
DIOCTOPHYMIDAE Railliet, 1915, <i>Recueil de Médecine vétérinaire</i> , 41 (15): 493 (type genus: <i>Dioctophyme</i> Collet-Meygret, 1802) (Nematoda). Op. 1552	available
<i>Diodon</i> Lesson, 1828, <i>Hist. nat. Mamm. Ois.</i> , 1 : 124, 440 (a junior homonym of <i>Diodon</i> Linnaeus, 1758). Direction 56	index
<i>Diodon</i> Lesson, 1830, <i>Traité Ornith.</i> , (2): 95 (a junior homonym of <i>Diodon</i> Linnaeus, 1758). Direction 56	index
<i>Diodon</i> Storr, 1780, <i>Prodr. meth. Mamm.</i> : 42, Tab. C (a junior homonym of <i>Diodon</i> Linnaeus, 1758). Direction 56	index
<i>diodontis, Pennella</i> , Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , vol. 3 (Zoologie), part 1, p. 358 (specific name of the type species of <i>Pennella</i> Oken, 1815), ruled under the plenary power to be available despite having been published in a rejected work (Copepoda). Op. 1817	available
<i>Diodontopteria</i> La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059 : 36 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>Diodontosaurus</i> Caldas, 1936, <i>Revista Instituto Historico e Geografico do Rio-Grande-do-Sul</i> , 16 : 249 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Synapsida). Op. 1802	index
<i>Diodontus</i> Curtis, 1834, <i>Brit. Entomol.</i> , 11 : No. 496 (gender: masculine) (type species, by designation under the plenary power: <i>Pemphredon tristis</i> Van der Linden, 1829, <i>Nouv. Mém. Acad. roy. Sci. Belg.</i> , 5 : 78) (Insecta, Hymenoptera). Op. 844	available
<i>Diogenes</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 (11): 268 (gender: masculine) (type species, by designation by Dana, 1852 (<i>Amer. J. Sci.</i> , (2) 13 (37): 122): <i>Pagurus miles</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 327) (Crustacea, Decapoda). Op. 472	available
<i>diogenes, Cambarus</i> , Girard, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 88 (Crustacea, Decapoda). Op. 522	available
DIOGENINAE Ortmann, 1892, <i>Zool. Jahrb.</i> , Jena (Syst.), 6 : 270, 294 (type genus: <i>Diogenes</i> Dana, 1851) (Crustacea, Decapoda). Op. 472	available

<i>Diomedea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 132 (gender: feminine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 78): <i>Diomedea exulans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 132) (Aves). Op. 67 <i>diomedaeae</i> , <i>Pediculus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 808, as interpreted by the neotype designated by Clay, 1940 (<i>Sci. Rept. British Graham Land Exped.</i> , 1 : 299-302, figs. 1, 2, 4a, 5a, 6a) (Insecta, Mallophaga). Op. 656	available
<i>Dione</i> Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 33 (a junior homonym of <i>Dione</i> Hübner, [1819]). Op. 350	index
<i>Dionide</i> Barrande, 1847, <i>Neues Jahrb. Min.</i> , 1847 : 391 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Dione formosa</i> Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 33) (Trilobita). Op. 350	available
DIONIDEAE Gürich, 1907, <i>Centralbl. Min. Geol. Pal.</i> , 1907 : 129-133 (type genus: <i>Dionide</i> Barrande, 1847) (an incorrect original spelling for DIONIDIDAE Gürich, 1907). Direction 28	index
DIONIDEIDAE Raymond, 1920, <i>Bull. Mus. comp. Zool.</i> , 64 (No. 2): 214 (type genus: <i>Dionide</i> Barrande, 1847) (an incorrect subsequent spelling for DIONIDIDAE (correction of DIONIDEAE) Gürich, 1907). Direction 28	index
DIONIDIDAE (correction by Whittard, 1940 (<i>Ann. Mag. nat. Hist.</i> , (11) 6 : 138) of DIONIDEAE) Gürich, 1907, <i>Centralbl. Min. Geol. Pal.</i> , 1907 : 129-133 (type genus: <i>Dionide</i> Barrande, 1847) (Trilobita). Direction 28	available
<i>Dipephricoptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 548 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Diphthera</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Diphthera</i> Sluiter, 1888, <i>Natuurk. Tijdschr. Nederl. Ind.</i> , 48 : 233 (a junior homonym of <i>Diphthera</i> Hübner, [1809]). Op. 789	index
<i>Dipilidia</i> Matheron, 1842, <i>Cat. méth. foss. Bouches du Rhône</i> : 111 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 856	index
<i>Diplectrona</i> Westwood, 1839, <i>Introd. mod. Classif. Ins., Gen. Syn.</i> : 49 (gender: feminine) (type species, by designation under the plenary power: <i>Diplectrona felix</i> MacLachlan, 1878, <i>Rev. Syn. Trich.</i> : 376) (Insecta, Trichoptera). Op. 758	available
<i>Diplocentrus</i> Peters, 1861, <i>Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1861 : 512 (gender: masculine) (type species, by monotypy: <i>Diplocentrus mexicanus</i> Peters, 1861) (Arachnida, Scorpiones). Op. 1847	available
<i>Diplocera</i> Blanchard, 1848, <i>Ann. Sci. nat., Paris</i> , (3) 9 : 187 (a nomen nudum). Op. 782	index
<i>Diplocus</i> Blanchard, 1845, <i>Hist. Ins.</i> , 2 : 470 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 530	index

<i>Diplocus</i> Pictet, 1853, <i>Traité Paléontol.</i> (ed. 2), 1 : 340 (a junior homonym of <i>Diplocus</i> Blanchard, 1845, and a junior objective synonym of <i>Lophiotherium</i> Gervais, 1850). Op. 530	index
<i>Diplodinium</i> Schuberg, 1888, <i>Zool. Jahrb.</i> , Jena (Syst.), 3 : 369, 404 (gender: neuter) (type species, by monotypy: <i>Entodinium dentatum</i> Stein, 1858, <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 10 : 69, as determined by Schuberg, 1888 (<i>Zool. Jahrb.</i> , Jena (Syst.), 3 : 365-418), by Kofoid & MacLennan, 1932 (<i>Univ. Calif. Publ. Zool.</i> , 37 : 53-152) and by Wertheim, 1935 (<i>Veterinarskog Arhiva</i> , 5 : 388-526)) (Ciliophora). Op. 202	available
<i>Diplograpsis</i> McCoy, 1850, <i>Ann. Mag. nat. Hist.</i> , (2) 6 : 270 (ruled under the plenary power to be an incorrect original spelling for <i>Diplograptus</i> McCoy, 1850). Op. 650	index
<i>Diplograpsus</i> McCoy, (1851), in Sedgwick & McCoy, <i>Syn. Classif. Brit. palaeoz. Rocks</i> , (1): 7 (an unjustified emendation of <i>Diplograpsis</i> McCoy, 1850). Op. 650	index
DIPLOGRAPTIDAE Lapworth, 1873, <i>Geol. Mag.</i> , 10 : table i (type genus: <i>Diplograptus</i> McCoy, 1850) (Graptolithina). Op. 650	available
<i>Diplograptus</i> (emendation of <i>Diplograpsis</i>) McCoy, 1850, <i>Ann. Mag. nat. Hist.</i> , (2) 6 : 270 (conserved under the plenary power) (gender: masculine) (type species, by designation by Gurley, 1896 (<i>J. Geol.</i> , 4 : 78): <i>Prionotus pristis</i> Hisinger, 1837, <i>Lethaea svec.</i> , suppl.: 114) (Graptolithina). Op. 650	available
<i>Diplolepis</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 308 (gender: feminine) (type species, by subsequent designation by Karsch, 1880, <i>Zeitschrift für die Gesammten Naturwissenschaften</i> , (3.F) 5 (53): 288: <i>Cynips rosae</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1754	available
<i>Diplonychus</i> Laporte, 1833, <i>Magasin de Zoologie</i> , 2 : 18 (gender: masculine) (type species, confirmed by the Commission to be by monotypy: <i>Nepa rustica</i> Fabricius, 1781) (Insecta, Heteroptera). Op. 1850	available
<i>Diplosoma</i> MacDonald, 1859, <i>Transactions of the Linnean Society of London</i> , 22 (4): 375 (gender: neuter) (type species, by monotypy: <i>Diplosoma rayneri</i> MacDonald, 1859, a junior subjective synonym of <i>Leptoclinum listerianum</i> Milne Edwards, 1841) (Tunicata, Ascidiacea). Op. 1412	available
<i>Diplotritaenia</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 584 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Diplotrypa</i> Nicholson, 1879, <i>On the Structure and Affinities of the 'Tabulate Corals' of the Palaeozoic Period with critical descriptions of illustrative species</i> , p. 312 (gender: feminine) (type species, by designation under the plenary power: <i>Diplotrypa petropolitana</i> Nicholson, 1879) (Bryozoa). Op. 2042	available
<i>Diprion</i> Schrank, 1802, <i>Fauna boica</i> , 2 (2): 209 (gender: masculine) (type species, by designation by Rohwer, 1910 (<i>Proc. U.S. nat. Mus.</i> , 39 : 103): <i>Tenthredo pini</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 556) (Insecta, Hymenoptera). Op. 157	available

<i>dipsacea</i> , Phalaena , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 856 (specific name of the type species of Heliothis Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 1312	available
<i>dipsaci</i> , Anguillula , Kuhn, 1857, <i>Z. wiss. Zool.</i> , 9 : 129-137 (specific name of the type species of Ditylenchus Filipjev, 1936) (Nematoda). Op. 1184	available
Dipylidium Leuckart, 1863, <i>Die mens. Paras.</i> , 1 : 400 (gender: neuter) (type species, by designation by Stiles & Hassall, 1896 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 12 : 129); Taenia canina Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 820) (Cestoda). Op. 84	
DISCIADIDAE (correction by Kemp, 1920 (<i>Rec. Indian Mus.</i> , 19 : 137, 138) of DISCIDAE) Rathbun, 1902, <i>Proc. Washington Acad. Sci.</i> , 4 : 289 (type genus: Discias) Rathbun, 1902) (Crustacea, Decapoda). Op. 433	available
Discias Rathbun, 1902, <i>Proc. Washington Acad. Sci.</i> , 4 : 290 (gender: masculine) (type species, by monotypy: Discias serrifer Rathbun, 1902, <i>Proc. Washington Acad. Sci.</i> , 4 : 290) (Crustacea, Decapoda). Op. 433	available
DISCIDAE Rathbun, 1902, <i>Proc. Washington Acad. Sci.</i> , 4 : 289 (type genus: Discias) Rathbun, 1902) (an incorrect original spelling for DISCIADIDAE Rathbun, 1902). Op. 433	index
DISCIIDAE Lebour, 1949, <i>Proc. zool. Soc. London</i> , 118 (4): 1107 (type genus: Discias) Rathbun, 1902) (an incorrect subsequent spelling for DISCIADIDAE (correction of DISCIDAE) Rathbun, 1902). Op. 433	index
DISCINAE Thiele, 1931, <i>Handb. syst. Weichtierek.</i> , 2 : 578 (type genus: Discus Fitzinger, 1833) (Gastropoda). Direction 27	available
<i>Discobatus</i> Garman, 1880, <i>Proc. U.S. nat. Mus.</i> , 3 : 523 (a junior objective synonym of Platyrhina Müller & Henle, 1838). Op. 345	index
Discocephala Laporte, 1833, <i>Magasin de Zoologie</i> , 2 : 57 (gender: feminine) (type species, by monotypy: Discocephala marmorea Laporte, 1833) (Insecta, Heteroptera). Op. 1538	available
DISCOCEPHALIDAE Pintner, 1928, <i>Zoologische Jahrbuecher. Abteilung fuer Anatomie und Ontogenie der Tiere</i> , 50 : 87 (a junior homonym of DISCOCEPHALINAE Fieber, 1861) (Cestoda, Lecanicephalidea). Op. 1538	index
DISCOCEPHALINAE Fieber, 1861, <i>Die Europäischen Hemiptera Halbflügler (Rhynchopta Heteroptera)</i> , p. 77 (type genus: Discocephala Laporte, 1833) (Insecta, Heteroptera). Op. 1538	available
<i>Discocephalum</i> Linton, 1891, <i>Report U.S. Commissioner of Fish and Fisheries for 1887</i> , 15 : 781 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cestoda, Lecanicephalidea). Op. 1538	index
<i>discocephalus</i> , Nirmus , Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 430, as interpreted by the neotype designated by Clay, 1958 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 7 : 168) (specific name of the type species of Degeeriella Neumann, 1906) (Insecta, Mallophaga). Op. 627	available

<i>Discocyclina</i> Gümbel, 1870, <i>Abhandlungen der Mathematisch-Physikalischen Classe der Königlich Bayerischen Akademie der Wissenschaften</i> , 10 (2): 687 (gender: feminine) (type species, by designation under the plenary power: <i>Orbitolites prattii</i> Michelin, 1847) (Foraminifera). Op. 1537	available
DISCOCYCLININAE Galloway, 1928, <i>Journal of Paleontology</i> , 2 : 55 (type genus: <i>Discocyclina</i> Gümbel, 1870) (Foraminifera). Op. 1537	available
<i>discoida</i> , <i>Buprestis</i> , Fabricius, 1787, <i>Mantissa insectorum</i> , vol. 2, p. 184 (specific name of the type species of <i>Acmaeoderella</i> Cobos, 1955) (Insecta, Coleoptera). Op. 2100	available
<i>Discoides</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XVI (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>discoideus</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>discolor</i> , <i>Cucus</i> , Hermann, 1783, <i>Tab. Aff. Anim.</i> (ed. 2): 186 (specific name of the type species of <i>Leptosomus</i> Vieillot, 1816) (Aves). Op. 1068	available
<i>discolor</i> , <i>Vespertilio</i> , (Natterer MS.) Kuhl, 1817, <i>Die dtsch. Fledermäuse</i> : 43 (a junior objective synonym of <i>murinus</i> , <i>Vespertilio</i> , Linnaeus, 1758). Direction 98	index
<i>discophthalmus</i> , <i>Phasmatocarcinus</i> , Tilesius von Tilenu, 1818, <i>Ann. Wetterau. Ges. Naturk.</i> , 4 : 7 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
<i>Discosomus</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 310 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>discretus</i> , <i>Hydroporus</i> , Fairmaire & Brisout de Barneville, 1859, <i>Annales de la Société Entomologique de France</i> , (3) 7 : 28 (Coleoptera). Op. 2207	available
<i>Disculiceps</i> Joyeux & Baer, 1935, <i>Bulletin de la Société Zoologique de France</i> , 60 : 499 (gender: masculine) (type species, by indication under Article 67.8 of the Code: <i>Discocephalum pileatum</i> Linton, 1891) (Cestoda, Lecanicephalidea). Op. 1538	available
DISCULICIPITIDAE Joyeux & Baer, 1935, <i>Bulletin de la Société Zoologique de France</i> , 60 : 499 (type genus: <i>Disculiceps</i> Joyeux & Baer, 1935) (Cestoda, Lecanicephalidea). Op. 1538	available
<i>Discus</i> Fitzinger, 1833, <i>Beitr. Landesk. Österreich Enns</i> , 3 : 99 (gender: masculine) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 174): <i>Helix ruderata</i> Féruccac, 1821, <i>Tabl. syst. Anim. moll. terrestr. fluviat.</i> : 44) (Gastropoda). Op. 335	available
<i>Disophrys</i> Foerster, 1862, <i>Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlände und Westfalens</i> , 19 : 246 (gender: feminine) (type species, by designation under the plenary power: <i>Agathis caesa</i> Klug, 1835) (Insecta, Hymenoptera). Op. 1531	available
<i>dispansus</i> , <i>Ammonites</i> , Lycett, 1860, <i>Proc. Cotteswold Nat. Field Club</i> , 2 : 146, as interpreted by reference to the holotype, refigured by Buckman, 1922 (<i>Type Ammonites</i> , 4 : pl. 340) (specific name of the type species of <i>Phlyseogrammoceras</i> Buckman, 1901) (Cephalopoda). Op. 324	available

<i>dispar</i> , <i>Scarabaeus</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 5 (specific name of the type species of <i>Ceratophyus</i> Fischer von Waldheim, 1824) (Insecta, Coleoptera). Op. 346	available
<i>Disparalona</i> Fryer, 1968, <i>Philosophical Transactions of the Royal Society of London</i> , (B) 254 : 286 (gender: feminine) (type species, by original designation: <i>Lynceus rostratus</i> Koch, 1841) (Branchiopoda). Op. 1967	available
<i>Dissodactylus</i> Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 172 (gender: masculine) (type species, by monotypy: <i>Dissodactylus nitidus</i> Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 173) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Distaplia</i> Della Valle, 1881, <i>Atti Accad. Lincei</i> , Mem., (3) 10 : 431, 446 (gender: feminine) (type species, by designation by Apstein, 1915 (<i>SitzBer. Ges. naturf.-Freunde Berlin</i> , 1915 (5): 185); <i>Distaplia magnilarva</i> Della Valle, 1881, <i>Atti Accad. Lincei</i> , Mem., (3) 10 : 431, 446) (Urochordata). Op. 94, Direction 72	available
<i>distincta</i> , <i>Corisa</i> , Fieber, 1848, <i>Nouveaux Mémoires de la Société Impériale des naturalistes de Moscou</i> , 21 : 524, as defined by the neotype designated by Jansson, 1986, <i>Acta Entomologica Fennica</i> , 47 : 74 (Insecta, Heteroptera). Op. 1524	available
<i>distinguenda</i> , <i>Cythereis</i> , Neviana, 1928, <i>Memorie Accad. pont. Nuovi Lincei</i> , (2) 11 : 105, as interpreted by the lectotype designated by Athersuch, 1982 (<i>Bull. zool. Nomencl.</i> , 39 : 226, 227) (Crustacea, Ostracoda). Op. 1346	available
<i>Ditylenchus</i> Filipjev, 1936, <i>Proc. helminthol. Soc. Washington</i> , 3 : 81, 82 (gender: masculine) (type species, by original designation: <i>Anguillula dipsaci</i> Kuhn, 1857, <i>Z. wiss. Zool.</i> , 9 : 129-137) ruled under the plenary power to be given precedence over the generic name <i>Chitinotylenchus</i> Micoletzky, 1922 whenever the two names are considered synonyms (Nematoda). Op. 1184	available
<i>Diucopis</i> Bonaparte, 1850, <i>Conspectus Generum Avium</i> , part 1, p. 491 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 2004	index
<i>Diura</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 96 (gender: feminine) (type species, by monotypy: <i>Phryganea bicaudata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 548) (Insecta, Plecoptera). Op. 645	available
<i>Diura</i> Gray, 1833, <i>Entomol. Aust.</i> (1): 26 (a junior homonym of <i>Diura</i> Billberg, 1820). Op. 641	index
<i>DIURAE</i> Redtenbacher, 1908, in Brunner & Redtenbacher, <i>Insektenfam. Phasm.</i> : 379 (type genus: <i>Diura</i> Gray, 1833) (invalid because the name of the type genus is a junior homonym). Op. 641	index
<i>diversipes</i> , <i>Tetrapedia</i> , Klug, 1810, <i>Gesellschaft Naturforschender Freunde zu Berlin, Magazin für neuesten Entdeckungen in der gesammten Naturkunde</i> , 4 : 35-36, as defined by the neotype (specimen from Nova Teutonia, Santa Catarina, Brazil, collected in October 1951 by L.E. Plaumann and deposited in the Museum für Naturkunde der Humboldt-Universität, Berlin) designated under the plenary power (Insecta, Hymenoptera). Op. 2070	available

<i>dives</i> , Lactura , Walker, 1854, <i>List of the specimens of lepidopterous insects in the collection of the British Museum</i> , part 2, p. 485 (specific name of the type species of Lactura Walker, 1854) (Insecta, Lepidoptera). Op. 1927	available
<i>divisa</i> , Tuba , [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VI (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>dobsoni</i> , Penaeus , Miers, 1878, <i>Proc. zool. Soc. London</i> , 1878 : 302 (specific name of the type species of Mangalura Miers, 1878) (Crustacea, Decapoda). Op. 864	available
DOCOPHORIDAE Mjöberg, 1910, <i>Ark. Zool.</i> , 6 (13): 108 (type genus: Docophorus Nitzsch, 1818) (a junior objective synonym of PHILOPTERIDAE Burmeister, 1838). Op. 629	index
<i>Docophorus</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 289 (a junior objective synonym of Philopterus Nitzsch, 1818). Op. 629	index
<i>dohrnii</i> , Corisa , Fieber, 1848, <i>Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou</i> , 21 : 530 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1937	index
<i>dolabratus</i> , Cimex , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 449 (specific name of the type species of Leptopterna Fieber, 1858) (Insecta, Hemiptera). Op. 898	available
<i>dolabratus</i> , Trochus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 760 (specific name of the type species of Pyramidella Lamarck, 1799) (Gastropoda). Op. 386	available
<i>doliatus</i> , Coluber , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 376 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 804	index
<i>doliatus</i> , Coluber , Wied-Neuwied, [1824], <i>Abbildungen zur Naturgeschichte Brasiliens</i> , Heft 8, pl. 44, fig. 3 (a junior primary homonym of Coluber doliatus Linnaeus, 1766) (Reptilia, Serpentes). Op. 1832	index
<i>doliatus</i> , Lanius , Linnaeus, 1764, <i>Mus. Adolphi Frid.</i> , 2 : 12 (specific name of the type species of Thamnophilus Vieillot, 1816) (Aves). Direction 43	available
<i>dolichognatha</i> , Automate , de Man, 1888, <i>Arch. Naturgesch.</i> , 53 (1): 529 (specific name of the type species of Automate de Man, 1888) (Crustacea, Decapoda). Op. 470	available
Dolichomesodon Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 560 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
DOLICHOPIDAE Stephens, 1829, <i>Syst. Cat. brit. Ins.</i> : 266 (type genus: Dolichopus Latreille, 1796) (an incorrect subsequent spelling for DOLICHOPODIDAE (correction of DOLICHOPODES) Latreille, 1809). Direction 49	index
<i>Dolichopoda</i> Bolívar, 1880, <i>Annales de la Société Entomologique de France</i> , (5) 10 (1): 72 (gender: feminine) (type species, by monotypy: Gryllus (Tettigonia) palpata Sulzer, 1776) (Grylloptera). Op. 1998	available

DOLICHOPODAINI Brunner von Wattenwyl, 1888, <i>Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wein</i> , 38 : 256 (type genus: <i>Dolichopoda</i> Bolivar, 1880), spelling emended from DOLICHOPODINI by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Dolichopoda</i> is DOLICHOPODA- (Grylloptera). Op. 1998	available
DOLICHOPODES Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 239, 290 (type genus: <i>Dolichopus</i> Latreille, 1796) (an incorrect original spelling for DOLICHOPODIDAE Latreille, 1809). Direction 49	index
DOLICHOPODIDAE (correction by Loew, 1862 (<i>Smithson. misc. Coll.</i> , 6 (Art. 1): 32) of DOLICHOPODES) Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 239, 290 (type genus: <i>Dolichopus</i> Latreille, 1796) (Insecta, Diptera). Direction 49	available
DOLICHOPODINI Brunner von Wattenwyl, 1888, <i>Verhandlungen der Kaiserlich-Königlichen Zoologisch- Botanischen Gesellschaft in Wein</i> , 38 : 256, spelling emended to DOLICHOPODAINI following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Dolichopoda</i> is DOLICHOPODA- (Grylloptera). Op. 1998	index
<i>Dolichopus</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 159 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 443, 387); <i>Musca unguilata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 598) (Insecta, Diptera). Direction 49	available
<i>Dolichopus</i> van der Hoeven, [1856], <i>Handb. Zool.</i> , 2 : 422, 431 (a junior homonym of <i>Dolichopus</i> Latreille, 1796). Direction 49	index
<i>Doliogenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>doliolum</i> , <i>Actinia</i> , Pallas, 1766, <i>P.S. Pallas Misc. zool.</i> : 152 (specific name of the type species of <i>Pentacta</i> Goldfuss, 1820) (Holothuroidea). Op. 1295	available
DOLYCHOPODAE Samouelle, 1819, <i>Entomol. useful Compendium</i> : 294 (type genus: <i>Dolichopus</i> Latreille, 1796) (an incorrect subsequent spelling for DOLICHOPODIDAE (correction of DOLICHOPODES) Latreille, 1809). Direction 49	index
<i>Dolychopus</i> Samouelle, 1819, <i>Entomol. useful Compendium</i> : 294 (an incorrect subsequent spelling for <i>Dolichopus</i> Latreille, 1796). Direction 49	index
<i>Domecia</i> Eydoux & Souleyet, 1842, <i>in</i> Vaillant, <i>Voy. ‘Bonite’</i> (Zool.), 1 : 234 (gender: feminine) (type species, by monotypy: <i>Domecia hispida</i> Eydoux & Souleyet, 1842, <i>in</i> Vaillant, <i>Voy. ‘Bonite’</i> (Zool.), 1 : 235) (Crustacea, Decapoda). Op. 73 <i>domestica</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 596 (specific name of the type species of <i>Musca</i> Linnaeus, 1758) (Insecta, Diptera). Direction 64	available
<i>domestica</i> , <i>Sylvia</i> , Wilson, 1808, <i>American ornithology; or, the natural history of the birds of the United States</i> , vol. 1, p. 129 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Passeriformes). Op. 1893	index
<i>domesticus</i> , <i>Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 428 (specific name of the type species of <i>Acheta</i> Fabricius, 1775) (Insecta, Orthoptera). Op. 299	available

<i>domesticus</i> , <i>Mus musculus</i> , Schwarz & Schwarz, 1943, <i>Journal of Mammalogy</i> , 24 : 65, ruled under the plenary power to be given precedence over all names, with the exception of <i>musculus</i> Linnaeus, 1758, that are considered to be synonyms of it (Mammalia, Rodentia). Op. 1607	available
<i>domesticus</i> , <i>Mus</i> , Rutty, 1772, <i>An essay towards a natural history of the county of Dublin ...</i> , vol. 1, p. 281 (a nomen nudum), and all uses of the name prior to the publication of <i>Mus domesticus</i> Schwarz & Schwarz, 1943 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Mammalia, Rodentia). Op. 1607	index
<i>domicella</i> , <i>Psittacus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 100 (specific name of the type species of <i>Lorius</i> Vigors, 1825) (Aves). Op. 938	available
<i>dominica</i> , <i>Loxia</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 8 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>dominula</i> , <i>Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 87 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Domomyza</i> Rondani, 1856, <i>Dipterologiae italicae prodromus. I. Genera italica ordinis Dipterorum ordinatum disposita et distincta et in families et stirpes aggregata</i> , p. 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1879	index
<i>donacia</i> , <i>Mactra</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vert.</i> , 5 : 479 (specific name of the type species of <i>Mesodesma</i> Deshayes, [1832]) (Bivalvia). Op. 1141	available
<i>donaciformis</i> , <i>Ascidellina</i> , Marwick, 1928, <i>Trans. N.Z. Inst.</i> , 58 : 467, 468, figs. 59, 60 (specific name of the type species of <i>Ascidellina</i> Marwick, 1928) (Bivalvia). Op. 987	available
<i>Donacigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Donacilla</i> Blainville, 1819, <i>Dict. Sci. nat.</i> , 13 : 429, and all uses of, prior to Philippi, 1836, <i>Enum. moll. Siciliae</i> , 1 : 37 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1141	index
<i>Donacilla</i> Philippi, 1836, <i>Enum. moll. Siciliae</i> , 1 : 37 (gender: feminine) (type species, by original designation: <i>Donacilla lamarckii</i> Philippi, 1836, <i>Enum. moll. Siciliae</i> , 1 : 37, valid name: <i>Mactra cornea</i> Poli, 1795) (Bivalvia). Op. 1141	available
<i>donovani</i> , <i>Eucampe</i> , Gray, 1847, <i>Ann. Mag. nat. Hist.</i> , (1) 20 : 268 (a junior objective synonym, through the lectotype designation by Lemche, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 5) of <i>bullata</i> , <i>Akera</i> , Müller, 1776). Op. 539	index
<i>Doralis</i> Leach, 1827, <i>in Risso, Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 646	index
<i>dorbignyi</i> , <i>Heterodon</i> , Duméril, Bibron & Duméril, 1854, <i>in Roret's Suites à Buffon, Erpét. Gén.</i> , 7 : 772 (conserved under the plenary power) (specific name of the type species of <i>Lystrophis</i> Cope, 1885) (Reptilia). Op. 698	available

<i>dorcas</i> , <i>Capra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 69 (specific name of the type species of <i>Gazella</i> Blainville, 1816) (Mammalia). Direction 22	available
<i>Dorcatoma</i> Herbst, 1792, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 4, p. 103 (gender: feminine) (type species, by monotypy: <i>Dorcatoma dresdensis</i> Herbst, 1792), ruled under the plenary power to be the correct original spelling of <i>Dorkatoma</i> (Insecta, Coleoptera). Op. 1810	available
<i>Dorhynchus</i> (emendation under the plenary power of <i>Dorynchus</i>) Thomson, 1873, <i>Depths of the Sea</i> : 174, 175 (gender: masculine) (type species, by monotypy: <i>Dorhynchus thomsoni</i> Thomson, 1873, <i>Depths of the Sea</i> : 174, 175) (Crustacea, Decapoda). Op. 712	available
<i>doria</i> , <i>Antilope</i> , Ogilby, 1837, <i>Proc. zool. Soc. London</i> , 4 (47): 121, ruled under the plenary power not to be given priority over the specific name <i>zebra</i> Gray, 1838, as published in the binomen <i>Antilope zebra</i> , whenever the two names are considered synonyms (Mammalia). Op. 1291	available
DORIDIDAE Rafinesque, 1815, <i>Analyse de la Nature, ou tableau de l'Univers et des Corps Organisés</i> , p. 142 (type genus: <i>Doris</i> Linnaeus, 1758) (Gastropoda). Op. 1980	available
<i>Doridigitata</i> d'Orbigny, 1839, in Webb & Berthelot (Eds.), <i>Histoire naturelle des îles Canaries</i> , Mollusques, vol. 2, part 2, p. 39 (a junior objective synonym of <i>Doris</i> Linnaeus, 1758) (Gastropoda). Op. 1980	index
DORIDIGITATIDAE Iredale & O'Donoghue, 1923, <i>Proceedings of the Malacological Society of London</i> , 15 : 226 (type genus: <i>Doridigitata</i> d'Orbigny, 1839) (a junior objective synonym of DORIDIDAE Rafinesque, 1815) (Gastropoda). Op. 1980	index
DORIDIINAE (correction of DORIDIINA) Gray, 1847, <i>Proc. zool. Soc. London</i> , 1847 : 161 (type genus: <i>Doridium</i> Meckel, 1809) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 1079	index
<i>Doridium</i> Meckel, 1809, <i>Beytr. vergl. Anat.</i> , 1 (2): 33 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1079	index
<i>dorion</i> , <i>Papilio</i> , [Hübner, 1790-1793], <i>Lep. Linn.</i> : 10 (included in a work rejected for nomenclatural purposes). Op. 975	index
<i>Dorippe</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 322, 361 (a junior homonym and a junior objective synonym of <i>Dorippe</i> Weber, 1795). Op. 688	index
<i>Dorippe</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 93 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 96, 442); <i>Cancer quadridens</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 464, valid name: <i>Cancer frascone</i> Herbst, 1785) (Crustacea, Decapoda). Op. 688	available
DORIPPIDAE (correction of DORIPPINA) MacLeay, 1838, in Smith, <i>Illustrations Zoology South Africa</i> (Invertebratae): 55, 69 (type genus: <i>Dorippe</i> Weber, 1795) (Crustacea, Decapoda). Op. 688	available

DORIPPIDEA de Haan, [1841], <i>in</i> Siebold, <i>Fauna japon.</i> (Crust.) (5): 120 (type genus: <i>Dorippe</i> Weber, 1795) (an incorrect original spelling for DORIPPIDAE MacLeay, 1838). Op. 688	index
DORIPPIENS Milne Edwards, 1837, <i>in</i> Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 151 (type genus: <i>Dorippe</i> Weber, 1795) (a vernacular name). Op. 688	index
<i>Dorippoides</i> Serène & Romimohtarto, 1969, <i>Marine Research in Indonesia</i> , no. 9, p. 3 (gender: masculine) (type species, by original designation and monotypy: <i>Cancer facchino</i> Herbst, 1785) (Crustacea, Decapoda). Op. 1437	available
<i>Doris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 653 (gender: feminine) (type species, by monotypy: <i>Doris verrucosa</i> Linnaeus, 1758) (Gastropoda). Op. 1980	available
<i>doris, Papilio</i> , Linnaeus, 1771, <i>Mantissa Plantarum altera</i> , p. 536 (Insecta, Lepidoptera). Op. 1386	available
<i>Dorkatoma</i> Herbst, 1792, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 4, p. 103, ruled under the plenary power to be an incorrect original spelling of <i>Dorcatoma</i> (Insecta, Coleoptera). Op. 1810	index
<i>dormia, Cancer</i> , Linnaeus, 1763, <i>Amoen. Acad.</i> , 6 : 431 (Crustacea, Decapoda). Op. 688	available
<i>Dorodotes</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 627, 677 (gender: masculine) (type species, by designation by Holthuis, 1955 (<i>Zool. Verh.</i> , Leiden, 26 : 119): <i>Dorodotes reflexus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 678) (Crustacea, Decapoda). Op. 470	available
<i>dorsalis, Arete</i> , Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 32 (specific name of the type species of <i>Arete</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>dorsalis, Corixa</i> , Leach, 1817, <i>Trans. linn. Soc. London</i> , 12 : 17, as interpreted by the neotype designated under the plenary power (Insecta, Hemiptera). Op. 1274	available
<i>dorsalis, Rosema</i> , Walker, 1855, <i>List of the specimens of lepidopterous insects in the collection of the British Museum</i> , part 4, p. 1168 (specific name of the type species of <i>Rosema</i> Walker, 1855) (Insecta, Lepidoptera). Op. 1617	available
<i>dorsalis, Toxostoma</i> , Baird, 1858, <i>in</i> Henry, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 10 : 117, 118 (an incorrect original spelling for <i>crissale, Toxostoma</i> , Baird, 1858). Op. 1249	index
<i>dorsata, Hystrix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 57 (specific name of the type species of <i>Erethizon</i> Cuvier, 1823) (Mammalia). Direction 22	available
<i>dorsata, Testudo</i> , Schoepff, 1801, <i>Naturgesch. Schildkr.</i> : 158, tab. 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index
<i>dorsettensis, Cancer</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 8 (valid name at the date of Opinion 763 of the type species of <i>Inachus</i> Weber, 1795) (Crustacea, Decapoda). Op. 763	available

<i>dorsioculata</i> , <i>Vianellia</i> , Nardo, 1847, <i>Sinon. modern. Spec. Lag. Golfo Veneto</i> : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 671	index
<i>dorsipes</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630 (specific name of the type species of <i>Notopus</i> de Haan, [1841]) (Crustacea, Decapoda). Op. 688	available
Dorymenia Heath, 1911, <i>Mem. Mus. comp. Zool.</i> , 45 : 46 (gender: feminine) (type species, by monotypy: <i>Dorymenia acuta</i> Heath, 1911, <i>Mem. Mus. comp. Zool.</i> , 45 : 95) (Solenogastres). Op. 1185	available
<i>Dorynchus</i> Thomson, 1873, <i>Depths of the Sea</i> : 174, 175 (ruled under the plenary power to be an incorrect original spelling for <i>Dorhynchus</i> Thomson, 1873). Op. 712	index
<i>Doryphorus</i> Norman, 1861, <i>Ann. Mag. nat. Hist.</i> , (3) 8 : 27 (a junior homonym of <i>Doryphorus</i> Cuvier, 1829). Op. 470	index
<i>Dota</i> Gray, 1840, <i>Syn. Cont. Brit. Mus.</i> (ed. 42): 148 (an incorrect subsequent spelling for <i>Doto</i> Oken, 1815). Op. 697	index
DOTIDAE (correction of DOTONIDAE) Gray, 1853, <i>Ann. Mag. nat. Hist.</i> , (2) 11 : 220 (type genus: <i>Doto</i> Oken, 1815) (Gastropoda). Op. 697	available
<i>Dotilla</i> Bergh, 1879, <i>Verh. zool.-bot. Ges. Wien</i> , 28 : 574 (a junior homonym of <i>Dotilla</i> Stimpson, 1858). Op. 697	index
<i>Doto</i> Oken, 1807, <i>Göttingen Gelehrte Anzeiger</i> : 1067 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 697	index
<i>Doto</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (1): 278 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Doris coronata</i> Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105) (Gastropoda). Op. 697	available
DOTOIDAE Jeffreys, 1869, <i>Brit. Conch.</i> , 5 : 59 (type genus: <i>Doto</i> Oken, 1815) (an incorrect subsequent spelling for DOTIDAE Gray, 1853). Op. 697	available
<i>Dotona</i> Iredale, 1918, <i>Proc. malac. Soc. London</i> , 13 : 30 (a junior homonym of <i>Dotona</i> Carter, 1880). Op. 697	index
<i>Dotona</i> Rafinesque, 1815, <i>Analyse Nature</i> : 161 (a nomen nudum). Op. 697	index
DOTONIDAE Gray, 1853, <i>Ann. Mag. nat. Hist.</i> , (2) 11 : 220 (type genus: <i>Doto</i> Oken, 1815) (an incorrect original spelling for DOTIDAE Gray, 1853). Op. 697	index
Douvilleiceras de Grossouvre, 1893, <i>Mém. Carte géol. France</i> , Rech. Craie sup. (2): 26, 107 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites mammillatus</i> Schlotheim, 1813, <i>Tasch. Min.</i> , 7 : 111, as interpreted by the neotype designated by Casey, 1954 (<i>Bull. zool. Nomencl.</i> , 9 : 252, 253)) (Cephalopoda). Op. 422	available
DOUVILLEICERATIDAE Parona & Bonarelli, 1897, <i>Pal. Ital.</i> , 2 : 101 (type genus: <i>Douvilleiceras</i> de Grossouvre, 1893) (Cephalopoda). Op. 422	available

<i>dovii</i> , Euphylax , Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 226 (specific name of the type species of Euphylax Stimpson, 1860) (Crustacea, Decapoda). Direction 36	available
<i>dracaena</i> , Lacerta , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 360 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 540	index
<i>Draco</i> Gouan, 1770, <i>Hist. Pisc.</i> : 117 (a nomen nudum). Direction 56	index
Draco Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 199 (gender: masculine) (type species, by monotypy: Draco volans Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 199) (Reptilia). Op. 75 Draco Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): 273 (a junior homonym of Draco Linnaeus, 1758, and included in a work rejected for nomenclatural purposes). Direction 56	available
draco , Trachinus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 250 (specific name of the type species of Trachinus Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Draconculus</i> Penel, 1904, <i>Filaires Sang de l'Homme</i> : 61 (an incorrect subsequent spelling for Dracunculus Reichard, 1759). Direction 102	index
DRACUNCULIDAE Stiles, 1907, <i>Bull. hyg. Lab. Washington</i> , 34 : 38, 39 (type genus: Dracunculus Reichard, 1759) (Nematoda). Direction 102	available
<i>Dracunculus</i> Krøyer, [1838-1840], <i>Danmarks Fiske</i> , 1 (No. 8): 1 (a junior homonym of Dracunculus Reichard, 1759). Direction 102	index
Dracunculus Reichard, 1759, in Kniphof, <i>De Pediculis</i> : 12 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: Gordius medinensis Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647) (Nematoda). Op. 66, Direction 102	available
<i>Dracunculus</i> Wiegmann, 1834, <i>Herpet. mex.</i> : 14 (a junior homonym of Dracunculus Reichard, 1759). Direction 102	index
<i>dracunculus</i> , Callionymus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 249 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1658	index
<i>Dracunculus</i> Moniez, 1896, <i>Traité Parasitol.</i> : 317 (an incorrect subsequent spelling for Dracunculus Reichard, 1759). Direction 102	index
<i>Drakella</i> Bergroth, 1922, <i>Ann. Soc. entomol. Belgique</i> , 62 : 152 (a junior objective synonym of Fenestrella Osborn & Drake, 1916). Op. 622	index
<i>draparnaldi</i> , Helix , Beck, 1837, <i>Index Moll. Mus. Ch. Fred.</i> (1): 6, Spec. nov. 7 (an incorrect original spelling for draparnaudi , Helix , Beck, 1837). Op. 336, Op. 1924	index
<i>draparnaldi</i> , Helix , Cuvier, 1816, <i>Le règne animal distribué d'après son organisation ...</i> , vol. 2, p. 405, footnote 5 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1924	index

<i>draparnaudi</i> (emendation of <i>draparnaldi</i>), <i>Helix</i> , Beck, 1837, <i>Index Moll. Mus. Ch. Fred.</i> (1): 6, Spec. nov. 7 (Gastropoda). Op. 336, Op. 1924	available
<i>draparnaudi</i> , <i>Helix</i> , Sheppard, 1823, <i>Transactions of the Linnean Society of London</i> , 14 : 158, and all uses of that name in combination with <i>Helix</i> prior to the publication of <i>Helix draparnaldi</i> Beck, 1837 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1924	index
<i>Drasterius</i> Eschscholtz, 1829, in Thon, <i>Entomologisches Archiv</i> , vol. 2, part 1, p. 33 (gender: masculine) (type species, by subsequent designation by Westwood, 1840, <i>Synopsis of the Genera of British Insects</i> , p. 26: <i>Elater bimaculatus</i> Rossi, 1790) (Insecta, Coleoptera). Op. 1441	available
<i>Dreisena</i> Clessin, 1880, <i>Malak. Bl.</i> (n.f.), 2 : 148 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835, <i>Bull. Acad. roy. Sci. Belg.</i> , 2 : 25 (gender: feminine) (type species, by monotypy: <i>Mytulus</i> [ex err. pro <i>Mytilus</i>] <i>polymorphus</i> Pallas, 1771, <i>Reise russ. Reichs.</i> , 1 : 478) (Bivalvia). Op. 351	available
<i>Dreissena</i> Dumortier, 1835, <i>Bull. Acad. roy. Sci. Belg.</i> , 2 : 44-47 (an emendation of <i>Driessena</i> van Beneden, 1835, published in the same year as the justified emendation of the same name to the same form by van Beneden). Op. 351	index
DREISSENADAE Gray, 1840, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 2): 277 (type genus: <i>Dreissena</i> van Beneden, 1835) (an incorrect original spelling for DREISSENIDAE Gray, 1840). Direction 41	index
<i>Dreissencia</i> Gillet, 1922, <i>Bull. Soc. Sci. Hist. nat. Yonne</i> , 75 (2): 84 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Dreissenia</i> Bronn, 1848, <i>Index palaeont.</i> , 1 (1): 437 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
DREISSENIDAE (correction by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 199) of DREISSENADAE) Gray, 1840, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 2): 277 (type genus: <i>Dreissena</i> van Beneden, 1835) (Bivalvia). Direction 41	available
<i>Dreissensa</i> Moquin-Tandon, 1856, <i>Hist. nat. Moll. France</i> , 2 : 597, 598 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Dreissensia</i> Bronn, 1862, <i>Klass. Ordn. Thierr.</i> , 3 (1): 352, 360, 364, 388, 390, 406, 436, 471, 478, 486, 499, 508 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
DREISSENSIINAE Fischer, 1887, <i>Man. Conchyl.</i> : 965 (type genus: <i>Dreissena</i> van Beneden, 1835) (an incorrect subsequent spelling for DREISSENIDAE (correction of DREISSENADAE) Gray, 1840). Direction 41	index
<i>Dreissina</i> Sowerby, 1839, <i>Conch. Manual</i> (ed. 1): 40, 121 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index

<i>Dreistena</i> Boué, 1840, <i>Turquie d'Eur.</i> , 1 : 477 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Drepana</i> Schrank, 1802, <i>Fauna boica</i> , 2 (2): 155 (gender: feminine) (type species, by designation by Westwood, 1840 (<i>Introd. mod. Classif. Ins.</i> , Synopsis: 104): <i>Phalaena falcataria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 519) (Insecta, Lepidoptera). Op. 610	available
<i>Drepane</i> Cuvier, 1831, in Cuvier & Valenciennes, <i>Hist. nat. Poissons</i> , 7 : 132 (gender: feminine) (type species, by designation by Jordan, 1917 (<i>Genera of Fishes</i> , 1 : 136): <i>Chaetodon punctatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 273) (Osteichthyes). Op. 1046	available
DREPANEIDAE Gill, 1872, <i>Smithson. misc. Coll.</i> , 1874, 11 (247): 8 (type genus: <i>Drepane</i> Cuvier, 1831) (Osteichthyes). Op. 1046	available
<i>Drepanella</i> (emendation under the plenary power of <i>Depranella</i>) Ulrich, 1890, <i>J. Cincinnati Soc. nat. Hist.</i> : 117, 118 (gender: feminine) (type species, by original designation: <i>Depranella</i> [sic] <i>crassinoda</i> Ulrich, 1890, <i>J. Cincinnati Soc. nat. Hist.</i> : 118, pl. 8, figs. la, b, c) (Crustacea, Ostracoda). Op. 591	available
DREPANELLINEAE Ulrich & Bassler, 1923, <i>Maryland geol. Surv., Silurian Vol.</i> : 308 (type genus: <i>Drepanella</i> Ulrich, 1890) (Crustacea, Ostracoda). Op. 591	available
<i>Drepania</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> , (10): 140 (an unjustified emendation of <i>Drepana</i> Schrank, 1802). Op. 610	index
<i>Drepanichthys</i> Bonaparte, 1831, <i>Giorn. Acad. Sci. Lett. Arti.</i> , 52 : 172 (a junior objective synonym of <i>Drepane</i> Cuvier, 1831). Op. 1046	index
DREPANIDAE (correction of DREPANULIDI) Boisduval, [Nov. 1828], <i>Europ. Lép. Index méth.</i> : 55 (type genus: <i>Drepana</i> Schrank, 1802) (Insecta, Lepidoptera). Op. 610	available
DREPANIDAE Bonaparte, 1853, <i>Compte rendu Séances Acad. Sci. Paris</i> , 37 (18): 644 (type genus: <i>Drepanis</i> Temminck, 1820) (an incorrect subsequent spelling for DREPANIDIDAE Cabanis, 1847 and a junior homonym of DREPANIDAE Boisduval, [Nov. 1828]). Op. 1046	index
DREPANIDAE Gill, 1872, <i>Smithson. misc. Coll.</i> , 1874, 11 (247): 8 (type genus: <i>Drepane</i> Cuvier, 1831) (an incorrect original spelling for DREPANEIDAE Gill, 1872 and a junior homonym of DREPANIDAE Boisduval, [Nov. 1828]). Op. 1046	index
DREPANIDAE Sushkin, 1929, <i>Verh. VI int. Ornith. Kongr.</i> , Copenhagen: 375 (type genus: <i>Drepanis</i> Temminck, 1820) (an unjustified emendation of DREPANIDIDAE Gadow, 1891). Op. 610	index
DREPANIDIDAE Cabanis, 1847, <i>Arch. Naturges.</i> , Jahrg. 1 : 325 (type genus: <i>Drepanis</i> Temminck, 1820) (Aves). Op. 610, Op. 1046	available
DREPANIDIDAE Gadow, 1891, in Wilson & Evans, <i>Aves Hawaiienses</i> (2): 235 (type genus: <i>Drepanis</i> Temminck, 1820) (a subsequent usage of DREPANIDIDAE Cabanis, 1847). Op. 1046	index

DREPANIIDAE Mayr, 1943, <i>Condor</i> , 45 : 46 (type genus: <i>Drepanis</i> Temminck, 1820) (an unjustified emendation of DREPANIDAE Gadow, 1891). Op. 610	index
DREPANINAE Cabanis, 1847, <i>Arch. für Naturges.</i> , 1 : 325 (type genus: <i>Drepanis</i> Temminck, 1820) (an incorrect original spelling for DREPANIDAE Cabanis, 1847 and a junior homonym of DREPANIDAE Boisduval, [Nov. 1828]). Op. 1046	index
<i>Drepanis</i> Brisson, 1760, <i>Ornithologie</i> , 2 : 506 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 610	index
<i>Drepanis</i> Rafinesque, 1815, <i>Analyse Nature</i> : 69 (a nomen nudum). Op. 610	index
<i>Drepanis</i> Temminck, 1820, <i>Manuel Ornithol.</i> (ed. 2), 1 : lxxvi (gender: feminine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 12): <i>Certhia pacifica</i> Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 470) (Aves). Op. 610	available
<i>Drepanites</i> Benett, 1831, <i>A catalogue of the organic remains of the County of Wilts.</i> , p. 3, pl. 16, and all uses of the name prior to the publication of <i>Drepanites</i> Mojsisovics, 1893 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Cephalopoda, Ammonoidea). Op. 1609	index
<i>Drepanites</i> Mojsisovics, 1893, <i>Abhandlungen der Kaiserlich-Königlichen Geologischen Reichsanstalt</i> , 6 (2): 495 (gender: masculine) (type species, by subsequent designation by Diener, 1915, Cephalopoda triadica. In Frech (Ed.), <i>Fossilium catalogus</i> . 1. Animalia. (8), p. 129: <i>Arpadites (Drepanites) hyatti</i> Mojsisovics, 1893) (Cephalopoda, Ammonoidea). Op. 1609	available
DREPANULIDI Boisduval, [Nov. 1828], <i>Europ. Lép. Index méth.</i> : 55 (type genus: <i>Drepana</i> Schrank, 1802) (an incorrect original spelling for DREPANIDAE Boisduval, [1828]). Op. 610	index
<i>dresdensis, Dorkatoma</i> , Herbst, 1792, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 4, p. 104 (specific name of the type species of <i>Dorcatoma</i> Herbst, 1792) (Insecta, Coleoptera). Op. 1810	available
<i>Dresseina</i> Conrad, 1874, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1874 : 29 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Dressena</i> Germain, 1931, <i>Faune France</i> , 22 : 775 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Dreysseina</i> Munier-Chalmas, 1864, <i>Bull. Soc. linn. Normandie</i> , 8 : 97 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Dreysseina</i> Philippi, 1853, <i>Handb. Conchyliol. Malacozool.</i> : 364 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Dreyssenia</i> Hébert & Munier-Chalmas, 1877, <i>C.R. Acad. Sci., Paris</i> , 85 : 126 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index

<i>Dreyssentia</i> Bernard, 1895, <i>Elém. Paléontol.</i> : 561 (an incorrect subsequent spelling for <i>Driessena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Driessena</i> van Beneden, 1835, <i>Bull. Acad. roy. Sci. Belg.</i> , 2 : 25 (an incorrect original spelling for <i>Dreissena</i> van Beneden, 1835). Op. 351	index
<i>Driessenia</i> van Beneden, 1835, <i>Bull. Acad. roy. Sci. Belg.</i> , 2 : Index iii, x (an incorrect original spelling for <i>Dreissena</i> van Beneden, 1835). Op. 351	index
<i>Driessensia</i> Dewalque, 1863, <i>Bull. Soc. géol. France</i> , (2) 20 : 797 (an incorrect subsequent spelling for <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835). Op. 351	index
<i>Drimo</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 70 (a junior objective synonym of <i>Gnathophyllum</i> Latreille, 1819). Op. 470	index
DRIMOIDAE Ortman, 1896, <i>Zool. Jahrb.</i> , Jena (Syst.), 9 : 425 (type genus: <i>Drimo</i> Risso, 1826) (a junior objective synonym of GNATHOPHYLLIDAE Dana, 1852, the respective type genera of these two families having the same nominal species as type species). Op. 470	index
<i>drøbachiensis</i> , <i>Echinus</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 235 (specific name of the type species of <i>Strongylocentrotus</i> Brandt, 1835) (Echinoidea). Op. 208	available
Dromas Paykull, 1805, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 26 (3): 182 (gender: masculine) (type species, by monotypy: <i>Dromas ardeola</i> Paykull, 1805, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 26 (3): 182, 188, pl. 8) (Aves). Op. 67 <i>Dromia</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 320, 359 (a junior homonym of <i>Dromia</i> Weber, 1795). Op. 688	available
<i>Dromia</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 92 (gender: feminine) (type species, by designation under the plenary power: <i>Cancer personatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 628, as interpreted by the neotype designated by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 53, pl. 3)) (Crustacea, Decapoda). Op. 688	available
<i>dromia</i> , <i>Cancer</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 501 (an incorrect subsequent spelling for <i>dormia</i> , <i>Cancer</i> , Linnaeus, 1763). Op. 688	index
DROMIACEA de Haan, [1833], <i>in Siebold, Fauna japon.</i> (Crust.) (1): ix (type genus: <i>Dromia</i> Weber, 1795) (an incorrect original spelling for DROMIIDAE de Haan, [1833]). Op. 688	index
<i>dromiaeformis</i> , <i>Trichia</i> , De Haan, 1839, <i>Fauna Japonica</i> , fasc. 4, pl. 29, fig. 4; pl. H (specific name of the type species of <i>Trichia</i> De Haan, 1839) (Brachyura). Op. 2079	available
Dromidiopsis Borradale, 1900, <i>Proc. zool. Soc. London</i> , 1900 : 572 (gender: feminine) (type species, by monotypy: <i>Dromia australiensis</i> Haswell, 1882, <i>Proc. linn. Soc. N.S. Wales</i> , 6 (4): 755) (Crustacea, Decapoda). Op. 688	available
DROMIENS Milne Edwards, 1837, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 2 : 168 (type genus: <i>Dromia</i> Weber, 1795) (a vernacular name). Op. 688	index
DROMIIDAE (correction of DROMIACEA) de Haan, [1833], <i>in Siebold, Fauna japon.</i> (Crust.) (1): ix (type genus: <i>Dromia</i> Weber, 1795) (Crustacea, Decapoda). Op. 688	available

DROMIIDAE Bonelli, 1810, *Observations entomologiques*. Première Partie, *tabula synoptica*, unnumbered page, an incorrect original spelling of **DROMIUSIDAE** by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name **Dromius** Bonelli, 1810 is DROMIUS- (Insecta, Coleoptera). Op. 2149

index

Dromius Bonelli, 1810, *Observations entomologiques*. Première Partie, *tabula synoptica*, unnumbered page (gender: masculine) (type species, by subsequent designation by Hope, 1838, *The Coleopterist's Manual*, part 2, p. 63: **Carabus quadrimaculatus** Linnaeus, 1758) (Insecta, Coleoptera). Op. 2149

available

DROMIUSIDAE Bonelli, 1810, *Observations entomologiques*. Première Partie, *tabula synoptica*, unnumbered page (type genus: **Dromius** Bonelli, 1810), spelling emended from DROMIIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name **Dromius** is DROMIUS- (Insecta, Coleoptera). Op. 2149

available

Dromophis Peters, 1869, *Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin*, **1869**: 447 (gender: masculine) (type species, by monotypy: **Dendrophis praeornata** Schlegel, 1837) (Reptilia, Serpentes). Op. 1384

available

drummondi, Buprestis, Kirby, 1837, in Richardson, (Ed.), *Fauna Boreali-Americanæ*, part 4, p. 57, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of **Buprestis drummondi** Laporte & Gory, 1836 (Insecta, Coleoptera). Op. 2008

available

drummondi, Buprestis, Laporte & Gory, 1836, *Histoire naturelle et iconographie des insectes coléoptères*, vol. 1, p. 37 (Insecta, Coleoptera). Op. 2008

available

Drupella Thiele, 1925, *Wiss. Ergebnisse deutsch. Tiefsee-Expedition ... 'Valdivia'*, 1898-1899, Gastropoda, Theil II: 171 (gender: feminine) (type species, by designation under the plenary power: **Purpura elata** Blainville, 1832, *Nouv. Ann. Mus. d'Hist. nat. Paris*, **1**(2): 207, valid name: **Drupa cornus** [Röding], 1798) (Gastropoda). Op. 1154

available

dryados, Curculio, Gmelin, 1790, in Linnaeus, *Systema Naturae*, Ed. 13, vol. 1, part 4, p. 1748, the oldest available synonym of **Curculio quercus** Fabricius, 1787, rejected because of primary homonymy (specific name of the type species of **Coeliodes** Schönherr, 1837) (Insecta, Coleoptera). Op. 1529

available

Dryas Hübner, [1806], *Tentamen*: [1] (included in a work rejected for nomenclatural purposes). Op. 278

index

Dryinus Latreille, 1804, *Nouv. Dict. Hist. nat.*, **24** (Tab.): 176 (gender: masculine) (type species, by monotypy: **Dryinus formicarius** Latreille, [1804-1805], in Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **13**: 228) (Insecta, Hymenoptera). Op. 153

available

Dryinus Merrem, 1820, *Tent. Syst. Amph.*: 15, 136 (a junior homonym of **Dryinus** Latreille, [1804], and a junior objective synonym of **Ahaetulla** Link, 1807). Op. 524

index

Dryocoetes Eichhoff, 1864, *Berliner entomol. Zeitschr.*, **8**: 38, 39 (gender: masculine) (type species, by designation by Hopkins, 1914 (*Proc. U.S. nat. Mus.*, **48**: 121): **Bostrichus autographus** Ratzeburg, 1837, *Die Forst-Insecten ...*, Erster Theil, Die Käfer: 194, 195) (Insecta, Coleoptera). Op. 1145

available

Dryophis Dalman, 1823, *Anat. Entomol.*: 7 (a junior objective synonym of *Ahaetulla* Link, 1807). Op. 524

index

Dryophthorus Germar, 1824, *Insectorum, species novae aut minus cognitae, descriptionibus illustratae*, vol. 1, Coleoptera, p. 302 (gender: masculine) (type species, by monotypy: *Curculio lymexylon* Fabricius, 1792, a junior subjective synonym of *Curculio corticalis* Paykull, 1792) (Insecta, Coleoptera). Op. 1448

available

dsinezumi, Sorex, Temminck, 1843, *Aperçu gén. spéc. mamm. Japon*, part 2: 26, ruled under the plenary power to be a correct original spelling (Mammalia). Op. 1256

available

dubia, Amphisbaena, Müller, 1924, *Mitt. zool. Mus. Berlin*, **2**(1): 86 (conserved under the plenary power) (Reptilia). Op. 664

available

dubia, Amphisbaena, Rathke, 1863, *Abh. K.-bayer. Akad. Wiss., München*, **9**(1): 128 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 664

index

dubia, Clausilia, Draparnaud, [1805], *Hist. nat. Moll. terrestre. fluviat. France*: 70 (Gastropoda). Op. 336

available

dubia, Melanochroa, Roeder, 1886, *Entomologische Nachrichten*, **12**(1), no. 9, p. 140 (specific name of the type species of *Melanochroa* Roeder, 1886) (Insecta, Coleoptera). Op. 1472

available

dubia, Nitidula, Gyllenhal, 1808, *Insecta Svecica, Descripta a Leonardo Gyllenhal, Classis I. Coleoptera sive Eleuterata*, vol. 1, p. 243 (specific name of the type species of *Sphindus* Megerle in Dejean, 1821) (Insecta, Coleoptera). Op. 1862

available

dubius, Cidarites (Phyllacanthus), Brandt, 1835, *Prodr. Descr. Anim. Mertens. Orb. Terr. Circumnavig. observ.*, **1**: 68 (specific name of the type species of *Phyllacanthus* Brandt, 1835) (Echinoidea). Op. 208

available

dubius, Cordylodus?, Rhodes, 1953, *Philosophical Transactions of the Royal Society of London*, (B)**237**: 299 (Conodonta). Op. 1580

available

dubius, Philopotamus, Rambur, 1842, *Histoire naturelle des Insectes Névroptères*: 503 (specific name of the type species of *Holocentropus* McLachlan, 1878) (Insecta, Trichoptera). Op. 1327

available

ducorsii, Cacatua, Pucheran, 1853, *in Jacquinot & Pucheran, Voyage au Pôle sud, Zoologie*, **3**: 108 (Aves). Op. 1168

available

ducrops, Plyctolophus, Bonaparte, 1850, *C.R. Acad. Sci. Paris*, **30**: 138 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1168

index

ductor, Gasterosteus, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 295 (specific name of the type species of *Naukrates* Rafinesque, 1810) (Osteichthyes, Perciformes). Op. 1799

available

<i>dudleyi</i> , <i>Cryptotermes</i> , Banks, 1918, <i>Bulletin of the American Museum of Natural History</i> , 38 (17): 660, ruled under the plenary power to be given precedence over the name <i>Calotermes (Cryptotermes) jacobsoni</i> Holmgren, 1913 whenever the two are considered to be synonyms (Insecta, Isoptera). Op. 2064	available
<i>Dugastella</i> Bouvier, 1912, <i>C.R. Acad. Sci., Paris</i> , 155 : 993 (gender: feminine) (type species, by monotypy: <i>Dugastella marocana</i> Bouvier, 1912, <i>C.R. Acad. Sci., Paris</i> , 155 : 993) (Crustacea, Decapoda). Op. 470	available
<i>dujardin</i> , <i>Macrobiotus</i> , Doyère, 1840, <i>Annales des Sciences Naturelles</i> , (Zoologie), (2)14 : 288, ruled under the plenary power to be the incorrect original spelling of <i>dujardini</i> (Tardigrada). Op. 1551	index
<i>dujardini</i> , <i>Macrobiotus</i> , Doyère, 1840, <i>Annales des Sciences Naturelles</i> , (Zoologie), (2)14 : 288, ruled under the plenary power to be the correct original spelling of <i>dujardin</i> (specific name of the type species of <i>Hypsibius</i> Ehrenberg, 1848) (Tardigrada). Op. 1551	available
<i>dumblei</i> , <i>Truncatulina</i> , Applin, 1925, in Applin, Kniker & Ellisor, <i>Bull. Am. Assoc. Petrol. Geol.</i> , 9 : 86-89 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 873	index
<i>dumerili</i> , <i>Caranx</i> , Risso, 1810, <i>Ichth. Nice</i> : 175, pl. 6, fig. 20 (specific name of the type species of <i>Seriola</i> Cuvier, [1816]) (Osteichthyes). Op. 461	available
<i>dunensis</i> , <i>Palaeoteuthis</i> , Roemer, 1855, <i>Palaeontographica</i> , 4 : 72 (specific name of the type species of <i>Rhinopteraspis</i> Jaekel, 1919) (Agnatha). Op. 438	available
<i>duodecimguttata</i> , <i>Chrysomela</i> , Thunberg, 1787, <i>Mus. Nat. Acad. Upsaliensis</i> (4): 44 (valid name at the date of Opinion 1279 of the type species of <i>Atechna</i> Chevrolat, 1837) (Insecta, Coleoptera). Op. 1279	available
<i>duodecimus</i> , <i>Fusus</i> , Gray, 1843, in Dieffenbach, <i>Trav. N.Z.</i> , 2 : 230 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 911	index
<i>duodenale</i> , <i>Agchylostoma</i> [sic], Dubini, 1843, <i>Ann. Univ. Med.</i> , Milano, 106 (No. 316): 5, 10 (specific name of the type species of <i>Ancylostoma</i> (emendation of <i>Agchylostoma</i>) Dubini, 1843) (Nematoda). Direction 77	available
<i>Duolandrevus</i> Kirby, 1906, <i>A synonymic catalogue of Orthoptera II. Orthoptera Saltatoria, part 1 (Achetidae et Phasgonuridae)</i> , p. 50 (gender: masculine) (type species, by original designation: <i>Gryllus brachypterus</i> Haan, 1842) (Insecta, Orthoptera). Op. 2075	available
<i>dupiniana</i> , <i>Nerinea</i> , d'Orbigny, 1843, <i>Pal. franç.</i> , Terr. crét., 2 : 81 (specific name of the type species of <i>Nerinella</i> Sharpe, 1850) (Gastropoda). Op. 316	available
<i>duplicatus</i> , <i>Erismatolithus Madreporites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. N[4], pl. 30, figs. 1, 2, as interpreted by the neotype designated by Smith, 1916 (<i>Quart. J. geol. Soc. London</i> , 71 : 238) (conserved under the plenary power) (specific name of the type species of <i>Lonsdaleia</i> McCoy, 1849) (Anthozoa). Op. 419	available

<i>duponcheli</i> , <i>Leucophasia</i> , Staudinger, 1871, in Staudinger & Wocke, <i>Cat. Lepid. Europ. Faunengeb.</i> : 5, as interpreted by the lectotype designated by Hemming & Sheljuzhko, 1958 (<i>Bull. zool. Nomencl.</i> , 16 : 84) (Insecta, Lepidoptera). Op. 584	available
<i>Durania</i> Douvillé, 1908, <i>Bull. Soc. géol. France</i> , (4) 8 : 309 (gender: feminine) (type species, by original designation: <i>Hippurites cornupastoris</i> DesMoulins, 1826, <i>Bull. Hist. nat. Soc. linn. Bordeaux</i> , 1 : 288, pl. 10) (Bivalvia). Op. 891	available
<i>Durckheimia</i> de Man, 1889, <i>Zool. Jahrb.</i> , Jena (Syst.), 4 : 442 (gender: feminine) (type species, by original designation through Article 68b(i): <i>Durckheimia carinipes</i> de Man, 1889, <i>Zool. Jahrb.</i> , Jena (Syst.), 4 : 442) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>duryi</i> , <i>Pseudotriton</i> , Weller, 1930, <i>Proc. J. Soc. nat. Sci. Cincinnati</i> , 1 (5-6): 7 (Amphibia). Op. 738	available
<i>Duseidea</i> Delage & Hérouard, 1899, <i>Traité de Zoologie concrète</i> , vol. 2(1), p. 230 (an unjustified emendation of <i>Dysidea</i> Johnston, 1842) (Porifera, Keratosa). Op. 1550	index
<i>Duseidea</i> Johnston, 1842, <i>History of British Sponges and Lithophytes</i> , p. 185 (an incorrect original spelling of <i>Dysidea</i>) (Porifera, Keratosa). Op. 1550	index
<i>dutemplei</i> , <i>Pentetagonaster</i> , d'Orbigny, 1850, <i>Prodrome de paléontologie stratigraphique universelle des animaux mollusques et rayonnés</i> , vol. 2, p. 274 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Asteroidea). Op. 1579	index
<i>duvallii</i> , <i>Terebratula</i> , Newman, 1844, <i>Zoologist</i> , 2 : 279 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1466	index
<i>dyscherus</i> , <i>Odynerus</i> , Saussure, 1852, <i>Et. Fam. Vespa</i> , 1 : 175 (specific name of the type species of <i>Epsilon</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>Dysdera</i> Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 134 (gender: feminine) (type species, by monotypy: <i>Aranea punctoria</i> Villers, 1789, <i>Linn. Entomol. Faunae svec.</i> , 4 : 128) (Arachnida). Op. 104, Direction 66	available
<i>Dyseidea</i> Lieberkuhn, 1859, <i>Archiv für Anatomie und Physiologie</i> , 1859 : 363 (an incorrect subsequent spelling of <i>Dysidea</i> Johnston, 1842) (Porifera, Keratosa). Op. 1550	index
<i>dysenteriae</i> , <i>Amoeba</i> , Councilman & Lafleur, 1891, <i>Johns Hopkins Hosp. Rep.</i> , 2 (7/9): 405 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 312	index
<i>dysenterica</i> , <i>Amoeba</i> , Pfeiffer, 1888, <i>Korresp. Bl. allgem. ärztl. Ver. Thuringen</i> , 17 (11): 662 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 312	index
<i>Dysidea</i> Johnston, 1842, <i>History of British Sponges and Lithophytes</i> , p. 251 (gender: feminine) (type species, by subsequent designation by deLaubenfels, 1948, <i>Allan Hancock Foundation Publications, Occasional Papers</i> , No. 3: 137: <i>Spongia fragilis</i> Montagu, 1818) (Porifera, Keratosa). Op. 1550	available

DYSIDEIDAE Gray, 1867, <i>Proceedings of the Zoological Society of London</i> , 1867 : 511 (type genus: Dysidea Johnston, 1842) (Porifera, Keratosa). Op. 1550	available
<i>Dysidea</i> Agassiz, 1846, <i>Nomenclatoris Zoologici. Index Universalis</i> , p. 131 (an unjustified emendation of Dysidea Johnston, 1842) (Porifera, Keratosa). Op. 1550	index
DYTICEA Erichson, 1832, <i>Gen. Dytic.</i> : 1 (type genus: Dytiscus Linnaeus, 1758) (an incorrect subsequent spelling for DYTISCIDAE Leach, 1817). Op. 619	index
DYTICIDAE Curtis, 1826, <i>Brit. Entomol.</i> : pl. 99 (type genus: Dytiscus Linnaeus, 1758) (an incorrect subsequent spelling for DYTISCIDAE Leach, 1817). Op. 619	index
DYTICIDEA Leach, 1817, <i>Zool. Miscell.</i> , 3 : 69 (type genus: Dytiscus Linnaeus, 1758) (an incorrect original spelling for DYTISCIDAE Leach, 1817). Op. 619	index
DYTICOIDEA Hope, 1838, <i>Col. Man.</i> , 2 : 117 (type genus: Dytiscus Linnaeus, 1758) (an incorrect subsequent spelling for DYTISCIDAE Leach, 1817). Op. 619	index
<i>Dyticus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 185 (a junior objective synonym of Dytiscus Linnaeus, 1758). Op. 619, Op. 1754	index
DYTISCIDAE (correction of DYTICIDEA) Leach, 1817, <i>Zool. Miscell.</i> , 3 : 69 (type genus: Dytiscus Linnaeus, 1758) (Insecta, Coleoptera). Op. 619	available
Dytiscus Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 411 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 167, 426); Dytiscus marginalis Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 411) (Insecta, Coleoptera). Op. 619	available
Eatonella Dall, 1876, in Kidder, J.H., <i>Bulletin of the United States National Museum</i> , 3 : 42 (gender: feminine), type species by subsequent designation of Nevill (1885) <i>Eatonia kerguelensis</i> E.A. Smith, 1875 (Gastropoda) Op. 2202	available
EATONIELLIDAE Ponder, 1965, <i>Record of the Auckland Institute and Museum</i> , 6 (2): 50–51 type genus <i>Eatonella</i> Dall, 1876 (Gastropoda) Op. 2202	available
Ebalia Leach, [1817], <i>Malac. podophth. Brit.</i> (14): text to pl. 25 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 26); Cancer tuberosus Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 7) (Crustacea, Decapoda). Op. 73, Direction 37	available
ebenus, Unio , Lea, 1831, <i>Transactions of the American Philosophical Society, New Series</i> , 4 : 84 (Bivalvia) Op. 2188	available
<i>ebii, Sciurus</i> , Pel, 1851, <i>Nederl. Tijdschr. Jagtkunde</i> , 1 : 161 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 945	index
<i>ebii, Sciurus</i> , Temminck, 1853, <i>Esquisses zool. côte Guinée</i> : 129 (Mammalia). Op. 945	available
<i>Eburnigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index

Ecclissa Schrank, 1803, *Fauna boica*, **3**(2): 21, 101 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 418

index

Eccoptogaster Erichson, 1836, *Arch. Naturgesch.*, **2**: 58 (a junior objective synonym of *Scolytus* Geoffroy, 1762, and an unjustified emendation of *Ekkoptogaster* Herbst, 1793). Op. 683

index

ECCOPTOGASTERINAE Trédl, 1907, *Entomol. Bl.*, **3**: 5 (type genus: *Eccoptogaster* Erichson, 1836) (a junior objective synonym of SCOLYTIDAE Westwood, 1838). Op. 683

index

ECCOPTOGASTERINI Reitter, 1906, *Cat. Col. Europe*: 707 (type genus: *Eccoptogaster* Erichson, 1836) (a junior objective synonym of SCOLYTIDAE Westwood, 1838). Op. 683

index

Eccoptus Dejean, 1821, *Catalogue de la collection de Coléoptères de M. le Baron Dejean*, p. 86 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1450

index

Echeneis Linnaeus, 1758, *Systema Natura*e, Ed. 10, vol. 1, p. 260 (gender: feminine) (type species, by designation under the plenary power: *Echeneis naucrates* (emendation of *neucrates*) Linnaeus, 1758, *Systema Natura*e, Ed. 10, vol. 1, p. 261) (Osteichthyes). Op. 92, Op. 242

available

echidna, *Hispa*, Guérin-Méneville, 1840, *Rev. zool.*, **1840**: 139 (specific name of the type species of *Platyria* Guérin-Méneville, 1840) (Insecta, Coleoptera). Op. 376

available

Echinarachnius Gray, 1825, *Ann. Phil.*, **26**: 428 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: *Scutella parma* Lamarck, 1816, *Hist. nat. Anim. sans Vertèbr.*, **3**: 11) (Echinoidea). Op. 277

available

Echinarachnius Leske, 1778, *Addit. J.T. Klein nat. Disp. Echin.*: 217, 218 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 277

index

Echinarachnius, all uses of, prior to *Echinarachnius* Gray, 1825 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 277

index

echinatus, *Paracrangon*, Dana, 1852, *Proc. Acad. nat. Sci. Philadelphia*, **6**: 20 (specific name of the type species of *Paracrangon* Dana, 1852) (Crustacea, Decapoda). Op. 470

available

Echinites Bertrand, 1763, *Dict. Univ. Foss. Propres Foss. Accid.*, **2**: 102 (included in a work rejected for nomenclatural purposes). Op. 592

index

ECHINOCARDIINAE Wythe Cooke, 1942, *J. Paleontol.*, **16**: 59 (type genus: *Echinocardium* Gray, 1825) (Echinoidea). Op. 608

available

Echinocardium Gray, 1825, *Ann. Phil.*, **26**: 430 (conserved under the plenary power) (gender: neuter) (type species, by designation under the plenary power: *Echinus cordatus* Pennant, 1777, *Brit. Zool.* (ed. 4), **4**: 58) (Echinoidea). Op. 209

available

<i>Echinocardium</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 73 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy, in so far as this name was published as a generic name). Op. 209	index
<i>Echinochila</i> Mørch, 1869, <i>Ann. Soc. Malac. Belg.</i> , 4 : 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 812	index
<i>Echinococcus</i> Rudolphi, 1801, <i>Archiv für Zoologie und Zootomie</i> , 2 (1): 52 (gender: masculine) (type species, by subsequent monotypy by Rudolphi, 1805, <i>Bemerkungen aus dem Gebiet der Naturgeschichte, Medicin und Thierarzneykunde, auf eine Reise durch einen Theil von Deutschland, Holland und Frankreich gesammelt</i> , part 2, p. 41: <i>Hydatigena granulosa</i> Batsch, 1786) (Cestoda). Direction 121	available
ECHINOCONCHIDAE Stehli, 1954, <i>Bull. amer. Mus. nat. Hist.</i> , 105 (3): 326 (type genus: <i>Echinoconchus</i> Weller, 1914) (Brachiopoda). Direction 62	available
<i>Echinoconchus</i> Weller, 1914, <i>Mon. State geol. Surv. Illinois</i> , 1 : 138 (gender: masculine) (type species, by designation by Chao, 1927 (<i>Palaeont. sinic.</i> , 5 (2): 63): <i>Productus punctatus</i> Sowerby, 1822, <i>Min. Conch.</i> , 4 : 22, pl. 323, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 103, pl. 4, figs. 2a, b)) (Brachiopoda). Op. 420	available
<i>Echinocorys</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 111 (175) (gender: feminine) (type species, by designation by Lambert, 1898 (<i>Bull. Soc. belg. Géol. Paléontol. Hydrol.</i> , (2) 1 : 179): <i>Echinocorys scutata</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 111 (175)) (Echinoidea). Op. 993	available
<i>Echinocorytes</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 111 (175) (a junior objective synonym of <i>Echinocorys</i> Leske, 1778, through the first reviser action of Peake & Melville, 1970 (<i>Bull. zool. Nomencl.</i> , 27 : 57, 58, pl. 2)). Op. 993	index
<i>Echinocrinus</i> Agassiz, 1841, <i>Mon. Echin.</i> , Monogr. 2: 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 370	index
<i>Echinocyamus</i> van Phelsum, 1774, <i>Brief Gewely-Slekken Zee-Egelen</i> : 131 (gender: masculine) (type species, by designation under the plenary power: <i>Spatagus</i> [sic] <i>pusillus</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 236) (Echinoidea). Op. 207	available
<i>Echinodiscus</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 195 (gender: masculine) (type species, by designation by Clark, 1911 (<i>Ann. Mag. nat. Hist.</i> , (8) 7 : 597): <i>Echinodiscus bisperforatus</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 198) (Echinoidea). Op. 277	available
<i>echinodiscus</i> , <i>Echinorhynchus</i> , Diesing, 1851, <i>Syst. Helminth.</i> , 2 : 36 (specific name of the type species of <i>Gigantorhynchus</i> Hamann, 1892) (Acanthocephala). Direction 77	available
<i>Echinometrites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>echinopus</i> , <i>Tyroglyphus</i> , Fumouze & Robin, 1868, <i>J. Anat. Physiol.</i> , 5 : 287 (valid name at the date of Direction 67 of the type species of <i>Rhizoglyphus</i> Claparède, (1869)) (Arachnida). Direction 67	available

<i>Echioceras</i> Bayle, 1878, <i>Explic. Carte géol. France</i> , 4 : explic. pl. 77, figs. 2, 3 (gender: neuter) (type species, by monotypy: <i>Ammonites raricostatus</i> Zieten, [1831], <i>Verstein. Wurtemb.</i> (3): 18, pl. 13, fig. 4) (Cephalopoda). Op. 324	available
ECHIOCERATIDAE Buckman, 1913, <i>Type Ammonites</i> , 2 : v (type genus: <i>Echioceras</i> Bayle, 1878) (Cephalopoda). Direction 14	available
<i>Eclectus</i> Wagler, 1832, <i>Abh. K.-bayer. Akad. Wiss., München</i> , 1 : 495 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> (ed. 1): 52): <i>Psittacus grandis</i> Gmelin, 1789, <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 335, valid name: <i>Psittacus roratus</i> Müller, 1776) (Aves). Op. 938	available
<i>Eclissa</i> Modeer, 1790, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 11 (4): 242 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 418	index
ECTOBIIDAE Brunner von Wattenwyl, 1865, <i>Nouv. Syst. Blatt. (Wien)</i> : 46, 51 (type genus: <i>Ectobius</i> Stephens, 1835) (Insecta, Dictyoptera). Op. 1231	available
<i>Ectobius</i> Stephens, 1835, <i>Ill. brit. Entomol.</i> , Mand., 6 : 45 (gender: masculine) (type species, by designation by Westwood, [1838] (<i>Introd. mod. Class. Ins.</i> , 2 , Syn. Gen. brit. Ins.: 44): <i>Blatta lapponica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425) (Insecta, Orthoptera). Op. 104, Direction 63	available
<i>Ectophasia</i> Townsend, 1912, <i>Proc. entomol. Soc. Washington</i> , 14 : 45 (gender: feminine) (type species, by original designation: <i>Syrphus crassipennis</i> Fabricius, 1794, <i>Entomol. Syst.</i> , 4 : 284) (Insecta, Diptera). Op. 896	available
<i>Ectopistes</i> Swainson, 1827, <i>Zool. J.</i> , 3 (11): 362 (gender: masculine) (type species, by designation by Swainson, 1837 (<i>Nat. Hist. Classif. Birds</i> , 2 : 348): <i>Columba migratoria</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 285) (Aves). Op. 67, Direction 18	available
<i>ecuadorensis, Coprinisphaera</i> , Sauer, 1955, <i>Boletín del Instituto de Ciencias Naturales del Ecuador</i> , 1 (2): 123 (specific name of the type ichnospecies of <i>Coprinisphaera</i> Sauer, 1955) Op. 2211	available
<i>edentula, Pupa</i> , Draparnaud, [1805], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 59 (Gastropoda). Op. 336	available
<i>edentulus, Salmo</i> , Bloch, 1794, <i>Naturgesch. Ausl. Fische</i> , 8 : pl. 380 (specific name of the type species of <i>Curimata</i> Bosc, 1817) (Osteichthyes). Op. 772	available
<i>Edgellia</i> Shaw, 1950, <i>in Shaw & Stubblefield, J. Paleontol.</i> , 24 (5): 624 (a junior objective synonym of <i>Trinucleus</i> Murchison, 1839). Op. 505	index
<i>edule, Lumbricus</i> , Pallas, 1774, <i>Spicilegia Zoologica</i> , vol. 10, p. 10, ruled under the plenary power not to be given priority over the specific name of <i>Phascolosoma cumanense</i> Keferstein, 1867 whenever the two names are considered to be synonyms (Sipuncula). Op. 1389	available
<i>edulis, Mytilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 705 (specific name of the type species of <i>Mytilus</i> Linnaeus, 1758) (Bivalvia). Op. 333	available

<i>edulis</i> , <i>Ostrea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 699 (specific name of the type species of <i>Ostrea</i> Linnaeus, 1758) (Bivalvia). Op. 356	available
<i>Edwardsia</i> da Costa, 1834, <i>Cenni zoologici</i> (Naples): 62 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1294	index
<i>Edwardsia</i> de Quatrefages, 1841, <i>l'Institut</i> , 9: 427 (gender: feminine) (type species, by designation by Carlgren, 1949 (<i>K. Vetenskaps Akad. Handl.</i> , (4)1: 23)): <i>Edwardsia beautempsii</i> de Quatrefages, 1842, <i>Ann. Sci. nat. (Zool.)</i> , (2)18: 69 (Anthozoa). Op. 1294	available
<i>edwardsii</i> , <i>Palaemon</i> , Heller, 1863, <i>Die Crustaceen des südlichen Europa</i> , p. 265 (a junior objective synonym of <i>Palaemon longirostris</i> H. Milne Edwards, 1837, p. 392) (Crustacea, Decapoda). Op. 1576	index
<i>edwardsii</i> , <i>Squalus</i> , Schinz, 1822, <i>Das Thierreich eingeteilt nach dem Bau der Thiere als Grundlage ihrer Naturgeschichte und die vergleichende Anatomie</i> , vol. 2, p. 214, ruled under the plenary power to be the correct original spelling of <i>edwartzii</i> (Chondrichthyes). Op. 2056	available
EDWARDSIIDAE Andres, 1881, <i>Mitt. zool. Stat. Neapel</i> , 2: 333 (type genus: <i>Edwardsia</i> de Quatrefages, 1841) (Anthozoa). Op. 1294	available
<i>edwartzii</i> , <i>Squalus</i> , Schinz, 1822, <i>Das Thierreich eingeteilt nach dem Bau der Thiere als Grundlage ihrer Naturgeschichte und die vergleichende Anatomie</i> , vol. 2, p. 214, ruled under the plenary power to be an incorrect original spelling of <i>edwardsii</i> (Chondrichthyes). Op. 2056	index
<i>Egeon</i> Bosc, 1813, <i>Nouv. Bull. Sci. Soc. philomat. Paris</i> , 3(66): 233 (a junior homonym of <i>Egeon</i> de Montfort, 1808). Op. 434	index
<i>Egeon</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 99 (a junior homonym of <i>Egeon</i> de Montfort, 1808). Op. 434	index
<i>egmontianum</i> , <i>Cardium</i> , Shuttleworth, 1856, <i>Journal de Conchyliologie</i> , 5: 172–173 (Bivalvia) Op. 2197	available
<i>Egocerus</i> Desmarest, 1822, <i>Ency. méth.</i> , Mamm., (2): 475 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 23	index
<i>Egretta</i> Brisson, 1760, <i>Ornithologia</i> , 5: 431–433 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 21	index
<i>Egretta</i> Forster, 1817, <i>Syn. Cat. brit. Birds</i> : 59 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Ardea garzetta</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 237) (Aves). Op. 67, Direction 21	available
<i>egyptiensis</i> , <i>Patellina</i> , Chapman, 1900, <i>Geol. Mag.</i> , (4)7: 11, 12, pl. 2, figs. 1–3 (specific name of the type species of <i>Dictyoconus</i> Blanckenhorn, 1900) (Rhizopoda). Op. 585	available

<i>ehlersi</i> , <i>Diodontopteria</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 39 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>eichwaldi</i> , <i>Asaphus</i> , Fischer von Waldheim in Eichwald, 1825, <i>Geognostico-zoologicae per ingriam marisque Baltici provincias nec non de trilobitis observationes</i> , p. 54, as defined by the neotype (specimen no. TML 1557/5107 in the Tshernyshev's Museum, St Petersburg, Russia, figured by Weber, 1937, <i>Paleontology of the U.S.S.R. Monographs</i> , pl. 7, fig. 15) designated by Osmólska, 1970, <i>Palaeontologia Polonica</i> , 23 : 130 and confirmed by the Commission (Trilobita). Op. 1702	available
<i>eimeensis</i> , <i>Columba</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 784 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409	index
<i>Eimeria</i> Schneider, 1875, <i>Arch. zool. expér. gén. Paris</i> , 4 : xli (gender: feminine) (type species, by monotypy: <i>Gregarina falciformis</i> Eimer, 1870, <i>Ueb. ei und kugelförm. sogen. Psorosp. wirbelth.</i> : 4) (Sporozoa). Op. 104	available
<i>Ekkoptogaster</i> Herbst, 1793, <i>Der Käfer</i> , Th. V: 81, 103, 122, 127, 128 (a junior objective synonym of <i>Scolytus</i> Geoffroy, 1762). Op. 683 <i>Elachista</i> Kollar, 1832, <i>Beiträge zur Landeskunde Oesterreich's unter der Enns</i> , 2 : 98, and all uses of the name prior to the publication of <i>Elachista</i> Treitschke, 1833 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1557	index
<i>Elachista</i> Treitschke, 1833, in Ochsenheimer, <i>Die Schmetterlinge von Europa</i> , vol. 9, part 2, p. 177 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Meyrick, 1915, <i>Transactions of the New Zealand Institute</i> , 47 : 210; <i>Elachista bifasciella</i> Treitschke, 1833) (Insecta, Lepidoptera). Op. 1557	available
ELACHISTIDAE Bruand, 1850, <i>Mémoires (et Comptes Rendus) de la Société d'Emulation du Doubs</i> , (1) 3 (5-6): 50 (type genus: <i>Elachista</i> Treitschke, 1833) (Insecta, Lepidoptera). Op. 1557	available
<i>elachistus</i> , <i>Paratylenchus</i> , Steiner, 1949, <i>Proc. Soil Sci. Soc. Fla.</i> (1942) 4-B: 72-117, as interpreted by the lectotype designated by Tarjan & Golden, 1964 (<i>Bull. zool. Nomencl.</i> , 21 : 226) (Nematoda). Op. 791	available
<i>Elanus</i> Savigny, 1809, <i>Descr. Egypte</i> , 1 (1) (Ois.): 69, 97 (gender: masculine) (type species, by monotypy: <i>Elanus caesius</i> Savigny, 1809, <i>Descr. Egypte</i> , 1 (1) (Ois.): 98, valid name: <i>Falco caeruleus</i> Desfontaines, [1789]) (Aves). Op. 67 <i>Elaphe</i> Fitzinger, 1833, in Wagler, <i>Descr. Icon. Amph.</i> (3): expl. pl. 27 (gender: feminine) (type species, by monotypy: <i>Elaphe parreyssii</i> Fitzinger, 1833, in Wagler, <i>Descr. Icon. Amph.</i> (3): expl. pl. 27, valid name: <i>Coluber sauromates</i> Pallas, [1814]) by direction under the plenary power to take precedence over the generic name <i>Gonyosoma</i> Wagler, 1828 (Reptilia). Op. 490	available
<i>Elaphella</i> Bezzi, 1913, <i>Soc. entomol. (Internat. Entomol. Verein)</i> , 28 (13): 56 (conserved under the plenary power) (gender: feminine) (type species, by designation by Enderlein, 1913 (<i>Zool. Anz.</i> , 42 : 253) for the replaced name <i>Allodicrania</i> Enderlein, 1913: <i>Pangonia cervus</i> Wiedemann, 1828, <i>Aussereurop. zweifl. Insekt.</i> , 1 : 94) (Insecta, Diptera). Op. 530	available

<i>elaphis</i> , <i>Coluber</i> , Shaw, 1802, <i>Gen. Zool.</i> , 3 : 450 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>elaphus</i> , <i>Cervus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 67 (specific name of the type species of <i>Cervus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
ELAPIDAE Boie, 1827, <i>Isis</i> (Oken), 20 (3): 510 (type genus: <i>Elaps</i> Schneider, 1801), ruled under the plenary power to be given precedence over the family-group name BUNGARIDAE Fitzinger, 1826 whenever <i>Elaps</i> Schneider, 1801 and <i>Bungarus</i> Daudin, 1803 are placed in the same family-group taxon (Reptilia). Op. 1201	available
<i>Elaps</i> Schneider, 1801, <i>Historia amphibiorum naturalis et literariae</i> (Jena), fasc. 2: 289 (gender: masculine) (type species, by designation under the plenary power: <i>Coluber lemniscatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 224) ruled under the plenary power not to be given priority over the generic name <i>Micrurus</i> Wagler, 1824 whenever the two names are considered synonyms (Reptilia). Op. 1201	available
<i>Elasmia</i> Hübner, 1822, <i>Syst.-alph. Verz.</i> : 62 (an incorrect original spelling for <i>Elasmion</i> Hübner, 1822). Op. 789	index
<i>Elasmion</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 6 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Elasmucha</i> Stål, 1864, <i>Ann. Soc. entomol. France</i> , (4) 4 : 54 (gender: feminine) (type species, by monotypy: <i>Cimex ferrugatus</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 232) (Insecta, Hemiptera). Direction 63	available
<i>Elatophilus</i> Reuter, 1884, <i>Mon. Anthocorid. Orbis Terrestris</i> : 56 (gender: masculine) (type species, by designation by Kirkaldy, 1906 (<i>Trans. Amer. entomol. Soc.</i> , 32 : 120)): <i>Anthocoris nigrellus</i> Zetterstedt, 1838, <i>Ins. Lapp.</i> : 265) (Insecta, Hemiptera). Op. 863	available
<i>elatus</i> , <i>Hyboclypus</i> , Desor, 1847, in Agassiz & Desor, <i>Annales des Sciences naturelles, Paris</i> , (Zoologie), (3) 7 : 152 (specific name of the type species of <i>Desorella</i> Cotteau, 1855) (Echinoidea). Op. 1512	available
<i>electricus</i> , <i>Silurus</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1354 (specific name of the type species of <i>Malapterurus</i> Lacepède, 1803) (Osteichthyes). Direction 57	available
<i>Eledone</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 138 (gender: feminine) (type species, by monotypy: <i>Octopus moschatus</i> Lamarck, 1798, <i>Bull. Sci. Soc. philomat. Paris</i> (No. 17): 130) (Cephalopoda). Op. 233	available
<i>elegans</i> , <i>Agrion</i> , Van der Linden, 1823, <i>Agriones Bononienses descriptae</i> , p. 104 (specific name of the type species of <i>Ischnura</i> Charpentier, 1840) (Insecta, Odonata). Op. 2037	available
<i>elegans</i> , <i>Agrodes</i> , Nordmann, 1837, <i>Symbolae ad monographiam staphylinorum</i> , p. 161 (specific name of the type species of <i>Agrodes</i> Nordmann, 1837) (Insecta, Coleoptera). Op. 1851	available

- elegans*, *Alpheus*, Risso, 1816, *Hist. nat. Crust. Nice*: 92 (specific name of the type species of *Gnathophyllum* (emendation under the plenary power of *Gnatophyllum*) Latreille, 1819) (Crustacea, Decapoda). Op. 470 available
- elegans*, *Arizona*, Kennicott, 1859, in Baird, *Rep. U.S. Mexican Boundary Survey*, **2** Rept.: 18, 19, as interpreted by the lectotype designated by Blanchard (1924, *Occ. Papers Mus. Zool. U. Mich.*, **150**: 4) and ruled under the plenary power not previously to have been rejected as a junior secondary homonym (specific name of the type species of *Arizona* Kennicott, 1859) (Reptilia). Op. 717 available
- elegans*, *Bathyporeia*, Crawford, 1937, *Journal of the Marine Biological Association of the United Kingdom*, **21**: 639 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Amphipoda). Op. 2136 index
- elegans*, *Bathyporeia*, Watkin, 1938, *Journal of the Marine Biological Association of the United Kingdom*, **23**: 222, as defined by the lectotype (Zoologisk Museum i Oslo, ZMO F2656) designated by d'Udekem d'Acoz, 2004, *Zoologische Verhandelingen*, **348**: 33 (Amphipoda). Op. 2136 available
- elegans*, *Chamaemy[ia]*, Panzer, (1806-1809), *Fauna Ins. germ.* (105): 12 (specific name of the type species of *Chamaemyia* Meigen, 1803) (Insecta, Diptera). Op. 847 available
- elegans*, *Choristes*, Carpenter in Dawson, 1872, *The Canadian Naturalist and Quarterly Journal of Science*, (n.s.)**6**(4): 392 (specific name of the type species of *Choristes* Carpenter in Dawson, 1872) (Gastropoda). Op. 2047 available
- elegans*, *Coluber*, Shaw, 1802, *Gen. Zool.*, **3**: 536, as interpreted by the lectotype designated by Williams & Smith, 1962 (*Bull. zool. Nomencl.*, **19**: 300) (Reptilia). Op. 717 available
- elegans*, *Curculio*, Fourcroy, 1785, *Entomol. paris.* (1): 118 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 572 index
- elegans*, *Didymograpsus* [sic], Carruthers, 1868, *Geol. Mag.*, **5**: 129 (specific name of the type species of *Dicellograptus* Hopkinson, 1871) (Graptolithina). Op. 650 available
- elegans*, *Drosophila*, Bock & Wheeler, 1972, *The Drosophila melanogaster species group*, p. 28 (Insecta, Diptera). Op. 2143 available
- elegans*, *Drosophila*, Statz, 1940, *Palaeontographica*, **91A**: 152 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 2143 index
- elegans*, *Gryllus*, Thunberg, 1815, *Mém. Acad. Sci. St. Pétersbourg*, **5**: 226 (specific name of the type species of *Zonocerus* Stål, 1873) (Insecta, Orthoptera). Op. 969 available
- elegans*, *Haliotis*, Philippi, 1844, *Abbildung und Beschreibungen neuer oder weniger gekannter Conchylien*, vol. 1, part 5, p. 119 (Gastropoda). Op. 1950 available
- elegans*, *Helix*, Gmelin, [1791], in Linnaeus, *Systema Naturae*, Ed. 13, vol. 1, part 6, p. 3642 (Gastropoda). Op. 336 available

<i>elegans</i> , <i>Hemerobius</i> , Guérin-Méneville, 1844, <i>Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Insectes</i> , p. 388, ruled under the plenary power not to be invalid by reason of being a junior primary homonym of <i>elegans</i> Stephens, 1836, as published in the binomen <i>Hemerobius elegans</i> (Neuroptera). Op. 2220	available
<i>elegans</i> , <i>Hemerobius</i> , Stephens, 1836, <i>Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, economy . . . Mandibulata</i> , vol. 6, p. 113 (Neuroptera). Op. 2220	available
<i>elegans</i> , <i>Idalia</i> , Leuckart, 1828, <i>Brev. Anim.</i> : 15 (specific name of the type species of <i>Okenia</i> Menke, 1830) (Gastropoda). Op. 1014	available
<i>elegans</i> , <i>Latreillia</i> , Roux, 1830, <i>Crust. Médit.</i> (5): pl. 22 (specific name of the type species of <i>Latreillia</i> Roux, 1830) (Crustacea, Decapoda). Op. 712	available
<i>elegans</i> , <i>Malurus</i> , Gould, 1837, <i>Birds Austr.</i> (1): pl. 2 (Aves). Op. 410	available
<i>elegans</i> , <i>Motacilla</i> , Forster, 1794, <i>Mag. merkwürdig. neuen Reise Beschreib.</i> , 5: 128 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 410	index
<i>elegans</i> , <i>Myoxus</i> , Temminck, 1844, in Siebold, Temminck & Schlegel (Eds.), <i>Fauna Japonica</i> , p. 52 (an invalid senior objective synonym of <i>Myoxus japonicus</i> Schinz, 1845) (Mammalia). Op. 1978	index
<i>elegans</i> , <i>Ophiura</i> , Leach, 1815, in Leach & Nodder, <i>Zoological Miscellany</i> , vol. 2, p. 57 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Ophiuroidea). Op. 1560	index
<i>elegans</i> , <i>Palaemon</i> , Rathke, 1837, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 3(3-4): 370 (Crustacea, Decapoda). Op. 564	available
<i>elegans</i> , <i>Phytomyza</i> , Meigen, 1830, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 6, p. 148 (senior synonym of <i>Phytomyza festiva</i> Meigen, 1830, the type species of <i>Napomyza</i> Westwood, 1840, by the first reviser action of Hendel, 1920, <i>Archiv für Naturgeschichte</i> , 84: 148) (Insecta, Diptera). Op. 1477	available
<i>elegans</i> , <i>Psittacus</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 318 (valid name at the date of Direction 43 of the type species of <i>Platycercus</i> Vigors, 1825) (Aves). Direction 43	available
<i>elegans</i> , <i>Succinea</i> , Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4: 59 (Gastropoda). Op. 336	available
<i>elegantula</i> , <i>Callopora</i> , Hall, 1852, <i>Palaeontology of New York</i> , 2: 144 (specific name of the type species of <i>Hallopore</i> Bassler, 1911) (Bryozoa). Op. 1034	available
<i>Eleotris</i> Gronovius, 1763, <i>Zoophylac. gronov.</i> , 1: 83 (included in a work rejected for nomenclatural purposes). Direction 56	index

<i>Eleotris</i> Schneider, 1801, <i>in</i> Bloch, <i>Syst. Ichthyol.</i> : 65 (gender: feminine) (type species, by designation under the plenary power: <i>Gobius pisonis</i> Gmelin, [1789], <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1206) (Osteichthyes). Op. 93, Direction 56	available
<i>elephantinum, Dentalium</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 785 (specific name of the type species of <i>Dentalium</i> Linnaeus, 1758) (Scaphopoda). Direction 73	available
<i>elephas, Astacus</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 331 (specific name of the type species of <i>Palinurus</i> Weber, 1795) (Crustacea, Decapoda). Op. 519	available
<i>elephas, Gryllus Locusta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 431 (specific name of the type species of <i>Pamphagus</i> Thunberg, 1815) (Insecta, Orthoptera). Op. 969	available
<i>Eleutherodactylus</i> Duméril & Bibron, 1841, <i>Erpétologie Générale</i> , 8 : 620 (gender: masculine) (type species, by monotypy: <i>Hylodes martinicensis</i> Tschudi, 1838, <i>Classif. der Batrachier</i> [preprint of <i>Mem. Soc. Sci. nat. Neuchâtel</i> , 2]: 37, 77) (Amphibia). Op. 1104	available
<i>Eleuthrobothrios</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 548 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Elfia</i> Robineau-Desvoidy, 1850, <i>Annales de la Société Entomologique de France</i> , (2) 8 : 190 (gender: feminine) (type species, by subsequent designation by Robineau-Desvoidy, 1863, <i>Histoire naturelle des Diptères des environs de Paris</i> , vol. 1, p. 672: <i>Actia cingulata</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 1432	available
<i>Elleipocephalus</i> Zenker, 1833, <i>Beitr. Nat. Urwelt</i> : 51 (an incorrect original spelling for <i>Ellipocephalus</i> Zenker, 1833). Op. 512	index
ELLIPSOCEPHALIDAE Matthew, 1887, <i>Trans. roy. Soc. Canada</i> , 5 (Sect. 4): 128 (type genus: <i>Ellipocephalus</i> Zenker, 1833) (Trilobita). Op. 512	available
<i>Ellipocephalus</i> (emendation of <i>Elleipocephalus</i>) Zenker, 1833, <i>Beitr. Nat. Urwelt</i> : 51 (gender: masculine) (type species, by monotypy: <i>Elleipocephalus</i> [sic] <i>ambiguus</i> Zenker, 1833, <i>Beitr. Nat. Urwelt</i> : 51, valid name: <i>Trilobites hoffii</i> Schlotheim, 1823) (Trilobita). Op. 512	available
<i>Ellipsolithes</i> Montfort, 1808, <i>Conch. syst. Class. méth. Coquilles</i> , 1 : 86 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 304	index
<i>Ellipsoma</i> Millard, 1997, <i>Classification of Mollusca. A classification of world wide Mollusca</i> , p. 86 (an incorrect subsequent spelling of <i>Ellipstoma</i> Rafinesque, 1818) (Gastropoda). Op. 2093	index
<i>Ellipsostoma</i> Agassiz, 1846, <i>Nomenclator zoologicus, continens nomina systematica generum animalium, tam viventium quam fossilium</i> , p. 33 (an incorrect subsequent spelling of <i>Ellipstoma</i> Rafinesque, 1818) (Gastropoda). Op. 2093	index

<i>Ellipstoma</i> Rafinesque, 1818, <i>American Monthly Magazine and Critical Review</i> , 4 : 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 2093	index
ELMIDAE Curtis, 1830, <i>British entomology</i> , vol. 7, pl. 294 (type genus: <i>Elmis</i> Latreille, 1802), it being ruled by the Commission that for the purposes of Article 29 of the Code the stem of the generic name <i>Elmis</i> Latreille, 1802 is ELM- (Insecta, Coleoptera). Op. 1812	available
<i>Elmis</i> Latreille, 1802, <i>Histoire naturelle des fourmis</i> , p. 398 (gender, as ruled by the Commission: feminine) (type species, by monotypy: <i>Elmis maugetii</i> Latreille, 1802) (Insecta, Coleoptera). Op. 1812	available
<i>elongata</i> , <i>Ctenodonta</i> , Salter, 1873, <i>A catalogue of the Cambrian and Silurian fossils contained in the Geological Museum of Cambridge</i> , Cambridge: 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1022	index
<i>elongata</i> , <i>Dactylamoeba</i> , Korotneff, 1880, <i>Arch. Zool. exp. gen.</i> , 8 : 469, 470 (specific name of the type species of <i>Dactylamoeba</i> Korotneff, 1880) (Rhizopoda). Op. 1344	available
<i>elongata</i> , <i>Glassia</i> , Davidson, 1881, <i>Geological Magazine</i> , (2) 8 (4): 148 (specific name of the type species of <i>Glassia</i> Davidson, 1881) (Brachiopoda). Op. 2022	available
<i>elongata</i> , <i>Isea</i> , Guérin[-Méneville], 1832, <i>Annales de la Société Entomologique de France</i> , 1 : 300, ruled under the plenary power not to be given priority over the specific name of <i>Callianidea typa</i> H. Milne Edwards, 1837 whenever the two names are considered to be synonyms (Crustacea, Decapoda). Op. 1522	available
<i>elongata</i> , <i>Voluta</i> , Lightfoot, 1786, <i>A catalogue of the Portland Museum</i> , p. 30 (a junior objective synonym of <i>Limax fibratus</i> Martyn, 1784) (Gastropoda). Op. 1662	index
<i>elongatum</i> , <i>Leptosomatum</i> , Bastian, 1865, <i>Trans. linn. Soc. London</i> , 25 : 145 (specific name of the type species of <i>Leptosomatum</i> Bastian, 1865) (Nematoda). Op. 1068	available
<i>elongatum</i> , <i>Oxystoma</i> , Bütschli, 1874, <i>Abhandl. Senckenberg. naturf. Ges.</i> , 9 : 270 (specific name of the type species of <i>Oxystomina</i> Filipjev, 1918) (Nematoda). Op. 1098	available
<i>elongatus</i> , <i>Bostrichus</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> , vol. 1, p. 36 (specific name of the type species of <i>Colydium</i> Fabricius, 1792) (Insecta, Coleoptera). Op. 1811	available
<i>elongatus</i> , <i>Hippolyte</i> , Guérin-Méneville, 1856, in Sagra, <i>Hist. Cuba, Hist. nat.</i> , 7 : xx (specific name of the type species of <i>Xiphocaris</i> von Martens, 1872) (Crustacea, Decapoda). Op. 470	available
<i>elongatus</i> , <i>Indodorylaimus</i> , Baqri, 1982, <i>Bulletin of Zoological Nomenclature</i> , 39 : 57 (specific name of the type species of <i>Indodorylaimus</i> Ali & Prabha, 1974) (Nematoda, Dorylaimida). Op. 1404	available
<i>elongatus</i> , <i>Naiadites</i> , Dawson, 1860, <i>Supplement to 'Acadian Geology'</i> : 44 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 766	index

<i>Elonium</i> Leach in Samouelle, 1819, <i>The entomologist's useful compendium</i> , p. 175 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1722	index
<i>Elophilus</i> Meigen, 1803, <i>Magazin für Insektenkunde (Illiger)</i> , 2 : 274 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1747	index
<i>Elophorus</i> Fabricius, 1775, <i>Systema Entomologiae</i> , p. 66, ruled under the plenary power to be an incorrect original spelling of the generic name <i>Helophorus</i> (Insecta, Coleoptera). Op. 1724	index
<i>Elymana</i> de Long, 1936, <i>Ohio J. Sci.</i> , 36 : 218 (gender: feminine) (type species, by original designation: <i>Thamnotettix inornatus</i> Van Duzee, 1892, <i>Trans. amer. entomol. Soc.</i> , 19 (12): 303, valid name: <i>Cicadula sulphurella</i> Zetterstedt, 1828) (Insecta, Hemiptera). Op. 603	available
<i>emarginata</i> , <i>Cymothoa</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 508 (specific name of the type species of <i>Idotea</i> Fabricius, 1798) (Crustacea, Isopoda). Op. 643	available
<i>Emarginuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Embletonia</i> Alder & Hancock, 1851, <i>Mon. brit. nud. Moll.</i> (5): fam. 3, genus 14 (gender: feminine) (type species, by monotypy: <i>Pterochilus pulcher</i> Alder & Hancock, 1844, <i>Ann. Mag. nat. Hist.</i> , 14 : 329) (Gastropoda). Op. 782	available
<i>Emerita</i> Gronovius, 1764, <i>Zoophylac. gronov.</i> (2): 234 (included in a work rejected for nomenclatural purposes). Op. 643	index
<i>Emerita</i> Meuschen, 1778, <i>Mus. gronov.</i> : 87 (included in a work rejected for nomenclatural purposes). Op. 643	index
<i>Emerita</i> Meuschen, 1781, <i>Index Zoophylac. gronov.</i> : (9) (included in a work rejected for nomenclatural purposes). Op. 643	index
<i>Emerita</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 405 (gender: feminine) (type species, by subsequent monotypy: <i>Cancer emeritus</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1055, as interpreted by the lectotype designated by Holthuis, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 182)) (Crustacea, Decapoda). Op. 643	available
<i>emeritus</i> , <i>Cancer</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1055, as interpreted by the lectotype designated by Holthuis, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 182) (specific name of the type species of <i>Emerita</i> Scopoli, 1777) (Crustacea, Decapoda). Op. 643	available
<i>Emesis</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index

<i>Emesia</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 287 (conserved under the plenary power) (gender: feminine) (type species, by designation by Westwood, [1851] (<i>in</i> Doubleday, <i>Gen. diurn. Lep.</i> (2): 421, 446): <i>Hesperia ovidius</i> Fabricius, 1793, <i>Entomol. syst.</i> , 3 (1): 320, valid name: <i>Papilio cereus</i> Linnaeus, 1767) (Insecta, Lepidoptera). Op. 232	available
<i>emolus, Polyommatus</i> , Godart, [1824], <i>in</i> Latreille & Godart, <i>Encyclopédie Méthodique</i> , vol. 9(2), p. 656 (Insecta, Lepidoptera). Op. 1527	available
<i>Emphania</i> Erichson, 1847, <i>Naturgeschichte der Insekten Deutschlands. 1. Abteilung. Coleoptera 3. Band</i> , p. 695 (gender: feminine) (type species, by designation under the plenary power: <i>Heptomera metallica</i> Blanchard, 1850) (Insecta, Coleoptera). Op. 2130	available
<i>empusa, Phasma</i> , Lichtenstein, 1796, <i>Cat. Mus. Zool. Hamb.</i> , 3 : 77 (specific name of the type species of <i>Phasma</i> Lichtenstein, 1796) (Insecta, Phasmida). Op. 641	available
<i>Emydes</i> Brongniart, [1805], <i>Essai d'une classification naturelle des reptiles ...</i> , p. 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Testudines). Op. 1800	index
<i>Emys</i> Duméril, 1806, <i>Zoologie analytique ou méthode naturelle de classification des animaux ...</i> , p. 76 (gender: feminine) (type species, by subsequent designation by Lindholm, 1929, <i>Zoologischer Anzeiger</i> , 81 : 282, footnote: <i>Testudo lutaria</i> Linnaeus, 1758, a junior subjective synonym of <i>Testudo orbicularis</i> Linnaeus, 1758) (Reptilia, Testudines). Op. 1800	available
<i>Ena</i> Turton, 1831, <i>Manual land & freshwater Shells brit. Islands</i> : 80 (gender: feminine) (type species, by designation by Herrmannsen, 1847 (<i>Indicis Gen. Malacoz. Primordia</i> , 1 : 421): <i>Bulimus montanus</i> Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 65) (Gastropoda). Op. 475	available
<i>Enarmonia</i> (emendation of <i>Ernarmonia</i>) Hübner, [1825], <i>Verz. bekannt. Schmett.</i> (24): 375 (gender: feminine) (type species, by designation by Walsingham, 1895 (<i>Trans. entomol. Soc. London</i> , 1895 : 516): <i>Phalaena (Tortrix) woeberiana</i> [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend.</i> 126, valid name: <i>Phalaena formosana</i> Scopoli, 1763) (Insecta, Lepidoptera). Op. 349	available
ENARMONIINI Diakonoff, 1953, <i>Verh. K. Ned. Akad. Wetensch. Natuurk.</i> , (2) 49 (No. 3): 89, 161 (published as a name for a taxon below subfamily rank) (type genus: <i>Enarmonia</i> Hübner, [1825]) for use by those who consider that <i>Enarmonia</i> Hübner and <i>Laspeyresia</i> Hübner, [1826] belong to different family-group taxa (Insecta, Lepidoptera). Direction 28	available
<i>Encarsia</i> Foerster, 1878, <i>Verh. naturf. Ver. preuss. Rheinl.</i> , 35 : 65 (gender: feminine) (type species, by original designation: <i>Encarsia tricolor</i> Foerster, 1878, <i>Verh. naturf. Ver. preuss. Rheinl.</i> , 35 : 66) (Insecta, Hymenoptera). Op. 1351	available
<i>Enchelis</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 34 (an incorrect original spelling for <i>Enchelys</i> Müller, 1773). Op. 915	index
<i>Enchelys</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 34 (gender: feminine) (type species, by designation by Corliss & Dougherty, 1967 (<i>Bull. zool. Nomencl.</i> , 24 : 162): <i>Enchelis farcimen</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 34) (Ciliophora). Op. 915	available

<i>Enchytraeus</i> Henle, 1837, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1837 : 74 (gender: masculine) (type species, by monotypy: <i>Enchytraeus albidus</i> Henle, 1837, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1837 : 89) (Oligochaeta). Op. 104	available
<i>Enchytreus</i> Udekem, 1854, <i>Bull. Acad. roy. Sci. Belg.</i> , 21 (2): 853 (an incorrect subsequent spelling for <i>Enchytraeus</i> Henle, 1837). Direction 76	index
ENCRINIDAE (correction of ENCRINIENS) Dujardin & Hupé, 1862, <i>Hist. nat. Zoophytes</i> , Echinoderms: 161 (type genus: <i>Encrinus</i> Lamarck, 1801) (Crinoidea). Op. 636	available
ENCRINIENS Dujardin & Hupé, 1862, <i>Hist. nat. Zoophytes</i> , Echinoderms: 161 (type genus: <i>Encrinus</i> Lamarck, 1801) (an incorrect original spelling for ENCRINIDAE Dujardin & Hupé, 1862). Op. 636	index
<i>encrinula</i> , <i>Isis</i> , Lamarck, 1815, <i>Mémoires du Muséum d'Histoire Naturelle</i> , 1 : 415, as defined by the lectotype (specimen labelled ‘ <i>Isis encrinula</i> . Lk. <i>Mopsea verticillaris</i> . Lamx. De La N[ouv]elle Holland par MM Péron and Lesueur 1809’ in the Muséum National d’Histoire Naturelle, Paris, illustrated and described by Bayer & Stefani, 1987) designated by Alderslade, 1992, <i>Bulletin of Zoological Nomenclature</i> , 49 : 104 (specific name of the type species of <i>Mopsea</i> Lamouroux, 1816) (Anthozoa). Op. 1738	available
ENCRINURIDAE Angelin, 1854, <i>Pal. scand.</i> , 1 (Crust. Format. transit.): 88 (type genus: <i>Encrinurus</i> Emmrich, 1844) (Trilobita). Op. 537	available
<i>Encrinurus</i> Emmrich, 1844, <i>Naturgesch. Trilobiten</i> : 16 (gender: masculine) (type species, by designation under the plenary power: <i>Entomostracites punctatus</i> Wahlenberg, [1818], <i>Nov. Acta K. vet.-Soc. Upsala</i> , 8 : 32, pl. ii, fig. 1* [<i>nec</i> fig. 1]) (Trilobita). Op. 537, Direction 111	available
<i>Encrinus</i> Andreæ, 1763, <i>Briefe aus der Schweiz</i> (Hannoverisches Magazin) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 636	index
<i>Encrinus</i> Andreæ, 1776, <i>Briefe aus der Schweiz</i> (separate) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 636	index
<i>Encrinus</i> Blumenbach, 1779, <i>Handb. Naturgesch.</i> (ed. 1): 435 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 636	index
<i>Encrinus</i> Blumenbach, 1788, <i>Handb. Naturgesch.</i> (ed. 3): 503 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 636	index
<i>Encrinus</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 379 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Encrinus liliiformis</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 379) (Crinoidea). Op. 636	available
<i>Encrinus</i> Schultze, 1760, <i>Betrachtung der Versteinerten Seesterne und Ihrer Theile</i> : 21 (included in a work rejected for nomenclatural purposes). Op. 636	index

Encrinus, all uses prior to that by Lamarck, 1801 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 636

index

enerinus, *Isis*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 800 (specific name of the type species of *Umbellula* Cuvier, [1797]) (Anthozoa). Op. 636, Op. 1903

available

Endamoeba Leidy, 1879, *Proc. Acad. nat. Sci. Philadelphia*, **1879**: 205 (gender: feminine) (type species, by monotypy: *Amoeba blattae* Bütschli, 1878, *Z. wiss. Zool.*, **30**: 273-277) (Rhizopoda). Op. 95, Op. 312

available

Endelomyia Ashmead, 1898, *Canadian Entomologist*, **30**(10): 256 (gender: feminine) (type species, by monotypy and original designation: *Selandria rosae* Harris, 1841, a junior subjective synonym of *Tenthredo aethiops* Gmelin, 1790) (Insecta, Hymenoptera). Op. 1963

available

Endothyra Brown, 1843, *The Elements of Fossil Conchology*: 17 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 724

index

Endothyra Phillips, [1846], *Proc. geol. polytech. Soc. West Riding, Yorks*, **2**: 277 (gender: feminine) (type species, by monotypy: *Endothyra bowmani* Phillips, [1846], *Proc. geol. polytech. Soc. West Riding, Yorks*, **2**: 277, fig. 1) (Rhizopoda). Op. 724

available

endrachtensis, *Tupinambis*, Péron, 1807, *Voyage de découvertes aux Terres Australes, exécuté par ordre de Sa Majesté L'Empereur et Roi sur les Corvettes le Géographie, le Naturaliste, et la Géologie le Casuarina, pendant les années 1800, 1801, 1802, 1803 et 1804*, vol. 1, p. 118 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1948

index

Enema Hope, 1837, *Col. Man.*, **1**: 83 (gender: neuter) (type species, by original designation: *Scarabaeus enema* Fabricius, 1787, *Mantissa Ins.*, **1**: 4) (Insecta, Coleoptera). Op. 353

available

enema, *Scarabaeus*, Fabricius, 1787, *Mantissa Ins.*, **1**: 4 (specific name of the type species of *Enema* Hope, 1837) for use by those who consider that this nominal species is not conspecific with *Scarabaeus pan* Fabricius, 1775 (Insecta, Coleoptera). Op. 353

available

Engaeus Erichson, 1846, *Arch. Naturgesch.*, **12**(1): 88, 89, 102 (gender: masculine) (type species, by designation by Clark, 1936 (*Mem. nat. Mus. Victoria*, **10**: 37): *Astacus (Engaeus) fossor* Erichson, 1846, *Arch. Naturgesch.*, **12**(1): 102) (Crustacea, Decapoda). Op. 519

available

Engycampyle Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 578 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Enhydra Fleming, 1822, *Phil. Zool.*, **2**: 187 (gender: feminine) (type species, by monotypy: *Mustela lutris* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 45) (Mammalia). Op. 384

available

ENHYDRINA Gray, 1825, <i>Ann. Phil.</i> , 26 (5): 340 (type genus: <i>Enhydra</i> Fleming, 1822) (an incorrect original spelling for ENHYDRINAE Gray, 1825). Direction 53	index
ENHYDRINAE (correction by Gill, 1872 (<i>Smithson. misc. Coll.</i> , 230 : 6, 65) of ENHYDRINA Gray, 1825, <i>Ann. Phil.</i> , 26 (5): 340 (type genus: <i>Enhydra</i> Fleming, 1822) for use by those who consider that <i>Enhydra</i> Fleming and <i>Lutra</i> Brisson, 1762 belong to different family-group taxa (Mammalia). Direction 53	available
<i>Enhydrus</i> Dahl, 1823, <i>Col. u. Lepid.</i> : 34 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 710	index
<i>Enhydrus</i> Laporte, 1834, <i>Étud. Entomol.</i> (2): 110 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Gyrinus sulcatus</i> Wiedemann, 1821, <i>Mag. Entomol.</i> (Germar), 4 : 119) (Insecta, Coleoptera). Op. 710	available
<i>Enhydrus</i> MacLeay, 1825, <i>Annul. Jav.</i> , 1 : 35 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 710	index
<i>Enhydrus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 77 (an incorrect subsequent spelling for <i>Enhydris</i> Latreille, [1802]). Op. 710	index
ENIDAE Woodward, 1903 (1880), <i>Proceedings of the Malacological Society of London</i> , 5 (5): 310 (type genus: <i>Ena</i> Turton, 1831), ruled under the plenary power that this name and other family-group names based on <i>Ena</i> are to be given precedence over BULIMINUSIDAE Kobelt, 1880 and other family-group names based on <i>Buliminus</i> Beck, 1837 whenever their type genera are placed in the same family-group taxon (Gastropoda). Op. 2018	available
<i>eniomon</i> , <i>Mesidothea</i> [sic], Gurjanova, 1936, <i>Fauna of the U.S.S.R.</i> , 7 (3): 145 (an incorrect subsequent spelling for <i>entomon</i> , <i>Oniscus</i> , Linnaeus, 1758). Op. 643	index
<i>Enithares</i> Spinola, 1837, <i>Essai Genres Ins. Ordre Hémipt.</i> : 60 (gender: feminine) (type species, by designation under the plenary power: <i>Notonecta ciliata</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 524, 525) (Insecta, Hemiptera). Op. 875	available
<i>Enixe</i> Gistl, 1848, <i>Naturg. Thierr. höhere Schulen</i> : ix (a junior objective synonym of <i>Drepane</i> Cuvier, 1831). Op. 1046	index
<i>enodis</i> , <i>Tenthredo</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 922 (specific name of the type species of <i>Arge</i> Schrank, 1802) (Insecta, Hymenoptera). Direction 4	available
<i>Enoplognatha</i> Pavesi, 1880, <i>Rend. reale Ist. Lombardo Sci. Lett.</i> , (2) 13 : 192 (also later in 1880, <i>Ann. Mus. Stor. nat. Genova</i> , 15 : 325) (gender: feminine) (type species, by designation by Pavesi, 1880 (<i>Ann. Mus. Stor. nat. Genova</i> , 15 : 325): <i>Theridion mandibulare</i> Lucas, 1846, <i>Explor. sci. Algérie</i> (Zool.), 2 , (<i>Hist. nat. Anim. art.</i>) (1): 260, pl. 17, fig. 1) (Arachnida). Op. 517	available
<i>Enoplometopus</i> Milne Edwards, 1862, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 17 : 362 (gender: masculine) (type species, by monotypy: <i>Enoplometopus pictus</i> Milne Edwards, 1862, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 17 : 362) (Crustacea, Decapoda). Op. 519	available

<i>ensifer</i> , <i>Heterocarpus</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6)11(4): 8 (specific name of the type species of <i>Heterocarpus</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>ensiferus</i> , <i>Palemon</i> [sic], Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 106 (valid name at the date of Opinion 470 of the type species of <i>Ligur</i> Sarato, 1885) (Crustacea, Decapoda). Op. 470	available
<i>ensiger</i> , <i>Gonodactylus</i> , Owen, 1832, <i>Proc. zool. Soc. London</i> , 1832: 6 (valid name at the date of Opinion 785 of the type species of <i>Hemisquilla</i> Hansen, 1895) (Crustacea, Stomatopoda). Op. 785	available
<i>ensis</i> , <i>Acanthephyra</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6)11(4): 14 (valid name at the date of Opinion 470 of the type species of <i>Plesionika</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>entalis</i> , <i>Dentalium</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 785 (specific name of the type species of <i>Antalis</i> Adams & Adams, [1854]) (Scaphopoda). Op. 361	available
<i>Entamoeba</i> Casagrandi & Barbagallo, 1895, <i>Bull. Accad. Gioenia Sci. nat. Catania</i> (n.s.), 1895(41): 18 (gender: feminine) (type species, by designation under the plenary power: <i>Amoeba coli</i> Grassi, 1879, <i>Gazz. med. Lombarda</i> , 39(45): 445, ruled under the plenary power to be an available binomen and as interpreted by Dobell, 1919 (<i>The Amoebae living in Man</i> : 78-92; pl. I, figs. 12-15; pl. II, fig. 17; pl. IV, figs. 55-69)) (Rhizopoda). Op. 312	available
<i>entelloides</i> , <i>Hylobates</i> , Geoffroy Saint-Hilaire, 1842, <i>C.R. Acad. Sci. Paris</i> , 15: 717, conserved by suppression under the plenary power of the specific names of <i>Simia longimana</i> Schreber, [1774] and <i>Simia albimana</i> Vigors & Horsfield, 1828 (Mammalia). Op. 1219, Op. 1736	available
<i>entellus</i> , <i>Simia</i> , Dufresne, 1797, <i>Bull. Sci. Soc. philom. Paris</i> , no. 7: 49 (specific name of the type species of <i>Semnopithecus</i> Desmarest, 1822) (Mammalia). Op. 1202	available
<i>Enterion</i> Savigny, [1822], <i>Description de l'Egypte, ou recueil des observations et des recherches ... Histoire naturelle</i> , 1(3): 103 (a junior objective synonym of <i>Lumbricus</i> Linnaeus, 1758). Op. 1102	index
<i>Entomobrya</i> Rondani, 1861, <i>Dipterol. ital. Prodri.</i> , 4: 40 (conserved under the plenary power) (gender: feminine) (type species, by designation by Börner, 1903 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1903 (No. 3): 178): <i>Degeeria muscorum</i> Nicolet, [1842], <i>Neue Denkschr. allgem. Schweiz. Ges.</i> , 6: 73) (Insecta, Collembola). Op. 440	available
ENTOMOBRYIDAE Schäffer, 1896, <i>Mitt. naturh. Mus. Hamburg</i> , 13: 177 (type genus: <i>Entomobrya</i> Rondani, 1861) (Insecta, Collembola). Op. 440	available
<i>Entomolithus</i> Gesner, 1758, <i>Tract. Petrif.</i> : 57 (included in a work rejected under the plenary power for nomenclatural purposes). Op. 496	index
<i>Entomolithus</i> Linnaeus, 1759, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 20: 19 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 496	index

<i>entomon</i> , <i>Oniscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 636 (specific name of the type species of <i>Saduria</i> Adams, 1852) (Crustacea, Isopoda). Op. 643, Addendum to Op. 643 (<i>Bulletin of Zoological Nomenclature</i> , 21 : 92)	available
<i>Entomostracites</i> Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 496	index
<i>entozoon</i> , <i>Bursaria</i> , Ehrenberg, 1838, <i>Die Infusionsth.</i> : 327 (specific name of the type species of <i>Balantidium</i> Claparède & Lachmann, 1858) (Ciliophora). Op. 915	available
<i>Eodiadema</i> Duncan, 1889, in Wilson & Crick, <i>Geol. Mag.</i> , (3) 6 : 339 (gender: neuter) (type species, by monotypy: <i>Eodiadema granulatum</i> Wilson, 1889, <i>Geol. Mag.</i> , (3) 6 : 339) (Echinoidea). Op. 626	available
<i>Eolia</i> Cuvier, 1800, <i>Leçons Anat. comp.</i> , 1 : 5th table at end (an incorrect subsequent spelling for <i>Aeolidia</i> Cuvier, 1797). Op. 779	index
<i>Eolida</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 285 (a junior objective synonym of <i>Aeolidia</i> Cuvier, 1797). Op. 779	index
<i>Eolidia</i> Cuvier, 1816, <i>Règne Anim.</i> , 2 : 393 (an incorrect subsequent spelling for <i>Aeolidia</i> Cuvier, 1797). Op. 779	index
<i>EOLIDIDAE</i> d'Orbigny, 1834, <i>Moll. Ech. Foram. Pol. îles Canar.</i> : 34 (type genus: <i>Aeolidia</i> Cuvier, 1797) (an incorrect original spelling for AEOLIDIIDAE d'Orbigny, 1834). Op. 779	index
<i>EOLIDINA</i> Gray, 1847, <i>Proc. zool. Soc. London</i> , 15 : 166 (type genus: <i>Aeolidia</i> Cuvier, 1797) (an incorrect subsequent spelling for AEOLIDIIDAE d'Orbigny, 1834). Op. 779	index
<i>Eolidina</i> Quatrefages, 1843, <i>Ann. Sci. nat. (Zool.) Paris</i> , (2) 19 : 276 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 780	index
<i>EOLIDININAE</i> Pruvot-Fol, 1951, <i>Arch. Zool. expér. gén.</i> , 88 : 54 (type genus: <i>Eolidina</i> Quatrefages, 1843) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 780	index
<i>Eolis</i> Cuvier, 1805, <i>Ann. Mus. Hist. nat.</i> , Paris, 6 : pl. 61 (an incorrect subsequent spelling for <i>Aeolidia</i> Cuvier, 1797). Op. 779	index
<i>Eoparafusulina</i> Coogan, 1960, <i>Univ. Calif. Publ. Geol. Sci.</i> , 36 (5): 262 (gender: feminine) (type species, by original designation: <i>Fusulina gracilis</i> Meek, 1864, in Meek & Gabb, <i>Paleont. Calif.</i> , 1 : 4, pl. 2, figs. 1, 1a-c) (Rhizopoda). Op. 916	available
<i>Eophacops</i> Delo, 1935, <i>Journal of Paleontology</i> , 9 : 405 (gender: masculine) (type species, by monotypy: <i>Phacops handwerki</i> Weller, 1907) (Trilobita). Op. 1846	available
<i>eperlanus</i> , <i>Salmo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 310 (specific name of the type species of <i>Osmerus</i> Linnaeus, 1758) (Osteichthyes). Direction 69	available

<i>Ephialtes</i> Gravenhorst, 1829, <i>Ichneumon. Europ.</i> , 1: Conspectus 64; <i>ibid.</i> , 3: 224 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Ichneumon manifestator</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 563) (Insecta, Hymenoptera). Op. 159	available
<i>Ephialtes</i> Schrank, 1802, <i>Fauna boica</i> , 2(2): 316 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 4	index
<i>ephippium, Cassida</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 65, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>ephippium, Reduvius</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 111, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Heteroptera). Op. 1820	available
<i>Ephydra</i> Fallén, 1810, <i>Specimen entomologicum novam Diptera disponendi methodum exhibens</i> : 22 (gender: feminine) (type species, by designation by Curtis, 1832 (<i>British Entomology</i> , 9: 413); <i>Ephydra riparia</i> Fallén, 1813, <i>K. Vetenskaps Akad. Handl. for 1813</i> (2): 246) (Insecta, Diptera). Op. 1321	available
EPHYDRIDAE Zetterstedt, 1837, <i>Isis</i> (Oken): col. 48 (type genus: <i>Ephydra</i> Fallén, 1810), ruled under the plenary power to be given precedence over the family-group name HYDRELLIIDAE Robineau-Desvoidy, 1830 and over GYMNOMYZIDAE Latreille, 1829 and other family-group names based on <i>Gymnomyza</i> Fallén, 1810 (a junior subjective synonym of <i>Mosillus</i> Latreille, 1804) whenever <i>Ephydra</i> or <i>Hydrella</i> Robineau-Desvoidy, 1830, or <i>Mosillus</i> or <i>Gymnomyza</i> are placed in the same family-group taxon (Insecta, Diptera). Op. 1321, Op. 1748	available
<i>Ephyra</i> Roux, 1831, <i>Mém. Class. Crust. Salic.</i> : 24 (a junior homonym of <i>Ephyra</i> Péron & Lesueur, 1810). Op. 359	index
<i>Ephyrina</i> Smith, 1885, <i>Proc. U.S. Nat. Mus.</i> , 7: 506 (gender: feminine) (type species, by monotypy: <i>Ephyrina benedicti</i> Smith, 1885, <i>Proc. U.S. nat. Mus.</i> , 7: 506) (Crustacea, Decapoda). Op. 470	available
<i>Epicolobos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28: 547 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
EPICRIIDAE (published as ‘Epicria’) Fitzinger, 1843, <i>Systema Reptilium ... fasciculus primus: Amblyglossae (Conspectus geographicus)</i> , p. 34, spelling emended to EPICRIUMIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Epicrium</i> Wagler, 1828 is EPICRIUM- (Amphibia, Gymnophiona). Op. 1604, Op. 1749	index
EPICRIIDAE Berlese, 1885, <i>Bollettino della Società Entomologica Italiana</i> , 17: 129 (type genus: <i>Epicrius</i> Canestrini & Fanzago, 1877) (Arachnida, Acari). Op. 1749	available

<i>Epicrium</i> Wagler, 1828, <i>Isis</i> (von Oken), 1828 : col. 742 (gender: neuter) (type species, by designation by the Commission: <i>Caecilia hypocyana</i> Boie, 1827) (Amphibia, Gymnophiona). Op. 1604, Op. 1749	available
EPICRIUMIDAE Fitzinger, 1843, <i>Systema reptilium</i> . Fasciculus primus (Amblyglossae), p. 34 (type genus: <i>Epicrium</i> Wagler, 1828), spelling emended from EPICRIIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Epicrium</i> Wagler, 1828 is EPICRIUM-, ruled under the plenary power that this name and other family-group names based on <i>Epicrium</i> are not to be given priority over ICHTHYOPHIIDAE Taylor, 1968 and other family-group names based on <i>Ichthyophis</i> Fitzinger, 1826 whenever their type genera are placed in the same familygroup taxon (Amphibia, Gymnophiona). Op. 1749	available
<i>Epicrius</i> Canestrini & Fanzago, 1877, <i>Atti del Reale Istituto Veneto di Scienze, Lettere ed Arti</i> , (5) 4 (1): 131 (gender: masculine) (type species, by monotypy: <i>Epicrius geometricus</i> Canestrini & Fanzago, 1877) (Arachnida, Acari). Op. 1749	available
<i>Epidiodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 557 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Epigea</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (4): 62 (a junior objective synonym of <i>Erebia</i> Dalman, 1816). Op. 506	index
<i>epigena, Phalaena</i> , Stoll, [1790], <i>Aanhangesel van het Werk, de Uitlandsche Kapellen, voorkomende in de drie Waeerd-Deelen Asia, Africa en America, door den Heere Pieter Cramer</i> , p. 72 (specific name of the type species of <i>Rhogalia</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 1617	available
<i>Epilampra</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 504 (gender: feminine) (type species, by designation by Kirby, 1903 (<i>Ann. Mag. nat. Hist.</i> , (7) 12 : 276): <i>Blatta brasiliensis</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 272) (Insecta, Dictyoptera). Op. 1231	available
EPILAMPRIDAE Brunner von Wattenwyl, 1865, <i>Nouv. Syst. Blatt.</i> (Wien): 47, 147 (type genus: <i>Epilampra</i> Burmeister, 1838) (Insecta, Dictyoptera). Op. 1231	available
<i>epilobii, Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 152 (included in a work rejected for nomenclatural purposes). Op. 1188	available
<i>Epilobocera</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 234 (gender: feminine) (type species, by monotypy: <i>Epilobocera cubensis</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 234) (Crustacea, Decapoda). Op. 73 <i>Epimelus</i> Milne Edwards, 1878, <i>Bull. Sci. Soc. philomat. Paris</i> , (7) 2 : 227 (gender: masculine) (type species, by monotypy: <i>Epimelus cessacii</i> Milne Edwards, 1878, <i>Bull. Sci. Soc. philomat. Paris</i> , (7) 2 : 227) (Crustacea, Decapoda). Op. 73 <i>Epinectes</i> Régimbart, 1877, <i>Ann. Soc. entomol. France</i> , (5) 7 : 105 (a junior objective synonym of <i>Enhydrus</i> Laporte, 1834). Op. 710	available
<i>Epinectus</i> Dejean, 1833, <i>Cat. Coléopt.</i> (ed. 2): 48 (a nomen nudum). Op. 710	index
EPINEPHELIIDI Tutt, 1896, <i>Brit. Butts.</i> : 87, 376, 402 (type genus: <i>Epinephele</i> Hübner, [1819]) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 506	index

<i>Epinephelus</i> Bloch, 1793, <i>Naturgesch. ausl. Fische</i> , 7 : 11 (gender: masculine) (type species, by designation under the plenary power: <i>Epinephelus marginalis</i> Bloch, 1793, <i>Naturgesch. ausl. Fische</i> , 7 : 14) (Osteichthyes). Op. 93 <i>Epipharia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 202 (included in a work rejected for nomenclatural purposes). Op. 592	available
<i>Epiphrixus</i> Nierstrasz & Brender à Brandis, 1932, <i>Zool. Anz.</i> , 101 : 99 (gender: masculine) (type species, by monotypy: <i>Epiphrixus adriaticus</i> Nierstrasz & Brender à Brandis, 1932, <i>Zool. Anz.</i> , 101 : 99) (Crustacea, Isopoda). Op. 1242	available
<i>Epiphryxus</i> Shiino, 1934, <i>Mem. Coll. Sci. Kyoto imp. Univ.</i> , (B), 9 : 281 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1242	index
<i>Epirhexis</i> Cope, 1866, <i>J. Acad. nat. Sci. Philadelphia</i> , (2) 6 : 96 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1024	index
<i>Epirrita</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>episcopaloris</i> , <i>Voluta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 732, 733 (a junior objective synonym of <i>Voluta mitra</i> Linnaeus, 1758). Op. 885	index
<i>episcopus</i> , <i>Tanagra</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 313, ruled under the plenary power to be given precedence over the specific name <i>virens</i> Linnaeus, 1766, as published in the binomen <i>Loxia virens</i> , whenever the two names are considered synonyms (Aves). Op. 852	available
<i>Episema</i> Cope & Jordan, 1877, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1877 : 77 (a junior homonym of <i>Episema</i> Ochsenheimer, 1816). Op. 494	index
<i>Episema</i> Ochsenheimer, 1816, <i>Schmett. Europa</i> , 4 : 65 (conserved under the plenary power) (gender: neuter) (type species, by designation under the plenary power: <i>Phalaena glauca</i> Esper, [1789], <i>Die Schmett.</i> , Suppl. 3 Abschn.: 11, pl. 81, figs. 4, 5) (Insecta, Lepidoptera). Op. 494	available
EPISEMIDAE Guénée, 1852, <i>Hist. nat. Ins.</i> , 5 : 168, 407 (type genus: <i>Episema</i> Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 494	available
<i>Epixanthus</i> Heller, 1861, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math.-nat. Cl.), 43 (No. 1): 323 (gender: masculine) (type species, by monotypy: <i>Epixanthus kotschii</i> Heller, 1861, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math.-nat. Cl.), 43 (No. 1): 325, valid name: <i>Ozius frontalis</i> Milne Edwards, 1834) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Epizoanthus</i> Gray, 1867, <i>Proceedings of the Zoological Society of London</i> , 1867 : 237 (gender: masculine) (type species, by monotypy: <i>Dysidea papillosa</i> Johnston, 1842) (Anthozoa). Op. 1689	available
<i>Eponides</i> de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles. Coquilles univalves, cloisonnées</i> , vol. 1, p. 127 (gender: masculine) (type species, by original designation: <i>Nautilus repandus</i> Fichtel & Moll, 1798) (Foraminiferida). Op. 1572	available

<i>epops</i> , <i>Upupa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 117 (specific name of the type species of <i>Upupa</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>Epsilon</i> Saussure, 1855, <i>Et. Fam. Vespa.</i> , 2 : 229, 252 (gender: neuter) (type species: <i>Odynerus dyscherus</i> Saussure, 1852, <i>Et. Fam. Vespa.</i> , 1 : 175) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>equi</i> , <i>Oestrus</i> , Clark, 1797, <i>Trans. linn. Soc. London</i> , 3 : 298, 326 (a junior primary homonym of <i>equi</i> , <i>Oestrus</i> , Fabricius, 1787). Direction 63	index
<i>equi</i> , <i>Oestrus</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 321, as interpreted by the lectotype designated by Hemming, 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 1 (E): 42) (a junior objective synonym of <i>nasalis</i> , <i>Oestrus</i> , Linnaeus, 1758). Direction 63	index
<i>equi</i> , <i>Sarcopetes</i> , Raspail, 1834, <i>Bull. gén. Thér. méd. chir.</i> , Paris, 7 (Suppl.): 182 (specific name of the type species of <i>Psoroptes</i> Gervais, 1841) (Arachnida). Direction 67	available
<i>equina</i> , <i>Antilope</i> , Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 : 4 (Mammalia). Direction 23	available
<i>equina</i> , <i>Taenia</i> , Pallas, 1781, <i>Neue nordische Beytraege ...</i> , vol. 1, p. 71 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cestoda). Op. 1427	index
<i>equinus</i> , <i>Priapus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 656 (specific name of the type species of <i>Actinia</i> Linnaeus, 1767) (Holothuroidea). Op. 1295	available
<i>equinus</i> , <i>Strongylus</i> , Müller, 1780, <i>Zool. dan.</i> , 2 : pl. 42 (specific name of the type species of <i>Strongylus</i> Müller, 1780) (Nematoda). Direction 77	available
<i>Equus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 73 (gender: masculine) (type species, by Linnaean tautonymy: <i>Equus caballus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 73) (Mammalia). Op. 271	available
<i>Erastria</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Erastria</i> Ochsenheimer, 1816, <i>Schmett. Europa</i> , 4 : 92 (a junior homonym of <i>Erastria</i> Hübner, [1813]). Op. 789	index
<i>erato</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 467, as defined by the neotype (specimen ‘Berg, en Dal, Surinam, 1898-9. Michls./erato erato Linn./866./20.20. ex coll. Riffarth/Joicey Bequest, Brit. Mus. 1934-120’ in the collections of the Natural History Museum, London) designated under the plenary power (Insecta, Lepidoptera). Op. 1386	available
ERBOCYATHIDAE Vologdin & Zhuravleva, 1956, <i>Doklady Akademii Nauk S.S.R.</i> , 111 : 879 (type genus: <i>Erbocyathus</i> Zhuravleva, 1955) (Archaeocyatha). Op. 2121	available
<i>Erbocyathus</i> Zhuravleva, 1955, Trudy, <i>Paleontologicheskiy Institut, Akademiya Nauk S.S.R.</i> , 56 : 44 (a junior objective synonym of <i>Pluralicyathus</i> Okulitch, 1950) (Archaeocyatha). Op. 2121	index

<i>Erbula</i> Stål, 1873, <i>Enum. Hemipt.</i> , 3 : 86 (gender: feminine) (type species, by designation under the plenary power: <i>Stenocoris southwoodi</i> Ahmad, 1965, <i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , Suppl. 5: 24) (Insecta, Hemiptera). Op. 853	available
<i>Erebia</i> Dalman, 1816, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 1816 (No. 1): 58 (gender: feminine) (type species, by original designation: <i>Papilio ligea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 473) (Insecta, Lepidoptera). Op. 506	available
EREBIINAE Tutt, 1896, <i>Brit. Butts.</i> : 87, 402 (type genus: <i>Erebia</i> Dalman, 1816) (Insecta, Lepidoptera). Op. 506	available
<i>erecta, Achatina</i> , Benson, 1842, <i>Annals and Magazine of Natural History</i> , (1) 9 : 487, as defined by the neotype (specimen no. 1991104A in the Natural History Museum, London) designated under the plenary power (specific name of the type species of <i>Tortaxis</i> Pilsbry, 1906) (Gastropoda). Op. 1766	available
<i>Eremias</i> Wiegmann, 1834, <i>Herpetol. Mexic.</i> (1): 9 (gender: masculine) (type species, by designation under the plenary power: <i>Lacerta velox</i> Pallas, 1771, <i>Reise Russland</i> , 1 : 457) (Reptilia). Op. 1318	available
<i>Eremiophilus</i> Fitzinger, 1843, <i>Systema Reptilium</i> : 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1364	index
<i>Eremita</i> Osbeck, 1765, <i>Reise nach Ostindien und China</i> , p. 356 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1575	index
<i>eremita, Cypris</i> , Vejdovský, 1880, <i>Jahresb. k.-böhm. Ges. Wiss.</i> , Prague, 1880 : L (specific name of the type species of <i>Typhlocypris</i> Vejdovský, 1882) (Crustacea, Ostracoda). Op. 533	available
<i>eremita, Dacryopilumnus</i> , Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 264 (specific name of the type species of <i>Dacryopilumnus</i> Nobili, 1906) (Crustacea, Decapoda). Direction 36	available
<i>eremita, Scarabaeus</i> , Scopoli, 1763, <i>Entomologia carniolica exhibens Insecta Cornioliae indigena ...</i> Trattner, Vindobonae, p. 7 (specific name of the type species of <i>Osmoderma</i> Le Peletier de Saint-Fargeau & Serville, 1828) (Insecta, Coleoptera). Op. 2186	available
<i>Eremobates</i> Banks, 1900, <i>American Naturalist</i> , 34 : 426 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Roewer, 1934, <i>Klassen und Ordnungen des Tierreichs</i> , Band 5 (Arthropoda), Abt. 4 (Arachnoidea), p. 555: <i>Galeodes pallipes</i> Say, 1823) (Arachnida). Op. 2050	available
<i>Eremorhax</i> Roewer, 1934, <i>Klassen und Ordnungen des Tierreichs</i> , Band 5 (Arthropoda), Abt. 4 (Arachnoidea), p. 553 (gender: masculine) (type species, by monotypy: <i>Datames magna</i> Hancock, 1888) (Arachnida). Op. 2050	available
<i>Erethismus</i> Gistel, 1848, <i>Naturgeschichte des Thierreichs für höhere Schulen</i> , p. xi (a junior objective synonym of <i>Trichia</i> Hartmann, 1840) (Gastropoda). Op. 2079	index

<i>Erethizon</i> Cuvier, 1823, <i>Mém. Mus. Hist. nat.</i> , Paris, 9 : 426, 432 (gender: masculine) (type species, by original designation: <i>Hystrix dorsata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 57) (Mammalia). Op. 91, Direction 24	available
<i>Erethrizon</i> Torne, 1885, <i>Proc. U.S. nat. Mus.</i> , 7 : 600 (an incorrect subsequent spelling for <i>Erethizon</i> Cuvier, 1823). Direction 24	index
<i>Erethryzon</i> [Torne], 1891, <i>Ann. Rep. U.S. nat. Mus.</i> , 1890 : 760 (an incorrect subsequent spelling for <i>Erethizon</i> Cuvier, 1823). Direction 24	index
<i>ereticauda</i> , Triton, Eschscholtz, 1833, <i>Zool. Atlas</i> , 5 : 14 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 377	index
<i>Eretison</i> Doughty, 1831, <i>Cab. nat. Hist. Amer. Rural Sports</i> , 1 (11): 241 (also McMurtrie, 1831, <i>in</i> Cuvier, <i>Anim. Kingd.</i> , 1 : 154) (an incorrect subsequent spelling for <i>Erethizon</i> Cuvier, 1823). Direction 24	index
<i>Eretizon</i> Cuvier, [1824], <i>Dents Mamm.</i> (Tabl.): 256 (an incorrect subsequent spelling for <i>Erethizon</i> Cuvier, 1823). Direction 24	index
<i>Eretmia</i> Gosse, 1886, <i>in</i> Hudson & Gosse, <i>The Rotifera or Wheel Animalcules both British & Foreign</i> , 2 : 128 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 816	index
<i>Eretmoptera</i> Kellogg, 1900, <i>Biological Bulletin</i> , 1 : 82 (gender: feminine), type species <i>Eretmoptera browni</i> Kellogg, 1900, by original designation and monotypy (Diptera) Op. 2206	available
ERETMOPTERINAE Kellogg, 1900, <i>Biological Bulletin</i> , 1 : 81 (type genus <i>Eretmoptera</i> Kellogg, 1900), ruled under the plenary power (together with other family-group names based on <i>Eretmoptera</i>) not to be given priority over ORTHOCLADIINAE Kieffer, 1911 and other family-group names based on <i>Orthocladius</i> van der Wulp, 1874 whenever their type genera are placed in the same family-group taxon (Diptera) Op. 2206	available
<i>Eretmosaurus</i> Seeley, 1874, <i>Quarterly Journal of the Geological Society of London</i> , 30 : 445 (gender: masculine) (type species, by monotypy: <i>Plesiosaurus rugosus</i> Owen, 1840) (Reptilia, Plesiosauria). Op. 1831	available
<i>Ergasticus</i> Studer, 1883, <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1882 (2): 7 (gender: masculine) (type species, by monotypy: <i>Ergasticus clouei</i> Studer, 1883, <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1882 (2): 7, 8) (Crustacea, Decapoda). Op. 712	available
<i>erhardii</i> , <i>Lacerta muralis fusca</i> var., Bedriaga, 1882, <i>Bull. Soc. imp. Nat. Moscou</i> , 56 (3): 99 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>ericotorum</i> , <i>Turdus</i> , Turton, 1807, <i>Brit. Fauna</i> , 1 : 35 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 405	index
<i>Erichthus</i> Latreille, 1817, <i>in</i> Cuvier, <i>Règne Anim.</i> [ed. 1], 3 : 43 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 294	index

<i>Eriechinus</i> Pomel, 1883, <i>Class. méth. Gen. Echin. viv. foss.</i> : 114 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 372	index
<i>Erigone</i> Audouin, [1826], <i>Description de l'Egypte. Histoire Naturelle</i> , vol. 1, part 4, p. 115 (gender: feminine) (type species, by designation under the plenary power: <i>Erigone longipalpis</i> Sundevall, 1830) (Arachnida, Araneae). Op. 1421	available
<i>Erimacrus</i> Benedict, 1892, <i>Proc. U.S. nat. Mus.</i> , 15 (No. 900): 229 (gender: masculine) (type species, by monotypy: <i>Platycorystes (Podacanthus) isenbeckii</i> Brandt, 1848, <i>Bull. Acad. imp. Sci. St. Pétersbourg</i> , 7 (12/13): 180) (Crustacea, Decapoda). Op. 73	
<i>Erimetopus</i> Rathbun, 1894, <i>Proc. U.S. nat. Mus.</i> , 17 (No. 980): 26 (gender: masculine) (type species, by monotypy: <i>Erimetopus spinosus</i> Rathbun, 1894, <i>Proc. U.S. nat. Mus.</i> , 17 (No. 980): 26) (Crustacea, Decapoda). Op. 73 <i>Erinaceus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 52 (gender: masculine) (type species, by monotypy: <i>Erinaceus europaeus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 52) (Mammalia). Op. 75 <i>erinaceus</i> , <i>Cancer</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 325 (specific name of the type species of <i>Arcania</i> Leach, 1817) (Crustacea, Decapoda). Direction 36	available
<i>erinaceus</i> , <i>Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 743 (specific name of the type species of <i>Ocenebra</i> Gray, 1847) (Gastropoda). Op. 886	available
<i>eriocheles</i> , <i>Maja</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 154 (a junior objective synonym of <i>maja</i> , <i>Cancer</i> , Linnaeus, 1758). Op. 511	index
ERIOCOCINI Cockerell, 1899, <i>Bull. Illinois nat. Hist. Survey</i> , 5 : 389 (type genus: <i>Eriococcus</i> Targioni-Tozzetti, 1868), ruled under the plenary power to be given precedence over ACANTHOCOCCIDAE Signoret, 1875 whenever <i>Eriococcus</i> Targioni-Tozzetti, 1868 and <i>Acanthococcus</i> Signoret, 1875 are placed in the same family-group taxon (Insecta, Hemiptera). Op. 1203	available
<i>Eriococcus</i> Targioni-Tozzetti, 1868, <i>Introduzione alla seconda memoria per gli studi sulle cocciniglie, e catalogo dei generi e delle specie della famiglia dei Coccidi</i> (privately published): 726 (gender: masculine) (type species, by designation under the plenary power: <i>Coccus buxi</i> Fonscolombe, 1834, <i>Annls. Soc. entomol. France</i> , 3 : 218) (Insecta, Hemiptera). Op. 1203	available
<i>Eriophyes</i> von Siebold, 1851, <i>Jahresbericht der schlesischen Gesellschaft für vaterländische Kultur</i> , 28 : 89 (gender: masculine) (type species, by designation under the plenary power: <i>Phytophtus pyri</i> Pagenstecher, 1857) (Arachnida, Acarina). Op. 1521	available
<i>Eriphia</i> Chambers, 1875, <i>Canad. Entomol.</i> , 7 : 55 (a junior homonym of <i>Eriphia</i> Latreille, 1817). Op. 712	index
<i>Eriphia</i> Herrich-Schaeffer, 1850-1856, <i>Aussereurop. Schmett.</i> , 1 : 16 (a junior homonym of <i>Eriphia</i> Latreille, 1817). Op. 712	index
<i>Eriphia</i> Latreille, 1817, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 10 : 404 (gender: feminine) (type species, by designation by Milne Edwards, 1837 (<i>in</i> Cuvier's <i>Règne Anim.</i> (ed. 4, Disciples ed.), 18 : pl. 14, fig. 1): <i>Cancer spinifrons</i> Herbst, 1785, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (6): 185, valid name: <i>Cancer verrucosus</i> Forsskål, 1775) (Crustacea, Decapoda). Op. 712	available

<i>Eriphia</i> Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5 : 206 (a junior homonym of <i>Eriphia</i> Latreille, 1817). Op. 712	index
<i>Eriphis</i> Latreille, 1817, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 10 : 404 (an incorrect original spelling for <i>Eriphia</i> Latreille, 1817). Op. 712	index
<i>Eristalis</i> Latreille, 1804, in: <i>Nouveau Dictionnaire d'histoire naturelle ...</i> , Ed. 1, vol. 24, p. 194 (gender: feminine, as ruled under the plenary power) (type species, by subsequent designation by Curtis, 1832, <i>British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland ...</i> , vol. 9, pl. 432 (text): <i>Musca tenax</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1747, Op. 2153	available
<i>erithacus</i> , <i>Psittacus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 99 (specific name of the type species of <i>Psittacus</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Ernarmonia</i> Diakonoff, 1952, <i>Bull. zool. Nomencl.</i> , 6 : 156 (an incorrect subsequent spelling for <i>Enarmonia</i> Hübner, [1825]). Op. 349	index
<i>Ernarmonia</i> Hübner, [1825], <i>Verz. bekannt. Schmett.</i> (24): 375 (an incorrect original spelling for <i>Enarmonia</i> Hübner, [1825]). Op. 349	index
<i>erosa</i> , <i>Actaeomorpha</i> , Miers, [1877], <i>J. linn. Soc. London</i> (Zool.), 13 : 184 (specific name of the type species of <i>Actaeomorpha</i> Miers, [1877]) (Crustacea, Decapoda). Direction 36	available
<i>Erpetocypris</i> Brady & Norman, 1889, <i>Sci. Trans. roy. Dublin Soc.</i> , (2) 4 : 64 (ruled under the plenary power to be an incorrect original spelling for <i>Herpetocypris</i> Brady & Norman, 1889). Op. 533	index
<i>Erpyzon</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>errabunda</i> , <i>Cellia</i> , Swellengrebel, 1925, <i>Ned. Tijdschr. Geneesk.</i> , 69 : 1913 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 874	index
<i>errata</i> , <i>Lepralia</i> , Waters, 1878, <i>Proc. Manchester lit. & philos. Soc.</i> , 18 : 11 (Bryozoa). Op. 1194	available
<i>Ertemia</i> Hood, 1888, <i>Science Gossip</i> , 24 : 28 (an incorrect subsequent spelling for <i>Eretmia</i> Gosse, 1886). Op. 816	index
<i>Ertemias</i> Hood, 1888, <i>Science Gossip</i> , 24 : 27 (an incorrect subsequent spelling for <i>Eretmia</i> Gosse, 1886). Op. 816	index
<i>eruditus</i> , <i>Acarus</i> , Schrank, 1781, <i>Enum. Ins. Austr. indig.</i> : 513 (specific name of the type species of <i>Cheyletus</i> Latreille, 1796) (Arachnida). Direction 67	available
<i>erxlebella</i> , <i>Alucita</i> , Fabricius, 1787, <i>Mantissa insectorum</i> , vol. 2, p. 256, as defined by the neotype (the male specimen in the Zoological Museum, Copenhagen, labelled 'WÜRTTEMBERG Grossbottwar Wunnenstein 22.5.69 L. Süssner', with its genitalia on a slide labelled 'TIN 58 ♂ P. Huemer') designated under the plenary power (specific name of the type species of <i>Roeslerstamnia</i> Zeller, 1839) (Insecta, Lepidoptera). Op. 1910	available

<i>Erycina</i> Lamarck, 1805, <i>Ann. Mus. Hist. nat.</i> , Paris, 6 (36): 413 (gender: feminine) (type species, by designation under the plenary power: <i>Erycina pellucida</i> Lamarck, 1805, <i>Ann. Mus. Hist. nat.</i> , Paris, 6 (37): 53) (Bivalvia). Op. 217	available
ERYCINIDAE Swainson, 1827, <i>Philos. Mag.</i> (n.s.), 1 : 185 (type genus: <i>Erycina</i> Fabricius, 1807) (invalid because the name of the type genus is a junior homonym). Op. 1073	index
<i>Erycinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>eryonas</i> , <i>Cyclopides</i> , Hewitson, 1877, <i>Annals and Magazine of Natural History</i> , (4) 20 : 325 (specific name of the type species of <i>Dalla</i> Mabille, 1904) (Insecta, Lepidoptera). Op. 1669	available
<i>Eryoneicus</i> Bate, 1882, <i>Ann. Mag. nat. Hist.</i> , (5) 10 : 456 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 702	index
<i>Eryonicus</i> Faxon, 1893, <i>Bull. Mus. comp. Zool.</i> , 24 : 197, 198 (an incorrect subsequent spelling for <i>Eryoneicus</i> Bate, 1882). Op. 702	index
<i>Erythizon</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 341 (an incorrect subsequent spelling for <i>Erethizon</i> Cuvier, 1823). Direction 24	index
<i>erythropus</i> , <i>Sciurus</i> , Geoffroy, 1803, <i>Cat. Mammif. Mus. nat. Hist. nat.</i> , Paris: 178 (an incorrect original spelling for <i>erythropus</i> , <i>Sciurus</i> , Geoffroy, 1803). Op. 945	index
<i>Erythrobasis</i> , Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 546 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>erythrocephala</i> , <i>Musca</i> , Meigen, 1826, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 5, p. 62 (a junior primary homonym of <i>Musca erythrocephala</i> De Geer, 1776) (Insecta, Diptera). Op. 1670	index
<i>erythrocephala</i> , <i>Tenthredo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 558 (specific name of the type species of <i>Acantholyda</i> Costa, 1894) (Insecta, Hymenoptera). Op. 290	available
<i>erythronota</i> , <i>Salamandra</i> , Rafinesque, 1818, <i>Science Journal</i> , 1 (1): 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 665	index
<i>Erythronotos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 557 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Erythropleurae</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>erythropterus</i> (emendation under the plenary power of <i>erytropterus</i>), <i>Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 422 (specific name of the type species of <i>Staphylinus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 546	available
<i>erythropus</i> , <i>Sciurus</i> , Geoffroy, 1803, <i>Cat. Mammif. Mus. nat. Hist. nat.</i> , Paris: 178 (Mammalia). Op. 945	available
<i>erythrozonias</i> , <i>Cimex</i> , Gmelin, [1790], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 2181 (a junior objective synonym of <i>rubrofasciatus</i> , <i>Cimex</i> , de Geer, 1773). Direction 63	index
<i>erytropterus</i> , <i>Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 422 (rejected under the plenary power as an incorrect original spelling for <i>erythropterus</i> , <i>Staphylinus</i> , Linnaeus, 1758). Op. 546	index
<i>Escharina</i> Milne Edwards, 1836, in Lamarck, <i>Hist. nat. Anim. sans Vertèbr.</i> (ed. 2), 2 : 218, 230 (gender: feminine) (type species, by original designation: <i>Eschara vulgaris</i> Moll, 1803, <i>Eschara ex Zoophyt.</i> : 55, 56, pl. 3, figs. 10A, 10B [<i>nec</i> figs. 11A-C], as interpreted by the lectotype designated by Brown, 1952 (<i>Tert. Cheilostomatous Polyzoa New Zealand</i> : 228)) (Bryozoa). Op. 458	available
<i>esculenta</i> , <i>Hirundo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 191 (specific name of the type species of <i>Collocalia</i> Gray, 1840) (Aves). Op. 457	available
<i>Esox</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 313 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 352)): <i>Esox lucius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 314) (Osteichthyes). Op. 92, Direction 56	available
<i>esperi</i> , <i>Euchloe</i> [sic] <i>ausonia</i> var., Kirby, 1871, <i>Syn. Cat. diurn. Lep.</i> : 506 (without prejudice to the prior rights of the nominal species <i>Anthocharis creusa</i> Doubleday, [1847] and <i>Anthocharis belemida</i> var. <i>orientalis</i> Bremer, 1864, if either of those names is held to apply to a subspecies of the same collective species) (specific name of the type species of <i>Euchloë</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 270	available
<i>espinoso</i> , Ratton, Brants, 1827, <i>Der Geslacht der Muizen door Linnaeus opgesteld</i> (Berlin): 186 (a vernacular name). Op. 1232	index
<i>Estheria</i> Robineau-Desvoidy, 1830, <i>Mém. présentées Acad. roy. Sci. Inst. France</i> , 2 : 305 (gender: feminine) (type species, by designation by Townsend, 1916 (<i>Insecutor Inscit. menstr.</i> , 4 : 7): <i>Estheria imperatoria</i> Robineau-Desvoidy, 1830, <i>Mém. présentées Acad. roy. Sci. Inst. France</i> , 2 : 306, valid name: <i>Dexia cristata</i> Meigen, 1826) (Insecta, Diptera). Op. 553	available
<i>Estheria</i> Rüppell, 1837, in Straus-Durchheim, <i>Abh. Mus. Senckenb.</i> , 2 (2): 117 (a junior homonym of <i>Estheria</i> Robineau-Desvoidy, 1830). Op. 553	index
ESTHERIADAe Packard, 1874, in Hayden's <i>U.S. geol. geogr. Surv.</i> : 618 (type genus: <i>Estheria</i> Rüppell, 1837) (an incorrect subsequent spelling for ESTHERIIDAE Claus, 1860). Op. 553	index
ESTHERIIDAE Claus, 1860, <i>Beitr. z. Kenntn. der Entomostraken</i> : 13 (type genus: <i>Estheria</i> Rüppell, 1837) (invalid because the name of the type genus is a junior homonym). Op. 553	index

Ethalion Risso, 1826, *Hist. nat. Europe*, **4**: 36 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 774

index

Etheriigenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427

index

Ethmia Hübner, [1819], *Verzeichniss bekannter Schmettlinge*, p. 163 (gender: feminine) (type species, by monotypy: *Phalaena pyrausta* Hübner, [1819]) (Insecta, Lepidoptera). Op. 1544

available

ETHMIIDAE Busck, 1909, *Proceedings of the Entomological Society of Washington*, **11**: 91 (type genus: **Ethmia** Hübner, [1819]), ruled under the plenary power that this name and other family-group names based on **Ethmia** are to be given precedence over **AZINIDAE** Walsingham, 1906 and other family-group names based on **Azinis** Walker, 1863 whenever their type genera are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 1544

available

Ethusa Roux, 1830, *Crust. Médit.* (4): pl. 18 (gender: feminine) (type species, by designation by Fowler, 1912 (*Ann. Rep. New Jersey State Mus.*, **1911**: 590): *Cancer mascarone* Herbst, 1785, *Versuch Naturgesch. Krabben Krebse*, **1**(6): 191) (Crustacea, Decapoda). Op. 712

available

ETISINAE Ortmann, 1893, *Zoologische Jahrbücher (Systematik)*, **7**: 429 (type genus *Etisus* H. Milne Edwards, 1834) (Crustacea) Op. 2204

available

Etisus H. Milne Edwards, 1834, *Histoire naturelle des Crustacés, comprenant l'anatomie, la physiologie et la classification de ces animaux*, vol. 1, p. 410 type species by subsequent designation Glaessner (1929) *Cancer dentatus* Herbst, 1785 (Crustacea) Op. 2204

available

euagora, **Parapanope**, de Man, 1895, *Zool. Jahrb.*, Jena (Syst.), **8**: 514 (specific name of the type species of *Parapanope* de Man, 1895) (Crustacea, Decapoda). Direction 36

available

Eualus Thallwitz, 1892, *Abh. Ber. zool.-anthrop. Mus. Dresden*, **1890/1891**(3): 23, 50 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: *Eualus obses* Thallwitz, 1892, *Abh. Ber. zool.- anthrop. Mus. Dresden*, **1890/1891**(3): 23, valid name: **Hippolyte gaimardii** Milne Edwards, 1837) (Crustacea, Decapoda). Op. 671

available

Euamnicola Fischer & Crosse, 1891, *Mission Sci. Mexique Amérique centr.*, Zool., part 7, **2**: 261 (a junior objective synonym of *Amnicola* Gould & Haldeman, 1840). Op. 1108

index

Euaspidoceras Spath, 1931, *Palaeontographica indica*, **9**(2): 326 (gender: neuter) (type species, by original designation: *Ammonites perarmatus* J. Sowerby, 1822) (Cephalopoda, Ammonoidea). Op. 1456

available

Euasteroceras Donovan, 1953, *Proc. geol. Soc. London*, No. 1503: xiii, xiv (gender: neuter) (type species, by original designation: *Ammonites turneri* Sowerby, 1824, *Min. Conch.*, **5**: 75, pl. 452) for use by those who consider on taxonomic grounds that the type species of this genus is generically distinct from the type species of *Caenisites* Buckman, 1925 (Cephalopoda). Op. 482

available

<i>Eubiradiolites</i> Coogan, 1966, <i>J. Paleontol.</i> , 40 : 763 (a junior objective synonym of <i>Biradiolites</i> d'Orbigny, 1850). Op. 891	index
EUBRANCHIDAE Odhner, 1934, <i>Brit. Antarct. (Terra Nova) Exp.</i> , Nat. Hist. Rep., Zool., 7 : 278 (type genus: <i>Eubranchus</i> Forbes, 1838) (Gastropoda). Op. 774	available
<i>Eubranchus</i> Forbes, 1838, <i>Malac. Mon.</i> : 5 (gender: masculine) (type species, by monotypy: <i>Eubranchus tricolor</i> Forbes, 1838, <i>Malac. Mon.</i> : 5) (Gastropoda). Op. 774	available
<i>Eucalycoceras</i> Spath, 1923, <i>Summ. Progr. geol. Surv.</i> , 1922 : 144 (gender: neuter) (type species, by original designation: <i>Ammonites pentagonus</i> Jukes-Browne, 1896, <i>Quart. J. geol. Soc. London</i> , 52 : 156, pl. 5, fig. 1) (Cephalopoda). Op. 557	available
<i>eucalypti, Psylla</i> , Dobson, 1851, <i>Pap. Roy. Soc. Tasmania</i> , 1 : 235-239, pl. 18, figs. 1, 2, 3a, 4 (Insecta, Hemiptera). Op. 725	available
<i>Eucampe</i> Gray, 1847, <i>Ann. Mag. nat. Hist.</i> , (1) 20 : 268 (a junior objective synonym of <i>Akera</i> Müller, 1776). Op. 539	index
<i>Eucarphia</i> Hübner, [1825], <i>Verzeichniss bekannter Schmetterlinge</i> , p. 364 (gender: feminine) (type species, by subsequent designation by Ragonot, 1885, <i>Entomologist's Monthly Magazine</i> , 22 : 18: <i>Tinea vinetella</i> Fabricius, 1787) (Insecta, Lepidoptera). Op. 1426	available
<i>Eucera</i> Scopoli, 1770, <i>Annus IV, historico-naturalis</i> , p. 8 (gender: feminine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes ...</i> , p. 439: <i>Apis longicornis</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1713	available
<i>Euceraphis</i> Walker, 1870, <i>Zoologist</i> , (2) 5 : 2001 (gender: feminine) (type species, by designation under the plenary power: <i>Aphis punctipennis</i> Zetterstedt, 1828, <i>Fauna Ins. Lapp.</i> (1): 559) (Insecta, Hemiptera). Op. 640	available
EUCERIDAE Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 376 (type genus: <i>Eucera</i> Scopoli, 1770), ruled under the plenary power that this name and other family-group names based on <i>Eucera</i> are not to be given priority over ANTHOPHORIDAE Dahlbom, 1835 and other family-group names based on <i>Anthophora</i> Latreille, 1803 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>eucharila, Cremna</i> , Bates, 1867, <i>Trans. entomol. Soc. London</i> , (3) 5 : 543 (specific name of the type species of <i>Napaea</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 820	available
<i>Euchilus</i> Sandberger, 1870, <i>Die Land- und Süßwasser-Conchylien der Vorwelt</i> , livraison 2-3, pl. 11, fig. 10 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Sandberger, 1872, <i>Die Land- und Süßwasser-Conchylien der Vorwelt</i> , livraison 6-8, p. 225: <i>Bithinia deschiensiana</i> Deshayes, 1862) (Gastropoda). Op. 1965	available
<i>Euchirograpsus</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 175 (gender: masculine) (type species, by monotypy: <i>Euchirograpsus liguricus</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 175) (Crustacea, Decapoda). Op. 85, Direction 37	available

<i>Euchloë</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (6): 94 (gender: feminine) (type species, by designation under the plenary power: <i>Euchloe</i> [sic] <i>ausonia</i> var. <i>esperi</i> Kirby, 1871, <i>Syn. Cat. diurn. Lep.</i> : 506) (Insecta, Lepidoptera). Op. 270	available
<i>Euchroeus</i> Latreille, 1809, <i>Genera Crustaceorum et Insectorum</i> , vol. 4, p. 49 (gender: masculine) (type species, by monotypy: <i>Chrysis purpurata</i> Fabricius, 1787) (Insecta, Hymenoptera). Op. 1906	available
<i>Euchromadora</i> de Man, 1886, <i>Anatomische Untersuchungen über freilebende Nordsee-Nematoden</i> , p. 67 (type species, by original designation: <i>Chromadora vulgaris</i> Bastian, 1865) (Nematoda). Op. 1815	available
<i>Euclidia</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 3 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Euconomelus</i> Haupt, 1929, <i>Zool. Jahrb., Syst.</i> , 58 : 212 (gender: masculine) (type species, by original designation: <i>Delphax lepida</i> Boheman, 1847, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1847 : 265) (Insecta, Hemiptera). Op. 648	available
EUCONULINAE Baker, 1928, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 80 : 9 (type genus: <i>Euconulus</i> Reinhardt, 1883) (Gastropoda). Direction 27	available
<i>Euconulus</i> Reinhardt, 1883, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1883 : 86 (gender: masculine) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 173) for <i>Conulus</i> Fitzinger, 1833 (for which <i>Euconulus</i> Reinhardt, 1883, is a replacement name): <i>Helix fulva</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 56) (Gastropoda). Op. 335	available
<i>Eucrate</i> de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 36 (gender: feminine) (type species, by monotypy: <i>Cancer (Eucrate) crenatus</i> de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 36, 51) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Eucrate</i> Rafinesque, 1815, <i>Analyse Nature</i> : 136 (a nomen nudum). Direction 37	index
<i>Eucratodes</i> Milne Edwards, 1880, <i>Miss. Sci. Mexique</i> , Rech. zool., 5 (fasc. 8): 346 (gender: masculine) (type species, by monotypy: <i>Eucratodes agassizii</i> Milne Edwards, 1880, <i>Miss. Sci. Mexique</i> , Rech. zool., 5 (fasc. 8): 347, pl. 61, fig. 1) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Eucratopsis</i> Smith, (August 1869), <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 35, nota; <i>id.</i> , November 1869, <i>Amer. J. Sci.</i> , (2) 48 : 391 (gender: feminine) (type species, by monotypy: <i>Eucrate crassimanus</i> Dana, 1851, <i>Boston J. nat. Hist.</i> , 7 : 588, nota) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Eucypris</i> Vávra, 1891, <i>SitzBer. Königl.-Böh. Ges. Wiss.</i> , 1891 : 166 (gender: feminine) (type species, by designation under the plenary power: <i>Monoculus virens</i> Jurine, 1820, <i>Hist. Monocles</i> : 174) (Crustacea, Ostracoda). Op. 718	available
<i>eudactylus, Myrodes</i> , Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 432; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 299 (specific name of the type species of <i>Myrodes</i> Bell, 1855) (Crustacea, Decapoda). Direction 36	available

Eudistoma Caullery, 1909, <i>Bulletin Scientifique de la France et de la Belgique</i> , 42 : 44 (gender: neuter) (type species, by subsequent designation by Michaelsen, 1930, <i>Die Fauna Südwest-Australiens</i> , 5 (7): 489: <i>Distoma rubrum</i> Savigny, 1816), ruled under the plenary power to be given precedence over <i>Paessleria</i> Michaelsen, 1907 whenever the two names are considered to be synonyms (Tunicata). Op. 1865	available
EUDOCIMIDAE Bonaparte, 1854, <i>Annales des Sciences Naturelles, Zoologie</i> , (4) 1 (1): 142 (type genus: <i>Eudocimus</i> Wagler, 1832), ruled under the plenary power that this name and other family-group names based on <i>Eudocimus</i> are not to be given priority over THRESKIORNITHIDAE Poche, 1904 and other family-group names based on <i>Threskiornis</i> Gray, 1842 whenever their type genera are placed in the same family-group taxon (Aves, Ciconiiformes). Op. 1674	available
<i>Eudocimus</i> Wagler, 1832, <i>Isis (von Oken)</i> , 1832 : col. 1232 (gender: masculine) (type species, by subsequent designation by Reichenow, 1877, <i>Journal für Ornithologie</i> , 25 (2): 145: <i>Scolopax rubra</i> Linnaeus, 1758) (Aves, Ciconiiformes). Op. 1674	available
<i>Eudorylas</i> Aczél, 1940, <i>Zoologischer Anzeiger</i> , 132 : 151 (gender: masculine) (type species, by designation under the plenary power: <i>Pipunculus fuscipes</i> Zetterstedt, 1844) (Insecta, Diptera). Op. 2000	available
<i>Euglena</i> Ehrenberg, 1830, <i>Annalen der Physik und Chemie</i> , 94 (n.f. 18): 502 (gender: feminine) (type species, by subsequent designation by Dujardin, 1841, <i>Histoire naturelle des Zoophytes. Infusoires</i> , p. 358: <i>Cercaria viridis</i> Müller, 1786) (Flagellata). Op. 1549	available
<i>Euglenes</i> Westwood, 1830, <i>Zoological Journal</i> , London, 5 : 59 (gender: masculine) (type species, by subsequent designation by Pic, 1900, <i>In: Bestimmungs-Tabelle der Europäischen Coleopteren</i> , XL Heft, p. 3: <i>Anthicus oculatus</i> Paykull, 1798) (Insecta, Coleoptera). Op. 1549	available
EUGLENESIDAE Seidlitz, 1875, <i>Fauna Baltica</i> , p. 380 (emendation of EUGLENIDAE) (type genus: <i>Euglenes</i> Westwood, 1830), ruled under the plenary power that this name and other family-group names based on <i>Euglenes</i> are not to be given priority over ADERIDAE Winkler, 1927 and other family-group names based on <i>Aderus</i> Stephens, 1829 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1549	available
EUGLENIDAE Seidlitz, 1875, <i>Fauna Baltica</i> , p. 380, spelling emended to EUGLENESIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Euglenes</i> Westwood, 1830 is EUGLENES- (Insecta, Coleoptera). Op. 1549	index
EUGLENIDAE Stein, 1878, <i>Der Organismus der Infusionsthiere</i> , vol. 3(1), p. x (type genus: <i>Euglena</i> Ehrenberg, 1830) (Flagellata). Op. 1549	available
EUGONATONOTIDAE Chace, 1937, <i>Proc. New Engl. zool. Cl.</i> , 16 : 15 (conserved under the plenary power) (type genus: <i>Eugonatonotus</i> Schmitt, 1926) (Crustacea, Decapoda). Op. 470	available
<i>Eugonatonotus</i> Schmitt, 1926, <i>Biol. Res. Fish. Exper. 'Endeavour'</i> , 5 (6): Corrigenda et Addenda [2] (gender: masculine) (type species, by monotypy through <i>Gonatonotus</i> Milne Edwards, 1881 (for which <i>Eugonatonotus</i> Schmitt, 1926, is a substitute name): <i>Gonatonotus crassus</i> Milne Edwards, 1881, <i>Ann. Sci. nat., Paris (Zool.)</i> , (6) 11 (4): 10) (Crustacea, Decapoda). Op. 470	available

<i>Eugynothrips</i> Priesner, 1926, <i>Treubia</i> , 8 (Supplement): 157 (gender: masculine) (type species, by designation under the plenary power: <i>Cryptothrips conocephali</i> Karny, 1913) (Insecta, Thysanoptera). Op. 1442	available
<i>Euhyaena</i> Falconer, 1868, <i>Palaeontological memoirs and notes</i> , vol. 2, p. 464 (a junior objective synonym of <i>Hyaena</i> Brisson, 1762) (Mammalia, Carnivora). Op. 1894	index
<i>Eukrohnia</i> Ritter-Zahony, 1909, <i>Zool. Anz.</i> , 34 : 792 (gender: feminine) (type species, by original designation: <i>Sagitta hamata</i> Möbius, 1875, <i>Jber. Comm. wiss. Untersuch. dtsch. Meere, Jahrg.</i> II-III: 158, tab. 3, figs. 13-16) (Chaetognatha). Op. 761	available
<i>Eulachnus</i> del Guercio, 1909, <i>Redia</i> , 5 : 315 (gender: masculine) (type species, by designation by Wilson, 1911 (<i>Ann. entomol. Soc. Amer.</i> , 4 : 54): <i>Lachnus agilis</i> Kaltenbach, 1843, <i>Mon. Phytophthires</i> : 161, 162) (Insecta, Hemiptera). Op. 748	available
<i>Eulaema</i> Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Hym.</i> , 2 : 11 (gender: feminine) (type species, by designation by Taschenberg, 1883 (<i>Berlin entomol. Z.</i> , 27 : 85): <i>Apis dimidiata</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 316) (Insecta, Hymenoptera). Op. 567	available
<i>Eulecanium</i> Cockerell, 1893, <i>Trans. amer. entomol. Soc.</i> , 20 : 54 (gender: neuter) (type species, by original designation: <i>Coccus tiliae</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 456) (Insecta, Hemiptera). Op. 1303	available
<i>euleri, Coccuzzus</i> , Cabanis, 1873, <i>Journal für Ornithologie</i> , (4) 1 (1): 72 (Aves, Cuculiformes). Op. 1688	available
<i>Eulima</i> Risso, 1826, <i>Histoire naturelle des principales productions de l'Europe méridionale et particulièrement de celles des environs de Nice et des Alpes Maritimes</i> , vol. 4, p. 123 (gender: feminine) (type species, by subsequent designation by Herrmannsen, 1847, <i>Indicis generum malacozoorum primordia</i> , vol. 1, p. 431: <i>Turbo subulatus</i> Donovan, 1804, an unnecessary replacement name for <i>Strombiformis glaber</i> Da Costa, 1778) (Gastropoda). Op. 1718	available
<i>Eulimene</i> Latreille, 1816, in Cuvier, <i>Le Règne Animal</i> (ed. 1), 3 : 68 (gender: feminine) (type species, by monotypy: <i>Eulimene albida</i> Latreille, 1816, in Cuvier, <i>Le Règne Animal</i> (ed. 1), 3 : 68) ruled under the plenary power not to be given priority over the generic name <i>Artemia</i> Leach, 1819 whenever the two names are considered synonyms (Crustacea, Branchiopoda). Op. 1301	available
<i>Eulophus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 312 (gender: masculine) (type species, by subsequent monotypy by Olivier, 1792, <i>Encyclopédie méthodique, histoire naturelle, insectes</i> , vol. 6, p. 454: <i>Ichneumon ramicornis</i> Fabricius, 1781) (Insecta, Hymenoptera). Op. 1754	available
<i>Eumastax</i> Burr, 1899, <i>An. Soc. Esp. Hist. nat.</i> , 28 : 75, 94, 257 (gender: feminine) (type species, by monotypy: <i>Mastax tenuis</i> Perty, 1832, <i>Del. Anim. artic. Brazil</i> (2): 123) (Insecta, Orthoptera). Op. 149	available
<i>Eumeros</i> Meigen, 1803, <i>Magazin für Insektenkunde (Illiger)</i> , 2 : 273 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1747	index

Eumerus Meigen, 1804, *Klassifikation und Beschreibung der europäischen zweiflügeligen Insekten* (Diptera Linn.), vol. 1, part 1, p. xx, and all uses of the name prior to the publication of *Eumerus* Meigen, 1822 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 1747

index

Eumerus Meigen, 1822, *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten*, vol. 3, p. 202 (gender: masculine) (type species, by subsequent designation by Curtis, 1839, *British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland ...*, vol. 16, pl. 749 (text): *Syrphus tricolor* Fabricius, 1798) (Insecta, Diptera). Op. 1747

available

Eumesia Felder & Felder, [1867], *Reise der Österreichischen Fregatte 'Novara' um die Erde*, p. 504 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1669

index

EUMESIIDAE Felder & Felder, [1867], *Reise der Österreichischen Fregatte 'Novara' um die Erde*, p. 504 (name of the type genus *Eumesia* Felder & Felder, [1867] suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1669

index

Eumetopias Gill, 1866, *Proceedings of the Essex Institute*, 5: 7 (gender: masculine) (type species, by monotypy: *Arctocephalus monteriensis* Gray, 1859, a junior subjective synonym of *Phoca jubata* Schreber, 1776) (Mammalia, Pinnipedia). Op. 1962

available

Euodynerus Dalla Torre, 1904, *Gen. Insect.*, 19: 38 (gender: masculine) (type species: *Vespa dantici* Rossi, 1790, *Fauna Etrusca*, 2: 89) (ruled under the plenary power to be available from its date of publication by C.G. de Dalla Torre although originally proposed as a name for a group of infra-subgeneric rank) (Insecta, Hymenoptera). Op. 893

available

EUOMPHALIDAE de Koninck, 1881, *Musée Royal d'Histoire Naturelle de Belgique, Annales &c (Série Paléontologique)*, 6: 106 (type genus: *Euomphalus* Sowerby, 1814) (Gastropoda, Archaeogastropoda). Op. 1470

available

Euomphalus Sowerby, 1814, *The Mineral Conchology of Great Britain*, vol. 1, no. 9, p. 97 (gender: masculine) (type species, by subsequent designation by Meek & Worthen, 1866, *Geological Survey of Illinois*, vol. 2 (Paleontology), section 2, p. 158: *Euomphalus pentangulatus* Sowerby, 1814) (Gastropoda, Archaeogastropoda). Op. 1470

available

EUPAGURINAE Ortmann, 1892, *Zool. Jahrb.*, Jena (Syst.), 6: 270, 296 (type genus: *Eupagurus* Brandt, 1851) (a junior objective synonym of **PAGURIDAE** (correction of PAGURII) Latreille, [1802], the respective type genera of these two families having the same nominal species as type species). Op. 472

index

Eupagurus Brandt, 1851, in Middendorff, *Reise Nord. Ost. Sibir.*, 2: 105 (a junior objective synonym of *Pagurus* Fabricius, 1775). Op. 472

index

Euparypha Hartmann, 1844, *Erd. u. Süßwasser-Gasteropoden*: 204 (a junior objective synonym of *Theba* Risso, 1826). Op. 431

index

EUPARYPHINAE Perrot, 1939, <i>Compte-Rendu des Séances de la Société de Physique et d'Histoire naturelle de Genève</i> , 56 (1) [in: <i>Supplément aux Archives des Sciences physiques et naturelles</i> , (5) 21]: 35 (based on <i>Euparypha</i> Hartmann, 1844, a generic name placed on the Official Index in Opinion 431) (Gastropoda). Op. 2135	index
<i>Euphaedra</i> Hübner, [1819], <i>Verzeichniss bekannter Schmettlinge</i> , p. 39 (gender: feminine) (type species, by subsequent designation by Scudder, 1875, <i>Proceedings of the American Academy of Arts and Sciences</i> , 10 : 172: <i>Papilio cyparissa</i> Cramer, [1775]) (Insecta, Lepidoptera). Op. 1380	available
<i>Euphonia</i> Desmarest, [1806], <i>Hist. Nat. Tangaras</i> , livr. 10: pl. 27 (gender: feminine) (type species, by monotypy: <i>Euphonia olivacea</i> Desmarest, [1806], <i>Hist. Nat. Tangaras</i> , livr. 10: pl. 27, valid name: <i>Euphonia minuta</i> Cabanis, 1849) (Aves). Op. 852	available
<i>Euphrosyne</i> Gray, 1866, <i>Proc. zool. Soc. London</i> , 1866 : 214 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678	index
<i>Euphydryas</i> Scudder, 1872, <i>4th Ann. Rep. Peabody Acad. Sci.</i> , 1871 : 48 (gender: feminine) (type species, by original designation: <i>Papilio phaeton</i> Drury, [1773], <i>Ill. nat. Hist.</i> , 1 : index & 42, pl. 21, figs. 3, 4♀) (Insecta, Lepidoptera). Op. 278	available
<i>Euphylax</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 225 (gender: masculine) (type species, by monotypy: <i>Euphylax dovii</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 226) (Crustacea, Decapoda). Op. 73 <i>Eupilis</i> Risso, 1826, <i>Hist. nat. Europ. mérid.</i> , 5 : 227 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1106	available
<i>Eupleres</i> Doyère, 1835, <i>Bull. Soc. Sci. nat. France</i> , 1835 (3): 45; (5): 103; <i>id.</i> , 1835, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2) 4 : 280, pl. 8 (gender: feminine) (type species, by monotypy: <i>Eupleres goudotii</i> Doyère, 1835, <i>Bull. Soc. Sci. nat. France</i> , 1835 (3): 45) (Mammalia). Op. 384	available
EUPLERIDAE Chenu, [1850-1858], <i>Ency. Hist. nat.</i> , Carnassiers, 1 : 165 (type genus: <i>Eupleres</i> Doyère, 1835) for use by those who consider that <i>Eupleres</i> Doyère and <i>Hemigalus</i> Jourdan, 1837 belong to different family-group taxa (Mammalia). Direction 53	available
<i>Euploea</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180, 1181 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Euploea</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 280 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Papilio corus</i> Fabricius, 1793, <i>Entomol. syst.</i> , 3 (1): 41) (Insecta, Lepidoptera). Op. 163	available
<i>Euprocerites</i> Wetzel, 1950, <i>Palaeontographica</i> , 99A : 63 (a junior objective synonym of <i>Procerites</i> Siemiradzki, 1898). Op. 301	index
<i>Eupteryx</i> Curtis, 1831, <i>Guide Arrang. Brit. Ins.</i> (6): 192 (conserved under the plenary power) (gender: feminine) (type species, by designation by Curtis, 1837 (<i>Brit. Entomol.</i> , 14 : pl. 640): <i>Cicada picta</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 42, valid name: <i>Cicada atropunctata</i> Goeze, 1778) (Insecta, Hemiptera). Op. 647	available

EUREINAE Eichler, 1941, <i>Arch. Naturgesch.</i> (n.s.), 10 : 382 (type genus: <i>Eureum</i> Nitzsch, 1818) for use by those who consider that <i>Eureum</i> Nitzsch and <i>Menopon</i> Nitzsch, 1818 belong to different family-group taxa (Insecta, Mallophaga). Direction 28	available
<i>Eureodon</i> Fischer von Waldheim, 1817, <i>Mém. Soc. imp. Nat. Moscou</i> , 5 : 373, 417 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466	index
<i>Eureum</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 301 (gender: neuter) (type species, by designation under the plenary power: <i>Eureum cimicoides</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 441) (Insecta, Mallophaga). Op. 343	available
<i>Eurhin</i> Illiger, 1807, <i>Magazin Insektenk.</i> (Illiger), 6 : 309 (ruled under the plenary power to be an incorrect original spelling for <i>Eurhinus</i> Illiger, 1807). Op. 1352	index
EURHININI (correction of EURHINIDES) Lacordaire, 1866, <i>Histoire naturelle des insectes. Genera des coléoptères</i> , 7 : 217, 220 (type genus: <i>Eurhinus</i> Illiger, 1807) (Insecta, Coleoptera). Op. 1352	available
<i>Eurhinus</i> Illiger, 1807, <i>Magazin Insektenk.</i> (Illiger), 6 : 309 (gender: masculine) (type species, by monotypy: <i>Eurhin cupratus</i> Illiger, 1807, <i>Magazin Insektenk.</i> (Illiger), 6 : 309) (ruled under the plenary power to be a justified emendation of <i>Eurhin</i> Illiger, 1807) (Insecta, Coleoptera). Op. 1352	available
EURHYNCHINAE (correction of EURHYNCHIDES) Lacordaire, 1863, <i>Histoire naturelle des insectes. Genera des coléoptères</i> , 6 : 380, 527 (type genus: <i>Eurhynchus</i> Kirby, in Kirby & Spence, 1828) (Insecta, Coleoptera). Op. 1352	available
<i>Eurhynchus</i> Berthold, 1827, <i>Latreille's natürliche Familien des Thierreichs aus dem Französischen</i> : 74 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1352	index
<i>Eurhynchus</i> Kirby, in Kirby & Spence, 1828, <i>An introduction to entomology</i> (ed. 5), 3 : 324 (gender: masculine) (type species, by designation by Schoenherr, 1833 (<i>Synonymia Insectorum, Genera et Species Curculionidum</i> , 1 (1): 248): <i>Eurhinus scabrior</i> Kirby, 1819, <i>Trans. linn. Soc. London</i> , 12 (2): 428) (Insecta, Coleoptera). Op. 1352	available
<i>eurilochus</i> , <i>Papilio</i> , Cramer, [1775], <i>Uitl. Kapellen</i> , 1 (3): 53, pl. 53, fig. A (specific name of the type species of <i>Caligo</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 577	available
<i>europaea</i> , <i>Fulgora</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 704 (specific name of the type species of <i>Dictyophara</i> Germar, 1833) (Insecta, Hemiptera). Op. 322	available
<i>europaea</i> , <i>Sitta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 115 (specific name of the type species of <i>Sitta</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>europaea</i> , <i>Talpa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 52 (specific name of the type species of <i>Talpa</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>europaeus</i> , <i>Caprimulgus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 193 (specific name of the type species of <i>Caprimulgus</i> Linnaeus, 1758) (Aves). Direction 17	available

<i>europaeus</i> , <i>Erinaceus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 52 (specific name of the type species of <i>Erinaceus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>europaeus</i> , <i>Learedius</i> , Price, 1934, <i>Journal of the Washington Academy of Sciences</i> , 24 : 138 (a junior objective synonym of <i>Distoma constrictum</i> Leared, 1862) (Digenea). Op. 1875	index
<i>europaeus</i> , <i>Scorpio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 625 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 60	index
<i>Europosphaera</i> Verhoeff, 1943, <i>Zeitschrift für Morphologie und Ökologie der Tiere</i> , 39 : 169 (unavailable because published without fixation of the type species) (Isopoda). Op. 1574	index
<i>Euryala</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 689	index
EURYALIDAE Rathbun, 1910, <i>Proc. U.S. nat. Mus.</i> , 38 : 576 (type genus: <i>Euryala</i> Weber, 1795) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 689	index
<i>Euryetisus</i> Cano, 1889, <i>Boll. Soc. Nat. Napoli</i> , (1) 3 : 88 nota, 200 (gender: masculine) (type species, through Article 68b(i): <i>Euryetisus deplanatus</i> Cano, 1889, <i>Boll. Soc. nat. Napoli</i> , (1) 3 : 88 nota, 200) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Eurylaemus</i> Gloger, [1841], <i>Hand-und Hilfsbuch Naturgesch.</i> , 1 : 333 (an incorrect subsequent spelling for <i>Eurylaimus</i> Horsfield, 1821). Direction 44	index
<i>Eurylaimus</i> Horsfield, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 170 (gender: masculine) (type species, by monotypy: <i>Eurylaimus javanicus</i> Horsfield, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 170) (Aves). Op. 67 <i>Eurymeloides</i> Ashmead, 1889, <i>Entomologica Americana</i> , 5 (7): 126 (gender: feminine) (type species, confirmed by the Commission to be by subsequent designation by Kirkaldy, 1906, <i>Bulletin of the Hawaiian Sugar Planters' Association Experiment Station</i> (Entomological Series), 1 (9): 354: <i>Eurymela bicincta</i> Erichson, 1842) (Insecta, Auchenorrhyncha). Op. 1706	available
<i>Eurynoma</i> Latreille, 1829, in Cuvier's <i>Règne Anim.</i> (ed. 2), 4 : 57 (an incorrect subsequent spelling for <i>Eurynome</i> [Leach, 1814]). Op. 712	index
<i>Eurynome</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 431 (gender: feminine) (type species, by monotypy: <i>Cancer asper</i> Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 8) (Crustacea, Decapoda). Op. 712	available
<i>Eurynome</i> Chambers, 1875, <i>Cincinnati Quart. J. Sci.</i> , 2 : 304 (a junior homonym of <i>Eurynome</i> [Leach, 1814]). Op. 712	index
<i>Eurynome</i> Rafinesque, 1815, <i>Analyse Nature</i> : 99 (a nomen nudum). Op. 712	index
<i>Eurynone</i> de Haan, [1839], in Siebold, <i>Fauna japon.</i> (Crust.) (4): pl. G (an incorrect subsequent spelling for <i>Eurynome</i> [Leach, 1814]). Op. 712	index

<i>Eurynorhinchus</i> Lafresnaye, 1842, <i>Rev. Zool.</i> , 5 : 402 (an incorrect subsequent spelling for <i>Eurynorhynchus</i> Nilsson, 1821). Direction 44	index
<i>Eurynorhynchus</i> Nilsson, 1821, <i>Ornithol. svec.</i> , 2 (1): 29 (gender: masculine) (type species, by monotypy and through Opinion 67 and Article 67e (1961 Code): <i>Platalea pygmaea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 140) (Aves). Op. 67, Direction 43	available
<i>Eurynorhynchus</i> Reichenbach, [1852], <i>Av. Syst. Nat.</i> : xiii (an incorrect subsequent spelling for <i>Eurynorhynchus</i> Nilsson, 1821). Direction 44	index
<i>Euryplax</i> Klapálek, 1909, <i>Wien entomol. Ztg.</i> , 28 : 225 (a junior homonym of <i>Euryplax</i> Stimpson, 1859). Direction 37	index
<i>Euryplax</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 60 (gender: feminine) (type species, by monotypy: <i>Euryplax nitidus</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 60) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Eurypyga</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 257 (gender: feminine) (type species, by monotypy: <i>Ardea helias</i> Pallas, 1781, <i>Neue nord. Beytr.</i> , 2 : 48, pl. 3) (Aves). Op. 67 <i>Eurypygia</i> Swainson, 1837, <i>Nat. Hist. Classif. Birds</i> , 2 : 359 (an incorrect subsequent spelling for <i>Eurypyga</i> Illiger, 1811). Direction 44	available
EURYRHYNCHINAE Holthuis, 1950, <i>Siboga Exped.</i> , Mon., 39 (a 9): 1, 2 (type genus: <i>Euryrhynchus</i> Miers, [1878]) (Crustacea, Decapoda). Op. 518	available
<i>Euryrhynchus</i> Miers, [1878], <i>Proc. zool. Soc. London</i> , 1877 : 662 (gender: masculine) (type species, by monotypy: <i>Euryrhynchus wrzesniowskii</i> Miers, [1878], <i>Proc. zool. Soc. London</i> , 1877 : 662) (Crustacea, Decapoda). Op. 518	available
<i>Euryrhynchus</i> Nitzsch, 1829, <i>Obs. Avium Arteria carot. communi</i> : 18 (an incorrect subsequent spelling for <i>Eurynorhynchus</i> Nilsson, 1821). Op. 518	index
<i>eurysternus</i> , all uses of, in combination with the generic name <i>Haematopinus</i> prior to its use by Denny, 1842, in the combination <i>Haematopinus eurysternus</i> (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1050	index
<i>eurysternus</i> , <i>Haematopinus</i> , Denny, 1842, <i>Monographia Anoplurorum Britanniae</i> : 29, 30, as conserved under the plenary power and as interpreted by the lectotype designated by Kim & Weisser, 1973 (<i>Bull. zool. Nomencl.</i> , 30 : 45) (Insecta, Anoplura). Op. 1050	available
<i>eurysternus</i> , <i>Pediculus</i> , Burmeister, 1838, <i>Genera quaedam Insectorum</i> , 1 (4): <i>Pediculus</i> , No. 14, and all uses of <i>eurysternus</i> in combination with the generic name <i>Pediculus</i> prior to its use by Denny, 1842 in the combination <i>Haematopinus eurysternus</i> (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1050	index
<i>Eurytium</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 56 (gender: neuter) (type species, by original designation: <i>Cancer limosa</i> Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 446) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>eusarca</i> , <i>Nycteridopsylla</i> , Dampf, 1908, <i>Schr. phys.-öken. Ges. Königsberg</i> , 48 : 398 (Insecta, Siphonaptera). Op. 389	available

<i>eusebia</i> , <i>Squilla</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 115 (Crustacea, Stomatopoda). Op. 522	available
<i>Eusicyonia</i> Stebbing, 1914, <i>Ann. S. Afr. Mus.</i> , 15 : 2, 25 (a junior objective synonym of <i>Sicyonia</i> Milne Edwards, 1830). Op. 382	index
EUSICYONINAE Burkenroad, 1934, <i>Bull. amer. Mus. nat. Hist.</i> , 68 : 116 (type genus: <i>Eusicyonia</i> Stebbing, 1914) (a junior objective synonym of SICYONINAE (correction of SICYONINAE) Ortmann, 1898, the respective type genera of the two families having the same nominal species as type species). Direction 54	index
<i>Eusminthurus</i> Börner, 1900, <i>Zool. Anz.</i> , 23 (630): 611 (a junior objective synonym of <i>Sminthurus</i> Latreille, [1802]). Op. 1043	index
<i>Eustixia</i> Hübner, 1823, <i>Zuträge zur Sammlung exotischer Schmetterlinge</i> , vol. 1, p. 24 (gender: feminine) (type species, by subsequent designation by Kirby, 1892, <i>A synoptic catalogue of Lepidoptera Heterocera (Moths)</i> , vol. 1 (Sphinges and Bombyces), p. 339: <i>Eustixia pupula</i> Hübner, 1823) (Insecta, Lepidoptera). Op. 1927	available
<i>Eustixis</i> Hübner, [1831], <i>Zuträge zur Sammlung exotischer Schmetterlinge</i> , vol. 3, p. 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1927	index
<i>Euthalia</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (3): 41 (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proc. amer. Acad. Arts Sci.</i> , Boston, 10 : 176): <i>Papilio lubentina</i> Cramer, [1777], <i>Uitl. Kapellen</i> , 2 (13): 92, pl. 115, figs. C, D) by direction under the plenary power to be given precedence over <i>Symphaedra</i> Hübner, [1819] (Insecta, Lepidoptera). Op. 167	available
<i>Euthystira</i> Fieber in Kelch, 1852, <i>Grundlage zur Kenntniss der Orthopteren (Gradflügler) oberschlesiens, und Grundlage zur Kenntniss der Käfer oberschlesiens ... Erster Nachtrag</i> , p. 2 (gender: feminine) (type species, by subsequent designation by Bey-Bienko, 1932, <i>Eos</i> , 8 : 43: <i>Gryllus brachypterus</i> Ocskay, 1826) (Insecta, Orthoptera). Op. 2075	available
<i>evalthe</i> , <i>Papilio</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 480 (specific name of the type species of <i>Xanthocastnia</i> Houlbert, 1918) (Insecta, Lepidoptera). Op. 620	available
<i>Evanystes</i> Gistel, 1856, <i>Die Mysterien der Europäischen Insectenwelt</i> , p. 387 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2098	index
<i>Everes</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (5): 69 (gender: masculine) (type species, by designation by Scudder, 1872 (<i>4th Ann. Rep. Peabody Acad. Sci.</i> , 1871 : 56): <i>Papilio amyntas</i> [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend.</i> : 185, valid name: <i>Papilio argiades</i> Pallas, 1771) (Insecta, Lepidoptera). Op. 503	available
EVERIDI Tutt, [1907], <i>Nat. Hist. brit. Butts.</i> , 2 : 327 (published as a name for a taxon below subfamily rank) (type genus: <i>Everes</i> Hübner, [1819]) selected by Verity, 1943 (<i>Farfalle diurne Ital.</i> , 2 : 85), acting as first reviser, to take precedence over the name CUPIDINIDI (correction of CUPIDIDI) Tutt, [1907] (Insecta, Lepidoptera). Op. 503	available

<i>exaratus</i> , <i>Chlorodius</i> , Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 402 (specific name of the type species of <i>Leptodius</i> Milne Edwards, 1863) (Crustacea, Decapoda). Direction 36	available
<i>excavata</i> , <i>Helix</i> , Alder, 1830, <i>Trans. nat. Hist. Soc. Northumb.</i> , 1 (1): 38 (Gastropoda). Op. 336	available
<i>excavata</i> , <i>Orthis</i> , Geinitz, 1842, <i>Neues Jahrb. Min.</i> , 1842 : 578, pl. 10, figs. 12, 13 (specific name of the type species of <i>Orthothrix</i> Geinitz, 1847) (Brachiopoda). Op. 625	available
<i>excavatum</i> , <i>Anobium</i> , Kugelann, 1791, (Schneider's) <i>Neues Mag. für die Liebhaber Entomol.</i> , 4 : 488 (specific name of the type species of <i>Grynobius</i> Thomson, 1859) (Insecta, Coleoptera). Op. 1062	available
<i>excellens</i> , <i>Buprestis</i> , Klug, 1825, <i>Nova Acta Physico-Medica Academiae Caesareae-Leopoldino Carolinae, Naturae Curiosorum</i> , 12 (2): 421 (Insecta, Coleoptera). Op. 2008	available
<i>excellens</i> , <i>Buprestis</i> , Klug, 1855, <i>Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich Preussischen Akademie der Wissenschaften zu Berlin</i> , 1855 : 644, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis excellens</i> Klug, 1825 (Insecta, Coleoptera). Op. 2008	available
<i>excelsus</i> , <i>Perigrapsus</i> , Heller, 1862, <i>Verh. zool.-bot. Ges. Wien</i> , 12 (Abh.): 522 (specific name of the type species of <i>Perigrapsus</i> Heller, 1862) (Crustacea, Decapoda). Direction 36	available
<i>excentrica</i> , <i>Isocardia</i> , Roemer, 1836, <i>Versteinerungen des norddeutschen Oolithen-Gebirges</i> : 106 (specific name of the type species of <i>Ceratomya</i> Sandberger, 1864) (Bivalvia). Op. 742	available
<i>excisus</i> , <i>Curculio</i> , Fabricius, 1801, <i>Systema Eleutherorum</i> , vol. 2, p. 531 (senior subjective synonym of the specific name of <i>Chlorophanus fallax</i> Sahlberg, 1823, the type species of <i>Chlorophanus</i> Sahlberg, 1823) (Insecta, Coleoptera). Op. 1642	available
<i>excisus</i> , <i>Pecten</i> , Bronn, 1831, <i>Italiens Tertiär-Gebilde und deren organische Einschlüsse</i> , p. 102 (specific name of the type species of <i>Lissochlamys</i> Sacco, 1897) (Bivalvia) Op. 2203	available
<i>excubitor</i> , <i>Lanius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 94 (specific name of the type species of <i>Lanius</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Exechoparatas</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 570 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>exigua</i> , <i>Eolis</i> , Alder & Hancock, 1848, <i>Ann. Mag. nat. Hist.</i> , (2) 1 : 192 (Gastropoda). Op. 773	available
<i>exigua</i> , <i>Janthina</i> , Lamarck, [1816], <i>Ency. méth. (Vers)</i> : pl. 456 and expl. (specific name of the type species of <i>Iodina</i> Mörch, 1860) (Gastropoda). Op. 989	available

<i>exiguus</i> , <i>Graptolites lobiferus</i> var. β, Nicholson, 1868, <i>Quarterly Journal of the Geological Society of London</i> , 24 : 533, and all uses of the name prior to the publication of <i>Monograptus exiguus</i> Lapworth, 1876 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Graptolithina). Op. 1620	index
<i>exiguus</i> , <i>Monograptus</i> , Lapworth, 1876, <i>Geological Magazine</i> , (2) 3 : 503, as defined by the lectotype (specimen no. BU 1654 in the University of Birmingham, U.K.) designated by Loydell, 1989, <i>Bulletin of Zoological Nomenclature</i> , 46 : 33 (Graptolithina). Op. 1620	available
<i>exilis</i> , <i>Falco</i> , Temminck, 1830, <i>Planch. Color.</i> , livr. 84, pl. 496 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1028	index
<i>eximius</i> , <i>Eostomias</i> , Jordan & Gilbert, 1925, <i>Stanf. Univ. Publs. (Biol. Sci.)</i> , 4 (1): 13 (Osteichthyes). Op. 1031	available
<i>exitiosus</i> , <i>Eutermes</i> , Hill, 1925, <i>Proc. roy. Soc. Victoria, N.S.</i> , 37 : 222 (Insecta, Isoptera). Op. 1310	available
<i>exoleta</i> , <i>Venus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 688 (specific name of the senior objective synonym of <i>Pectunculus capillaceus</i> da Costa, 1778, the type species of <i>Pectunculus</i> da Costa, 1778) (Bivalvia). Op. 1414	available
<i>Exolygus</i> Wagner, 1949, <i>Verh. naturwiss. Heimatf. Hamburg</i> , 30 : 26–40 (a junior objective synonym of <i>Lygus</i> Hahn, 1833). Op. 667	index
<i>Exomalopsis</i> Spinola, 1853, <i>Memoire della Reale Accademia delle Scienze di Torino</i> , (2) 13 : 89 (gender: feminine) (type species, by subsequent designation by Taschenberg, 1883, <i>Berliner Entomologische Zeitschrift</i> , 27 : 82: <i>Exomalopsis fulvopilosa</i> Spinola, 1853, a junior synonym of <i>E. auropilosa</i> Spinola, 1853) (Insecta, Hymenoptera). Op. 2070	available
<i>Exoprosopa</i> Macquart, 1840, <i>Diptères exotiques nouveaux ou peu connus</i> , vol. 2, part 1, p. 35 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Coquillett, 1910, <i>Proceedings of the United States Museum of Natural History</i> , 37 : 544: <i>Anthrax pandora</i> Fabricius, 1805) (Insecta, Diptera). Op. 1632	available
<i>expansa</i> , <i>Taenia</i> , Rudolphi, 1805, <i>Bemerk. Naturg.</i> , 2 : 38 (specific name of the type species of <i>Moniezia</i> Blanchard, 1891) (Cestoda). Direction 77	available
<i>expansus</i> , <i>Entomolithus paradoxus</i> [var.], Linnaeus, 1768, <i>Systema Naturae</i> (ed. 12), 3 : 160 (included in a work rejected for nomenclatural purposes). Op. 510	index
<i>expansus</i> , <i>Entomostracites</i> , Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 25, as interpreted by the lectotype designated by Jaanusson, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 93) (specific name of the type species of <i>Asaphus</i> Brongniart, 1822) (Trilobita). Op. 510	available
<i>expansus</i> , <i>Plethodus</i> , Dixon, 1850, <i>Geol. Foss. Tertiary & Cretaceous Sussex</i> : 394 (specific name of the type species of <i>Plethodus</i> Dixon, 1850) (Osteichthyes). Op. 921	available

<i>exsculpta</i> , <i>Ochthera</i> , Loew, 1862, Monographs Diptera North America, part 1, <i>Smithson. misc. Colls.</i> , 6 : 160, to be interpreted by reference to the holotype of the species (Insecta, Diptera). Op. 1258	available
<i>exsul</i> , <i>Crotalus</i> , Garman, 1884, <i>Memoirs of the Museum of Comparative Zoology of Harvard College</i> , 8 (3): 114, ruled under the plenary power not to be given priority over the subspecific name of <i>Crotalus adamanteus ruber</i> Cope, 1892 whenever the two names are considered to be synonyms (Reptilia, Serpentes). Op. 1960	available
<i>extensorius</i> , <i>Ichneumon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 561 (specific name of the type species of <i>Ichneumon</i> Linnaeus, 1758) (Insecta, Hymenoptera). Direction 4	available
<i>exulans</i> , <i>Diomedea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 132 (specific name of the type species of <i>Diomedea</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>exunguis</i> , <i>Manatus</i> , Natterer, 1839, in Diesing, <i>Ann. wiener Mus. Naturges.</i> , 2 (2): 230 footnote (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1320	index
<i>Eysarcoris</i> Hahn, 1834, <i>Wanzen. Ins.</i> , 2 : 66 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex aeneus</i> Scopoli, 1763, <i>Entomol. carn.</i> : 122) (Insecta, Hemiptera). Op. 313	available
<i>faba</i> , <i>Nautilus</i> , Fichtel & Moll, 1798, <i>Testacea microscopica aliaque minuta ex generibus Argonauta et Nautilus ad naturam picta et descripta</i> , p. 103 (specific name of the type species of <i>Nonion</i> de Montfort, 1808) (Foraminiferida). Op. 1567	available
<i>faber</i> , <i>Zeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 267 (specific name of the type species of <i>Zeus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Fabia</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 253 (gender: feminine) (type species, by monotypy: <i>Fabia subquadrata</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 253) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>fabius</i> , <i>Papilio</i> , Cramer, [1776], <i>Uitl. Kapellen</i> , 1 (8): 141, pl. 90, figs. C, D (specific name of the type species of <i>Consul</i> Hübner, [1807]) (Insecta, Lepidoptera). Op. 278	available
<i>Fabriciana</i> Reuss, 1920, <i>Entomol. Mitt.</i> , 9 : 192 nota (gender: feminine) (type species, by original designation: <i>Papilio niobe</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 481) (Insecta, Lepidoptera). Op. 501	available
<i>fabriciana</i> , <i>Horia</i> , Betrem, 1929, <i>Tijdschrift voor Entomologie</i> , 72 : xxvii (specific name of the type species of <i>Horia</i> Fabricius, 1787) (Insecta, Coleoptera). Op. 1918	available
<i>fabricianus</i> , <i>Megalophthalmus</i> , Leach, 1830, <i>Trans. Plymouth Inst.</i> , 1 : 176-178 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 578	index
<i>fabricii</i> , <i>Tingis</i> , Stål, 1868, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm (n.s.), 7 (No. 11): 93 (also p. 93 of the separate with the title <i>Hémipt. Fab.</i>) (specific name of the type species of <i>Catoplatus</i> Spinola, 1837) (Insecta, Hemiptera). Op. 250	available

<i>fabrili</i> , Aranea , Clerck, 1758, <i>Sénska spindlar ... Aranei Svecici, descriptionibus et figuris ... illustrati</i> , p. 86 (specific name of the type species of <i>Alopecosa</i> Simon, 1885) (Arachnida). Op. 2049	available
<i>facchino</i> , Cancer , Herbst, 1785, <i>Versuch einer Naturgeschichte der Krabben und Krebse</i> , vol. 1, part 6, p. 190 (specific name of the type species of <i>Dorippoides</i> Serène & Romimohtarto, 1969) (Crustacea, Decapoda). Op. 1437	available
<i>Facelina</i> Alder & Hancock, 1855, <i>Mon. brit. nud. Moll.</i> (7): app. xxii (gender: feminine) (type species, by original designation: <i>Eolidia coronata</i> Forbes & Goodsir, 1839, <i>Athenaeum</i> (618): 647, valid name: <i>Doris auriculata</i> Müller, 1776) (Gastropoda). Op. 775	available
FACELININAE Bergh, 1889, in Carus, <i>Prodr. Fauna Medit.</i> , 2 : 213 (type genus: <i>Facelina</i> Alder & Hancock, 1855) (Gastropoda). Op. 775	available
<i>faeroensis</i> , Polycera , Lemche, 1929, <i>Zoology of the Faeroes</i> (ed. Ad. S. Jensen, W. Lundberg & Th. Mortensen; managing editor R. Spärck), LIII, Gastropoda, Opisthobranchiata: 12-15 (Gastropoda). Op. 1085	available
<i>fajumensis</i> , Cardita , Oppenheim, 1903, <i>Palaeontographica</i> , 30 , Abt. 3, Heft 1, 2: 105 (specific name of the type species of <i>Cossmannella</i> Mayer-Eymar, 1896) (Bivalvia). Op. 1177	available
<i>fakir</i> , Belostoma , Gistl, [1848], <i>Naturgeschichte des Thierreiches</i> : 191 (valid name at the date of Opinion 1248 of the type species of <i>Lethocerus</i> Mayr, 1853) (Insecta, Hemiptera). Op. 1248	available
<i>falcata</i> , Gryllus , Poda, 1761, <i>Ins. Mus. graec.</i> : 52 (specific name of the type species of <i>Phaneroptera</i> Serville, 1831) (Insecta, Orthoptera). Direction 4	available
<i>falcata</i> , Perca , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 43 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>falcataria</i> , Phalaena , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 519 (specific name of the type species of <i>Drepana</i> Schrank, 1802) (Insecta, Lepidoptera). Op. 610	available
<i>Falcatula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 210 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>falcatus</i> , Ammonites , Mantell, 1822, <i>The fossils of the South Downs; or illustrations of the geology of Sussex</i> , p. 117, pl. 21, figs. 6, 12 (specific name of the type species of <i>Hypoplites</i> Spath, 1922) (Cephalopoda, Ammonoidea). Op. 1609	available
<i>falcifer</i> , Ammonites , Sowerby, 1820, <i>Min. Conch.</i> , 3 : 99 (specific name of the type species of <i>Harpoceras</i> Waagen, 1869) (Cephalopoda). Op. 303	available
<i>falcifera</i> , Plusia , Kirby, 1837, in Richardson (Ed.), <i>Fauna Boreali-Americana</i> , part 4 (The insects), p. 308 (Insecta, Lepidoptera). Op. 1682	available
<i>falciforme</i> , Ematозоо , Antolisei & Angelini, 1890, <i>Riforma medica</i> , 6 (56): 334 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 283	index

<i>falciforme</i> , <i>Haematozoon</i> , Thayer & Hewetson, 1895, <i>Johns Hopkins Hosp. Reps.</i> , 5 : 27 (usually cited by the title of the paper which constitutes this volume, namely <i>The Malarial Fevers of Baltimore</i>) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 283	index
<i>falciformis</i> , <i>Gregarina</i> , Eimer, 1870, <i>Ueb. ei-und kugelförm. sogen. Psorosp. wirbelth.</i> : 4 (specific name of the type species of <i>Eimeria</i> Schneider, 1875) (Sporozoa). Direction 77	available
<i>Falciger</i> Dejean, 1821, <i>Catalogue de la Collection des Coléoptères de M. le Baron Dejean</i> , p. 84 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1529	index
<i>falciparum</i> , <i>Haematozoon</i> , Welch, 1897, in Loomis, <i>Syst. pract. Med.</i> , 1 : 36 (specific name of the type species of <i>Laverania</i> Feletti & Grassi, 1889) (Sporozoa). Op. 283	available
<i>falclandica</i> , <i>Astacilla</i> , Ohlin, 1901, <i>Svenska Expeditionen till Magellanslanderna</i> , 2 (11): 266 (confirmed by the Commission as the specific name of the type species of <i>Neastacilla</i> Tattersall, 1921) (Isopoda). Op. 1457	available
<i>falcolinus</i> , <i>Tetrao</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 11 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>fallax</i> , <i>Clupea</i> , Lacepède, 1803, <i>Hist. nat. Poissons</i> , 5 : 424 or another edition, 10 : 188 (Osteichthyes). Op. 859	available
<i>fallax</i> , <i>Ebalia</i> , Henderson, 1893, <i>Trans. linn. Soc. London</i> (Zool.), (2) 5 : 402 (specific name of the type species of <i>Heterolithadia</i> Alcock, 1896) (Crustacea, Decapoda). Direction 36	available
<i>fallax</i> , <i>Pupa</i> , Say, 1825, <i>J. Acad. nat. Sci. Philadelphia</i> , 5 : 121 (specific name of the type species of <i>Leucochila</i> von Martens, 1860) (Gastropoda). Direction 73	available
<i>fallax</i> , <i>Triacodon</i> , Marsh, 1871, <i>American Journal of Science</i> , (3) 2 : 123 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Carnivora). Op. 1517	index
<i>falsata</i> , <i>Baeocera</i> , Achard, 1920, <i>Bull. Soc. entomol. France</i> for 1920: 307, as interpreted by the lectotype designated by Löbl (1982, in Opinion 1221) (specific name of the type species of <i>Baeocera</i> Erichson, 1845) (Insecta, Coleoptera). Op. 1221	available
<i>familiaris</i> , <i>Canis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 38 (specific name of the type species of <i>Canis</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>familiaris</i> , <i>Certhia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 118 (specific name of the type species of <i>Certhia</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>farcimen</i> , <i>Enchelis</i> , Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 34 (specific name of the type species of <i>Enchelys</i> Müller, 1773) (Ciliophora). Op. 915	available

<i>farciminoides</i> , <i>Cellaria</i> , Ellis & Solander, 1786, <i>Nat. Hist. Zoophytes</i> : 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 949	index
<i>farinae</i> , <i>Acarus siro</i> [var], Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 616 (a junior objective synonym of <i>siro</i> , <i>Acarus</i> , Linnaeus, 1758, through the first reviser selection made by Fabricius, 1794 (<i>Entomol. syst.</i> , 4 : 430)). Direction 94	index
<i>farinalis</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 533 (specific name of the type species of <i>Pyralis</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>farrani</i> , <i>Eolis</i> , Alder & Hancock, 1844, <i>Ann. Mag. nat. Hist.</i> , 13 : 164, ruled under the plenary power to be given precedence over the specific name <i>alberti</i> Quatrefages, 1844, as published in the binomen <i>Amphorina alberti</i> , whenever the two names are considered synonyms (Gastropoda). Op. 774	available
<i>fasciata</i> , <i>Buprestis</i> , Fabricius, 1787, <i>Mantissa insectorum</i> ..., vol. 1, p. 177 (Insecta, Coleoptera). Op. 2008	available
<i>fasciata</i> , <i>Buprestis</i> , Villers, 1789, <i>Caroli Linnaei Entomologia</i> , p. 339, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis fasciata</i> Fabricius, 1787 (Insecta, Coleoptera). Op. 2008	available
<i>fasciata</i> , <i>Coccinella</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 66 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fasciata</i> , <i>Lacerta</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 24 (included in a work rejected under the plenary power for nomenclatural purposes). Op. 380	index
<i>fasciata</i> , <i>Laplysia</i> [recte <i>Aplysia</i>], Poiret, 1789, <i>Voy. Barbarie</i> , 2 : 2 (Gastropoda). Op. 354	available
<i>fasciata</i> , <i>Lebias</i> , Valenciennes in Humboldt & Valenciennes, 1821, <i>Voyage aux régions équinoxiales du nouveau continent, fait en 1799, 1800, 1801, 1802, 1803 et 1804</i> , vol. 2, part 11, p. 160 (senior subjective synonym of <i>Aphanius nanus</i> Nardo, 1827, the type species of <i>Aphanius</i> Nardo, 1827) (Osteichthyes). Op. 2057	available
<i>fasciata</i> , <i>Pseudoboa</i> , Schneider, 1801, <i>Historia amphibiorum naturalis et literariae</i> (Jena), fasc. 2: 283 (valid name at the date of Opinion 1201 of the type species of <i>Bungarus</i> Daudin, 1803) (Reptilia). Op. 1201	available
<i>fasciata</i> , <i>Rana</i> , all uses of, prior to that by Smith, 1849 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 713	index
<i>fasciata</i> , <i>Rana</i> , Burchell, 1824, <i>Travels Interior South Africa</i> , 2 : 32 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 713	index

<i>fasciata</i> , <i>Rana</i> , Smith, 1849, <i>Illustr. Zool. S. Africa</i> , 2 : pl. 78, figs. 1, 1a-c, as interpreted by the neotype proposed by Parker & Ride, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 290-292) and designated as lectotype in Opinion 713 (conserved under the plenary power) (designated under the plenary power as type species of <i>Strongylopus</i> Tschudi, 1838) (Amphibia). Op. 713, Op. 1920	available
<i>fasciata</i> , <i>Tanagra</i> , Lichtenstein, 1823, <i>Verzeichniss der Doubletten des zoologischen Museums der Königl. Universität zu Berlin</i> , p. 32 (specific name of the type species of <i>Neothraupis</i> Hellmayr, 1936) (Aves). Op. 2004	available
<i>fasciatus</i> , <i>Ammonites</i> , Quenstedt, 1848, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 271 (specific name of the type species of <i>Lytogyroceras</i> Spath, 1925) (Ammonoidea). Op. 2123	available
<i>fasciatus</i> , <i>Anthribus</i> , Forster, 1770, <i>A catalogue of British insects</i> , p. 5 (specific name of the type species of <i>Anthribus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>fasciatus</i> , <i>Aphodius</i> , Fabricius, 1801, <i>Systema Eleutherorum secundum Ordines, Genera, Species adiectis Synonymis, Locis, Observationibus, Descriptionibus</i> , part 1, p. 68 (a junior homonym of <i>Scarabaeus fasciatus</i> Olivier, 1789) (Insecta, Coleoptera). Op. 2150	index
<i>fasciatus</i> , <i>Centropus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 61 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>fasciatus</i> , <i>Chaetodon</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 40 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fasciatus</i> , <i>Crangon</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 82 (Crustacea, Decapoda). Op. 522	available
<i>fasciatus</i> , <i>Crotaphytus</i> , Mocquard, 1899, <i>Nouvelles Archives du Muséum d'Histoire Naturelle</i> , Paris, (4)1: 303 (a junior primary homonym of <i>Crotaphytus fasciatus</i> Hallowell, 1853) (Reptilia). Op. 2014	index
<i>fasciatus</i> , <i>Dytiscus</i> , de Geer, 1774, <i>Mém. Hist. Ins.</i> , 4 : 397 (a junior objective synonym of <i>cinereus</i> , <i>Dytiscus</i> , Linnaeus, 1758). Op. 618	index
<i>fasciatus</i> , <i>Gammarus</i> , Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 : 374 (Crustacea, Amphipoda). Op. 1133	available
<i>fasciatus</i> , <i>Hydrus</i> , Schneider, 1799, <i>Historia amphibiorum naturalis et literariae</i> (Jena), fasc. 1: 240 (specific name of the type species of <i>Hydrophis</i> Latreille, 1801) (Reptilia). Op. 1201	available
<i>fasciatus</i> , <i>Meloë</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 81 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fasciatus</i> , <i>Mesapus</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index

<i>fasciatus, Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 352 (specific name of the type species of <i>Trichius</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 2079	available
<i>fasciatus, Scarabaeus</i> , Olivier, 1789, <i>Entomologie, ou Histoire Naturelle des Insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. 1</i> , Scarabé, p. 90, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Scarabaeus fasciatus</i> Linnaeus, 1758 (Insecta, Coleoptera). Op. 2150	available
<i>fasciatus, Tetrodon</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 32 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fasciatus, Tropidolepis</i> , Gray, 1831, in Griffith, E. & Pidgeon, E. (Eds.), <i>The animal kingdom arranged in conformity with its organization, by the Baron Cuvier, with additional descriptions of all the species hitherto named, and of many not before noticed</i> , vol. 9 (Supplement), p. 44 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1909	index
<i>fascicularis, Madrepora</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 796 (specific name of the type species of <i>Galaxea</i> Oken, 1815) (Anthozoa). Op. 2061	available
<i>fascicularis, Simia</i> , Raffles, 1821, <i>Transactions of the Linnean Society of London</i> , 13 : 346 (Mammalia, Primates). Op. 1400	available
<i>fasciculata, Doris</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105 (a junior homonym of <i>fasciculata, Doris</i> , Müller, 1776). Op. 773	index
<i>Fasciola</i> Goeze, 1782, <i>Versuch. Naturg. Eingeweidewürmer</i> : 41, 180 (a junior homonym of <i>Fasciola</i> Linnaeus, 1758). Direction 76	index
<i>Fasciola</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 648 (gender: feminine) (type species, by designation by Stiles & Hassall, 1898 (<i>Arch. Parasitol.</i> , 1 (1): 88); <i>Fasciola hepatica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 648) (Trematoda). Op. 84, Direction 76	available
<i>Fasciola</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 505 (a junior homonym of <i>Fasciola</i> Linnaeus, 1758). Direction 76	index
<i>Fasciola</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 1 (2): 57 (a junior homonym of <i>Fasciola</i> Linnaeus, 1758). Direction 76	index
<i>Fasciolarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>fasciolatus, Crotaphytus</i> , Mocquard, 1903, <i>Bulletin du Muséum d'Histoire Naturelle</i> , Paris, 9 : 209 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia). Op. 2014	index
<i>Fasciolites</i> Parkinson, 1811, <i>Organic remains of a former world</i> , p. 158 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1501	index

<i>fastigiata</i> , <i>Sertularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 815 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 956	index
<i>fatalis</i> , <i>Solpuga</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 217, ruled under the plenary power to be available despite having been published in a suppressed work (Solifugae). Op. 1820	available
<i>fatima</i> , <i>Papilio</i> , Fabricius, 1793, <i>Entomol. Syst.</i> , 3(1): 81 (Insecta, Lepidoptera). Op. 1339	available
<i>fausti</i> , <i>Helophorus</i> , Kuwert, 1887, <i>Wiener entomologische Zeitung</i> , 6: 165, ruled under the plenary power not to be given priority over the specific name of <i>Helophorus (Trichelophorus) obscurellus</i> Poppius, 1907 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1630	available
<i>Faviphyllum</i> Hall, 1852, Geology and Paleontology, in Stansbury, Exploration and survey of the valley of the Great Salt Lake of Utah, including a reconnaissance of a new route through the Rocky Mountains, U.S. 32nd Congress Special Session, Senate Executive Document, 3: 407, pl. 1, figs. la, lb (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 813	index
FAVORININAE Bergh, 1889, in Carus, <i>Prodr. Fauna Medit.</i> , 2: 212 (type genus: <i>Favorinus</i> Gray, 1850) (Gastropoda). Op. 783	available
<i>Favorinus</i> Gray, 1850, <i>Figs. Moll. Anim.</i> , 4: 109 (gender: masculine) (type species, by monotypy: <i>Eolis alba</i> Alder & Hancock, 1844, <i>Ann. Mag. nat. Hist.</i> , 13: 164, valid name: <i>Doris branchialis</i> Rathke, 1806) (Gastropoda). Op. 783	available
<i>Favus</i> Lanchester, 1900, <i>Proc. zool. Soc. London</i> , 1900: 767 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Favus granulatus</i> Lanchester, 1900, <i>Proc. zool. Soc. London</i> , 1900: 768) (Crustacea, Decapoda). Op. 73, Direction 25	available
<i>Favus</i> Schafhaeutl, 1850, <i>Geogn. Unters. südbay. Alpengeb.</i> : 44 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 24	index
<i>feisthamelii</i> , <i>Papilio</i> , Duponchel, 1832, in Godart, <i>Hist. nat. Lépid. France</i> , Suppl., 1 (Diurnes): 7, pl. 1, fig. 1♀ (type locality: 'Barcelone') (without prejudice to the prior rights of the nominal species <i>Papilio podalirius</i> Linnaeus, 1758, if that name is held to apply to a subspecies of the same collective species) (Insecta, Lepidoptera). Op. 263	available
<i>Felis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 41 (gender: feminine) (type species, by Linnaean tautonymy: <i>Felis catus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 42) (Mammalia). Op. 91, Direction 24	available

<i>felis, Silurus</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1(1), p. 501, as defined by the neotype (specimen no. BMNH 1985.11.11:1 in the collections of the Natural History Museum, London) designated under the plenary power, any type specimen status of the specimen no. 125 in the Linnean Society of London collection, labelled <i>Silurus felis</i> Linnaeus, No. 19 of Garden, being set aside under the plenary power (Osteichthyes, Siluriformes). Op. 1547	available
<i>felix, Diplectrona</i> , MacLachlan, 1878, <i>Rev. Syn. Trich.</i> : 376 (specific name of the type species of <i>Diplectrona</i> Westwood, 1839) (Insecta, Trichoptera). Op. 758	available
<i>femorale, Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 749 (specific name of the type species of <i>Cymatium</i> [Röding], 1798) (Gastropoda). Op. 1650	available
<i>femorata, Buprestis</i> , Olivier, 1790, <i>Entomologie, ou histoire naturelle des insectes ... Coléoptères, genera 9-34</i> , vol. 2(32), p. 47, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis femorata</i> Villers, 1789 (Insecta, Coleoptera). Op. 2008	available
<i>femorata, Corixa</i> , Guérin-Méneville, 1857, <i>Moniteur univ.</i> (no. 330): 1298 (specific name of the type species of <i>Krizousacorixa</i> Hungerford, 1930) (Insecta, Hemiptera). Op. 1311	available
<i>femorata, Dryops</i> , Fabricius, 1792, <i>Entomologia systematica</i> , vol. 1, part 2, p. 74 (specific name of the type species of <i>Oncomera</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1506	available
<i>femorata, Phora</i> , Meigen, 1830, <i>Systematische Beschreibung der bekannten Europäischen Zweiflügeligen</i> , vol. 6, p. 213 (senior subjective synonym by the first reviser action of Zetterstedt, 1848, <i>Diptera Scandinaviae disposita et descripta</i> , p. 2886, of the specific name of <i>Phora flavimana</i> Meigen, 1830, the type species of <i>Borophaga</i> Enderlein, 1924) (Insecta, Diptera). Op. 1863	available
<i>femurrubrum, Acrydium</i> , de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3: 498, pl. 42, fig. 5 (specific name of the type species of <i>Melanoplus</i> Stål, 1873) (Insecta, Orthoptera). Op. 835	available
<i>Fenestella</i> [Röding], 1798, <i>Mus. bolten.</i> , 2: 193 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 622	index
<i>Fenestella</i> Lonsdale, 1839, in Murchison, <i>Silurian System</i> : 677 (gender: feminine) (type species, by designation under the plenary power: <i>Fenestrella</i> [sic] <i>subantiqua</i> d'Orbigny, 1850, <i>Prodr. Paléont.</i> , 1: 44, as interpreted by the neotype designated by Elias, 1956 (<i>J. Paleont.</i> , 30: 317, 319-321, pl. 43, figs. 1-4)) (Bryozoa). Op. 622	available
FENESTELLIDAE King, 1849, <i>Ann. Mag. nat. Hist.</i> , (2)3: 388 (type genus: <i>Fenestella</i> Lonsdale, 1839) (Bryozoa). Op. 622	available
<i>fenestralis, Aranea</i> , Ström, 1768, <i>Trondh. Selsk. Skr.</i> , 4: 362 (valid name at the date of Opinion 1119 of the type species of <i>Amaurobius</i> Koch, 1837) (Arachnida). Op. 1119	available
<i>fenestralis, Helomyza</i> , Fallén, 1820, <i>Heteromyzides Sveciae</i> , p. 5 (specific name of the type species of <i>Oecothaea</i> Haliday in Curtis, 1837) (Insecta, Diptera). Op. 1797	available
<i>Fenestrella</i> d'Orbigny, 1849, <i>Rev. Mag. Zool.</i> , (2)3: 501 (an incorrect subsequent spelling for <i>Fenestella</i> Lonsdale, 1839). Op. 622	index

<i>Fenestrella</i> d'Orbigny, 1850, <i>Prodr. Paléont.</i> , 1 : 44 (an incorrect subsequent spelling for <i>Fenestella</i> Lonsdale, 1839). Op. 622	index
<i>Fenestrella</i> Girard, [1844], <i>Arch. wiss. Kunde Russland</i> (1843), 3 : 539 (an incorrect subsequent spelling for <i>Fenestella</i> Lonsdale, 1839). Op. 622	index
<i>Fenestrella</i> Gray, 1847, <i>Proc. zool. Soc. London</i> , 1847 : 201 (an incorrect subsequent spelling for <i>Fenestella</i> [Röding], 1798). Op. 622	index
<i>Fenestrella</i> Osborn & Drake, 1916, <i>Ohio State Univ. Bull.</i> , 20 : 222 (gender: feminine) (type species, by original designation: <i>Fenestrella ovata</i> Osborn & Drake, 1916, <i>Ohio State Univ. Bull.</i> , 20 : 222) for use by those who consider that <i>Fenestrella</i> is a taxon distinct from <i>Acalypta</i> Westwood, 1840 (Insecta, Hemiptera). Op. 622	available
<i>Fenestrellina</i> d'Orbigny, 1849, <i>Rev. Mag. Zool.</i> , (2) 3 : 501 (gender: feminine) (type species, by original designation: <i>Fenestella crassa</i> McCoy, 1844, <i>Syn. Char. Carb. Limest. Foss. Ireland</i> : 501) (Bryozoa). Op. 622	available
<i>Fennecus</i> Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 18 (gender: masculine) (type species, by original designation: <i>Fennecus arabicus</i> Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 18, valid name: <i>Canis zerda</i> Zimmermann, 1780) (Mammalia). Op. 384	available
<i>fennicum</i> , <i>Pedalion</i> , Levander, 1892, <i>Zool. Anz.</i> , 15 : 403 (specific name of the type species of <i>Hexarthra</i> Schmarda, 1854) (Rotifera). Op. 326	available
<i>fergusoni</i> , <i>Conus</i> , G.B. Sowerby III, 1873, <i>Proceedings of the Zoological Society of London</i> , 1873 : 145, ruled under the plenary power to be given precedence over the specific name of <i>Conus fulvocinctus</i> Crosse, 1872 whenever the two names are considered to be synonyms (Gastropoda). Op. 1502	available
<i>feriatus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627 (specific name of the type species of <i>Charybdis</i> de Haan, [1833]) (Crustacea, Decapoda). Op. 712	available
<i>fernandopoensis</i> , <i>Sitala (Prositala)</i> , Germain, 1915, <i>Bulletin du Muséum National d'Histoire Naturelle, Paris</i> , 21 : 283 (specific name of the type species of <i>Prositala</i> Germain, 1915) (Gastropoda). Op. 2081	available
<i>ferox</i> , <i>Accipiter</i> , Gmelin, 1771, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 15 : 442 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 83	index
<i>ferox</i> , <i>Carcharias</i> , Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 3 : 122 (specific name of the type species of <i>Odontaspis</i> Agassiz, 1838) (Chondrichthyes). Op. 723	available
<i>ferox</i> , <i>Cryptoprocta</i> , Bennett, 1833, <i>Proc. zool. Soc. London</i> , 1 (1833): 46 (specific name of the type species of <i>Cryptoprocta</i> Bennett, 1833) (Mammalia). Op. 384	available
<i>ferox</i> , <i>Lipeurus</i> , Giebel, 1867, <i>Z. ges. Nat. Wiss.</i> , 29 : 195 (specific name of the type species of <i>Harrisoniella</i> Bedford, 1929) (Insecta, Mallophaga). Op. 656	available
<i>ferrugalis</i> , <i>Pyralis</i> , Hübner, 1796, <i>Samml. europ. Schmett.</i> : pl. <i>Pyr.</i> 9, fig. 54 (specific name of the type species of <i>Udea</i> Guénée, 1844) (Insecta, Lepidoptera). Op. 536	available

<i>ferrugator</i> , <i>Cimex</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 101 (an unjustified emendation of <i>ferrugatus</i> , <i>Cimex</i> , Fabricius, 1787). Direction 63	index
<i>ferrugatus</i> , <i>Cimex</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 232 (specific name of the type species of <i>Elasmucha</i> Stål, 1864) (Insecta, Hemiptera). Direction 63	available
<i>ferruginea</i> , <i>Hemicelidon</i> , Hodgson, 1845, <i>Proc. zool. Soc. London</i> , 13 : 32 (conserved under the plenary power) (Aves). Op. 416	available
<i>ferruginea</i> , <i>Hemicelidon</i> , Hodgson, June 1844, in Gray, <i>Zool. Miscell.</i> (6): 84 (a nomen nudum). Op. 416	index
<i>ferruginea</i> , <i>Musca</i> , Scopoli, 1763, <i>Entomologica carniolica exhibens insecta ...</i> , p. 340 (specific name of the type species of <i>Coenomyia</i> Latreille, 1796) (Insecta, Diptera). Op. 1870	available
<i>ferruginea</i> , <i>Muscicapa</i> , Merrem, 1784, <i>Avium rar. Icones Descr.</i> , 1 : 19 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 416	index
<i>ferruginea</i> , <i>Simulia</i> , Wahlberg, 1844, <i>Ofversigt at Kongl. Vetenskaps-Akademiens Förhandlingar</i> , vol. 1, p. 110, ruled under the plenary power to be given precedence over the specific names of <i>Simulia rufa</i> Meigen, 1838 and <i>Simulia borealis</i> Zetterstedt, 1842 whenever these names are considered to be synonyms of <i>ferruginea</i> (Insecta, Diptera). Op. 1496	available
<i>ferruginea</i> , <i>Tipula</i> , Fabricius, 1805, <i>Syst. antl.</i> : 28 (Insecta, Diptera). Op. 1257	available
<i>ferruginea</i> , <i>Tipula</i> , Scopoli, 1763, <i>Entomol. carniolica</i> : 321 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1257	index
<i>ferrugineus</i> , <i>Conops</i> , Linnaeus, 1761, <i>Fauna svecica sistens animalia sveciae regni</i> , Ed. 2, p. 468 (specific name of the type species of <i>Sicus</i> Scopoli, 1763) (Insecta, Diptera). Op. 1870	available
<i>ferrugineus</i> , <i>Geophilus</i> , Koch, 1835, <i>Deutschlands Crustaceen, Myriapoden und Arachniden</i> , heft 3, tab. 2, unnumbered page (Chilopoda). Op. 2218	available
<i>ferrumequinum</i> , <i>Vespertilio</i> , Schreber, [1774], <i>Die Säugthiere</i> , 1 : 174, pl. 62 (specific name of the type species of <i>Rhinolophus</i> Lacepède, 1799) (Mammalia). Direction 22	available
<i>fertilis</i> , <i>Artemia</i> , Verrill, 1869, <i>American Journal of Science and Arts</i> , (2) 48 : 430 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Branchiopoda). Op. 1704	index
<i>ferus</i> , <i>Camelus bactrianus</i> , Przewalski, 1878, <i>From Kul'dzha through Tyan'-Shan' to Lob-Nor</i> , pp. 20, 43, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>ferus</i> , <i>Camelus dromedarius</i> , Falk, 1786, <i>Beiträge zur topographischen Kenntnis des Russischen Reiches</i> , vol. 3, p. 292 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Mammalia). Op. 2027	index

<i>ferus, Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 449 (valid name at the date of Direction 64 of the type species of <i>Nabis</i> Latreille, [1802]) (Insecta, Hemiptera). Direction 64	available
<i>ferus, Equus</i> , Boddaert, 1785, <i>Elenchus Animalium</i> , vol. 1 (Sistens Quadrupedia), p. 159, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>ferus, Felis catus</i> var., Erxleben, 1777, <i>Syst. Regni Anim.</i> : 518 (a junior primary homonym of <i>ferus, Felis catus</i> Linn., Schreber, [1775]). Op. 465	index
<i>ferus, Felis catus</i> , Linn., Schreber, [1775], <i>Die Säugthiere</i> , 3: pl. 107A (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 465	index
<i>ferussaci, Squilla</i> , Roux, 1830, <i>Crust. Médit.</i> : pl. 28 (Crustacea, Stomatopoda). Op. 522	available
<i>fervensis, Tellina</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3235 (specific name of the type species of <i>Psammobia</i> Lamarck, 1818) (Bivalvia). Op. 910	available
<i>festiva, Buprestis</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 663 (specific name of the type species of <i>Palmar</i> Schaefer, 1949) (Insecta, Coleoptera). Op. 1825	available
<i>festiva, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 593, as defined by the neotype (male specimen BM 1937-539, in the Natural History Museum, London, marked 'NEOTYPE, det. P.J. Chandler, 31.3.2000', collected from Schneverdingen, Lüneberg Heath, N. Germany, by T.H. Rowsell and B.J. Clifton, in 1937) designated under the plenary power (Insecta, Diptera). Op. 1982	available
<i>festucae, Myzus</i> , Theobald, 1917, <i>Entomologist</i> , 50: 80, ruled under the plenary power to be given precedence over the specific name <i>myrmecophilum</i> Theobald, 1916, as published in the binomen <i>Macrosiphum myrmecophilum</i> , whenever the two names are considered synonyms (Insecta, Hemiptera). Op. 1353	available
<i>fiber, Castor</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 58 (specific name of the type species of <i>Castor</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>fibratus, Limax</i> , Martyn, 1784, <i>The universal conchologist ...</i> , vol. 1, pl. 25 (specific name of the type species of <i>Placostylus</i> Beck, 1837), ruled under the plenary power to be an available name despite being published in a work rejected for nomenclatural purposes (Gastropoda). Op. 1662	available
<i>Fibularia</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3: 16 (gender: feminine) (type species, by designation under the plenary power: <i>Fibularia ovulum</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3: 17) (Echinoidea). Op. 207	available
<i>fibularis, Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 103 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Fidela</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 1 : 154; <i>ibid.</i> , 4 : 435 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 344	index
<i>Fidelis</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4 : 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 344	index
<i>fidelis</i> , <i>Hemerobius</i> , Banks, 1897, <i>Trans. Amer. entomol. Soc.</i> , 24 : 27 (specific name of the type species of <i>Boriomyia</i> Banks, 1904) (Insecta, Neuroptera). Op. 752	available
<i>filamentosus</i> , <i>Callionymus</i> , Valenciennes in Cuvier & Valenciennes, 1837, <i>Histoire naturelle des poissons</i> , vol. 12, p. 303 (Osteichthyes, Callionymidae). Op. 1388	available
<i>Filaraia</i> Rudolphi, 1809, <i>Entozoorum</i> , 2 (1): 69 (an incorrect subsequent spelling for <i>Filaria</i> Müller, 1787). Direction 76	index
<i>Filaria</i> Müller, 1787, <i>Der Naturforscher</i> , Halle, 22 : 64 (gender: feminine) (type species, by designation by Stiles & Hassall, 1905 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 79 : 106); <i>Filaria maritis</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3040) (Nematoda). Op. 104, Direction 76	available
<i>Filellum</i> Hincks, 1868, <i>A history of the British hydroid zoophytes</i> , vol. 1, p. 214 (gender: neuter) (type species, by monotypy: <i>Campanularia serpens</i> Hassall, 1848) (Hydrozoa). Op. 1485	available
<i>Filimanus</i> Myers, 1936, <i>Journal of the Washington Academy of Sciences</i> , 26 (9): 379 (gender: feminine) (type species, by designation under the plenary power: <i>Filimanus perplexa</i> Feltes, 1991) (Osteichthyes, Perciformes). Op. 1761	available
<i>filipes</i> , <i>Benthonectes</i> , Smith, 1885, <i>Proc. U.S. nat. Mus.</i> , 7 : 509 (specific name of the type species of <i>Benthonectes</i> Smith, 1885) (Crustacea, Decapoda). Op. 864	available
<i>filosa</i> , <i>Psammobia</i> , Conrad, 1833, <i>Fossil Shells Tert. N. Amer.</i> , 4 : 42 (specific name of the type species of <i>Garum</i> Dall, 1900) (Bivalvia). Op. 910	available
<i>filosus</i> , <i>Octopus</i> , Howell, 1868, <i>American Journal of Conchology</i> , 3 : 240 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda). Op. 2147	index
<i>filum</i> , <i>Mantis</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 81, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Mantodea). Op. 1820	available
<i>filum</i> , <i>Paederus</i> , Waltl, 1838, <i>Isis, encyclopädische Zeitschrift, vorzüglich für Naturgeschichte, vergleichende Anatomie und Physiologie</i> , column 267 (Insecta, Coleoptera). Op. 2139	available
<i>filum</i> , <i>Sunius</i> , Aubé, 1850, <i>Annales de la Société Entomologique de France</i> , (2) 8 : 317, ruled under the plenary power to be not invalid by reason of being a junior secondary homonym of <i>Paederus filum</i> Waltl, 1838 (Insecta, Coleoptera). Op. 2139	available

<i>fimbria</i> , Tethys , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1089 (specific name of the type species of Tethys Linnaeus, 1767) (Gastropoda). Op. 200	available
<i>fimbriata</i> , Spirifera , Phillips, 1836, <i>Illustrations of the Geology of Yorkshire</i> (2): 220 (Brachiopoda). Op. 1041	available
<i>fimbriata</i> , Spratella , Valenciennes, 1847, in Cuvier & Valenciennes, <i>Hist. nat. Poiss.</i> , 20 : 359 (Osteichthyes). Op. 901	available
<i>fimbriata</i> , Testudo , Schneider, 1783, <i>Allg. Naturgesch. Schildkröten</i> : 349 (conserved under the plenary power) (Reptilia). Op. 660	available
<i>fimbriata</i> , Tipula , Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1 : 190 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1160	index
<i>fimbriatum</i> , Gasterostomum , Siebold, 1848, <i>Lehrbuch der vergleichende Anatomie der wirbellosen Thiere</i> , vol. 1, p. 129, as defined by the lectotype designated by Baturo, 1979, <i>Bulletin of Zoological Nomenclature</i> , 36 : 33 (a junior objective synonym of the specific name of Bucephalus polymorphus Baer, 1827) (Trematoda). Op. 1717	index
<i>fimbriatus</i> , Ammonites , Sowerby, 1817, <i>Min. Conch.</i> , 2 : 145 (specific name of the type species of Lytoceras Suess, 1865) (Cephalopoda). Direction 73	available
<i>fimbriatus</i> , Stellio , Schneider, 1792, <i>Amphibiorum physiologiae specimen alterum</i> : 32 (specific name of the type species of Uroplatus Duméril, 1806) (Reptilia). Op. 1359	available
<i>fimbriatus</i> , Trinucleus , Murchison, 1839, <i>Silurian System</i> : 660, as interpreted by the lectotype designated by Stubblefield & Whittington, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 51) (specific name of the type species of Trinucleus Murchison, 1839) (Trilobita). Op. 505	available
<i>Fissurelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Fistulanigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Fistularia</i> Blainville, 1830, <i>Dict. Sci. nat.</i> , 60 : 173 (a junior homonym of Fistularia Linnaeus, 1758). Direction 56	index
<i>Fistularia</i> Bowerbank, 1841, <i>Proc. geol. Soc. London</i> , 3 (No. 78): 433 (a junior homonym of Fistularia Linnaeus, 1758). Direction 56	index
<i>Fistularia</i> Forsskål, 1775, <i>Descr. Anim.</i> : 121 (a junior homonym of Fistularia Linnaeus, 1758). Direction 56	index
<i>Fistularia</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 74 (a junior homonym of Fistularia Linnaeus, 1758). Direction 56	index
Fistularia Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 312 (gender: feminine) (type species, by monotypy: Fistularia tabacaria Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 312) (Osteichthyes). Op. 75 <i>Fistularia</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 254 (a junior homonym of Fistularia Linnaeus, 1758). Direction 56	available

<i>Fistulipora</i> McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2)3: 130 (conserved under the plenary power) (gender: feminine) (type species, by designation by Milne Edwards & Haime, 1850 (<i>Monogr. Brit. Fossil Corals</i> (Pal. Soc.): lix): <i>Fistulipora minor</i> McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2)3: 130) (Bryozoa). Op. 459	available
<i>Fistulipora</i> Rafinesque, 1831, <i>Remark. nat. Obj. Cab. Prof. Rafinesque</i> : 5 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 459	index
FISTULIPORIDAE Ulrich, 1882, <i>J. Cincinn. Soc. nat. Hist.</i> , 5: 156 (type genus: <i>Fistulipora</i> McCoy, 1849) (Bryozoa). Op. 459	available
<i>fistulosa, Eschara</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 804, as interpreted by the neotype designated under the plenary power (Bryozoa). Op. 949	available
<i>fitzingeri, Laemantus</i> , Wiegmann, 1834, <i>Herpetologia Mexicana, seu descriptio amphibiorum Novae Hispaniae ... Pars prima, saurorum species amplectens ...</i> , p. 46 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1777	index
<i>fiumana, Lacerta muralis neapolitana</i> var., Werner, 1891, <i>Verh. zool.-bot. Ges. Wien</i> , 41: 753 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>Fizesereneia</i> Takeda & Tamura, 1980, <i>Bulletin of the National Science Museum, Tokyo</i> , (A)6: 137 (gender: feminine) (type species, confirmed by the Commission to be by original designation: <i>Troglocarcinus heimi</i> Fize & Serène, 1956) (Crustacea, Decapoda). Op. 1591	available
<i>flabelliforme, Scleritoderma</i> , Sollas, 1888, <i>Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1873-76, Zoology</i> , 25(63): 316 (specific name of the type species of <i>Scleritoderma</i> Schmidt, 1879) (Porifera). Op. 2060	available
<i>Flabellina</i> Cuvier, 1830, <i>Règne Anim.</i> (ed. 2), 3: 55 (not made available in the work cited). Op. 781	index
<i>Flabellina</i> d'Orbigny, 1839, <i>in Sagra, Hist. nat. Ile Cuba</i> : 42 (a junior homonym of <i>Flabellina</i> Voigt, 1834). Op. 781	index
<i>Flabellina</i> de Gregorio, 1930, <i>Ann. géol. paléontol. Palermo</i> , 52: 33 (a junior homonym of <i>Flabellina</i> Voigt, 1834). Op. 781	index
<i>Flabellina</i> Levinse, 1902, <i>Vid. Medd. Dansk. Naturh. Foren.</i> : 21 (an unjustified emendation of <i>Flabellaris</i> Waters, 1898). Op. 781	index
<i>Flabellina</i> Voigt, 1834, <i>Das Thierreich</i> , 3: 124 (gender: feminine) (type species, by monotypy: <i>Doris affinis</i> Gmelin, 1791, <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105) (Gastropoda). Op. 781	available
FLABELLININAE Bergh, 1889, <i>in Carus, Prodr. Fauna Medit.</i> , 2: 215 (type genus: <i>Flabellina</i> Voigt, 1834) (Gastropoda). Op. 781	available
<i>flabellipes, Curculio</i> , Olivier, 1807, <i>Entomologie, ou histoire naturelle des insectes ... Coléoptères</i> , p. 374 (specific name of the type species of <i>Geonemus</i> Schönherr, 1833) (Insecta, Coleoptera). Op. 1493	available

<i>flammeus</i> , Meloë, Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 81 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>flava</i> , <i>Campephaga</i> , Vieillot, 1817, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 10 : 49 (Aves). Op. 407	available
<i>flava</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 600 (valid name at the date of Opinion 847 of the type species of <i>Chyromya</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 847	available
<i>flava</i> , <i>Testudo</i> , Lacepède, 1788, <i>Hist. nat. Quad. ovip. Serpens</i> , 1 , Synops. method.: 135, tab. 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index
<i>flava</i> , <i>Zonitis</i> , Fabricius, 1775, <i>Systema Entomologiae</i> ..., p. 127 (specific name of the type species of <i>Zonitis</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1918	available
<i>flaveola</i> , <i>Certhia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 119 (specific name of the type species of <i>Coereba</i> Vieillot, 1807) (Aves). Direction 43	available
<i>flavescens</i> , <i>Amphisbaena</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 29 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>flavescens</i> , <i>Gryllus (Locusta)</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 85 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>flavescens</i> , <i>Lanius</i> , Lichtenstein, 1793, <i>Cat. Rerum nat. rariss. Hamb.</i> , 1 : 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 407	index
<i>flavescens</i> , <i>Spatagus</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 236, as interpreted, by direction under the plenary power, by the neotype designated by Melville, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 215, 216) (Echinoidea). Op. 608	available
<i>flavescens</i> , <i>Tettigonia</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 24 (valid name at the date of Opinion 590 of the type species of <i>Ptyelus</i> Lepeletier & Serville, 1828) (Insecta, Hemiptera). Op. 590	available
<i>flavescens</i> , <i>Trochilus</i> , Loddiges, 1832, <i>Proc. Comm. Sci. zool. Soc. London</i> , 2 (15): 7 (specific name of the type species of <i>Boissonneaua</i> Reichenbach, [1854]) (Aves). Op. 550	available
<i>flavescens</i> , <i>Vespa</i> , Fabricius, 1775, <i>Syst. entomol.</i> : 370 (specific name of the type species of <i>Antodynerus</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>flavicans</i> , <i>Sylvia</i> , Vieillot, [1820], in Bonnaterre & Vieillot, <i>Tableau encyclopaedique et méthodique, trois règnes de la nature, ornithologie</i> , vol. 2, p. 438 (Aves). Op. 1859	available
<i>flaviceps</i> , <i>Notiphila</i> , Meigen, 1830, <i>Syst. Beschr. zweifl. Ins.</i> , 6 : 72 (valid name at the date of Opinion 1321 of the type species of <i>Hydrellia</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 1321	available

<i>flavicollis, Termes</i> , Fabricius, 1793, <i>Entomologia Systematica Emendata et Aucta, Secundum Classes, Ordines, Genera, Species, Adjectis Synonimis, Locis, Observationibus, Descriptionibus</i> , vol. 2, p. 91 (specific name of the type species of <i>Kalotermes</i> Hagen, 1853) (Insecta, Isoptera). Op. 2007	available
<i>flavicollo, Psittacus banksii</i> , Kerr, 1792, <i>The animal kingdom, or zoological system, of the celebrated Sir Charles Linnaeus</i> , vol. 1, part 2, p. 586 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1833	index
<i>flavicornis, Chrysomela</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> , 1 : 73, and all uses of that name prior to <i>flavicornis, Chrysomela</i> , Suffrian, 1851, <i>Linnaea Entomol.</i> , 5 : 215 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1270	index
<i>flavicornis, Chrysomela</i> , Suffrian, 1851, <i>Linnaea Entomol.</i> , 5 : 215 (Insecta, Coleoptera). Op. 1270	available
<i>flavicornis, Leuckartia</i> , Claus, 1863, <i>Die frei lebenden Copepoden mit besonderer Berücksichtigung der Fauna Deutschlands, der Nordsee und des Mittelmeeres</i> , p. 183 (specific name of the type species of <i>Lucicutia</i> Giesbrecht in Giesbrecht & Schmeil, 1898) (Copepoda). Op. 1613	available
<i>flavilabris, Aphalara</i> , Froggatt, 1903, <i>Proc. Linn. Soc. N.S. Wales</i> , 28 : 318 (specific name of the type species of <i>Glycaspis</i> Taylor, 1960) (Insecta, Hemiptera). Op. 725	available
<i>flavipennis, Sphex</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 201 (specific name of the type species of <i>Sphex</i> Linnaeus, 1758) (Insecta, Hymenoptera). Direction 2	available
<i>flavipes, Chironomus</i> , Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1 : 50 (valid name at the date of Opinion 616 of the type species of <i>Phaenopsectra</i> Kieffer, 1921) (Insecta, Diptera). Op. 616	available
<i>flavipes, Chrysomela</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 601 (specific name of the type species of <i>Luperus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1273	available
<i>flavipes, Dytiscus</i> , Fabricius, 1792, <i>Entomol. syst.</i> , 1 : 201 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 395	index
<i>flavipes, Dytiscus</i> , Olivier, 1795, <i>Entomologie</i> , 3 (No. 40): 38, pl. 5, fig. 52a, b (conserved under the plenary power) (Insecta, Coleoptera). Op. 395	available
<i>flavipes, Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423, ruled under the plenary power not to be given priority over <i>Staphylinus planus</i> Paykull, 1792 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>flavipes, Syrphus</i> , Panzer, 1798, <i>Faunae insectorum germanicae initia oder Deutschlands Insecten</i> , Heft 54, p. 10 (specific name of the type species of <i>Cheilosia</i> Meigen, 1822) (Insecta, Diptera). Op. 1744	available

<i>flavirostris</i> , <i>Garrulus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 72 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>flavofasciata</i> , <i>Buprestis</i> , Herbst, 1801, <i>Natursystem aller bekannten in- und ausländischen Insecten, als eine Fortsetzung der Büssonschen Naturgeschichte. Der Käfer</i> , vol. 9, p. 306, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis</i> <i>flavofasciata</i> Piller & Mitterpacher, 1783 (Insecta, Coleoptera). Op. 2008	available
<i>flavofasciata</i> , <i>Buprestis</i> , Piller & Mitterpacher, 1783, <i>Iter per Poseganum, Sclavoniae provinciam mensibus Junio et Julio 1782 susceptum</i> , p. 84 (specific name of the type species of <i>Carininota</i> Volkovitsh, 1979) (Insecta, Coleoptera). Op. 2008	available
<i>flavolineatus</i> , <i>Mullus</i> , Lacepède, 1802, in Buffon, <i>Hist. nat., Hist. nat. Poissons</i> , 3 : 406 (specific name of the type species of <i>Mulloidichthys</i> Whitley, 1929) (Osteichthyes). Op. 846	available
<i>flavomaculata</i> , <i>Libellula</i> , Vander Linden, 1825, <i>Monographiae libellulinarum Europaearum specimen</i> , p. 19, as defined by specimen no. 768 in the collection of the Linnean Society of London (Insecta, Odonata). Op. 2110	available
<i>flavomaculata</i> , <i>Pontonia</i> , Heller, 1864, <i>Verh. zool.-bot. Ges. Wien</i> , 14 : 51 (Crustacea, Decapoda). Op. 522	available
<i>flavopictus</i> , <i>Asthraeus</i> (sic), Laporte & Gory, 1837, <i>Mon. Bupr.</i> , 1 : 1, pl. 1, fig. 1 (specific name of the type species of <i>Asteraeus</i> Laporte & Gory, 1837) (Insecta, Coleoptera). Op. 795	available
<i>flavus</i> , <i>Bagrus</i> , Bleeker, 1846, <i>Natuur- en Geneeskundig Archief voor Neérland's Indië</i> , 3 : 156, ruled that the previous fixation of type specimen is not set aside (Osteichthyes). Op. 2011	available
<i>flavus</i> , <i>Limax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 652 (Gastropoda). Op. 336	available
<i>Flebotomus</i> Rondani, 1840, <i>Mem. serv. Ditterol. ital.</i> , 1 : 12 (an incorrect original spelling for <i>Phlebotomus</i> Rondani, 1840). Op. 256	index
<i>fleuriausi</i> , <i>Radiolites</i> , d'Orbigny, 1842, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2) 17 : 181 (specific name of the type species of <i>Praeradiolites</i> Douvillé, 1902) (Bivalvia). Op. 856	available
<i>Flexicalymene</i> Shirley, 1936, <i>Quart. J. geol. Soc. London</i> , 92 : 395 (gender: feminine) (type species, by original designation: <i>Calymene caractaci</i> Salter, 1865, <i>Mon. Brit. Trilobites</i> : 96) (Trilobita). Op. 736	available
<i>flexuella</i> , <i>Spaniotoma (Orthocladius)</i> , Edwards, 1929, <i>Transactions of the Royal Entomological Society of London</i> , 77 : 349 (specific name of the type species of <i>Mesosmittia</i> Brundin, 1956) (Insecta, Diptera). Op. 2179	available
<i>flexuosa</i> , <i>Geoteuthis</i> , Münster, 1843, in Münster, G. Graf zu, Meyer, H.V. & Wagner, R. (Eds.), <i>Beiträge zur Petrefacten-Kunde ...</i> , p. 75 (specific name of the type species of <i>Parabelopeltis</i> Naef, 1921) (Cephalopoda, Coleoidea). Op. 1914	available

<i>flexuosa</i> , <i>Laomedea</i> , Alder, 1857, <i>Trans. Tyneside Nat. Fld. Cl.</i> , 3 : 122 (specific name of the type species of <i>Laomedea</i> Lamouroux, 1812) (Hydrozoa). Op. 1345	available
<i>florentina</i> , <i>Aranea</i> , Rossi, 1790, <i>Fauna Etrusca</i> , 2 : 133 (specific name of the type species of <i>Segestria</i> Latreille, 1804) (Arachnida). Direction 29	available
<i>floridanus</i> , <i>Thor</i> , Kingsley, 1878, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1878 : 95 (specific name of the type species of <i>Thor</i> Kingsley, 1878) (Crustacea, Decapoda). Op. 470	available
<i>floriformis</i> , <i>Erismatolithus Madreporites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. V[1], pl. 43, figs. 3, 4, as interpreted by the neotype designated by Smith, 1916 (<i>Quart. J. geol. Soc. London</i> , 71 : 247, 259) (conserved under the plenary power) (Anthozoa). Op. 419	available
<i>Florilus</i> de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles. Coquilles univalves, cloisonnées</i> , vol. 1, p. 134 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1568	index
<i>flos-maris</i> , <i>Clupea</i> , Richardson, 1846, <i>15th. Rept. Brit. Assoc.</i> (Cambridge 1845): 305 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 901	index
<i>fluminalis</i> , <i>Tellina</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 205 (specific name of the type species of <i>Corbicula</i> Megerle von Muehlfeld, 1811) (Bivalvia). Op. 335	available
<i>fluminensis</i> , <i>Cynopoecilus</i> , Faria & Muller, 1937, <i>Revista Naval</i> , 37 (3): 99 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Cyprinodontiformes). Op. 1762	index
<i>fluvialis</i> , <i>Pandion</i> , Savigny, [1809], <i>Descr. Egypte</i> , 1 (1) (Ois.): 96 (a junior objective synonym of <i>haliaeetus</i> , <i>Falco</i> , Linnaeus, 1758). Direction 44	index
<i>fluviatilis</i> , <i>Ancylus</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 201 (specific name of the type species of <i>Ancylus</i> Müller, 1774) (Gastropoda). Op. 363	available
<i>fluviatilis</i> , <i>Astacus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 413 (a junior objective synonym of <i>astacus</i> , <i>Cancer</i> , Linnaeus, 1758). Direction 12	index
<i>fluviatilis</i> , <i>Cancer</i> , Herbst, 1785, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (6): 183 (Crustacea, Decapoda). Op. 712	available
<i>fluviatilis</i> , <i>Margartifera</i> [sic], Schumacher, 1816, <i>Overs. K. Dansk. Vidensk. Selsk. Forhandl. Kjøbenhavn</i> , 7 : 7 (a junior objective synonym of <i>margaritifera</i> , <i>Mya</i> , Linnaeus, 1758). Op. 495	index
<i>fluviatilis</i> , <i>Mytilus</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , vol. 1, part 6, p. 3359, ruled under the plenary power not to be given priority over the name <i>Unio ochraceus</i> Say, 1817 whenever the two are considered to be synonyms (Bivalvia). Op. 2092	available
<i>fluviatilis</i> , <i>Nerita</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 777 (valid name at the date of Opinion 335 of the type species of <i>Theodoxus</i> Montfort, 1810) (Gastropoda). Op. 335	available

<i>fluvialis</i> , Perca , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289 (specific name of the type species of Perca Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>fluvialis</i> , Symethus , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>fluvialis</i> , Tintinnus , Stein, 1863, <i>Amtl. Ber. Dt. Naturf. u. Aertze</i> : 161 (specific name of the type species of Tintinnidium Kent, 1881) (Ciliophora). Op. 926	available
<i>fluvialis</i> , Trichodactylus , Latreille, [1828], <i>Ency. méth.</i> , 10 (Ins.): 705 (specific name of the type species of Trichodactylus Latreille, [1828]) (Crustacea, Decapoda). Direction 36	available
<i>fluviorum</i> , Viviparus , Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 247 (a junior objective synonym of vivipara , Helix , Linnaeus, 1758). Op. 573	index
<i>foetidus</i> , Coluber , Güldenstedt, 1801, in Georgi, <i>Geogr.-phys. naturh. Beschreib. russ. Reich.</i> , 3 (7): 1884 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>foetidus</i> , Scarabaeus , Herbst, 1783, <i>Archiv der Insectengeschichte</i> , 4 : 7 (Insecta, Coleoptera). Op. 1890	available
<i>foliaceum</i> , Petalidium , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 194 (specific name of the type species of Petalidium Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>foliaceus</i> , Orbis , Philippi, 1844, <i>Enum. Moll. Siciliae</i> , 2 : 147 (specific name of the type species of Cornuspira Schulze, 1854) (Rhizopoda). Op. 1114	available
<i>foliatus</i> , Triplex , Perry, 1810, <i>Arcana</i> : sign. M (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 911	index
<i>folliculorum</i> , Acarus , Simon, 1842, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1842 : 231 (specific name of the type species of Demodex Owen, 1843) (Arachnida). Direction 67	available
<i>Folsomia</i> Willem, 1902, <i>Annales de la Société Entomologique de Belgique</i> , 46 : 280 (gender: feminine) (type species, by monotypy: Folsomia candida Willem, 1902) (Collembola). Op. 1431	available
<i>fonscolombei</i> , Melissodes , Romand, 1841, in Guérin, <i>Mag. Zool.</i> , (2) 3 : 5, pl. 70 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 750	index
<i>Fonscolombia</i> Lichtenstein, 1877, <i>Entomologist's Monthly Magazine</i> , 14 : 35 (gender: feminine) (type species, by monotypy: Fonscolombia graminis Lichtenstein, 1877) (Insecta, Sternorrhyncha). Op. 1654	available
<i>fontinalis</i> , Bulla , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727 (specific name of the type species of Physa Draparnaud, [1801]) (Gastropoda). Op. 336	available

<i>fontisbellaquaei</i> , Omalisus , Geoffroy in Fourcroy, 1785, <i>Entomologia Parisiensis</i> , vol. 1, p. 64 (specific name of the type species of Omalisus Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>Fontiscrutor</i> Pandellé, 1876, <i>Anales de la Sociedad Espanola de Historia Natural</i> , 5: 58 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1891	index
<i>forbesii</i> , Orbicula , Davidson, 1848, <i>Bull. Soc. géol. France</i> , (2)5: 334 (specific name of the type species of Orbiculoides d'Orbigny, 1847) (Brachiopoda). Op. 722	available
<i>Forbicina</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 611 (a junior objective synonym of Lepisma Linnaeus, 1758) (Insecta, Thysanura). Op. 1754	index
<i>forficata</i> , Scolopendra , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 638 (specific name of the type species of Lithobius [Leach, 1814]) (Chilopoda). Op. 454	available
<i>Forficula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 115 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Forficula</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 433, 246); <i>Forficula auricularia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423) (Insecta, Dermaptera). Op. 104, Direction 63	available
<i>Formica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 579 (gender: feminine) (type species, by designation under the plenary power: <i>Formica rufa</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 426, as conserved under the plenary power and as interpreted by the lectotype designated by Yarrow, 1954 (<i>Bull. zool. Nomencl.</i> , 9: 316)) (Insecta, Hymenoptera). Op. 424	available
FORMICADAЕ Leach, 1819, <i>in Samouelle, Entomol. useful Compendium</i> : 272 (type genus: Formica Linnaeus, 1758) (an incorrect subsequent spelling for FORMICIDAE (correction of FORMICARIAЕ) Latreille, [1802]). Op. 424	index
FORMICAЕDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 104 (type genus: Formica Linnaeus, 1758) (an incorrect subsequent spelling for FORMICIDAE (correction of FORMICARIAЕ) Latreille, [1802]). Op. 424	index
<i>Formicaleo</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 256 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Neuroptera). Op. 1754	index
FORMICARIAЕ Latreille, [1802], <i>in Sonnini's Buffon, Hist. nat. gén. partic. Crust. Ins.</i> , 3: 352 (type genus: Formica Linnaeus, 1758) (an incorrect original spelling for FORMICIDAE Latreille, [1802]). Op. 424	index
FORMICARIDES [Leach, 1815], <i>in Brewster's Edinburgh Ency.</i> , 9(1): 147 (type genus: Formica Linnaeus, 1758) (an incorrect subsequent spelling for FORMICIDAE (correction of FORMICARIAЕ) Latreille, [1802]). Op. 424	index

<i>formicarius</i> , <i>Dryinus</i> , Latreille, [1804-1805], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 13 : 228 (specific name of the type species of <i>Dryinus</i> Latreille, 1804) (Insecta, Hymenoptera). Direction 4	available
FORMICIDAE (correction by Stephens, 1829 (<i>Syst. Cat. brit. Ins.</i> : 357) of FORMICARIAE) Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 352 (type genus: <i>Formica</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 424	available
<i>formicina</i> , <i>Chirothecia</i> , Taczanowski, 1879, <i>Bull. Soc. imp. Nat. Moscou</i> , 53 (4): 367, 368 (Arachnida). Op. 1265	available
<i>formosa</i> , <i>Dione</i> , Barrande, 1846, <i>Not. prelim. Syst. silur. Trilob. Bohême</i> : 33 (specific name of the type species of <i>Dionide</i> Barrande, 1847) (Trilobita). Op. 350	available
<i>formosa</i> , <i>Heterandria</i> , Agassiz, 1855, <i>Amer. J. Sci.</i> , (2) 19 : 136 (specific name of the type species of <i>Heterandria</i> Agassiz, 1853) (Osteichthyes). Op. 375	available
<i>formosa</i> , <i>Rhynchonella</i> , Hall, 1857, <i>Tenth ann. Rept. New York State Cab. nat. Hist.</i> : 76 (specific name of the type species of <i>Machaeraria</i> Cooper, 1955) (Brachiopoda). Op. 770	available
<i>formosana</i> , <i>Phalaena</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 237, fig. 599 (valid name at the date of Opinion 349 of the type species of <i>Enarmonia</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 349	available
<i>formosissimus</i> , <i>Constrictor</i> , Laurenti, 1768, <i>Specimen medicum exhibens synopsin Reptilium emendatam ...</i> (Viennae): 107 (a junior objective synonym of <i>Boa constrictor</i> Linnaeus, 1758). Op. 1045	index
<i>formosus</i> , <i>Bucco</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzafel</i> : No. 67 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>formosus</i> , <i>Psittacus</i> , Latham, 1790, <i>Index orn.</i> : 103 (a junior primary homonym of <i>formosus</i> , <i>Psittacus</i> , Scopoli, 1769). Direction 44	index
<i>forskahli</i> , <i>Pleurobranchus</i> , Delle Chiaje, 1822, <i>Memorie sulla storia e notomia degli animali senza vertebre del Regno di Napoli, Figure</i> , pl. 41, fig. 11 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1767	index
<i>forskalii</i> , <i>Pleurobranchus</i> , Rüppell & Leuckart, [1828], in: <i>Atlas zu der Reise im nördlichen Afrika von Eduard Rüppell</i> , p. 18, pl. 5, figs. 2a, 2b (Gastropoda). Op. 1767	available
<i>forsteri</i> , <i>Natrix</i> , Wagler in Spix, 1824, <i>Serpentum Brasiliensium species novae ...</i> , p. 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1832	index
<i>forticornis</i> , <i>Mycetoporus</i> , Fauvel, 1875, <i>Faune Gallo-Rhénane ou species des insectes qui habitent la France, la Belgique ...</i> , p. 572, ruled under the plenary power to be given precedence over the name <i>Mycetoporus aequalis</i> Thomson, 1868, whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2163	available
<i>fortunata</i> , <i>Epinephele janira</i> var., Alphéraky, 1889, in Romanoff, <i>Mém. Lépid.</i> , 5 : 222, pl. 11, fig. 4♀ (Insecta, Lepidoptera). Op. 506	available

<i>fossor</i> , <i>Astacus (Engaeus)</i> , Erichson, 1846, <i>Arch. Naturgesch.</i> , 12 (1): 102 (specific name of the type species of <i>Engaeus</i> Erichson, 1846) (Crustacea, Decapoda). Op. 519	available
<i>fossor</i> , <i>Astacus</i> , Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 : 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>foveicollis</i> , <i>Buprestis</i> , Boisduval, 1835, <i>Voyage de découvertes de l'Astrolabe exécutée, ... pendant les années 1826-1827-1828-1829, sous les commandement de M.J. Dumont d'Urville. Faune entomologique de l'Océan Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage</i> . Deuxième partie (Coléoptères et autres ordres), p. 73 (specific name of the type species of <i>Cyphogastra</i> Deyrolle, 1864) (Insecta, Coleoptera). Op. 2008	available
<i>foveicollis</i> , <i>Buprestis</i> , Gory, 1840, <i>Histoire naturelle et iconographie des insectes coléoptères</i> . Monographie des buprestides, Supplement, p. 95, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis foveicollis</i> Boisduval, 1835 (Insecta, Coleoptera). Op. 2008	available
<i>foveolata</i> , <i>Artheneis</i> , Spinola, 1837, <i>Essai Genres Ins. Ordre Hémipt.</i> : 253 (specific name of the type species of <i>Artheneis</i> Spinola, 1837) (Insecta, Hemiptera). Op. 319	available
<i>foveolatus</i> , <i>Hydroporus</i> , Heer, 1839, <i>Fauna coleopterorum Helvetica</i> , part 1, vol. 2, p. 157, ruled under the plenary power to be given precedence over the name <i>Hydroporus nivalis</i> Heer, 1839 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2127	available
<i>fracticornis</i> , <i>Staphylinus</i> , Müller, 1776, <i>Zool. dan. Prodri.</i> : 99 (specific name of the type species of <i>Gyrohypnus</i> Samouelle, 1819, ex Leach MS) (Insecta, Coleoptera). Op. 1250	available
<i>fragarius</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 69 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fragifer</i> , <i>Cancer (Halimede)</i> , de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 36, 47 (specific name of the type species of <i>Halimede</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>fragilis</i> , <i>Melibaea</i> [sic], Forbes, 1838, <i>Malac. Monensis</i> : 4 (Gastropoda). Op. 697	available
<i>fragilis</i> , <i>Psathyrocaris</i> , Wood-Mason & Alcock, 1893, <i>Ann. Mag. nat. Hist.</i> , (6) 11 : 168 (specific name of the type species of <i>Psathyrocaris</i> Wood-Mason & Alcock, 1893) (Crustacea, Decapoda). Op. 470	available
<i>fragilis</i> , <i>Spirula</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 102 (a junior objective synonym of <i>spirula</i> , <i>Nautilus</i> , Linnaeus, 1758). Op. 315	index
<i>fragilis</i> , <i>Spongia</i> , Montagu, 1818, <i>Memoirs of the Wernerian Natural History Society</i> , 2 : 114 (specific name of the type species of <i>Dysidea</i> Johnston, 1842) (Porifera, Keratosa). Op. 1550	available
<i>franciscana</i> , <i>Artemia</i> , Kellogg, 1906, <i>Science</i> , (n.s.) 24 : 596, ruled under the plenary power to be given precedence over the specific name of <i>Artemia gracilis</i> Verrill, 1869 whenever the two names are considered to be synonyms (Branchiopoda). Op. 1704	available

<i>francispori</i> , <i>Anuropoda</i> , Băcescu, 1980, <i>Trav. Mus. Hist. nat. Bucuresti</i> , 22 : 384 (specific name of the type species of <i>Anuropoda</i> Băcescu, 1980) (Crustacea, Tanaidacea). Op. 1357	available
<i>franklinii</i> , <i>Astacus</i> , Gray, 1845, in Eyre, <i>J. Exped. Discov. centr. Australia</i> , 1 : 409 (specific name of the type species of <i>Astacopsis</i> Huxley, [1879]) (Crustacea, Decapoda). Op. 559	available
<i>frascone</i> , <i>Cancer</i> , Herbst, 1785, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (6): 192 (valid name at the date of Opinion 688 of the type species of <i>Dorippe</i> Weber, 1795) (Crustacea, Decapoda). Op. 688	available
<i>freganicus</i> , <i>Conus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 141 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>frenatus</i> , <i>Heliases</i> , Cuvier, 1830, <i>Histoire Naturelle des Poissons</i> , vol. 5, p. 498 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1563	index
<i>Friesea</i> von Dalla Torre, 1895, <i>Programm k.-k. Staats-Gymnasium Innsbruck</i> , 46 : 1-23 (gender: feminine) (type species, by monotypy, through <i>Triaena</i> Tullberg, 1871, <i>Öfvers. k. Vetensk. Akad. Förh.</i> , 28 : 155; <i>Triaena mirabilis</i> Tullberg, 1871, <i>Öfvers. k. Vetensk. Akad. Förh.</i> , 28 : 155) (Insecta, Collembola). Op. 1049	available
<i>Fringilla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 179 (gender: feminine) (type species, by Linnaean tautonomy: <i>Fringilla coelebs</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 179) (Aves). Direction 17	available
<i>fringillae</i> , <i>Ricinus</i> , de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 71, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 237) (specific name of the type species of <i>Ricinus</i> de Geer, 1778) (Insecta, Mallophaga). Op. 627	available
<i>frischii</i> , <i>Melolontha</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 37 (specific name of the type species of <i>Anomala</i> Samouelle, 1819) (Insecta, Coleoptera). Op. 1546	available
<i>frit</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 598 (specific name of the type species of <i>Oscinella</i> Becker, 1909) (Insecta, Diptera). Op. 1100	available
<i>froenata</i> , <i>Echis</i> , Duméril, Bibron & Duméril, 1854, <i>Erpétologie générale, ou histoire naturelle complète des reptiles</i> , 7 : 1449, ruled under the plenary power not to be given priority over the specific name <i>colorata</i> Guenther, 1878, as published in the binomen <i>Echis colorata</i> , whenever the two names are considered synonyms (Reptilia). Op. 1176	available
<i>frondosa</i> , <i>Monticulipora</i> , d'Orbigny, 1850, <i>Prodr. Paléontol.</i> , 1 : 25 (specific name of the type species of <i>Heterotrypa</i> Nicholson, 1879) (Bryozoa). Op. 838	available
<i>frontalis</i> , <i>Mordella</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 420 (specific name of the type species of <i>Anaspis</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1273	available
<i>frontalis</i> , <i>Ozius</i> , Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 406 (valid name at the date of Direction 36 of the type species of <i>Epixanthus</i> Heller, 1861) (Crustacea, Decapoda). Direction 36	available

<i>Frumentarium</i> Fichtel & Moll, 1798, <i>Testacea microscopica aliaque minuta ex generibus Argonauta et Nautilus</i> [1803 reprint: 16] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 692	index
<i>frustulosa</i> , <i>Monticulipora</i> , d'Orbigny, October 1849, <i>Rev. Mag. Zool.</i> , (2)1: 503 (an incorrect subsequent spelling for <i>pustulosa</i> , <i>Ceriopora</i> , Michelin, 1846). Op. 443	index
<i>Fryeria</i> Gray, 1853, <i>Annals and Magazine of Natural History</i> , (2)11: 221 (gender: feminine) (type species, by designation under the plenary power: <i>Fryeria rueppellii</i> Bergh, 1869) (Gastropoda). Op. 1663	available
<i>Fucicola</i> Gistel, 1848, <i>Naturgeschichte de Thierreiches für höhere Schulen</i> , vol. 2, p. 425 a junior homonym of <i>Fucicola</i> Menke, 1844 (Crustacea) Op. 2204	index
<i>fucorum</i> , <i>Palaemon</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 404 (valid name at the date of Opinion 470 of the type species of <i>Latreutes</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>Fuellebornius</i> Leiper, 1926, <i>Arch. Schiffs-Tropenhyg.</i> , 30: 491 (a junior objective synonym of <i>Dracunculus</i> Reichard, 1759). Direction 102	index
<i>fugax</i> , <i>Leucosia</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 351 (specific name of the type species of <i>Myra</i> Leach, 1817) (Crustacea, Decapoda). Op. 712	available
<i>fulgens</i> , <i>Ailurus</i> , Cuvier, 1825, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3(50): 'Panda' 3 et Tab. 203 (specific name of the type species of <i>Ailurus</i> Cuvier, 1825) (Mammalia). Op. 384	available
<i>fulgens</i> , <i>Aonides</i> , Levinsen, 1884, <i>Videnskab. Medd. naturh. Forening København</i> , 1883: 101-103 (specific name of the type species of <i>Paraonis</i> Grube, 1873) (Polychaeta). Op. 1139	available
<i>fulgens</i> , <i>Leptoclinum</i> , Milne Edwards, 1841, <i>Mémoires de l'Académie des Sciences de l'Institut de France</i> , 18: 299 (specific name of the type species of <i>Leptoclinum</i> Milne Edwards, 1841) (Tunicata, Ascidiacea). Op. 1412	available
<i>fulgidus</i> , <i>Elater</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 75 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fulgidus</i> , <i>Staphylinus</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> ..., vol.1: 220 (specific name of the type species of <i>Gauropterus</i> Thomson, 1860) (Insecta, Coleoptera). Op. 1250, Op. 2086	available
<i>fulgidus</i> , <i>Staphylinus</i> , Fabricius, 1793, <i>Entomologiae Systematicae</i> ..., vol. 1, part 2, p. 525, ruled under the plenary power to be given precedence over <i>Staphylinus fuscipennis</i> Block, 1799, <i>Staphylinus rufitarsus</i> Marsham, 1802, <i>Staphylinus iracundus</i> Say, 1830 and <i>Philonthus assimilis</i> Nordmann, 1837 whenever they are considered to be synonyms, and not invalid by reason of being a junior primary homonym of <i>Staphylinus fulgidus</i> Fabricius, 1787 (Insecta, Coleoptera). Op. 2086	available
<i>Fulgora</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 703 (gender: feminine) (type species, by designation under the plenary power: <i>Cicada laternaria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 434) (Insecta, Hemiptera). Op. 322	available

<i>fulgurans</i> , <i>Buprestis</i> , Schrank, 1789, <i>Der Naturforscher</i> (Halle), 24 : 85 (senior subjective synonym of the specific name of <i>Buprestis nitida</i> Rossi, 1792, the type species of <i>Anthaxia</i> Eschscholtz, 1829) (Insecta, Coleoptera). Op. 2009	available
<i>Fulica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 152 (gender: feminine) (type species, by Linnaean tautonymy: <i>Fulica atra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 152) (Aves). Direction 17	available
<i>fulica</i> , <i>Colymbus</i> , Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 54 (specific name of the type species of <i>Heliornis</i> Bonnaterre, 1790) (Aves). Direction 43	available
<i>fulicarius</i> , <i>Heliornis</i> , Bonnaterre, 1790, <i>Ency. méth.</i> , Orn., 1 : 65 (a junior objective synonym of <i>fulica</i> , <i>Colymbus</i> , Boddaert, 1783). Direction 44	index
<i>fuliginosus</i> , <i>Hyracodon</i> , Tomes, 1863, <i>Proc. zool. Soc. London</i> , 1863 : 51, pl. 8 (specific name of the type species of <i>Caenolestes</i> Thomas, 1895) (Mammalia). Op. 124	available
<i>fullode</i> , <i>Athelgue'</i> , Hesse, 1861, <i>Ann. Sci. nat.</i> , Paris, (4) 15 : 97 (ruled under the plenary power to be a vernacular name). Op. 1229	index
<i>Fulmarus</i> Stephens, 1826, in Shaw, <i>Gen. Zool.</i> (Aves), 13 (1): 233 (gender: masculine) (type species, by designation by Gray, 1855 (<i>Cat. Gen. Subgen. Birds Brit. Mus.</i> : 129)): <i>Procellaria glacialis</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 51) (Aves). Op. 67, Direction 44	available
<i>fulmen</i> , <i>Conus</i> , Reeve, 1843, Monograph of the genus <i>Conus</i> . In: <i>Conchologia iconica; a complete repertory of species</i> , vol. 1, species no. 215, pl. 39, fig. 215 (Gastropoda). Op. 1699	available
<i>fulva</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 56 (specific name of the type species of <i>Euconulus</i> Reinhardt, 1883) (Gastropoda). Op. 335	available
<i>fulvipes</i> , <i>Castianeira</i> , Simon, 1896, <i>Annales de la Société entomologique de Belgique</i> , 40 : 406 (Arachnida, Araneae). Op. 2177	available
<i>fulvipes</i> , <i>Lathrobium</i> , Adachi, 1955, <i>Journal of the Tokyo University</i> , 7 : 30, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>L.</i> <i>fulvipes</i> Blanchard, 1842 (Insecta, Coleoptera). Op. 2139	available
<i>fulvipes</i> , <i>Lathrobium</i> , Blanchard, 1842, <i>Voyage dans l'Amérique méridionale ... par Alcide d'Orbigny ... Insectes Coléoptères</i> , vol. 6, part 2, p. 85 (Insecta, Coleoptera). Op. 2139	available
<i>fulvipes</i> , <i>Tachinus</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 2, p. 921, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>T. fulvipes</i> Stephens, 1832 (Insecta, Coleoptera). Op. 2053	available
<i>fulvocinctus</i> , <i>Conus</i> , Crosse, 1872, <i>Journal de Conchyliologie</i> , 20 : 214, ruled under the plenary power not to be given priority over the specific name of <i>Conus fergusoni</i> , G.B. Sowerby III, 1873 whenever the two names are considered to be synonyms (Gastropoda). Op. 1502	available

<p>Funchalia Johnson, 1868, <i>Proc. zool. Soc. London</i>, 1867: 895 (gender: feminine) (type species, by monotypy: Funchalia woodwardi Johnson, 1868, <i>Proc. zool. Soc. London</i>, 1867: 895) (Crustacea, Decapoda). Op. 864</p>	available
<p>Fundulopanchax Myers, 1924, <i>Am. Mus. Novit.</i>, 116: 1-11 (gender: masculine) (type species, by original designation: <i>Fundulus gularis</i> var. <i>caerulea</i> Boulenger, 1915, <i>Catalogue of the fresh-water fishes of Africa in the British Museum (Natural History)</i>, 3: 30, valid name: Fundulus sjoestedti Lönnberg, 1895) (Osteichthyes). Op. 1010</p>	available
<p><i>funebris</i>, <i>Salamandra</i>, Bory de St. Vincent, 1828, <i>Rés. Erpétol.</i>: 236 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642</p>	index
<p><i>fur</i>, <i>Cerambyx</i>, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 393 (specific name of the type species of Ptinus Linnaeus, 1767) (Insecta, Coleoptera). Op. 1809</p>	available
<p><i>furcatus</i>, <i>Pipunculus</i>, Egger, 1860, <i>Verh. zool.-bot. Ges. Wien</i>, 10: 347 (specific name of the type species of Cephalosphaera Enderlein, 1936) (Insecta, Diptera). Op. 597</p>	available
<p><i>furcistria</i>, <i>Leptodesma</i>, La Rocque, 1948, <i>Univ. Microfilms Publ.</i>, No. 1059: 33 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318</p>	index
<p>Fursenkoina Loeblich & Tappan, 1961, <i>Journal of Paleontology</i>, 35: 314 (gender: feminine) (type species, by monotypy of the replaced nominal genus <i>Virgulina</i> d'Orbigny, 1826: <i>Virgulina squammosa</i> d'Orbigny, 1826) (Foraminiferida). Op. 1834</p>	available
<p><i>fusca</i>, <i>Chermes</i>, Zetterstedt, 1828, <i>Fauna Insectorum lapponica</i>: 552, ruled under the plenary power to be given precedence over the specific name <i>fusca</i> Geoffroy in Fourcroy, 1785, as published in the binomen Psylla fusca, whenever the two names are combined with the generic name <i>Psylla</i> Geoffroy, 1762 (Insecta, Hemiptera). Op. 1286</p>	available
<p><i>fusca</i>, <i>Fistularia</i>, Quoy & Gaimard, 1833, <i>Voy. 'Astrolabe'</i>, Zool., 4: 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762</p>	index
<p><i>fusca</i>, <i>Mantis</i>, Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i>: 82 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380</p>	index
<p><i>fusca</i>, <i>Paronella</i>, Schött, 1893, <i>Bihang. K. svenska Vetensk.-Akad. Handl.</i>, Stockholm, 19(4) (No. 4): 18 (specific name of the type species of Paronella Schött, 1893) (Insecta, Collembola). Op. 291</p>	available
<p><i>fusca</i>, <i>Phryganea</i>, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 549 (specific name of the type species of Leuctra Stephens, 1835) (Insecta, Plecoptera). Op. 836</p>	available
<p><i>fusca</i>, <i>Psylla</i>, Geoffroy, 1785, in Fourcroy, <i>Entomologia parisiensis, sive catalogus insectorum qui in agro parisiensi reperiuntur</i>: 224, ruled under the plenary power not to be given priority over the specific name <i>fusca</i> Zetterstedt, 1828, as published in the binomen Chermes fusca, whenever the two names are combined with the generic name <i>Psylla</i> Geoffroy, 1762 (Insecta, Hemiptera). Op. 1286</p>	available

<i>fuscata</i> , <i>Ephemera</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 376, as interpreted by the male neotype specimen designated by Müller-Liebenau, 1965 (<i>Bull. zool. Nomencl.</i> , 22 : 119-122) (specific name of the type species of <i>Baetis</i> [Leach, 1815]) (Insecta, Ephemeroptera). Op. 787	available
<i>fuscatus</i> , <i>I[nuus]</i> , Blyth, 1875, <i>J. asiat. Soc. Bengal</i> , 1875 (2): 6 (Mammalia). Op. 920	available
<i>fuscatus</i> , <i>Sparus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 40 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>fuscicornis</i> , <i>Omalus</i> , Jurine, 1807, <i>Nouv. Méth. class. Hyménopt.</i> : 301 (specific name of the type species of <i>Bethylus</i> Latreille, [1802]) (Insecta, Hymenoptera). Direction 4	available
<i>fuscipes</i> , <i>Dytiscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10. vol. 1, p. 411 (specific name of the type species of <i>Hydrobius</i> Leach, 1815) (Insecta, Coleoptera). Op. 1577	available
<i>fuscipes</i> , <i>Pipunculus</i> , Zetterstedt, 1844, <i>Diptera Scandinaviae disposita et descripta</i> , vol. 3, p. 953, as defined by the lectotype (specimen no. 296, type number ZML 2442:1 in the Zetterstedt collection in Lund) designated by Collin, 1956, <i>Opuscula Entomologica</i> , 21 (2-3): 151 (specific name of the type species of <i>Eudorylas</i> Aczél, 1940) (Insecta, Diptera). Op. 2000	available
<i>fuscopterus</i> , <i>Psocus</i> , Latreille, 1799, <i>in de Montbret</i> (Ed.), <i>Illustratio iconographica Insectorum quae in Musaeis Parisiensis observavit et in lecum editit J.C. Fabricius ...</i> , decas 1-111, p. 10 (senior subjective synonym of <i>Caecilius fenestratus</i> Curtis, 1837, the type species of <i>Caecilius</i> Curtis, 1837) (Insecta, Psocoptera). Op. 1462	available
<i>fuscoviride</i> , <i>Metopeurum</i> , Stroyan, 1950, <i>Trans. 8th. int. Congr. Entomol.</i> , 1948 : 999-1001 (specific name of the type species of <i>Metopeurum</i> Mordvilko, 1914) (Insecta, Hemiptera). Op. 646	available
<i>fuscus</i> , <i>Papirus</i> , Lubbock, 1873, <i>Monograph of Thysanura and Collembola</i> : 120-122 (specific name of the type species of <i>Dicyrtoma</i> Bourlet, 1842) (Insecta, Collembola). Op. 1092	available
<i>fuscus</i> , <i>Platyrhacus</i> , Koch, 1847, <i>System der Myriapoden, in Panzer & Herrich-Schaeffer, Krit. Revis. Insectenfauna Deutschlands</i> , III Bändchen: 132 (specific name of the type species of <i>Platyrhacus</i> Koch, 1847) (Diplopoda). Op. 1128	available
<i>fuscus</i> , <i>Ptilinus</i> , Geoffroy in Fourcroy, 1785, <i>Entomologia Parisiensis</i> , vol. 1, p. 4 (specific name of the first available subjective synonym of <i>Ptilinus cylindricus</i> Müller, 1776, the type species of <i>Ptilinus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>fuscus</i> , <i>Syngnathus</i> , Storer, 1839, <i>Rept. Ichth. Herpet. Mass.</i> : 162, 163, a name to be given precedence, by direction under the plenary power, over <i>peckianus</i> , <i>Syngnathus</i> , Storer, 1839 (Osteichthyes). Op. 569	available
<i>fuscus</i> , <i>Triturus</i> , Rafinesque, 1820, <i>Annals of Nature</i> (1): 4 (specific name of the type species of <i>Desmognathus</i> Baird, (1850)) (Amphibia). Direction 57	available
<i>fuscus</i> , <i>Turbo</i> , Montagu, 1803, <i>Test. brit.</i> , 2 : 330 (Gastropoda). Op. 336	available
<i>fusiformis</i> , <i>Boltenia</i> , Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> (2): 87 (a junior objective synonym of <i>bolteni</i> , <i>Vorticella</i> , Linnaeus, 1771). Op. 636	index

<i>Fusigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Fusinus</i> Rafinesque, 1815, <i>Analyse de la nature ou tableau de l'univers ...</i> , p. 145 (gender: masculine) (type species, by subsequent monotypy by Lamarck, 1799, <i>Mémoires de la Société d'Histoire Naturelle de Paris</i> , 1 : 73, of the replaced nominal genus <i>Fusus</i> Bruguière, 1789: <i>Murex colus</i> Linnaeus, 1758) (Gastropoda). Op. 1765	available
<i>Fusus</i> [Röding], 1798, <i>Museum Boltenianum ... Pars secunda continens Conchylia sive Testacea univalvia, bivalvia & multivalvia</i> , p. 118 (a junior homonym of <i>Fusus</i> Helbling, 1779 and of <i>Fusus</i> Bruguière, 1789) (Gastropoda). Op. 1765	index
<i>Fusus</i> Bruguière, 1789, <i>Encyclopédie méthodique. Histoire naturelle des vers</i> , vol. 1, part 1, p. xv (a junior homonym of <i>Fusus</i> Helbling, 1779) (Gastropoda). Op. 1765	index
<i>Fusus</i> Helbling, 1779, <i>Abhandlungen einer Privatgesellschaft in Böhmen</i> , 4 : 116 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1765	index
<i>gabertii, Daira</i> , Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, 20 : 393 (specific name of the type species of <i>Dairilia</i> Dana, 1853) (Crustacea, Amphipoda). Direction 78	available
<i>Gadus</i> Dejean, 1821, <i>Cat. Coléopt.</i> (ed. 1): 96 (a nomen nudum). Direction 56	index
<i>Gadus</i> Deshayes, 1861, <i>Descr. Anim. s. Vertèbr. Bassin Paris</i> , 2 : 217 (a junior homonym of <i>Gadus</i> Linnaeus, 1758). Direction 56	index
<i>Gadus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 251 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 802): <i>Gadus morhua</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 252) (Osteichthyes). Op. 77, Direction 56	available
<i>Gadus</i> Rang, 1829, <i>Ann. Sci. nat.</i> , Paris, 16 : 498 (a junior homonym of <i>Gadus</i> Linnaeus, 1758). Direction 56	index
GAFRARIINAE Korobkov, 1954, <i>Spravochnik i metodicheskoe rukovodstvo po Tretichnym Mollyuskam</i> : 166 (type genus: <i>Gafrarium</i> [Röding], 1798) (Bivalvia). Op. 1189	available
<i>Gafrarium</i> [Röding], 1798, <i>Museum Boltenianum</i> : 176 (gender: neuter) (type species, by designation by Dall, 1902 (<i>Proc. U.S. nat. Mus.</i> , 26 : 350) under Article 69a(iv): <i>Venus pectinata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 689) (Bivalvia). Op. 1189	available
<i>gagates, Limax</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 100 (specific name of the type species of <i>Milax</i> Gray, 1855) (Gastropoda). Op. 335	available
<i>gaimardianus, Mugil</i> , Desmarest, 1831, in Bory de Saint-Vincent (Ed.), <i>Dictionnaire classique d'histoire naturelle</i> , vol. 17 (Atlas et illustration des planches), pl. 109 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1787	index
<i>gaimardi</i> , <i>Hippolyte</i> , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 378 (valid name at the date of Opinion 671 of the type species of <i>Eualus</i> Thallwitz, 1892) (Crustacea, Decapoda). Op. 671	available

GALAGIDAE Gray, 1825, <i>Annals of Philosophy</i> , (N.S.) 10 : 338 (type genus: <i>Galago</i> E. Geoffroy Saint-Hilaire, 1796), spelling emended from GALAGONIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Galago</i> is GALAG- (Mammalia). Op. 1995	available
<i>Galago</i> Geoffroy Saint-Hilaire, 1796, <i>Mag. encyclop.</i> , 1 (1): 49 (gender: masculine) (type species, by monotypy: <i>Galago senegalensis</i> Geoffroy Saint-Hilaire, 1796, <i>Mag. encyclop.</i> , 1 (1): 49) (Mammalia). Op. 122, Direction 24	available
<i>Galago</i> Geoffroy Saint-Hilaire, 1796, <i>Magasin Encyclopédique, ou journal des sciences, des lettres et des arts</i> , (2) 1 (1): 49 (gender: masculine) (type species, by monotypy: <i>Galago senegalensis</i> E. Geoffroy Saint-Hilaire, 1796) (Mammalia). Op. 1995	available
GALAGONIDAE Gray, 1825, <i>Annals of Philosophy</i> , (N.S.) 10 : 338, spelling emended to GALAGIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Galago</i> is GALAG- (Mammalia). Op. 1995	index
GALATEADAE Samouelle, 1819, <i>Entomol. useful Compendium</i> : 92 (type genus: <i>Galathea</i> Fabricius, 1793) (an incorrect original spelling for GALATHEIDAE Samouelle, 1819). Op. 434	index
<i>Galateigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Galathea</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 471 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 422, 101): <i>Cancer trigonus</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 495) (Crustacea, Decapoda). Op. 434	available
<i>galathea, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 474 (specific name of the type species of <i>Melanargia</i> Meigen, [1828]) (Insecta, Lepidoptera). Op. 400	available
GALATHEIDAE (correction by White, 1847 (<i>List Crust. Coll. Brit. Mus.</i> : 65) of GALATEADAE) Samouelle, 1819, <i>Entomol. useful Compendium</i> : 92 (type genus: <i>Galathea</i> Fabricius, 1793) (Crustacea, Decapoda). Op. 434	available
<i>Galaxea</i> Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , vol. 3 (Zoologie), part 1 (Fleischlose Thiere), p. 71, ruled under the plenary power to be available despite having been published in a rejected work (gender: feminine) (type species, by subsequent designation by Vaughan, 1918, Publications of the Carnegie Institution of Washington, No. 213, <i>Papers of the Department of Marine Biology</i> , 9 : 98: <i>Madreporea fascicularis</i> Linnaeus, 1758) (Anthozoa). Op. 2061	available
GALAXEINAE Vaughan & Wells, 1943, <i>Geological Society of America, Special Papers</i> , 44 : 184 (type genus: <i>Galaxea</i> Oken, 1815) (Anthozoa). Op. 2061	available
<i>Galba</i> Schrank, 1803, <i>Fauna boica. Durchgedachte Geschichte der in Baiern einheimischen und zahmen Thiere</i> , Band 3, Heft 2, p. 262 (gender: feminine) (type species, by designation under the plenary power: <i>Buccinum truncatum</i> Müller, 1774) (Gastropoda). Op. 1896	available

<i>galbineus</i> , <i>Armadillo</i> , Eschscholtz, 1823, <i>Mémoires de la Société Impériale des Naturalistes de Moscou</i> , 6 : 112 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Isopoda). Op. 1848	index
<i>galbula</i> , <i>Oriolus</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 160 (a junior objective synonym of <i>oriolus</i> , <i>Coracias</i> , Linnaeus, 1758). Direction 44	index
<i>Galea</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>galea</i> , <i>Buccinum</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 734 (specific name of the type species of <i>Tonna</i> Brünnich, 1771) (Gastropoda). Op. 237	available
<i>galeata</i> , <i>Testudo</i> , Schoepff, 1792, <i>Historia testudinum iconibus illustrata</i> , p. 12 (specific name of the type species of <i>Pelomedusa</i> Wagler, 1830) (Reptilia, Testudines). Op. 1534	available
<i>Galeatula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 244 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>galeatum</i> , <i>Monostoma</i> , Rudolphi, 1819, <i>Entozoorum synopsis, cui accedunt mantissa duplex et indices locupletissimi</i> , p. 86 (senior subjective synonym of the specific name of <i>Gasterostomum minimum</i> Wagener, 1852, the type species of <i>Rhipidocotyle</i> Diesing, 1858) (Trematoda). Op. 1717	available
<i>galeatus</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Galene</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 4, 19 (gender: feminine) (type species, by monotypy: <i>Cancer bispinosus</i> Herbst, [1783], <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (2-5): 144) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Galeopithecus</i> Pallas, 1783, <i>Acta Acad. Sci. imp. Petropolitanae</i> , 4 (for 1780): 208 (a junior objective synonym of <i>Cynocephalus</i> Boddaert, 1768). Op. 1077	index
<i>Galeopsomyia</i> Girault, 1916, <i>Entomol. News</i> , 27 : 348 (gender: feminine) (type species, by original designation: <i>Euderus columbianus</i> Ashmead, 1888, <i>Can. Entomol.</i> , 20 : 103) (Insecta, Hymenoptera). Op. 1351	available
<i>Galerella</i> Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 564 (gender: feminine) (type species, by monotypy: <i>Herpestes ochraceus</i> Gray, [1849], <i>Proc. zool. Soc. London</i> , 16 : 138) for use by those who consider on taxonomic grounds that <i>Galerella</i> Gray is distinct from <i>Herpestes</i> Illiger, 1811 (Mammalia). Op. 384	available
<i>Galerita</i> Fabricius, 1801, <i>Syst. Eleutherorum</i> , 1 : 214 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 426): <i>Carabus americanus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 415) (Insecta, Coleoptera). Op. 862	available
<i>Galerita</i> Gouan, 1770, <i>Historia Piscium</i> : 123 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 862	index

GALERITINI Lacordaire, 1854, <i>Gén. Coléopt.</i> , 1 : 79 (type genus: <i>Galerita</i> Fabricius, 1801) (Insecta, Coleoptera). Op. 862	available
GALERITINII Jeannel, 1949, <i>Faune de l'Empire Français</i> , 11 : 1057 (type genus: <i>Galeritina</i> Jeannel, 1949) (a junior objective synonym of GALERITINI Lacordaire, 1854). Op. 862	index
GALERITULINI Jedlicka, 1963, <i>Entomol. Abhandl. Museum Dresden</i> , 28 : 474 (type genus: <i>Galeritula</i> Strand, 1936) (a junior objective synonym of GALERITINI Lacordaire, 1854). Op. 862	available
<i>Galeruca</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 251 (gender: feminine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 432: <i>Chrysomela tanaci</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>Galgulus</i> Brisson, 1760, <i>Ornithologia</i> , 2 : 69-85 (a junior objective synonym of <i>Coracias</i> Linnaeus, 1758). Op. 404	index
<i>Galgulus</i> Kittlitz, 1832, <i>Kupfertaf. Nat. Vögel</i> (1): 7 (a junior homonym of <i>Galgulus</i> Brisson, 1760). Op. 404	index
<i>Galgulus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 252 (a junior homonym of <i>Galgulus</i> Brisson, 1760). Op. 404	index
<i>Galgulus</i> Wagler, 1827, <i>Syst. Avium</i> , 1 : sign. 21 (15) (a junior homonym of <i>Galgulus</i> Brisson, 1760). Op. 404	index
<i>galilea</i> , <i>Typhlocaris</i> , Calman, 1909, <i>Trans. linn. Soc. London</i> (Zool.), (2) 11 : 93 (specific name of the type species of <i>Typhlocaris</i> Calman, 1909) (Crustacea, Decapoda). Op. 470	available
<i>galileensis</i> , <i>Cypselus</i> , Antinori, 1855, <i>Naumannia</i> : 307 (Aves). Op. 1011	available
<i>gallensis</i> , <i>Lacerta muralis coerulescens</i> , Eimer, 1881, <i>Arch. Naturgesch.</i> , 47 (1): 395 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>gallica</i> , <i>Leucospis</i> , Villers, 1789, <i>Caroli Linnaei Entomologia</i> , 3 : 261 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1111	index
<i>gallicus</i> , <i>Falco</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 259 (specific name of the type species of <i>Circaetus</i> Vieillot, 1816) (Aves). Direction 83	available
<i>gallinae</i> , <i>Acarus</i> , de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 111, pl. 6, figs. 13, 14 (specific name of the type species of <i>Dermanyssus</i> Dugès, 1834) (Arachnida). Direction 92	available
<i>gallinae</i> , <i>Pediculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 613, as interpreted by the neotype designated by Clay & Hopkins, 1950 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 1 : 262, fig. 56) (specific name of the type species of <i>Menopon</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 628	available

<i>gallinae, Ricinus</i> , de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 79, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 242) (specific name of the type species of <i>Goniocotes</i> Burmeister, 1838) (Insecta, Mallophaga). Op. 627	available
<i>Gallinago</i> Brisson, 1760, <i>Ornithologia</i> , 5 : 298-310 (gender: feminine) (type species, by absolute tautonymy: <i>Scolopax gallinago</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 147) (Aves). Op. 67, Direction 39	available
<i>Gallinago</i> Koch, 1816, <i>Syst. baier. Zool.</i> , 1 : 312 (a junior homonym, and a junior objective synonym, of <i>Gallinago</i> Brisson, 1760). Direction 39	index
<i>gallinago, Scolopax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 147 (specific name of the type species of <i>Gallinago</i> Brisson, 1760) (Aves). Direction 39	available
<i>galliwasp, Scincus</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 299 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>gallopavo, Meleagris</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156 (specific name of the type species of <i>Meleagris</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>Gamaris</i> [H.S.], 1876, <i>Ceylon</i> , 2 : 275 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 295	index
<i>gambianus, Sciurus</i> , Ogilby, 1835, <i>Proc. zool. Soc. London</i> , 3 : 103 (specific name of the type species of <i>Heliosciurus</i> Trouessart, 1880) (Mammalia). Op. 464	available
<i>Gambusia</i> Poey, 1854, <i>Mém. Hist. nat. Cuba</i> , 1 : 382 (gender: feminine) (type species, by designation by Jordan & Copeland, 1876 (<i>Bull. Buffalo Soc. nat. Sci.</i> , 3 : 142); <i>Gambusia punctata</i> Poey, 1854, <i>Mém. Hist. nat. Cuba</i> , 1 : 384) (Osteichthyes). Op. 375	available
GAMBUSIINAE Gill, 1893, <i>Mem. Nat. Acad. Sci.</i> , 6 : 133 (type genus: <i>Gambusia</i> Poey, 1854) (Osteichthyes). Direction 41	available
<i>gammarellus, Oniscus</i> , Pallas, 1766, <i>Misc. Zool.</i> : 191 (valid name at the date of Opinion 1133 of the type species of <i>Orchestia</i> Leach, 1814) (Crustacea, Amphipoda). Op. 1133	available
<i>Gammarocrinites</i> Quenstedt, 1857, <i>Der Jura</i> , Lief. 4, p. 654 (gender: masculine) (type species, by subsequent designation by Rasmussen, 1978, <i>Treatise on Invertebrate Paleontology</i> , Part T, Echinodermata 2, vol. 3, p. T831: <i>Eugeniacrinites compressus</i> Goldfuss, 1829), ruled that the name retains priority over the name <i>Sclerocrinus</i> Jaekel, 1891 whenever the two are considered to be synonyms (Crinoidea). Op. 2155	available
<i>Gammarolites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 244 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Gammarolithus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 244 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Gammarus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 418 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 423, 103); <i>Cancer pulex</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633) (Crustacea, Amphipoda). Op. 104, Direction 66	available

<i>gammarus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 631 (specific name of the type species of <i>Homarus</i> Weber, 1795) (Crustacea, Decapoda). Direction 51	available
<i>Gampsocleis</i> Fieber, 1852, in Kelch, <i>Grundl. Orth. Obersches.</i> : 2 (gender: feminine) (type species, by monotypy: <i>Locusta glabra</i> Herbst, 1786, in Fuessly, <i>Arch. Ins.</i> , 7 : 193) (Insecta, Orthoptera). Op. 149	available
<i>Gampsonyx</i> Jordan, 1847, <i>Verh. naturh. Ver. preuss. Rheinl.</i> , 4 : 91 (a junior homonym of <i>Gampsonyx</i> Vigors, 1825). Direction 44	index
<i>Gampsonyx</i> Vigors, 1825, <i>Zool. J.</i> , 2 (5): 69 (gender: masculine) (type species, by monotypy: <i>Gampsonyx swainsonii</i> Vigors, 1825, <i>Zool. J.</i> , 2 (5): 69) (Aves). Op. 67	available
<i>gangeticus</i> , <i>Delphinus</i> , Roxburgh, 1801, <i>Asiatic Researches</i> [Calcutta edition], p. 171 (specific name of the type species of <i>Platanista</i> Wagler, 1830) (Mammalia, Cetacea). Op. 1565	available
<i>ganteri</i> , <i>Palaemonias</i> , Hay, 1901, <i>Proc. biol. Soc. Washington</i> , 14 : 180 (specific name of the type species of <i>Palaemonias</i> Hay, 1901) (Crustacea, Decapoda). Op. 470	available
<i>Garantia</i> Rollier, 1909, <i>Arch. Sci. phys. nat. Genève</i> , (4) 28 : 613, 615 (an unjustified emendation of <i>Garantiana</i> Mascke, [1906]). Op. 324	index
<i>Garantiana</i> Hyatt, 1900, in Eastman's Zittel, <i>Textb. Paleontol.</i> , 1 : 583 (a nomen nudum). Op. 324	index
<i>Garantiana</i> Mascke, [1906], <i>Die Stephanoceras-Verwandt. Coronatensch. Norddeutschl.</i> : 24, 34 (gender: feminine) (type species, by original designation: <i>Ammonites garantianus</i> d'Orbigny, 1846, <i>Paléontol. franç.</i> , Terr. jurass., 1 : 377, pl. 123) (Cephalopoda). Op. 324	available
<i>garantianus</i> , <i>Ammonites</i> , d'Orbigny, 1846, <i>Pal. franç.</i> , Terr. jurass., 1 : 377, pl. 123 (specific name of the type species of <i>Garantiana</i> Mascke, [1906]) (Cephalopoda). Op. 324	available
<i>gardeniella</i> , <i>Eriophyes</i> , Keifer, 1964, <i>Eriophyid Studies B-12, California Department of Agriculture</i> , p. 9 (specific name of the type species of <i>Colomerus</i> Newkirk & Keifer, 1971) (Arachnida, Acarina). Op. 1521	available
<i>Gari</i> Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 44, 131 (gender: feminine) (type species, by designation under the plenary power: <i>Gari vulgaris</i> Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 44, 131, as interpreted by the lectotype designated by Lemche, 1970 (<i>Bull. zool. Nomencl.</i> , 27 : 18)) (Bivalvia). Op. 910	available
<i>gari</i> , <i>Tellina</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 674 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 910	index
<i>garnonsii</i> , <i>Acentropus</i> , Curtis, 1834, <i>British Entomology</i> , 11 : folio 497 (specific name of the type species of <i>Acentropus</i> Curtis, 1834) (Insecta, Lepidoptera). Op. 2021	available
<i>garnotii</i> , <i>Hemidactylus</i> , Duméril & Bibron, 1836, <i>Erpétologie générale ou histoire naturelle complète des reptiles</i> , vol. 3, p. 368 (Reptilia, Squamata). Op. 1908	available

<i>garrulus</i> , <i>Coracias</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 107 (specific name of the type species of <i>Coracias</i> Linnaeus, 1758) (Aves). Op. 404	available
<i>Garum</i> Dall, 1900, <i>Trans. Wagner free Inst. Sci. Philadelphia</i> , 3 : 975 (gender: neuter) (type species, by monotypy: <i>Psammobia filosa</i> Conrad, 1833, <i>Fossil Shells Tert. N. Amer.</i> , 4 : 42) (Bivalvia). Op. 910	available
<i>garzetta</i> , <i>Ardea</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 237 (specific name of the type species of <i>Egretta</i> Forster, 1817) (Aves). Direction 43	available
<i>Garzonia</i> Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 21 (gender: feminine) (type species, under Article 68c: <i>Garzonia typica</i> Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 307) (at the time of Opinion 1241 treated as a junior subjective synonym of <i>Stilotherium</i> Ameghino, 1887) (Mammalia). Op. 1241	available
GARZONIIDAE Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 304, 307 (type genus: <i>Garzonia</i> Ameghino, 1891), ruled under the plenary power not to be given priority over the family-group names CAENOOLESTIDAE Trouessart, 1898 or PALAEOTHENTIDAE Sinclair, 1906 whenever <i>Garzonia</i> Ameghino, 1891 and <i>Caenoolestes</i> Thomas, 1895 or <i>Palaeothentes</i> Ameghino, 1887 are placed in the same family-group taxon (Mammalia). Op. 1241	available
<i>gassinensis</i> , <i>Chapmania</i> , Silvestri, 1905, <i>Boll. Soc. geol. Ital.</i> , 23 , 1904 (1905): 481, 482, 485 footnote 2 (specific name of the type species of <i>Chapmanina</i> Silvestri, 1931) (Rhizopoda). Op. 765	available
<i>Gasterophilus</i> Leach, 1817, in Brewster's <i>Edinburgh Ency.</i> , 12 (1): 162 (type species, by designation by Curtis, 1826 (<i>Brit. Entomol.</i> , 8 : pl. 146): <i>Oestrus equi</i> Clark, 1797, <i>Trans. linn. Soc. London</i> , 3 : 298, 326, valid name: <i>Oestrus intestinalis</i> de Geer, 1776) (Insecta, Diptera). Op. 106, Direction 63	available
<i>Gasterosteus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 295 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 393): <i>Gasterosteus aculeatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 295) (Osteichthyes). Op. 77, Direction 56	available
<i>Gasterostomum</i> Siebold, 1848, <i>Lehrbuch der vergleichende Anatomie der wirbellosen Thiere</i> , vol. 1, p. 129 (a junior objective synonym of <i>Bucephalus</i> Baer, 1827) (Trematoda). Op. 1717	index
<i>gasti</i> , <i>Amphipalaemon</i> , Balss, 1921, <i>Mitt. zool. Sta. Neapel</i> , 22 : 523 (specific name of the type species of <i>Balssia</i> Kemp, 1922) (Crustacea, Decapoda). Op. 470	available
GASTRIOCERAE Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 325 (type genus: <i>Gastrioceras</i> Hyatt, 1884) (an incorrect original spelling for GASTRIOCERATIDAE Hyatt, 1884). Direction 62	index
<i>Gastrioceras</i> Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 327 (gender: neuter) (type species, by designation by Foord & Crick, 1897 (<i>Cat. foss. Cephal. Brit. Mus.</i> , 3 : 327): <i>Ammonites listeri</i> Sowerby, 1812, <i>Brit. Min.</i> , 5 : 97, pl. 455, as interpreted by the lectotype designated and figured by Stubblefield, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 123, pl. 7, figs. 2a-c)) (Cephalopoda). Op. 420	available

GASTRIOCERATIDAE (correction of GASTRIOCERAE) Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 325 (type genus: Gastrioceras Hyatt, 1884) (Cephalopoda).	
Direction 62	available
Gastrocopta Wollaston, 1878, <i>Testacea atlantica</i> : 515 (gender: feminine) (type species, by designation by Pilsbry, 1916 (<i>in Tryon & Pilsbry, Man. Conch.</i> , (2)7 : 7): Pupa acarus Benson, 1856, <i>Ann. Mag. nat. Hist.</i> , (2)18 : 435) (Gastropoda). Direction 72	available
Gastrodes Westwood, [1840], <i>Introd. mod. Class. Ins.</i> , 2 , Syn. Gen. brit. Ins.: 122 (gender: masculine) (type species, by designation under the plenary power: Gastrodes abietum Bergroth, 1914, <i>Wien. entomol. Ztg.</i> , 33 : 183) (Insecta, Hemiptera). Op. 246	available
Gastrodiscus Cobbold, 1877, <i>Veterinarian</i> , 50 : 233-239 (gender: masculine) (type species, by monotypy: Gastrodiscus sonsinoii Cobbold, 1877, <i>Veterinarian</i> , 50 : 233-239, valid name: Diplostomus aegyptiacum Cobbold, 1876) (Trematoda). Op. 84, Direction 76	available
Gastrodiseus Kowalewski, 1899, <i>Rozpr. Akad. Krakow</i> , (2)15 : 158 (an incorrect subsequent spelling for Gastrodiscus Cobbold, 1877). Direction 76	index
Gastrodiskus Schneidemuehl, 1896, <i>Lehrb. vergl. Path.</i> (fasc. 2): 295 (an incorrect subsequent spelling for Gastrodiscus Cobbold, 1877). Direction 76	index
Gastrophilus Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 160 (an unjustified emendation of Gasterophilus Leach, 1817). Direction 63	index
gaudichaudii, Platymera , Milne Edwards, 1837, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 2 : 108 (specific name of the type species of Platymera Milne Edwards, 1837) (Crustacea, Decapoda). Direction 36	available
Gauropterus Thomson, 1860, <i>Skand. Coleopt.</i> , 2 : 187 (gender: masculine) (type species, by monotypy: Staphylinus fulgidus Fabricius, 1787, <i>Mantissa Ins.</i> : 220) (Insecta, Coleoptera). Op. 1250	available
gaurus, Bos , Smith, 1827, <i>in: Griffith's Cuvier, Mammals</i> , 4 : 399 (Mammalia). Op. 1348	available
Gaussia Wolfenden, 1905, <i>Plankton Studies</i> , part 1, p. 5 (gender: feminine) (type species, by designation under the plenary power: Pleuromma princeps Scott, 1894) (Copepoda). Op. 1590	available
Gavia Boie, 1822, <i>Isis</i> (Oken), 1822 : 563 (a junior homonym of Gavia Forster, 1788). Op. 401	index
Gavia Brisson, 1760, <i>Ornithologia</i> , 6 : 196 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 401	index
Gavia Forster, 1788, <i>Enchiridion Hist. nat.</i> : 38 (gender: feminine) (type species, by designation under the plenary power: Colymbus immer Brünnich, 1764, <i>Orn. boreal.</i> : 38) (Aves). Op. 401	available
Gavia Gloger, 1842, <i>Hand- und Hilfsbuch Naturgesch.</i> , 1 : 433 (a junior homonym of Gavia Forster, 1788). Op. 401	index

<i>Gavia</i> Gmelin, 1770, <i>Reise Russl.</i> , 1 : 152 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 401	index
<i>Gavia</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): 537 (a junior homonym of <i>Gavia</i> Forster, 1788). Op. 401	index
<i>Gavia</i> , all uses of, prior to <i>Gavia</i> Forster, 1788 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 401	index
GAVIIDAE Coues, 1903, <i>Key N. Amer. Birds</i> (ed. 5), 2 : 104 (type genus: <i>Gavia</i> Forster, 1788) (Aves). Direction 75	available
gayi , <i>Acanthocycclus</i> , Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amér. mérid.</i> , 6 (Crust.): 30 (specific name of the type species of <i>Acanthocycclus</i> Milne Edwards & Lucas, [1844]) (Crustacea, Decapoda). Direction 36	available
Gazella Blainville, 1816, <i>Bull. Sci. Soc. philomat. Paris</i> , 1816 : 75 (conserved under the plenary power) (gender: feminine) (type species, by designation by Ogilby, [1837] (<i>Proc. zool. Soc. London</i> , 4 : 137): <i>Capra dorcas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 69) (Mammalia). Op. 108, Direction 23	available
<i>Gazella</i> Lichtenstein, 1814, <i>Ges. Naturf. Freunde Berlin Mag.</i> , 6 : 152, 171 (not published in the nominative singular, appearing only in the nominative plural) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 23	index
<i>Gazella</i> Pallas, 1769, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 13 : 468 (not published in the nominative singular, appearing only in the accusative singular and the nominative and genitive plural) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 23	index
<i>Gazella</i> Rafinesque, 1815, <i>Analyse Nature</i> : 56 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 23	index
gazella , <i>Capra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 69 (valid name at the date of Direction 23 of the type species of <i>Oryx</i> Blainville, 1816) (Mammalia). Direction 23	available
gazella , <i>Mecocerus</i> , Gyllenhal, 1833, in Schoenherr, <i>Gen. Spec. Cuc.</i> , 1 (1): 115 (specific name of the type species of <i>Mecocerus</i> Schoenherr, 1833) (Insecta, Coleoptera). Op. 982	available
<i>Gebia</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 342 (a junior objective synonym of <i>Upogebia</i> [Leach, 1814]). Op. 434	index
GEBIIDAE Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 12, 13, 19 (type genus: <i>Gebia</i> Leach, 1815) (an incorrect original spelling for GEBIIDAE Dana, 1852). Op. 434	index
GEBIIDAE (correction by Miers, 1876 (<i>Cat. Crust. New Zealand</i> : 70) of GEBIIDAE) Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 12, 13, 19 (type genus: <i>Gebia</i> Leach, 1815) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 434	index

<i>Gecarcinicus</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 (Crust.): 375, pl. 1 (an incorrect subsequent spelling for <i>Gecarcinucus</i> Milne Edwards, 1844). Direction 37	index
<i>Gecarcinucus</i> Milne Edwards, 1844, in Jacquemont, <i>Voy. Inde</i> , 4 : 4, 44 (gender: masculine) (type species, by monotypy: <i>Gecarcinucus jacquemontii</i> Milne Edwards, 1844, in Jacquemont, <i>Voy. Inde</i> , 4 : 4, 44) (Crustacea, Decapoda). Op. 73 <i>Gegenes</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (7): 107 (gender: masculine) (type species, by designation under the plenary power: <i>Papilio pumilio</i> Hoffmannsegg, 1803, <i>Mag. f. Insektenk.</i> (Illiger), 3 : 202, as interpreted by the lectotype designated by Hemming, 1964 (<i>Annot. Lep.</i> , 1 : 112)) (Insecta, Lepidoptera). Op. 827	available
<i>geinitzianus, Gladiolites</i> , Barrande, 1850, <i>Grapt. Bohême</i> : 69, as defined by the neotype (specimen no. L31612 in the National Museum, Prague, figured by Bouček & Münch, 1944, <i>Rozpravy II. Třídy České Akademie</i> , 53 : pl. 3, figs. 2-4) designated under the plenary power (specific name of the type species of <i>Retiolites</i> Barrande, 1850) (Graptolithina). Op. 199, Op. 1901	available
<i>Gelastocaris</i> Kemp, 1914, <i>Rec. Indian Mus.</i> , 10 : 106 (gender: feminine) (type species, by monotypy: <i>Latreutes paronai</i> (correction of <i>paronae</i>) Nobili, 1905, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 20 (506): 2) (Crustacea, Decapoda). Op. 470	available
<i>geminatus, Buprestis</i> , Say, 1823, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 3 : 163, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis geminatus</i> Illiger, 1803 (Insecta, Coleoptera). Op. 2008	available
<i>geminum, Lathrobium</i> , Kraatz, 1857, <i>Naturgeschichte der Insecten Deutschlands. Abt. 1. Coleoptera. Zweiter Band. Lief. 3-4</i> , p. 673, ruled under the plenary power to be given precedence over the name <i>Lathrobium boreale</i> Hochhuth, 1851 and the name <i>Lathrobium volgense</i> Hochhuth, 1851 whenever it and either of the others are considered to be synonyms (Insecta, Coleoptera). Op. 2126	available
<i>gemmascens, Madrepora</i> , all uses of subsequent to Wilkens, 1787, and prior to <i>Madrepora gemmascens</i> Esper, [1794] (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 574	index
<i>gemmascens, Madrepora</i> , Esper, [1794], <i>Die Pflanzentiere. Fortsetzung</i> , 1 (2): 60, as interpreted by the holotype figured by Boschma, 1955 (<i>Proc. K. ned. Akad. Wetensch. Amsterdam</i> , 58 (C): 22-31, pl. 1) (conserved under the plenary power) (Hydrozoa). Op. 544	available
<i>gemmascens, Madrepora</i> , Wilkens, 1787, in Pallas, <i>Charakteristik der Thierpflanzen</i> , 2 : 144 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 574	index
<i>Gemmura</i> Smith, 1968, <i>Annals of the Entomological Society of America</i> , 61 (6): 1401 (gender: feminine) (type species, by original designation: <i>Nematus (Cryptocampus) mucronatus</i> Hartig, 1837) (Insecta, Hymenoptera). Op. 1963	available
<i>gemonensis, Natrix</i> , Laurenti, 1768, <i>Specimen medicum, exhibens synopsin reptilium emendatam ...</i> , p. 76, as defined by the neotype (specimen no. 1357.70 in the Muséum d'Histoire Naturelle, Geneva) designated under the plenary power (Reptilia, Serpentes). Op. 1686	available

GEMPYLINAЕ Goode & Bean, 1895, <i>Oceanic Ichth.</i> : 193 (type genus: <i>Gempylus</i> Cuvier, 1829) (Osteichthyes). Op. 487	available
<i>Gempylus</i> Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 2 : 200 (gender: masculine) (type species, by monotypy: <i>Gempylus serpens</i> Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 2 : 200) (Osteichthyes). Op. 487	available
<i>genicularis, Ammonites</i> , Waagen, 1869, <i>Geogn.-Pal. Beitr.</i> , 2 : 227, pl. 20, figs. 4a-c (specific name of the type species of <i>Oecotraustes</i> Waagen, 1869) (Cephalopoda). Op. 324	available
<i>geniculata, Anculosa (Lithasia)</i> , Haldeman, 1840, <i>Monogr. Limniades or freshwater univalve shells of North America</i> , Suppl. to No. 1: 1 (specific name of the type species of <i>Lithasia</i> Haldeman, 1840) (Gastropoda). Op. 1195	available
<i>geniculata, Musca</i> , de Geer, 1776, <i>Mémoires pour servir à l'histoire des Insectes</i> , 6 : 38 (specific name of the type species of <i>Siphona</i> Meigen, 1803) (Insecta, Diptera). Op. 1008	available
<i>geniculata, Rhamphomyia</i> , Meigen, 1830, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , part 3, p. 340 (specific name of the type species of <i>Pararhamphomyia</i> Frey, 1922) (Insecta, Diptera). Op. 2117	available
<i>Gennadas</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 171, 191 (gender: masculine) (type species, by monotypy: <i>Gennadas parvus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 192) (Crustacea, Decapoda). Op. 864	available
<i>Genypterus</i> Philippi, 1857, <i>Arch. Naturgesch.</i> , Jahrg. 23(1): 268 (gender: masculine) (type species, by monotypy: <i>Genypterus nigricans</i> Philippi, 1857, <i>Arch. Naturgesch.</i> , Jahrg. 23(1): 269, 270, valid name: <i>Conger chilensis</i> Guichenot, 1849) (Osteichthyes). Op. 1200	available
<i>Geoderces</i> Horn, 1876, <i>Proceedings of the American Philosophical Society</i> , 15 (96): 70 (gender: masculine) (type species, ruled under the plenary power to be by original designation: <i>Trachyphloeus melanothrix</i> Kirby, 1837) (Insecta, Coleoptera). Op. 1452	available
<i>Geodromicus</i> Redtenbacher, 1857, <i>Fauna austriaca. Die Käfer</i> , Ed. 2, p. 244 (gender: masculine) (type species, by subsequent designation by Lacordaire, 1854, <i>Histoire des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes</i> , vol. 2, p. 136: <i>Staphylinus plagiatus</i> Fabricius, 1798, the type species of the replaced name <i>Geobius</i> Heer, 1839), ruled under the plenary power to be given precedence over the name <i>Psephenodus</i> Gistel, 1856 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2077	available
<i>Geoemyda</i> Gray, 1834, <i>Proc. zool. Soc. London</i> , 1834 : 100 (gender: feminine) (type species, by original designation: <i>Testudo spengleri</i> Gmelin, 1789, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1043) (Reptilia). Op. 1309	available
<i>geoffroi</i> [sic], <i>Dermestes scolytus</i> , Goeze, 1777, <i>Entomol. Beytr. Linn.</i> , 1 : 143 (a junior objective synonym of <i>scolytus</i> , <i>Bostrichus</i> , Fabricius, 1775). Op. 683	index
<i>geoffroyi, Ateles</i> , Kuhl, 1820, <i>Beiträge zur Zoologie und vergleichenden Anatomie</i> , p. 26, ruled under the plenary power to be available from Kuhl, 1820 (Mammalia). Op. 2184	available

<i>geoffroyi</i> , <i>Corixa</i> , Leach, 1817, <i>Trans. linn. Soc. London</i> , 12 (1): 17 (a junior objective synonym of <i>punctata</i> , <i>Sigara</i> , Illiger, 1807). Op. 281	index
<i>Geomalacus</i> Allman, 1843, <i>Athenaeum</i> , 1843 : 851 (gender: masculine) (type species, by monotypy: <i>Geomalacus maculosus</i> Allman, 1843, <i>Athenaeum</i> , 1843 : 851) (Gastropoda). Op. 335	available
<i>Geometra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 519 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Phalaena papilionaria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 522) (Insecta, Lepidoptera). Op. 450	available
<i>Geometra</i> Paetel, 1875, <i>Fam. Gatt. Moll.</i> : 86 (an incorrect subsequent spelling for <i>Geomittra</i> Swainson, 1840, and a junior homonym of <i>Geometra</i> Linnaeus, 1758). Op. 450	index
<i>geometricus</i> , <i>Epicrius</i> , Canestrini & Fanzago, 1877, <i>Atti del Reale Istituto Veneto di Scienze, Lettere ed Arti</i> , (5) 4 (1): 131 (specific name of the type species of <i>Epicrius</i> Canestrini & Fanzago, 1877) (Arachnida, Acari). Op. 1749	available
GEOMETRIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 134 (type genus: <i>Geometra</i> Linnaeus, 1758) (an incorrect original spelling for GEOMETRIDAE [Leach, 1815]). Op. 450	index
GEOMETRIDAE (correction of GEOMETRIDA) [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 134 (type genus: <i>Geometra</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
GEOMETRITES Newman, 1835, <i>Grammar Entomol.</i> : 175 (type genus: <i>Geometra</i> Linnaeus, 1758) (an incorrect subsequent spelling for GEOMETRIDAE (correction of GEOMETRIDA) [Leach, 1815]). Op. 450	index
Geonemus Schönherr, 1833, <i>Synonymia Insectorum, Genera et species curculionidum, cum synonymia hujus familiae</i> , vol. 1, p. 13 (gender: masculine) (type species, by designation under the plenary power: <i>Curculio flabellites</i> Olivier, 1807) (Insecta, Coleoptera). Op. 1493	available
Geopeltis Regteren Altena, 1949, <i>Archives du Musée Teyler</i> , (3) 10 : 56 (gender: feminine) (type species, by original designation: <i>Belopeltis simplex</i> Voltz, 1840) (Cephalopoda, Coleoidea). Op. 1914	available
Georissus Latreille, 1809, <i>Genera Crustaceorum et Insectorum, secundum ordinem naturalem in Familias disposita, iconibus exemplisque plurimus explicata</i> , vol. 4, p. 377 (gender: masculine) (type species, by monotypy: <i>Pimelia pygmaea</i> Fabricius, 1798, a junior subjective synonym of <i>Byrrhus crenulatus</i> Rossi, 1794) (Insecta, Coleoptera). Op. 1891	available
Georyssus Stephens, 1828, <i>Illustrations of British entomology ... Mandibulata</i> , vol. 2, p. 105 (a junior objective synonym of Georissus Latreille, 1809) (Insecta, Coleoptera). Op. 1891	index
Geostiba Thomson, 1858, <i>Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar</i> , 15 : 33 (gender: feminine) (type species, by monotypy: <i>Aleochara circellaris</i> Gravenhorst, 1806) (Insecta, Coleoptera). Op. 2098	available

<i>Geoteuthis</i> Münster, 1843, in Münster, G. Graf zu, Meyer, H.V. & Wagner, R. (Eds.), <i>Beiträge zur Petrefacten-Kunde ...</i> , p. 68 (gender: feminine) (type species, by subsequent designation by Bülow-Trummer, 1920, <i>Fossilium Catalogus I: Animalia</i> , part 11 (Cephalopoda dibranchiata), p. 252: <i>Loligo bollensis</i> Schübeler in Zieten, 1832) (Cephalopoda, Coleoidea). Op. 1914	available
<i>Geotriton</i> Bonaparte, [1832], <i>Iconografia della fauna Italica per le quattro classi degli animali vertebrati</i> , vol. 2 (Amfibi), fasc. 1, pp. [243]-[244] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia, Caudata). Op. 1866	index
<i>Geotrupes</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 6 (gender: masculine) (type species, by designation under the plenary power: <i>Scarabaeus stercorarius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 349) (Insecta, Coleoptera). Op. 346	available
GEOTRUPINI Latreille, 1806, <i>Gen. Crust. Ins.</i> , 2: 91 (type genus: <i>Geotrupes</i> Latreille, 1796) (published as a name for a taxon below subfamily rank) (Insecta, Coleoptera). Direction 28	available
<i>gerardi, Strophalosia</i> , King, 1846, <i>Ann. Mag. nat. Hist.</i> , 18: 93 (conserved under the plenary power) (specific name of the type species of <i>Strophalosia</i> King, 1844) (Brachiopoda). Op. 625	available
<i>Gerbios</i> Bosc, 1813, <i>Nouv. Bull. Sci. Soc. philomat. Paris</i> , 3(66): 233 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 434	index
<i>germanica, Blatta</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 668 (specific name of the type species of <i>Blattella</i> Caudell, 1903) ruled under the plenary power to be given precedence over the specific name <i>transfuga</i> Brünnich, 1763, as published in the binomen <i>Blatta transfuga</i> , whenever the two names are considered synonyms (Insecta, Dictyoptera). Op. 1231	available
<i>germanicum, Polyzonium</i> , Brandt, 1837, <i>Bull. Sci. Acad. imp. Sci. St. Pétersbourg</i> , 1(23): 178, 179 (specific name of the type species of <i>Polyzonium</i> Brandt, 1837) (Diplopoda). Op. 1065	available
<i>germari, Chrysobothris</i> , Gory & Laporte, 1838, <i>Histoire naturelle et iconographie des insectes Coléoptères. Monographie des buprestides</i> , vol. 2, p. 50, ruled under the plenary power not to be given priority over <i>Buprestis sexsignata</i> Say, 1839 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2174	available
<i>germari, Corisa</i> , Fieber, 1848, <i>Nouveaux Mémoires de la Société Impériale des naturalistes de Moscou</i> , 21: 531, as defined by the neotype (male specimen, glued on card and labelled: '(1) male, (2) 12.10.44, Adolfshütte, Oberlausitz, Dr. Jordan, (3) Arctocorisa germari (Fieber) det. A. Jansson 1985, (4) Neotype Corisa germari Fieber, (5) Zool. Mus. Berlin', deposited in the Zoological Museum, Humboldt University, Berlin, Germany) designated under the plenary power (Insecta, Heteroptera). Op. 1523	available
<i>germinationis, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 600, as defined by the neotype (specimen labelled 'Opomyza germinationis ♂ 2.7' in the Naturhistoriska Riksmuseet, Stockholm) designated under the plenary power (specific name of the type species of <i>Opomyza</i> Fallén, 1820) (Insecta, Diptera). Op. 2088	available

GERREIDAE (correction of GERREIFORMES) Bleeker, 1859, <i>Act. Soc. Sci. Indo-Neerl.</i> , 6 : xx (type genus: <i>Gerres</i> Quoy & Gaimard, 1824) (Osteichthyes). Op. 962	available
GERREIFORMES Bleeker, 1859, <i>Act. Soc. Sci. Indo-Neerl.</i> , 6 : xx (type genus: <i>Gerres</i> Quoy & Gaimard, 1824) (an incorrect original spelling for GERREIDAE Bleeker, 1859). Op. 962	index
<i>Gerres</i> Quoy & Gaimard, 1824, <i>Voy. 'Uranie'</i> (Zool.): 292 (gender: masculine) (type species, by designation by Jordan, 1917 (<i>Leland Stanford Jr. Univ. Publ. Univ. Ser.</i> , No. 27: 117, 118): <i>Gerres vaigiensis</i> Quoy & Gaimard, 1824, <i>Voy. 'Uranie'</i> (Zool.): 292) (Osteichthyes). Op. 962	available
GERRIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 : 123 (type genus: <i>Gerris</i> Fabricius, 1794) (an incorrect original spelling for GERRIDAE [Leach, 1815]). Op. 962	index
GERRIDAE (correction of GERRIDA) [Leach, 1815], in Brewster's <i>Edinburgh. Ency.</i> , 9 : 123 (type genus: <i>Gerris</i> Fabricius, 1794) (Insecta, Hemiptera). Op. 962	available
GERRIDAE Günther, 1862, <i>Cat. Acanthopterygii Pharyngognathi Anacanthini Br. Mus.</i> , 4 : 252 (type genus: <i>Gerres</i> Quoy & Gaimard, 1824) (an incorrect subsequent spelling for GERREIDAE Bleeker, 1859). Op. 962	index
<i>Gerris</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 187 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 259, 434): <i>Cimex lacustris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 450) (Insecta, Hemiptera). Op. 962	available
<i>gervaisii</i> , <i>Diplocus</i> , Pictet, 1853, <i>Traité Paléont.</i> (ed. 2), 1 : 340 (a junior objective synonym of <i>cervulum</i> , <i>Lophiotherium</i> , Gervais, 1850). Op. 530	index
<i>Geryon</i> Krøyer, 1837, <i>Naturhist. Tidsskrift</i> , 1 (1): 10, 20, 21 (gender: masculine) (type species, by original designation: <i>Geryon tridens</i> Krøyer, 1837, <i>Naturhist. Tidsskrift</i> , 1 (1): 10, 21) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>geversianum</i> , <i>Buccinum</i> , Pallas, 1774, <i>Spicil. Zool.</i> (10): 33 (valid name at the date of Opinion 911 of the type species of <i>Trophon</i> Montfort, 1810) (Gastropoda). Op. 911	available
<i>gibba</i> , <i>Sphex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 571 (specific name of the type species of <i>Sphecodes</i> Latreille, 1804) (Insecta, Hymenoptera). Op. 1713	available
<i>gibbicollis</i> , <i>Buprestis</i> , Illiger, 1803, <i>Magazin für Insectenkunde</i> , 2 : 239 (Insecta, Coleoptera). Op. 2008	available
<i>gibbicollis</i> , <i>Buprestis</i> , Say, 1823, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 3 : 161, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis gibbicollis</i> Illiger, 1803 (Insecta, Coleoptera). Op. 2008	available
<i>gibbon</i> , <i>Simia</i> , Miller, 1779, <i>Phil. Trans. roy. Soc. London</i> , 68 : 161-179, ruled under the plenary power not to be given priority over the specific name <i>syndactyla</i> Raffles, 1821, as published in the binomen <i>Simia syndactyla</i> , whenever the two names are considered synonyms (Mammalia). Op. 1224	available

<i>gibbosus</i> , <i>Entomostracites</i> , Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 39 (specific name of the type species of <i>Olenus</i> Dalman, [1827]) (Trilobita). Op. 496	available
<i>gibbosus</i> , <i>Heterocarpus</i> , Bate, 1888, <i>Report on the scientific results of the voyage of H.M.S. Challenger during the years 1873–1876</i> , vol. 24, part 52, p. 634, as defined by the neotype (specimen NHM 2006.1216, Bohol Sea, ‘Panglao 2005’ at the Natural History Museum, London) designated under the plenary power (Crustacea). Op. 2217	available
<i>gibbosus</i> , <i>Notostomus</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 7 (specific name of the type species of <i>Notostomus</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>gibbum</i> , <i>Acrydium</i> , Olivier, 1791, <i>Ency. Méth.</i> , Ins., 6 : 233, No. 76 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>gibbus</i> , <i>Cynodon</i> , Spix & Agassiz, 1829, <i>Selecta genera et species piscium quos in itinere per Brasiliam ... Collegit et pingendos curavit Dr. J.B. de Spix ... Digessit, descriptis et observationibus anatomicis illustravit Dr. L. Agassiz</i> , pl. 27 (specific name of the type species of <i>Cynodon</i> Spix in Spix & Agassiz, 1829) (Osteichthyes). Op. 2012	available
<i>gibelio</i> , <i>Cyprinus</i> , Bloch, 1782, <i>Oeconomische Naturgeschichte der Fische Deutschlands</i> , vol. 1, p. 71, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Osteichthyes). Op. 2027	available
<i>gigantea</i> , <i>Alce</i> , Blumenbach, 1799, <i>Handbuch der Naturgeschichte</i> , 6 th Ed., vol. 16, p. 697 (senior subjective synonym of <i>Megaloceros antiquorum</i> Brookes, 1828, the specific name of the type species of <i>Megaloceros</i> Brookes, 1828) (Mammalia, Artiodactyla). Op. 1566	available
<i>gigantea</i> , <i>Procellaria</i> , Gmelin, [1789], in Linnaeus, <i>Systema Natura</i> , Ed. 13, vol. 1, part 2, p. 563, as defined by the neotype (specimen no. 1911 340 in the Catalogue Général of the Laboratoire de Zoologie: Mammifères et Oiseaux, Muséum National d’Histoire Naturelle, Paris) designated under the plenary power (specific name of the type species of <i>Macronectes</i> Richmond, 1905) (Aves, Procellariiformes). Op. 1751	available
<i>gigantea</i> , <i>Proscopia</i> , Klug, 1820, in Nees von Esenbeck, <i>Hor. phys. berol.</i> : 18 (specific name of the type species of <i>Proscopia</i> Klug, 1820) (Insecta, Orthoptera). Direction 5	available
<i>Gigantella</i> Sarycheva, 1928, <i>Mem. geol. Sci. Res. Inst. Moscow</i> , 1928 (1): 13 (a junior homonym of <i>Gigantella</i> Ekman, 1905). Op. 420	index
<i>giganteus</i> , all uses in combination with <i>Yerboa</i> , <i>Jaculus</i> , <i>Didelphis</i> and <i>Didelphys</i> prior to <i>Macropus giganteus</i> Shaw, 1790, <i>Nat. Miscell.</i> : pl. 33 and text (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 760	index
<i>giganteus</i> , <i>Bathynomus</i> , Milne Edwards, 1879, <i>Comptes Rendus de l'Académie des Sciences</i> , Paris, 88 : 21 (specific name of the type species of <i>Bathynomus</i> Milne Edwards, 1879) (Isopoda). Op. 1668	available
<i>giganteus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. G[2], pl. 15, fig. 1 (included in a work rejected for nomenclatural purposes). Op. 420	index

<i>giganteus</i> , <i>Gyrolepis</i> , Agassiz, 1835, <i>Poiss. Foss.</i> , 2 (1): 175, pl. 19, fig. 13 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 930	index
<i>giganteus</i> , <i>Jaculus</i> , Erxleben, 1777, <i>Syst. Règn. Anim.</i> : 409 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 760	index
<i>giganteus</i> , <i>Macropus</i> , Shaw, 1790, <i>Nat. Miscell.</i> : pl. 33 and text, as interpreted by the neotype designated by Calaby & Ride, 1964 (<i>Bull. zool. Nomencl.</i> , 21 : 254) (specific name of the type species of <i>Macropus</i> Shaw, 1790) (ruled under the plenary power not to be an objective synonym of <i>Macropus major</i> Shaw, 1800) (Mammalia). Op. 760	available
<i>giganteus</i> , <i>Productus</i> , Sowerby, 1822, <i>Min. Conch.</i> , 4 : 19, pl. 320, as interpreted by the lectotype designated by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 100) (specific name of the type species of <i>Gigantopproductus</i> Prentice, 1950) (Brachiopoda). Op. 420	available
<i>giganteus</i> , <i>Turrilites</i> , de Haan, 1825, <i>Specimen Philosophicum Inaugurale. Exhibens Monographiae Ammoniteorum et Goniatiteorum ...</i> , p. 78 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Ammonoidea). Op. 1925	index
<i>giganteus</i> , <i>Unio</i> , Barnes, 1823, <i>American Journal of Science and Arts</i> , 6 : 119 (valid specific name of the senior subjective synonym of <i>Unio heros</i> Say, 1829, the type species of <i>Megalonaia</i> Utterback, 1915) (Bivalvia). Op. 1487	available
<i>Gigantopecten</i> Rovereto, 1899, <i>Revue critique de Paléozoologie</i> , 3 (2): 90 (gender: masculine), type species <i>Ostrea latissima</i> Brocchi, 1814 by original designation for the replaced generic name <i>Macrochlamys</i> Sacco, 1897 (Bivalvia) Op. 2203	available
<i>Gigantopproductus</i> Prentice, 1950, <i>Geol. Mag.</i> , 87 (6): 436 (gender: masculine) (type species, by designation by Muir-Wood, 1930 (<i>Ann. Mag. nat. Hist.</i> , (10) 5 : 105, 106) for the replaced name <i>Gigantella</i> Sarycheva, 1928: <i>Productus giganteus</i> Sowerby, 1822, <i>Min. Conch.</i> , 4 : 19, pl. 320, as interpreted by the lectotype designated by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 100)) (Brachiopoda). Op. 420	available
<i>Gigantorhinchus</i> Weinberg & Romanowitsch, 1908, <i>Clin. veter.</i> , 31 : 41 (an incorrect subsequent spelling for <i>Gigantorhynchus</i> Hamann, 1892). Direction 76	index
<i>Gigantorhynchus</i> Hamann, 1892, <i>Zool. Anz.</i> , 15 : 196 (gender: masculine) (type species, by designation by Stiles & Hassall, 1905 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 79 : 108): <i>Echinorhynchus echinodiscus</i> Diesing, 1851, <i>Syst. Helminth.</i> , 2 : 36) (Acanthocephala). Op. 84 <i>gigas</i> , <i>Ascalabotes</i> , Bocage, 1875, <i>Jornal de Sciencias Mathematicas, Physicas e Naturaes</i> , 5 : 108 (Reptilia, Squamata). Op. 1585	available
<i>gigas</i> , <i>Cancer</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 272 (specific name of the type species of <i>Pseudocarcinus</i> Milne Edwards, 1834) (Crustacea, Decapoda). Direction 36	available
<i>gigas</i> , <i>Hypselopus</i> , Burmeister, 1835, <i>Handb. Entomol.</i> , 2 (1): 329 (specific name of the type species of <i>Hypselopus</i> Burmeister, 1835) (Insecta, Hemiptera). Direction 1	available
<i>gigas</i> , <i>Ichneumon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 560 (specific name of the type species of <i>Urocerus</i> Geoffroy, 1762) (Insecta, Hymenoptera). Op. 1754	available

<i>gigas</i> , <i>Leucospis</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 245 (Insecta, Hymenoptera). Op. 1111	available
<i>gigas</i> , <i>Manati</i> , Zimmermann, 1780, <i>Geographische Geschichte des Menschen und die vierfüssigen Thiere</i> , 2 : 426 (valid name at the date of Opinion 1320 of the type species of <i>Hydrodamalis</i> Retzius, 1794) (Mammalia). Op. 1320	available
<i>gigas</i> , <i>Sudis</i> , Schinz, 1822, in Cuvier, <i>Das Thierreich aus dem französischen frey übersetzt ...</i> , 2 : 305 (specific name of the type species of <i>Arapaima</i> Müller, 1843) (Osteichthyes). Op. 1132	available
<i>gigaxii</i> , <i>Helix</i> , Pfeiffer, 1850, <i>Z. f. Malakozool.</i> , 7 : 85 (Gastropoda). Op. 336	available
<i>gigliotosi</i> , <i>Heniola</i> , Carbonell, 1971, <i>Bull. zool. Nomencl.</i> , 28 : 167 (specific name of the type species of <i>Heniola</i> Uvarov, 1940) (Insecta, Orthoptera). Op. 1032	available
<i>gilbertsoni</i> , <i>Actinocrinus</i> , Phillips, 1836, <i>Ill. Geol. Yorks.</i> (2): 206, to be interpreted, as directed under the plenary power, by reference to the neotype designated by Wright, 1955 (<i>Brit. Carbonif. Crin.</i> , 2 (1): pl. 49, figs. 3, 16; pl. 50, figs. 3, 9) (specific name of the type species of <i>Amphoracrinus</i> Austin, 1848) (Crinoidea). Op. 527	available
<i>Ginorga</i> Gray, 1840, <i>Syn. Contents Brit. Mus.</i> (ed. 42): 150 (a nomen nudum). Op. 292	index
<i>Ginorga</i> Strickland, 1842, <i>Rep. Brit. Assoc.</i> (Plymouth, 1841) (Trans. Sect.): 65 (a junior objective synonym of <i>Cardinia</i> Agassiz, [1841]). Op. 292	index
<i>gioëni</i> , <i>Tricla</i> , Philipsson, 1788, <i>Dissertatio Hist. nat. sist. nova Test. Gen.</i> : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 287	index
<i>Gioënia</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers 1 (1): xii (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 287	index
<i>Giraffa</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 12, 37 (gender: feminine) (type species, by designation under the plenary power: <i>Cervus camelopardalis</i> Linnaeus, 1758), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Artiodactyla). Op. 1894	available
<i>Gabella</i> Loew, 1873, <i>Beschreibung europäischer Dipteren</i> , Band 3, p. 208 (a junior homonym of <i>Gabella</i> Swainson, 1840) (Insecta, Diptera). Op. 1545	index
<i>Glabellula</i> Bezzi, 1902, <i>Zeitschrift für Systematische Hymenopterologie und Dipterologie</i> , 2 : 191 (gender: feminine) (type species, by designation under the plenary power: <i>Platygaster arcticus</i> Zetterstedt, 1838) (Insecta, Diptera). Op. 1545	available
<i>glaber</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign Z[2], pl. 48, figs. 9, 10 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>glaber</i> , <i>Ptychognathus</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 104 (specific name of the type species of <i>Ptychognathus</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available

<i>glaber, Spirifer</i> , Sowerby, 1820, <i>Min. Conch.</i> , 3 : 123, pl. 269 (numbered 169 on legend in error), as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 111, pl. 3, figs. 2a-c) (specific name of the type species of <i>Martinia</i> McCoy, 1844) (Brachiopoda). Op. 420	available
<i>glaber, Staphylinus</i> , Müller, 1776, <i>Zoologiae Danicae prodromus, seu animalium Daniae et Norvegiae indigenarum characteres</i> , p. 98, ruled under the plenary power not to be given priority over <i>Quedius plagiatus</i> Mannerheim, 1843 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>glaber, Strombiformis</i> , Da Costa, 1778, <i>Historia naturalis testaceorum Britanniae or, the British conchology ...</i> , p. 117, as defined by the neotype designated by Warén, 1989, <i>Journal of Conchology</i> , 33 (4): 220 (senior objective synonym of the specific name of <i>Turbo subulatus</i> Donovan, 1804, the type species of <i>Eulima</i> Risso, 1826) (Gastropoda). Op. 1718	available
<i>glaberrimum, Xiphidium</i> , Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2) Part 1: 707 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1148	index
<i>glabra, Heteropanope</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 35 (specific name of the type species of <i>Heteropanope</i> Stimpson, 1858) (Crustacea, Decapoda). Op. 712	available
<i>glabra, Locusta</i> , Herbst, 1786, in Fuessly, <i>Arch. Ins.</i> , 7 : 193 (specific name of the type species of <i>Gampsocleis</i> Fieber, 1852) (Insecta, Orthoptera). Direction 5	available
<i>glabra, Madiza</i> , Fallén, 1820, <i>Oscinides Sveciae</i> : 9 (specific name of the type species of <i>Madiza</i> Fallén, 1810) (Insecta, Diptera). Op. 1112	available
<i>glabrata, Tenthredo</i> , Fallén, 1808, <i>Kongl. Vetenskaps Akademiens Handlingar</i> , 29 (2): 108 (senior subjective synonym of <i>Ametastegia fulvipes</i> A. Costa, 1882, the type species of <i>Ametastegia</i> A. Costa, 1882) (Insecta, Hymenoptera). Op. 1963	available
<i>glabrum, Buccinum</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 135 (Gastropoda). Op. 336	available
<i>glacialis, Hepomadus</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 190 (specific name of the type species of <i>Hepomadus</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>glacialis, Pasiphaë</i> , Buchholz, 1874, in Koldewey, <i>Zweite Deutsche Nordpolarfahrt</i> , 2 : 279 (specific name of the type species of <i>Hymenodora</i> Sars, 1877) (Crustacea, Decapoda). Op. 470	available
<i>glacialis, Procellaria</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 51 (specific name of the type species of <i>Fulmarus</i> Stephens, 1826) (Aves). Direction 43	available
<i>gladiator, Conus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 141 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Gladiolites</i> Barrande, 1850, <i>Grapt. Bohême</i> : 68 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 199	index

<i>gladius</i> , <i>Scomber</i> , attributed erroneously to Broussonet, 1786, <i>Mém. Acad. Sci.</i> (1786): 454, in the supposed binomen <i>Scomber gladius</i> (not made available in the work cited). Op. 903	index
<i>gladius</i> , <i>Xiphias</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 248 (specific name of the type species of <i>Xiphias</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Glaea</i> Curtis, 1829, <i>Brit. Entomol.</i> , 6 : 268 (an incorrect subsequent spelling for <i>Gloia</i> Hübner, 1822). Op. 789	index
<i>glandarius</i> , <i>Cuculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 111 (specific name of the type species of <i>Clamator</i> Kaup, 1829) (Aves). Direction 43	available
<i>glandon</i> , <i>Papilio</i> , Prunner, 1798, <i>Lepid. pedemont.</i> : 76 (specific name of the type species of <i>Agriades</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 270	available
<i>Glandularia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 245 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>glanis</i> , <i>Silurus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 304 (specific name of the type species of <i>Silurus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Glassia</i> Davidson, 1881, <i>Geological Magazine</i> , (2) 8 (1): 11 (gender: feminine) (type species, by designation under the plenary power: <i>Glassia elongata</i> Davidson, 1881) (Brachiopoda). Op. 2022	available
<i>glauca</i> , <i>Chromodoris</i> , Bergh, 31 March 1879, <i>Malakozool. Blätter</i> , N.F., 1 : 106, 107 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1253	index
<i>glauca</i> , <i>Notonecta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439 (specific name of the type species of <i>Notonecta</i> Linnaeus, 1758) (Insecta, Hemiptera). Direction 64	available
<i>glauca</i> , <i>Poeciloptera</i> , Kirby, 1891, <i>J. linn. Soc. London (Zool.)</i> , 24 : 154, pl. 6, fig. 14 (specific name of the type species of <i>Hansenia</i> Kirkaldy, 1902) (Insecta, Hemiptera). Op. 598	available
<i>glaucina</i> , <i>Phalaena</i> , Esper, [1789], <i>Die Schmett.</i> , Suppl., 3 Abschn.: 11, pl. 81, figs. 4, 5 (specific name of the type species of <i>Episema</i> Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 494	available
<i>glaucoides</i> , <i>Eolis</i> , Alder & Hancock, 1854, <i>Ann. Mag. nat. Hist.</i> , (2) 14 : 104 (specific name of the type species of <i>Calma</i> Alder & Hancock, 1855) (Gastropoda). Op. 780	available
<i>Glaucoma</i> Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 96 (gender: feminine) (type species, by monotypy: <i>Glaucoma scintillans</i> Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 98) (Ciliophora). Op. 915	available
<i>Glaukopis</i> Bonaparte, 1854, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 1 (3): 137 (a junior homonym of <i>Glaukopis</i> Gmelin, 1788). Op. 789	index
<i>Glaukopis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 289 (a junior homonym of <i>Glaukopis</i> Gmelin, 1788). Op. 789	index

<i>Glaucopis</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 3, 4, 5, 6 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>glaucus</i> , <i>Phasmatocarcinus</i> , Tilesius von Tilenu, 1818, <i>Ann. Wetterau. Ges. Naturk.</i> , 4 : 6 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
<i>glaucus</i> , <i>Scomber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 298 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1841	index
<i>glaucus</i> , <i>Squalus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 235 (specific name of the type species of <i>Prionace</i> Cantor, 1850) (Chondrichthyes). Op. 723	available
<i>Gliricola</i> Mjöberg, January 1910, <i>Zool. Anz.</i> , 35 : 292 (gender: masculine) (type species, by original designation: <i>Gyropus gracilis</i> Nitzsch, 1818, <i>Mag. Entomol. (Germar)</i> , 3 : 304, valid name: <i>Pediculus porcelli</i> Schrank, 1781) (Insecta, Mallophaga). Op. 342	available
<i>Gliricola</i> Mjöberg, June 1910, <i>Ark. Zool.</i> , 6 (No. 13): 18 (a junior homonym and junior objective synonym of <i>Gliricola</i> Mjöberg, January 1910). Op. 342	index
GLIRICOLINAE Ewing, 1924, <i>Proc. U.S. nat. Mus.</i> , 63 (No. 20): 7 (type genus: <i>Gliricola</i> Mjöberg, 1910) (Insecta, Mallophaga). Direction 28	available
<i>Glirulus</i> Thomas, 1906, <i>Proceedings of the Zoological Society of London</i> , 1905 (2): 347 (gender: masculine) (type species, by monotypy: <i>Myoxus japonicus</i> Schinz, 1845) (Mammalia). Op. 1978	available
<i>Glis</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 113 (gender: masculine) (type species, by designation under the plenary power: <i>Sciurus glis</i> Linnaeus, 1766), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Rodentia). Op. 1894	available
<i>Glis</i> Erxleben, 1777, <i>Systema regni animalis ... Classis 1</i> (Mammalia), p. 358 (a junior homonym of <i>Glis</i> Brisson, 1762) (Mammalia, Rodentia). Op. 1894	index
<i>glis</i> , <i>Sciurus</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, p. 87 (specific name of the type species of <i>Glis</i> Brisson, 1762) (Mammalia, Rodentia). Op. 1894	available
<i>globator</i> , <i>Oniscus</i> , Cuvier, 1792, <i>Journal d'Histoire Naturelle</i> (Paris), 2 (13): 24 (a junior homonym of <i>Oniscus globator</i> Pallas, 1772) (Isopoda). Op. 1897	index
<i>globator</i> , <i>Oniscus</i> , Pallas, 1772, <i>Spicilegia zoologica</i> , (9): 70 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Isopoda). Op. 1574	index
<i>globator</i> , <i>Volvox</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 820 (specific name of the type species of <i>Volvox</i> Linnaeus, 1758) (Mastigophora). Direction 77	available

globiceps, *Asaphus*, Phillips, 1836, *Illustrations of the geology of Yorkshire; or, a description of the strata and organic remains: accompanied by a geological map, sections, and diagrams, and figures of the fossils, part 2 (The Mountain Limestone District)*, p. 240 (specific name of the type species of *Bollandia* Reed, 1943) (Trilobita). Op. 1652

available

Globicornis Latreille, 1829, in Cuvier, *Règne Anim.* (ed. 2), **4**: 511 (gender: feminine) (type species, by monotypy: *Dermestes rufitarsis* Panzer, [1796], *Fauna Ins. germ.* (35): No. 6, valid name: *Dermestes nigripes* Fabricius, 1792) (Insecta, Coleoptera). Op. 300

available

globifera, *Crax*, Linnaeus, 1776, *Cat. Birds Beasts Fishes Ins. Edwards' nat. hist.*: 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412

index

Globigenera Sowerby, 1842, *Conch. Manual* (ed. 2): 154 (an incorrect subsequent spelling for *Globigerina* d'Orbigny, 1826). Op. 552

index

Globigerina d'Orbigny, 1826, *Ann. Sci. nat.*, Paris, [1]7(27): 271, 277 (gender: feminine) (type species, by designation by Parker, Jones & Brady, 1865 (*Ann. Mag. nat. Hist.*, (3)16: 36): *Globigerina bulloides* d'Orbigny, 1826, *Ann. Sci. nat.*, Paris, [1]7(27): 277) (Rhizopoda). Op. 552

available

GLOBIGERINIDA Carpenter, Parker & Jones, 1862, *Introd. Study Foram.*: 171-175 (type genus: *Globigerina* d'Orbigny, 1826) (an incorrect original spelling for **GLOBIGERINIDAE** Carpenter, Parker & Jones, 1862). Op. 552

index

GLOBIGERINIDAE (correction by Zittel, 1876, of **GLOBIGERINIDA**) Carpenter, Parker & Jones, 1862, *Introd. Study Foram.*: 171-175 (type genus: *Globigerina* d'Orbigny, 1826), ruled under the plenary power to be given precedence over **ORBULINIDAE** Schultze, 1854 by those who consider that the genera *Globigerina* d'Orbigny, 1826 and *Orbulina* d'Orbigny, 1839 belong to the same family-group taxon (Rhizopoda). Op. 552

available

globipunctata, *Taenia*, Rivolta, 1874, *Sopra alcune specie Tenie pecore*: 3 (specific name of the type species of *Stilesia* Stiles & Hassall, 1893) (Cestoda). Direction 77

available

Globites de Haan, 1825, *Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.*: 37 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 304

index

globosa, *Globigerina*, Hantken, 1883, *Ertek. Termesz. Köreböl Tud. Akad.*, **13**: 11, pl. 2, fig. 7 (a junior primary homonym of *Globigerina globosa* von Hagenow, 1842). Op. 1316

index

globosus, *Cancer*, Fabricius, 1787, *Mantissa Ins.*, **1**: 315 (a junior objective synonym of *globus*, *Cancer*, Fabricius, 1775). Op. 712

index

globulosa, *Leucosia*, Bosc, [1801-1802], in Castel's Buffon, *Hist. nat. Crust.*, **1**: 238 (a junior objective synonym of *globus*, *Cancer*, Fabricius, 1775). Op. 712

index

Globulus Bertrand, 1763, *Dict. Univ. Foss. Propres Foss. Accid.*, **2**: 103 (included in a work rejected for nomenclatural purposes). Op. 592

index

<i>globulus</i> , <i>Hydrophilus</i> , Paykull, [1798], <i>Fauna svec.</i> , Ins., 1 : 188 (specific name of the type species of <i>Anacaena</i> Thomson, 1859) (Insecta, Coleoptera). Op. 583	available
<i>globus</i> , <i>Cancer</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 401 (specific name of the type species of <i>Philyra</i> Leach, 1817) (Crustacea, Decapoda). Op. 712	available
<i>Glochidium</i> Rathke, 1797, <i>Skr. naturh. Selsk. Khb.</i> , 4 (1): 166 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy, but available for use as a technical designation to denote the parasitic larval stage of species of the genus <i>Anodonta</i> Lamarck, 1799). Op. 561	index
<i>Gloee</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Glomeris</i> Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 44 (gender: feminine) (type species, by subsequent designation by Jeekel, 1971, <i>Monografieën van de Nederlandse Entomologische Vereniging</i> , 5 : 14: <i>Oniscus pustulatus</i> Fabricius, 1781) (Diplopoda). Op. 1897	available
<i>gloriosa</i> , <i>Chrysis</i> , Fabricius, 1793, <i>Entomologia Systematica emendata et aucta</i> , vol. 2, p. 242 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1906	index
<i>Glossodoris</i> Ehrenberg, 1831, <i>Symbolae physicae seu icones et descriptiones animalium evertibratorum sepositis insectis quae ex itinere per Africam borealem et Asiam occidentalem. Decas 1 Mollusca</i> (gender: feminine) (type species, by subsequent designation by Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 1847 : 164: <i>Doris (Glossodoris) xantholeuca</i> Ehrenberg, 1831, a junior subjective synonym of <i>Doris pallida</i> Rüppell & Leuckart, 1830 or 1831) (Gastropoda). Op. 1375	available
<i>Glossograpus</i> Emmons, 1855, <i>Amer. Geol.</i> , 1 : 108 (ruled under the plenary power to be an incorrect original spelling for <i>Glossograpta</i> Emmons, 1855). Op. 650	index
<i>Glossograpta</i> (emendation of <i>Glossograpus</i>) Emmons, 1855, <i>Amer. Geol.</i> , 1 : 108 (conserved under the plenary power) (gender: masculine) (type species, by designation by Lapworth, 1873 (<i>Geol. Mag.</i> , 10 : table i): <i>Glossograpta</i> [sic] <i>ciliatus</i> Emmons, 1855, <i>Amer. Geol.</i> , 1 : 108) (Graptolithina). Op. 650	available
<i>glutinosa</i> , <i>Caecilia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 229 (specific name of the type species of <i>Ichthyophis</i> Fitzinger, 1826) (Amphibia, Gymnophiona). Op. 1604	available
<i>glutinosa</i> , <i>Myxine</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 650 (specific name of the type species of <i>Myxine</i> Linnaeus, 1758) (Agnatha). Direction 57	available
<i>glutinosa</i> , <i>Salamandra</i> , Green, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 357 (specific name of the type species of <i>Plethodon</i> Tschudi, 1838) (Amphibia). Op. 921	available
<i>Glycaspis</i> Taylor, 1960, <i>Aust. J. Zool.</i> , 8 : 385 (gender: feminine) (type species, by original designation: <i>Aphalara flavilabris</i> Froggatt, 1903, <i>Proc. linn. Soc. N.S. Wales</i> , 28 : 318) (Insecta, Hemiptera). Op. 725	index
<i>Glycimerigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Glycimeris</i> Lamarck, 1799, <i>Mémoires de la Société d'Histoire Naturelle de Paris</i> , 1799 : 83 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bivalvia). Op. 1414	index
<i>Glycimeris</i> Lamarck, 1801, <i>Système des Animaux sans Vertèbres</i> , p. 126 (a junior homonym of <i>Glycimeris</i> Lamarck, 1799) (Bivalvia). Op. 1414	index
<i>glycimeris, Mya</i> , Born, 1778, <i>Index Rerum Naturalium Musei Caesarei Vindibonsis Pars 1, Testacea</i> , p. 10 (specific name of the senior subjective synonym of <i>Panopea aldrovandi</i> Ménard de la Groye, 1807, the type species of <i>Panopea</i> Ménard de la Groye, 1807) (Bivalvia). Op. 1414	available
GLYCYMERIDIDAE Newton, 1916, <i>Journal of Conchology</i> , 15 : 83 (type genus: <i>Glycymeris</i> da Costa, 1778) (Bivalvia). Op. 1414	available
<i>Glycymeris</i> da Costa, 1778, <i>British Conchology</i> , p. 168 (gender: feminine) (type species, by absolute tautonymy: <i>Arca glycymenis</i> Linnaeus, 1758) (Bivalvia). Op. 1414	available
<i>glycymenis, Arca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 695 (specific name of the type species of <i>Glycymeris</i> da Costa, 1778) (Bivalvia). Op. 1414	available
GLYPHIPTERIGIDAE Stainton, 1854, <i>Insecta Britannica</i> , Lepidoptera, p. 169 (type genus: <i>Glyphipteryx</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 1418	available
<i>Glyphipteryx</i> Hübner, [1825], <i>Verzeichniss bekannter Schmettlinge</i> , p. 421 (gender: feminine) (type species, by designation under the plenary power: <i>Tinea bergstraesserella</i> Fabricius, 1781) (Insecta, Lepidoptera). Op. 1418	available
<i>Glyphipteryx</i> Curtis, 1827, <i>British entomology</i> , vol. 4, p. 152 (an unjustified emendation of <i>Glyphipteryx</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 1418	index
<i>Glyphocrangon</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 3 (gender: feminine) (type species, by original designation: <i>Glyphocrangon spinicauda</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 3) (Crustacea, Decapoda). Op. 470	available
GLYPHOCRANGONIDAE Smith, 1884, <i>Rep. U.S. Comm. Fish</i> , 10 : 364 (type genus: <i>Glyphocrangon</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>Glyptagnostus</i> Whitehouse, 1936, <i>Memoirs of the Queensland Museum</i> , 11 : 101 (gender: masculine) (type species, by original designation: <i>Glyptagnostus toreuma</i> Whitehouse, 1936) (Trilobita). Op. 1701	available
<i>Glyptograpsus</i> Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 153 (gender: masculine) (type species, by original designation: <i>Glyptograpsus impressus</i> Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 154) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Glyptoplax</i> Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 164 (gender: feminine) (type species, by monotypy: <i>Glyptoplax pugnax</i> Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 165) (Crustacea, Decapoda). Op. 85, Direction 37	available

<i>Glyptus</i> Brullé, 1835, <i>Hist. nat. Ins.</i> , 5 Coleoptera II: 83 (gender: masculine) (type species, by monotypy: <i>Glyptus sculptilis</i> Brullé, 1835, <i>Hist. nat. Ins.</i> , 5 Coleoptera II: 84) (Insecta, Coleoptera). Op. 1299	available
<i>Glyptus</i> Hoffmannsegg, 1818, <i>Wiedemann's Zool. Mag.</i> , 1 (2): 85 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1299	index
<i>Gnaptodon</i> Haliday, 1833, <i>Entomological Magazine</i> , 1 : 265 (gender: masculine) (type species, by designation under the plenary power: <i>Bracon pumilio</i> Nees, 1834) (Insecta, Hymenoptera). Op. 1424	available
<i>Gnaptodon</i> Haliday 1837, <i>Entomological Magazine</i> , 4 : 220, ruled by the Commission to be an incorrect subsequent spelling of <i>Gnampyton</i> Haliday, 1833 (Insecta, Hymenoptera). Op. 1424	index
<i>gnatho</i> , <i>Brentus</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 53, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>Gnathodus</i> Pander, 1856, <i>Monographie der fossilen Fische des Silurischen Systems der Russisch-Baltischen Gouvernement</i> , p. 33 (gender: masculine) (type species, by designation under the plenary power: <i>Polygnathus bilineatus</i> Roundy, 1926) (Conodonta). Op. 1415	available
GNATHOPHYLLINAE Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 16 (type genus: <i>Gnathophyllum</i> Latreille, 1819) (Crustacea, Decapoda). Op. 470	available
<i>Gnathophyllum</i> (emendation under the plenary power of <i>Gnatophyllum</i>) Latreille, 1819, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 30 : 72 (gender: neuter) (type species, by designation by Milne Edwards, 1837 (<i>Cuvier's Règne Anim.</i> [ed. 3] (Disciples' ed.), 18 : pl. 52, fig. 2): <i>Alpheus elegans</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 92) (Crustacea, Decapoda). Op. 470	available
<i>Gnathosoma</i> Kreft, 1871, <i>Trans. entomol. Soc. N.S. Wales</i> , 2 : 210 (an incorrect subsequent spelling for <i>Gnathostoma</i> Owen, [1837]). Direction 76	index
<i>Gnathostoma</i> Owen, [1837], <i>Proc. zool. Soc. London</i> , 4 : 125 (gender: neuter) (type species, by monotypy: <i>Gnathostoma spinigerum</i> Owen, [1837], <i>Proc. zool. Soc. London</i> , 4 : 125) (Nematoda). Op. 66, Direction 76	available
<i>Gnathostome</i> Ward, 1903, <i>Trans. amer. micr. Soc.</i> , 24 : 104 (an incorrect subsequent spelling for <i>Gnathostoma</i> Owen, [1837]). Direction 76	index
<i>Gnathostomum</i> Blanchard, 1896, in Bouchard, <i>Traité Path.</i> , 2 : 651, 747 (an incorrect subsequent spelling for <i>Gnathostoma</i> Owen, [1837]). Direction 76	index
<i>Gnatocerus</i> Thunberg, 1814, <i>K. Vetensk.-Akad. Handl.</i> , 1814 (1): 47 (gender: masculine) (type species, by monotypy: <i>Gnatocerus ruber</i> Thunberg, 1814, <i>K. Vetensk.-Akad. Handl.</i> , 1814 (1): 47, valid name: <i>Trogosita cornuta</i> Fabricius, 1798) (Insecta, Coleoptera). Op. 1039	available

<i>Gnatophyllum</i> Latreille, 1819, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 30 : 72 (an incorrect original spelling for <i>Gnathophyllum</i> Latreille, 1819). Op. 470	index
<i>Gnomulus</i> Thorell, 1890, <i>Annali del Museo Civico di Storia Naturale di Genova</i> , (2) 10 : 378 (gender: masculine) (type species, by designation under the plenary power: <i>Gnomulus sumatranus</i> Thorell, 1891) (Arachnida). Op. 1966	available
<i>Gnorimus</i> Chaudhri, 1975, <i>Pakistan Journal of Agricultural Sciences</i> , 12 : 100 (a junior homonym of <i>Gnorimus</i> Le Peletier de Saint-Fargeau & Serville, 1828) (Insecta, Coleoptera). Op. 2186	index
<i>Gnorimus</i> Le Peletier de Saint-Fargeau & Serville, 1828, Latreille, <i>Encyclopédie Methodique. Histoire Naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes</i> . 10. Agasse, Paris, p. 702 (gender: masculine) (type species, by subsequent designation by Blanchard, 1845, <i>Histoire des Insectes. Hyménoptères et Coléoptères</i> , p. 233: <i>Scarabaeus nobilis</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 2186	available
<i>Gobio</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 250 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>gobio, Cottus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 265 (specific name of the type species of <i>Cottus</i> Linnaeus, 1758) (Osteichthyes). Direction 87	available
<i>Gobius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 262 (gender: masculine) (type species, by designation by Gill, 1863 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1863 : 268): <i>Gobius niger</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 262) (Osteichthyes). Op. 77, Direction 56	available
<i>Godiva</i> Macnae, 1954, <i>Ann. Natal Mus.</i> , 13 : 20 (gender: feminine) (type species, by original designation: <i>Hervia quadricolor</i> Barnard, 1927, <i>Ann. S. Afr. Mus.</i> , 25 : 203) (Gastropoda). Op. 778	available
<i>goldfussi, Cylindrella</i> , Menke, 1847, <i>Zeitschrift für Malakozoologie</i> , 1847 (1): 2 (specific name of the type species of <i>Holospira</i> Martens, 1860) (Gastropoda). Op. 1932	available
<i>goldfussi, Spondylus</i> , Münster, 1839, <i>Beitr. zur. Petrefactenkunde</i> , 1 : 2, pl. 4, figs. 3a, b (Brachiopoda). Op. 625	available
<i>goliah, Macropus</i> , Owen in Waterhouse, 1846, <i>A natural history of the Mammalia</i> , vol. 1, p. 59 (specific name of the type species of <i>Procoptodon</i> Owen, 1874) (Mammalia). Op. 1993	available
<i>golock, Simia</i> , Bechstein, 1799, <i>T. Pennant's 'Uebersicht der vierfüssigen Thiere'</i> , 1 : 181 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1219	index
<i>Gomeza</i> Gray, 1831, <i>Zool. Miscell.</i> (1): 39 (gender: feminine) (type species, by monotypy: <i>Gomeza bicornis</i> Gray, 1831, <i>Zool. Miscell.</i> (1): 39) (Crustacea, Decapoda). Op. 85, Direction 37) GOMPHONOTIDAE Chace, 1936, <i>J. Washington Acad. Sci.</i> , 26 : 25 (type genus: <i>Gomphonotus</i> Chace, 1936) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 470	available

<i>Gomphonotus</i> Chace, 1936, <i>J. Washington Acad. Sci.</i> , 26 : 25 (a junior objective synonym of <i>Eugonatonotus</i> Schmitt, 1926). Op. 470	index
<i>GONATONOTIDAE</i> Gurney, 1941, <i>J. linn. Soc. London</i> (Zool.), 41 : 122 (type genus: <i>Gonatonotus</i> Milne Edwards, 1881) (invalid because the name of the type genus is a junior homonym of <i>Gonatonotus</i> Adams & White, 1847). Op. 470	index
<i>Gonatonotus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 4 (4): 10 (a junior homonym of <i>Gonatonotus</i> Adams & White, 1847). Op. 470	index
<i>Goneplat</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 393 (an incorrect original spelling for <i>Goneplax</i> [Leach, 1814]). Direction 37	index
<i>Goneplax</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 393 (as <i>Goneplat</i>), 430 (gender: feminine) (type species, by original designation: <i>Ocypoda bispinosa</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 150, valid name: <i>Cancer rhomboides</i> Linnaeus, 1758) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Gonerichthus</i> Brooks, 1886, <i>Johns Hopkins Univ. Circ.</i> , 5 (49): 83 (a junior objective synonym of <i>Gonodactylus</i> Berthold, 1827). Op. 785	index
<i>GONIATITEA</i> de Haan, 1825, <i>Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.</i> : 156 (type genus: <i>Goniatites</i> de Haan, 1825) (an incorrect original spelling for <i>GONIATITIDAЕ</i> de Haan, 1825). Direction 62	index
<i>Goniatites</i> de Haan, 1825, <i>Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.</i> : 159 (gender: masculine) (type species, by designation by Miller, 1889 (<i>N. Amer. Geol. Pal.</i> : 438): <i>Ammonites sphaericus</i> Sowerby, 1814, <i>Min. Conch.</i> , 1 : 116, pl. 53, figs. 2 (left & right), to be interpreted by reference to the holotype preserved in the British Museum (Natural History) and refigured by Stubblefield, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : pl. 7, figs. 1a-c) (Cephalopoda). Op. 420	available
GONIATITIDAЕ (correction of <i>GONIATITEA</i>) de Haan, 1825, <i>Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.</i> : 156 (type genus: <i>Goniatites</i> de Haan, 1825) (Cephalopoda). Direction 62	available
<i>Goniocotes</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 431 (gender: masculine) (type species, by designation by Johnston & Harrison, 1911 (<i>Proc. linn. Soc. N.S. Wales</i> , 36 : 326): <i>Ricinus gallinae</i> de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 79, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 242)) (Insecta, Mallophaga). Op. 627	available
GONIOCOTINI Eichler, 1937, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1937 : 108 (type genus: <i>Goniocotes</i> Burmeister, 1838) (Insecta, Mallophaga). Op. 627	available
<i>Goniosoma</i> Milne Edwards, 1860, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 14 : 218, 224, 263 (a junior objective synonym of <i>Charybdis</i> de Haan, [1833]). Op. 712	index
<i>Goniurellia</i> Hendel, 1927, Trypetidae, in Lindner, <i>Die Fliegen der palaearktischen Region</i> , Heft 49: 198 (gender: feminine) (type species, by designation under the plenary power: <i>Urellia tridens</i> Hendel, 1910, <i>Wiener entomol. Zeitung</i> , 29 : 106, 107) (Insecta, Diptera). Op. 1208	available

<i>Gonodactylus</i> Berthold, 1827, <i>in</i> Latreille, <i>Natürl. Fam. Thierr.</i> : 271 (gender: masculine) (type species, by designation under the plenary power: <i>Squilla chiragra</i> Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 515) (Crustacea, Stomatopoda). Op. 785	available
<i>Gonoplax</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 (2): 323 (an unjustified emendation of <i>Goneplax</i> [Leach, 1814]). Direction 37	index
<i>Gonyosoma</i> Wagler, 1828, <i>Descr. Icon. Amph.</i> (1): expl. pl. 9 (gender: neuter) (type species, by monotypy: <i>Gonyosoma viride</i> Wagler, 1828, <i>Descr. Icon. Amph.</i> (1): expl. pl. 9, valid name: <i>Coluber oxycephalus</i> Boie, 1827) by direction under the plenary power, not available for use in preference to <i>Elaphe</i> Fitzinger, 1833, but available for use by those who do not consider the type species of these two genera to be congeneric with one another (Reptilia). Op. 490	available
<i>goodalli</i> , <i>Helix (Cochlodonta)</i> , Féussac, 1821, <i>Tabl. syst. Anim. moll. terrestre. fluviat.</i> : 75 (valid name at the date of Opinion 335 of the type species of <i>Azecla</i> Fleming, 1828) (Gastropoda). Op. 335	available
<i>Gordius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647 (gender: masculine) (type species, by Linnaean tautonomy: <i>Gordius aquaticus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647) (Nematomorpha). Op. 66, Direction 76	available
<i>Gordius</i> Slabber, [1769-1778], <i>Natuurk. Verlustig.</i> : 61 (a junior homonym of <i>Gordius</i> Linnaeus, 1758). Direction 76	index
<i>gordoni</i> , <i>Hippolyte</i> , Bate, 1858, <i>Nat. Hist. Rev.</i> , 5 : iv (specific name of the type species of <i>Caridion</i> Göes, 1863) (Crustacea, Decapoda). Op. 470	available
<i>gordoniana</i> , <i>Hippolyte</i> , Bate, 1859, <i>Proc. Dublin Univ. zool. bot. Assoc.</i> , 1 : v, 48 (a junior objective synonym of <i>gordoni</i> , <i>Hippolyte</i> , Bate, 1858). Op. 470	index
<i>gorgone</i> , <i>Dryas reticulata</i> , Hübner, 1810, <i>Sammlung Exotischer Schmetterlinge</i> , pl. [41], figs. 1–2, as defined by the neotype (labelled: ‘Neotype ♂, <i>Dryas reticulata gorgone</i> ’, deposited in the McGuire Center for Lepidoptera and Biodiversity, Florida Museum of Natural History, Gainesville, Florida) designated by Gatrell, 1998, <i>Taxonomic Report</i> , 1 (2): 5 (Insecta, Lepidoptera). Op. 2160	available
<i>Gorilla</i> Geoffroy Saint-Hilaire, 1852, <i>C.R. Acad. Sci.</i> , Paris, 34 : 84 (gender: feminine) (type species, by absolute tautonomy: <i>Troglodytes gorilla</i> Savage, 1847, <i>Boston J. nat. Hist.</i> , 5 (4): 417) (Mammalia). Op. 122	available
<i>gorilla</i> , <i>Troglodytes</i> , Savage, 1847, <i>Boston J. nat. Hist.</i> , 5 (4): 417 (specific name of the type species of <i>Gorilla</i> Geoffroy Saint-Hilaire, 1852) (Mammalia). Direction 22	available
<i>gorriense</i> , <i>Stictostroma</i> , Stearn, 1995, <i>Journal of Paleontology</i> , 69 : 26 (specific name of the type species of <i>Stictostroma</i> Parks, 1936) (Stromatoporoidea). Op. 1843	available
<i>Gortania</i> Cossmann, 1909, <i>Revue critique de paléozoologie</i> , 13 : 67 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Trilobita). Op. 2006	index
<i>gossypii</i> , <i>Aphis</i> , Glover, 1877, <i>Report of the U.S. Commissioner for Agriculture for 1876</i> : 36 (<i>in</i> Report of the Entomologist and Curator of the Museum) (Insecta, Hemiptera). Op. 1137	available

<i>gouazoubira</i> , <i>Cervus</i> , Fischer, 1814, <i>Zoognosia. Tabulis synopticis illustrata</i> , vol. 3, p. 465, ruled under the plenary power to be the correct original spelling of <i>Cervus gouazoupira</i> (Mammalia). Op. 1985	available
<i>gouazoupira</i> , <i>Cervus</i> , Fischer, 1814, <i>Zoognosia. Tabulis synopticis illustrata</i> , vol. 3, p. 465, ruled under the plenary power to be an incorrect original spelling of <i>Cervus gouazoubira</i> (Mammalia). Op. 1985	index
<i>goudotii</i> , <i>Astacoides</i> , Guérin-Méneville, 1839, <i>Rev. zool.</i> , 2: 109 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 519	index
<i>goudotii</i> , <i>Eupleres</i> , Doyère, 1835, <i>Bull. Soc. Sci. nat. France</i> , 1835(3): 45 (specific name of the type species of <i>Eupleres</i> Doyère, 1835) (Mammalia). Op. 384	available
<i>gouldii</i> , <i>Hydrosaurus</i> , Gray, 1838, <i>Annals of Natural History; or, Magazine of Zoology, Botany and Geology</i> , 1: 394, as defined by the neotype (specimen no. BMNH 1997.1 in the Natural History Museum, London, collected from Karrakatta, Perth, Western Australia by G. Thompson on 29 September 1997) designated under the plenary power (Reptilia, Squamata). Op. 1948	available
<i>Goura</i> Stephens, 1819, in Shaw, <i>Gen. Zool. (Aves)</i> , 11(1): 120 (gender: feminine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 59): <i>Columba coronata</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 282, valid name: <i>Columba cristata</i> Pallas, 1764) (Aves). Op. 67 GRACILLARIIDAE Stainton, 1854, <i>Ins. Brit., Lep. Tin.</i> : 193 (type genus: <i>Gracillaria</i> Haworth, 1828) (an incorrect original spelling for GRACILLARIIDAE Stainton, 1854). Op. 912	available
<i>gracilior</i> , <i>Uroctonoides</i> , Hoffmann, 1931, <i>Anales del Instituto de Biología, Universidad Nacional Autónoma de México</i> , 2(4): 406, as defined by the lectotype designated by Gertsch & Soleglad, 1966, <i>American Museum Novitates</i> , 2278: 29 (specific name of the type species of <i>Paruroctonus</i> Werner, 1934) (Arachnida, Scorpiones). Op. 1934	available
<i>gracilipes</i> , <i>Platypilumnus</i> , Alcock, 1894, <i>Ann. Mag. nat. Hist.</i> , (6)13: 401 (specific name of the type species of <i>Platypilumnus</i> Alcock, 1894) (Crustacea, Decapoda). Direction 36	available
<i>gracilipes</i> , <i>Rhizopa</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858: 95 (specific name of the type species of <i>Rhizopa</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>gracilipes</i> , <i>Rochinia</i> , Milne Edwards, 1875, <i>Rech. zool. Hist. Faune Amér. centr. Mexique</i> , 5(3): 86, pl. 18, fig. 1 (specific name of the type species of <i>Rochinia</i> Milne Edwards, 1875) (Crustacea, Decapoda). Op. 712	available
<i>gracilipes</i> , <i>Utica</i> , White, 1847, <i>Proc. zool. Soc. London</i> , 15: 86 (specific name of the type species of <i>Utica</i> White, 1847) (Crustacea, Decapoda). Direction 36	available
<i>gracilis</i> , <i>Aonides</i> , Tauber, 1879, <i>Annulata Danica</i> , 1: 115 (specific name of the type species of <i>Levinsenia</i> Mesnil, 1897) (Polychaeta). Op. 1139	available

<i>gracilis</i> , <i>Artemia</i> , Verrill, 1869, <i>American Journal of Science and Arts</i> , (2)48: 248, ruled under the plenary power not to be given priority over the specific name of <i>Artemia franciscana</i> Kellogg, 1906 whenever the two names are considered to be synonyms (Branchiopoda). Op. 1704	available
<i>gracilis</i> , <i>Bathycrinus</i> , Thomson, 1872, <i>Proc. roy. Soc. Edinburgh</i> , 7: 772 (specific name of the type species of <i>Bathycrinus</i> Thomson, 1872) (Crinoidea). Direction 73	available
<i>gracilis</i> , <i>Bironella</i> , Theobald, 1905, <i>Ann. hist.-nat. Mus. nat. Hung.</i> , 3: 69 (specific name of the type species of <i>Bironella</i> Theobald, 1905) (Insecta, Diptera). Op. 737	available
<i>gracilis</i> , <i>Bulimus</i> , Hutton, 1834, <i>Journal of the Asiatic Society of Bengal</i> , 3: 93 (specific name of the type species of <i>Allopeas</i> Baker, 1935) (Gastropoda). Op. 1766	available
<i>gracilis</i> , <i>Chlorotocella</i> , Balss, 1914, <i>Abh. K.-bayer. Akad. Wiss.</i> , Suppl., 2(10): 33 (specific name of the type species of <i>Chlorotocella</i> Balss, 1914) (Crustacea, Decapoda). Op. 470	available
<i>gracilis</i> , <i>Clupea</i> , Schlegel, 1846, in Siebold, <i>Fauna japon.</i> (Pisces) (10-14): 238, fig. 2 (Osteichthyes). Op. 749	available
<i>gracilis</i> , <i>Fusulina</i> , Meek, 1864, in Meek & Gabb, <i>Paleontol. Calif.</i> , 1: 4, pl. 2, figs. 1, 1a-c (specific name of the type species of <i>Eoparafusulina</i> Coogan, 1960) (Rhizopoda). Op. 916	available
<i>gracilis</i> , <i>Graptolithus</i> , Hall, 1848, <i>Nat. Hist. New York (Paleontol.)</i> , 1: 274 (valid name at the date of Opinion 650 of the type species of <i>Nemagraptus</i> Emmons, 1855) (Graptolithina). Op. 650	available
<i>gracilis</i> , <i>Laomedea</i> , Dana, 1846, <i>United States Exploring Expedition ... under the command of Charles Wilkes, U.S.N.</i> , vol. 7 (Zoophytes), p. 689, and all uses of the name prior to the publication of <i>Laomedea gracilis</i> Sars, 1850 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>gracilis</i> , <i>Laomedea</i> , Sars, 1850, <i>Nytt Magasin for Naturvidenskapene</i> , Christiania, 9: 138, as defined by the lectotype designated by Cornelius & Östman, 1986, <i>Bulletin of Zoological Nomenclature</i> , 43: 165 (Hydrozoa). Op. 1465	available
<i>gracilis</i> , <i>Leptochela</i> , Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860: 42 (specific name of the type species of <i>Leptochela</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>gracilis</i> , <i>Seriola</i> , Lowe, 1843, <i>Proc. zool. Soc. London</i> , 11: 82 (specific name of the type species of <i>Cubiceps</i> Lowe, 1843) (Osteichthyes). Op. 461	available
<i>gracilis</i> , <i>Talitrus</i> , Dana, 1852, <i>Proc. Amer. Acad. Sci.</i> , 2: 201 (specific name of the type species of <i>Talorchestia</i> Dana, 1852) (Crustacea, Amphipoda). Op. 1133	available
<i>gracilis</i> , <i>Viverravus</i> , Marsh, 1872, <i>American Journal of Science</i> , (3)4: 127 (specific name of the type species of <i>Viverravus</i> Marsh, 1872) (Mammalia, Carnivora). Op. 1517	available

<i>Gracillaria</i> Haworth, 1828, <i>Lepidopt. Brit.</i> (4): 527 (gender: feminine) (type species, by designation by Curtis, 1833 (<i>Brit. Entomol.</i> , 10 , pl. 479); <i>Gracillaria anastomosis</i> Haworth, 1828, <i>Lepidopt. Brit.</i> (4): 530) (Insecta, Lepidoptera). Op. 912	available
GRACILLARIIDAE (correction of GRACILARIIDAE) Stainton, 1854, <i>Ins. Brit., Lep. Tin.</i> : 193 (type genus: <i>Gracillaria</i> Haworth, 1828) (Insecta, Lepidoptera). Op. 912	available
<i>graeca</i> , <i>Isolabella</i> , Verhoeff, 1902, <i>Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin</i> , 1902 : 16 (specific name of the type species of <i>Isolabella</i> Verhoeff, 1902) (Insecta, Dermaptera). Op. 2125	available
<i>graeca</i> , <i>Musca</i> , Pontoppidan, 1763, <i>Den Danske Atlas</i> , vol. 1, p. 696 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1444	index
<i>graecus</i> , <i>Stellio</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 202 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>graellsii</i> , <i>Bledius</i> , Fauvel, 1865, <i>Bulletin de la Société Linnéenne de Normandie</i> , 9 : 309, ruled under the plenary power to be given precedence over <i>Bledius antilope</i> Peyron, 1858 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>graminea</i> , <i>Buprestis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 77 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>graminicola</i> , <i>Aleochara</i> , Gravenhorst, 1806, <i>Mon. Coleopt. micr.</i> : 176 (specific name of the type species of <i>Atheta</i> Thomson, 1858) (Insecta, Coleoptera). Op. 600	available
<i>graminis</i> , <i>Fonscolombia</i> , Lichtenstein, 1877, <i>Entomologist's Monthly Magazine</i> , 14 : 35, ruled under the plenary power to be treated as the specific name of a then new nominal species, now defined by the lectotype designated by Ben-Dov & Matile-Ferrero, 1989, <i>Systematic Entomology</i> , 14 (2): 168 (specific name of the type species of <i>Fonscolombia</i> Lichtenstein, 1877) (Insecta, Sternorrhyncha). Op. 1654	available
<i>graminis</i> , <i>Tychea</i> , Koch, 1857, <i>Die Pflanzenläuse, Aphiden</i> (1854-1857), p. 298 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Sternorrhyncha). Op. 1654	index
<i>graminum</i> , <i>Tachydromia</i> , Fallén, 1815, <i>Empidiae Sveciae</i> , p. 15 (specific name of the type species of <i>Stilpon</i> Loew, 1859) (Insecta, Diptera). Op. 1881	available
<i>grammistes</i> , <i>Perca</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 43 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>granarius</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 378 (Insecta, Coleoptera). Op. 572	available
<i>grandicollis</i> , <i>Thinobius</i> , Notman, 1921, <i>Journal of the New York Entomological Society</i> , 29 (3-4): 150 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2129	index

<i>grandidieri</i> , <i>Thaumastolemur</i> , Filhol, 1895, <i>Bulletin du Muséum National d'Histoire Naturelle</i> , 1 (1): 13 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1737	index
<i>grandiflora</i> , <i>Doris</i> , Rapp, 1827, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum</i> , 13 : 520 (Gastropoda). Op. 1805	available
<i>grandinatus</i> , <i>Trochus</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3585 (valid name at the date of Opinion 871 of the type species of <i>Tectarius</i> Valenciennes, [1832]) (Gastropoda). Op. 871	available
<i>Grandipecten</i> Cossmann, 1914 in Cossmann, M. & Peyrot, A. 1914, <i>Actes de la Société Linnéenne de Bordeaux</i> : 68, p. 73 (an unnecessary replacement name for <i>Macrochlamys Sacco</i> , 1897) (Bivalvia) Op. 2203	index
<i>grandis</i> , <i>Monstrilla</i> , Giesbrecht, 1891, <i>Atti Accad. naz. Lincei, Rendiconti</i> , 7 , Sem. 1: 476 (Crustacea, Copepoda). Op. 1175	available
<i>granosus</i> , [<i>Trochus</i>], Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 37 (conserved under the plenary power) (specific name of the type species of <i>Modelia</i> Gray, 1850) (Gastropoda). Op. 479	available
<i>granosus</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>granti</i> , <i>Acanthograpsus</i> [sic], Spencer, 1878, <i>Canadian Naturalist</i> , 8 : 461 (specific name of the type species of <i>Acanthograpthus</i> Spencer, 1878) (Graptolithina). Op. 650	available
<i>granulata</i> , <i>Colubraria</i> , Schumacher, 1817, <i>Essai d'un nouveau système des habitations des vers testacés ...</i> , p. 251 (specific name of the type species of <i>Colubraria</i> Schumacher, 1817) (Gastropoda). Op. 1765	available
<i>granulata</i> , <i>Cryptopodia</i> , Gibbes, 1850, <i>Proc. Amer. Assoc. Adv. Sci.</i> , 3 : 173 (specific name of the type species of <i>Heterocrypta</i> Stimpson, 1871) (Crustacea, Decapoda). Op. 712	available
<i>granulata</i> , <i>Helix</i> , Alder, 1830, <i>Trans. nat. Hist. Soc. Northumb.</i> , 1 (1): 39 (Gastropoda). Op. 336	available
<i>granulata</i> , <i>Stromatopora</i> , Nicholson, 1873, <i>Ann. Mag. nat. Hist.</i> , (4) 12 : 94 (specific name of the type species of <i>Stromatoporella</i> Nicholson, 1886) (Stromatoporoidea). Op. 1215	available
<i>granulata</i> , <i>Turritella</i> , Sowerby, 1827, <i>Min. Conch.</i> , 6 : 125 (specific name of the type species of <i>Torquesia</i> Douvillé, 1929) (Gastropoda). Op. 493	available
<i>granulatum</i> , <i>Eodiadema</i> , Wilson, 1889, in Wilson & Crick, <i>Geol. Mag.</i> , (3) 6 : 339 (specific name of the type species of <i>Eodiadema</i> Duncan, 1889) (Echinoidea). Op. 626	available
<i>granulatus</i> , <i>Anguis</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 29 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index

<i>granulatus</i> , <i>Cancer</i> , Audouin, [1826], in Savigny, <i>Descr. Egypte</i> , Hist. nat., 1 (4): 87 (a junior primary homonym of <i>granulatus</i> , <i>Cancer</i> , Linnaeus, 1758). Direction 37, Direction 85	index
<i>granulatus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627 (specific name of the type species of <i>Calappa</i> Weber, 1795) (Crustacea, Decapoda). Op. 712	available
<i>granulatus</i> , <i>Carabus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 413 (specific name of the type species of <i>Carabus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 243	available
<i>granulatus</i> , <i>Favus</i> , Lanchester, 1900, <i>Proc. zool. Soc. London</i> , 1900 : 768 (specific name of the type species of <i>Favus</i> Lanchester, 1900) (Crustacea, Decapoda). Direction 25	available
<i>granulatus</i> , <i>Heteromesus</i> , Richardson, 1908, <i>Proceedings of the United States National Museum</i> , 35 : 82 (specific name of the type species of <i>Heteromesus</i> Richardson, 1908) (Isopoda). Op. 2062	available
<i>granulatus</i> , <i>Oediplax</i> , Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 (No. 933): 242 (specific name of the type species of <i>Oediplax</i> Rathbun, 1893) (Crustacea, Decapoda). Direction 36	available
<i>granulatus</i> , <i>Scleroplax</i> , Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 (No. 933): 250 (specific name of the type species of <i>Scleroplax</i> Rathbun, 1893) (Crustacea, Decapoda). Direction 36	available
<i>granulosa</i> , <i>Hydatigena</i> , Batsch, 1786, <i>Naturgeschichte der Bandwurmgattung</i> (Halle), p. 87 (specific name of the type species of <i>Echinococcus</i> Rudolphi, 1801) (Cestoda). Direction 121	available
<i>granulosa</i> , <i>Turritella</i> , Deshayes, 1832, <i>Descr. Coqu. foss. Paris</i> , 2 : 275 (Gastropoda). Op. 493	available
<i>granulosus</i> , <i>Pyxidognathus</i> , Milne Edwards, 1879, <i>Bull. Sci. Soc. philomat. Paris</i> , (7) 3 : 109 (specific name of the type species of <i>Pyxidognathus</i> Milne Edwards, 1879) (Crustacea, Decapoda). Direction 36	available
<i>Graphoderas</i> Thomson, 1860, <i>Skand. Coleopt.</i> , 2 : 38 (an incorrect subsequent spelling for <i>Graphoderus</i> Dejean, 1833). Op. 618	index
<i>Graphoderus</i> Dejean, 1833, <i>Cat. Coléopt.</i> (ed. 2): 54 (gender: masculine) (type species, by designation by Westwood, 1838 (<i>Introd. mod. Classif. Ins.</i> , Synopsis: 8): <i>Dytiscus cinereus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 412, as interpreted by direction under the plenary power by the neotype designated by Balfour- Browne, 1961 (<i>Bull. zool. Nomencl.</i> , 18 : 367, pl. 5)) (Insecta, Coleoptera). Op. 618	available
<i>Graptolithus</i> Linnaeus, 1768, <i>Systema Naturae</i> , Ed. 12, vol. 3, p. 173 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 197	index
<i>gratus</i> , <i>Philonthus</i> , Cameron, 1943, <i>Annals and Magazine of Natural History</i> , (11) 10 : 342, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. gratus</i> LeConte, 1863 (Insecta, Coleoptera). Op. 2053	available

<i>gratus, Philonthus</i> , LeConte, 1863, <i>Smithsonian Miscellaneous Collections</i> , 6 (167): 38 (Insecta, Coleoptera). Op. 2053	available
<i>gravesianus, Turrilites</i> , d'Orbigny, 1842, in: <i>Paléontologie Française; Terrains Crétacés. I. Céphalopodes</i> , p. 596, as defined by the lectotype (specimen no. BMNH C5762b in the collections of the Natural History Museum, London) designated under the plenary power (specific name of the type species of <i>Hypoturrilites</i> Dubourdieu, 1953) (Cephalopoda, Ammonoidea). Op. 1925	available
<i>graviceps, Ephuta (Traumatomutilla)</i> , André, 1903, <i>Ann. Soc. entomol. France</i> , 72 : 453 (specific name of the type species of <i>Cephalomutilla</i> André, (1908)) (Insecta, Hymenoptera). Op. 542	available
<i>grayi, Rana</i> , Smith, 1849, <i>Illustr. Zool. S. Africa</i> , 2 : pl. 78, figs. 2, 2a-c, as interpreted by the lectotype designated by Parker & Ride, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 292) (Amphibia). Op. 713	available
<i>Grazirrhinchus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 253 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>greeni, Lachnus</i> , Schouteden, 1905, <i>Spolia Zeylandica</i> , 2 : 184, ruled under the plenary power not to be given priority over the specific name of <i>Lachniella tujafilina</i> Del Guercio, 1909 whenever the two are considered to be synonyms (Insecta, Hemiptera). Op. 2172	available
<i>grenophia, Arca</i> , Risso, 1826, <i>Histoire naturelle des principales productions de l'Europe Méridionale et particulièrement de celles des environs de Nice et des Alpes Maritimes</i> , vol. 4, p. 313, as defined by the lectotype designated by Arnaud, 1978, <i>Annales du Muséum d'Histoire Naturelle de Nice</i> , 5 : 119 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bivalvia). Op. 1887	index
<i>Greta</i> Hemming, 1934, <i>Gen. names Holarctic Butts.</i> : 28 (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proc. Amer. Acad. Arts Sci.</i> , 10 : 193) through <i>Hymenitis</i> Hübner, 1816: <i>Papilio diaphanus</i> Drury, 1773, <i>Ill. nat. Hist.</i> , 2 : Index, 13, pl. 7, fig. 3) (Insecta, Lepidoptera). Op. 985	available
<i>Griffithides</i> Portlock, 1843, <i>Report on the geology of the county of Londonderry, and of parts of Tyrone and Fermanagh</i> , p. 310 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Vogdes, 1890, <i>Bulletin of the United States Geological Survey</i> , 63 : 116: <i>Griffithides longiceps</i> Portlock, 1843) (Trilobita). Op. 1652	available
<i>grilli, Anisolepis</i> , Boulenger, 1891, <i>Annali del Museo Civico di Storia Naturale di Genova</i> , (2) 10 : 909 (Reptilia, Squamata). Op. 1777	available
<i>Griphornis</i> (Owen MS) Woodward, 1862, <i>Intell. Observ.</i> , 2 : 317, plate (a junior objective synonym of <i>Archaeopteryx</i> von Meyer, 1861). Op. 607	index
<i>Griphosaurus</i> Wagner, (1862), <i>SitzBer. bayer. Akad. Wiss. München</i> , 1861 (2): 153 (a junior objective synonym of <i>Archaeopteryx</i> von Meyer, 1861). Op. 607	index
<i>grisea, Lacerta</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 303 (included in a work rejected for nomenclatural purposes). Op. 651	index

<i>grisea</i> , <i>Tanagra</i> , Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 45 (valid name at the date of Direction 81 of the type species of <i>Vireo</i> Vieillot, 1807) (Aves). Direction 81	available
<i>Griselda</i> Heinrich, 1923, <i>Bull. U.S. nat. Mus.</i> , 123 : 186, pl. 7, fig. 36, pl. 49, fig. 329 (gender: feminine) (type species, by designation under the plenary power: <i>Griselda radicana</i> Heinrich, 1923, <i>Bull. U.S. nat. Mus.</i> , 123 : 186, pl. 7, fig. 36, pl. 49, fig. 329) (Insecta, Lepidoptera). Op. 786	available
<i>griseola</i> , <i>Columbina</i> , Spix, 1825, <i>Avium Spec. nov. Brasil.</i> , 2 : 57 (Aves). Direction 35	available
<i>griseola</i> , <i>Micronecta</i> , Horváth, 1899, <i>Revue d'Entomologie</i> , 18 (12): 103, as defined by the lectotype designated by Jansson, 1986, <i>Acta Entomologica Fennica</i> , 47 : 14 (Insecta, Heteroptera). Op. 1491	available
<i>griseus</i> , <i>Eurynorhynchus</i> , Nilsson, 1821, <i>Ornith. svec.</i> , 2 (1): 29 (a junior objective synonym of <i>pygmaea</i> , <i>Platalea</i> , Linnaeus, 1758). Direction 44	index
<i>griseus</i> , <i>Gryllus (Bulla)</i> [<i>Acridium</i>], Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 2059, No. 220 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>griseus</i> , <i>Hypothenemus</i> , Blackburn, 1885, <i>Transactions of the Royal Society of Dublin</i> , (2)3 : 194, ruled under the plenary power not to be given priority over the specific name of <i>Cryphalus mangiferae</i> Stebbing, 1914 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1408	available
<i>groenlandica</i> , <i>Umbellularia</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 380 (a junior objective synonym of <i>encrinus</i> , <i>Isis</i> , Linnaeus, 1758). Op. 636	index
<i>grossa</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 596 (specific name of the type species of <i>Tachina</i> Meigen, 1803) (Insecta, Diptera). Op. 1743	available
<i>grossa</i> , <i>Silpha</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 361 (specific name of the type species of <i>Peltis</i> Kugelann, 1792) (Insecta, Coleoptera). Op. 1754	available
<i>Gruntoconcha</i> Angiolini, 1995, <i>Rivista Italiana di Paleontologia e Stratigrafia</i> , 101 : 206 (gender: feminine) (type species, by original designation: <i>Waagenoconcha (Gruntoconcha) macrotuberculata</i> Angiolini, 1995) (Brachiopoda). Op. 1928	available
<i>Grus</i> Brisson, 1760, <i>Ornithologia</i> , 5 : 374-391 (gender: feminine) (type species, by absolute tautonomy: <i>Ardea grus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 141) (Aves). Op. 103, Direction 55	available
<i>Grus</i> Pallas, 1766, <i>Miscell. Zool.</i> : 65 (a junior homonym of <i>Grus</i> Brisson, 1760). Direction 55	index
<i>grus</i> , <i>Ardea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 141 (specific name of the type species of <i>Grus</i> Brisson, 1760) (Aves). Direction 55	available
<i>Gryllacris</i> Serville, 1831, <i>Ann. Sci. nat.</i> , Paris, 22 : 138 (gender: feminine) (type species, by designation by Rehn, 1905 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 57 : 827)): <i>Gryllacris maculicollis</i> Serville, 1831, <i>Ann. Sci. nat.</i> , Paris, 22 : 139) (Insecta, Orthoptera). Op. 149	available

<i>Gryllotalpa</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 275 (gender: feminine) (type species, by monotypy: <i>Gryllus gryllotalpa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 428) (Insecta, Orthoptera). Op. 149	available
<i>gryllotalpa</i> , <i>Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 428 (specific name of the type species of <i>Gryllotalpa</i> Latreille, [1802]) (Insecta, Orthoptera). Direction 5	available
<i>Gryllulus</i> Uvarov, 1935, <i>Ann. Mag. nat. Hist.</i> , (10) 16 : 320 (a junior objective synonym of <i>Acheta</i> Fabricius, 1775). Op. 299	index
<i>Gryllus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 433, 248); <i>Gryllus campestris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 428) (Insecta, Orthoptera). Op. 104, Direction 63	available
<i>Grynobius</i> Thomson, 1859, <i>Skandinaviens Coleoptera</i> , 1 : 89 (gender: masculine) (type species, by designation under the plenary power: <i>Anobium excavatum</i> Kugelann, 1791, (Schneider's) <i>Neues Mag. für die Liebhaber Entomol.</i> , 4 : 488) (Insecta, Coleoptera). Op. 1062	available
<i>Gryphaea</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 398 (gender: feminine) (type species, by designation by Anton, 1839 (<i>Verz. Conchyl. Samml. Anton.</i> : 21); <i>Gryphaea arcuata</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 398, as interpreted by the lectotype designated by Cox, 1951 (<i>Bull. zool. Nomencl.</i> , 2 : 324-331)) (Bivalvia). Op. 338	available
<i>Gryphaeigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
GRYPHAEINAE Vialov, 1937, <i>C.R. XIIe Congrès int. Zool.</i> (Lisbonne 1935) (3): 1631 (type genus: <i>Gryphaea</i> Lamarck, 1801) for use by those who consider that <i>Gryphaea</i> Lamarck and <i>Ostrea</i> Linnaeus, 1758 belong to different family-group taxa (Bivalvia). Op. 356	available
<i>gryphaeoides</i> , <i>Avicula</i> , J. de C. Sowerby, 1836, in Fitton, <i>Transactions of the Geological Society, London</i> , (2) 4 : 156 (Bivalvia). Op. 1540	available
<i>gryphaeoides</i> , <i>Avicula</i> , Sedgwick, 1829, <i>Transactions of the Geological Society, London</i> , (2) 3 : 119, and all uses of the name prior to the publication of <i>Avicula gryphaeoides</i> J. de C. Sowerby, 1836 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Bivalvia). Op. 1540	index
<i>Gryphornis</i> Lambrecht, 1933, <i>Handb. Paleorn.</i> : 80 (an incorrect subsequent spelling for <i>Griphornis</i> (Owen MS) Woodward, 1862). Op. 607	index
<i>Gryphosaurus</i> Lambrecht, 1933, <i>Handb. Paleorn.</i> : 80 (an incorrect subsequent spelling for <i>Griphosaurus</i> Wagner, (1862)). Op. 607	index
<i>gryphus</i> , <i>Anomia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 701 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 338	index

<i>grypus</i> , <i>Phoca</i> , Fabricius, 1791, <i>Skr. Naturh. Selsk. Khb.</i> , 1 (2): 167, pl. 13, fig. 4 (valid name at the date of Direction 22 of the type species of <i>Halichoerus</i> Nilsson, 1820) (Mammalia). Direction 22	available
<i>guacamagari</i> , <i>Thecla</i> , Wallengren, 1860, <i>Wiener Entomologische Monatschrift</i> , 4 (2): 37 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 2144	index
<i>guamensis</i> , <i>Holothuria</i> , Quoy & Gaimard, 1833, <i>Voy. ‘Astrolabe’</i> , Zool., 4 : 137 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762	index
<i>guanicoe</i> , <i>Camelus</i> , Müller, 1776, <i>Des Ritters Carl von Linné ... vousstandigen Natursystems</i> . Supplements und Register, p. 50, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>guavera</i> , <i>Bos bubalus</i> , Kerr, 1792, <i>Animal Kingdom</i> : 339 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1348	index
<i>guerini</i> , <i>Rhinosimus</i> , Duméril, Bibron & Duméril, 1854, in Roret’s Suites à Buffon, <i>Erpét. Gén.</i> , 7 : 991 (specific name of the type species of <i>Phimophis</i> Cope, 1860) (Reptilia). Op. 698	available
<i>guernei</i> , <i>Eubostrichus</i> , Certes, 1889, <i>Mission Scientifique du Cap Horn (1882-1883)</i> , vol. 6, Zoologie, p. L.48 (specific name of the type species of <i>Criconema</i> Hofmänner & Menzel, 1914) (Nematoda). Op. 2046	available
<i>gianensis</i> , <i>Heterodon</i> , Troschel, 1848, in Schomburgk, <i>Reisen in Britisch-Guiana</i> , Reptilien: 653 (Reptilia). Op. 698	available
<i>guildingi</i> , <i>Artemis</i> , Thompson, 1834, <i>Zoological researches and illustrations 1828-1834</i> , vol. 1, part 1, memoir 6, p. 107 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Branchiopoda). Op. 1704	index
<i>Gulo</i> Pallas, 1780, <i>Spicil. zool.</i> , 14 : 25 (gender: masculine) (type species, by absolute tautonomy: <i>Mustela gulo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 45) (Mammalia). Op. 91 <i>gulo</i> , <i>Mustela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 45 (specific name of the type species of <i>Gulo</i> Pallas, 1780) (Mammalia). Direction 22	available
<i>gulosus</i> , <i>Tylenchus</i> , Kühn, 1890, <i>Jahrb. Deut. Landw. Ges.</i> , 4 : 93, 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 658	index
<i>gundlachi</i> , <i>Palinurellus</i> , von Martens, 1878, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1878 : 131 (specific name of the type species of <i>Palinurellus</i> von Martens, 1878) (Crustacea, Decapoda). Op. 519	available
<i>gussoni</i> , <i>Ancylus</i> , Costa, 1829, <i>Osservazioni Zoologiche intorno ai Testacei dell’isola di Pantelleria</i> , p. 10 (specific name of the type species of <i>Williamia</i> Monterosato, 1884) (Gastropoda). Op. 1410	available

<i>guttata, Doridopsis</i> , Odhner, 1917, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , 52 (16): 62 (Gastropoda). Op. 1805	available
<i>guttata, Doris</i> , Risso, 1826, <i>Histoire naturelle des principales productions de l'Europe Méridionale et particulièrement de celles des environs de Nice et des Alpes Maritimes</i> , vol. 4, p. 33 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1805	index
<i>guttata, Perca</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 43 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>guttatus, Attus</i> , Thorell, 1875, <i>Horae Societatis Entomologicae Rossicae</i> , 11 : 119 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Araneae). Op. 1612	index
<i>guttatus, Bodianus</i> , Bloch, 1790, <i>Naturgeschichte der Ausländischen Fische</i> , part 4, p. 36 (a junior homonym of <i>guttata</i> Linnaeus, 1758, when both <i>Perca guttata</i> Linnaeus and <i>B. guttatus</i> were included in <i>Serranus</i> or <i>Epinephelus</i>) (Osteichthyes). Op. 1439	index
<i>guttatus, Sipunculus (Phymosomum)</i> , De Quatrefages, 1865, <i>Histoire Naturelle des Annelés marins et d'eau douce. Annélides et Géphyriens</i> , p. 621 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Sipuncula). Op. 1532	index
<i>guttula, Reduvius</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 314 (specific name of the type species of <i>Prostemma</i> Laporte, [1832]) (Insecta, Hemiptera). Direction 63	available
<i>gyllenhali, Lyda</i> , Dahlbom, 1835, <i>Clavis novi hymenopterorum systematis</i> , vol. 5, p. 40, fig. 1 (Insecta, Hymenoptera). Op. 2101	available
<i>Gymnetis</i> MacLeay, 1819, <i>Horae Entomol.</i> , 1 (1): 152 (gender: masculine) (type species, by designation under the plenary power: <i>Scarabaeus lanius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 352) (Insecta, Coleoptera). Op. 806	available
<i>Gymnodus</i> Kirby, 1827, <i>Zoological Journal</i> , 3 : 157 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2186	index
GYMNOMYZIDAE Latreille, 1829, in Cuvier, <i>Le règne animal distribué d'après son organisation ...</i> , Ed. 2, vol. 5, p. 535 (type genus: <i>Gymnomyza</i> Fallén, 1810, a junior subjective synonym of <i>Mosillus</i> Latreille, 1804), ruled under the plenary power that this name and other family-group names based on <i>Gymnomyza</i> are not to be given priority over EPHYDRIDAE Zetterstedt, 1837 and other family-group names based on <i>Ephydria</i> Fallén, 1810 whenever <i>Ephydria</i> and <i>Mosillus</i> or <i>Gymnomyza</i> whenever their type genera are placed in the same family-group taxon (Insecta, Diptera). Op. 1748	available
<i>Gymnoptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>Gymnothorax</i> Bloch, 1795, <i>Naturgesch. ausl. Fische</i> , 9 : 83 (gender: masculine) (type species, by designation under the plenary power: <i>Gymnothorax reticularis</i> Bloch, 1795, <i>Naturgesch. ausl. Fische</i> , 9 : 85) (Osteichthyes). Op. 93 <i>Gymnothorax</i> Cuvier, [1800], <i>Leçons Anat. comp.</i> , 1 : tab. 4 (a nomen nudum). Direction 56	available
<i>Gymnothorax</i> Duda, 1923, <i>Arch. Naturgesch.</i> , 89 (Abt. A) (4): 38, 40 (a junior homonym of <i>Gymnothorax</i> Bloch, 1795). Direction 56	index
<i>Gynacantha</i> Rambur, 1842, <i>Histoire naturelle des insectes. Névroptères</i> , p. 209 (gender: feminine), ruled under the plenary power that all previous fixations of type species are set aside before the subsequent designation by Calvert, 1905, <i>Biologia centrali-americana: Insecta, Neuroptera</i> , p. 189: <i>Gynacantha nervosa</i> Rambur, 1842 (Insecta, Odonata). Op. 2148	available
<i>Gynaecophorus</i> Diesing, 1858, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 32 : 356 (a junior objective synonym of <i>Schistosoma</i> Weinland, 1858). Direction 76	index
<i>Gypaetus</i> Geoffroy Saint-Hilaire, 1797, <i>Bull. Sci. Soc. philomat. Paris</i> , 1 : 65 (an unjustified emendation of <i>Gypaetus</i> Storr, 1784). Direction 81	index
<i>Gypaetus</i> Storr, 1784, <i>Alpenreise vom Jahre</i> , 1781, 1 : 69 (gender: masculine) (type species, by monotypy: <i>Gypaetus grandis</i> Storr, 1784, <i>Alpenreise vom Jahre</i> , 1781, 1 : 69, valid name: <i>Vultur aureus</i> Hablizl, 1783) (Aves). Op. 67, Direction 81	available
<i>Gypidia</i> Dalman, 1828, <i>K. Vetensk.-Akad. Hand.</i> , Stockholm, 1827 : 93 (a junior objective synonym of <i>Pentamerus</i> Sowerby, 1813). Op. 297	index
<i>Gyrinus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 193 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 426: <i>Dytiscus natator</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>Gyrocotyle</i> Diesing, 1850, <i>Systema Helminthum</i> , 1 : 408 (gender: feminine) (type species, by monotypy: <i>Gyrocotyle rugosa</i> Diesing, 1850, <i>Systema Helminthum</i> , 1 : 408) (Cestoda). Op. 913	available
GYROHYPNINI Kirby, 1837, in Richardson, Swainson & Kirby (Eds.), <i>Fauna Boreali-Americana; or the zoology of the northern parts of British America ...</i> , part 4, p. 88 (type genus: <i>Gyrohypnus</i> Samouelle, 1819), ruled under the plenary power that this name and other family-group names based on <i>Gyrohypnus</i> are not to be given priority over XANTHOLININI Erichson, 1839 and other family-group names based on <i>Xantholinus</i> Dejean, 1821 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1851	available
<i>Gyrohypnus</i> Samouelle, 1819, ex Leach MS, <i>Entomol. useful Compendium</i> : 172 (gender: masculine) (type species, by designation under the plenary power: <i>Staphylinus fracticornis</i> Müller, 1776, <i>Zool. dan. Prodri.</i> : 99) (Insecta, Coleoptera). Op. 1250	available
GYROPIDAE Kellogg, 1896, <i>Proc. Calif. Acad. Sci.</i> , (2) 6 : 68 (type genus: <i>Gyropus</i> Nitzsch, 1818) (Insecta, Mallophaga). Direction 28	available

<i>Gyropus</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 282, 302-304 (gender: masculine) (type species, by designation under the plenary power: <i>Gyropus ovalis</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 443) (Insecta, Mallophaga). Op. 342	available
<i>habei</i> , <i>Nipponaphera</i> , Petit, 1972, <i>Venus</i> , 31 (2): 103 (specific name of the type species of <i>Nipponaphera</i> Habe, 1961) (Gastropoda). Op. 1052	available
<i>habroptilus</i> , <i>Strigops</i> , Gray, 1845, <i>Genera Birds</i> , 2 : 427 (specific name of the type species of <i>Strigops</i> Gray, 1845) (Aves). Direction 43	available
<i>hachisukae</i> , <i>Erithacus</i> , Ripley, 1952, <i>Postilla</i> , New Haven, No. 13 : 24 (a junior objective synonym of <i>obscura</i> , <i>Larvivora</i> , Berezowsky & Bianchi, 1891). Op. 444	index
<i>Haemadipsa</i> Tennent, 1859, <i>Ceylon</i> (ed. 1), 1 : 302, nota (gender: feminine) (type species, by monotypy: <i>Hirudo ceylanica</i> Blainville, [June] 1827, <i>Dict. Sci. nat.</i> , 47 : 271) (Hirudinea). Op. 104, Direction 76	available
<i>Haemamoeba</i> Feletti & Grassi, December 1889, <i>Sui Parasiti della Malaria</i> (a paper also published in January 1890, <i>Riforma medica</i> , 6 (11): 63) (a junior objective synonym of <i>Plasmodium</i> Marchiafava & Celli, 1885). Op. 283	index
<i>Haemaphysalis</i> Koch, 1844, <i>Arch. Naturgesch.</i> , 10 (1): 237 (gender: feminine) (type species, by designation by Neumann, 1901 (<i>Mém. Soc. zool. France</i> , 14 : 340)): <i>Haemaphysalis concinna</i> Koch, 1844, <i>Arch. Naturgesch.</i> , 10 (1): 237 (Arachnida). Op. 73, Direction 66	available
<i>haematites</i> , <i>Cassida</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 66, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>Haematobia</i> Lepeletier & Serville, 1828, <i>Encycl. Méthod.</i> , Insectes, 10 , livr. 100: 499 (gender: feminine) (type species, by designation by Westwood, 1840 (<i>Intro. mod. class. Ins., Syn. genera British Ins.</i> : 140)): <i>Conops irritans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 604 (Insecta, Diptera). Op. 1008	available
<i>haematobium</i> , <i>Distoma</i> , Bilharz, [1852], in Siebold, <i>Z. wiss. Zool.</i> , 4 (1): 59-62 (specific name of the type species of <i>Schistosoma</i> Weinland, 1858) (Trematoda). Direction 77	available
<i>haematocheir</i> , <i>Grapsus (Pachysoma)</i> , de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): pl. 7; <i>id.</i> , [1835], <i>ibid.</i> : 62 (specific name of the type species of <i>Holometopus</i> Milne Edwards, 1853) (Crustacea, Decapoda). Direction 36, Direction 85	available
<i>haematod.</i> , <i>Psittacus</i> , Linnaeus, 1771, <i>Mantissa Plant.</i> : 524 (an incorrect, because abbreviated, original spelling for <i>haematodus</i> , <i>Psittacus</i> , Linnaeus, 1771). Direction 82	index
<i>haematodes</i> , <i>Psittacus</i> , Shaw, 1811, <i>Gen. Zool.</i> (Aves), 8 (2): 415 (an unjustified emendation of <i>haematodus</i> (spelling-out of the abbreviation <i>haematod.</i>), <i>Psittacus</i> , Linnaeus, 1771). Direction 82	index
<i>haematodus</i> (spelling-out of the abbreviated form <i>haematod.</i>), <i>Psittacus</i> , Linnaeus, 1771, <i>Mantissa Plant.</i> (2): 524, as defined by the first reviser selection made by Jardine & Selby, [1831], <i>Ill. Orn.</i> : expl. pls. 111, 112 (specific name of the type species of <i>Trichoglossus</i> Stephens, 1826) (Aves). Direction 82	available

<i>Haematomonas</i> Osler, 1886, <i>Philadelphia med. Times</i> ; id., 1887, <i>Brit. med. J.</i> , 1887 : 556 (not made available in the works cited). Op. 283	index
<i>Haematonotos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 546 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Haematophyllum</i> Metschnikoff, 1887, <i>Russk. Med.</i> , 12 : 207 (a junior objective synonym of <i>Plasmodium</i> Marchiafava & Celli, 1885). Op. 283	index
<i>Haematopus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 152 (gender: masculine) (type species, by monotypy: <i>Haematopus ostralegus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 152) (Aves). Op. 67 <i>haematopus</i> , <i>Trichoglossus</i> , Stephens, 1826, in Shaw, <i>Gen. Zool.</i> (Aves), 14 (1): 130 (an unjustified emendation of <i>haematodus</i> (spelling-out of the abbreviation <i>haematod</i>), <i>Psittacus</i> , Linnaeus, 1771). Direction 82	available
<i>haematotus</i> , <i>Psittacus</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 316 (an unjustified emendation of <i>haematodus</i> (spelling-out of the abbreviation <i>haematod</i>), <i>Psittacus</i> , Linnaeus, 1771). Direction 82	index
<i>haemochrous</i> , <i>Tetrameres</i> , Creplin, 1846, <i>Arch. Naturgesch.</i> , 12 : 130 (specific name of the type species of <i>Tetrameres</i> Creplin, 1846) (Nematoda). Op. 892	available
<i>Haemocytosporon</i> Danilewsky, 1891, <i>Ann. Inst. Pasteur</i> , 5 (12): 762, nota (included in a paper rejected for nomenclatural purposes). Op. 283	index
<i>haemorrhoidalis</i> , <i>Apis</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 386 (specific name of the type species of <i>Centris</i> Fabricius, 1804) (Insecta, Hymenoptera). Op. 567	available
<i>haemorrhoidalis</i> , <i>Buprestis</i> , Herbst, 1780, <i>Schriften der Berlinerischen Gesellschaft Naturforschender Freunde</i> , 1 : 97 (Insecta, Coleoptera). Op. 2008	available
<i>haemorrhoidalis</i> , <i>Buprestis</i> , Olivier, 1790, <i>Entomologie, ou histoire naturelle des insectes ... Coléoptères</i> , genera 9-34, vol. 2(32), p. 38, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym <i>Buprestis haemorrhoidalis</i> Herbst, 1780 (Insecta, Coleoptera). Op. 2008	available
<i>haemorrhoidalis</i> , <i>Oestrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 584 (Insecta, Diptera). Direction 63	available
<i>haemorrhoidalis</i> , <i>Philonthus</i> , Brancsik, 1893, <i>Jahresheft des Naturwissenschaftlichen Vereines des Trencsiner Comitatus</i> , 15 : 220, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. haemorrhoidalis</i> MacLeay, 1873 (Insecta, Coleoptera). Op. 2053	available
<i>haemorrhoidalis</i> , <i>Philonthus</i> , MacLeay, 1873, <i>Transactions of the Entomological Society of New South Wales</i> , 2 : 140 (Insecta, Coleoptera). Op. 2053	available

<i>haemorrhoidalis</i> , <i>Staphylinus</i> , Fabricius, 1801, <i>Systema eleutherorum secundum ordines ...</i> , vol. 2, p. 596, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. haemorrhoidalis</i> Gmelin, 1790 and <i>S. haemorrhoidalis</i> Olivier, 1795 (Insecta, Coleoptera). Op. 2053	available
<i>haemorrhoidalis</i> , <i>Staphylinus</i> , Germar, 1824, <i>Insectorum species novae aut minus cognitae, descriptionibus illustratae. Coleoptera</i> , p. 34, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. haemorrhoidalis</i> Gmelin, 1790, <i>S. haemorrhoidalis</i> Olivier, 1795 and <i>S. haemorrhoidalis</i> Fabricius, 1801 (Insecta, Coleoptera). Op. 2053	available
<i>Haemosporidium</i> Lewkowicz, 1897, <i>Zbl. Bakt. (Abt. 1)</i> , 21 (4): 132, 133 (a junior objective synonym of <i>Plasmodium</i> Marchiafava & Celli, 1885). Op. 283	index
<i>Haeratula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 263 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Halacarus</i> Gosse, 1855, <i>Annals and Magazine of Natural History</i> , (2) 16 : 28 (gender: masculine), type species, by subsequent designation by Viets, 1927, <i>Zeitschrift für wissenschaftliche Zoologie</i> , 130 : 87: <i>Halacarus ctenopus</i>) (Arachnida). Op. 2051	available
<i>Halarctus</i> Gill, 1866, <i>Proceedings of the Essex Institute</i> , 5 : 7 (a junior objective synonym of <i>Arctocephalus</i> Cuvier, 1826) (Mammalia, Pinnipedia). Op. 1962	index
<i>Halcampella</i> Andres, 1883, <i>Atti della Reale Accademia de Lincei, Memorie</i> , (3) 14 : 315 (gender: feminine) (type species, by designation under the plenary power: <i>Halcampella maxima</i> Hertwig, 1888) (Anthozoa). Op. 2073	available
HALECIIDAE Hincks, 1868, <i>History of British hydroid zoophytes</i> (London): 220 (type genus: <i>Halecium</i> Oken, 1815) (Hydrozoa). Op. 1220	available
<i>halecina</i> , <i>Sertularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 809 (specific name of the type species of <i>Halecium</i> Oken, 1815) (Hydrozoa). Op. 1220	available
<i>Halecium</i> Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , 3 (1): 91 (gender: neuter) (type species, by designation by Naumov, 1960 (<i>Fauna SSSR</i> , 70 : 442): <i>Sertularia halecina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 809) (Hydrozoa). Op. 1220	available
<i>Halia</i> Bate, 1856, <i>Annals and Magazine of Natural History</i> , (2) 17 : 458 (a junior homonym of <i>Halia</i> Risso, 1826) (Cumacea). Op. 1593	index
<i>Haliaeetus</i> Savigny, 1809, <i>Descr. Egypte</i> , 1 (1) (Ois.): 68, 85 (gender: masculine) (type species, by monotypy: <i>Haliaeetus nisus</i> Savigny, 1809, <i>Descr. Egypte</i> , 1 (1) (Ois.): 87, valid name: <i>Falco albicilla</i> Linnaeus, 1758) (Aves). Op. 67 <i>Haliaethus</i> Lesson, 1831, <i>Traité Orn.</i> (8): 654 (an incorrect subsequent spelling for <i>Haliaeetus</i> Savigny, 1809). Direction 44	available
<i>Haliaëtos</i> Bonaparte, 1826, <i>Ann. Lyceum nat. Hist. New York</i> , 2 : 24, 25 (an incorrect subsequent spelling for <i>Haliaeetus</i> Savigny, 1809). Direction 44	index
<i>Haliaetus</i> Cuvier, [1816], <i>Règne Anim.</i> (ed. 1), 1 : 351 (an incorrect subsequent spelling for <i>Haliaeetus</i> Savigny, 1809). Direction 44	index

<i>haliaetus</i> , <i>Falco</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 91 (specific name of the type species of <i>Pandion</i> Savigny, 1809) (Aves). Direction 43	available
<i>Halianassa</i> von Meyer, 1838, <i>Neues Jahrbuch für Mineralogie, Geologie und Paläontologie</i> , 1838 : 667 (a junior objective synonym of <i>Halitherium</i> Kaup, 1838) (Mammalia, Sirenia). Op. 1535	index
<i>Haliastur</i> Selby, 1840, <i>Cat. Gen. Types Aves</i> : 2 (nota), 3 (gender: masculine) (type species, by original designation: <i>Falco pondicerianus</i> Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 265, valid name: <i>Falco indus</i> Boddaert, 1783) (Aves). Op. 67 <i>Halichoerus</i> Nilsson, 1820, <i>Skand. Fauna</i> , Dagg. Djur.: 376 (gender: masculine) (type species, by designation by Allen, 1880 (<i>U.S. geol. geogr. Surv. Terr.</i> , Misc. Publ. 12 : 682); <i>Halichoerus griseus</i> Nilsson, 1820, <i>Skand. Fauna</i> , Dagg. Djur.: 377, valid name: <i>Phoca grypus</i> Fabricius, 1791) (Mammalia). Op. 91, Direction 24	available
HALICTIDAE Thomson, 1869, <i>Opuscula Entomologica</i> , fasc. 1, p. 8 (type genus: <i>Halictus</i> Latreille, 1804), ruled under the plenary power that this name and other family-group names based on <i>Halictus</i> are to be given precedence over ROPHITIDAE Schenck, 1866 and SPHECODIDAE Schenck, [1869] and other family-group names based on <i>Rophites</i> Spinola, 1808 and <i>Sphecodes</i> Latreille, 1804 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Halictoides</i> Nylander, 1848, <i>Notiser ur Sällskapets pro fauna et flora Fennica</i> , vol. 1, p. 195 (gender: masculine) (type species, by subsequent designation by Cockerell & Porter, 1899, <i>Annals and Magazine of Natural History</i> , (7) 4 : 420: <i>Halictoides dentiventris</i> Nylander, 1848) (Insecta, Hymenoptera). Op. 2001	available
<i>Halictus</i> Latreille, 1804, <i>Tableau méthodique des insectes</i> . Pp. 129-200 in: <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , vol. 24 (Caractères et Tables), p. 182 (gender: masculine) (type species, by subsequent designation by Richards, 1935, <i>Transactions of the Royal Entomological Society of London</i> , 83 : 170: <i>Apis quadricincta</i> Fabricius, [1777]) (Insecta, Hymenoptera). Op. 1713	available
<i>Halimede</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 4; <i>id.</i> , [1835], <i>ibid.</i> : 35 (gender: feminine) (type species, by monotypy: <i>Cancer (Halimede) fragifer</i> de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 36, 47) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Halimede</i> Oberthuer & Houlbert, 1922, <i>C.R. Acad. Sci.</i> , Paris, 174 : 190 (a junior homonym of <i>Halimede</i> de Haan, [1833]). Direction 37	index
<i>Halimede</i> Rathke, 1843, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 20 (1): 166 (a junior homonym of <i>Halimede</i> de Haan, [1833]). Direction 37	index
<i>Haliotidigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Haliotites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 259 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Haliporus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 185 (gender: masculine) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i> , 1911 : 542); <i>Haliporus curvirostris</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 185) (Crustacea, Decapoda). Op. 864	available

- Halitherium*** Kaup, 1838, *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*, **1838**: 536 (gender: neuter) (type species, by designation under the plenary power: ***Pugmeodon schinzii*** Kaup, 1838), ruled under the plenary power to be the correct original spelling of *Halytherium* (Mammalia, Sirenia). Op. 1535 available
- halli, Macronectes giganteus***, Mathews, 1912, *The birds of Australia*, vol. 2, p. 187, as defined by the lectotype (specimen no. 91.6.16.6 in the collections at Tring of the Natural History Museum, London) designated by Bourne & Warham, 1966, *Ardea*, **54**(1-2): 64 (Aves, Procellariiformes). Op. 1751 available
- Hallopora*** Bassler, 1911, *Bull. U.S. nat. Mus.*, **77**: 325 (gender: feminine) (type species, by designation by Ulrich, 1882 (*Cincinnati Soc. nat. Hist.*, Jour. **5**: 251) through *Callopore Hall*, 1852 (*Palaeontology of New York*, **2**: 144); ***Callopora elegantula*** Hall, 1852, *Palaeontology of New York*, **2**: 144) (Bryozoa). Op. 1034 available
- hallucatus, Dasyurus***, Gould, 1842, *Proceedings of the Zoological Society of London*, **1842**: 41 (Mammalia, Marsupialia). Op. 1460 available
- Halmaturotherium*** Krefft, 1872, *The Sydney Mail and New South Wales Advertiser*, no. 637, vol. 14, p. 327 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia). Op. 1993 index
- Halmatutherium*** Krefft, 1873, *The Sydney Mail and New South Wales Advertiser*, no. 686, vol. 16, p. 238 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia). Op. 1993 index
- HALOCYPRIDAE** Dana, [1853], *U.S. explor. Exped.*, **13/14**(2): 1281 (type genus: ***Halocypris*** Dana, [1853]) (an incorrect original spelling for **HALOCYPRIDIDAE** Dana, [1853]). Op. 534 index
- HALOCYPRIDIDAE** (correction of HALOCYPRIDAE) Dana, [1853], *U.S. explor. Exped.*, **13/14**(2): 1281 (type genus: ***Halocypris*** Dana, [1853]) (Crustacea, Ostracoda). Op. 534 available
- Halocypris*** Dana, [1853], *U.S. explor. Exped.*, **13/14**(2): 1301 (gender: feminine) (type species, by designation by Sylvester-Bradley, 1956 (*Bull. zool. Nomencl.*, **12**: 214); ***Conchaecia*** [sic] ***inflata*** Dana, 1849, *Proc. amer. Acad. Arts Sci.*, **2**: 52) (Crustacea, Ostracoda). Op. 534 available
- halotaeniai, Thalassema***, Ikeda, 1901, *Dobutsugaku Zasshi* [*The Zoological Magazine, Japan*], **13**(158): 392 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Echiura). Op. 2048 index
- Halpe*** Moore, 1878, *Proc. zool. Soc. London*, **1878**(3): 689 (gender: feminine) (type species, by designation under the plenary power: ***Halpe moorei*** Watson, 1893, *Proc. zool. Soc. London*, **1893**: 109) (Insecta, Lepidoptera). Op. 828 available
- Halytherium*** Kaup, 1838, *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*, **1838**: 319, pl. 2 (spelling emended under the plenary power to ***Halitherium***) (Mammalia, Sirenia). Op. 1535 index

<i>Hamadryas</i> Albers, 1850, <i>Die Heliceen</i> : 155 (a junior homonym of <i>Hamadryas</i> Hübner, [1806]). Op. 789	index
<i>Hamadryas</i> Boisduval, 1832, in d'Urville, <i>Voy. 'Astrolabe'</i> , Entomol., 1 : 91 (a junior homonym of <i>Hamadryas</i> Hübner, [1806]). Op. 789	index
<i>Hamadryas</i> Cantor, 1838, <i>Proc. zool. Soc. London</i> , 6 : 73 (a junior homonym of <i>Hamadryas</i> Hübner, [1806]). Op. 789	index
<i>Hamadryas</i> Clemens, 1864, <i>Proc. entomol. Soc. Philadelphia</i> , 2 : 422 (a junior homonym of <i>Hamadryas</i> Hübner, [1806]). Op. 789	index
<i>Hamadryas</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Hamadryas</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Hamadryas</i> Lesson, 1840, <i>Spec. Mamm.</i> : 107 (a junior homonym of <i>Hamadryas</i> Hübner, [1806]). Op. 789	index
<i>Hamadryas</i> Mikan, 1821, <i>Del. Brasil.</i> : expl. pl. [2] (a junior homonym of <i>Hamadryas</i> Hübner, [1806]). Op. 789	index
<i>hamata</i> , <i>Sagitta</i> , Möbius, 1875, <i>Jber. Comm. wiss. Untersuch. dtsch. Meere</i> , Jahrg. II-III: 158, tab. 3, figs. 13-16 (specific name of the type species of <i>Eukrohnia</i> Ritter-Zahony, 1909) (Chaetognatha). Op. 761	available
<i>Hamellus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 259 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>hamiltoni</i> , <i>Catharacta skua</i> , Hagen, 1952, <i>Results of the Norwegian Scientific Expedition to Tristan da Cunha 1937-1938</i> , 20 : 135 (Aves, Charadriiformes). Op. 1814	available
<i>Hamiltonia</i> Swainson, 1839, <i>Nat. hist. class. fishes amph. rept.</i> , 2 : 176, 250 (a junior objective synonym of <i>Chanda</i> Hamilton-Buchanan, 1822). Op. 1121	index
<i>Haminaea</i> Leach, 1847, in Gray, J.E. (Ed.), <i>Annals and Magazine of Natural History</i> , 20 (133): 268 (an incorrect subsequent spelling of <i>Haminoea</i> [Turton] in Turton & Kingston in Carrington, 1830) (Gastropoda). Op. 1942	index
<i>Haminea</i> Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 15 : 161 (an incorrect subsequent spelling of <i>Haminoea</i> [Turton] in Turton & Kingston in Carrington, 1830) (Gastropoda). Op. 1942	index
<i>HAMINEINAE</i> Pilsbry, 1895, <i>Tryon's manual of conchology; structural and systematic</i> , vol. 15, p. 351 (an incorrect original spelling of HAMNOEINAE) (Gastropoda). Op. 1942	index

<i>Haminoea</i> [Turton] in Turton & Kingston in Carrington, 1830, Conchology, arranged on the amended system in: <i>The Teignmouth, Dawlish and Torquay guide</i> , part 2 (The natural history of the district; or, lists of the different species of animals, vegetables and minerals, and their respective localities, scientifically arranged), genus no. 63 (gender: feminine) (type species, by monotypy: <i>Bulla hydatis</i> Linnaeus, 1758) (Gastropoda). Op. 1942	available
HAMINOEINAE Pilsbry, 1895, <i>Tryon's manual of conchology; structural and systematic</i> , vol. 15, p. 351, correction of HAMINEINAE under Article 35.4.1 of the Code (type genus: <i>Haminoea</i> [Turton] in Turton & Kingston in Carrington, 1830) (Gastropoda). Op. 1942	available
<i>hammonis, Helix</i> , Strøm, 1765, <i>Trondheim. Selsk. Skr.</i> , 3 : 435, 436, as interpreted by the neotype designated by Waldén, 1968 (<i>Bull. zool. Nomencl.</i> , 25 : 47) (Gastropoda). Op. 937	available
<i>handwerki, Phacops</i> , Weller, 1907, <i>Bulletin, Chicago Academy of Science (The Natural History Survey)</i> , 4 : 271 (specific name of the type species of <i>Eophacops</i> Delo, 1935) (Trilobita). Op. 1846	available
<i>hanleyanus, Donax</i> , Philippi, 1847, <i>Zeitschrift für Malakozoologie</i> , 4 : 84 (Bivalvia). Op. 1372	available
<i>hannah, Naja</i> , Cantor, 1836, <i>Asiat. Research</i> , 19 (1): 187 (valid name at the date of Opinion 709 of the type species of <i>Ophiophagus</i> Günther, 1864) (Reptilia). Op. 709	available
<i>Hansenia</i> Kirkaldy, January 1902, <i>J. Bombay nat. Hist. Soc.</i> , 14 : 53 (gender: feminine) (type species, by original designation: <i>Poeciloptera glauca</i> Kirby, 1891, <i>J. linn. Soc. London (Zool.)</i> , 24 : 154, pl. 6, fig. 14) (Insecta, Hemiptera). Op. 598	available
<i>Hansenia</i> Melichar, [23 May 1902], <i>Ann. naturh. Hofmus. Wien</i> , 16 : 195, 228 (a junior homonym of <i>Hansenia</i> Kirkaldy, January 1902). Op. 598	index
<i>Hanzawaia</i> Asano, 1944, <i>Journal of the Geological Society of Japan</i> , 51 (606): 97 (gender: feminine) (type species, by original designation: <i>Hanzawaia nipponica</i> Asano, 1944) (Foraminiferida). Op. 1568	available
<i>Hapalotrema</i> Looss, 1899, <i>Zoologische Jahrbücher</i> (Jena), 12 : 656 (gender: neuter) (type species, by designation under the plenary power: <i>Hapalotrema loossi</i> Price, 1934, a junior objective synonym of <i>Mesogonimus mistroides</i> Monticelli, 1896) (Digenea). Op. 1875	available
<i>Haplocanthosaurus</i> Hatcher, 1903, <i>Proceedings of the Biological Society of Washington</i> , 16 : 100 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Haplocanthus</i> Hatcher, 1903: <i>Haplocanthus priscus</i> Hatcher, 1903) (Reptilia, Saurischia). Op. 1633	available
<i>Haplocanthus</i> Hatcher, 1903, <i>Proceedings of the Biological Society of Washington</i> , 16 : 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Saurischia). Op. 1633	index
<i>Haplosphaeronis</i> Jaekel, 1926, <i>Norsk. geol. Tidsskr.</i> , 9 : 19 (gender: feminine) (type species, by original designation: <i>Haplosphaeronis kiaeri</i> Jaekel, 1926, <i>Norsk. geol. Tidsskr.</i> , 9 : 19) (Cystoidea). Op. 1048	available

<i>hardwickii</i> , <i>Nursia</i> , Leach, 1817, <i>Zool. Miscell.</i> , 3 : 20 (specific name of the type species of <i>Nursia</i> Leach, 1817) (Crustacea, Decapoda). Direction 36	available
<i>harengus</i> , <i>Clupea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 317 (specific name of the type species of <i>Clupea</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Harminius</i> Fairmaire, 1851, <i>Rev. mag. zool. Paris</i> , (2) 3 : 527, 528 (gender: masculine) (type species, by designation under the plenary power: <i>Athous spiniger</i> Candèze, 1860, <i>Mém. Soc. r. Sci. Liège</i> , 15 : 460, 461) (Insecta, Coleoptera). Op. 1334	available
<i>harmonicus</i> , <i>Turdus</i> , Latham, 1801, <i>Index orn.</i> , Suppl.: xli (Aves). Op. 410	available
<i>Harpa</i> [Röding], 1798, <i>Museum Boltenianum</i> , part 2, p. 149 (gender: feminine) (type species, by tautonymy: <i>Buccinum harpa</i> Linnaeus, 1758) (Gastropoda). Op. 1436	available
<i>harpa</i> , <i>Buccinum</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 738 (specific name of the type species of <i>Harpa</i> [Röding], 1798) (Gastropoda). Op. 1436	available
<i>Harpes</i> Goldfuss, 1839, <i>Nova Acta Academiae Caesareae Leopoldino-Carolinae Germanicum Naturae Curiosorum</i> , 19 (1): 358 (gender: feminine) (type species, by monotypy: <i>Harpes macrocephalus</i> Goldfuss, 1839) (Trilobita). Op. 1436	available
HARPETIDAE Hawle & Corda, 1847, <i>Prodrom einer Monographie der böhmischen Trilobiten</i> , vol. 5, p. 161 (type genus: <i>Harpa</i> Goldfuss, 1839), spelling emended from HARPIDES by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Harpa</i> Goldfuss, 1839 is HARPET- (Trilobita). Op. 1436	available
HARPIDAE Bronn, 1849, <i>Handbuch der Geschichte der Natur</i> , vol. 3, part 3, Index Palaeontologicus, p. 469 (type genus: <i>Harpa</i> [Röding], 1798) (Gastropoda). Op. 1436	available
<i>Harpides</i> Beyrich, 1846, <i>Untersuchungen über Trilobiten</i> , p. 34 (gender: feminine) (type species, by monotypy: <i>Harpides hospes</i> Beyrich, 1846) (Trilobita). Op. 1436	available
HARPIDIDAE Raw, 1949, <i>Journal of Paleontology</i> , 23 : 514 (type genus: <i>Harpa</i> Beyrich, 1846) (Trilobita). Op. 1436	available
<i>Harpigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Harpilius</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 17 (gender: masculine) (type species, by monotypy: <i>Harpilius lutescens</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 25) (Crustacea, Decapoda). Op. 712	available
<i>Harpoceras</i> Waagen, 1869, <i>Geogn.-pal. Beitr.</i> , 2 : 245, 250 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites falcifer</i> Sowerby, 1820, <i>Min. Conch.</i> , 3 : 99) (Cephalopoda). Op. 303	available
HARPOCERATINAE (correction by Zittel, 1884 (<i>Handb. Paläont., Paläozool.</i> , 2 : 458) of HARPOCERATINEN) Neumayr, 1875, <i>Z. deutsche geol. Ges.</i> , 27 : 905 (type genus: <i>Harpoceras</i> Waagen, 1869) for use by those who consider that <i>Harpoceras</i> Waagen and <i>Hildoceras</i> Hyatt, 1867 belong to different familygroup taxa (Cephalopoda). Direction 14	available

HARPOCERATINEN Neumayr, 1875, <i>Z. deutsche geol. Ges.</i> , 27 : 905 (type genus: <i>Harpoceras</i> Waagen, 1869) (an incorrect original spelling for HARPOCERATINAE Neumayr, 1875). Direction 14	index
<i>Harpochris</i> Cantor, 1849, <i>J. r. asiat. Soc. Bengal</i> , 18 : 1144 (a junior objective synonym of <i>Drepane</i> Cuvier, 1831). Op. 1046	index
<i>Harpognathus</i> Wesmael, 1834, <i>L'Institut (Journal général des Sociétés et Travaux scientifiques de la France et de l'Etranger)</i> , 2 (42): 76 (an incorrect subsequent spelling of <i>Harpognatus</i> Wesmael, 1833) (Insecta, Coleoptera). Op. 1597	index
<i>Harpognatus</i> Wesmael, 1833, <i>Recueil Encyclopédique Belge</i> , p. 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1597	index
harrisii, Pilumnus , Gould, 1841, <i>Rep. Invertebr. Massachusetts</i> : 326 (specific name of the type species of <i>Rhithropanopeus</i> Rathbun, 1898) (Crustacea, Decapoda). Direction 36	available
Harrisoniella Bedford, 1929, <i>Rep. vet. Res. S. Africa</i> , 15 : 529 (gender: feminine) (type species, by designation under the plenary power: <i>Lipeurus ferox</i> Giebel, 1867, <i>Z. ges. NatWiss.</i> , 29 : 195) (Insecta, Mallophaga). Op. 656	available
harrisonii, Scelidosaurus , Owen, 1861, <i>Monograph of the Palaeontographical Society</i> , 1 : 1, as defined by the lectotype (skull and skeleton no. BM(NH) Pal. Dept. no. R.1111 in the Natural History Museum, London) designated under the plenary power (specific name of the type species of <i>Scelidosaurus</i> Owen, 1859) (Reptilia, Ornithischia). Op. 1788	available
hasselquistii, Myletes , Cuvier, 1818, <i>Mémoires du Muséum d'Histoire Naturelle</i> , 4 : 449 (a junior objective synonym of <i>Cyprinus dentex</i> Linnaeus, 1758) (Osteichthyes, Characiformes). Op. 1813	index
hastatus, Aranea , Clerck, [1758], <i>Aran. svec.</i> : 115 (specific name of the type species of <i>Dendryphantes</i> Koch, 1837) (Arachnida). Direction 67	available
hastatus, Lygaeus , Fabricius, 1803, <i>Syst. Rhyng.</i> : 239 (Insecta, Hemiptera). Op. 719	available
hastatus, Vespertilio , Pallas, 1767, <i>Spicil. Zool.</i> , 3 : 7 (specific name of the type species of <i>Phyllostomus</i> Laceyède, 1799) (Mammalia). Direction 22	available
Hastigerinella Cushman, 1927, <i>Cushman Laboratory of Foraminiferal Research Contributions</i> , 3 : 87 (gender: feminine) (type species, by original designation: <i>Hastigerina digitata</i> Rhumbler, 1911) (Foraminiferida). Op. 2105	available
haswelli, Cryptocoeloma , Rathbun, 1923, <i>Biological Results Fishing Experiments F.I.S. 'Endeavour'</i> , 5 (1): 111 (specific name of the type species of <i>Cryptocoeloma</i> Miers, 1884) (Crustacea, Decapoda). Op. 1554	available
hatcheri, Liolaemus , Stejneger, 1909, <i>Reports of the Princeton University Expedition to Patagonia 1896- 99</i> , 3 (1): 218, ruled to have priority over <i>Vilcunia periglacialis</i> Cei & Scolaro, 1982 whenever the two names are considered to be synonyms (Reptilia). Op. 2103	available

<i>Hatschekia</i> Poche, 1902, <i>Zoologischer Anzeiger</i> , 26 : 16 (gender: feminine) (type species, by original designation: <i>Clavella hippoglossi</i> Guérin, [1831]) (Copepoda). Op. 1430	available
<i>Hatteria</i> Gray, 1842, <i>Zool. Miscell.</i> (2): 72 (a junior objective synonym of <i>Sphenodon</i> Gray, 1831). Op. 455	index
HATTERIIDAE Cope, 1864, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1864 : 227 (type genus: <i>Hatteria</i> Gray, 1842) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 455	index
<i>haugi</i> , <i>Storthingocrinus</i> , Oehlert, 1896, <i>Bull. Soc. géol. France</i> , (3) 24 : 821 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 727	index
<i>hausmanni</i> , <i>Asaphus</i> , Brongniart, 1822, in Brongniart & Desmarest, <i>Hist. nat. Crust. foss.</i> : 21 (specific name of the type species of <i>Odontochile</i> Hawle & Corda, 1847) (Trilobita). Op. 537	available
<i>Haustator</i> de Montfort, 1810, <i>Conchyliologie systématique, et classification méthodique des coquilles ...</i> , vol. 2, p. 182 (gender: masculine) (type species, by original designation: <i>Haustator gallicus</i> de Montfort, 1810, a junior subjective synonym of <i>Turritella imbricataria</i> Lamarck, 1804) (Gastropoda). Op. 1677	available
<i>haustellum</i> , <i>Anomia</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 136 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>haustorium</i> , <i>Buccinum</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3498, as interpreted by the lectotype designated by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 397), namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 1 : fig. 9, as <i>Buccin[um] haustum</i>) (Gastropoda). Op. 479	available
<i>Hastrum</i> Perry, 1811, <i>Conchology</i> : pl. 14 et expl. (gender: neuter) (type species, by designation by Iredale, 1915 (<i>Trans. New Zealand Inst.</i> , 47 : 474); <i>Hastrum zealandicum</i> Perry, 1811, <i>Conchology</i> : pl. 14 et expl.) (Gastropoda). Op. 479	available
<i>haustum</i> , <i>Buccin[um]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 9 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>haworthi</i> , <i>Aleochara</i> , Stephens, 1832, <i>Ill. Brit. Entomol.</i> (Mand.), 5 : 126 (specific name of the type species of <i>Zyras</i> Stephens, 1835) (Insecta, Coleoptera). Op. 599	available
<i>hebraea</i> , <i>Nerita</i> , Martyn, 1786, <i>The universal conchologist ...</i> , vol. 3, pl. 109, ruled under the plenary power to be an available name despite being published in a work rejected for nomenclatural purposes (Gastropoda). Op. 1662	available
<i>hebridensis</i> , <i>Alauda arvensis</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12) 9 : 367 (a junior primary homonym of <i>hebridensis</i> , <i>Alauda arvensis</i> , Horniman, 1940). Op. 480	index
<i>hebridensis</i> , <i>Alauda arvensis</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index

<i>hebridium</i> , <i>Emberiza calandra</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12)9: 367 (a junior primary homonym of <i>hebridium</i> , <i>Emberiza calandra</i> , Horniman, 1940). Op. 480	index
<i>hebridium</i> , <i>Emberiza calandra</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>hebridium</i> , <i>Erithacus rubecula</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12)9: 366 (a junior primary homonym of <i>hebridium</i> , <i>Erithacus rubecula</i> , Horniman, 1940). Op. 480	index
<i>hebridium</i> , <i>Erithacus rubecula</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>HECTARTHROPIDAE</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 481, 883 (type genus: <i>Hectarthropus</i> Bate, 1888) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 434	index
<i>heeri</i> , <i>Myriochele</i> , Malmgren, 1867, <i>Spetsbergens, Grönlands, Islands och den Skandinaviska halvöns hittills kända Annulata Polychaeta</i> , p. 101 (specific name of the type species of <i>Myriochele</i> Malmgren, 1867) (Polychaeta). Op. 1636	available
<i>Hegumenerythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28: 575 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>heimi</i> , <i>Troglocarcinus</i> , Fize & Serène, 1956, <i>Bulletin de la Société Zoologique de France</i> , 80(5, 6): 378 (specific name of the type species of <i>Fizesereneia</i> Takeda & Tamura, 1980) (Crustacea, Decapoda). Op. 1591	available
<i>heinei</i> , <i>Myolestes</i> , Finsch & Hartlaub, [1870], <i>Proc. zool. Soc. London</i> , 1869: 546 (Aves). Op. 409	available
<i>Helarctos</i> Horsfield, 1825, <i>Zool. J.</i> , 2(6): 221 (gender: masculine) (type species, by original designation: <i>Helarctos euryspilus</i> Horsfield, 1825, <i>Zool. J.</i> , 2(6): 221, valid name: <i>Ursus malayanus</i> Raffles, 1821) (Mammalia). Op. 384	available
<i>helena</i> , <i>Muraena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 244 (specific name of the type species of <i>Muraena</i> Linnaeus, 1758) (Osteichthyes, Anguilliformes). Op. 1672	available
<i>Heliaca</i> Herrich-Schäffer, [1851], <i>Syst. Bearbeit. Schmett. Europ.</i> , 2: 370 (a junior homonym of <i>Heliaca</i> Hübner, 1822). Op. 789	index
<i>Heliaca</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Heliacus</i> d'Orbigny, 1842, <i>Mollusques. In Sagra, R., Histoire physique, politique, et naturelle de l'Ile de Cuba</i> , vol. 2, parts 1–7, p. 68, Bertrand, Paris (gender: masculine) (type species, by monotypy: <i>Solarium heberti</i> Deshayes, 1830 (an incorrect subsequent spelling of <i>herberti</i>), a junior subjective synonym of <i>Trochus cylindricus</i> Gmelin, 1791) (Gastropoda). Op. 2185	available

<i>helias, Ardea</i> , Pallas, 1781, <i>Neue nord. Beytr.</i> , 2 : 48, pl. 3 (specific name of the type species of <i>Eurypyga</i> Illiger, 1811) (Aves). Direction 43	available
<i>Helicarion</i> Féruccac, 1821, <i>Tableaux systématiques des animaux mollusques ... suivis d'un prodrome général ...</i> , p. 23 (folio), p. 19 (quarto) (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 15 : 169: <i>Helicarion cuvieri</i> Féruccac, 1821), ruled under the plenary power to be the correct original spelling of <i>Helixarion</i> (Gastropoda). Op. 1678	available
HELICARIONIDAE Godwin-Austen, 1882, <i>Land and freshwater Mollusca of India ...</i> , vol. 1, part 2, p. 65 (type genus: <i>Helicarion</i> Féruccac, 1821) (Gastropoda). Op. 1678	available
<i>Helice</i> Chambers, 1873, <i>Canad. Entomol.</i> , 5 : 187 (a junior homonym of <i>Helice</i> de Haan, [1833]). Direction 37	index
<i>Helice</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 5; <i>id.</i> , [1835], <i>ibid.</i> : 28 (gender: feminine) (type species, by monotypy: <i>Ocypode (Helice) tridens</i> de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 28, 57) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Helicella</i> Féruccac, 1821, <i>Tabl. syst. Anim. moll. terrestre. fluviat.</i> : 28 (gender: feminine) (type species, by designation under the plenary power: <i>Helix itala</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 772) (Gastropoda). Op. 431	available
<i>Helicella</i> Lamarck, 1812 (cited by Chenu, 1859, <i>Manuel Conchyl.</i> , 1 : 421, but not made available). Op. 431	index
HELICELLINAE Chenu, 1859, <i>Man. Conchyl.</i> , 1 : 421 (type genus: <i>Helicella</i> Lamarck, 1812) (a nomen nudum because its type genus was not made available). Op. 431	index
HELICELLINAE von Ihering, 1909, <i>Verh. zool.-bot. Ges. Wien</i> , 59 : 429 (type genus: <i>Helicella</i> Féruccac, 1821) (Gastropoda). Op. 431	available
<i>Helicigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Helicinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Heliconia</i> Godart, 1819, <i>Ency. méth.</i> , 9 (Ins.): 203 (a junior objective synonym of <i>Heliconius</i> Kluk, 1802). Op. 382	index
HELICONIDAE Swainson, 1827, <i>Phil. Mag.</i> (n.s.), 1 : 187 (type genus: <i>Heliconius</i> Kluk, 1802) (an incorrect original spelling for HELICONIIDAE Swainson, 1827). Direction 54	index
HELICONIIDAE (correction of HELICONIDAE) Swainson, 1827, <i>Phil. Mag.</i> (n.s.), 1 : 187 (type genus: <i>Heliconius</i> Kluk, 1802) (Insecta, Lepidoptera). Direction 54	available
<i>Heliconius</i> Kluk, 1802, <i>Zwierz. Hist. nat. pocz. gospod.</i> , 4 : 82 (gender: masculine) (type species, by designation by Hemming, 1933 (<i>Entomologist</i> , 66 : 223): <i>Papilio charithonia</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 757) (Insecta, Lepidoptera). Op. 382	available

<i>Heliconius</i> Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 185, 199 (a junior homonym of <i>Heliconius</i> Kluk, 1802). Op. 382	index
<i>Heliconius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 465-467 (not made available in the work cited; published as a term intermediate between generic and specific names and not possessing the status of a subgeneric name). Op. 382	index
<i>Helicopis</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Helicopis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 285 (conserved under the plenary power) (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proc. amer. Acad. Arts Sci. Boston</i> , 10 : 186): <i>Papilio cupidus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 482) (Insecta, Lepidoptera). Op. 137, Op. 232	available
<i>Helicter</i> Pease, 1862, <i>Proceedings of the Zoological Society of London</i> , 1862 : 6 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 2017	index
<i>Helicteres</i> Beck, 1837, <i>Index Molluscorum</i> ..., part 1, p. 51 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 2017	index
HELICTERINAE Pease, 1870, <i>Proceedings of the Zoological Society of London</i> , 1869 : 645 (invalid because the name of its type genus <i>Helicter</i> Pease, 1862 has been suppressed) (Gastropoda). Op. 2017	index
<i>Helictis</i> Gray, 1831, <i>Proc. zool. Soc. London</i> , 1 (1830-31): 94 (gender: feminine) (type species, by monotypy: <i>Helictis moschata</i> Gray, 1831, <i>Proc. zool. Soc. London</i> , 1 (1830-31): 94) (Mammalia). Op. 384	available
<i>Helophilus</i> Meigen, 1803, <i>Magazin für Insektenkunde</i> (Illiger), 2 : 273 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1747	index
<i>Heliornis</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 79 (a junior homonym of <i>Heliornis</i> Bonnaterre, 1790). Direction <i>Heliornis</i> Bonnaterre, 1790, <i>Ency. méth., Orn.</i> 1 : lxxxiv, 64 (gender: masculine) (type species, by monotypy and through Opinion 67 and Article 67e (1961 Code): <i>Colymbus fulica</i> Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 54) (Aves). Op. 67, Direction 43, Direction 44	index
<i>Heliosciurus</i> Trouessart, 1880, <i>Le Naturaliste</i> , 1 : 292 (gender: masculine) (type species, by designation under the plenary power: <i>Sciurus gambianus</i> Ogilby, 1835, <i>Proc. zool. Soc. London</i> , 3 : 103) (Mammalia). Op. 464	available
HELIOTHINAE (ex HELIOTHIDI) Boisduval, 1828, <i>Europaeorum Lepidopterorum Index Methodicus</i> : 94 (type genus: <i>Heliothis</i> Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 1312	available
<i>Heliothis</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index

<i>Heliothis</i> Ochsenheimer, 1816, <i>Schmett. Eur.</i> , 4 : 91 (gender: feminine) (type species, by designation by Samouelle, 1819 (<i>Entomol. useful Compendium</i> : 252)): Phalaena dipsacea Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 856) (Insecta, Lepidoptera). Op. 1312	available
<i>heliotropium, Trochus</i> , Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 30 (conserved under the plenary power) (valid name at the date of Opinion 479 of the type species of Astraea [Röding], 1798) (Gastropoda). Op. 479	available
<i>Helix</i> Féruccac, 1821, <i>Hist. nat. gén. partic. Moll. terrestr. fluviat.</i> , Tabl. Limacons: 23 (a later usage of Helix Linnaeus, 1758, often cited as the name of a separately established genus, in which case it would be a junior homonym of Helix Linnaeus, 1758). Direction 72	index
<i>Helix</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 768 (gender: feminine) (type species, by designation by Montfort, 1810 (<i>Conch. syst. Class. méth. Coquilles</i> , 2 : 231)): Helix pomatia Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 771) (Gastropoda). Op. 94, Direction 72	available
<i>Helixarion</i> Féruccac, 1821, <i>Tableaux systématiques des animaux mollusques ... suivis d'un prodrôme général ...</i> , p. 23 (folio), p. 19 (quarto), ruled under the plenary power to be an incorrect original spelling of Helicarion (Gastropoda). Op. 1678	index
HELIXARIONIDAE Bourguignat, 1883, <i>Annales des Sciences Naturelles (Zoologie)</i> , (6) 15 : art. 2, p. 9 (an unjustified emendation of HELICARIONIDAE Godwin-Austen, 1882) (Gastropoda). Op. 1678	index
<i>helleri, Acantholophus</i> , Ausserer, 1867, <i>Verh. zool.-bot. Ges. Wien</i> , 17 : 158 (valid name at the date of Opinion 353 of the type species of Astrobanus Thorell, 1876) (Arachnida). Op. 353	available
<i>Hellula</i> Guénée, 1854, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Lép.</i> , 8 : 415 (gender: feminine) (type species, by original designation: Phalaena undalis Fabricius, 1781, <i>Spec. Ins.</i> , 2 : 272) (Insecta, Lepidoptera). Op. 536	available
<i>Helmithera</i> Sundevall, 1872, <i>Meth. nat. Av. Tentamen</i> (1): 28 (an unjustified emendation of Helmitheros Rafinesque, 1819). Direction 58	index
<i>Helmitheros</i> Rafinesque, 1819, <i>J. Phys. Chim. Hist. nat.</i> , 88 : 418 (gender: neuter) (type species, by monotypy: Motacilla vermicivora Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 951) (Aves). Op. 412	available
<i>Helochares</i> Mulsant, 1844, <i>Palp.</i> : Errata et Addenda to page 132 (gender: masculine) (type species, by designation by Thomson, 1859 (<i>Skand. Coleopt.</i> , 1 : 18): Dytiscus lividus Forster, 1771, <i>Nov. Spec. Ins.</i> : 52) (Insecta, Coleoptera). Op. 710	available
<i>Helogale</i> Gray, [1862], <i>Proc. zool. Soc. London</i> , 1861 : 308 (gender: feminine) (type species, by designation by Thomas, 1882 (<i>Proc. zool. Soc. London</i> , 1882 : 79)): Herpestes parvulus Sundevall, 1846, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 3 (No. 5): 151) (Mammalia). Op. 384	available

<p><i>Helophilus</i> Fabricius, 1805, <i>Systema Antiliatorum</i> ..., p. 233 (gender: neuter) (type species, ruled under the plenary power to be by subsequent designation by Curtis, 1832, <i>British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland</i> ..., vol. 9, pl. 429 (text): <i>Musca pendula</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1747</p>	available
<p><i>Helophilus</i> Mulsant, 1844, <i>Palp.</i>: 132 (a junior homonym of <i>Helophilus</i> Leach, 1817). Op. 710</p>	index
<p><i>Helophorus</i> Fabricius, 1775, <i>Systema Entomologiae</i>, p. 66 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes avec un tableau méthodique de leurs genres, disposés en familles</i>, p. 428: <i>Silpha aquatica</i> Linnaeus, 1758), ruled under the plenary power to be the correct original spelling of the generic name <i>Elophorus</i> (Insecta, Coleoptera). Op. 1724</p>	available
<p><i>Helophygas</i> Motschulsky, 1853, <i>Hydrocan. Russ.</i>: 11 (a junior objective synonym of <i>Helochares</i> Mulsant, 1844). Op. 710</p>	index
<p><i>helvetica, Ceromyopsis</i>, de Loriol, 1897, <i>Mém. Soc. palaeontol. Suisse</i>, 24: 79 (specific name of the type species of <i>Ceratomyopsis</i> Cossmann, 1915) (Bivalvia). Op. 742</p>	available
<p><i>helveticus, Coluber</i>, Lacepède, 1789, <i>Histoire naturelle des quadrupèdes ovipares et des serpens</i>, vol. 2 (<i>Histoire naturelle des serpens</i>), p. 100, ruled under the plenary power to be available despite having been published in a rejected work (Reptilia, Serpentes). Op. 1686</p>	available
<p><i>Hemerobius</i> Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 549 (gender: masculine) (type species, by designation under the plenary power: <i>Hemerobius humulinus</i> Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 550) (Insecta, Neuroptera). Op. 211</p>	available
<p><i>Hemibagrus</i> Bleeker, 1862, <i>Atlas ichthyologique des Indes Orientales Néerlandaises</i>, vol. 2. Siluroïdes, Chacoïdes et Hétérobranchoïdes, p. 9 (gender: masculine) (type species, by original designation: <i>Bagrus nemurus</i> Valenciennes in Cuvier & Valenciennes, 1840) (Osteichthyes). Op. 2011</p>	available
<p>HEMIDACTYLIINI Hallowell, 1856, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i>, 8: 11 (type genus: <i>Hemidactylum</i> Tschudi, 1838) (Amphibia, Caudata). Op. 1873</p>	available
<p><i>Hemidactylum</i> Tschudi, 1838, <i>Mémoires de la Société des Sciences Naturelles de Neuchâtel</i>, 2: 94 (gender: neuter) (type species, by monotypy: <i>Salamandra scutata</i> Temminck & Schlegel, [1838]) (Amphibia, Caudata). Op. 1873</p>	available
<p>HEMIMANTIDAE Hoffmann, 1878, in Bronn, H.G., <i>Die Klassen und Ordnungen des Thier-Reichs wissenschaftlich dargestellt in Wort und Bild</i>, vol. 6, part 2, pp. 613, 635 (type genus: <i>Hemimantis</i> Peters, 1863), ruled under the plenary power that this name and other family-group names based on <i>Hemimantis</i> are not to be given priority over PETROPEDETINAE Noble, 1931, CACOSTERNINAE Noble, 1931 and PHRYNOBATRACHINAE Laurent, 1941 and other family-group names based on <i>Petropedetes</i> Reichenow, 1874, <i>Cacosternum</i> Boulenger, 1887 and <i>Phrynobatrachus</i> Günther, 1862 whenever their type genera are placed in the same family-group taxon (Amphibia, Anura). Op. 1921</p>	available

<i>Hemimantis</i> Peters, 1863, <i>Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1863 : 451 (gender: masculine) (type species, by monotypy: <i>Hemimantis calcaratus</i> Peters, 1863) (Amphibia, Anura). Op. 1921	available
<i>Hemimerus</i> Walker, [1871], <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 5 , Suppl. Dermapt. Salt.: 2 (gender: masculine) (type species, by monotypy: <i>Hemimerus talpooides</i> Walker, [1871], <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 5 , Suppl. Dermapt. Salt.: 2) (Insecta, Dermaptera). Op. 149	available
<i>hemingi, Benthochascon</i> , Alcock & Anderson, 1899, <i>Ann. Mag. nat. Hist.</i> , (7) 3 : 10 (specific name of the type species of <i>Benthochascon</i> Alcock & Anderson, 1899) (Crustacea, Decapoda). Direction 36	available
<i>Hemipenaeus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 171, 186 (gender: masculine) (type species, by designation by Faxon, 1895 (<i>Mem. Mus. comp. Zool.</i> , 18 : 200)); <i>Hemipenaeus spinidorsalis</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 186 (Crustacea, Decapoda). Op. 864	available
<i>Hemipeneus</i> Faxon, 1893, <i>Bull. Mus. comp. Zool.</i> , 24 : 215 (an incorrect subsequent spelling for <i>Hemipenaeus</i> Bate, 1881). Op. 864	index
<i>Hemipneustes</i> Agassiz, 1836, <i>Mém. Soc. Sci. nat. Neuchâtel</i> , 1 : 183, 184 (gender: feminine) (type species, by monotypy and through Opinion 321 and Article 67e (1961 Code); <i>Spatangus striatoradiatus</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 170) (Echinoidea). Op. 321	available
<i>Hemiprocne</i> (emendation under the plenary power of <i>Hemiprocnes</i>) Nitzsch, 1829, <i>Observ. Avium Arteria carot. communi</i> : 31 (gender: feminine) (type species, by designation under the plenary power: <i>Hirundo longipennis</i> Rafinesque, 1802, <i>Bull. Sci. Soc. philomat. Paris</i> , No. 68: 153) (Aves). Op. 457	available
<i>Hemiprocne</i> Nitzsch, 1833, <i>Pterylographiae Avium</i> (1): 21 (a junior homonym of <i>Hemiprocne</i> (emendation of <i>Hemiprocnes</i>) Nitzsch, 1829). Op. 457	index
<i>Hemiprocne</i> Nitzsch, 1840, <i>Syst. Pterylographie</i> : 31, 123 (a junior homonym of <i>Hemiprocne</i> (emendation of <i>Hemiprocnes</i>) Nitzsch, 1829). Op. 457	index
<i>Hemiprocne</i> Riemann, 1838, <i>Leitsfadenf. Realsch. Gymn.</i> : 34 (a junior homonym of <i>Hemiprocne</i> (emendation of <i>Hemiprocnes</i>) Nitzsch, 1829). Op. 457	index
<i>Hemiprocnes</i> Nitzsch, 1829, <i>Observ. Avium Arteria carot. communi</i> : 31 (an incorrect original spelling for <i>Hemiprocne</i> Nitzsch, 1829). Op. 457	index
HEMIPROCNIDAE Oberholser, 1906, <i>Proc. biol. Soc. Washington</i> , 19 : 68 (type genus: <i>Hemiprocne</i> Nitzsch, 1829) (Aves). Op. 457	available
<i>Hemipteronotus</i> Lacepède, 1801, <i>Histoire naturelle des poissons</i> , vol. 3, p. 214 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1799	index
<i>Hemisia</i> Klug, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 213, 227 (a junior objective synonym of <i>Centris</i> Fabricius, 1804). Op. 567	index

HEMISIINI Michener, 1944, *Bull. amer. Mus. nat. Hist.*, **82**: 286 (type genus: *Hemisia* Klug, 1807) (a junior objective synonym of CENTRIDINI Cockerell & Cockerell, 1901). Op. 567

index

hemisphericus, *Poteriocrinus*, Shumard, 1858, in Shumard & Swallow, *St. Louis Acad. Sci., Trans.*, **1**: 221, as interpreted by reference to the neotype designated by Moore & Strimple, 1970 (*Bull. zool. Nomencl.*, **27**: 203) (specific name of the type species of *Delocrinus* Miller & Gurley, 1890) (Crinoidea). Op. 1006

available

Hemisquilla Hansen, 1895, *Ergebn. Plankton-Exped.*, **2(G)(c)**: 72 (gender: feminine) (type species, by monotypy: *Gonodactylus styliferus* Milne Edwards, 1837, *Hist. nat. Crust.*, **2**: 530, valid name: ***Gonodactylus ensiger*** Owen, 1832) (Crustacea, Stomatopoda). Op. 785

available

Hemistilpnos Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 566 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Hemiurus Gervais, 1855, in Castelnau, *Expéd. Amér. Sud.*, **1** (Mamm.): 101 (a junior homonym of ***Hemiurus*** Rudolphi, 1809). Direction 76

index

Hemiurus Rudolphi, 1809, *Entozoorum*, **2(1)**: 38 (gender: masculine) (type species, by designation by Stiles & Hassall, 1898 (*Arch. Parasitol.*, **1(1)**: 90): ***Fasciola appendiculata*** Rudolphi, 1802, *Archiv Zool.* (Wiedemann), **3(1)**: 78) (Trematoda). Op. 77, Direction 76

available

HENICOPIDAE Pocock, 1901, *Ann. Mag. nat. Hist.*, **(7)8**: 448 (type genus: ***Henicops*** Newport, 1844), ruled under the plenary power to be given precedence over **CERMATOBIIDAE** Haase, 1885 whenever ***Henicops*** Newport, 1844 and ***Cermatobius*** Haase, 1885 are placed in the same family-group taxon (Chilopoda). Op. 1228

available

Henicops Newport, 1844, *Proc. linn. Soc. London*, **1(20)**: 192 (gender: masculine) (type species, by designation by Pocock, 1901 (*Ann. Mag. nat. Hist.*, **(7)8**: 451): ***Henicops maculata*** [sic] Newport, 1845, *Trans. linn. Soc. London*, **19**: 372) (Chilopoda). Op. 1228

available

Heniola Uvarov, 1940, *Ann. Mag. nat. Hist.*, **(11)5**: 174 (gender: feminine) (type species, by designation under the plenary power: ***Heniola gigliotosi*** Carbonell, 1971, *Bull. zool. Nomencl.*, **28**: 167) (Insecta, Orthoptera). Op. 1032

available

hennigi, *Chamaepsila*, Thompson & Pont, 1994, *Theses Zoologicae*, **20**: 161 (a junior objective synonym of ***Musca rosae*** Fabricius, 1794) (Insecta, Diptera). Op. 1938

index

henslowana, *Tellina*, Sheppard, [1823], *Trans. linn. Soc. London*, **14(1)**: 150 (Bivalvia). Op. 336

available

henslowensis, *Tellina*, Turton, 1831, *Manual land & freshwater Shells brit. Islands*: 15 (an unjustified emendation of *henslowana*, *Tellina*, Sheppard, [1823]). Op. 336

index

henslowianum, *Pisidium*, Jenyns, 1832, *Trans. Cambr. phil. Soc.*, **4**: 308 (an unjustified emendation of *henslowana*, *Tellina*, Sheppard, [1823]). Op. 336

index

<i>henslowii</i> , Polybius , Leach, [1820], <i>Malac. podophth. Brit.</i> (17): text to pl. 9B (specific name of the type species of Polybius Leach, [1820]) (Crustacea, Decapoda). Direction 36	available
<i>hentzi</i> , Centrurus , Banks, 1904, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 56 : 142 (Arachnida, Scorpionida). Op. 1680	available
<i>Hepa</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 479 (a junior objective synonym of <i>Nepa</i> Linnaeus, 1758) (Insecta, Heteroptera). Op. 1754	index
<i>Hepatella</i> Smith, 1869, in Verrill, <i>Amer. Nat.</i> , 3 : 250, nota (gender: feminine) (type species, through Article 68b(i): <i>Hepatella amica</i> Smith, 1869, in Verrill, <i>Amer. Nat.</i> , 3 : 250, nota) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>hepatica</i> , Fasciola , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 648 (specific name of the type species of Fasciola Linnaeus, 1758) (Trematoda). Direction 77	available
<i>Hephthopelta</i> Alcock, 1899, <i>Account Deep Sea Brachyura</i> : 76 (gender: feminine) (type species, by monotypy: <i>Hephthopelta lugubris</i> Alcock, 1899, <i>Account Deep Sea Brachyura</i> : 77) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Hepomadus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 171, 189 (gender: masculine) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i> , 1911 : 544): <i>Hepomadus glacialis</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 190) (Crustacea, Decapoda). Op. 864	available
<i>hepsetus</i> , Atherina , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 315 (specific name of the type species of Atherina Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Heptacarpus</i> Holmes, 1900, <i>Occ. Pap. Calif. Acad. Sci.</i> , 7 : 195 (gender: masculine) (type species, by original designation: <i>Hippolyte palpator</i> Owen, 1839, <i>Zool. Beechey's Voy. 'Blossom'</i> : 89) (Crustacea, Decapoda). Op. 470	available
<i>Heptodontia</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 585 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>heraclei</i> , Musca , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 600, ruled under the plenary power to be the correct original spelling of the specific name of <i>Musca heraclii</i> (Insecta, Diptera). Op. 1645	available
<i>heraclii</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 600, ruled under the plenary power to be an incorrect original spelling of <i>heraclei</i> (Insecta, Diptera). Op. 1645	index
<i>Herbstia</i> Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 301 (gender: feminine) (type species, by monotypy: <i>Cancer condylatus</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 324) (Crustacea, Decapoda). Op. 712	available
<i>Herbstia</i> Robineau-Desvoidy, 1851, <i>Ann. Soc. entomol. France</i> , (2) 9 : 184 (a junior homonym of <i>Herbstia</i> Milne Edwards, 1834). Op. 712	index

<i>herbstii</i> , Panopeus , Milne Edwards, 1834, <i>Hist. nat. Crust.</i> , 1 : 403, as interpreted by reference to the lectotype designated by Holthuis, 1979 (<i>Bull. zool. Nomencl.</i> , 36 : 159) (specific name of the type species of Panopeus Milne Edwards, 1834) (Crustacea, Decapoda). Op. 1282	available
<i>Heriaeus</i> Simon, 1875, <i>Les Arachnides de France</i> , vol. 2, p. 203 (gender: masculine) (type species, confirmed by the Commission to be by subsequent designation by Simon, 1895, <i>Histoire Naturelle des Araignées</i> , Ed. 2, 1 (4), p. 1034: <i>Thomisus hirsutus</i> Walckenaer, 1824, an incorrect subsequent spelling of Thomisus hirtus Latreille, 1819) (Arachnida, Araneae). Op. 1488	available
<i>heringi</i> , Tanaecia , Niepelt, 1935, <i>Internationale Entomologische Zeitschrift</i> , 29 (2): 13 (Insecta, Lepidoptera). Op. 1990	available
<i>hermanni</i> (emendation of <i>herrmanni</i>), Dytiscus , Fabricius, 1775, <i>Syst. Entomol.</i> : 232 (specific name of the type species of Hygrobia (emendation of <i>Hygriobia</i>) Latreille, 1804) (Insecta, Coleoptera). Op. 280	available
<i>hermanni</i> , Scaphirhynchus , Kessler, 1877, <i>Ryby Aralo-kaspo-ponticheskoi oblasti</i> : 190, Tab. 8, fig. 25 (Osteichthyes). Op. 971	available
<i>hermaphroditus</i> , Viverra , Pallas, [1777], in Schreber, <i>Die Säugthiere</i> , 3 : 426 (valid name at the date of Opinion 384 of the type species of Paradoxurus Cuvier, 1821) (Mammalia). Op. 384	available
<i>herminieri</i> , Holotropis , Duméril & Bibron, 1837, <i>Erpétologie générale ou histoire naturelle complète des reptiles</i> , vol. 4, p. 261 (Reptilia, Squamata). Op. 1909	available
<i>Herpertes</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 135 (an incorrect original spelling for Herpestes Illiger, 1811). Op. 384	index
<i>Herpestes</i> (emendation of <i>Herpertes</i>) Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 135 (as <i>Herpertes</i>), 303 (emendation to <i>Herpestes</i>) (gender: masculine) (type species, by absolute tautonymy through the replaced name <i>Ichneumon</i> Lacepède, 1799: Viverra ichneumon Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 43) (Mammalia). Op. 384	available
HERPESTINA Bonaparte, 1845, <i>Cat. met. Mamm. Europ.</i> : 3, 8 (type genus: Herpestes Illiger, 1811) (an incorrect original spelling for HERPESTINAE Bonaparte, 1845). Direction 53	index
HERPESTINAE (correction by Gill, 1872 (<i>Smithson. misc. Coll.</i> , 230 : 5, 61) of HERPESTINA Bonaparte, 1845, <i>Cat. met. Mamm. Europ.</i> : 3, 8 (type genus: Herpestes Illiger, 1811) (Mammalia). Direction 53	available
HERPETOCYPRIDINAE Kaufmann, 1900, <i>Mitt. Naturf. Ges. Bern</i> , 1900 : 105 (type genus: Herpetocypris Brady & Norman, 1889) (Crustacea, Ostracoda). Op. 533	available
<i>Herpetocypris</i> (emendation under the plenary power of <i>Erpetocypris</i>) Brady & Norman, 1889, <i>Sci. Trans. roy. Dublin Soc.</i> , (2) 4 : 64 (gender: feminine) (type species, by original designation: <i>Cypris reptans</i> Baird, [1836], <i>Berwickshire Nat. Hist. Club</i> , 1 (3): 99) (Crustacea, Ostracoda). Op. 533	available

<i>Herpeton</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 282 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>herrichii</i>, <i>Odynerus</i> , Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 309 (specific name of the type species of <i>Pseudepipona</i> Saussure, 1856) (Insecta, Hymenoptera). Op. 893	available
<i>herrmanni</i>, <i>Dytiscus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 232 (an incorrect original spelling for <i>hermanni</i>, <i>Dytiscus</i> , Fabricius, 1775). Op. 280	index
<i>Hesperia</i> Fabricius, 1793, <i>Entomol. Syst.</i> , 3 (1): 258 (gender: feminine) (type species, by designation by Dalman, 1816 (<i>K. Svensk. Vetensk. Akad. Handl.</i> , 1816 (1): 200): <i>Papilio comma</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, part 1, p. 484) (Insecta, Lepidoptera). Op. 1240	available
<i>hesperidum</i>, <i>Coccus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 455 (specific name of the type species of <i>Coccus</i> Linnaeus, 1758) (Insecta, Hemiptera). Op. 1303	available
HESPERIIDAE Latreille, 1809 (as HESPERIDES), <i>Genera Crust. Ins.</i> , 4 : 187, 207 (type genus: <i>Hesperia</i> Fabricius, 1793) (Insecta, Lepidoptera). Op. 1240	available
<i>Hetairus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> , Zool., 24 : 577, 610 (a junior objective synonym of <i>Lebbeus</i> White, 1847). Op. 671	index
<i>Heteralocha</i> Cabanis, [1851], in Cabanis & Heine, <i>Mus. Hein.</i> , 1 : 218 (conserved under the plenary power) (gender: feminine) (type species, by original designation: <i>Neomorpha acutirostris</i> Gould, January 1837, <i>Syn. Birds Austr.</i> (1): pl. xi; <i>id.</i> , June 1837, <i>Proc. zool. Soc. London</i> , 4 : 144) (Aves). Op. 514	available
<i>Heterandria</i> Agassiz, 1853, <i>Amer. J. Sci.</i> , (2) 16 : 135 (gender: feminine) (type species, by designation under the plenary power: <i>Heterandria formosa</i> Agassiz, 1855, <i>Amer. J. Sci.</i> , (2) 19 : 136) (Osteichthyes). Op. 375	available
HETERANDRIINI Hubbs, 1924, <i>Misc. Publ. Mus. Zool. Univ. Mich.</i> , 13 : 7 (published as a name for a taxon below subfamily rank) (type genus: <i>Heterandria</i> Agassiz, 1853) (Osteichthyes). Direction 41	available
<i>Heterelis</i> Costa, 1887, <i>Prospetto degli imenotteri italiani</i> (2): 104 (gender: feminine) (type species, by designation under the plenary power: <i>Scolia quinquecinata</i> Fabricius, 1793, <i>Entomol. Syst.</i> , 2 : 234) (Insecta, Hymenoptera). Op. 1293	available
<i>Heterocarpoides</i> de Man, 1917, <i>Zool. Meded.</i> , 3 : 284 (gender: masculine) (type species, by monotypy: <i>Dorodotes levicarina</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 680) (Crustacea, Decapoda). Op. 470	available
<i>heterocarpoides</i>, <i>Mimocaris</i> , Nobili, 1903, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 18 (447): 6 (specific name of the type species of <i>Mimocaris</i> Nobili, 1903) (Crustacea, Decapoda). Op. 470	available
<i>Heterocarpus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 8 (gender: masculine) (type species, by original designation: <i>Heterocarpus ensifer</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.) (6) 11 (4): 8) (Crustacea, Decapoda). Op. 470	available
<i>heterochelos</i> , <i>Ocypoda</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 150 (a junior objective synonym of <i>major</i>, <i>Cancer vocans</i> , Herbst, 1782). Op. 712	index

<i>heterochelus</i> , <i>Alciope</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
Heterocrypta Stimpson, 1871, <i>Ann. Lyc. nat. Hist. New York</i> , 10 : 102 (gender: feminine) (type species, by original designation: Cryptopodia granulata Gibbes, 1850, <i>Proc. Amer. Assoc. Adv. Sci.</i> , 3 : 173) (Crustacea, Decapoda). Op. 712	available
Heterodera Schmidt, 1871, <i>Z. Rübenzucker</i> , 21 : iv, 1, 2 (gender: feminine) (type species, by monotypy: Heterodera schachtii Schmidt, 1871, <i>Z. Rübenzucker</i> , 21 : 1-19, pl. 1, figs. 1-25) (Nematoda). Op. 104	available
Heterogaster Schilling, 1829, <i>Uebers. Arb. Veränder. schles. Ges. vaterl. Cultur. Beitr. Entomol.</i> , 1 : 37, 84 (gender: masculine) (type species, by designation by Curtis, 1836 (<i>Brit. Entomol.</i> , 13 : pl. 597): Cimex urticae Fabricius, 1775, <i>Syst. Entomol.</i> : 231) (Insecta, Hemiptera). Op. 679	available
HETEROGASTRINAE (correction of HETEROGASTRINI) Stål, 1872, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1872 : 40, 62 (conserved under the plenary power) (type genus: Heterogaster Schilling, 1829) (Insecta, Hemiptera). Op. 679	available
HETEROGASTRINI Stål, 1872, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1872 : 40, 62 (type genus: Heterogaster Schilling, 1829) (an incorrect original spelling for HETEROGASTRINAE , but available for use for a taxon belonging to any category within the family group for which the termination ‘-INI’ is considered appropriate). Op. 679	index
Heterogyna Nagy, 1969, <i>Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum, Hamburg</i> , no. 64, p. 8 (gender: feminine) (type species, by original designation: Heterogyna protea Nagy, 1969) (Insecta, Hymenoptera). Op. 1445	available
HETEROGYNIDAE Nagy, 1969, <i>Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum, Hamburg</i> , no. 64, p. 7 (type genus: Heterogyna Nagy, 1969), spelling emended from HETEROGYNIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Heterogyna Nagy, 1969 is HETEROGYNA- (Insecta, Hymenoptera). Op. 1445	available
HETEROGYNIDAE Nagy, 1969, <i>Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum, Hamburg</i> , no. 64, p. 7, spelling emended to HETEROGYNIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Heterogyna Nagy, 1969 is HETEROGYNA- (a junior homonym of HETEROGYNIDAE Rambur, 1866) (Insecta, Hymenoptera). Op. 1445	index
HETEROGYNIDAE Rambur, 1866, <i>Catalogue systématique des Lépidoptères de l'Andalousie</i> , vol. 2, p. 316 (type genus: Heterogynis Rambur, 1837) (Insecta, Lepidoptera). Op. 1445	available
Heterogynis Rambur, 1837, <i>Annales de la Société Entomologique de France</i> , 5 : 584 (gender: feminine) (type species, by subsequent designation by Kirby, 1892, <i>A synoptic catalogue of Lepidoptera Heterocera (moths)</i> , vol. 1, p. 499: Heterogynis paradoxa Rambur, 1837) (Insecta, Lepidoptera). Op. 1445	available

<i>Heterolaophonte</i> Lang, 1948, <i>Monographie der Harpacticiden</i> : 1364 (gender: feminine) (type species, by original designation: <i>Cyclops stroemii</i> Baird, 1837, <i>Mag. Zool. Bot.</i> , 1 : 330) (Crustacea, Copepoda). Op. 1356	available
<i>Heterolithadia</i> Alcock, 1896, <i>J. asiat. Soc. Bengal</i> , 65 (2): 171, 261 (gender: feminine) (type species, by monotypy: <i>Ebalia fallax</i> Henderson, 1893, <i>Trans. linn. Soc. London (Zool.)</i> , (2) 5 : 402) (Crustacea, Decapoda). Op. 73 <i>Heteromesus</i> Richardson, 1908, <i>Proceedings of the United States National Museum</i> , 35 : 81 (gender: masculine) (type species, by designation under the plenary power: <i>Heteromesus granulatus</i> Richardson, 1908) (Isopoda). Op. 2062	available
<i>Heteromorpha</i> Hübner, [1806], <i>Tentamen</i> : 1 (included in a work rejected for nomenclatural purposes in Opinion 97, as clarified by Opinion 278). Op. 494	index
<i>Heteromorpha</i> Hübner, 1822, <i>Syst.-alph. Verz.</i> : 15, 18 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 494	index
<i>Heteromurus</i> Wankel, 1860, <i>Lotos</i> , Jahrg. 10 : 203 (gender: masculine) (type species, by monotypy: <i>Heteromurus margaritarius</i> Wankel, 1860, <i>Lotos</i> , Jahrg. 10 : 203) (Insecta, Collembola). Op. 1064	available
<i>Heteronucia</i> Alcock, 1896, <i>J. asiat. Soc. Bengal</i> , 65 (2): 170, 177 (gender: feminine) (type species, by monotypy: <i>Heteronucia vesiculosus</i> Alcock, 1896, <i>J. asiat. Soc. Bengal</i> , 65 (2): 177) (Crustacea, Decapoda). Op. 73 <i>Heteropanope</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 35 (gender: feminine) (type species, by designation by Balss, 1933 (<i>Capita Zool.</i> , 4 (3): 32): <i>Heteropanope glabra</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 35) (Crustacea, Decapoda). Op. 712	available
<i>Heteropenaeus</i> de Man, 1896, <i>Zool. Anz.</i> , 19 : 111 (gender: masculine) (type species, by monotypy: <i>Heteropenaeus longimanus</i> de Man, 1896, <i>Zool. Anz.</i> , 19 : 111) (Crustacea, Decapoda). Op. 864	available
<i>Heteropeneus</i> Alcock, 1906, <i>Cat. Indian Decap. Crust. Ind. Mus.</i> , 3 (1): 5 (an incorrect subsequent spelling for <i>Heteropenaeus</i> de Man, 1896). Op. 864	index
<i>Heterophyes</i> Cobbold, 1866, <i>Tapeworms</i> : 6 (gender: masculine) (type species, by monotypy and through Opinion 84 and Article 67e (1961 Code): <i>Distomum heterophyes</i> Siebold, [1852], <i>Z. wiss. Zool.</i> , 4 (1): 62) (Trematoda). Op. 84, Direction 76	available
<i>heterophyes, Distomum</i> , Siebold, [1852], <i>Z. wiss. Zool.</i> , 4 (1): 62 (specific name of the type species of <i>Heterophyes</i> Cobbold, 1866) (Trematoda). Direction 77	available
<i>heterophyllus, Ammonites</i> , Sowerby, 1820, <i>Min. Conch.</i> , 3 : 119 (specific name of the type species of <i>Phylloceras</i> Suess, 1865) (Cephalopoda). Op. 304	available
<i>Heteropora</i> Hemprich & Ehrenberg, (1834), <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1832 : 332 (a junior homonym of <i>Heteropora</i> Blainville, 1830). Op. 674	index
<i>Heteroptera</i> Macquart, 1835, <i>Histoire naturelle des insectes</i> . Diptères, vol. 2, p. 570 (a senior objective synonym of <i>Coproica</i> Rondani, 1861 and a junior homonym of <i>Heteroptera</i> Rafinesque, 1814) (Insecta, Diptera). Op. 1839	index

<i>Heterotis</i> Rüppell, 1829, ex Ehrenberg MS, <i>Beschreibung und Abbildung mehrerer neuer Fische im Nil entdeckt</i> : 10, ruled under the plenary power to be available from its publication in synonymy by Rüppell, 1829 (gender: masculine) (type species, by monotypy: <i>Sudis niloticus</i> Cuvier, 1829, ex Ehrenberg MS, <i>Règne Animal</i> (ed. 2), 2 : 328) (Osteichthyes). Op. 1132	available
<i>Heterotrypa</i> Nicholson, 1879, <i>On the Structure and Affinities of the Tabulate Corals</i> : 291, 293 (gender: feminine) (type species, by designation under the plenary power: <i>Monticulipora frondosa</i> d'Orbigny, 1850, <i>Prodr. Paléontol.</i> , 1 : 25) (Bryozoa). Op. 838	available
<i>heterovalbum, Polycyathus</i> , Vologdin, 1928, <i>Ezhegodnik Russkogo Paleontologicheskogo Obshchestva</i> , 7 : 36 (specific name of the type species of <i>Pluralicyathus</i> Okulitch, 1950) (Archaeocyatha). Op. 2121	available
<i>Heterozius</i> Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 275 (gender: masculine) (type species, by monotypy: <i>Heterozius rotundifrons</i> Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 275) (Crustacea, Decapoda). Op. 73 <i>heterurus</i> ,	
<i>Homalocephalus</i> , Jan, 1863, <i>Archivio per la Zoologia, l'Anatomia e la Fisiologia</i> , 2 (2): 286 (specific name of the type species of <i>Pseudoxyrhopus</i> Günther, 1881) (Reptilia, Serpentes). Op. 1789	available
<i>hexacanthum, Sclerostoma</i> , Wedl, 1856, <i>Sitzungsberichte der Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Classe</i> , 19 : 53 (a junior objective synonym of <i>Strongylus tetricanthus</i> Mehlis, 1831) (Nematoda). Op. 1972	index
<i>hexadactyla, Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 542 (specific name of the type species of <i>Alucita</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>Hexapus</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 3; <i>id.</i> , [1835], <i>ibid.</i> : 35 (gender: masculine) (type species, by monotypy: <i>Cancer sexpes</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 344) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>hexapus, Cancer</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1039 (a junior objective synonym of <i>longicornis, Cancer</i> , Linnaeus, 1767, by the first reviser action of Milne Edwards, 1837 (<i>in</i> Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 257)). Op. 701	index
<i>Hexarthra</i> Schmarda, 1854, <i>Denskr. Acad. Wiss. Wien</i> (Math.-natur. Kl.), 7 (2): 15 (gender: feminine) (type species, by designation under the plenary power: <i>Pedalion fennicum</i> Levander, 1892, <i>Zool. Anz.</i> , 15 : 403) (Rotifera). Op. 326	available
<i>Hexodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 586 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>heydenii, Leptinotarsa</i> , Stål, 1858, <i>Öfvers. k. Vetenskaps Akad. Förh.</i> , 15 : 475 (specific name of the type species of <i>Leptinotarsa</i> Chevrolat, 1837) (Insecta, Coleoptera). Op. 1290	available
<i>hibberti, Megalichthys</i> , Agassiz, 1835, in Hibbert, <i>Trans. roy. Soc. Edinburgh</i> , 13 : 202 (specific name of the type species of <i>Megalichthys</i> Agassiz, 1835) (Osteichthyes). Op. 930	available

<i>hibberti</i> , Rhizodus , Owen, 1840, <i>Odontography</i> , Expl. pls.: 12, as ruled under the plenary power to be a name distinct from <i>Megalichthys hibberti</i> Agassiz, 1835 and as interpreted by the neotype designated by Thomson, 1966 (<i>Bull. zool. Nomencl.</i> , 23 : 119 (specific name of the type species of Rhizodus Owen, 1840) (Osteichthyes). Op. 930	available
<i>hibisceae</i> , Papilio , [Hübner, 1790-1793], <i>Lep. Linn.</i> : 15 (included in a work rejected for nomenclatural purposes). Op. 975	index
<i>hieroglyphicus</i> , Aradus , Sahlberg, 1878, <i>Kongliga Svenska Vetenskaps-Akademiens Handlingar</i> , 16 (4): 22 (Insecta, Heteroptera). Op. 1783	available
<i>hieroglyphicus</i> , Bulimus , Potiez & Michaud, 1838, <i>Galérie Moll. Cat. méth.</i> , 1 : 144 (specific name of the type species of <i>Omphalotropis</i> Pfeiffer, 1851) (Gastropoda). Op. 973	available
<i>hieroglyphicus</i> , Decticus , Klug, 1832, <i>Symbolae physicae, seu icones et descriptiones insectorum, in Hemprich & Ehrenberg, Symbolae physicae</i> (Zool.), 2 (Insecta 3) sign. f, fol. (1, 2): pl. 25 (Insecta, Orthoptera). Op. 1055	available
<i>hieroglyphicus</i> , Gryllus , Müller (Physiologist), 1826, <i>Zur vergleichenden Physiologie des Gesichtsinnes des Menschen und der Thiere nebst einem Versuch über die Bewegung der Augen und über den menschlichen Blick</i> : 332, 355, 358, 437 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1055	index
<i>hilarea</i> , Donax , Guérin, 1832, <i>Iconographie du Règne Animal de G. Cuvier</i> , pl. 30, fig. 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bivalvia). Op. 1372	index
<i>hilarella</i> , Azinis , Walker, 1863, <i>List of the specimens of lepidopterous Insects in the collection of the British Museum</i> , part 28, p. 541 (specific name of the type species of <i>Azinis</i> Walker, 1863) (Insecta, Lepidoptera). Op. 1544	available
<i>Hildoceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 99 (gender: neuter) (type species, by designation by Buckman, 1889 (<i>Monogr. Inferior Oolite Ammonites</i> (Pal. Soc.): 111); <i>Ammonites bifrons</i> Bruguière, [1789], <i>Ency. méth.. Vers</i> 1 (1): 40) (Cephalopoda). Op. 304	available
HILDOCERATIDAE Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 : 99 (type genus: <i>Hildoceras</i> Hyatt, 1867) (Cephalopoda). Direction 14	available
<i>hilla</i> , Holothuria , Lesson, 1830, <i>Cent. Zool.</i> (13-16): 226 (Holothuroidea). Op. 914	available
<i>Hiltermannicythere</i> Bassiouni, 1970, <i>Rev. española Micropaleontol.</i> , 3 : 121 (gender: feminine) (type species, by designation under the plenary power: <i>Cythereis turbida</i> Müller, 1894, <i>Fauna und Flora des Golfes von Neapel, Monogr.</i> 21: 371, 372) (Crustacea, Ostracoda). Op. 1173	available
<i>Hindia</i> Duncan, 1879, <i>Annals and Magazine of Natural History</i> , (5) 4 : 91 (gender: feminine) (type species, by monotypy: <i>Hindia sphaeroidalis</i> Duncan, 1879) (Porifera). Op. 2134	available

HINDIIDAE Rauff, 1894, <i>Sitzungsberichte der Niederrheinischen Gesellschaft für Natur und Heilkunde</i> , vol. 43, p. 327 (type genus: Hindia Duncan, 1879) (Porifera). Op. 2134	available
<i>Hipocrita</i> Hübner, [1810], <i>Samml. exot. schmett.</i> , 1 : pl. [189] (an incorrect subsequent spelling for <i>Hypocrita</i> Hübner, [1807]). Op. 789	index
<i>Hipocrita</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
Hippa Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 329 (gender: feminine) (type species, by designation by Rathbun, 1900 (<i>Proc. U.S. nat. Mus.</i> , 22 : 301)): Hippa adactyla Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 329) (Crustacea, Decapoda). Op. 643	available
<i>Hippella</i> Moerch, 1861, <i>Malakozoologische Blätter</i> , 7 : 199 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 872	index
HIPPIDAE (correction of HIPPIDES) Latreille, 1825, <i>Fam. nat. Règne Anim.</i> : 275 (type genus: Hippa Fabricius, 1787) (Crustacea, Decapoda). Op. 643	available
HIPPIDES Latreille, 1825, <i>Fam. nat. Règne Anim.</i> : 275 (type genus: Hippa Fabricius, 1787) (an incorrect original spelling for HIPPIDAE Latreille, 1825). Op. 643	index
<i>hippocastanum</i> , <i>Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 751 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 911	index
hippoglossi , <i>Clavella</i> , Guérin, [1831], <i>Iconographie du Règne Animal</i> , livraison 16 (specific name of the type species of Hatschekia Poche, 1902) (Copepoda). Op. 1430	available
<i>Hippolite</i> Ross, 1835, J. Ross's <i>App. Narrat. 2nd. Voy. N.W. Pass.</i> : lxxxiii (an incorrect subsequent spelling for Hippolyte [Leach, 1814]). Op. 606	index
<i>Hippolithe</i> Brullé, 1839, in Webb & Berthelot, <i>Hist. nat. Iles Canaries</i> , 2 (2, Entomol.): 18 (an incorrect subsequent spelling for Hippolyte [Leach, 1814]). Op. 606	index
HIPPOLYIDAE Yu, 1935, <i>Chin. J. Zool.</i> , 1 : 43, 45, 47, 49, 51, 53 (type genus: Hippolyte [Leach, 1814]) (an incorrect subsequent spelling for HIPPOLYTIDAE Bate, 1888). Op. 470	index
Hippolysmata Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 26 (gender: feminine) (type species, by monotypy: Hippolysmata vittata Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 26) (Crustacea, Decapoda). Op. 470	available
<i>Hippolyta</i> Burmeister, 1837, <i>Handb. Naturgesch.</i> , 2 : 565 (an incorrect subsequent spelling for Hippolyte [Leach, 1814]). Op. 606	index
Hippolyte [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 431 (gender: feminine) (type species, by designation by Leach, [1817] (<i>Malac. podophth. Brit.</i> (16): expl. to pl. 38): Hippolyte varians [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 431) (Crustacea, Decapoda). Op. 470	available

<i>Hippolytes</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 78 (an incorrect subsequent spelling for <i>Hippolyte</i> [Leach, 1814]). Op. 606	index
HIPPOLYTIDAE Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : xii, xli, 480, 503, 574, 576 (type genus: <i>Hippolyte</i> [Leach, 1814]), ruled under the plenary power to be given precedence over the family-group names LYSMATINAE Dana, 1852 and THORINAE Kingsley, 1878 by those who consider that the genera <i>Hippolyte</i> [Leach], <i>Lysmata</i> Risso, 1816 and/or <i>Thor</i> Kingsley, 1878 belong to the same familygroup taxon (Crustacea, Decapoda). Op. 470	available
<i>Hippolytus</i> Guérin, 1832, <i>Exped. sci. Morée, Zool.</i> , 2 : 41 (an incorrect subsequent spelling for <i>Hippolyte</i> [Leach, 1814]). Op. 606	index
<i>Hippopigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
HIPPOPODIIDAE Cox, 1969, <i>Treatise on invertebrate paleontology</i> , part N, vol. 2, p. 582, spelling emended to HIPPOPODIUMIDAE following the ruling that for the purposes of Article 29 of the Code the stem of the generic name <i>Hippopodium</i> J. Sowerby, 1819 is HIPPOPODIUM- (Bivalvia). Op. 2036	index
HIPPOPODIIDAE Kölliker, 1853, <i>Die Schwimmpolypen oder Siphonophoren von Messina</i> , p. 28 (type genus: <i>Hippopodius</i> Quoy & Gaimard, 1827) (Hydrozoa). Op. 2036	available
<i>Hippopodium</i> J. Sowerby, 1819, <i>The mineral conchology of Great Britain</i> , vol. 3, no. 44, p. 91 (gender: neuter) (type species, by monotypy: <i>Hippopodium ponderosum</i> J. Sowerby, 1819) (Bivalvia). Op. 2036	available
HIPPOPODIUMIDAE Cox, 1969, <i>Treatise on invertebrate paleontology</i> , part N, vol. 2, p. 582 (type genus: <i>Hippopodium</i> J. Sowerby, 1819), spelling emended from HIPPOPODIIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Hippopodium</i> is HIPPOPODIUM- (Bivalvia). Op. 2036	available
<i>Hippopodius</i> Quoy & Gaimard, 1827, <i>Annales des Sciences Naturelles</i> , 10 : 172 (gender: masculine) (type species, by monotypy: <i>Hippopodius luteus</i> Quoy & Gaimard, 1827, a junior subjective synonym of <i>Gleba hippopus</i> Forsskål, 1776) (Hydrozoa). Op. 2036	available
<i>Hippopotamus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 74 (gender: masculine) (type species, by Linnaean tautonymy: <i>Hippopotamus amphibius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 74) (Mammalia). Op. 75 <i>hippopus</i> , <i>Gleba</i> , Forsskål, 1776, <i>Icones rerum naturalium quae in itinere Orientali depingi curavit P. Forskål</i> , pl. 43, fig. E (senior subjective synonym of <i>Hippopodius luteus</i> Quoy & Gaimard, 1827, the type species of <i>Hippopodius</i> Quoy & Gaimard, 1827) (Hydrozoa). Op. 2036	available
<i>hippopus</i> , <i>Hippella</i> , Moerch, 1861, <i>Malakozoologische Blätter</i> , 7 : 199 (Bivalvia). Op. 872	available
HIPPOTRAGINAE Sundevall, 1845, <i>Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar, Andra Årgången</i> , 1845 (2, 3): 31 (type genus: <i>Hippotragus</i> Sundevall, 1846) (Mammalia). Op. 2030	available

<i>Hippotragus</i> Sundevall, 1845, <i>Öfvers. K. svensk. Vetensk. Akad. Förhandl.</i> , Stockholm, 2: 31 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 23	index
<i>Hippotragus</i> Sundevall, 1846, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 1844: 196 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Antilope leucophaea</i> Pallas, 1766, <i>Miscell. Zool.</i> : 4) (Mammalia). Op. 109, Direction 23	available
<i>Hippurites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 263 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Hippurites</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 104 (gender: masculine) (type species, by monotypy: <i>Hippurites bioculata</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 104) (Bivalvia). Op. 613	available
HIPPURITIDAE Gray, 1848, <i>Ann. Mag. nat. Hist.</i> , (2)2: 440 (type genus: <i>Hippurites</i> Lamarck, 1801) (Bivalvia). Op. 613	available
<i>hippurus</i> , <i>Coryphaena</i> , Linnaeus, 1758, <i>Systema Naturaे</i> , Ed. 10, vol. 1, p. 261 (specific name of the type species of <i>Coryphaena</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>hircus</i> , <i>Capra</i> , Linnaeus, 1758, <i>Systema Naturaе</i> , Ed. 10, vol. 1, p. 68 (specific name of the type species of <i>Capra</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>hirsuta</i> , <i>Sao</i> , Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 13 (specific name of the type species of <i>Sao</i> Barrande, 1846) (Trilobita). Op. 512	available
<i>hirsutus</i> , <i>Thomisus</i> , Walckenaer, 1824, <i>Faune Française</i> , vol. 4, p. 85 (an incorrect subsequent spelling of <i>Thomisus hirtus</i> Latreille, 1819) (Arachnida, Araneae). Op. 1488	index
HIRTAEIDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 121 (type genus: <i>Hirtea</i> Fabricius, 1798) (an incorrect original spelling for HIRTEIDAE Billberg, 1820). Op. 441	index
<i>hirtata</i> , <i>Phalaena</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 3(2): 181, ruled under the plenary power not to be given priority over <i>coracina</i> Esper, 1805, as published in the binomen <i>Phalaena coracina</i> , whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1362	available
<i>Hirtea</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 547 (a junior homonym of <i>Hirtea</i> Scopoli, 1763). Op. 441	index
<i>Hirtea</i> Scopoli, 1763, <i>Entomol. carn.</i> : 367 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Hirtea longicornis</i> Scopoli, 1763, <i>Entomol. carn.</i> : 367) (Insecta, Diptera). Op. 441	available
HIRTEIDAE (correction of HIRTAEIDES) Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 121 (type genus: <i>Hirtea</i> Fabricius, 1798) (invalid because the name of the type genus is a junior homonym of <i>Hirtea</i> Scopoli, 1763). Op. 441	index

<i>hirtellus</i> , <i>Cancer</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 493 (specific name of the type species of <i>Pilumnus</i> Leach, 1815) (Crustacea, Decapoda). Direction 36	index
<i>hirticornis</i> , <i>Neides</i> , Brullé, 1835, in Audouin & Brullé, <i>Histoire naturelle des Insectes, traitant de leur organisation et de leurs moeurs en général, par M. V. Audouin ... et comprenant leur classification et la description des espèces, par M. A. Brullé</i> , vol. 9, <i>Orthoptères et Hémiptères</i> , p. 355 (specific name of the type species of <i>Melorus</i> Mulsant & Rey, 1870) (Insecta, Heteroptera). Op. 1504	available
<i>hirtipennis</i> , <i>Quedius</i> , Broun, 1915, <i>New Zealand Institute Bulletin</i> , 1(4): 279, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Q. hirtipennis</i> Stephens, 1832 (Insecta, Coleoptera). Op. 2053	available
<i>hirtipes</i> , <i>Andrena</i> , Fabricius, 1793, <i>Entomologica systematica emendata et aucta ...</i> , vol. 2, p. 312 (specific name of the type species of <i>Dasypoda</i> Latreille, 1802) (Insecta, Hymenoptera). Op. 1926	available
<i>hirtipes</i> , <i>Cardisoma</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5: 253 (Crustacea, Decapoda). Op. 1205	available
<i>hirtipes</i> , <i>Gecarcinus</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vert.</i> , 5: 251 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1205	index
<i>hirtipes</i> , <i>Pinnaxodes</i> , Heller, [1865], <i>Reise 'Novara'</i> (Zool.), 2(3) (Crust.): 68, pl. 6, figs. 2, 2a (specific name of the type species of <i>Pinnaxodes</i> Heller, [1865]) (Crustacea, Decapoda). Direction 36	available
<i>hirtulus</i> , <i>Blissus</i> , Burmeister, 1835, <i>Handb. Entomol.</i> , 2: 290 (specific name of the type species of <i>Blissus</i> Burmeister, 1835) (Insecta, Hemiptera). Op. 705	available
<i>hirtus</i> , <i>Paguristes</i> , Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5: 272 (specific name of the type species of <i>Paguristes</i> Dana, 1851) (Crustacea, Decapoda). Op. 712	available
<i>hirtus</i> , <i>Sympysopus</i> , Tilesius von Tilenau, 1818, <i>Ann. Wetterau. Ges. Naturk.</i> , 4: 9 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
<i>hirtus</i> , <i>Thomisus</i> , Latreille, 1819, <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , Ed. 2, p. 41 (specific name of the type species of <i>Heriaeus</i> Simon, 1875) (Arachnida, Araneae). Op. 1488	available
<i>Hirudo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 649 (gender: feminine) (type species, by designation by Apstein, 1915 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1915: 140): <i>Hirudo medicinalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 649) (Hirudinea). Op. 75, Direction 76	available
<i>Hirudo</i> Müller, 1788, <i>Zool. dan.</i> (ed. 3), 1: 21 (a junior homonym of <i>Hirudo</i> Linnaeus, 1758). Direction 76	index
<i>Hirundigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>hirundo</i> , <i>Sterna</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 137 (specific name of the type species of <i>Sterna</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>Hirundoecus</i> Ewing, 1930, <i>Proc. U.S. nat. Mus.</i> , 77 (No. 2843): 12 (gender: masculine) (type species, by original designation: <i>Hirundoecus americanus</i> Ewing, 1930, <i>Proc. U.S. nat. Mus.</i> , 77 (No. 2843): 12) for use by those who consider that the type species of this genus is not congeneric with the type species of <i>Machaerilaemus</i> Harrison, 1915 (Insecta, Mallophaga). Op. 343	available
<i>hislopi</i> , <i>Parasuchus</i> , Lydekker, 1885, <i>Palaeontologia Indica</i> , (4)1(5): 23, as defined by the neotype (articulated skeleton ISIR 42 in the Geological Museum of the Indian Statistical Institute, Calcutta) designated under the plenary power (specific name of the type species of <i>Parasuchus</i> Lydekker, 1885) (Reptilia). Op. 2045	available
<i>hispida</i> , <i>Asterias</i> , Pennant, 1777, <i>British Zoology</i> , 4: 62, fig. 58 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 984	index
<i>hispida</i> , <i>Domecia</i> , Eydoux & Souleyet, 1842, in Vaillant, <i>Voy. 'Bonite'</i> (Zool.), 1: 235 (specific name of the type species of <i>Domecia</i> Eydoux & Souleyet, 1842) (Crustacea, Decapoda). Direction 36	available
<i>hispida</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 771 (specific name of the type species of <i>Trochulus</i> Chemnitz, 1786) (Gastropoda). Op. 336, Op. 2079	available
<i>hispida</i> , <i>Lacerta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 205, 206, as interpreted by Laurenti, 1768 (<i>Specimen Medicum</i> : 51) acting as first reviser (Reptilia). Op. 565	available
<i>hispidus</i> , <i>Palaemon</i> , Olivier, [1811], <i>Ency. méth.</i> , 8 (Ins.): 666 (specific name of the type species of <i>Stenopus</i> Latreille, 1819) (Crustacea, Decapoda). Op. 381, Op. 522	available
<i>hispidus</i> , <i>Vespertilio</i> , Schreber, [1774], <i>Die Säugthiere</i> , 1: 169, pl. 56 (specific name of the type species of <i>Nycteris</i> Geoffroy Saint-Hilaire & Cuvier, 1795) (Mammalia). Direction 22	available
<i>histeroides</i> , <i>Lyctus</i> , Fabricius, 1792, <i>Entomologia Systematica</i> , vol. 1, part 2, p. 504 (specific name of the type species of <i>Cerylon</i> Latreille, 1802) (Insecta, Coleoptera). Op. 1811	available
<i>histolytica</i> , <i>Entamoeba</i> , Schaudinn, 1903, <i>Arb. Gesundheitsamt. Berlin</i> , 19(3): 564, as interpreted by Dobell, 1919, <i>The Amoebae living in Man</i> : 31-70; pl. I, figs. 1-6; pl. II, fig. 16; pl. III; pl. IV, figs. 70-76 (specific name of the type species of <i>Poneramoeba</i> Lühe, 1909) (Rhizopoda). Op. 312	available
<i>histriae</i> , <i>Cancer</i> , Herbst, 1783, <i>Versuch Naturgesch. Krabben Krebse</i> , 1(2-5): 97 (an incorrect subsequent spelling for <i>istrianus</i> , <i>Cancer</i> , Scopoli, 1763). Op. 701	index
<i>histrianus</i> , <i>Cancer</i> , Nardo, 1869, <i>Mem. Ist. Veneto Sci. Lett. Arti</i> , 14: 14 (an incorrect subsequent spelling for <i>istrianus</i> , <i>Cancer</i> , Scopoli, 1763). Op. 701	index
<i>histrio</i> , <i>Cancer</i> , Herbst, 1796, <i>Versuch Naturgesch. Krabben Krebse</i> , 2: 222 (an incorrect subsequent spelling for <i>istrianus</i> , <i>Cancer</i> , Scopoli, 1763). Op. 701	index

<i>histrix</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>histrix</i> , <i>Eolidia</i> , Otto, 1821, <i>Consp. Anim. quor. marit. non edit.</i> , 1 : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 774	index
<i>hoazin</i> , <i>Phasianus</i> , Müller, [1776], <i>Linné vollständ. Natursyst.</i> , Suppl.: 125 (valid name at the date of Direction 43 of the type species of <i>Opisthocomus</i> Illiger, 1811) (Aves). Direction 43	available
<i>hochstetteri</i> , <i>Leiopelma</i> , Fitzinger, 1861, <i>Verh. zool.-bot. Ges. Wien</i> , 11 : 218 (specific name of the type species of <i>Leiopelma</i> Fitzinger, 1861) (Amphibia). Op. 1071	available
<i>hoevenii</i> , <i>Bagrus</i> , Bleeker, 1846, <i>Natuur- en Geneeskundig Archief voor Néérland's Indië</i> , 3 (2): 154, as defined by the neotype (specimen no. ZRC 37472 in the Zoological Reference Collection at the National University of Singapore) designated under the plenary power (Osteichthyes, Siluriformes). Op. 1840	available
<i>hoffii</i> , <i>Trilobites</i> , Schlotheim, 1823, <i>Die Petrefactenk.</i> , Nachtr., 2 : 30 (valid name at the date of Opinion 512 of the type species of <i>Ellipsocephalus</i> Zenker, 1833) (Trilobita). Op. 512	available
<i>Hoffmanniellius</i> Mello-Leitão, 1934, <i>Annaes da Academia Brasileira de Sciencias</i> , 6 (2): 80 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Scorpiones). Op. 1934	index
<i>Holaraea</i> Milne Edwards & Haime, 1849, <i>C.R. Acad. Sci.</i> , Paris, 29 : 259 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 790	index
HOLCOSTEPHANIDAE Haug, 1910, <i>Traité Géol.</i> , 2 (2): 1167 (type genus: <i>Olcostephanus</i> Neumayr, 1875) (an incorrect original spelling for OLCOSTEPHANIDAE Haug, 1910). Op. 575	index
<i>Holcostephanus</i> Sayn, 1889, <i>Bull. Soc. géol. France</i> , (3) 17 : 679 (an unjustified emendation of <i>Olcostephanus</i> Neumayr, 1875). Op. 575	index
<i>Holocentropus</i> McLachlan, 1878, <i>A monographic revision and synopsis of the Trichoptera of the European fauna</i> , part 7: 400 (gender: masculine) (type species, by original designation: <i>Philopotamus dubius</i> Rambur, 1842, <i>Histoire naturelle des Insectes. Névroptères</i> : 503) ruled under the plenary power to be given precedence over the generic name <i>Phryganeolitha</i> Germar, 1813 whenever the two names are considered synonyms (Insecta, Trichoptera). Op. 1327	available
<i>Holochilus</i> Brandt, 1835, <i>Mémoires de l'Académie Impériale des Sciences de Saint-Pétersbourg</i> , (6) 3 (2), Sciences Naturelles, 1 : 428 (gender: masculine) (type species, by designation under the plenary power: <i>Holochilus sciureus</i> Wagner, 1842) (Mammalia). Op. 1984	available
<i>Holochromatogaster</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 562 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>hologaster</i> , <i>Philopterus</i> , Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 294 (a junior objective synonym of <i>gallinae</i> , <i>Ricinus</i> , de Geer, 1778). Op. 627	index
<i>Holomeros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 573 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Holometopus</i> Angelin, 1854, <i>Pal. Scand.</i> (ed. 1), fasc. 2: 58 (a junior homonym of <i>Holometopus</i> Milne Edwards, 1853). Direction 37	index
<i>Holometopus</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 187 (gender: masculine) (type species, by monotypy: <i>Grapsus (Pachysoma) haematocheir</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): pl. 7; <i>id.</i> , [1835], <i>ibid.</i> : 62) (Crustacea, Decapoda). Op. 85, Direction 37, Direction 85	available
<i>Holptychius</i> Agassiz, 1839, in Murchison, <i>Silurian System</i> : 599 (gender: masculine) (type species, by monotypy: <i>Holptychius nobilissimus</i> Agassiz, 1839, in Murchison, <i>Silurian System</i> : 599-601, pl. 2 bis, figs. 1, 2) (Osteichthyes). Op. 930	available
<i>Holptychius</i> Egerton, 1837, <i>System. Stratig. Cat. foss. fish. Cab. Lord Cole & Sir Philip Grey Egerton</i> : 275, pl. 27 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 930	index
<i>Holopychus</i> Buckland, 1837, <i>Geol. Min. Ref. nat. Theology</i> , 2 : 43 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 930	index
<i>Holopus</i> d'Orbigny, 1837, <i>Mag. Zool.</i> , 7 : 5, 6, pl. 3 (gender: masculine) (type species, by monotypy: <i>Holopus rangii</i> d'Orbigny, 1837, <i>Mag. Zool.</i> , 7 : 6-8, pl. 3) (Crinoidea). Op. 73, Direction 72	available
<i>holosericeus</i> , <i>Acarus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 617 (specific name of the type species of <i>Trombidium</i> Fabricius, 1775) (Arachnida). Direction 67	available
<i>Holospira</i> Martens, 1860, in Albers, J.C., <i>Die Heliceen, nach natürlicher Verwandtschaft systematisch geordnet</i> , Ed. 2, p. 39 (gender: feminine) (type species, by designation under the plenary power: <i>Cylindrella goldfussi</i> Menke, 1847) (Gastropoda). Op. 1932	available
<i>Holothuria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 657 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 80, Direction 72	index
<i>Holothuria</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1089 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Holothuria tremula</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1090) (Holothuroidea). Op. 80 <i>Holothuriophilus</i> Nauck, 1880, <i>Z. wiss. Zool.</i> , 34 : 66 (gender: masculine) (type species, through Article 68b(i): <i>Holothuriophilus trapeziformis</i> Nauck, 1880, <i>Z. wiss. Zool.</i> , 34 : 66) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>holosatus</i> , <i>Portunus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 366 (Crustacea, Decapoda). Direction 84	available

<i>holstii</i> , <i>Geophilus</i> , Pocock, 1895, <i>Annals and Magazine of Natural History</i> , (6)15: 352, ruled under the plenary power as defined by the neotype (collecting data Hon-noo, Mbara City, Chiba Pref., Honshu, Japan 3. XII 1997, K. Ishii leg., accessed in the National Science Museum, Tokyo, Japan) designated under the plenary power (Chilopoda). Op. 2219	available
<i>Homalaspis</i> Brunner von Wattenwyl, 1895, <i>Monogr. Pseudophylliden</i> , 9: 217 (a junior homonym of <i>Homalaspis</i> Milne Edwards, 1863). Direction 37	index
<i>Homalaspis</i> Kaier, 1932, <i>Skr. Svalbard Ishavet</i> , Oslo, 52: 14 (a junior homonym of <i>Homalaspis</i> Milne Edwards, 1863). Direction 37	index
<i>Homalaspis</i> Milne Edwards, 1863, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4)20: 279 (conserved under the plenary power) (gender: feminine) (type species, by original designation: <i>Xantho planus</i> Milne Edwards, 1834, <i>in</i> Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1: 397) (Crustacea, Decapoda). Op. 85, Direction 50	available
<i>Homalaspis</i> Reinhard, 1860, <i>Berlin. entomol. Z.</i> , 4: 239 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 50	index
<i>Homalocephalus</i> Jan, 1863, <i>Archivio per la Zoologia, l'Anatomia e la Fisiologia</i> , 2(2): 286 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1789	index
<i>Homarus</i> Broun, 1881, <i>Man. N.Z. Coleopt.</i> (fasc. 2): 740 (a junior homonym of <i>Homarus</i> Weber, 1795). Direction 37	index
<i>Homarus</i> Milne Edwards, 1837, <i>in</i> Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 334 (a junior homonym of <i>Homarus</i> Weber, 1795). Direction 51	index
<i>Homarus</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (gender: masculine) (type species, by designation by Rathbun, 1904 (<i>Proc. biol. Soc. Washington</i> , 17: 170) and through Opinion 104 and Article 67e (1961 Code): <i>Cancer gammarus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 631) (Crustacea, Decapoda). Op. 104, Direction 51	available
<i>hombergii</i> , <i>Tritonia</i> , Cuvier, 1803, <i>Ann. Mus. Hist. nat.</i> , Paris, 1: 483 (specific name of the type species of <i>Tritonia</i> Cuvier, [1797]) (Gastropoda). Op. 668	available
<i>hominis</i> , <i>Laverania</i> , Danilewsky, 1891, <i>Ann. Inst. Pasteur</i> , 5(12): 780 (included in a work rejected for nomenclatural purposes). Op. 283	index
<i>Homoceras</i> Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 23: 330 (gender: neuter) (type species, by designation under the plenary power: <i>Goniatites smithii</i> Brown, 1841, <i>Trans. geol. Soc. Manchester</i> , 1: 218) (Cephalopoda). Op. 1061	available
<i>Homola</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11: 324 (gender: feminine) (type species, by monotypy: <i>Homola spinifrons</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11: 324, valid name: <i>Cancer barbatus</i> Fabricius, 1793) (Crustacea, Decapoda). Op. 522	available
HOMOLIDAE (correction of HOMOLIDEA) de Haan, 1839, <i>in</i> Siebold, <i>Fauna japon.</i> (Crustacea) (4): 102 (type genus: <i>Homola</i> Leach, 1815) (Crustacea, Decapoda). Op. 522	available

<i>Homoroselaps</i> Jan, 1858, <i>Rev. Mag. Zool.</i> , (2) 10 : 518 (gender: masculine) (type species, by monotypy: <i>Coluber hygeiae</i> Shaw, 1802, <i>Gen. Zool. (Amph.)</i> , III(2): 487, valid name: <i>Coluber lacteus</i> Linnaeus, 1758) (Reptilia). Op. 1201	available
<i>honoluliensis, Loxoconcha</i> , Brady, 1880, <i>Report on the Scientific Results of the voyage of H.M.S. Challenger during the years 1873-76</i> , 1 (3): 117, as defined by the lectotype designated by Puri & Hulings, 1976, <i>Bulletin of the British Museum (Natural History)</i> , Zoology, 29 (5): 297 (specific name of the type species of <i>Loxoconchella</i> Triebel, 1954) (Ostracoda). Op. 1541	available
<i>hookeri, Sphaeroma</i> , Leach, 1814, in Brewster, <i>The Edinburgh Encyclopaedia</i> , vol. 7, p. 433 (Isopoda). Op. 1574	available
<i>hootock, Simia</i> , Harlan, 1834, <i>Trans. amer. phil. Soc.</i> , n.s., 4 (1): 52 (Mammalia). Op. 1219	available
<i>Hoplites</i> Agassiz, 1846, <i>Nomencl. zool. (Lep.)</i> : 36 (emendation of <i>Hoplitis</i> Hübner, [1819]) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 185 (emendation of <i>Aplites</i> Rafinesque, 1820) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> Dejean, 1833, <i>Cat. Coléopt.</i> (ed. 2): 150 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> Dejean, 1836, <i>Cat. Coléopt.</i> (ed. 3): 150 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> Dejean, 1837, <i>Cat. Coléopt.</i> (ed. 3): 167 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> Eggers, 1923, <i>Zool. Meded.</i> , 7 : 141 (a junior homonym of <i>Hoplites</i> Neumayr, 1875). Op. 353	index
<i>Hoplites</i> Kinel, 1930, <i>Polsk. Pismo entomol.</i> , 8 : 219 (a junior homonym of <i>Hoplites</i> Neumayr, 1875). Op. 353	index
<i>Hoplites</i> Koch, 1869, <i>Z. Ferd. Tirol.</i> , (3) 14 : 155 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> Neumayr, 1875, <i>SitzBer. Kais. Akad. Wiss. Wien (Math. nat. Cl.)</i> , 71 (1): 681; <i>id.</i> , 1875, <i>Z. deutsche geol. Ges.</i> , 27 : 925 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Ammonites dentatus</i> Sowerby, 1821, <i>Min. Conch.</i> , 4 : 3, pl. 308, as interpreted by Spath, 1925 (<i>Mon. Ammonoidea of the Gault</i> (Pal. Soc.), 1 : 10)) (Cephalopoda). Op. 353	available
<i>Hoplites</i> Philippi, 1857, <i>Arch. Naturgesch.</i> , 23 (Abt. 1): 320 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index

<i>Hoplites</i> Theobald, 1864, <i>J. asiatic Soc. Bengal</i> , (1)33: 244 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
<i>Hoplites</i> , any use of, in the Order Coleoptera, prior to the publication of <i>Hoplites</i> Neumayr, 1875 (Cephalopoda, Ammonoidea) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 353	index
HOPLITIDAE (correction by Hyatt, 1900 (<i>in</i> Eastman's Zittel, <i>Textb. Palaeont.</i> , 1: 584) of HOPLITIDES) Douvillé, 1890, <i>Bull. Soc. géol. France</i> , (3)18: 290 (type genus: <i>Hoplites</i> Neumayr, 1875) (Cephalopoda). Op. 353	available
HOPLITIDES Douvillé, 1890, <i>Bull. Soc. géol. France</i> , (3)18: 290 (type genus: <i>Hoplites</i> Neumayr, 1875) (an incorrect original spelling for HOPLITIDAE Douvillé, 1890). Op. 353	index
Hoplitoplacenticeras Paulcke, 1906, <i>Ber. naturf. Ges. Freiburg</i> , 15: 183 (p. 17 of separate) (conserved under the plenary power) (gender: neuter) (type species, by designation under the plenary power: <i>Hoplites plasticus</i> Paulcke, 1906, <i>Ber. naturf. Ges. Freiburg</i> , 15: 186 (p. 20 of separate), as interpreted by the lectotype designated by Wright, 1957 (<i>Bull. zool. Nomencl.</i> , 13: 223)) (Cephalopoda). Op. 554	available
HOPLOPHORIDAE Faxon, 1895, <i>Mem. Mus. comp. Zool.</i> , 18: 159 (type genus: <i>Oplophorus</i> Milne Edwards, 1837) (an incorrect subsequent spelling for OPLOPHORIDAE Dana, 1852). Op. 470	index
<i>Hoplophorus</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 185, 262 (an unjustified emendation of <i>Oplophorus</i> Milne Edwards, 1837). Op. 470	index
Hoplothrips Amyot & Serville, 1843, <i>Hist. nat. Ins., Hémipt.</i> : 640 (gender: masculine) (type species, by designation by Karny, 1912 (<i>Zool. Annln.</i> , 4: 323): <i>Trips corticis</i> de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3: 11) (Insecta, Thysanoptera). Op. 865	available
<i>Horatocraspedon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28: 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
Horia Fabricius, 1787, <i>Mantissa Insectorum</i> , part 1, p. 164 (gender: feminine) (type species, by subsequent designation by Betrem, 1929, <i>Tijdschrift voor Entomologie</i> , 72: xxvii: <i>Horia fabriciana</i> Betrem, 1929) (Insecta, Coleoptera). Op. 1918	available
HORIIDAE Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes ...</i> , vol. 3, p. 182 (type genus: <i>Horia</i> Fabricius, 1787), ruled under the plenary power that this name and other family-group names based on <i>Horia</i> are not to be given priority over MELOIDAE Gyllenhal, 1810 and NEMOGNATHINAE Castelnau, 1840 and other family-group names based on <i>Meloe</i> Linnaeus, 1758 and <i>Nemognatha</i> Illiger, 1807 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1918	available
horridus , Cancer , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 629 (specific name of the type species of <i>Daldorfia</i> Rathbun, 1904) (Crustacea, Decapoda). Op. 696	available

<i>horridus</i> , <i>Crotalus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 214 (specific name of the type species of <i>Crotalus</i> Linnaeus, 1758) (Reptilia). Direction 57	available
<i>horridus</i> , <i>Oreophorus</i> , Rüppell, 1830, <i>Beschr. Krabben rothen Meeres</i> : 19 (specific name of the type species of <i>Oreophorus</i> Rüppell, 1830) (Crustacea, Decapoda). Direction 36	available
<i>hortensis</i> , <i>Arion</i> , Féruccac, 1819, <i>Hist. nat. gén. partic. Moll. terrestr. fluviat.</i> , 2 (1): 65 (Gastropoda). Op. 336	available
<i>hortensis</i> , <i>Arion</i> , Féruccac, 1819, <i>Histoire naturelle, générale et particulière des mollusques terrestres et fluviatiles ...</i> , p. 65, as defined by the lectotype designated by De Winter, 1984, <i>Zoologische Mededelingen, Leiden</i> , 59 (1): 3 (specific name of the type species of <i>Kobeltia</i> Seibert, 1873) (Gastropoda). Op. 1679	available
<i>hortensis</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 52 (Gastropoda). Op. 336	index
<i>hortensis</i> , <i>Sminthurus</i> , Fitch, 1863, <i>8th Ann. Rep. N.Y. agric. Soc.</i> : 668 (specific name of the type species of <i>Bourletiella</i> Banks, 1899) (Insecta, Collembola). Op. 291	available
<i>horticola</i> , <i>Musca</i> , De Geer, 1776, <i>Mémoires pour servir à l'histoire des Insectes</i> , vol. 6, p. 140, ruled under the plenary power that all previous type fixations are set aside and the male specimen labelled Sweden, Sk, Höör Lillöbukten, 2.viii.1980, leg. A.C. Pont, 'Eristalis horticola Deg. det. Tore Nielsen' is designated as the neotype (Insecta, Diptera). Op. 2153	available
<i>hortorum</i> , <i>Tipula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 585 (Insecta, Diptera). Op. 834	available
<i>hortulana</i> , <i>Tipula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 588 (specific name of the type species of <i>Bibio</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
<i>hospes</i> , <i>Harpides</i> , Beyrich, 1846, <i>Untersuchungen über Trilobiten</i> , p. 34 (specific name of the type species of <i>Harpides</i> Beyrich, 1846) (Trilobita). Op. 1436	available
<i>hottentota</i> , <i>Querquedula</i> , Eyton, 1838, <i>Mon. Anatidae</i> : 129 (Aves). Op. 1078	available
<i>houttuyni</i> , <i>Esox</i> , Walbaum, 1792, <i>Artedi Ichthyol.</i> , 3 : 88 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 900	index
<i>howardi</i> , <i>Diabrotica undecimpunctata</i> , Barber, 1947, <i>Proceedings of the Entomological Society of Washington</i> , 49 : 153 (Insecta, Coleoptera). Op. 1709	available
<i>hubbsi</i> , <i>Sebastichthys</i> , Matsubara, 1937, <i>Copeia</i> , 1937 (1): 57 (specific name of the type species of <i>Sebastocles</i> Jordan & Hubbs, 1925) (Osteichthyes). Op. 1235	available
<i>hudsonicus</i> , <i>Diplograptus</i> , Nicholson, 1875, <i>Report on the Paleontology of the Province of Ontario</i> , part 2, p. 38 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Graptolithina). Op. 1561	index

<i>huebneri</i> , <i>Yphima</i> , Kirby, 1871, <i>Syn. Cat. diurn. Lep.</i> : 95 (specific name of the type species of <i>Yphima</i> Hübner, 1818) (Insecta, Lepidoptera). Op. 819	available
<i>humanus</i> , <i>Pediculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 610, as restricted by Latreille, [1803- 1804] (in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 8: 93, 94) to the form referred to by Linnaeus as living 'in vestimentis humanis' (i.e. the form commonly known as <i>corporis</i>) (specific name of the type species of <i>Pediculus</i> Linnaeus, 1758) (Insecta, Anoplura). Direction 64	available
<i>humanus</i> , <i>Priapus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 656 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1013	index
<i>humboldti</i> , <i>Productus</i> , d'Orbigny, 1842, <i>Voyage dans l'Amérique méridionale ...</i> , vol. 3, part 4 (Paléontologie), p. 54 (specific name of the type species of <i>Waagenoconcha</i> Chao, 1927) (Brachiopoda). Op. 1928	available
<i>humboldti</i> , <i>Conepatus</i> , Gray, 1837, <i>Mag. nat. Hist. (n.s.)</i> , 1: 581 (specific name of the type species of <i>Conepatus</i> Gray, 1837) (Mammalia). Op. 384	available
<i>humeralis</i> , <i>Odynerus</i> , Haliday, 1836, <i>Trans. linn. Soc. London</i> , 17: 324 (specific name of the type species of <i>Hypodynerus</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>humeratus</i> , <i>Cimex</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 89 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Humerobates</i> Sellnick, 1928, <i>Tierwelt Mitteleuropas</i> , 3: 11 (gender: masculine) (type species, by designation under the plenary power: <i>Humerobates rostrolamellatus</i> Grandjean, 1936) (Arachnida, Acari). Op. 1420	available
<i>humilis</i> , <i>Bombus</i> , Illiger, 1806, <i>Magazin für Insektenkunde</i> , 5: 171 (Insecta, Hymenoptera). Op. 1828	available
<i>humilis</i> , <i>Cristellaria</i> , Reuss, 1863, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Classe</i> , 46(1): 65, as defined by the lectotype (specimen no. 970 in the Reuss collection in the Naturhistorisches Museum in Vienna) designated by Meyn & Vespermánn, 1994, <i>Senckenbergiana Lethaea</i> , 74(1/2): 176, the neotype designation by Bartenstein (1974) having been set aside by the Commission (Foraminiferida). Op. 1804	available
<i>humilis</i> , <i>Holothuria</i> , Selenka, 1867, <i>Zeitschrift für Wissenschaftliche Zoologie</i> , 17: 339 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Holothuroidea). Op. 1533	index
<i>humilis</i> , <i>Philonthus</i> , Cameron, 1932, <i>The fauna of British India including Ceylon and Burma. Coleoptera. Staphylinidae</i> , vol. 3, p. 106, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. humilis</i> Erichson, 1840 (Insecta, Coleoptera). Op. 2053	available
<i>humilis</i> , <i>Philonthus</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 2, p. 512 (Insecta, Coleoptera). Op. 2053	available
<i>hummelincki</i> , <i>Octopus</i> , Adam, 1936, <i>Bulletin du Musée Royal d'Histoire Naturelle de Belgique</i> , 12(40): 2 (Cephalopoda). Op. 2147	available

<i>humphriesianus</i> , <i>Ammonites</i> , Sowerby, 1825, <i>Min. Conch.</i> , 5 : 161, pl. 500, fig. 1 (specific name of the type species of <i>Stephanoceras</i> Waagen, 1869) (Cephalopoda). Op. 324	available
<i>humuli</i> , <i>Aphis</i> , Schrank, 1801, <i>Fauna boica</i> , 2 (1): 110 (specific name of the type species of <i>Phorodon</i> Passerini, 1860) (Insecta, Hemiptera). Op. 446	available
<i>humulinus</i> , <i>Hemerobius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 550 (specific name of the type species of <i>Hemerobius</i> Linnaeus, 1758) (Insecta, Neuroptera). Op. 211	available
<i>hungarica</i> , <i>Chrysis</i> , Scopoli, 1772, <i>Annus V</i> , p. 122 (senior synonym of <i>Buprestis femorata</i> Villers, 1789) (Insecta, Coleoptera). Op. 2008	available
<i>hungarica</i> , <i>Chrysopa</i> , Klapálek, 1899, <i>Termesztrajzi Füzetek</i> , 22 : 440, as interpreted by the lectotype designated by Zelený, 1971 (<i>Bull. zool. Nomencl.</i> , 28 : 109) (Insecta, Neuroptera). Op. 1026	available
<i>hungaricus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>huxleyi</i> , <i>Psalidopus</i> , Wood-Mason & Alcock, 1892, <i>Ann. Mag. nat. Hist.</i> , (6) 9 : 273 (specific name of the type species of <i>Psalidopus</i> Wood-Mason & Alcock, 1892) (Crustacea, Decapoda). Op. 470	available
<i>hyacinthina</i> , <i>Muscicapa</i> , Temminck, [1820], in Temminck & Laugier, <i>Nouv. Recueil Planch. col. Ois. Buffon</i> (Livr. 5): pl. 30, figs. 1, 2 (Aves). Op. 415	available
<i>Hyaena</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 169 (gender: feminine) (type species, by designation under the plenary power: <i>Canis hyaena</i> Linnaeus, 1758), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Carnivora). Op. 1894	available
<i>hyaena</i> , <i>Canis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 40 (specific name of the type species of <i>Hyaena</i> Brisson, 1762) (Mammalia, Carnivora). Op. 1894	available
<i>hyale</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 469 (specific name of the type species of <i>Colias</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 4	available
<i>Hyalopterus</i> Koch, [1854], <i>Die Pflanzenläuse-Aphiden</i> , 1 : 16 (gender: masculine) (type species, by designation by Passerini, 1860 (<i>Gli Afidi</i> : [27]): <i>Aphis pruni</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 497, as conserved under the plenary power and as interpreted by reference to the description published by Réaumur, 1737 (<i>Mém. Hist. Ins.</i> , 9 (3): 317)) (Insecta, Hemiptera). Op. 397	available
<i>hyatti</i> , <i>Arpadites (Drepanites)</i> , Mojsisovics, 1893, <i>Abhandlungen der Kaiserlich-Königlichen Geologischen Reichsanstalt</i> , 6 (2): 495 (specific name of the type species of <i>Drepanites</i> Mojsisovics, 1893) (Cephalopoda, Ammonoidea). Op. 1609	available
<i>hybrida</i> , <i>Meleagris</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 14 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index

<i>hybridus</i> , <i>Philonthus</i> , Cameron, 1930, <i>Journal of the Federated Malay States Museums</i> , 16 : 163, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. hybridus</i> Erichson, 1840 (Insecta, Coleoptera). Op. 2053	available
<i>hybridus</i> , <i>Philonthus</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 2, p. 432 (Insecta, Coleoptera). Op. 2053	available
<i>Hydaticus</i> Schönherr, 1825, <i>Isis von Oken</i> , 16 : col. 583 (a junior homonym of <i>Hydaticus</i> Leach, 1817) (Insecta, Coleoptera). Op. 1968	index
<i>hydatis</i> , <i>Bulla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 726 (specific name of the type species of <i>Haminoea</i> [Turton] in Turton & Kingston in Carrington, 1830) (Gastropoda). Op. 1942	available
<i>hydei</i> , <i>Drosophila</i> , Sturtevant, 1921, <i>Carnegie Institution of Washington Publications</i> , 301 : 101 (Insecta, Diptera). Op. 1712	available
<i>Hydrellia</i> Robineau-Desvoidy, 1830, <i>Acad. roy. Sci., Mém. prés. divers savans</i> , 2 : 790 (gender: feminine) (type species, by designation by Coquillett, 1910 (<i>Proc. U.S. nat. Mus.</i> , 37 : 553); <i>Hydrellia aurifacies</i> Robineau-Desvoidy, 1830, <i>Acad. roy. Sci., Mém. prés. divers savans</i> , 2 : 791, valid name: <i>Notiphila flaviceps</i> Meigen, 1830) (Insecta, Diptera). Op. 1321	available
HYDRELLIIDAE Robineau-Desvoidy, 1830, <i>Acad. roy. Sci., Mém. prés. divers savans</i> , 2 : 783 (type genus: <i>Hydrellia</i> Robineau-Desvoidy, 1830), ruled under the plenary power not to be given priority over the family-group name EPHYDRIDAE Zetterstedt, 1837 whenever <i>Hydrellia</i> Robineau-Desvoidy, 1830 and <i>Ephydra</i> Fallén, 1810 are placed in the same family-group taxon (Insecta, Diptera). Op. 1321	available
<i>Hydrobata</i> Vieillot, 1816, <i>Analyse d'une nouvelle ornithologie élémentaire</i> , p. 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Procellariiformes). Op. 1696	index
<i>Hydrobates</i> Boie, 1822, <i>Isis</i> (von Oken), 1822 : col. 562 (gender: masculine) (type species, by subsequent designation by Baird, Brewer & Ridgway, 1884, <i>Memoirs of the Museum of Comparative Zoology</i> , Harvard, 13 : 403; <i>Procellaria pelagica</i> Linnaeus, 1758) (Aves, Procellariiformes). Op. 1696	available
HYDROBATIDAE Degland, 1849, <i>Ornithologie européenne, ou catalogue analytique et raisonné des oiseaux observés en Europe</i> , vol. 1, p. 445 and other family-group names based on <i>Hydrobata</i> Vieillot, 1816, ruled under the plenary power to be unavailable because the name of the type genus <i>Hydrobata</i> Vieillot, 1816 has been suppressed (Aves, Procellariiformes). Op. 1696	index
HYDROBATIDAE Mathews, 1912 (1865), <i>Birds of Australia</i> , vol. 2, part 1, p. 9 (type genus: <i>Hydrobates</i> Boie, 1822), ruled by the Commission to take the precedence of the replaced family-group name THALASSIDROMIDAE von Müller, 1865 (Aves, Procellariiformes). Op. 1696	available
<i>Hydrobia</i> Hartmann, 1821, <i>Neue Alpina, eine Schrift der Schweizerischen Naturgeschichte, Alpen- und Landwirthschaft</i> Gewiedmet, Winterthur, 1 : 258 (gender: feminine) (type species, by subsequent designation by Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 15 : 151; <i>Cyclostoma acutum</i> Draparnaud, 1805) (Gastropoda). Op. 2034	available

HYDROBIIDAE Troschel, 1857, <i>Das Gebiss der Schnecken zur Begründung einer natürlichen Classification</i> , vol. 1, part 2, p. 106 (type genus: Hydrobia Hartmann, 1821) (Gastropoda). Op. 2034	available
HYDROBIINA Mulsant, 1844, <i>Histoire naturelle des coléoptères de France</i> , vol. 3, p. 116, spelling emended to HYDROBIUSINA following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Hydrobius Leach, 1815 is HYDROBIUS- (Insecta, Coleoptera). Op. 2034	index
Hydrobius Leach, 1815, in Brewster, <i>The Edinburgh Encyclopaedia</i> , vol. 9, p. 96 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Hope, 1838, <i>The Coleopterist's Manual</i> . Vol. 2. Predaceous Land and Water Beetles, p. 125: <i>Dytiscus fuscipes</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1577	available
HYDROBIUSINA Mulsant, 1844, <i>Histoire naturelle des coléoptères de France</i> , vol. 3, p. 116 (type genus: Hydrobius Leach, 1815), spelling emended from HYDROBIINA by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Hydrobius is HYDROBIUS- (Insecta, Coleoptera). Op. 2034	available
HYDROCANTHARI Gyllenhal, 1808, <i>Ins. suec.</i> , 1 : 464 (invalid because not based on a generic name). Op. 619	index
hydrochaeris , Sus , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, p. 103 (specific name of the type species of Hydrochoerus Brisson, 1762) (Mammalia, Rodentia). Op. 1894	available
Hydrochoerus Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 12, 80 (gender: masculine) (type species, by designation under the plenary power: Sus hydrochaeris Linnaeus, 1766), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Rodentia). Op. 1894	available
Hydrodamalis Retzius, 1794, <i>K. Svensk. Vetensk. Akad. Handl.</i> , (2) 15 : 292 (gender: feminine) (type species, by monotypy: <i>Hydrodamalis stelleri</i> Retzius, 1794, <i>K. Svensk. Vetensk. Akad. Handl.</i> , (2) 15 : 292, valid name: Manati gigas Zimmermann, 1780) (Mammalia). Op. 1320	available
Hydrolycus Müller & Troschel, 1844, <i>Archiv für Naturgeschichte</i> , Berlin, 10 (1): 93 (gender: masculine) (type species, confirmed by the Commission to be by monotypy: Hydrocyon scomberoides Cuvier, 1819) (Osteichthyes, Cypriniformes). Op. 1581	available
Hydromantes Gistel, 1848, <i>Naturgeschichte des Thierreiches für höhere Schulen</i> , p. xi (gender: masculine) (type species, by designation under the plenary power: Spelerpes platycephalus Camp, 1916) (Amphibia, Caudata). Op. 1866	available
Hydromantoides Lanza & Vanni, 1981, <i>Monitore Zoologico Italiano</i> , (n.s.) 15 : 119 (a junior objective synonym of Hydromantes Gistel, 1848) (Amphibia, Caudata). Op. 1866	index

HYDROPHIIDAE Fitzinger, 1843, <i>Systema reptilium</i> (Vindobonae, Braumüller & Seidel), fasc. 1: 28 (type genus: Hydrophis Latreille, 1801), ruled under the plenary power to be given precedence over the family-group name BUNGARIDAE Fitzinger, 1826 whenever Hydrophis Latreille, 1801 and Bungarus Daudin, 1803 are placed in the same family-group taxon (Reptilia). Op. 1201	available
Hydrophilus Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 180 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 428: <i>Dytiscus piceus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
Hydrophis Latreille, 1801, in Sonnini & Latreille, <i>Hist. nat. Rept.</i> (Paris, Deterville), 4: 193 (gender: masculine) (type species, by designation under the plenary power: Hydrus fasciatus Schneider, 1799, <i>Historia amphibiorum naturalis et literariae</i> (Jena), fasc. 1: 240) (Reptilia). Op. 1201	available
Hydrophoria Robineau-Desvoidy, 1830, <i>Mémoires présentés par divers savants à l'Académie Royale des Sciences de l'Institut de France</i> , (2)2: 503 (gender: feminine) (type species, by designation under the plenary power: Musca lancifer Harris, [1780]) (Insecta, Diptera). Op. 1827	available
HYDROPHORINAE Lioy, 1864, <i>Atti r. Ist. Veneto Sci., Lett. Arti</i> , (3)9: 762 or Schiner, 1864, <i>Cat. syst. Dipt. Eur.</i> : 46 (type genus: Hydrophorus Fallén, 1823) (Insecta, Diptera). Op. 1314	available
Hydrophorus Fallén, 1823, <i>Monographia Dolichopodum Sveciae</i> : 3 (gender: masculine) (type species, by designation under the plenary power: Hydrophorus nebulosus Fallén, 1823, <i>Monographia Dolichopodum Sveciae</i> : 3) (Insecta, Diptera). Op. 1314	available
Hydrothelphusa Milne Edwards, 1872, <i>Ann. Sci. nat.</i> , Paris (Zool.), (5)15 (No. 21): 2 (gender: feminine) (type species, by monotypy: Hydrothelphusa agilis Milne Edwards, 1872, <i>Ann. Sci. nat.</i> , Paris (Zool.), (5)15 (No. 21): 2) (Crustacea, Decapoda). Op. 73	available
Hygriobia Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24: 139 (an incorrect original spelling for Hygrobia Latreille, 1804). Op. 278	available
Hygrobia (emendation of <i>Hygriobia</i>) Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24: 139 (gender: feminine) (type species, by monotypy: Dytiscus hermanni (emendation of <i>herrmanni</i>) Fabricius, 1775, <i>Syst. Entomol.</i> : 232) (Insecta, Coleoptera). Op. 280	available
Hygromia Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4: 66 (gender: feminine) (type species, by designation by Herrmannsen, 1847 (<i>Indicis Gen. Malacoz. Primordia</i> , 1: 547): Helix cinctella Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 87) (Gastropoda). Op. 335	available
HYGROMIINAE Geyer, 1909, <i>Unsere Land- u. Süßwasser-Moll.</i> (ed. 2): 11 (type genus: Hygromia Risso, 1826) (Gastropoda). Direction 27	available
HYLAEIDAE Viereck, 1916 (1813), <i>Connecticut State Geological and Natural History Survey Bulletin</i> , 22: 737 (type genus: Hylaeus Fabricius, 1793), ruled under the plenary power that this name and other family-group names based on Hylaeus are not to be given priority over COLLETIDAE Lepeletier, 1841 and other family-group names based on Colletes Latreille, 1802 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available

<i>Hylaeus</i> Fabricius, 1793, <i>Entomologia systematica emendata et aucta ...</i> , vol. 2, p. 302 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> ..., p. 438: <i>Apis annulata</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1713	available
<i>Hylambates</i> Duméril, 1853, <i>Annls. Sci. nat. (Zool.)</i> , 19 : 162 (gender: masculine) (type species, by monotypy: <i>Hylambates maculatus</i> Duméril, 1853, <i>Annls. Sci. nat. (Zool.)</i> , 19 : 165) ruled under the plenary power not to be given priority over the generic name <i>Kassina</i> Girard, 1853 whenever the two names are considered synonyms (Amphibia). Op. 1364	available
<i>hylas, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 486♂ (nec ♀) (valid name at the date of Opinion 232 of the type species of <i>Neptis</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>Hylobates</i> Dejean, 1834, <i>Cat. Coléopt.</i> (ed. 2): 204 (a nomen nudum). Direction 24	index
<i>Hylobates</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 67 (gender: masculine) (type species, by monotypy: <i>Homo lar</i> Linnaeus, 1771, <i>Mantissa Plant.</i> (2): 521) (Mammalia). Op. 122	available
<i>Hylobatus</i> Schlegel, 1876, <i>Mus. Hist. nat. Pays-Bas. Rev. méth.</i> (Monogr. 40): 338 (an incorrect subsequent spelling for <i>Hylobates</i> Illiger, 1811). Direction 24	index
<i>Hylophila</i> Kirby & Spence, 1828, <i>Introd. Entomol.</i> (ed. 5), 1 : 107 (a junior objective synonym of <i>Anthocoris</i> Fallén, 1814). Direction 63	index
<i>Hymenitis</i> [Illiger], 1807, <i>Allgem. Literatur-Ztg.</i> , (Jena) Halle, 1807 (2)(303): 1180 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 985	index
<i>Hymenitis</i> Hübner, 1816, <i>Verz. bekannt. Schmett.</i> (1): 8 (a junior homonym of <i>Hymenitis</i> [Illiger], 1807). Op. 985	index
<i>Hymenocera</i> Latreille, 1819, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 30 : 71 (gender: feminine) (type species, by designation under the plenary power: <i>Hymenocera picta</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 593) (Crustacea, Decapoda). Op. 383	available
<i>Hymenodora</i> Sars, 1877, <i>Arch. Math. Naturvidensk.</i> , 2 : 340 [240] (gender: feminine) (type species, by monotypy: <i>Pasiphaë glacialis</i> Buchholz, 1874, <i>in Koldewey, Zweite Deutsche Nordpolarfahrt</i> , 2 : 279) (Crustacea, Decapoda). Op. 470	available
HYMENOLEPIDINAE Perrier, [1896], <i>Traité de Zoologie</i> , part 2, fasc. 4, p. 1852 (type genus: <i>Hymenolepis</i> Weinland, 1858) (Cestoda). Op. 1428	available
<i>Hymenolepis</i> Weinland, 1858, <i>Human Cestoides. An essay on the tapeworms of Man</i> , p. 49 (gender: feminine) (type species, by designation under the plenary power: <i>Taenia diminuta</i> Rudolphi, 1819) (Cestoda). Op. 1428	available
<i>Hymenopenaeus</i> Smith, 1882, <i>Bull. Mus. comp. Zool.</i> , 10 : 91 (gender: masculine) (type species, by monotypy: <i>Hymenopenaeus debilis</i> Smith, 1882, <i>Bull. Mus. comp. Zool.</i> , 10 : 91) (Crustacea, Decapoda). Op. 864	available

<i>Hymenopeneus</i> Faxon, 1895, <i>Mem. Mus. comp. Zool.</i> , 18 : 191 (an incorrect subsequent spelling for <i>Hymenopenaeus</i> Smith, 1882). Op. 864	index
<i>hyosciama</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 149 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>Hypacantha</i> Rafinesque, 1810, <i>Indice d'Ittol. Sicil.</i> : 67 (an incorrect subsequent spelling for <i>Hypacanthus</i> Rafinesque, 1809). Op. 1124	index
<i>Hypacanthus</i> Rafinesque, 1810, <i>Indice d'Ittol. Sicil.</i> : 19 (an incorrect subsequent spelling for <i>Hypacanthus</i> Rafinesque, 1809). Op. 1124	index
<i>Hypacanthus</i> Rafinesque, 1809, <i>Caratt. alc. nuov. gen. spec. anim. pianti Sicilia</i> (1): 43 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1124	index
<i>Hypaeus</i> Simon, 1900, <i>Ann. Soc. entomol. France</i> , 69 : 42 (gender: masculine) (type species, by designation under the plenary power: <i>Acragas taczanowskii</i> Mello-Leitão, 1948, <i>An. Acad. Brasil Cien.</i> , 20 (2): 187, fig. 27) (Arachnida). Op. 889	available
<i>Hypalastor</i> Saussure, 1856, <i>Et. Fam. Vespa</i> , 3 : 328 (gender: masculine) (type species: <i>Odynerus angulicollis</i> Spinola, 1851, <i>Hist. Chile, Zool.</i> , 6 : 261) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Hypalastoroides</i> Saussure, 1856, <i>Et. Fam. Vespa</i> , 3 : 328 (gender: masculine) (type species: <i>Alastor brasiliensis</i> Saussure, 1856, <i>Et. Fam. Vespa</i> , 3 : 329) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Hypancistrocerus</i> Saussure, 1855, <i>Et. Fam. Vespa</i> , 3 : 222 (gender: masculine) (type species: <i>Odynerus advena</i> Saussure, 1855, <i>Et. Fam. Vespa</i> , 3 : 222) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Hypanodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>hyperbius</i> , <i>Papilio</i> , Linnaeus, 1763, <i>Amoen. acad.</i> , 6 : 408 (Insecta, Lepidoptera). Direction 2	available
<i>hyperborea</i> , <i>Yoldia</i> , Torell, 1859, <i>Bidrag till Spitsbergens molluskfauna</i> : 145-152 (specific name of the type species of <i>Yoldia</i> Möller, 1842) (Bivalvia). Op. 769	available
<i>Hypercompe</i> Hübner, [1819], <i>Samml. exot. Schmett.</i> , 1 : pl. [191] (gender: neuter) (type species, by designation under the plenary power: <i>Phalaena icasia</i> Cramer, 1777, <i>Uitl. Kapellen</i> , 2 : 130, pl. 181, fig. E) (Insecta, Lepidoptera). Op. 789	available
<i>Hypercompe</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 3 (included in a work rejected for nomenclatural purposes). Op. 789	index

<i>Hypoplites</i> Spath, 1922, <i>Transactions of the Royal Society of Edinburgh</i> , 53 (6): 110 (gender: masculine) (type species, by original designation: <i>Ammonites falcatus</i> Mantell, 1822) (Cephalopoda, Ammonoidea). Op. 1609	available
<i>hypnorum, Bulla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727 (specific name of the type species of <i>Aplexa</i> Fleming, [1820]) (Gastropoda). Op. 335	available
<i>Hypobrachys</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 585 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Hypocrita</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Hypocrita</i> Saussure, 1868, <i>Rev. Mag. Zool.</i> , (2) 20 : 99 (a junior homonym of <i>Hypocrita</i> Hübner, [1807]). Op. 789	index
<i>hypocyana, Caecilia</i> , Boie, 1827, <i>Isis</i> (von Oken), 1827 : col. 565 (specific name of the type species of <i>Epicrium</i> Wagler, 1828) (Amphibia, Gymnophiona). Op. 1749	available
<i>Hypoderma</i> Geoffroy Saint-Hilaire, 1828, <i>Dict. class. Hist. nat.</i> , 14 : 707 (a junior homonym of <i>Hypoderma</i> Latreille, 1818). Direction 63	index
<i>Hypoderma</i> Latreille, 1818, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 23 : 272 (gender: neuter) (type species, by monotypy: <i>Oestrus bovis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 584) (Insecta, Diptera). Op. 106	available
<i>Hypodolichos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 585 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Hypodontophora</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 560 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Hypodynerus</i> Saussure, 1855, <i>Et. Fam. Vespa</i> , 3 : 225-250 (gender: masculine) (type species: <i>Odynerus humeralis</i> Haliday, 1836, <i>Trans. linn. Soc. London</i> , 17 : 324) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Hypogastrura</i> Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839 (1): 404 (gender: feminine) (type species, by designation under the plenary power: <i>Achorutes viaticus</i> Tullberg, 1872, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm (n.s.), 10 (No. 10): 50) (Insecta, Collembola). Op. 435	available
HYPOGASTRURINAE Börner, 1906, <i>Mitt. naturh. Mus. Hamburg</i> , 23 : 160 (type genus: <i>Hypogastrura</i> Bourlet, 1839) (Insecta, Collembola). Op. 435	available
<i>hypolithus, Tenebrio</i> , Pallas, 1781, <i>Icones insectorum praesertim Russiae Siberiaeque peculiarium, quae collegit et descriptionibus illustravit</i> , p. 44 (specific name of the type species of <i>Platyscelis</i> Latreille, 1818) (Insecta, Coleoptera). Op. 1729	available

- Hypolyte* Newcombe, 1898, *Cat. Coll. Prov. Mus. Brit. Columb.*: 79 (an incorrect subsequent spelling for **Hippolyte** [Leach, 1814]). Op. 606 index
- Hypomonodon* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Hyposmochoma* Butler, 1881, *Ann. Mag. nat. Hist.*, (5)7(40): 399 (ruled under the plenary power to be an incorrect original spelling for **Hyposmocoma** Butler, 1881). Op. 965 index
- Hyposmocoma** (emendation by Walsingham, 1907, *Fauna Hawaiensis*, **1**(5): 549, of *Hyposmochoma*) Butler, 1881, *Ann. Mag. nat. Hist.*, (5)7(40): 399 (gender: feminine) (type species, by monotypy: **Hyposmocoma blackburnii** Butler, 1881, *Ann. Mag. nat. Hist.*, (5)7(40): 400) (Insecta, Lepidoptera). Op. 965 available
- Hypotriodonta* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Hypoturritites** Dubourdieu, 1953, *Bulletin du Service de la Carte Géologique de l'Algérie*, series 1 (Paléontologie), **16**: 44 (gender: masculine) (type species, by original designation: **Turritites gravesianus** d'Orbigny, 1842) (Cephalopoda, Ammonoidea). Op. 1925 available
- Hypolite* Veranyi, 1846, *Cat. Anim. Golfo Genova*: 8 (an incorrect subsequent spelling for **Hippolyte** [Leach, 1814]). Op. 606 index
- HYPPOLITIDAE Dohrn, 1950, *Pubbl. Sta. zool. Napoli*, **22**: 257, 259, 261, 263, 265, 267, 269, 271 (type genus: **Hippolyte** [Leach, 1814]) (an incorrect subsequent spelling for **HIPPOLYTIDAE** Bate, 1888). Op. 470 index
- Hippolyte* Leach, 1815, *Trans. linn. Soc. London*, **11**: 346 (an incorrect subsequent spelling for **Hippolyte** [Leach, 1814]). Op. 606 index
- Hippolythe* Borcea, 1934, *Ann. Univ. Jassy*, **29**: 405 (an incorrect subsequent spelling for **Hippolyte** [Leach, 1814]). Op. 606 index
- Hippolyte* Valdés Ragués, 1909, *Mis. Trabajos Acad.*: 182 (an incorrect subsequent spelling for **Hippolyte** [Leach, 1814]). Op. 606 index
- Hypselodoris** Stimpson, 1855, *Proceedings of the Academy of Natural Sciences of Philadelphia*, **7**(10): 389 (gender: feminine) (type species, by monotypy: **Goniodoris obscura** Stimpson, 1855) (Gastropoda). Op. 1375 available
- Hypselops** Burmeister, 1835, *Handb. Entomol.*, **2**(1): 328 (gender: masculine) (type species, by designation under the plenary power: **Hypselops gigas** Burmeister, 1835, *Handb. Entomol.*, **2**(1): 329) (Insecta, Hemiptera). Op. 187 available

<p>Hypsibius Ehrenberg, 1848, <i>Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i>, 1848: 381 (gender: masculine) (type species, by designation under the plenary power: <i>Macrobiotus dujardini</i> Doyère, 1840) (Tardigrada). Op. 1551</p>	available
<p><i>Hysaplesia</i> Boie in Schlegel, 1826, <i>Bulletin des Sciences Naturelles et de Géologie</i> (Paris), 9(2): 239 (gender: feminine), type species '<i>Hyla punctata</i> Daudin' = <i>Calamita punctatus</i> Schneider, 1799 by subsequent designation of Stejneger, 1937, suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy (Amphibia). Op. 2223</p>	index
<p><i>hysterita</i>, <i>Anomia</i>, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 703 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 925</p>	index
<p><i>Hystrix</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i>, 2: 100 (included in a work rejected for nomenclatural purposes). Op. 592</p>	index
<p>Hystrix Linnaeus, 1758, <i>Systema Naturae</i>, Ed 10, vol. 1, p. 56 (gender: feminine) (type species, by Linnaean tautonymy: <i>Hystrix cristata</i> Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 56) (Mammalia). Op. 75 <i>hystrix</i>, <i>Eolidia</i>, Otto, 1823, <i>Nov. Act. Leop.</i>, 11: 277 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 774</p>	available
<p><i>hystrix</i>, <i>Eolis</i> (sic), Alder & Hancock, 1842, <i>Ann. Mag. nat. Hist.</i>, 9: 35 (a junior primary homonym of <i>Eolidia hystrix</i> Otto, 1823). Op. 774</p>	index
<p>hystrix, <i>Lepidomenia</i>, Marion & Kowalevsky in Fischer (authorship confirmed by the Commission), 1885, <i>Manuel de conchyliologie et de paléontologie conchyliologique</i> ..., p. 889 (specific name of the type species of Lepidomenia Kowalevsky in Brock, 1883) (Solenogastres). Op. 1676</p>	available
<p><i>Ianthinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427</p>	index
<p><i>Iasius</i> Westwood, [1850], in Doubleday, <i>Gen. diurn. Lep.</i> (2): 306 (an incorrect subsequent spelling for <i>Jasia</i> Swainson, 1832). Op. 577</p>	index
<p>Iaspis Kaye, 1904, <i>Trans. entomol. Soc. London</i>, 1904: 196 (gender: feminine) (type species, by designation under the plenary power: <i>Thecla temesa</i> Hewitson, [1868], <i>Descr. new Spec. Lycaenidae</i>: 1, No. 2) (Insecta, Lepidoptera). Op. 821</p>	available
<p>IASSINAE (correction of JASSIDES) Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Hémipt.</i>: 581 (type genus: Iassus Fabricius, 1803) (Insecta, Hemiptera). Op. 612</p>	available
<p>Iassus Fabricius, 1803, <i>Syst. Rhyng.</i>: 85 (gender: masculine) (type species, by designation by Fallén, 1826 (<i>Hemipt. svec. Cicad.</i>: 58): <i>Cicada lanio</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 892) (Insecta, Hemiptera). Op. 612</p>	available
<p><i>Iasus</i> Balss, 1913, <i>Denskschr. med.-naturw. Ges. Jena</i>, 17: 108 (an incorrect subsequent spelling for Jasus Parker, 1883). Op. 612</p>	index

<i>Ibacus</i> Leach, 1815, <i>Zool. Miscell.</i> , 2 : 151 (gender: masculine) (type species, by monotypy: <i>Ibacus peronii</i> Leach, 1815, <i>Zool. Miscell.</i> , 2 : 152) (Crustacea, Decapoda). Op. 519	available
<i>ibex, Ammonites</i> , Quenstedt, 1843, <i>Das Flözgebirge Württembergs</i> , p. 179 (Ammonoidea). Op. 2123	available
<i>Ibiba</i> Gray, 1825, <i>Annals of Philosophy</i> , 10 : 209 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1374	index
<i>Ibidorhinchus</i> David, 1875, <i>J. trois Voy. Chin.</i> , 1 : 307 (an incorrect subsequent spelling for <i>Ibidorhyncha</i> Vigors, [1832]). Direction 44	index
<i>Ibidorhyncha</i> Vigors, [1832], <i>Proc. zool. Soc. London</i> , 1 (1830-31): 174 (gender: feminine) (type species, by monotypy: <i>Ibidorhyncha struthersii</i> Vigors, [1832], <i>Proc. zool. Soc. London</i> , 1 (1830-31): 174) (Aves). Op. 67 <i>Ibidorhynchus</i> Gray, 1844, <i>List Spec. Birds coll. Brit. Mus.</i> , 3 : 95, 201 (an incorrect subsequent spelling for <i>Ibidorhyncha</i> Vigors, [1832]). Direction 44	available
<i>icarus, Papilio</i> , Cramer, [1775], <i>Uitl. Kapellen</i> , 1 (2): 26, pl. 18, figs. A, B (a junior primary homonym of <i>icarus, Papilio</i> , Rottemburg, 1775). Direction 96	index
<i>icarus, Papilio</i> , Rottemburg, 1775, <i>Der Naturforscher</i> , Halle, 6 : 21 (specific name of the type species of <i>Polyommatus</i> Latreille, (1804)) (Insecta, Lepidoptera). Direction 96	available
<i>icasia, Phalaena</i> , Cramer, 1777, <i>Uitl. Kapellen</i> , 2 : 130, pl. 181, fig. E (specific name of the type species of <i>Hypercompe</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 789	available
<i>Iccius</i> Dohrn, 1859, <i>Catalogus Hemipterorum</i> : 52 (rendered invalid in relation to <i>Orthunga</i> Dohrn, 1859, by the first reviser action of Wygodzinsky, 1966 (<i>Bull. amer. Mus. nat. Hist.</i> , 133 : 146)). Op. 1260	index
<i>Ichneumia</i> Geoffroy Saint-Hilaire, 1837, <i>C.R. Acad. Sci., Paris</i> , 5 : 580; <i>id.</i> , 1837, <i>Ann. Sci. nat., Paris</i> (Zool.), (2)8 : 251 (gender: feminine) (type species, by designation by Geoffroy Saint-Hilaire, 1839 (<i>Mag. Zool.</i> , (2)1 : 4): <i>Herpestes albicaudus</i> Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 1 : 158) (Mammalia). Op. 384	available
<i>Ichneumon</i> Lacepède, 1799, <i>Tabl. Mamm.</i> : 7 (a junior homonym of <i>Ichneumon</i> Linnaeus, 1758). Op. 384	index
<i>Ichneumon</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 560 (gender: masculine) (type species, by designation under the plenary power: <i>Ichneumon extensorius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 561) (Insecta, Hymenoptera). Op. 159	available
<i>ichneumon, Viverra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 43 (specific name of the type species of <i>Herpestes</i> (emendation of <i>Herpertes</i>) Illiger, 1811) (Mammalia). Op. 384	available

<i>Ichnotropis</i> Peters, 1854, <i>Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1854 : 617 (gender: feminine) (type species, by subsequent designation by FitzSimons, 1943, <i>The Lizards of South Africa. Transvaal Museum Memoirs</i> , vol. 1, p. 349; <i>Ichnotropis macrolepidota</i> Peters, 1854, a junior subjective synonym of <i>Algyra capensis</i> A. Smith, 1838) (Reptilia, Sauria). Op. 1422	available
ICHTHYOPHIIDAE Taylor, 1968, <i>The caecilians of the world: a taxonomic review</i> , p. 46, original spelling confirmed by the Commission (type genus: <i>Ichthyophis</i> Fitzinger, 1826), ruled under the plenary power that this name and other family-group names based on <i>Ichthyophis</i> are to be given precedence over EPICRIUMIDAE Fitzinger, 1843 and other family-group names based on <i>Epicrium</i> Wagler, 1828 whenever their type genera are placed in the same family-group taxon (Amphibia, Gymnophiona). Op. 1604, Op. 1749	available
<i>Ichthyophis</i> Fitzinger, 1826, <i>Neue Classification der Reptilien nach ihren natürlichen verwandtschaften nebst einer Verwandtschaftstafel und einem Verzeichnisse der Reptiliensammlung des KK. zoologischen Museums zu Wien</i> , p. 36 (gender: masculine) (type species, by monotypy: <i>Caecilia glutinosa</i> Linnaeus, 1758) (Amphibia, Gymnophiona). Op. 1604	available
<i>icterodes</i> , <i>Philopterus</i> , Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 290, as interpreted by the neotype designated by Clay & Hopkins, 1960 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 9 : 37, figs. 59-61, pl. 2, fig. 3) (specific name of the type species of <i>Anatoecus</i> Cummings, 1916) (Insecta, Mallophaga). Op. 629	available
<i>Icticyon</i> Lund, 1842, <i>Overs. K. Dansk Vidensk. Selsk. Forhandl. Kjobenhavn</i> , 1842 (6): 80 (gender: masculine) (type species, by monotypy through the replaced name <i>Cynogale</i> Lund, 1842; <i>Icticyon venaticus</i> Lund, 1842, <i>Overs. K. Dansk Vidensk. Selsk. Forhandl. Kjobenhavn</i> , 1842 (6): 80) for use by those who consider on taxonomic grounds that <i>Icticyon</i> Lund is distinct from the fossil genus <i>Speothos</i> Lund, 1839 (Mammalia). Op. 384	available
<i>Ictiobus</i> Rafinesque, 1820, <i>Ichthyologia Ohiensis, or natural history of the fishes inhabiting the river Ohio and its tributary streams in the Western Review and Miscellaneous Magazine</i> , vol. 2(5), p. 299 [301] (gender: masculine) (type species, by subsequent designation by Agassiz, 1854, <i>American Journal of Science and Arts</i> , (2) 17 (38): 354; <i>Catostomus bubalus</i> Rafinesque, 1818), ruled under the plenary power to be the correct original spelling of <i>Ictiorus</i> (Osteichthyes, Cypriniformes). Op. 1582	available
<i>Ictiorus</i> Rafinesque, 1820, <i>Ichthyologia Ohiensis, or natural history of the fishes inhabiting the river Ohio and its tributary streams in the Western Review and Miscellaneous Magazine</i> , vol. 2(5), p. 299 [301], ruled under the plenary power to be an incorrect original spelling of <i>Ictiobus</i> (Osteichthyes, Cypriniformes). Op. 1582	index
<i>Ictonyx</i> Kaup, 1835, <i>Das Thierr.</i> , 1 : 352 (gender: masculine) (type species, by monotypy: <i>Ictonyx capensis</i> Kaup, 1835, <i>Das Thierr.</i> , 1 : 352, valid name: <i>Bradypus striatus</i> Perry, 1810) (Mammalia). Op. 818	available
<i>idalia</i> , <i>Megalopta</i> , Smith, 1853, <i>Cat. hymenopt. Ins. Coll. Brit. Mus.</i> , 1 : 83 (specific name of the type species of <i>Megalopta</i> Smith, 1853) (Insecta, Hymenoptera). Op. 788	available
<i>Idalla</i> Ørsted, 1844, <i>De regionis marinis</i> : 73 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1014	index

- idas*, *Papilio*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 488 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 269 index
- idas*, *Papilio*, Linnaeus, 1761, *Fauna svec.* (ed. 2): 284, as interpreted by reference to the male genitalia figured by Chapman, 1917, in Oberthür, *Etudes Lépidopt. comp.*, **14**: pl. III, fig. 7 (conserved under the plenary power) (Insecta, Lepidoptera). Op. 269 available
- Idia* Fieber, 1866, *Verh. zool.-bot. Ges. Wien*, **16**: 509 (a junior homonym of *Idia* Hübner, [1813]). Op. 789 index
- Idia* Hübner, 1808, *Erste Zutr. Samml. exot. Schmett.*: 5 (included in a work rejected for nomenclatural purposes). Op. 789 index
- Idia* Lamouroux, 1816, *Hist. Polyp.*: 199 (a junior homonym of *Idia* Hübner, [1813]). Op. 789 index
- Idia* Wiedemann, 1820, *Nov. Dipt. Gen.*: 21 (a junior homonym of *Idia* Hübner, [1813]). Op. 789 index
- Idotaea* Dana, 1849, *Amer. J. Sci.*, (2)**8**: 426 (an incorrect subsequent spelling for *Idotea* Fabricius, 1798). Op. 643 index
- Idotea* Fabricius, 1798, *Suppl. Entomol. syst.*: 297, 302 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: *Cymothoa emarginata* Fabricius, 1793, *Entomol. syst.*, **2**: 508) (Crustacea, Isopoda). Op. 643 available
- Idotea* Weber, 1795, *Nomencl. entomol. Syst. Fabr.*: 94 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 643 index
- IDOTEADAЕ Samouelle, 1819, *Entomol. useful Compendium*: 106 (type genus: *Idotea* Fabricius, 1798) (an incorrect original spelling for IDOTEIDAE Samouelle, 1819). Op. 643 index
- IDOTEIDAE** (correction of IDOTEADAЕ) Samouelle, 1819, *Entomol. useful Compendium*: 106 (type genus: *Idotea* Fabricius, 1798) (Crustacea, Isopoda). Op. 643 available
- Idothea* Fabricius, 1796, *Index Entomol. syst.*: 86 (a nomen nudum). Op. 643 index
- Idothea* Fabricius, 1799, *Index alph. Suppl. Entomol. syst.*: 27 (an incorrect subsequent spelling for *Idotea* Fabricius, 1798). Op. 643 index
- Idothea* Richardson, 1905, *Proc. biol. Soc. Washington*, **18**: 9 (an unjustified emendation of *Idotea* Fabricius, 1798). Op. 643 index
- Ifionyx* Krøyer, 1846 (?), in Gaimard, *Voy. Comm. Sci. Nord ‘Recherche’* (Zool.): pl. 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 733 index

<i>ignipes</i> , <i>Chrysobothris</i> , Gory & Laporte, 1838, <i>Histoire naturelle et iconographie des insectes Coléoptères. Monographie des buprestides</i> , vol. 2, p. 50, ruled under the plenary power not to be given priority over <i>Buprestis sexsignata</i> Say, 1839 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2174	available
<i>ignipes</i> , <i>Chrysobothris</i> , Gory & Laporte, 1838, <i>Histoire naturelle et iconographie des insectes Coléoptères. Monographie des buprestides</i> , vol. 2, p. 50, ruled under the plenary power not to be given priority over <i>Buprestis sexsignata</i> Say, 1839 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2174	available
<i>ignitus</i> , <i>Brachys</i> , Gory & Laporte, 1840, <i>Histoire naturelle et iconographie des insectes Coléoptères. Monographie des buprestides</i> , vol. 2, p. 6 (specific name of the type species of <i>Lius</i> Deyrolle, 1865) (Insecta, Coleoptera). Op. 2112	available
<i>Iguanodon</i> Mantell, 1825, <i>Philosophical Transactions of the Royal Society</i> , 115 (1): 184 (gender: masculine) (type species, by designation under the plenary power: <i>Iguanodon bernissartensis</i> Boulenger in Beneden, 1881) (Reptilia, Ornithischia). Op. 1947	available
<i>Ikeda</i> Wharton, 1913, <i>Philippine Journal of Science</i> (D, Biology), 8 (4): 266 (gender: feminine) (type species, by monotypy: <i>Thalassema taenioides</i> Ikeda, 1904) (Echiura). Op. 2048	available
<i>Ilia</i> Hartmann, 1881, <i>Cat. Gen. 'Partula'</i> : 8 (a junior homonym of <i>Ilia</i> Leach, 1817). Op. 712	index
<i>Ilia</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 19, 24 (gender: feminine) (type species, by monotypy: <i>Cancer nucleus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627) (Crustacea, Decapoda). Op. 712	available
<i>ilia</i> , <i>Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend:</i> 172, No. G.2 (type locality: 'Wiener Gegend') (Insecta, Lepidoptera). Op. 264	available
<i>Iliacantha</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (2): 155 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 27): <i>Iliacantha subglobosa</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (2): 155) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>iliacus</i> , <i>Turdus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 168, as interpreted, by direction under the plenary power, by the neotype designated by Gyldenstolpe, 1957 (<i>in Mayr & Vaurie, Bull. zool. Nomencl.</i> , 13 : 181, 182, pl. 3) (Aves). Op. 551	available
<i>Iliastus</i> Gistl, [1848], <i>Naturgeschichte des Thierreiches</i> : 149 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1248	index
ILLIINAE Stimpson, 1870, <i>Bull. Mus. comp. Zool.</i> , 2 : 155 (type genus: <i>Ilia</i> Leach, 1817) (Crustacea, Decapoda). Op. 712	available
ILLAENIDAE (correction by Angelin, 1854 (<i>Pal. Scand.</i> (ed. 1) (2): 41) of ILLAENIDES) Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 41 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 157) (type genus: <i>Illaenus</i> Dalman, [1827]) (Trilobita). Op. 508	available

ILLAENIDES Hawle & Corda, 1847, *Prodrom Mon. böhm. Trilob.*: 41 (also published in 1848 in *Abh. Königl.-böhm. Ges. Wiss.*, (5)5: 157) (type genus: **Illaenus** Dalman, [1827]) (an incorrect original spelling for **ILLAENIDAE** Hawle & Corda, 1847). Op. 508

index

Illaenus Dalman, [1827], *K. Vetensk.-Akad. Handl.*, Stockholm, **1826** (No. 2): 248 (gender: masculine) (type species, by designation by Miller, 1889 (*N. Amer. Geol. Pal.*: 550); **Entomostracites crassicauda** Wahlenberg, [1818], *Nova Acta K. vet.-Soc. Upsala*, **8**: 27) (Trilobita). Op. 508

available

illana, Pieris, Felder & Felder, 1862, *Wien. entomol. Monats.*, **6**: 287 (specific name of the type species of **PhriSSura** Butler, 1870) (Insecta, Lepidoptera). Op. 824

available

illibatus, Attus, Simon, 1868, *Annales de la Société Entomologique de France*, (4)**8**: 541 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Araneae). Op. 1612

index

Ilyocoris Stål, 1861, *Öfvers. K. svenska Vetensk.-Akad. Förhandl.*, **18**: 201 (gender: masculine) (type species, by original designation: **Nepa cimicoides** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 440) (Insecta, Hemiptera). Op. 681

available

imbricata, Aphrodita, Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1(2), p. 1084 (Polychaeta). Op. 1666

available

imbricataria, Turritella, Lamarck, 1804, *Annales du Muséum National d'Histoire Naturelle*, p. 216 (senior subjective synonym of **Haustator gallicus** de Montfort, 1810, the specific name of the type species of **Haustator** de Montfort, 1810) (Gastropoda). Op. 1677

available

imella, Tinea, Hübner, [1813], *Sammlung europäischer Schmetterlinge*, Lepidoptera part 8, *Tinea* part 4, pl. 50, fig. 347 (Insecta, Lepidoptera). Op. 1910

available

imhoffii, Omalium, Heer, 1839, *Fauna coleopterorum Helvetica*, vol. 1, part 3, p. 184, ruled under the plenary power not to be given priority over **Anthobium longipenne** Erichson, 1839 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086

available

Imisia [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427

index

Imisigenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427

index

imitatrix, Deckenia, Hilgendorf, 1869, *SitzBer. Ges. naturf. Freunde Berlin*, **1868**: 2 (specific name of the type species of **Deckenia** Hilgendorf, 1869) (Crustacea, Decapoda). Direction 36

available

immaculata, Haemamoeba, Grassi, 1891, *Zbl. Bakt.*, **10**: 517 (not applicable to the Malignant Tertian Malaria Parasite, but index for the avian parasite on which the description by the original author was based). Op. 283

index

immaculatus, Salmo, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 312 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 772

index

<i>immer</i> , <i>Colymbus</i> , Brünnich, 1764, <i>Orn. boreal.</i> : 38 (specific name of the type species of <i>Gavia</i> Forster, 1788) (Aves). Op. 401	available
<i>immigrans</i> , <i>Drosophila</i> , Sturtevant, 1921, <i>Publ. Carnegie Inst. Washington</i> , No. 301 : 83 (Insecta, Diptera). Op. 396	available
<i>immundus</i> , <i>Laemophloeus</i> , Reitter, 1874, <i>Verh. zool.-bot. Ges. Wien</i> , 24 : 519 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 802	index
<i>impennis</i> , <i>Alca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 131 (specific name of the type species of <i>Pinguinus</i> Bonnaterre, 1790) (Aves). Op. 999	available
<i>imperialis</i> , <i>Attus</i> , Rossi, 1847, <i>Naturwissenschaftliche Abhandlungen</i> (Wien, Ed. Haidinger), 1 : 12 (specific name of the type species of <i>Thyene</i> Simon, 1885) (Arachnida, Araneae). Op. 1625	available
<i>imperialis</i> , <i>Esox</i> , Rafinesque, 1810, <i>Carat. n. gen.</i> : 59 (Osteichthyes). Op. 900	available
<i>imperita</i> , <i>Clivipollia</i> , Iredale, 1929, <i>The Australian Zoologist</i> , 5 : 347 (specific name of the type species of <i>Clivipollia</i> Iredale, 1929) (Gastropoda). Op. 1981	available
<i>impressus</i> , <i>Glyptograpsus</i> , Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 154 (specific name of the type species of <i>Glyptograpsus</i> Smith, 1870) (Crustacea, Decapoda). Direction 36	available
INACHINAE MacLeay, 1838, <i>Illustr. Annul. S. Afr.</i> : 56 (type genus: <i>Inachus</i> Weber, 1795) ruled under the plenary power to be given precedence over the name MACROPODIINAE Samouelle, 1819 whenever <i>Inachus</i> Weber, 1795 and <i>Macropodia</i> [Leach, 1814] are placed in the same family-group taxon (Crustacea, Decapoda). Op. 763	available
<i>Inachus</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 93 (gender: masculine) (type species, by designation by Milne Edwards, 1837 (<i>in</i> Cuvier's <i>Règn. Anim.</i> (ed. 4) (Disciples' ed.), 18 : pl. 34, fig. 2): <i>Cancer scorpio</i> Fabricius, 1779, <i>Reise Norwegen</i> : 345, valid name: <i>Cancer dorsettensis</i> Pennant, 1777) (Crustacea, Decapoda). Op. 763	available
<i>inaequipes</i> , <i>Asthenognathus</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 107 (specific name of the type species of <i>Asthenognathus</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>inanis</i> , <i>Lyda</i> , Klug, 1808, <i>Mag. Ges. naturf. Freunde Berlin</i> , 2 : 278, ruled under the plenary power not to be given priority over the specific name <i>alternans</i> Costa, 1859, as published in the binomen <i>Lyda alternans</i> , by those who regard both names as denoting the same taxon (Insecta, Hymenoptera). Op. 1066	available
<i>incanus</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 385 (specific name of the type species of <i>Brachyderes</i> Schönherr, 1823) (Insecta, Coleoptera). Op. 1440	available
<i>incarnata</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 63 (Gastropoda). Op. 336	available

<i>incisus</i> , <i>Cancer</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 391 (specific name of the type species of <i>Xantho</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 423	available
<i>incisus</i> , <i>Scyllarus</i> , (Péron MS) Leach, 1815, <i>Zool. Miscell.</i> , 2 : 151 (a junior objective synonym of <i>peronii</i> , <i>Ibacus</i> , Leach, 1815). Op. 519	index
<i>Incolore</i> Omodeo, 1952, <i>Archivio Zoologico Italiano</i> , 37 : 46 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Oligochaeta). Op. 1403	index
<i>incomptus</i> , <i>Geoderces</i> , Horn, 1876, <i>Proceedings of the American Philosophical Society</i> , 15 (96): 72 (specific name of the type species of <i>Nemocestes</i> Van Dyke, 1936) (Insecta, Coleoptera). Op. 1452	available
<i>inconspicua</i> , <i>Thaumantias</i> , Forbes, 1848, <i>A monograph of the British naked-eyed medusae: with figures of all the species</i> , p. 52 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>incrustans</i> , <i>Diastopora</i> , d'Orbigny, 1850, <i>Prodrome de Paléontologie</i> , vol. 1, p. 288 (specific name of the type species of <i>Reptomultisparsa</i> d'Orbigny, 1853) (Bryozoa, Cyclostomata). Op. 1392	available
<i>Incubus</i> Schrank, 1802, <i>Fauna boica</i> , 2 : 315 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 284	index
<i>incurva</i> , <i>Helix</i> , Renier, [1804], <i>Tav. alfab. Conch. adriat.</i> : XI (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>indagator</i> , <i>Cacoxenus</i> , Loew, 1858, <i>Wiener Entomologischen Monatsschrift</i> , 2 : 218 (specific name of the type species of <i>Cacoxenus</i> Loew, 1858) (Insecta, Diptera). Op. 1879	available
<i>Indiana</i> Chakravatz, 1943, <i>Current Sci.</i> , 12 : 257 (a junior homonym of <i>Indiana</i> Matthew, 1902). Op. 570	index
<i>Indiana</i> Matthew, 1902, <i>Canadian Rec. Sci.</i> , Montreal, 8 : 460 (gender: feminine) (type species, by designation under the plenary power: <i>Indiana lippa</i> Matthew, 1902, <i>Canadian Rec. Sci.</i> , Montreal, 8 : 461) (Crustacea, Ostracoda). Op. 570	available
<i>Indiana</i> Tutt, 1903, <i>Entomol. Rec.</i> , 15 : 101 (a junior homonym of <i>Indiana</i> Matthew, 1902). Op. 570	index
INDIANIDAE Ulrich & Bassler, 1931, <i>Proc. U.S. nat. Mus.</i> , 78 : 68 (type genus: <i>Indiana</i> Matthew, 1902) (Crustacea, Ostracoda). Op. 570	available
<i>Indianites</i> Ulrich & Bassler, 1931, <i>J. Washington Acad. Sci.</i> , 21 : 364 (a junior objective synonym of <i>Indiana</i> Matthew, 1902). Op. 570	index
INDIANITIDAE Ulrich & Bassler, 1931, <i>J. Washington Acad. Sci.</i> , 21 : 364 (type genus: <i>Indianites</i> Ulrich & Bassler, 1931) (a junior objective synonym of INDIANIDAE Ulrich & Bassler, 1931). Op. 570	index

<i>indica</i> , <i>Coracias</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 159 (type locality, as designated by Hartert, 1912 (<i>Vogel der paläarktischen Fauna</i> , 2: 874): Ceylon) (Aves). Op. 663	available
<i>indica</i> , <i>Mutilla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 583 (specific name of the type species of <i>Traumatomutilla</i> André, 1901) (Insecta, Hymenoptera). Op. 542	available
<i>indica</i> , <i>Viverra</i> , Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 17 (specific name of the type species of <i>Viverricula</i> Hodgson, 1838) (Mammalia). Op. 384	available
<i>indicus</i> , <i>Acetes</i> , Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, (1)19: 351 (specific name of the type species of <i>Acetes</i> Milne Edwards, 1830) (Crustacea, Decapoda). Op. 864	available
<i>Indicus</i> , <i>Calamus</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 111 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>indicus</i> , <i>Crocodilus vulgaris</i> , Gray, 1831, <i>Syn. Rept.</i> : 58 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 624	available
<i>indicus</i> , <i>Scorpio</i> , Houttuyn, [1787], <i>Anim. Mus. Houitt. Index</i> : 55 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>indicus</i> , <i>Thenus</i> , Leach, 1815, <i>Transactions of the Linnean Society of London</i> , 11: 338 (specific name of the type species of <i>Thenus</i> Leach, 1815) (Decapoda). Op. 1988	available
<i>Indodorylaimus</i> Ali & Prabha, 1974, <i>Nematologica</i> , 19: 486 (gender: masculine) (type species, by designation under the plenary power: <i>Indodorylaimus elongatus</i> Baqri, 1982) (Nematoda, Dorylaimida). Op. 1404	available
<i>Indri</i> Geoffroy Saint-Hilaire, 1796, <i>Magasin Encyclopédique, ou journal des sciences, des lettres et des arts</i> , (2)1(1): 46 (gender: masculine) (type species, by absolute tautonymy: <i>Lemur indri</i> Gmelin, 1788) (Mammalia). Op. 1995	available
<i>indri</i> , <i>Lemur</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, p. 42 (specific name of the type species of <i>Indri</i> E. Geoffroy Saint-Hilaire, 1796) (Mammalia). Op. 1995	available
INDRIDAE Burnett, 1828, <i>Quarterly Journal of Science, Literature, and Art</i> , (N.S.)4: 307, ruled to be an incorrect original spelling of INDRIIDAE (Mammalia). Op. 1995	index
INDRIIDAE Burnett, 1828, <i>Quarterly Journal of Science, Literature, and Art</i> , (N.S.)4: 307 (type genus: <i>Indri</i> E. Geoffroy Saint-Hilaire, 1796), ruled to be the correct original spelling of the family-group name based on <i>Indri</i> (Mammalia). Op. 1995	available
<i>indus</i> , <i>Falco</i> , Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 25 (valid name at the date of Direction 43 of the type species of <i>Haliastur</i> Selby, 1840) (Aves). Direction 43	available
<i>inequalipes</i> , <i>Attus</i> , Simon, 1868, <i>Annales de la Société Entomologique de France</i> , (4)8: 614 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Araneae). Op. 1612	index

<i>inferentia</i> , Poecilostoma , Norton, 1868, <i>Transactions of the American Entomological Society</i> , 2 : 224 (specific name of the type species of Monsoma MacGillivray, 1908) (Insecta, Hymenoptera). Op. 1963	available
<i>infernalis</i> , Coluber , de Blainville, 1835, <i>Nouvelles Annales du Muséum d'Histoire Naturelle</i> , Paris, (3) 4 : 291, as defined by the neotype (the male specimen catalog no. 39197 in the California Academy of Sciences, San Francisco) designated under the plenary power (Reptilia, Serpentes). Op. 1961	available
<i>infimus</i> , Orbis , Strickland, 1846, <i>Quart. J. geol. Soc. London</i> , 2 : 31, as interpreted by the lectotype designated by Barnard, 1954 (<i>Ann. Mag. nat. Hist.</i> , (12) 5 : 907) (Rhizopoda). Op. 706	available
<i>infirma</i> , Anthomyia , Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5 : 176 (specific name of the type species of Nupedia Karl, 1930) (Insecta, Diptera). Op. 837	available
<i>inflata</i> , Conchaecia , Dana, 1849, <i>Proc. amer. Acad. Arts Sci.</i> , 2 : 52 (specific name of the type species of Halocypris Dana, [1853]) (Crustacea, Ostracoda). Op. 534	available
<i>inflatus</i> , Eoscorpius , Peach, 1882, <i>Trans. roy. Soc. Edinburgh</i> , 30 : 405, 406 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1118	index
<i>ingens</i> , Dinornis , Owen, 1844, <i>Trans. zool. Soc. London</i> , 3 (3): 247 (a junior objective synonym of novaezealandiae , Dinornis , Owen, 1843). Op. 229	index
<i>ingens</i> , Palaeopropithecus G. Grandidier, 1899, <i>Bulletin du Muséum National d'Histoire Naturelle</i> , 5 (7): 345 (specific name of the type species of Palaeopropithecus G. Grandidier, 1899) (Mammalia, Primates). Op. 1737	available
<i>inguinalis</i> , Pthirus , [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 77 (a junior objective synonym of pubis , Pediculus , Linnaeus, 1758). Direction 63	index
<i>innominata</i> , Neptis , Lewis, 1872, <i>Zoologist</i> , (2)(7): 3074 (a junior objective synonym of lucilla , Papilio , [Denis & Schiffermüller], 1775). Op. 562	index
INOCERAMINAE Zittel, 1881, <i>Handb. Paläontol. Paläozool.</i> , 2 : 36 (type genus: Inoceramus Sowerby, 1814) for use by those who do not place Inoceramus Sowerby in a family-group taxon having an older name (Bivalvia). Op. 473	available
Inoceramus Sowerby, 1814, <i>Ann. Phil.</i> , 4 : 448 (gender: masculine) (type species, by monotypy: Inoceramus cuvierii Sowerby, 1814, <i>Ann. Phil.</i> , 4 : 448, as interpreted by the lectotype designated by Cox, 1955 (<i>Bull. zool. Nomencl.</i> , 11 : 242, 243)) (Bivalvia). Op. 473	available
<i>inopinata</i> , Cythere , Baird, 1843, <i>Zoologist</i> , 1 : 195 (specific name of the type species of Limnocythere Brady, 1868) (Crustacea, Ostracoda). Op. 528	available
<i>inops</i> , Cryphalus , Eichhoff, 1872, <i>Berliner Entomologische Zeitschrift</i> , 15 : 331, ruled under the plenary power not to be given priority over the specific name of Cryphalus mangiferae Stebbing, 1914 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1408	available

<i>inoptatus</i> , <i>Leptodactylus</i> , Barbour, 1914, <i>Mem. Mus. comp. Zool.</i> , 44 : 252 (Amphibia). Op. 1104	available
<i>inornata</i> , <i>Lysiosquilla</i> , Dana, 1852, <i>U.S. explor. Exped.</i> , 13 : 616 (specific name of the type species of <i>Lysiosquilla</i> Dana, 1852) (Crustacea, Stomatopoda). Op. 294	available
<i>inornata</i> , <i>Saperda</i> , Say, 1824, <i>J. Acad. nat. Sci. Philadelphia</i> , 3 (12): 407, as interpreted by the neotype proposed by Nord, 1970 (<i>Bull. zool. Nomencl.</i> , 27 : 126) and designated under the plenary power (Insecta, Coleoptera). Op. 1155	available
<i>inquilina</i> , <i>Trichoda</i> , Müller, 1776, <i>Zool. Dan.</i> , appendix: 218 (specific name of the type species of <i>Tintinnus</i> Schrank, 1803) (Ciliophora). Op. 926	available
<i>insignis</i> , <i>Cheirurus</i> , Beyrich, 1845, <i>Ueber einige böhmischen Trilobiten</i> , p. 12 (specific name of the type species of <i>Cheirurus</i> Beyrich, 1845) (Trilobita). Op. 1435	available
<i>instigator</i> , <i>Ichneumon</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 164 (specific name of the type species of <i>Pimpla</i> Fabricius, [1804-1805]) (Insecta, Hymenoptera). Direction 4	available
<i>insulanica</i> , <i>Lacerta muralis neapolitana</i> var., Bedriaga, 1882, <i>Bull. Soc. imp. Nat. Moscou</i> , 56 (3): 101 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>integerimus</i> , <i>Cancer</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 272 (specific name of the type species of <i>Atergatis</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>integra</i> , <i>Pamphila</i> , Mabille, 1891, <i>Bull. C.R. Soc. entomol. Belg.</i> , 35 : clxix (specific name of the type species of <i>Papias</i> Godman, [1900]) (Insecta, Lepidoptera). Op. 829	available
<i>intensus</i> , <i>Serinus mozambicus</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12)9 : 367 (a junior primary homonym of <i>intensus</i> , <i>Serinus mozambicus</i> , Horniman, 1940). Op. 480	index
<i>intensus</i> , <i>Serinus mozambicus</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>intermedia</i> , <i>Eulima</i> , Cantraine, 1835, <i>Bulletins de l'Académie Royale des Sciences et Belles-Lettres de Bruxelles</i> , 2 : 390 (a junior objective synonym of the specific name of <i>Turbo politus</i> Linnaeus, 1758) (Gastropoda). Op. 1780	index
<i>intermedia</i> , <i>Macrochaeta</i> , Bretscher, 1896, <i>Revue Suisse de Zoologie</i> , 3 (4): 509 (specific name of the type species of <i>Macrochaetina</i> Bretscher, 1899) (Oligochaeta). Op. 1835	available
<i>intermedia</i> , <i>Monstrilla</i> , Aurivillius, 1898, <i>K. svenska vetensk. Akad. Handl.</i> , 30 : 39, 40 (a junior primary homonym of <i>Monstrilla intermedia</i> Kriczagin, 1877). Op. 1175	index
<i>intermedia</i> , <i>Monstrilla</i> , Kriczagin, 1877, <i>Zap. Kiev. Obshsch. Estest.</i> , 5 : 17-21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1175	index
<i>intermedia</i> , <i>Pedalia</i> , Wiszniewski, 1929, <i>Bull. Acad. pol. Sci. Lettr. (Cl. Sci. math. nat.)</i> , (B) 1929 (2): 137 (Rotifera). Op. 326	available

<i>intermedius</i> , <i>Anolis</i> , Peters, 1863, <i>Monatsb. K.-preuss. Akad. Wiss.</i> , Berlin: 143 (Reptilia). Op. 637	available
<i>intermedius</i> , <i>Arion</i> , Normand, 1852, <i>Descr. six Limaces nouv.</i> : 6 (Gastropoda). Op. 336	available
<i>interrupta</i> , <i>Buprestis</i> , Laporte & Gory, 1837, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 81, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis interrupta</i> Olivier, 1790 (Insecta, Coleoptera). Op. 2008	available
<i>interrupta</i> , <i>Buprestis</i> , Olivier, 1790, <i>Entomologie, ou histoire naturelle des insectes ... Coléoptères</i> , genera 9-34, vol. 2(32), p. 26 (Insecta, Coleoptera). Op. 2008	available
<i>interrupta</i> , <i>Mephitis</i> , Rafinesque, 1820, <i>Annals of Nature</i> : 3 (specific name of the type species of <i>Spilogale</i> Gray, 1865) (Mammalia). Op. 384	available
<i>interruptus</i> , <i>Solenius</i> , Lepeletier & Brullé, 1834, <i>Ann. Soc. entomol. Fr.</i> , 3 : 716 (specific name of the type species of <i>Solenius</i> Lepeletier & Brullé, 1834) (Insecta, Hymenoptera). Op. 1015	available
<i>intertexta</i> , <i>Campanularia</i> , Couch, 1844, <i>A Cornish fauna ...</i> , part 3, p. 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1485	index
<i>intestinalis</i> , <i>Amoeba</i> , Blanchard, 1885, <i>Traité Zool. médic.</i> , 1 : 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 312	index
<i>intestinalis</i> , <i>Ascidia</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1087 (specific name of the type species of <i>Ciona</i> Fleming, 1822) (Urochordata). Op. 1172	available
<i>intestinalis</i> , <i>Fasciola</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 649 (Cestoda). Direction 77	available
<i>intestinalis</i> , <i>Oestrus</i> , de Geer, 1776, <i>Mém. Hist. Ins.</i> , 6 : 292 (valid name at the date of Direction 64 of the type species of <i>Gasterophilus</i> Leach, 1817) (Insecta, Diptera). Direction 64	available
<i>inunguis</i> , <i>Manatus</i> , Natterer, 1883, <i>in Pelzeln, Verh. zool.-bot. Ges. Wien</i> , 33 Beiheft: 89-94 (Mammalia). Op. 1320	available
<i>invicta</i> , <i>Solenopsis</i> , Buren, 1972, <i>Journal of the Georgia Entomological Society</i> , 7 : 9 (Insecta, Hymenoptera). Op. 1976	available
<i>involuta</i> , <i>Rasenia</i> , Spath, 1935, <i>Meddelelser Grønland</i> , 99 (No. 2): 48, pl. 10, figs. 5a, 5b (specific name of the type species of <i>Rasenia</i> Salfeld, 1913) (Cephalopoda). Op. 426	available
<i>Involutina</i> Terquem, 1862, <i>Mém. Acad. imp. Metz</i> , 42 : 450 (gender: feminine) (type species, by designation by Bornemann, 1874 (<i>Z. deutsch. geol. Ges.</i> , 28 : 711)): <i>Involutina jonesi</i> Terquem & Piette, 1862, <i>Mém. Acad. imp. Metz.</i> , 42 : 461, valid name: <i>Nummulites liassicus</i> Jones, 1853 (Rhizopoda). Op. 706	available

<i>involutus</i> , <i>Ammonites</i> , Quenstedt, 1846, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 165 (specific name of the type species of <i>Involuticeras</i> Salfeld, 1913) (Ammonoidea). Op. 2123	available
<i>involutus</i> , <i>Inoceramus</i> , Sowerby, 1828, <i>Min. Conch.</i> , 6 : 160 (specific name of the type species of <i>Volviceramus</i> Stoliczka, 1871) (Bivalvia). Op. 473	available
<i>Iodina</i> Mörch, 1860, <i>J. Conchyliol.</i> , 8 : 282 (gender: feminine) (type species, by designation by Wenz, 1940 (<i>Handb. Paläozool.</i> , 6 <i>Gastropoda</i> , 1 (1)(4): 816): <i>Janthina exigua</i> Lamarck, [1816], <i>Ency. méth. (Vers.)</i> : pl. 456 and expl.) (Gastropoda). Op. 989	available
<i>Iidotropheus</i> Oliver & Loiselle, 1972, <i>Revue de Zoologie et de Botanique Africaines</i> , 85 (3-4): 310 (gender: masculine) (type species, by monotypy: <i>Iidotropheus sprengerae</i> Oliver & Loiselle, 1972) (Osteichthyes, Perciformes). Op. 1871	available
<i>loeidopoda</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 562 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>loeidospilos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 565 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Iphiculus</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 57 (gender: masculine) (type species, by monotypy: <i>Iphiculus spongiosus</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 57) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Iphiculus</i> White, 1847, <i>List Crust. Coll. Brit. Mus.</i> : 51 (a nomen nudum). Direction 37	index
<i>Iphinoe</i> Bate, 1856, <i>Annals and Magazine of Natural History</i> , (2) 18 : 187 (gender: feminine) (type species, by monotypy: <i>Cuma trispinosa</i> Goodsir, 1843) (Cumacea). Op. 1593	available
<i>Iphinoe</i> H. & A. Adams, 1845, <i>The genera of recent Mollusca arranged according to their organization</i> , vol. 1, p. 280, and any use of the name prior to the publication of <i>Iphinoe</i> Bate, 1856 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1593	index
<i>Iphinoe</i> Rafinesque, 1815, <i>Analyse de la Nature</i> , p. 107, and any use of the name prior to the publication of <i>Iphinoe</i> Bate, 1856 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Arachnoidea). Op. 1593	index
<i>Iphis</i> Koch, 1835, <i>Deutschl. Crust. Myriap. Arach.</i> (Heft. 2): tab. 6 (a junior homonym of <i>Iphis</i> Leach, 1817). Direction 37	index
<i>Iphis</i> Laporte, 1836, <i>Revue Entomol.</i> (Silbermann), 4 (1): 7 (a junior homonym of <i>Iphis</i> Leach, 1817). Direction 37	index
<i>Iphis</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 25 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Cancer septemspinosus</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 325) (Crustacea, Decapoda). Op. 73, Direction 49	available

<i>Iphis</i> Meigen, 1800, <i>Nouv. Classif. Mouches deux Ailes</i> : 27 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 49	index
IPNOPIDAE Jordan, 1923, <i>Stanford Univ. Publ. Biol. Sci.</i> , 3 : 155 (type genus: <i>Iplops</i> Günther, 1878) (Osteichthyes). Op. 1333	available
<i>Iplops</i> Günther, 1878, <i>Ann. Mag. nat. Hist.</i> , (5) 2 : 187 (gender: masculine) (type species, by monotypy: <i>Iplops murrayi</i> Günther, 1878, <i>Ann. Mag. nat. Hist.</i> , (5) 2 : 187) (Osteichthyes). Op. 1333	available
<i>Ippolyte</i> Magri, 1911, <i>Atti Acad. gioen. Sci. nat. Catania</i> , (5) 4 (14): 25 (an incorrect subsequent spelling for <i>Hippolyte</i> [Leach, 1814]). Op. 606	index
<i>Ipthima</i> Pye, 1873, <i>Zool. Record</i> , 1871 : 363 footnote (an unjustified emendation of <i>Ypthima</i> Hübner, 1818). Op. 819	index
<i>iracundus</i> , <i>Staphylinus</i> , Say, 1830, <i>Descriptions of new species of North American insects, and observations on some already described</i> , p. 35, ruled under the plenary power not to be given priority over <i>Staphylinus fulgidus</i> Fabricius, 1793 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>iravadiooides</i> , <i>Epigrus</i> , Gatliff & Gabriel, 1913, <i>Proc. roy. Soc. Victoria</i> , N.S., 26 (1): 67 (specific name of the type species of <i>Microdryas</i> Laseron, 1950) (Gastropoda). Op. 1181	available
<i>Iridotaenia</i> Deyrolle, 1864, <i>Annales de la Société Entomologique de Belgique</i> , 8 : 25 (gender: feminine) (type species, by subsequent designation by Kurosawa, 1982, <i>Bulletin of the National Science Museum Tokyo (Zoology)</i> , (A) 8 (4): 188: <i>Chrysodema sumptuosa</i> Laporte & Gory, 1835) (Insecta, Coleoptera). Op. 2076	available
<i>iris</i> , <i>Haliotis</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3691, as interpreted by the lectotype designated by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 396), namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2 : fig. 61) as <i>Haliotis iris</i> (specific name of the type species of <i>Paua</i> Fleming, 1952) (Gastropoda). Op. 479	available
<i>iris</i> , <i>Haliotis</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 61 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>iris</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 476, as interpreted by the lectotype designated under the plenary power, namely the specimen figured by South, 1906 (<i>The Butterflies of the British Isles</i> : pl. 29, fig. 1) (type locality: ‘England’) (specific name of the type species of <i>Apatura</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232, Op. 264	available
<i>irregularis</i> , <i>Coluber</i> , Bechstein, 1802, <i>Herrn de la Cepède’s Naturgeschichte der Amphibien ...</i> , p. 239 (specific name of the type species of <i>Boiga</i> Fitzinger, 1826) (Reptilia, Serpentes). Op. 1374	available
<i>irregularis</i> , <i>Coluber</i> , Leach, 1819, <i>in Bowditch, Miss. Ashanti</i> : 494 (Reptilia). Op. 328	available
<i>irregularis</i> , <i>Haemamoeba febris</i> , Sakharov, 1892 (a name erroneously alleged to have been made available). Op. 283	index

<i>irregularis</i> , <i>Lepidocentrus</i> , Meek & Worthen, 1869, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1869: 78 (specific name of the type species of <i>Pholidocidaris</i> Meek & Worthen, 1869) (Echinoidea). Op. 371	available
<i>irregularis</i> , <i>Plasmodium malariae</i> , Kruse, 1892, <i>Hyg. Rdsch.</i> , 2: 467 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>irritans</i> , <i>Conops</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 604 (specific name of the type species of <i>Haematobia</i> Lepeletier & Serville, 1828) (Insecta, Diptera). Op. 1008	available
<i>irritans</i> , <i>Pulex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 614 (specific name of the type species of <i>Pulex</i> Linnaeus, 1758) (Insecta, Siphonaptera). Direction 64	available
<i>irrorata</i> , <i>Diomedea</i> , Salvin, 1883, <i>Proc. zool. Soc. London</i> : 430 (Aves). Op. 1060	available
<i>isabelita</i> , <i>Angelichthys</i> , Jordan & Rutter, 1898, in Jordan & Evermann, <i>Bulletin of the United States National Museum</i> , 47(2): 1684 (a junior objective synonym of <i>Holacanthus ciliaris bermudensis</i> Goode, 1876) (Osteichthyes). Op. 2003	index
<i>Isaea</i> Agassiz, 1846, <i>Nomenclatoris Zoologici Index Universalis</i> , p. 196 (an unjustified emendation of <i>Isea</i> Guérin[-Méneville], 1832 and a junior homonym of <i>Isaea</i> H. Milne Edwards, 1830) (Crustacea, Decapoda). Op. 1522	index
<i>Isaea</i> H. Milne Edwards, 1830, <i>Annales des Sciences naturelles, Paris</i> , 20: 380 (gender: feminine) (type species, by monotypy: <i>Isaea montagui</i> H. Milne Edwards, 1830) (Amphipoda). Op. 1522	available
ISAEINAЕ Dana, 1853, <i>U.S. Exploring expedition ... 1838-42 ... under the command of C. Wilkes</i> , vol. 13, p. 913 (type genus: <i>Isaea</i> H. Milne Edwards, 1830) (Amphipoda). Op. 1522	available
<i>Isarthron</i> Dejean, 1835, <i>Catalogue des Coléoptères dans la collection de M. le Comte Dejean</i> , Ed. 2, p. 329 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1473	index
<i>Ischiolepta</i> Lioy, 1864, <i>Atti dell'Istituto Veneto di Scienze, Lettere ed Arti</i> , (3)9(2): 1112 (gender: feminine) (type species, by monotypy: <i>Borborus denticulatus</i> Meigen, 1830) (Insecta, Diptera). Op. 1839	available
<i>Ischnopoda</i> Stephens, 1835, <i>Ill. Brit. Entomol.</i> (Mand.), 5: 430 (gender: feminine) (type species, by designation under the plenary power: <i>Staphylinus leucopus</i> Marsham, [1802], <i>Coleopt. Brit.</i> : 506) (Insecta, Coleoptera). Op. 600	available
<i>Ischnosoma</i> Cuvier, 1829, <i>Le règne animal distribué d'après son organisation ...</i> , Ed. 2, vol. 2, p. 328, and all uses of the name prior to the publication of <i>Ischnosoma</i> Stephens, 1829 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Osteichthyes). Op. 1726	index

<i>Ischnosoma</i> Stephens, 1829, <i>The nomenclature of British insects ...</i> , p. 22 (gender: neuter) (type species, by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera, synoptiskt bearbetade</i> , vol. 1, p. 47: <i>Tachinus splendidus</i> Gravenhorst, 1806), ruled under the plenary power not to be given priority over <i>Mycetoporus</i> Mannerheim, 1831 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1726	available
<i>Ischnosomata</i> Strand, 1935, <i>Folia Zoologica Hydrobiologica</i> , 7(2): 293 (a junior objective synonym of <i>Ischnosoma</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1726	index
<i>Ischnura</i> Charpentier, 1840, <i>Libellulinae Europaeae descriptae ac depictae</i> , p. 20 (gender: feminine) (type species, by subsequent designation by Selys-Longchamps, 1850, <i>Mémoires de la Société des Sciences de Liège</i> , vol. 6, p. 182: <i>Agrion elegans</i> Van der Linden, 1823) (Insecta, Odonata). Op. 2037	available
ISCHNURIDAE Simon, 1879, <i>Les Arachnides de France. VII. Contenant les Ordres des Chernetes, Scorpiones et Opiliones</i> , p. 92 (type genus: <i>Ischnurus</i> C.L. Koch, 1837), ruled under the plenary power that this name is to be treated as junior to LIOCHELIDAE Fet & Bechly, 2001 (1879) (Arachnida). Op. 2037	index
ISCHURINAE Fraser, 1957, <i>A reclassification of the order Odonata</i> , p. 49 (type genus: <i>Ischnura</i> Charpentier, 1840), ruled under the plenary power not to be treated as invalid by reason of being a junior homonym of ISCHNURIDAE Simon, 1879 (Insecta, Odonata). Op. 2037	available
<i>Ischyurus</i> Dejean, 1836, <i>Catalogue des coléoptères de la collection de M. le Comte Dejean</i> , Ed. 2, Livr. 5, p. 428, and all uses of the name prior to the publication of <i>Ischyurus</i> Lacordaire, 1842 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1824	index
<i>Ischyurus</i> Lacordaire, 1842, <i>Monographie des Erotyliens, famille de l'ordre des coléoptères</i> , p. 89 (gender: masculine) (type species, by subsequent designation by Crotch, 1873, <i>Cistula Entomologica</i> , 1: 144: <i>Erotulus quadripunctatus</i> Olivier, 1792) (Insecta, Coleoptera). Op. 1824	available
<i>Isea</i> Guérin[-Méneville], 1832, <i>Annales de la Société Entomologique de France</i> , 1: 299 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1522	index
<i>isenbeckii, Platycorystes (Podacanthus)</i> , Brandt, 1848, <i>Bull. Acad. imp. Sci. St. Pétersbourg</i> , 7(12, 13): 180 (specific name of the type species of <i>Erimacrus</i> Benedict, 1892) (Crustacea, Decapoda). Direction 36	available
<i>isingleena, Clupea</i> , Richardson, 1846, <i>15th Rept. Brit. Assoc.</i> (Cambridge 1845): 304 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 901	index
<i>ismeria, Melitaea</i> , Boisduval & Le Conte, 1835, <i>Histoire générale et iconographie des lépidoptères et des chenilles de l'Amérique septentrionale</i> , p. 168, pl. 46 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 2160	index

<i>Isocardigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Isochaeta</i> Giesbrecht, 1889, <i>Atti della Reale Accademia dei Lincei</i> , (4)5(11), semestre 1: 812 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Copepoda). Op. 1613	index
<i>Isolabella</i> Verhoeff, 1902, <i>Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin</i> , 1902: 15 (gender: feminine) (type species, by monotypy: <i>Isolabella graeca</i> Verhoeff, 1902) (Insecta, Dermaptera). Op. 2125	available
ISOLABELLINAЕ Verhoeff, 1902, <i>Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin</i> , 1902: 15 (type genus: <i>Isolabella</i> Verhoeff, 1902), ruled under the plenary power that it and other family-group names based on <i>Isolabella</i> are not to be given priority over LABIIDAE Burr, 1909 and other family-group names based on <i>Labia</i> Leach, 1815 whenever their type genera are placed in the same familygroup taxon (Insecta, Dermaptera). Op. 2125	available
<i>Isometra</i> Clark, 1908, <i>Proceedings of the Biological Society of Washington</i> , 21: 133 (gender: feminine) (type species, by original designation: <i>Antedon challengerii</i> Clark, 1907) (Crinoidea). Op. 2132	available
ISOMETRAINAE Clark, 1917, <i>Journal of the Washington Academy of Sciences</i> , 7(5): 6 (type genus: <i>Isometra</i> Clark, 1908), spelling emended by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Isometra</i> Clark, 1908 is ISOMETRA- (Crinoidea). Op. 2132	available
ISOMETRINAE Clark, 1917, <i>Journal of the Washington Academy of Sciences</i> , 7(5): 6, ruled under the plenary power to be an incorrect original spelling of ISOMETRAINAE (Crinoidea). Op. 2132	index
ISOMETRINAE Kraepelin, 1891, <i>Jahrbuch der Hamburgischen Wissenschaftlichen Anstalten</i> , 8: 6 (type genus: <i>Isometrus</i> Ehrenberg in Hemprich & Ehrenberg, 1828) (Scorpiones). Op. 2132	available
<i>Isometrus</i> Ehrenberg in Hemprich & Ehrenberg, 1828, <i>Zoologica II. Arachnoidea. Pl. I: Buthus; pl. II: Androctonus, in: Symbolae physicae seu icones et descriptiones animalium evertebratorum sepositis insectis quae ex itinere per Africam borealem et Asiam occidentalem</i> , pl. 1, fig. 3 (gender: masculine) (type species, by monotypy: <i>Buthus (Isometrus) filum</i> Ehrenberg in Hemprich & Ehrenberg, 1828, a junior synonym of <i>Scorpio maculatus</i> de Geer, 1778) (Scorpiones). Op. 2132	available
<i>isomorpha, Blastoثيرix (Metablastothrix)</i> , Sugonjaev, 1964, <i>Entomologicheskoe Obozrenie</i> , 43(2): 371 (specific name of the type species of <i>Metablastothrix</i> Sugonjaev, 1964) (Insecta, Hymenoptera). Op. 1857	available
<i>Isotoma</i> Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839(1): 339 (gender: feminine) (type species, by designation by Börner, 1903 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1903: 171): <i>Isotoma viridis</i> Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839(1): 401) (Insecta, Collembola). Op. 291	available
<i>Isotoma</i> Dejean, 1834, <i>Cat. Coléopt.</i> (ed. 2): 214 (a nomen nudum). Op. 291	index
<i>Isotoma</i> Dejean, 1837, <i>Cat. Coléopt.</i> (ed. 3): 236 (a nomen nudum). Op. 291	index

<i>Isotomurus</i> Börner, 1903, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1903 : 171 (gender: masculine) (type species, by original designation: <i>Podura palustris</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 184) (Insecta, Collembola). Op. 291	available
<i>issaltschikovi</i> , <i>Rana arvalis altaica</i> natio, Terentjev, 1927, <i>Proc. 2nd. Congr. Zool. Anat. Histol. USSR</i> , 1925: 71 (conserved under the plenary power) (Amphibia). Op. 642	available
<i>Istiophorus</i> Lacepède, 1802, <i>Hist. Nat. Poiss.</i> , 3 : 374 (gender: masculine) (type species, by designation under the plenary power: <i>Xiphias platypterus</i> Shaw & Nodder, 1792, <i>Naturalist's Miscellany</i> , 28 : pl. 88) (Osteichthyes). Op. 903	available
<i>istrianus</i> , <i>Cancer</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 409 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 701	index
<i>itala</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 772 (specific name of the type species of <i>Helicella</i> Féruccac, 1821) (Gastropoda). Op. 431	available
<i>italicus</i> , <i>Stellio</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 204 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>italicus</i> , <i>Stenus</i> , Baudi, 1870, <i>Berliner Entomologische Zeitschrift</i> , 13 (1869): 397, ruled under the plenary power not to be given priority over <i>Stenus scaber</i> Fauvel, 1871 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>Ixa</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 (2): 334 (gender: feminine) (type species, by monotypy: <i>Cancer cylindrus</i> Fabricius, 1777, <i>Gen. Ins.</i> : 248) (Crustacea, Decapoda). Op. 73 <i>Ixodes</i> Latreille, 1795, <i>Mag. encyclop.</i> , 4 : 18 (gender: masculine) (type species, by monotypy: <i>Acarus reduvius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 615, valid name: <i>Acarus ricinus</i> Linnaeus, 1758) (Arachnida). Direction 110	available
<i>jacapara</i> , <i>Coluber</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 26 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>jaceana</i> , <i>Euribia</i> , Hering, 1935, <i>Märkische Tierwelt</i> , 1 : 169, ruled under the plenary power to be given precedence over the specific name of <i>Euribia conyzae</i> Hering, 1933 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1619	available
<i>jacobsoni</i> , <i>Calotermes (Cryptotermes)</i> , Holmgren, 1913, <i>Kungliga Svenska Vetenskaps-Akademiens Handlingar</i> , (2) 50 (2): 48, ruled under the plenary power not to be given priority over <i>Cryptotermes dudleyi</i> Banks, 1918 whenever the two are considered to be synonyms (Insecta, Isoptera). Op. 2064	available
<i>Jacosta</i> Gray, 1821, <i>London med. Reposit.</i> , 15 : 239 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 431	index
<i>jacquemontii</i> , <i>Gecarcinucus</i> , Milne Edwards, 1844, in Jacquemont, <i>Voy. Inde</i> , 4 : 4, 44 (specific name of the type species of <i>Gecarcinucus</i> Milne Edwards, 1844) (Crustacea, Decapoda). Direction 36	available

<i>jactans</i> , <i>Virbius</i> (?), Nobili, 1904, <i>Bull. Mus. Hist. nat.</i> , Paris, 10 : 230 (valid name at the date of Opinion 470 of the type species of <i>Chlorocurtis</i> Kemp, 1925) (Crustacea, Decapoda). Op. 470	available
<i>Jaculus</i> Erxleben, 1777, <i>Syst. Règn. Anim.</i> : 404 (gender: masculine) (type species, by absolute tautonymy: <i>Mus jaculus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 63) (Mammalia). Op. 730	available
<i>jaculus</i> , <i>Mus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 63 (specific name of the type species of <i>Jaculus</i> Erxleben, 1777) (Mammalia). Op. 730	available
<i>Jaera</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 434 (gender: feminine) (type species, by monotypy: <i>Jaera albifrons</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 434) (Crustacea, Isopoda). Op. 643	available
<i>Jakowleffia</i> Puton, 1875, <i>Pet. Nouv. entomol.</i> , 1 (No. 128): 512 (gender: feminine) (type species, by monotypy: <i>Anomaloptera setulosa</i> Jakovlev, 1874, <i>Bull. Soc. imp. Nat. Moscou</i> , 1874 (No. 2): 261, pl. 10, fig. 5) (Insecta, Hemiptera). Op. 368	available
<i>jamesonii</i> , <i>Elaps</i> , Traill, 1843, <i>Edinburgh new phil. J.</i> , 34 (66): 54 (specific name of the type species of <i>Dendroaspis</i> Schlegel, 1848) (Reptilia). Op. 709	available
<i>Janira</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 175 (a junior homonym of <i>Janira</i> [Leach, 1814] and a junior objective synonym of <i>Melia</i> Bosc, 1813). Op. 434	index
<i>janira</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 475, to rank for precedence below <i>Papilio jurtina</i> Linnaeus, 1758 (Insecta, Lepidoptera). Op. 506	available
<i>janitor</i> , <i>Terebratula</i> , Pictet, 1867, <i>Mélanges Paléontologiques</i> , vol. 1(3), p. 161 (Brachiopoda). Op. 1466	available
<i>japonica</i> , <i>Anguilla</i> , Temminck & Schlegel, 1846, in Siebold, <i>Fauna japon.</i> (Pisces): 258 (Osteichthyes). Op. 901	available
<i>japonica</i> , <i>Atherina</i> , Houttuyn, 1782, <i>Verh. Holland. Maatsch. Haarlem</i> , 20 : 340 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 749	index
<i>japonica</i> , <i>Cuthona (Hervia)</i> , Baba, 1937, <i>J. Dep. Agric. Kyushu Imp. Univ.</i> , 5 : 329 (Gastropoda). Op. 778	available
<i>japonicus</i> , <i>Astacus</i> , de Haan, [1841], in Siebold, <i>Fauna japon.</i> (Crust.): 164, pl. 35, fig. 9 (specific name of the type species of <i>Cambaroides</i> Faxon, 1884) (Crustacea, Decapoda). Direction 12	available
<i>japonicus</i> , <i>Engraulis</i> , Schlegel, 1846, in Siebold, <i>Fauna japon.</i> (Pisces), (10-14): 239, pl. 108, fig. 3 (Osteichthyes). Op. 749	available
<i>japonicus</i> , <i>Myoxus</i> , Schinz, 1845, <i>Systematisches Verzeichniss aller bis jetzt bekannten Säugethiere oder Synopsis Mammalium nach dem Cuvier'schen System</i> , vol. 2, p. 530, ruled under the plenary power to be the correct original spelling of <i>Myoxus javanicus</i> (specific name of the type species of <i>Glirulus</i> Thomas, 1906) (Mammalia). Op. 1978	available

<i>japonicus</i> , <i>Palinurus</i> , Siebold, 1824, <i>Hist. nat. Japon.</i> : 15 (specific name of the type species of <i>Panulirus</i> White, 1847 (Crustacea, Decapoda). Op. 507	available
<i>japonicus</i> , <i>Papio</i> , [Rennie], 1838, <i>The Menageries. Nat. Hist. Monkeys, Oppossums and Lemurs</i> , 1 : 364, 396 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 920	index
<i>Jasia</i> Swainson, 1832, <i>Zool. Illustr.</i> , (2) 2 : pl. 90 (a junior objective synonym of <i>Charaxes</i> Ochsenheimer, 1816). Op. 577	index
<i>jasius</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 749, errata (specific name of the type species of <i>Charaxes</i> Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 577	available
<i>jason</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 749 (a junior primary homonym of <i>jason</i> , <i>Papilio</i> , Linnaeus, 1758). Op. 577	index
<i>Jaspidea</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>JASSIDES</i> Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Hémipt.</i> : 581 (type genus: <i>Iassus</i> Fabricius, 1803) (an incorrect original spelling for IASSINAE Amyot & Serville, 1843). Op. 612	index
<i>Jassus</i> Fallén, 1806, <i>K. Svensk. Vetensk.-Akad. nya Handl.</i> , 27 : 115 (an incorrect subsequent spelling for <i>Iassus</i> Fabricius, 1803). Op. 612	index
<i>Jasus</i> Megerle, 1804, <i>Cat. Ins.</i> , 4 : [12] (an incorrect subsequent spelling for <i>Iassus</i> Fabricius, 1803). Op. 612	index
<i>Jasus</i> Parker, 1883, <i>Nature</i> (London), 29 : 190 (gender: masculine) (type species, by designation by Holthuis, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 193); <i>Palinurus lalandii</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 293) (Crustacea, Decapoda). Op. 612	available
<i>Jataronus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>javanensis</i> , <i>Sipunculus (Phymosomum)</i> , De Quatrefages, 1865, <i>Histoire Naturelle des Annelés marins et d'eau douce. Annélides et Géphyriens</i> , p. 622 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Sipuncula). Op. 1532	index
<i>javanica</i> , <i>Anas</i> , Horsfield, 1821, <i>Transactions of the Linnean Society of London</i> , 13 (1): 199, as defined by the lectotype (specimen no. 1880.1.1.4742 in the collections at Tring of the Natural History Museum, London) designated under the plenary power (Aves, Anseriformes). Op. 1764	available
<i>javanica</i> , <i>Eremita</i> , Osbeck, 1765, <i>Reise nach Ostindien und China</i> , p. 356 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1575	index

<i>javanicus</i> , <i>Cervus</i> , Osbeck, 1765, <i>Reise nach Ostindien und China</i> , Ed. 2, p. 357 (specific name of the type species of <i>Tragulus</i> Brisson, 1762) (Mammalia, Artiodactyla). Op. 1894	available
<i>javanicus</i> , <i>Eurylaimus</i> , Horsfield, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 170 (specific name of the type species of <i>Eurylaimus</i> Horsfield, 1821) (Aves). Direction 43	available
<i>javanicus</i> , <i>Myoxus</i> , Schinz, 1845, <i>Systematisches Verzeichniss aller bis jetzt bekannten Säugethiere oder Synopsis Mammalium nach dem Cuvier'schen System</i> , vol. 2, p. 530, ruled under the plenary power to be an incorrect original spelling of <i>Myoxus japonicus</i> (Mammalia). Op. 1978	index
<i>javanicus</i> , <i>Sciurus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 11 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Jaxeia</i> Nardo, 1847, <i>Sinon. moderna Opera Chiereghin</i> : 4 (gender: feminine) (type species, by monotypy: <i>Jaxeia nocturna</i> Nardo, 1847, <i>Sinon. moderna Opera Chiereghin</i> : 4) (Crustacea, Decapoda). Op. 712	available
<i>Iccius</i> Dohrn, 1859, <i>Catalogus Hemipterorum</i> : 105 (rendered an incorrect original spelling for <i>Iccius</i> Dohrn, 1859, by the first reviser action of Melville, 1983 (<i>Bull. zool. Nomencl.</i> , 40 : 158, 159)). Op. 1260	index
<i>jebus</i> , <i>Hesperia</i> , Plötz, 1882, <i>Entomol. Ztg.</i> , Stettin, 43 : 443 (specific name of the type species of <i>Zenis</i> Godman, [1900]) (Insecta, Lepidoptera). Op. 832	available
<i>Jeletzkyteuthis</i> Doyle, 1990, <i>Palaeontology</i> , 33 : 198 (gender: feminine) (type species, by original designation: <i>Teudopsis agassizii</i> Eudes-Deslongchamps, 1835) (Cephalopoda, Coleoidea). Op. 1914	available
<i>Jerboa</i> Zimmermann, 1777, <i>Spec. zool. Geogr.</i> : 522 (included in a work rejected for nomenclatural purposes). Op. 730	index
<i>Jodamia</i> Defrance, 1822, <i>Dict. Sci. nat.</i> , 24 : 230 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 856	index
<i>johnstoni</i> , <i>Campanularia</i> , Alder, 1856, <i>Ann. Mag. nat. Hist.</i> , (2) 18 : 359, 360 (specific name of the type species of <i>Clytia</i> Lamouroux, 1812) (Hydrozoa). Op. 1345	available
<i>Johnstonia</i> Basir, 1956, <i>Zoologica (Stuttgart)</i> , 106 : 16 (a junior homonym of <i>Johnstonia</i> Quatrefages, 1866) (Nematoda). Op. 1807	index
<i>Johnstonia</i> Fuhrmann, 1920, <i>Festschrift für Zschokke</i> (Basel), 27 : 18 (a junior homonym of <i>Johnstonia</i> Quatrefages, 1866) (Cestoda). Op. 1807	index
<i>Johnstonia</i> Quatrefages, 1849, <i>Annales des Sciences Naturelles (Zoologie)</i> , (3) 12 : 304, footnote, and all uses of the name prior to the publication of <i>Johnstonia</i> Quatrefages, 1866 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Polychaeta). Op. 1807	index

<i>Johnstonia</i> Quatrefages, 1866 (January), <i>Annals and Magazine of Natural History</i> , (3)17: 21 (gender: feminine) (type species, by subsequent monotypy by Quatrefages, 1866 (Summer), <i>Histoire naturelle des annelés marins et d'eau douce. Annélides et géphyriens</i> , vol. 2, p. 244: <i>Johnstonia clymenoides</i> Quatrefages, [1866 (summer)]]) (Polychaeta). Op. 1807	available
<i>johnstonii, Titanodamon</i> , Pocock, 1894, <i>Annals and Magazine of Natural History</i> , (6)14: 291-292 (specific name of the type species of <i>Titanodamon</i> Pocock, 1894) (Arachnida). Op. 2108	available
<i>jonesii, Phillipsia</i> , Portlock, 1843, <i>Rep. Geol. Londonderry</i> : 308, pl. xi, fig. 3, as interpreted by the lectotype designated by Stubblefield, 1952 (<i>Bull. zool. Nomencl.</i> , 6: 152) (type locality: 'Clonfeacle, Co. Tyrone') (specific name of the type species of <i>Cummingella</i> Reed, 1942) (Trilobita). Op. 352	available
<i>JousseauMEA</i> (emendation under the plenary power of <i>Jousseaumia</i>) Sacco, 1894, <i>Moll. terz. Piedmonte Liguria</i> , 15: 8 (gender: feminine) (type species, by monotypy: <i>Cypraea sublyncoides</i> d'Orbigny, 1852, <i>Prodr. Pal.</i> , 3: 48) (Gastropoda). Op. 673	available
<i>JousseauMEA</i> Coutière, 1897, <i>Bull. Mus. Hist. nat.</i> , Paris, 2: 381 (a junior homonym of <i>JousseauMEA</i> Sacco, 1894). Op. 673	index
<i>Jousseaumia</i> Sacco, 1894, <i>Moll. terz. Piedmonte Liguria</i> , 15: 8 (ruled under the plenary power to be an incorrect original spelling for <i>JousseauMEA</i> Sacco, 1894). Op. 673	index
<i>jouyi, Brachynotus (Heterograpsus)</i> , Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16: 247 (specific name of the type species of <i>Tetragrapsus</i> Rathbun, 1916) (Crustacea, Decapoda). Op. 650	available
<i>Jovellania</i> Bayle, 1879, <i>Explic. Carte géol. France</i> , 4 Atlas (1): pl. 35 (gender: feminine) (type species, by original designation: <i>Orthoceratites buchi</i> de Verneuil, 1850, <i>Bull. Soc. géol. France</i> , (2) 7: 778) (Cephalopoda). Op. 726	available
JOVELLANIIDAE Foord, 1888, <i>Cat. foss. Cephal. B.M.</i> (1): 328 (type genus: <i>Jovellania</i> Bayle, 1879) (Cephalopoda). Op. 726	available
<i>jubata, Felis</i> , Schreber, [1776], <i>Die Säugthiere</i> , 3: pl. 105; <i>id.</i> , [1777], <i>ibid.</i> , 3: 392 (name of a species of which <i>Felis venatica</i> Griffith, 1821 is considered to be a subspecies) (Mammalia). Op. 384	available
<i>jubata, Phoca</i> , Schreber, 1776, <i>Die Säugethiere in Abbildungen nach der Natur mit Beschreibungen</i> , vol. 3, part 17, p. 300, pl. 83B (senior subjective synonym of <i>Arctocephalus monteriensis</i> Gray, 1859, the type species of <i>Eumetopias</i> Gill, 1866) (Mammalia, Pinnipedia). Op. 1962	available
<i>juglandis, Aphis</i> , Goeze, 1778, <i>Entomol. Beyträge</i> , 2: 311 (specific name of the type species of <i>Panaphis</i> Kirkaldy, 1904) (Insecta, Hemiptera). Op. 1358	available
<i>juliana, Aplysia</i> , Quoy & Gaimard, 1832, <i>Zoologie. In: Voyage de découvertes de l'Astrolabe pendant les années 1826-1827-1828-1829 sous le commandement de M. J. Dumont d'Urville</i> , vol. 2 (Mollusques), p. 309 (Gastropoda). Op. 1844	available

<i>julieni</i> , <i>Coccyzus</i> , Lawrence, [1864], <i>Annals of the Lyceum of Natural History of New York</i> , 8 : 42, issued in the serial in 1867, but published as a separate in 1864 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Cuculiformes). Op. 1688	index
<i>Jumala</i> Friile, 1882, <i>Norske Nordhavs-Exp. Zool.</i> , 3 (8): 4, 6 (suppressed for the purposes of the Principle of Priority but not for those of the Principle of Homonymy under the special procedure prescribed by the Thirteenth International Congress of Zoology, Paris, 1948, for use in the case of a name calculated to give offence on religious grounds). Op. 469	index
<i>junix</i> , <i>Brachycerus</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 55, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>jurinei</i> , <i>Guaia (Ilia)</i> , Saussure, 1853, <i>Rev. Mag. Zool.</i> , (2) 5 : 265, 266, pl. 13, fig. 4 (specific name of the type species of <i>Leucosilia</i> Bell, 1855) (Crustacea, Decapoda). Direction 36	available
<i>jurinii</i> , <i>Leucosilia</i> , Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 431; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 295 (an incorrect subsequent spelling for <i>jurinei</i> , <i>Guaia (Ilia)</i> , Saussure, 1853). Direction 37	index
<i>jurtina</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 475 (specific name of the type species of <i>Maniola</i> Schrank, 1801) to take precedence over <i>Papilio janira</i> Linnaeus, 1758 (Insecta, Lepidoptera). Op. 506	available
<i>juxtaprenobium</i> , <i>Simulium (Nevermannia)</i> , Bass & Brockhouse, 1990, <i>Aquatic Insects</i> , 12 (2): 65, ruled under the plenary power to be deemed to be first available from that work and to be unavailable from its publication as <i>Simulium juxtaprenobium</i> by Brockhouse, Bass, Feraday & Straus, 1989 (Insecta, Diptera). Op. 1683	available
<i>Jynx</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 112 (gender: feminine) (type species, by monotypy: <i>Jynx torquilla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 112) (Aves). Op. 67 <i>kachowskii</i> , <i>Chiromantis</i> , Nikolsky, 1900, <i>Annuaire du Musée Zoologique de l'Académie Impériale des Sciences de St Pétersbourg</i> , 5 (1-2): 246, ruled under the plenary power not to be given priority over the name <i>Rana cryptotis</i> Boulenger, 1907 whenever the two names are considered to be synonyms (Amphibia). Op. 1983	available
<i>Kakatoe</i> Cuvier, 1800, <i>Leçons d'anatomie comparée de G. Cuvier, recueillies et publiées sous ses yeux par C. Duméril et G.-L. Duvernoy</i> , vol. 1, table 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1949	index
<i>Kalotermes</i> Hagen, 1853, <i>Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 18 : 479-480 (gender: masculine) (type species, by designation under the plenary power: <i>Termes flavicollis</i> Fabricius, 1793) (Insecta, Isoptera). Op. 2007	available
<i>kaluzinensis</i> , <i>Yakovlevia</i> , Fredericks, 1925, <i>Rec. geol. Comm. Russian Far East</i> , 40 : 7 (specific name of the type species of <i>Yakovlevia</i> Fredericks, 1925) (Brachiopoda). Op. 368	available

Kalydon Hutton, 1884, *Trans. N.Z. Inst.*, **16**: 220 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 911

index

kangaru, all uses of (and its various spellings *kanguro*, *kanguru*), in combination with *Mus*, *Yerboa*, *Jaculus*, *Zerbua*, *Didelphis*, *Didelphys* and *Macropus* (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 760

index

kangaru, *Yerbua*, Forster, 1778, *K. Svensk. Vetensk.-Akad. Handl.*, **39**: 111 (a junior objective synonym of *canguru*, *Mus*, Müller, 1776). Op. 730

index

kanieriensis, *Turritella*, Harris, 1897, *Cat. Tert. Moll. Br. Mus.*, part 1, Australasia: 240, as interpreted by the lectotype designated under the plenary power (Gastropoda). Op. 810

available

karpinskii, *Pareiasaurus*, Amalitzky, 1922, *Izvestiya Rossiiskoi Akademii Nauk*, (6)**16**: 334-335, as defined by the holotype (specimen no. PIN 2005/1532 in the Palaeontological Institute of the Russian Academy of Sciences in Moscow) (specific name of the type species of *Scutosaurus* Hartmann-Weinberg, 1930) (Reptilia). Op. 2025

available

karpinskyi, *Pariasaurus* [sic], Watson, 1917, *Journal of Anatomy*, **52** (3rd series, vol. 13): 10 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Reptilia). Op. 2025

index

kasai, *Halcyon leucocephala*, Grant, 1956, *Ann. Mag. nat. Hist.*, (12)**9**: 366 (a junior primary homonym of *kasai*, *Halcyon leucocephala*, Horniman, 1940). Op. 480

index

kasai, *Halcyon leucocephala*, Horniman, 1940, *Prelim. Descr. new Birds*: 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480

index

Kassina Girard, 1853, *Proc. Acad. nat. Sci. Philadelphia*, **6**: 421 (gender: feminine) (type species, by monotypy: *Cystignathus senegalensis* Duméril & Bibron, 1841, *Erpét. gén.*, **8**: 418) ruled under the plenary power to be given precedence over the generic name *Hylambates* Duméril, 1853 whenever the two names are considered synonyms (Amphibia). Op. 849, Op. 1364

available

Kateretes Herbst, 1793, *Natursystem aller bekannten in- und ausländischen Insecten* ..., p. 11 (gender: masculine) (type species, by subsequent designation by Hope, 1840, *The Coleopterist's Manual*, part 3, p. 155: *Dermestes pedicularius* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1916

available

KATERETIDAE Erichson in Agassiz, [1846], *Nomenclator zoologicus*, fasc. 11, p. 30 (type genus: *Kateretes* Herbst, 1793), ruled under the plenary power that this name and other family-group names based on *Kateretes* are to be given precedence over
BRACHYPTERINAE Erichson, [1845] and other familygroup names based on
Brachypterus Kugelann, 1794 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1916

available

<i>kattwinkeli</i> , <i>Alcelaphus</i> , Schwarz, 1932, <i>Zentralblatt für Mineralogie, Geologie und Paläontologie</i> , (B)1932(1): 4, as defined by the holotype (specimen no. VI-1099 in the Bayerischen Staatssammlung für Paläontologie und historische Geologie in Munich) (Mammalia). Op. 2029	available
<i>kawakamii</i> , <i>Notocrypta</i> , Matsumura, 1907, <i>Insect world</i> , 11: 50 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Lepidoptera) Op. 2193	index
<i>kefersteini</i> , <i>Lyrodon</i> , Münster, 1837, in Goldfuss, <i>Petref. German.</i> , 2: 199, pl. 136, figs. 2a, b (Bivalvia). Op. 919	available
<i>keithhornei</i> , <i>Odatria</i> , Wells & Wellington, 1985, A classification of the Amphibia and Reptilia of Australia. <i>Australian Journal of Herpetology, Supplementary Series</i> , No. 1, p. 21, as defined by the holotype (catalogue no. J31566 in the Queensland Museum, collected from Butthen Butthen, Nesbit River, Cape York Peninsula by G. Czechura in 1978) (Reptilia). Op. 1970	available
<i>KELAENIDAE</i> Naef, 1921, <i>Mitteilungen aus der Zoologischen Station zu Neapel</i> , 22: 535 (invalid because the name of its type genus, <i>Kelaeno</i> Münster, 1842, is a junior homonym) (Cephalopoda, Coleoidea). Op. 1860	index
<i>Kelaeno</i> d'Orbigny, 1841, <i>Bulletin de la Société Géologique de France</i> , 12: 354 (a junior objective synonym of <i>Acanthoteuthis</i> Münster, 1839) (Cephalopoda, Coleoidea). Op. 1860	index
<i>Kelaeno</i> Münster, 1839, in Münster, G. Graf zu (Ed.), <i>Beiträge zur Petrefacten-Kunde</i> , part 1, p. 94 (unavailable because not published as a valid name) (Cephalopoda, Coleoidea). Op. 1860	index
<i>Kelaeno</i> Münster, 1842, <i>Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefakten-Kunde</i> , 1842: 46 (a junior homonym of <i>Kelaeno</i> d'Orbigny, 1841) (Cephalopoda, Coleoidea). Op. 1860	index
<i>kellii</i> , <i>Phillipsia</i> , Portlock, 1843, <i>Rep. Geol. Londonderry</i> : 307, pl. vi, fig. 1 (an incorrect original spelling for <i>kellyi</i> , <i>Phillipsia</i> , Portlock, 1843). Op. 352	index
<i>kellumi</i> , <i>Diodontopteria</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 41 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>kellyi</i> (correction of <i>kellii</i>), <i>Phillipsia</i> , Portlock, 1843, <i>Rep. Geol. Londonderry</i> : 307, pl. vi, fig. 1, as interpreted by the lectotype designated by Stubblefield, 1952 (<i>Bull. zool. Nomencl.</i> , 6: 153) (specific name of the type species of <i>Phillipsia</i> Portlock, 1843) (Trilobita). Op. 352	available
<i>kempii</i> , <i>Thalassochelys (Colpochelys)</i> , Garman, 1880, <i>Bull. Mus. comp. Zool.</i> , 6: 123 (conserved under the plenary power) (Reptilia). Op. 660	available
<i>kerberti</i> , <i>Calyptrophora</i> , Versluys, 1906, <i>Siboga-Expedition</i> , 13a: 105 (specific name of the type species of <i>Paracalyptrophora</i> Kinoshita, 1908) (Coelenterata). Op. 2122	available
<i>kerguelensis</i> , <i>Eatonia</i> , Smith, 1875, <i>Annals and Magazine of Natural History</i> , (4)16(91): 70–71 (specific name of the type species of <i>Eatonella</i> Dall, 1876) (Gastropoda) Op. 2202	available

<i>Kerrichiella</i> Rosanov, 1965, <i>Entomol. Obozr. Moscow</i> , 44 : 869, 878, 880 (gender: feminine) (type species, by designation under the plenary power: <i>Thysanus coleoptratus</i> Kerrich, 1953, <i>Bull. entomol. Res.</i> (London), 44 : 802) (Insecta, Hymenoptera). Op. 1143	available
<i>kiaeri</i> , <i>Haplosphaeronis</i> , Jaekel, 1926, <i>Norsk geol. Tidsskr.</i> , 9 : 19 (specific name of the type species of <i>Haplosphaeronis</i> Jaekel, 1926) (Cystoidea). Op. 1048	available
<i>Kilifia</i> de Lotto, 1965, <i>Bull. Brit. Mus. nat. Hist. (Entomol.)</i> , 16 : 206 (gender: feminine) (type species, by original designation: <i>Lecanium acuminatum</i> Signoret, 1873, <i>Ann. Soc. entomol. France</i> , (5) 3 : 397, pl. 11, fig. 1) (Insecta, Hemiptera). Op. 1192	available
<i>kinczumi</i> , <i>Sorex</i> , Temminck, 1843, <i>Aperçu gén. spéc. mamm. Japon</i> , part 1: pl. 4, figs. C, c (an incorrect original spelling for <i>Sorex dsinezumi</i> Temminck, 1843). Op. 1256	index
<i>kinezumi</i> , <i>Sorex</i> , Temminck, 1843, <i>Aperçu gén. spéc. mamm. Japon</i> , part 1: pl. 5, fig. 3 (an incorrect original spelling for <i>Sorex dsinezumi</i> Temminck, 1843). Op. 1256	index
KINOSTERNIDAE Agassiz, 1857, <i>Contributions to the natural history of the United States</i> , Monograph 1, parts 2 and 3, p. 346, correct original spelling of CINOSTERNOIDAE (type genus: <i>Kinosternon</i> Spix, 1824) (Reptilia, Testudines). Op. 1534	available
<i>Kinosternon</i> Spix, 1824, <i>Animalia nova, sive species novae testudinem</i> , p. 17 (gender: neuter) (type species, by subsequent designation by Bell, 1828, <i>Zoological Journal</i> , 3 : 515: <i>Kinosternon longicaudatum</i> Spix, 1824) (Reptilia, Testudines). Op. 1534	available
<i>kirbyi</i> , <i>Pentila</i> , Aurivillius, 1895, <i>Entomol. Tidskr.</i> , 16 : 198 (specific name of the type species of <i>Ornipholidotos</i> Bethune Baker, 1914) (Insecta, Lepidoptera). Op. 814	available
<i>kleinenbergi</i> , <i>Eretmophorus</i> , Giglioli, 1889, <i>Proc. zool. Soc. London</i> , 1889 : 328, ruled under the plenary power to be given precedence over the specific name <i>benoit</i> Rüppell, 1852, as published in the binomen <i>Pharopteryx benoit</i> , by those who regard both names as denoting the same taxon (Osteichthyes). Op. 1082	available
<i>Klinophilos</i> Kirkaldy, 1899, <i>Entomologist</i> , 32 : 219 (a junior objective synonym of <i>Cimex</i> Linnaeus, 1758). Direction 63	index
<i>kloedeni</i> , <i>Beyrichia</i> , McCoy, 1846, <i>Synopsis Silurian fossils of Ireland ...</i> (Dublin): 58 (specific name of the type species of <i>Beyrichia</i> McCoy, 1846) (Crustacea, Ostracoda). Op. 1196	available
<i>knightii</i> , <i>Pentamerus</i> , Sowerby, 1813, <i>Min. Conch.</i> , 1 : 73* (Brachiopoda). Op. 297	available
<i>knorri</i> , <i>Ostrea</i> , Defrance, 1821, <i>Dict. Sci. nat.</i> , 22 : 27 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 360	index
<i>knorpii</i> , <i>Ostrea</i> , Voltz, 1828, <i>Topograph. Uebersicht. Min. beid. Rhein.-Depart.</i> : 60 (conserved under the plenary power) (Bivalvia). Op. 360	available
<i>Kobeltia</i> Seibert, 1873, <i>Nachrichtsblatt der deutschen Malakozoologischen Gesellschaft</i> , 6 : 81 (gender: feminine) (type species, confirmed by the Commission to be by monotypy: <i>Arion hortensis</i> Féussac, 1819) (Gastropoda). Op. 1679	available

<i>kochi</i> , <i>Olpium</i> , Simon, 1881, <i>Bulletin de la Société Zoologique de France</i> , 6 : 14, as defined by the lectotype designated by Harvey & Mahnert, 1986, <i>Bulletin of Zoological Nomenclature</i> , 42 : 86, ruled under the plenary power to denote a different nominal species from <i>Chelifer hermannii</i> Audouin, 1826 (Arachnida). Op. 1423	available
<i>kochii</i> , <i>Heliophanus</i> , Simon, 1868, <i>Annales de la Société Entomologique de France</i> , (4) 8 : 699 (Arachnida, Araneae). Op. 1611	available
<i>koefoedi</i> , <i>Liparis</i> , Parr, 1932, <i>Bergens Mus.</i> , Årbok No. 6: 39, fig. 6 (Osteichthyes). Op. 1217	available
<i>Koinodactylites</i> Buckman, 1927, <i>Type Ammonites</i> , 6 (62): 43 (a junior objective synonym of <i>Dactylioceras</i> Hyatt, 1867). Op. 576	index
<i>Kolon</i> Herbst, 1797, <i>Natursystem aller bekannten in- und ausländischen Insekten. Der Käfer</i> , part 7, p. 224, ruled under the plenary power to be an incorrect original spelling of <i>Colon</i> (Insecta, Coleoptera). Op. 1810	index
<i>Kolpoda</i> Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 56 (an incorrect original spelling for <i>Colpoda</i> Müller, 1773). Op. 915	index
<i>kolpoda</i> , <i>Paramecium</i> , Losana, 1829, <i>Mem. R. Accad. Sci. Torino</i> , 29 (Class Sci. Fis. e Mat.): 45 (an incorrect original spelling for <i>colpoda</i> , <i>Paramecium</i> , Losana, 1829). Op. 915	index
<i>koreni</i> , <i>Lagis</i> , Malmgren, 1866, <i>Öfvers. K. Svensk. Vetenskaps Akad. Förh.</i> , 1865 : 360 (Polychaeta). Op. 1225	available
<i>Korynetes</i> Herbst, (1792), <i>Der Käfer</i> , 4 : 148 (gender: masculine) (type species, by designation by Lacordaire, 1857 (<i>Gen. Coléopt.</i> , 4 : 489): <i>Clerus caeruleus</i> de Geer, 1775, <i>Mém. Hist. Ins.</i> , 5 : 164) (Insecta, Coleoptera). Op. 604	available
<i>Kosmoceras</i> Waagen, 1869, <i>Geogn.-pal. Beitr.</i> , 2 : 248 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites spinosus</i> Sowerby, 1826, <i>Min. Conch.</i> , 6 : 78) (Cephalopoda). Op. 303	available
KOSMOCERATIDAE Haug, 1887, <i>Neues Jahrb. Min.</i> , 1887 : 156 (type genus: <i>Kosmoceras</i> Waagen, 1869) (Cephalopoda). Direction 14	available
<i>Kotoceras</i> Kobayashi, 1934, <i>J. Fac. Sci. imp. Univ. Tokyo</i> , (2) 3 : 391 (conserved under the plenary power) (gender: neuter) (type species, by original designation: <i>Kotoceras typicum</i> Kobayashi, 1934, <i>J. Fac. Sci. imp. Univ. Tokyo</i> , (2) 3 : 392) (Cephalopoda). Op. 555	available
<i>Kotoceras</i> Yabe, 1927, <i>Sci. Rep. Tohoku imp. Univ.</i> , (2) 11 : 36, 44, expl. 7 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 555	index
<i>kridion</i> , <i>Ammonites</i> , Hehl, [1830], in Zieten, <i>Verstein. Würtemb.</i> , (1): 4, pl. 3, fig. 2 (specific name of the type species of <i>Coroniceras</i> Hyatt, 1867) (Cephalopoda). Op. 324	available
<i>Krizousacorixa</i> Hungerford, 1930, <i>Pan-pac. Entomol.</i> , 7 : 22 (gender: feminine) (type species, by original designation: <i>Corixa femorata</i> Guérin-Méneville, 1857, <i>Moniteur univ.</i> , no. 330: 1298) (Insecta, Hemiptera). Op. 1311	available

<i>Krohnia</i> Langerhans, 1880, <i>Z. wiss. Zool.</i> , 34 : 132-136 (a junior homonym of <i>Krohnia</i> Quatrefages, 1835). Op. 761	index
<i>Krotovia</i> Fredericks, 1928, <i>Bull. Com. géol. Leningrad</i> , 46 (7)(1919): 779, 790 (gender: feminine) (type species, by original designation: <i>Productus spinulosus</i> Sowerby, 1814, <i>Min. Conch.</i> , 1 : 155) (Brachiopoda). Op. 625	available
<i>kroyeri, Penaeus</i> , Heller, 1862, <i>S.B. Akad. Wiss. Wien</i> , 45 (1): 425 (valid name at the date of Opinion 864 of the type species of <i>Xiphopenaeus</i> Smith, 1869) (Crustacea, Decapoda). Op. 864	available
<i>Kryptophagus</i> Herbst, 1792, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 4, p. 172, ruled under the plenary power to be an incorrect original spelling of <i>Cryptophagus</i> (Insecta, Coleoptera). Op. 1810	index
<i>kuhli, Brachyorrhos</i> , Schlegel, 1826, <i>Bulletin des Sciences Naturelles et de Géologie</i> (Paris), 9 (2): 236 suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy (senior objective synonym of <i>Atractus trilineatus</i>) (Reptilia) Op. 2210	index
<i>kumpani, Brachythrys</i> , Yanischevsky, 1935, <i>Uchenye Zapiski Leningrad Gosud. Un-ta, Vyp.</i> , vol. 1, pp. 68-69 (specific name of the type species of <i>Tomiopsis</i> Benediktova, 1956) (Brachiopoda, Spiriferida). Op. 1395	available
<i>kunzei, Geobius</i> , Heer, 1839, <i>Fauna Coleopterorum Helvetica</i> , 1 (2): 193 (specific name of the type species of <i>Psephidonus</i> Gistel, 1856) (Insecta, Coleoptera). Op. 2077	available
<i>Labeceras</i> Spath, 1925, <i>Ann. Transvaal Mus.</i> , 11 : 179, 191 (gender: neuter) (type species, by designation under the plenary power: <i>Labeceras bryani</i> Whitehouse, 1926, <i>Mem. Queensland Mus.</i> , 8 : 227, pl. xxxix, figs. 4a, b) (Cephalopoda). Op. 556	available
LABECERATIDAE Spath, 1925, <i>Ann. Transvaal Mus.</i> , 11 : 191 (type genus: <i>Labeceras</i> Spath, 1925) (Cephalopoda). Op. 556	available
<i>Labia</i> [Leach, 1815], in Brewster's <i>Edinburgh. Ency.</i> , 9 (1): 118 (gender: feminine) (type species, by monotypy: <i>Forficula minor</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423) (Insecta, Dermaptera). Op. 149	available
<i>labiata, Lysippe</i> , Malmgren, 1865, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 22 : 367 (specific name of the type species of <i>Lysippe</i> Malmgren, 1865) (Polychaeta). Op. 347	available
<i>labiata, Megilla</i> , Fabricius, [1805], <i>Systema Piezatorum</i> , p. 333 (specific name of the type species of <i>Macropis</i> Panzer, 1809) (Insecta, Hymenoptera). Op. 1383	available
<i>labiatus, Storthingocrinus</i> , Schmidt, 1932, <i>Palaeontographica</i> , 76 : 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 727	index
<i>Labidiopempton</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 546 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

LABIIDAE Burr, 1909, <i>Deutsche Entomologische Zeitschrift</i> , 1909 : 323 (type genus: Labia Leach, 1815), ruled under the plenary power that it and other family-group names based on Labia are to be given precedence over ISOLABELLINAЕ Verhoeff, 1902 and other family-group names based on Isolabella Verhoeff, 1902 whenever their type genera are placed in the same family-group taxon (Insecta, Dermaptera). Op. 2125	available
labrosus, Bulimus , Olivier, 1804, <i>Voyage dans l'Empire Othoman, l'Egypte et la Perse, fait par ordre du Gouvernement, pendant les six premières années de la République</i> , vol. 4, livraison 2, p. 30 (specific name of the type species of Buliminus Beck, 1837) (Gastropoda). Op. 2018	available
Labrus Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 282 (gender: masculine) (type species, by designation under the plenary power: Labrus mixtus Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1954	available
labyrinthicus, Microdus , Kner, 1858, <i>Sitzungsber. k. Akad. Wiss. Wien</i> , 30 Heft 13: 77 (specific name of the type species of Caenotropus Guenther, 1864) (Osteichthyes). Op. 1150	available
Lacerta Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 200 (gender: feminine) (type species, by designation by Fitzinger, 1843 (<i>Syst. Rept.</i> : 20)): Lacerta agilis Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 203) (Reptilia). Op. 92, Direction 56	available
lacertina, Siren , Linnaeus, 1766, <i>Amoen. Acad.</i> , 7 : 325 (specific name of the type species of Siren Linnaeus, 1766) (Amphibia). Direction 57	available
lachesis, Papilio , Hübner, 1790, <i>Beitr. Schmett.</i> , 2 (3): 70, pl. 3, figs. P.1, 2♂ (Insecta, Lepidoptera). Op. 400	available
Lachmundi, Pentacrinos , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 109 (included in a work rejected for nomenclatural purposes). Op. 592	index
LACHNINAE Passerini, 1863, <i>Aphididae Ital.</i> : [7] (type genus: Lachnus Burmeister, 1835) (Insecta, Hemiptera). Direction 54	available
Lachnopodus Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 32 (gender: masculine) (type species, by monotypy: Lachnopodus rodgersii Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 32) (Crustacea, Decapoda). Op. 85, Direction 37	available
Lachnopus Schönherr, 1840, <i>Genera et species curculionidum, cum synonymia hujus familiae</i> , p. 380 (gender: masculine) (type species, by original designation: Curculio aurifer Drury, 1773) (Insecta, Coleoptera). Op. 1451	available
Lachnus Burmeister, 1835, <i>Handb. Entomol.</i> , 2 (1): 91 (gender: masculine) (type species, by designation under the plenary power: Aphis roboris Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 452) (Insecta, Hemiptera). Op. 399	available
laciniatus, Cimex , Villers, 1789, <i>Caroli Linnaei entomologia, faunae Sueciae descriptionibus aucta, DD. Scopoli, Geoffroy, de Geer, Fabricii, Schrank etc. speciebus vel in systemate non enumeratis, vel nuperrime detectis, vel speciebus Galliae Australis locupleta, generum specierumque rariorum iconibus ornata</i> , 1 . P. 493. Piestre & Delamolliere, Lugduni [=Lyon] (senior subjective synonym of Coreus hystrix Latreille, 1817, the specific name of the type species of the genus Phyllophora Laporte, 1833) (Heteroptera) Op. 2198	available

<i>lacinulata</i> , <i>Doris</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105 (a junior homonym of <i>lacinulata</i> , <i>Doris</i> , Müller, 1776). Op. 773	index
<i>lactea</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 19 (Gastropoda). Op. 336	available
<i>lacteus</i> , <i>Coluber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 220 (valid name at the date of Opinion 1201 of the type species of <i>Homoroselaps</i> Jan, 1858) (Reptilia). Op. 1201	available
<i>lacteus</i> , <i>Lumbricus terrestris</i> , Örley, 1885, <i>Ertekezések a Természettudományok Köreböl</i> , 15 : 21 (specific name of the type species of <i>Octolasion</i> Örley, 1885) (Oligochaeta). Op. 1403	available
<i>lacteus</i> , <i>Termes</i> , Foggatt, 1898, <i>Proceedings of the Linnean Society of New South Wales</i> , 22 : 721 (Insecta, Isoptera). Op. 1781	available
<i>lactiflorea</i> , <i>Planaria</i> , Johnston, 1828, <i>Zoological Journal</i> , 3 : 489 (specific name of the type species of <i>Amphiporus</i> Ehrenberg, 1831) (Nemertea). Op. 1675	available
<i>lactis</i> , <i>Termes</i> , Foggatt, 1897, <i>Agricultural Gazette of New South Wales</i> , 8 : plate facing p. 297 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Isoptera). Op. 1781	index
<i>Lactura</i> Walker, 1854, <i>List of the specimens of lepidopterous insects in the collection of the British Museum</i> , part 2, p. 485 (gender: feminine) (type species, by monotypy: <i>Lactura dives</i> Walker, 1854) (Insecta, Lepidoptera). Op. 1927	available
<i>lacunatus</i> , <i>Ammonites</i> , Buckman, 1844, in Murchison, <i>Geol. Cheltenham</i> (ed. 2): 105 (specific name of the type species of <i>Angulaticeras</i> Quenstedt, 1883) (Cephalopoda). Op. 324	available
<i>lacunosa</i> , <i>Anomia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 702 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 925	index
<i>lacustris</i> , <i>Amnicola</i> , Pilsbry, 1891, <i>Nautilus</i> , 5 : iii of Index (an incorrect subsequent spelling or a junior objective synonym of <i>Amnicola lustrica</i> Pilsbry, 1890). Op. 1108	index
<i>lacustris</i> , <i>Caligus</i> , Steenstrup & Lütken, 1861, <i>Skr. K. Danske Vidensk. Selsk.</i> , (5)5 : 15 (Crustacea, Copepoda). Op. 943	available
<i>lacustris</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 450 (specific name of the type species of <i>Gerris</i> Fabricius, 1794) (Insecta, Hemiptera). Op. 962	available
<i>lacustris</i> , <i>Patella</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 783, as interpreted by Müller, 1774 (<i>Verm. terrestr. fluviat. Hist.</i> , 2 : 199, 200) (specific name of the type species of <i>Acroloxus</i> Beck, 1837) (Gastropoda). Op. 363	available
<i>lacustris</i> , <i>Tellina</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 204 (Bivalvia). Op. 336	available
<i>Laeochochlis</i> Dunker & Metzger, 1874, <i>Jahrbücher der Deutschen Malakozoologischen Gesellschaft</i> , 1 (2): 146, ruled under the plenary power to be an incorrect original spelling of <i>Laeocochlis</i> Dunker & Metzger, 1874 (Gastropoda). Op. 1700	index

<i>Laeocochlis</i> Dunker & Metzger, 1874, <i>Nachrichtsblatt der Deutschen Malakozoologischen Gesellschaft</i> , 6 (1): 7 (gender: feminine) (type species, by monotypy: <i>Laiochochlis</i> [sic] <i>pommeraniae</i> Dunker & Metzger, 1874, a junior subjective synonym of <i>Cerithium sinistratum</i> Nyst, 1835) (Gastropoda). Op. 1700	available
<i>laetus, Schizopus</i> , Le Conte, 1858, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1858 : 70 (specific name of the type species of <i>Schizopus</i> Le Conte, 1858) (Insecta, Coleoptera). Op. 1727	available
<i>laevigata</i> , <i>Ammonites</i> , Lamarck, 1822, <i>Hist. nat. Anim. sans Vertèbr.</i> , 7 : 637 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 685	index
<i>laevigata, Camerina</i> , Bruguière, 1792, <i>Ency. méth.</i> , Vers 1 (2): 399 (specific name of the type species of <i>Nummulites</i> Lamarck, 1801) (Rhizopoda). Direction 1	available
<i>laevigata, Pinnotherelia</i> , Milne Edwards & Lucas, [1844], <i>in d'Orbigny, Voy. Amér. mérid.</i> , 6 (Crust.): 25 (specific name of the type species of <i>Pinnotherelia</i> Milne Edwards & Lucas, [1844]) (Crustacea, Decapoda). Direction 36	available
<i>laevigatum, Cycloceras</i> , M'Coy, 1844, <i>A synopsis of the characters of the Carboniferous Limestone fossils of Ireland</i> , p. 10, as defined by the neotype (specimen no. GSI:F03400 in the Geological Survey of Ireland) designated under the plenary power (specific name of the type species of <i>Cycloceras</i> M'Coy, 1844) (Cephalopoda, Nautiloidea). Op. 1720	available
<i>laevigatum, Opatrum</i> , Fabricius, 1781, <i>Species Insectorum</i> , 1 : 90 (valid name at the date of Opinion 1039 of the type species of <i>Alphitobius</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1039	available
<i>laevigatus, Ammonites</i> , Sowerby, 1827, <i>Min. Conch.</i> , 6 : 135 (conserved under the plenary power) (Cephalopoda). Op. 685	available
<i>laevigatus, Ammonites</i> , Sowerby, 1827, <i>Min. Conch.</i> , 6 : 93 (conserved under the plenary power) (Cephalopoda). Op. 685	available
<i>laevis, Atrypa</i> , Vanuxem, 1842, <i>Natural History of New York</i> , p. 120 (specific name of the type species of <i>Meristella</i> Hall, 1859) (Brachiopoda). Op. 1899	available
<i>laevis, Doris</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1083 (valid name at the date of Opinion 812 of the type species of <i>Cadlina</i> Bergh, 1878) (Gastropoda). Op. 812	available
<i>laevis, Pagurus</i> , Bell, 1845, <i>Hist. Brit. stalk-eyed Crust.</i> (4): 184 (specific name of the type species of <i>Anapagurus</i> Henderson, 1886) (Crustacea, Decapoda). Op. 712	available
<i>laevis, Pentamerus</i> , Sowerby, 1813, <i>Min. Conch.</i> , 1 : 76* (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 297	index
<i>laevis, Planorbis</i> , Alder, 1838, <i>Trans. nat. Hist. Soc. Northumb.</i> , 2 : 337 (Gastropoda). Op. 336	available

<i>laevis</i> , <i>Turbo</i> , Pennant, 1777, <i>British zoology</i> , Ed. 4, vol. 4, p. 130 (octavo edition) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1739	index
<i>laeviventris</i> , <i>Anolis</i> , Wiegmann, 1834, <i>Herpet. mex.</i> : 47 (Reptilia). Op. 637	available
LAGANIDAE (correction of ‘Les Laganes’) Desor, 1858, <i>Syn. Echin. foss.</i> : 216, 217 (type genus: Laganum Link, 1807) (Echinoidea). Op. 608	available
<i>Laganum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
Laganum Link, 1807, <i>Beschr. Nat.-Sammel. Univ. Rostock</i> : 161 (gender: neuter) (type species, by absolute tautonymy: Echinodiscus laganum Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 204) (Echinoidea). Op. 608	available
laganum , Echinodiscus , Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 204 (specific name of the type species of Laganum Link, 1807) (Echinoidea). Op. 608	available
<i>Lagidium</i> Malaise, 1933, <i>Entomol. Tidskr.</i> , 54 : 55 (a junior homonym of Lagidium Meyen, 1833). Direction 24	index
Lagidium Meyen, 1833, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 16 (2): 576 (gender: neuter) (type species, by monotypy: Lagidium peruanum Meyen, 1833, <i>Nova. Acta Acad. Caes. Leop. Carol.</i> , 16 (2): 578) (Mammalia). Op. 110	available
<i>Lagochilos</i> Holmberg, 1918, <i>Physis</i> (Buenos Aires), 4 : 2 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
Lagomeryx Roger, 1904, <i>Bericht des Naturwissenschaftlichen Vereins für Schwaben und Neuburg (a.V.) Augsburg</i> , 36 : 18 (gender: masculine) (type species, by designation under the plenary power: Lagomeryx rueitimeyeri Thenius, 1948) (Mammalia, Artiodactyla). Op. 1790	available
lagopus , Canis , Linnaeus, 1758, <i>Systema Natura</i> e, Ed. 10, vol. 1, p. 40 (specific name of the type species of Alopex Kaup, 1829) (Mammalia). Op. 384	available
lagura , Scolopendra , Linnaeus, 1758, <i>Systema Natura</i> e, Ed. 10, vol. 1, p. 637 (specific name of the type species of Polyxenus Latreille, [1802]) (Diplopoda). Op. 905	available
<i>Laiochochlis</i> Dunker & Metzger, 1874, <i>Nachrichtsblatt der Deutschen Malakozoologischen Gesellschaft</i> , 6 (1): 7, ruled under the plenary power to be an incorrect original spelling of Laeocochlis Dunker & Metzger, 1874 (Gastropoda). Op. 1700	index
<i>Laiocochlis</i> Dunker & Metzger, 1874, <i>Jahrbücher der Deutschen Malakozoologischen Gesellschaft</i> , 1 (2): pl. 7, fig. 3, ruled under the plenary power to be an incorrect original spelling of Laeocochlis Dunker & Metzger, 1874 (Gastropoda). Op. 1700	index
lalandeanus , Ammonites , d’Orbigny, 1848, <i>Pal. franç.</i> , Terr. jurass., 1 : 477, pl. 175 (specific name of the type species of Pachyceras Bayle, 1878) (Cephalopoda). Op. 437	available

<i>lalandei</i> , <i>Palinurus</i> , Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 24 (an incorrect subsequent spelling for <i>lalandii</i> , <i>Palinurus</i> , Milne Edwards, 1837). Op. 612	index
<i>Lalandeites</i> Breistroffer, 1947, <i>P.V. mens. Soc. Sci. Dauphiné</i> , 26 (195) (pages not numbered) (a junior objective synonym of <i>Pachyceras</i> Bayle, 1878). Op. 437	index
<i>lalandii</i> , <i>Palinurus</i> , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 293 (specific name of the type species of <i>Jasus</i> Parker, 1883) (Crustacea, Decapoda). Op. 612	available
<i>lamarckii</i> , <i>Inoceramus</i> , Parkinson, 1819, <i>Trans. geol. Soc. London</i> , 5 (1): 55 (Bivalvia). Op. 473	available
<i>lamberti</i> , <i>Ammonites</i> , Sowerby, 1819, <i>Min. Conch.</i> , 3 : 73, pl. 242, figs. 1-3 (specific name of the type species of <i>Lamberticeras</i> Buckman, 1920) (Cephalopoda). Op. 324	available
<i>Lamberticeras</i> Buckman, 1920, <i>Type Ammonites</i> , 3 : 14, pl. 154 (gender: neuter) (type species, by original designation: <i>Ammonites lamberti</i> Sowerby, 1819, <i>Min. Conch.</i> , 3 : 73, pl. 242, figs. 1-3) (Cephalopoda). Op. 324	available
<i>Lamberticeras</i> Kilian, 1910, in Roemer, <i>Lethaea geognostica</i> , 3 (No. 1) (Lief. 2): 194 (a nomen nudum). Op. 324	index
<i>lambriformis</i> , <i>Merocryptus</i> , Milne Edwards, 1873, <i>J. Mus. Godeffroy</i> , 1 (No. 4): 85 (specific name of the type species of <i>Merocryptus</i> Milne Edwards, 1873) (Crustacea, Decapoda). Direction 36	available
<i>Lambrus</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 310 (a junior objective synonym of <i>Parthenope</i> Weber, 1795). Op. 696	index
<i>lamellata</i> , <i>Helix</i> , Jeffreys, 1830, <i>Trans. linn. Soc. London</i> , 16 : 333 (Gastropoda). Op. 336	available
<i>lamellatum</i> , <i>Xylosteon</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 64 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>lamelligera</i> , <i>Onychomorpha</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 162 (specific name of the type species of <i>Onychomorpha</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>lamia</i> , <i>Carcharias</i> , Rafinesque, 1810, <i>Indice Ittiol. Sicilia</i> : 44 (a junior objective synonym of <i>carcharias</i> , <i>Squalus</i> , Linnaeus, 1758). Op. 723	index
<i>lamia</i> , <i>Roeselia</i> , Meigen, 1838, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 7, p. 254, as defined by the neotype designated by O'Hara, 1985, <i>Bulletin of Zoological Nomenclature</i> , 42 : 95 (specific name of the type species of <i>Actia</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 1432	available
<i>laminatus</i> , <i>Turbo</i> , Montagu, 1803, <i>Test. brit.</i> , 2 : 359 (Gastropoda). Op. 336	available
<i>laminosa</i> , <i>Phyllodoce</i> , Lamarck, 1818, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 5, p. 316 (specific name of the type species of <i>Phyllodoce</i> Lamarck, 1818) (Polychaeta). Op. 1692	available

Lampra Dejean, 1833, Catalogue des coléoptères de la collection de M. le Comte Dejean, Ed. 2, part 1, p. 78 (a junior homonym of *Lampra* Hübner, 1821) (Insecta, Coleoptera). Op. 1825

index

Lamprocabera Inoue, 1958, *Tinea*, **4**: 253 (gender: feminine) (type species, by designation under the plenary power: *Bapta candidaria* Leech, 1897, *Ann. Mag. nat. Hist.*, (6)**19**: 198) (Insecta, Lepidoptera). Op. 1305

available

Lampyris Geoffroy, 1762, *Hist. abr. Ins. Env. Paris*: 165 (gender: feminine) (type species, by designation under the plenary power: *Cantharis noctiluca* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 400) (Insecta, Coleoptera). Op. 1273

available

lanata, *Arctopsis*, Lamarck, 1801, *Syst. Anim. sans Vertèbr.*: 155 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 708

index

lanatus, *Cancer*, Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 1044 (Crustacea, Decapoda). Op. 688

available

lanceocaudata, *Systellaspis*, Bate, 1888, *Rep. Voy. 'Challenger'* (Zool.), **24**: 758 (specific name of the type species of *Systellaspis* Bate, 1888) (Crustacea, Decapoda). Op. 470

available

lanceolata, *Fasciola*, Rudolphi, 1803, *Archiv Zool.* (Wiedemann), **3**(2): 24 (a junior primary homonym of *lanceolata*, *Fasciola*, Schrank, 1790). Direction 76

index

lanceolatus, *Belemnites*, Schlotheim, 1813, *Leonhard's Tasch. Min.*, **7**: 111 (specific name of the type species of *Belemnella* Nowak, 1913) (Cephalopoda). Op. 1328

available

lanceolatus, *Trigonograpsus* [sic], Nicholson, 1869, *Ann. Mag. nat. Hist.*, (4)**4**: 231 (specific name of the type species of *Trigonograptus* Nicholson, 1869) (Graptolithina). Op. 650

available

lancifer, *Musca*, Harris, [1780], *An exposition of English insects*, part 4, p. 126, as defined by the neotype (the male specimen labelled 'England, Surrey: Bookham Common, Broadway North, 25.x.1969, A.C. & B. Pont' in the Natural History Museum, London) designated under the plenary power (specific name of the type species of *Hydphoria* Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 1827

available

lancifer, *Trigonocephalus*, Oken, 1816, *Lehrb. Naturgesch.*, **3**: 270 (included in a work rejected for nomenclatural purposes). Op. 651

index

Langaha Bonnaterre, 1790, *Ophiologie, in: Tableau Encyclopédique et Méthodique des Trois Règnes de la Nature*, p. 71 (gender: feminine) (type species, by monotypy: *Langaha madagascariensis* Bonnaterre, 1790) (Reptilia). Op. 1463

available

laniaria, *Cynochampsia*, Owen, 1859, *Quart. J. geol. Soc. London* (1), *Proc. geol. Soc. London*, **16**: 61 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1324

index

lanio, *Cicada*, Linnaeus, 1761, *Fauna svec.* (ed. 2): 892 (specific name of the type species of *Iassus* Fabricius, 1803) (Insecta, Hemiptera). Op. 612

available

<i>Lanius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 93 (gender: masculine) (type species, by designation by Swainson, 1824 (<i>Zool. J.</i> , 1 : 294); <i>Lanius excubitor</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 94) (Aves). Op. 67 <i>lanius</i> , <i>Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 352 (specific name of the type species of <i>Gymnetis</i> MacLeay, 1819) (Insecta, Coleoptera). Op. 806	available
<i>lantzi</i> , <i>Triton vulgaris</i> subsp. typica forma, Wolterstorff, 1914, <i>Abh. Ber. Mus. Magdeburg</i> , 2 (4): 375 (conserved under the plenary power) (Amphibia). Op. 642	available
<i>Laomedea</i> Lamouroux, 1812, <i>Nouv. Bull. Sci. Soc. philom. Paris</i> , 3 : 184 (gender: feminine) (type species, by designation under the plenary power: <i>Laomedea flexuosa</i> Alder, 1857, <i>Trans. Tyneside Nat. Fld. Cl.</i> , 3 : 122) (Hydrozoa). Op. 1345	available
<i>lapathi</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 379 (specific name of the type species of <i>Cryptorhynchus</i> Illiger, 1807) (Insecta, Coleoptera). Op. 808	available
<i>lapicida</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 768 (Gastropoda). Op. 336	available
<i>lapidei</i> , <i>Pori</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 14 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>lapideus</i> , <i>Mytilus</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 61 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>lapideus</i> , <i>Unguis</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 80 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>lapidum</i> , <i>Paludina</i> , d'Orbigny, 1835, <i>Magasin de Zoologie</i> , Classe 5 (Mollusques), 5 (62): 29, as defined by the lectotype (specimen no. 1854.12.4.339 in the d'Orbigny collection in the Natural History Museum, London) designated by Pons da Silva & Davis, 1983, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 135 : 143 (specific name of the type species of <i>Potamolithus</i> Pilsbry & Rush, 1896) (Gastropoda). Op. 1779	available
<i>Laplysia</i> Lamarck, 1801, <i>Système des animaux sans vertèbres</i> , p. 62, ruled under the plenary power to be an incorrect subsequent spelling of <i>Laplysia</i> Linnaeus, 1767 (emended to <i>Aplysia</i> in Opinion 200) (Gastropoda). Op. 1471	index
<i>Laplysia</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1082 (an incorrect original spelling for <i>Aplysia</i> Linnaeus, 1767). Op. 200	index
<i>lapponica</i> , <i>Blatta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425 (specific name of the type species of <i>Ectobius</i> Stephens, 1835) (Insecta, Orthoptera). Direction 64	available
<i>Laqueus</i> Dall, 1870, <i>Amer. J. Conch.</i> , 6 : 123 (gender: masculine) (type species, by original designation: <i>Terebratula californiana</i> (Koch MS) Küster, [1844], <i>in Martini, Syst. Conch. Cabinet</i> , 7 (1): pl. 2b; <i>id.</i> , [1848], <i>ibid.</i> , 7 : 38) (Brachiopoda). Op. 449	available
<i>laqueus</i> , <i>Ammonites</i> , Quenstedt, 1856, <i>Der Jura</i> , p. 43 (Ammonoidea). Op. 2123	available

<i>lar, Crangon</i> , Owen, 1839, <i>Zool. Beechey's Voy.</i> 'Blossom': 88 (specific name of the type species of <i>Argis</i> Krøyer, 1842) (Crustacea, Decapoda). Op. 470	available
<i>lar, Homo</i> , Linnaeus, 1771, <i>Mantissa Plant.</i> (2): 521 (specific name of the type species of <i>Hylobates</i> Illiger, 1811) (Mammalia). Direction 22, Op. 1219	available
<i>Lara</i> Le Conte, 1852, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 6: 42 (gender: feminine) (type species, by monotypy: <i>Lara avara</i> Le Conte, 1852) (Insecta, Coleoptera). Op. 1515	available
LARAINI Le Conte, 1861, <i>Smithsonian Miscellaneous Collections</i> , 3: 116 (type genus: <i>Lara</i> Le Conte, 1852), spelling emended from LARINI by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Lara</i> Le Conte, 1852 is LARA- (Insecta, Coleoptera). Op. 1515	available
<i>Laria</i> Schrank, 1802, <i>Fauna boica</i> , 2(2): 150 (a junior homonym of <i>Laria</i> Scopoli, 1763). Op. 1283	index
<i>Laria</i> Scopoli, 1763, <i>Entomologia Carniolica</i> , p. 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1809	index
<i>laricis, Adelges</i> , Vallot, 1836, <i>C.R. Acad. Sci.</i> , Paris, 3: 72 (specific name of the type species of <i>Adelges</i> Vallot, 1836) (Insecta, Hemiptera). Op. 731	available
<i>laricis, Anurophorus</i> , Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6: 53 (specific name of the type species of <i>Anurophorus</i> Nicolet, [1842]) (Insecta, Collembola). Op. 439	available
LARIDAE Rafinesque-Schmaltz, 1815, <i>Analyse de la Nature ou Tableau de l'Univers et des Corps organisés</i> , p. 72 (type genus: <i>Larus</i> Linnaeus, 1758) (Aves). Op. 1515	available
LARIIDAE (as LARIAE) Newman, 1832, <i>Sphinx vespiformis: an essay</i> : table facing pp. 31, 40, 44 (type genus: <i>Laria</i> Schrank, 1802) (invalid because the name of the type genus is a junior homonym). Op. 1283	index
<i>LARINI</i> Le Conte, 1861, <i>Smithsonian Miscellaneous Collections</i> , 3: 116, spelling emended to LARAINI following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Lara</i> Le Conte, 1852 is LARA- (a junior homonym of LARIDAE Rafinesque-Schmaltz, 1815) (Insecta, Coleoptera). Op. 1515	index
<i>Larius</i> Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 42 (ref. pl. 683) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 938	index
<i>Larnaudia</i> Bott, 1966, <i>Senckenbergiana biologica</i> , 47(6): 490 (gender: feminine) (type species, confirmed by the Commission to be by monotypy: <i>Thelphusa larnaudii</i> Milne Edwards, 1869) (Crustacea, Decapoda). Op. 1640	available
<i>larnaudii, Thelphusa</i> , Milne Edwards, 1869, <i>Nouvelles archives du Muséum d'Histoire Naturelle de Paris</i> , 5: 166 (specific name of the type species of <i>Larnaudia</i> Bott, 1966) (Crustacea, Decapoda). Op. 1640	available

<i>Larus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 136 (gender: masculine) (type species, by subsequent designation by Selby, 1840, <i>Tracts of Zoology</i> (1788-1867), 11 : 48: <i>Larus marinus</i> Linnaeus, 1758) (Aves). Op. 1515	available
<i>larvatus, Oriolus</i> , Lichtenstein, 1823, <i>Verzeichniss der Doubletten des Zoologischen Museum der Königl. Universität zu Berlin</i> ..., p. 20 (Aves). Op. 1859	available
<i>Lasioptera</i> Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1 : 88 (gender: feminine) (type species, as ruled under the plenary power, by designation by Karsch, 1878 (<i>Revision der Gallmücken</i> : 14): <i>Lasioptera picta</i> Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1 : 89) (Insecta, Diptera). Op. 929	available
<i>Lasiopus</i> Geoffroy Saint-Hilaire, 1839, <i>Mag. Zool.</i> , (2) 1 : 4 (a junior homonym of <i>Lasiopus</i> Schoenherr, 1823, and a junior objective synonym of <i>Ichneumia</i> Geoffroy Saint-Hilaire, 1837). Op. 384	index
<i>Lasiopus</i> Gervais, [1835], <i>Resumé Leçons Mammalogie</i> : 37 (a junior homonym of <i>Lasiopus</i> Schoenherr, 1823). Op. 384	index
<i>lasiotis, Myoxus</i> , Thomas, 1880, <i>Proceedings of the Zoological Society of London</i> , 1880 (1): 40 (a junior objective synonym of <i>Myoxus elegans</i> Temminck, 1844 and of <i>Myoxus japonicus</i> Schinz, 1845) (Mammalia). Op. 1978	index
<i>Lasius</i> Fabricius, [1804-1805], <i>Syst. Piezat.</i> : 415 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Formica nigra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 580) (Insecta, Hymenoptera). Op. 151	available
<i>Lasius</i> Panzer, [1801-1802], <i>Fauna Ins. germ.</i> (86): tab. 16 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 4	index
<i>lata, Dilophaspis</i> , Traquair in Walther, 1903, <i>Neues Jahrbuch für Mineralogie, Geologie und Paläontologie</i> , 17 : 30-31 (specific name of the type species of <i>Dilophaspis</i> Traquair in Walther, 1903) (Malacostraca). Op. 2109	available
<i>lateralis, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 597 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 884	index
<i>lateritus, Platycnemus</i> , Nordmann, 1837, <i>Symbolae ad monographiam staphylinorum</i> , p. 135 (specific name of the type species of <i>Platycnemus</i> Nordmann, 1837) (Insecta, Coleoptera). Op. 1851	available
<i>Laternaria</i> Linnaeus, 1764, <i>Mus. Lud. Ulr.</i> : 152 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 322	index
<i>laternaria, Cicada</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 434 (specific name of the type species of <i>Fulgora</i> Linnaeus, 1767) (Insecta, Hemiptera). Op. 322	available
<i>lathami, Psittacus</i> , Temminck, 1807, <i>Catalogue systématique du cabinet d'ornithologie et de la collection de quadrumanes de Crd. Jb. Temminck</i> , p. 21 (Aves, Psittaciformes). Op. 1833	available

<i>lathyri</i> , <i>Leptosia</i> , Hübner, [1819], <i>Verz. bekannt. Schmett.</i> : 95 (a junior objective synonym of <i>sinapis</i> , <i>Papilio</i> , Linnaeus, 1758). Op. 584	index
<i>lathyri</i> , <i>Papilio</i> , Hübner, [1823], <i>Samml. europ. Schmett.</i> : pl. <i>Pap.</i> 160, figs. 797, 798 (not a new name but a later, though different, usage of <i>Leptosia lathyri</i> Hübner, [1819]). Op. 584	index
<i>lathyri</i> , <i>Pieris</i> , Duponchel, 1834, in Godart, <i>Hist. nat. Lépid. France</i> , Suppl. 1 (Diurnes): 274, pl. 43, figs. 4, 5 (not a new name but a later, though different, usage of <i>Leptosia lathyri</i> Hübner, [1819], based on a misidentification of that species). Op. 584	index
<i>laticarinata</i> , <i>Chelydra</i> , Hay, 1916, <i>Annual Report of the Florida State Geological Survey</i> , vol. 8, p. 72, ruled under the plenary power not to be given priority over the specific name of <i>Chelydra osceola</i> Stejneger, 1918 whenever the two names are considered to be synonyms (Reptilia, Testudines). Op. 1377	available
<i>laticauda</i> , <i>Rhopalurus</i> , Thorell, 1876, <i>Annals and Magazine of Natural History</i> , (4)17: 9 (specific name of the type species of <i>Rhopalurus</i> Thorell, 1876) (Arachnida). Op. 2096	available
<i>latifrons</i> , <i>Chaetodacus</i> , Hendel, 1915, <i>Annales Historico-Naturales Musei Nationalis Hungarici</i> , 13: 425, as defined by the male lectotype from Tainan (Taiwan) (in the Natural History Museum, London, and denoted by a standard purple-edged lectotype label) designated by White & Liquido, 1995, <i>Bulletin of Zoological Nomenclature</i> , 52: 251, ruled under the plenary power to be given precedence over the specific name of <i>Dacus parvulus</i> Hendel, 1912 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1864	available
<i>latifrons</i> , <i>Lonchaea</i> , Meigen, 1826, <i>Syst. Beschr. zweifl. Ins.</i> , 5: 308 (specific name of the type species of <i>Dasiops</i> Rondani, 1856) (Insecta, Diptera). Op. 652	available
<i>latifrons</i> , <i>Lyda</i> , Fallén, 1808, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , 29: 226, the following specimen is designated under the plenary power to be the neotype: the female specimen, lectotype of <i>Lydia maculosa</i> Zaddach, 1866 designated by Beneš, 1976, <i>Acta Entomologica Bohemoslovaca</i> , 73: 162, labelled 'Type' [red label], 'steckte mit maculosa', 'maculosa', 'Zool. Mus. Berlin'; 'Lectotype' [red label] and 'maculosa Zd. Beneš, 1971', 'Pamphilus latifrons Fall. det. Beneš 71,' 'Pamphilus latifrons (Fallén) Det. A. Shinohara, 1995', held in the Museum für Naturkunde, Berlin (Insecta, Hymenoptera). Op. 2101	available
<i>latifrons</i> , <i>Machaerilaemus</i> , Harrison, 1915, <i>Parasitology</i> , 7: 390 (specific name of the type species of <i>Machaerilaemus</i> Harrison, 1915) (Insecta, Mallophaga). Op. 343	available
<i>latina</i> , <i>Eatoniella</i> , Marincovich, 1973, <i>Natural History Museum Los Angeles County Science Bulletin</i> , 16: 26 replacement name for <i>Paludina nigra</i> d'Orbigny, 1840 (Gastropoda) Op. 2202	available
<i>Latiorina</i> Tutt, 1909, <i>Entomol. Rec.</i> , 21: 108 (a junior objective synonym of <i>Agriades</i> Hübner, [1819]). Op. 270	index
<i>latipes</i> , <i>Atractocera</i> , Meigen, 1804, <i>Klassifikation und Beschreibung der europäischen zweiflügeligen Insekten. (Diptera Linn.)</i> , vol. 1, part 1, p. 96, ruled by the Commission to be defined by the holotype recognised by Crosskey & Davies, 1972, <i>Entomologist's Gazette</i> , 23(4): 251-254 (Insecta, Diptera). Op. 1416	available

<i>latipes, Cancer</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 3 (specific name of the type species of <i>Portumnus</i> [Leach, 1814]) (Crustacea, Decapoda). Direction 84	available
<i>latipes, Cydnus</i> , Westwood, 1837, <i>A catalogue of Hemiptera in the collection of the Rev. F.W. Hope with short Latin descriptions of new species</i> , part 1, p. 18, as defined by the neotype designated by Lis, 1990, <i>Annals of the Upper Silesian Museum - Entomology</i> , 1 : 169 (specific name of the type species of <i>Scoparipes</i> Signoret, 1880) (Insecta, Heteroptera). Op. 1707	available
<i>latipinna, Mollienesia</i> , Lesueur, 1821, <i>J. Acad. nat. Sci. Philadelphia</i> , 2 (1): 3, 4 (a name to be given precedence, by direction under the plenary power, over <i>multilineata</i> , <i>Poecilia</i> , Lesueur, 1821) (Osteichthyes). Op. 569	available
<i>laticapus, Aenasioidea</i> , Girault, 1911, <i>Canadian Entomologist</i> , 43 (5): 173 (specific name of the type species of <i>Aenasioidea</i> Girault, 1911) (Insecta, Hymenoptera). Op. 1898	available
<i>latissima, Ostrea</i> , Brocchi, <i>Conchiologia fossile subapennina con osservazioni geologiche sugli Appenini et sul suolo adiacente</i> , vol. 2, p. 101 (specific name of the type species of <i>Gigantopecten</i> Rovereto, 1899, the replacement name of <i>Macrochlamys</i> Sacco, 1897) (Bivalvia) Op. 2203	available
<i>latisulcatus, Ammonites</i> , Quenstedt, 1883, <i>Die Ammoniten des Schwäbischen Jura</i> , p. 85 (specific name of the type species of <i>Epammonites</i> Spath, 1922) (Ammonoidea). Op. 2123	available
<i>Latoclythus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Latona</i> Schumacher, 1817, <i>Essai d'un nouveau système des vers testacés</i> (Copenhagen): 156 (gender: feminine) (type species, by designation under the plenary power: <i>Donax cuneatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 683) (Bivalvia). Op. 1057	available
<i>latreillei, Tylos</i> , Audouin, [1826], in Savigny, <i>Descr. Egypte</i> , 1 (4) (Expl. somm. Pl. Crust.): 97 (specific name of the type species of <i>Tylos</i> (Latreille MS) Audouin, [1826]) (Crustacea, Isopoda). Op. 369	available
<i>Latreillia</i> Robineau-Desvoidy, 1830, <i>Mém. Acad. roy. Sci. Inst. France</i> , 2 : 104 (a junior homonym of <i>Latreillia</i> Roux, 1830). Op. 712	index
<i>Latreillia</i> Roux, 1830, <i>Crust. Médit.</i> (5): pl. 22 (gender: feminine) (type species, by monotypy: <i>Latreillia elegans</i> Roux, 1830, <i>Crust. Médit.</i> (5): pl. 22) (Crustacea, Decapoda). Op. 712	available
LATREILLIDEA Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 226 (type genus: <i>Latreillia</i> Roux, 1830) (an incorrect original spelling for LATREILLIIDAE Stimpson, 1858). Op. 712	index
LATREILLIIDAE (correction of LATREILLIDEA) Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 226 (type genus: <i>Latreillia</i> Roux, 1830) (Crustacea, Decapoda). Op. 712	available

<i>Latreutes</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 27 (gender: masculine) (type species, by designation by Kingsley, 1880 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1879 : 413); <i>Hippolyte ensiferus</i> Milne Edwards, 1837, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 2 : 374, valid name: Palaemon fucorum Fabricius, 1798) (Crustacea, Decapoda). Op. 470	available
<i>Latro</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 134 (a junior objective synonym of Pagurus Fabricius, 1775). Op. 472	index
<i>Latrodectes</i> Canestrini & Pavesi, 1869, <i>Atti Soc. Ital. Sci. nat.</i> , 11 (No. 3): 45 (an unjustified emendation of Latrodectus Walckenaer, 1805). Direction 66	index
<i>Latrodectus</i> Walckenaer, 1805, <i>Tabl. Aran.</i> : 81 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 424, 125); Aranea tredecimguttata Rossi, 1790, <i>Fauna Etrusca</i> , 2 : 136) (Arachnida). Op. 104, Direction 66	available
<i>latus</i> , <i>Trichodectes</i> , Nitzsch, 1818, <i>Mag. Entomol. (Germar)</i> , 3 : 296 (a junior objective synonym of canis , Ricinus , de Geer, 1778). Op. 627	index
<i>Lauria</i> Gray, 1840, <i>in Turton, Manual land & fresh-water Shells brit. Islands</i> (ed. 2): 193 (gender: feminine) (type species, by designation by Herrmannsen, 1847 (<i>Indicis Gen. Malacoz. Primordia</i> , 1 : 578); <i>Pupa umbilicata</i> Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 58, valid name: Turbo cylindraceus da Costa, 1778) (Gastropoda). Op. 335	available
LAURIEAE Thiele, 1931, <i>Handb. syst. Weichtierk.</i> , 2 : 509 (published as a name for a taxon below subfamily rank) (type genus: Lauria Gray, 1840) (Gastropoda). Direction 27	available
<i>lavaretus</i> , Salmo , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 310 (specific name of the type species of Coregonus Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>lavaterae</i> , Aphis , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 154 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>laverani</i> , <i>Haemamoeba</i> , Labbé, 1894, <i>Arch. Zool. expér. gén.</i> , (3) 2 : 170 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 283	index
<i>Laverania</i> Feletti & Grassi, December 1889, <i>Sui Parasiti della Malaria</i> (a paper also published in January 1890, <i>Riforma medica</i> , 6 (11): 63) (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: Haematozoon falciparum Welch, 1897, <i>in Loomis, Syst. pract. Med.</i> , 1 : 36) for use by those who consider that the type species of this genus is generically distinct from that of Plasmodium Marchiafava & Celli, 1885 (Sporozoa). Op. 104, Op. 283	available
<i>Laverania</i> Theobald, 1902, <i>J. trop. Med.</i> , 5 : 183; <i>id.</i> , 1903, <i>Monogr. Culic.</i> , 3 : 181 (a junior homonym of Laverania Feletti & Grassi, 1889). Direction 76	index
<i>lazarus</i> , Chama , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 691 (specific name of the type species of Chama Linnaeus, 1758) (Bivalvia). Op. 484	available

<i>leachi</i> , Ammonites , Sowerby, 1819, <i>Min. Conch.</i> , 3 : 73, pl. 242, fig. 4 (specific name of the type species of <i>Quenstedtoceras</i> (emendation of <i>Quenstedioceras</i>) Hyatt, 1877) (Cephalopoda). Op. 324	available
<i>Leachia</i> Risso, 1826, <i>Histoire naturelle des principales productions de l'Europe méridionale</i> , p. 102 (a junior homonym of <i>Leachia</i> Lesueur, 1821) (Cephalopoda). Op. 2161	index
<i>leachii</i> , Nematus , Dahlbom, 1835, <i>Clavis Hymenopt.</i> : 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 906	index
<i>Leander</i> Desmarest, 1849, <i>Ann. Soc. entomol. France</i> , (2) 7 : 92 (gender: masculine) (type species, by monotypy: <i>Leander erraticus</i> Desmarest, 1849, <i>Ann. Soc. entomol. France</i> , (2) 7 : 92) (Crustacea, Decapoda). Op. 564	available
<i>lebanonensis</i> , Drosophila , Wheeler, 1949, <i>University of Texas Publications</i> , 49 20 : 143 (Insecta, Diptera). Op. 1969	available
<i>lebasii</i> , Acinaces , Gerstaeker, 1858, <i>Monogr. Endomych.</i> : 179 (specific name of the type species of <i>Acinaces</i> Gerstaeker, 1858) (Insecta, Coleoptera). Op. 487	available
<i>Lebbeus</i> White, 1847, <i>List Crust. Coll. Brit. Mus.</i> : 76, 135 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Alpheus polaris</i> Sabine, 1824, <i>Suppl. App. Parry's Voy. N.W. Passage</i> : cxxxviii) (Crustacea, Decapoda). Op. 671	available
<i>leberis</i> , Coluber , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 216 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 632	index
<i>Lebia</i> Oken, 1817, <i>Isis</i> , 1 : 1183 (a junior homonym of <i>Lebia</i> Latreille, 1802) (Osteichthyes). Op. 2057	index
<i>Lebias</i> Goldfuss, 1820, <i>Handbuch der Zoologie</i> , vol. 2, p. 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 2057	index
<i>lebona</i> , Hypolycaena , Hewitson, [1865], <i>Ill. diurn. Lep., Lyc.</i> , (2): 51, pl. 23 (specific name of the type species of <i>Tatura</i> Butler, [1888]) (Insecta, Lepidoptera). Op. 994	available
<i>Lecanium</i> Burmeister, 1835, <i>Handb. Entomol.</i> , 2 : 69 (a junior objective synonym of <i>Coccus</i> Linnaeus, 1758). Op. 1303	index
<i>Lechriodus</i> Boulenger, 1882, <i>Cat. Batrachia Gradientia Caudata</i> : 116 (gender: masculine) (type species, by monotypy, through <i>Batrachopsis</i> Boulenger, 1882: <i>Asterophys melanopyga</i> Doria, 1875, <i>Ann. Mus. civ. Stor. nat. Genova</i> , 6 : 355, 356) (Amphibia). Op. 1063	available
<i>lectularius</i> , Cimex , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 441 (specific name of the type species of <i>Cimex</i> Linnaeus, 1758) (Insecta, Hemiptera). Direction 64	available
<i>Ledella</i> Verrill & Bush, 1897, <i>Amer. J. Sci.</i> , 3 : 54 (gender: feminine) (type species, by designation under the plenary power: <i>Ledella bushae</i> Warén, 1978, <i>Sarsia</i> , 63 : 213, 214) (Bivalvia). Op. 1306	available

<i>Ledra</i> Fabricius, 1803, <i>Syst. Rhyng.</i> : 24 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 434, 264): <i>Cicada aurita</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 435) (Insecta, Hemiptera). Op. 299	available
LEDRIDAE Kirschbaum, [1867], <i>Jahrb. nassau. Ver. Naturk.</i> , 21/22 : 14 (type genus: <i>Ledra</i> Fabricius, 1803) (Insecta, Hemiptera). Op. 647	available
<i>leeanus, Lipaesthesia</i> , Rathbun, 1898, <i>Proc. U.S. nat. Mus.</i> , 21 (No. 1162): 585 (specific name of the type species of <i>Lipaesthesia</i> Rathbun, 1898) (Crustacea, Decapoda). Direction 36	available
<i>Leechia</i> Tutt, [1907], <i>Nat. Hist. Brit. Butts.</i> , 2 : 142 (a junior homonym of <i>Leechia</i> South, 1901). Op. 541	index
<i>Leichotes</i> Gistl, 1834, <i>Die Insecten-Doubletten aus der Sammlung des Herrn Grafen Rudolph von Jenison Walworth zu Regensburg</i> , no. 1, p. 9 (a junior objective synonym of <i>Ischnosoma</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1726	index
<i>leilus, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 462 (specific name of the type species of <i>Urania</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>leiogaster, Sardinella</i> , Valenciennes, 1847, in Cuvier & Valenciennes, <i>Hist. nat. Poiss.</i> , 20 : 270 (Osteichthyes). Op. 901	available
<i>Leiopelma</i> Fitzinger, 1861, <i>Verh. zool.-bot. Ges. Wien</i> , 11 : 218 (gender: neuter) (type species, by monotypy: <i>Leiopelma hochstetteri</i> Fitzinger, 1861, <i>Verh. zool.-bot. Ges. Wien</i> , 11 : 218) (Amphibia). Op. 1071	available
LEIOPELMATIDAE (emendation under the plenary power of LIOPELMATINA) Mivart, 1869, <i>Proc. zool. Soc. London</i> , 1869 : 291 (type genus: <i>Leiopelma</i> Fitzinger, 1861) (Amphibia). Op. 1071	available
LEIOPELMIDAE Turbott, 1942, <i>Trans. roy. Soc. N.Z.</i> , 71 : 247 (type genus: <i>Leiopelma</i> Fitzinger, 1861) (a junior objective synonym of LEIOPELMATIDAE Mivart, 1869). Op. 1071	index
<i>Leiparthrum</i> Wollaston, 1854, <i>Insecta Maderensis, being an account of the insects of the islands of the Madeiran group</i> : 294 (an incorrect original spelling for <i>Liparthrum</i> Wollaston, 1854). Op. 1166	index
<i>Leistes</i> Vigors, 1825, <i>Zool. J.</i> , 2 (6): 191 (gender: masculine) (type species, by original designation: <i>Oriolus americanus</i> Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 386, valid name: <i>Emberiza militaris</i> Linnaeus, 1758) (Aves). Op. 67	
<i>Lekanesphaera</i> Verhoeff, 1943, <i>Zeitschrift für Morphologie und Ökologie der Tiere</i> , 39 : 169 (gender: feminine) (type species, by monotypy: <i>Europosphaera</i> (<i>Lekanesphaera</i>) <i>excavatum</i> Verhoeff, 1943, a junior subjective synonym of <i>Sphaeroma monodi</i> Arcangeli, 1934) (Isopoda). Op. 1574	available
<i>Lema</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 4, 90 (gender: feminine) (type species, by designation under the plenary power: <i>Lema cyanea</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 92) (Insecta, Coleoptera). Op. 908	available

<i>lemana</i> , <i>Sigara</i> , Fieber, 1860, <i>Die europäischen Hemiptera</i> , p. 89 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1491	index
<i>lemniscatus</i> , <i>Coluber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 224 (specific name of the type species of <i>Elaps</i> Schneider, 1801) (Reptilia). Op. 1201	available
<i>Lemonias</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Lemur</i> Hübner, [1809]-[1813], <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 5 (ref. to <i>Zutr. Samml. exot. Schmett.</i> , 1: pls. [5], [17]) (a junior homonym of <i>Lemur</i> Linnaeus, 1758). Direction 24	index
<i>Lemur</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 29 (gender: masculine) (type species, by designation by Thomas, 1911 (<i>Proc. zool. Soc. London</i> , 1911: 129); <i>Lemur catta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 30) (Mammalia). Op. 122, Direction 24	available
<i>lemur</i> , <i>Maniola</i> , Schrank, 1801, <i>Fauna boica</i> , 1(2): 152, 170, as interpreted by the lectotype designated by Hemming, 1956 (<i>Bull. zool. Nomencl.</i> , 12: 282) (a junior objective synonym of <i>jurtina</i> , <i>Papilio</i> , Linnaeus, 1758). Op. 506	index
<i>leniusculus</i> , <i>Astacus</i> , Dana, 1852, <i>U.S. Explor. Exped.</i> , Crustacea (1): 524 (Crustacea, Decapoda). Op. 855	available
<i>lenkoranicus</i> , <i>Gobius</i> , Kessler, 1877, <i>Tr. Aralo-Casp. Exp.</i> , 4: 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 860	index
<i>lens</i> , <i>Helix</i> , Féruccac, [1832], <i>Hist. nat. gén. partic. Moll. terrestr. fluviat.</i> (Livr. 23) (Planches): explic. pl. 66, fig. 2 (for the date adopted see Kennard, 1942, <i>Proc. malac. Soc. London</i> , 25: 110) (Gastropoda). Op. 336	available
<i>lenticularis</i> , <i>Madreporites</i> , Blumenbach, 1805, <i>Abbildungen naturhistorischer Gegenstände</i> , Heft 8, no. 80 (specific name of the type species of <i>Palorbitolina</i> Schroeder, 1963) (Foraminiferida). Op. 1587	available
<i>Leonaspis</i> Richter & Richter, 1917, <i>Centralbl. Min. Geol. Pal.</i> , 1917: 465 (gender: feminine) (type species, by original designation: <i>Odontopleura leonhardi</i> Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 58) (Trilobita). Op. 498	available
<i>leonhardi</i> , <i>Odontopleura</i> , Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 58 (specific name of the type species of <i>Leonaspis</i> Richter & Richter, 1917) (Trilobita). Op. 498	available
<i>leonidas</i> , <i>Papilio</i> , Fabricius, 1793, <i>Entomol. Syst.</i> , 3: 35 (specific name of the type species of <i>Arisbe</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 823	available
<i>Leontocaris</i> Stebbing, 1905, <i>Mar. Invest. S. Afr.</i> , 4: 21, 98 (gender: feminine) (type species, by monotypy: <i>Leontocaris paulsoni</i> Stebbing, 1905, <i>Mar. Invest. S. Afr.</i> , 4: 99) (Crustacea, Decapoda). Op. 470	available

<i>lepadiformis</i> , <i>Ascidia</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 226 (specific name of the type species of <i>Clavelina</i> Savigny, 1816) (Urochordata). Direction 73	available
<i>Lepas</i> da Costa, 1778, <i>Hist. nat. Test. Brit.</i> : 1 (a junior homonym of <i>Lepas</i> Linnaeus, 1758). Direction 66	index
<i>Lepas</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 667 (gender: feminine) (type species, by designation by Pilsbry, 1907 (<i>Bull. U.S. nat. Mus.</i> , 60 : 79); <i>Lepas anatifera</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 668) (Crustacea, Cirripedia). Op. 77, Direction 66	available
<i>Lephelisca</i> Barnes & Lindsey, 1922, <i>Ann. entomol. Soc. Amer.</i> , 15 : 93 (a junior objective synonym of <i>Calephelis</i> Grote & Robinson, 1869). Op. 755	index
<i>levida</i> , <i>Delphax</i> , Boheman, 1847, <i>Öfvers. K. svenska Vetensk.-Akad. Förhandl.</i> , 1847 : 265 (specific name of the type species of <i>Euconomelus</i> Haupt, 1929) (Insecta, Hemiptera). Op. 648	available
<i>Lepidocyclina</i> Gümbel, [1870], <i>Abh. K.-bayer. Akad. Wiss.</i> , 1868 : 689, 717 (conserved under the plenary power) (gender: feminine) (type species, by designation by Douvillé, 1898 (<i>Bull. Soc. géol. France</i> , (3) 26 : 594); <i>Nummulites mantelli</i> Morton, 1833, <i>Amer. J. Sci.</i> , 23 (2): 291) (Rhizopoda). Op. 127	available
<i>Lepidocyrtus</i> Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839 (1): 391, 392 (gender: masculine) (type species, by monotypy: <i>Lepidocyrtus curvicollis</i> Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839 (1): 392) (Insecta, Collembola). Op. 291	available
<i>Lepidogaster</i> Kent, 1883, <i>Handb. Marine Freshw. Fishes Brit. Is.</i> : 55, 56 (an incorrect subsequent spelling for <i>Lepadogaster</i> Gouan, 1770). Op. 638	index
<i>Lepidomenia</i> Kowalevsky in Brock, 1883, <i>Zoologischer Jahressbericht</i> , 1882 (3): 29, authorship confirmed by the Commission (gender: feminine) (type species, by designation under the plenary power: <i>Lepidomenia hystrix</i> Marion & Kowalevsky in Fischer, 1885) (Solenogastres). Op. 1676	available
LEPIDOMYSIDAE Clarke, 1961, <i>Crustaceana</i> , 2 (3): 252 (type genus: <i>Lepidomysis</i> Clarke, 1961) (Crustacea, Mysidacea). Op. 693	available
<i>Lepidomysis</i> Clarke, 1961, <i>Crustaceana</i> , 2 (3): 251, 252 (gender: feminine) (type species, by monotypy: <i>Lepidophthalmus servatus</i> Fage, 1924, <i>C.R. Acad. Sci., Paris</i> , 178 : 2128) (Crustacea, Mysidacea). Op. 693	available
<i>Lepidopa</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 230 (gender: feminine) (type species, by designation under the plenary power: <i>Lepidopa venusta</i> Stimpson, 1859, <i>Ann. Lyc. nat. Hist. New York</i> , 7 : 79) (Crustacea, Decapoda). Op. 693	available
LEPIDOPHTHALMIDAE Fage, 1924, <i>C.R. Acad. Sci., Paris</i> , 178 : 2129 (type genus: <i>Lepidophthalmus</i> Fage, 1924) (invalid because the name of the type genus is a junior homonym). Op. 693	index
<i>Lepidophthalmus</i> Fage, 1924, <i>C.R. Acad. Sci., Paris</i> , 178 : 2128 (a junior homonym of <i>Lepidophthalmus</i> Holmes, 1904). Op. 693	index

LEPIDOPIDAE Stammer, 1936, <i>Zool. Jahrb. (Syst.)</i> , 68 : 54 (type genus: <i>Lepidops</i> Zimmer, 1927) (invalid because the name of the type genus is a junior homonym). Op. 693	index
<i>Lepidops</i> Miers, 1878, <i>J. linn. Soc. London (Zool.)</i> , 14 : 331 (an unjustified emendation of <i>Lepidopa</i> Stimpson, 1858). Op. 693	index
<i>Lepidops</i> Stimpson, 1860, <i>Ann. Lyc. nat. Hist. New York</i> , 7 : 113 (an incorrect subsequent spelling for <i>Lepidopa</i> Stimpson, 1858). Op. 693	index
<i>Lepidops</i> Zimmer, 1927, in Kükenthal & Krumbach, <i>Handb. Zool.</i> , 3 (1): 644 (a junior homonym of <i>Lepidops</i> Miers, 1878). Op. 693	index
<i>lepidopus</i> , <i>Bipes</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 286 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>lepidota</i> , <i>Aphrodita</i> , Pallas, 1766, <i>Miscellanea Zoologica</i> , p. 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Polychaeta). Op. 1666	index
<i>Lepidurus</i> Leach, 1819, <i>Dict. Sci. nat.</i> , 14 : 539 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Monoculus apus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 635, as interpreted by the lectotype designated by Holthuis, 1956 (<i>in</i> Holthuis & Hemming, <i>Bull. zool. Nomencl.</i> , 12 : 72)) (Crustacea, Branchiopoda). Op. 502	available
<i>lepidus</i> , <i>Chiton</i> , Reuss, 1860, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften in Wien</i> , 39 (2): 259, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Chiton lepidus</i> Gould, 1859 (Polyplacophora). Op. 2033	available
<i>Lepisina</i> Radermacher, 1779, <i>Verh. Batav. Genoot.</i> , 1 : 104 (an incorrect subsequent spelling for <i>Lepisma</i> Linnaeus, 1758). Direction 63	index
<i>Lepisma</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 423, 113); <i>Lepisma saccharina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608) (Insecta, Thysanura). Op. 104, Direction 63	available
<i>lepisurus</i> , <i>Helias</i> , Cuvier, 1830, <i>Histoire Naturelle des Poissons</i> , vol. 5, p. 498 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1563	index
<i>Lepomis</i> Rafinesque, 1819, <i>Journal de Physique, de Chimie, d'Histoire Naturelle et des Arts</i> , 88 : 420 (gender, as ruled under the plenary power: masculine) (type species, by original designation: <i>Labrus auritus</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1684	available
<i>leporina</i> , all uses of, in combination with the generic name <i>Tethys</i> , Linnaeus, 1767 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 200	index

<i>leporina</i> , <i>Tethys</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 653 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 200	index
<i>leptieuri</i> , <i>Melissodes</i> , Blanchard, 1849, in Cuvier, <i>Règne Anim.</i> (ed. 3), 2 atlas: pl. 129 bis, figs. 4, 4a, as interpreted by the neotype designated by La Berge, 1962 (<i>Entomol. News</i> , 73 : 164, 165) (specific name of the type species of <i>Melissodes</i> Latreille, 1829) (Insecta, Hymenoptera). Op. 750	available
<i>Leprota</i> Melichar, 1912, <i>Abh. k.-k. zool. bot. Ges. Wien</i> , 7 : 33, 91, pl. 111, figs. 14, 15 (gender: feminine) (type species, by designation under the plenary power: <i>Leprota melichari</i> Fennah, 1963, <i>Bull. zool. Nomencl.</i> , 20 : 303) (Insecta, Hemiptera). Op. 751	available
<i>Leprotintinnus</i> Jörgensen, 1900, <i>Bergens Mus. Årb.</i> , 1899 (2): 10 (gender: masculine) (type species, by designation under the plenary power: <i>Tintinnus pellucidus</i> Cleve, 1899, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 32 (3): 24, Tab. 1, fig. 4) (Ciliophora). Op. 926	available
<i>Lepsia</i> Hutton, 1884, <i>Trans. New Zealand Inst.</i> , 16 : 222 (a junior homonym of <i>Lepsia</i> Quoy, 1839). Op. 479	index
<i>Leptaenalosia</i> de Verneuil, 1845, in Murchison, de Verneuil & Keyserling, <i>Géologie de la Russie d'Europe</i> , 2 (3), Paléont.: 281 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 625	index
<i>Leptasterias</i> Verrill, 1866, <i>Proc. Boston Soc. nat. Hist.</i> , 10 : 350 (gender: masculine) (type species, by original designation: <i>Asteracanthion muelleri</i> Sars, 1846, <i>Fauna littoralis Norvegiae</i> : 56, pl. 8, figs. 38, 39) (Asteroidea). Op. 984	available
<i>Leptidea</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 76 (gender: feminine) (type species, by monotypy: <i>Papilio sinapis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 468) (Insecta, Lepidoptera). Op. 584	available
LEPTIDEIDI Verity, 1947, <i>Farfalle diurne d'Italia</i> , 3 : 114 (type genus: <i>Leptidea</i> Billberg, 1820) (Insecta, Lepidoptera). Op. 584	available
<i>Leptidia</i> Scudder, 1875, <i>Proc. amer. Acad. Arts Sci. (Boston)</i> , 10 : 204 (an incorrect subsequent spelling for <i>Leptidea</i> Billberg, 1820). Op. 584	index
LEPTIDIINAE Bryk, 1955, <i>Entomol. Tidskr.</i> , 76 : 19 (type genus: <i>Leptidea</i> Billberg, 1820) (an incorrect subsequent spelling for LEPTIDEINAE Verity, 1947). Op. 584	index
<i>Leptinotarsa</i> Chevrolat, 1837, in Dejean, <i>Cat. Coleopt.</i> , 5 : 397 (gender: feminine) (type species, by designation by Motschulsky, 1860 (in Schrenk, <i>Reisen Forsch. Amurlände</i> , 2 (2): 182): <i>Leptinotarsa heydenii</i> Stål, 1858, <i>Öfvers. k. Vetenskaps Akad. Förh.</i> , 15 : 475) (Insecta, Coleoptera). Op. 1290	available
<i>Leptocephalus</i> Basilewsky, 1855, <i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 10 : 234 (a junior homonym of <i>Leptocephalus</i> Scopoli, 1777). Direction 87	index
<i>Leptocephalus</i> Cuvier, [1797], <i>Tabl. élém. Hist. nat. Anim.</i> : 329 (a junior homonym of <i>Leptocephalus</i> Scopoli, 1777). Direction 87	index

<i>Leptocephalus</i> Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1130 (a junior homonym of <i>Leptocephalus</i> Scopoli, 1777). Direction 87	index
<i>Leptocephalus</i> Gronovius, 1763, <i>Zoophylac. gronov.</i> , 1 : 135 (included in a work rejected for nomenclatural purposes). Direction 87	index
<i>Leptocephalus</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 453 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 87	index
<i>Leptochela</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 42 (gender: feminine) (type species, by designation by Holthuis, 1955 (<i>Zool. Verh.</i> , Leiden, 26 : 36): <i>Leptochela gracilis</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 42) (Crustacea, Decapoda). Op. 470	available
<i>Leptoclinum</i> Milne Edwards, 1841, <i>Mémoires de l'Académie des Sciences de l'Institut de France</i> , 18 : 297 (gender: neuter) (type species, by designation under the plenary power: <i>Leptoclinum fulgens</i> Milne Edwards, 1841) (Tunicata, Ascidiacea). Op. 1412	available
<i>Leptocorisa</i> Latreille, 1829, in Cuvier, <i>Règn. Anim.</i> , 5 : 197 (gender: feminine) (type species, by subsequent monotypy: <i>Leptocorisa flavidula</i> Guérin, 1831, <i>Voy. Coq.</i> , Zool. Atlas Plate (Ins.) 12, valid name: <i>Cimex acuta</i> Thunberg, 1783) (Insecta, Hemiptera). Op. 800	available
LEPTOCORISARIA Stål, 1872, <i>Öfvers. K. Svensk. Vetensk.-Akad. Forhandl.</i> , 29 : 54 (type genus: <i>Leptocorisa</i> Latreille, 1829) (an incorrect original spelling for LEPTOCORISINI Stål, 1872). Op. 800	index
LEPTOCORISINI (correction of LEPTOCORISARIA) Stål, 1872, <i>Öfvers. K. Svensk. Vetensk.-Akad. Forhandl.</i> , 29 : 54 (type genus: <i>Leptocorisa</i> Latreille, 1829) (Insecta, Hemiptera). Op. 800	available
<i>Leptocorixa</i> Berthold, 1827, in Latreille, <i>Nat. Fam. Thierr.</i> : 418 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 800	index
LEPTOCORIXARIA Bergroth, 1913, <i>Entomol. Mitteil.</i> , 11 : 12 (type genus: <i>Leptocorixa</i> Berthold, 1827) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 800	index
<i>leptodactyla, Deidamia</i> , von Willemoes-Suhm, 1873, in Thomson, <i>Nature</i> , London, 8 : 51 (specific name of the type species of <i>Willemoesia</i> Grote, 1873) (Crustacea, Decapoda). Op. 519	available
<i>Leptodiplosis</i> Kieffer, 1894, <i>Bull. Soc. entomol. France</i> , 1894 : 28 (an incorrect original spelling for <i>Lestodiplosis</i> Kieffer, 1894). Op. 526	index
<i>Leptodius</i> Milne Edwards, 1863, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4) 20 : 283, 284 (gender: masculine) (type species, by monotypy: <i>Chlorodius exaratus</i> Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 402) for use by those who consider that <i>Chlorodius exaratus</i> Milne Edwards is generically distinct from <i>Cancer incisus</i> [Leach, 1814], the type species of <i>Xantho</i> [Leach, 1814] (Crustacea, Decapoda). Op. 85, Direction 37	available

- Leptoglena* Grassé & de Boiszezon, 1929, *Bull. Soc. zool. France*, **54**(3): 187
(suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915 index
- Leptoparius* Peters, 1863, *Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin*, **1863**: 452 (a junior objective synonym of *Stenorhynchus* Smith, 1849) (Amphibia, Anura). Op. 1921 index
- Leptophis* Bell, 1825, *Zool. J.*, **2**(7): 322 (gender: masculine) (type species, by designation by Fitzinger, 1843 (*Syst. Rept.*: 26): *Coluber ahaetulla* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 225, as interpreted by the lectotype designated by Savage & Oliver, 1956 (*Bull. zool. Nomencl.*, **12**: 148, 149)) (Reptilia). Op. 524 available
- Leptophyes* Fieber, 1852, in Kelch, *Grundl. Orth. Oberschles.*: 3 (gender: masculine) (type species, by monotypy: *Locusta punctatissima* Bosc, 1792, *Actes Soc. Hist. nat. Paris*, **1**(1): 45) (Insecta, Orthoptera). Op. 149 available
- Leptopsylla* Jordan & Rothschild, 1911, *Novit. zool.*, **18**: 85 (gender: feminine) (type species, by original designation: *Pulex musculi* Dugès, 1832, *Ann. Sci. nat.*, Paris, **27**: 163, valid name: *Pulex segnis* Schoenherr, 1811) (Insecta, Siphonaptera). Op. 285 available
- Leptopterna* Fieber, 1858, *Wien. entomol. Monats.*, **2**: 302 (gender: feminine) (type species, by monotypy: *Cimex dolabratus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 449) (Insecta, Hemiptera). Op. 898 available
- leptorhyncha*, *Diomedea*, Coues, 1866, *Proc. Acad. nat. Sci. Philadelphia*, **18**: 178
(suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1060 index
- Leptoria* Stephens, 1835, *Ill. brit. Entomol.*, Haustellata, **4**: 404 (an incorrect subsequent spelling for *Leptosia* Hübner, 1818). Op. 584 index
- Leptosia* Hübner, 1818, *Zutr. Samml. exot. Schmett.*, **1**: 13 (gender: feminine) (type species, by designation by Scudder, 1875 (*Proc. Amer. Acad. Arts Sci.*, **10**: 204):
Leptosia chlorographa Hübner, 1818, *Zutr. Samml. exot. Schmett.*, **1**: 13, pl. 9, figs. 47, 48) (Insecta, Lepidoptera). Op. 584 available
- LEPTOSIIDI Wheeler, 1903, *Butts. Switz.*: 65, 147 (type genus: *Leptosia* Hübner, 1818)
(invalid because based on a misidentified type genus). Op. 584 index
- Leptosoma* Bonaparte, 1850, *Consp. gen. Avium*, **1**: 96 (an incorrect subsequent spelling for *Leptosomus* Vieillot, 1816). Op. 1068 index
- LEPTOSOMATIDAE Filipjev, 1916, *Ezhegodnik zool. Mus.*, **21**: 64 (type genus:
Leptosomatum Bastian, 1865) (Nematoda). Op. 1068 available
- LEPTOSOMATINAE des Murs, 1860, *Traité gén. ool. ornithol.*: 530 (type genus:
Leptosomus Vieillot, 1816) (an incorrect subsequent spelling for LEPTOSOMINAE Blyth, 1838). Op. 1068 index
- Leptosomatum* Bastian, 1865, *Trans. linn. Soc. London*, **25**: 144 (gender: neuter) (type species, by original designation: *Leptosomatum elongatum* Bastian, 1865, *Trans. linn. Soc. London*, **25**: 145) (Nematoda). Op. 1068 available

<i>Leptosomus</i> Vieillot, 1816, <i>Anal. nouv. ornith. élém.</i> : 28 (gender: masculine) (type species, by designation by Cabanis & Heine, 1862 (<i>Mus. Hein.</i> , 4 : 57): <i>Cuculus discolor</i> Hermann, 1783, <i>Tab. Aff. Anim.</i> (ed. 2): 186) (Aves). Op. 1068	available
<i>Leptotrombidium</i> Nagayo, Miyagawa, Mitamura, Tamiya & Satori, 1915, <i>Dobuts. Zasshi</i> , 28 : 379 (gender: neuter) (type species, by monotypy: <i>Trombidium akamushi</i> Brumpt, 1910, <i>Précis de Parasitologie</i> (ed. 1): 506, fig. 335) (Arachnida). Op. 1218	available
LEPTOTYPHLOPIDAE Stejneger, 1891 (1890), <i>Proc. U.S. nat. Mus.</i> , 14 : 501 (type genus: <i>Leptotyphlops</i> Fitzinger, 1843) (Reptilia). Op. 1207	available
<i>Leptotyphlops</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 24 (gender: masculine) (type species, by original designation: <i>Typhlops nigricans</i> Schlegel, 1839, <i>Abbildungen neuer oder unvollständig bekannter Amphibien</i> : 38) (Reptilia). Op. 1207	available
LEPTOSOMIDAE Blyth, 1838, <i>Mag. nat. Hist.</i> , (2) 2 : 421 (type genus: <i>Leptosomus</i> Vieillot, 1816) (Aves). Op. 1068	available
<i>lepturoides, Rhinomacer</i> , Fabricius, 1801, <i>Systema eleutheratorum secundum ordines, genera, species: adiectis synonymis, locis, observationibus, descriptionibus</i> , vol. 2, p. 429 (specific name of the type species of <i>Nemonyx</i> Redtenbacher, 1845) (Insecta, Coleoptera). Op. 2111	available
<i>Leptusa</i> Kraatz, 1856, <i>Naturgeschichte der Insecten Deutschlands. Erste Abteilung. Coleoptera</i> , Bd. 2, p. 60 (gender: feminine) (type species, by subsequent designation by Gusarov & Herman, 2002, <i>Entomologische Blätter für Biologie und Systematik der Käfer</i> , 98 : 115: <i>Bolitochara pulchella</i> Mannerheim, 1830) (Insecta, Coleoptera). Op. 2113	available
<i>Lepus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 57 (gender: masculine) (type species, by Linnaean tautonymy: <i>Lepus timidus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 57) (Mammalia). Op. 91, Direction 24	available
<i>Lernaea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 655 (gender: feminine) (type species, by designation by Wilson, 1917 (<i>Proc. U.S. nat. Mus.</i> , 53 : 37): <i>Lernaea cyprinacea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 655) (Crustacea, Copepoda). Op. 481	available
<i>Lernaeocera</i> (emendation under the plenary power of <i>Lerneocera</i>) Blainville, 1822, <i>J. Phys. Chim. Hist. nat.</i> , 95 : 375 (gender: feminine) (type species, by designation under the plenary power: <i>Lernaea branchialis</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1092) (Crustacea, Copepoda). Op. 481	available
<i>Lerneocera</i> Blainville, 1822, <i>J. Phys. Chim. Hist. nat.</i> , 95 : 375 (suppressed under the plenary power as an incorrect original spelling for <i>Lernaeocera</i> Blainville, 1822). Op. 481	index
LES DITISQUES de Geer, 1774, <i>Mém. Hist. Ins.</i> , 4 : 354, 381 (type genus: <i>Dytiscus</i> Linnaeus, 1758) (invalid because applied only to the members of a genus). Op. 619	index
LES LAGANES Desor, 1858, <i>Syn. Ech. foss.</i> : 216, 217 (type genus: <i>Laganum</i> Link, 1807) (an incorrect original (vernacular) spelling for LAGANIDAE Desor, 1858). Op. 608	index

<i>Lespesia</i> Robineau-Desvoidy, 1863, <i>Hist. nat. Diptères environs de Paris</i> : 567 (gender: feminine) (type species, by designation under the plenary power: <i>Achaetoneura anisotae</i> Webber, 1930, <i>Proc. U.S. nat. Mus.</i> , 78 (10): 13) (Insecta, Diptera). Op. 1255	available
<i>Lesteva</i> Latreille, 1797, <i>Précis des caractères génériques des insectes, disposés dans un ordre naturel</i> , p. 75 (gender: feminine) (type species, by designation under the plenary power: <i>Lesteva punctulata</i> Latreille, 1804) (Insecta, Coleoptera). Op. 2084	available
<i>Lestis</i> Lepeletier & Serville, 1828, <i>Ency. méth.</i> , 10 (Ins.): 795, 799, 800 (gender: masculine) (type species, by designation under the plenary power: <i>Apis bombylans</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 386) (Insecta, Hymenoptera). Op. 657	available
<i>Lestodiplosis</i> Kieffer, 1894, <i>Bull. Soc. entomol. France</i> , 1894 : 280 (gender: feminine) (type species, by original designation: <i>Lestodiplosis septemguttata</i> Kieffer, 1894, <i>Bull. Soc. entomol. France</i> , 1894 : 280) (Insecta, Diptera). Op. 526	available
<i>lesueuri, Erotylus</i> , Chevrolat, 1835, <i>Coléoptera du Mexique</i> , Cent. 2, fasc. 8, no. 175 (specific name of the type species of <i>Mycotretus</i> Lacordaire, 1842) (Insecta, Coleoptera). Op. 1824	available
<i>lesueurii, Atlanta</i> , d'Orbigny, 1836, <i>Voyage dans l'Amérique méridionale . . .</i> , vol. 5(3), Mollusques, p. 177. Op. 2216	available
<i>lesueurii, Atlanta</i> , J.E. Gray, 1850, <i>Explanation of the plates</i> , p. 101, in M.E. Gray, <i>Figures of the molluscous animals</i> , vol. 4, pl. 241, fig. 5, ruled under the plenary power not to be invalid by reason of being a junior primary homonym of <i>Atlanta lesueurii</i> d'Orbigny, 1836 (Gastropoda). Op. 2216	available
<i>Lethocerus</i> Mayr, 1853, <i>Verh. zool.-bot. Ver. Wien</i> , 2 Sitzungsber.: 17 (gender: masculine) (type species, by monotypy: <i>Lethocerus cordofanus</i> Mayr, 1853, <i>Verh. zool.-bot. Ver. Wien</i> , 2 Sitzungsber.: 17, valid name: <i>Belostoma fakir</i> Gistl, [1848]) (Insecta, Hemiptera). Op. 1248	available
LEUCASPIDINAE Atkinson, 1886, <i>Journal of the Asiatic Society of Bengal</i> , 55 : 271, 273-274, correction of <i>Leucaspisaria</i> (type genus: <i>Leucaspis</i> Signoret, 1869) (Insecta, Sternorrhyncha). Op. 1401	available
<i>Leucaspis</i> Burmeister, 1835, <i>Archiv für Naturgeschichte</i> , 1 (2): 47, and all uses of the name prior to the publication of <i>Leucaspis</i> Signoret, 1869 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Sternorrhyncha). Op. 1401	index
<i>Leucaspis</i> Signoret, 1869, <i>Annales de la Société Entomologique de France</i> , (4) 8 : 865 (gender: feminine) (type species, by monotypy: <i>Aspidiotus pini</i> Hartig, 1839) (Insecta, Sternorrhyncha). Op. 1401	available
<i>Leucifer</i> Milne Edwards, 1837, <i>Hist. nat. Crust.</i> , 2 : 467 (an incorrect subsequent spelling for <i>Lucifer</i> Thompson, 1830). Op. 864	index
LEUCIFÉRIENS Milne Edwards, 1837, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 2 : 467 (type genus: <i>Lucifer</i> Thompson, 1830) (a vernacular (French) name). Op. 864	index
LEUCIFERINAE Ortmann, 1898, <i>Bronn's Klass. Ordn. Tierr.</i> , 5 (2)(50): 1121 (type genus: <i>Lucifer</i> Thompson, 1830) (an incorrect subsequent spelling for LUCIFERIDAE Dana, 1852). Op. 864	index

<i>Leucochila</i> von Martens, 1860, <i>in</i> Albers, <i>Die Heliceen</i> (ed. 2): 296 (gender: feminine) (type species, by original designation: <i>Pupa fallax</i> Say, 1825, <i>J. Acad. nat. Sci. Philadelphia</i> , 5: 121) for use by those who consider that the taxon so named is distinct from the older established nominal taxon <i>Pupooides</i> Pfeiffer, 1854 (Gastropoda). Op. 115, Direction 72	available
<i>Leucochilus</i> Boettger, [1880], <i>in</i> von Martens, <i>Conch. Mitt.</i> , 1: 64 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy in Opinion 115). Direction 72	index
<i>Leucochilus</i> Kraatz, [1897], <i>Deutsche entomol. Z.</i> , 1896: 375 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Leucocelis notaticollis</i> Kraatz, [1897], <i>Deutsche entomol. Z.</i> , 1896: 71, footnote) (Insecta, Coleoptera). Direction 72	available
<i>Leucochroa</i> Beck, 1837, <i>Index Molluscorum praesentis aevis Musei Principis Augustissimi Christiani Frederici</i> , p. 16 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (objective synonym of <i>Theba</i> Risso, 1826) (Gastropoda). Op. 2135	index
<i>LEUCOCHROIDAE</i> Westerlund, 1886, <i>Fauna der in der palaearctischen Region lebenden Binnenconchylien. I. Fam. Testacellidae, Glaudinidae, Vitrinidae und Leucochroidae</i> , p. 82 (suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy, by reason of being based on a misidentified type genus (<i>Leucochroa</i> Beck, 1837), itself suppressed being based on a misidentified type species) (Gastropoda). Op. 2135	index
<i>Leucocraspedon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28: 561 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Leucocytozoon</i> Berestneff, 1904, <i>Archiv für Protistenkunde</i> , 3: 376 (gender: neuter) (type species, by monotypy: <i>Leukocytozoen danilewskyi</i> Zieman, 1898) (Protista). Op. 1971	available
<i>leucodactyla, Alucita</i> , Denis & Schiffermüller, 1775, <i>Ankündung eines systematisches Werkes von den Schmetterlingen der Wiener Gegend</i> , p. 146, as defined by the neotype designated by Arenberger, 1985, <i>Entomologische Zeitschrift</i> , 95(17): 245 (Insecta, Lepidoptera). Op. 2041	available
<i>leucodon, Sorex</i> , Hermann, 1780, <i>in</i> Zimmermann, <i>Geogr. Gesch. Mens.</i> , 2: 383 (specific name of the type species of <i>Crocidura</i> Wagler, 1832) (Mammalia). Direction 22	available
<i>leucogaster, Curculio</i> , Marsham, 1802, <i>Coleoptera Britannica</i> , vol. 1, p. 253 (senior subjective synonym of <i>Rhynchaenus myriophylli</i> Gyllenhal, 1813, the type species of <i>Phytobius</i> Schönherr, 1833) (Insecta, Coleoptera). Op. 1968	available
<i>leucomelas, Chaitophorus</i> , Koch, 1854, <i>Die Pflanzenläuse, Aphiden, getreu nach dem Leben abgebildet und beschrieben</i> : 4, 5, figs. 5, 6 (specific name of the type species of <i>Chaitophorus</i> Koch, 1854) (Insecta, Hemiptera). Op. 1161	available

<i>Leucomitra</i> Howell, 1901, <i>N. Amer. Fauna</i> , 20 : 39 (gender: feminine) (type species, by monotypy: <i>Chincha macroura</i> Lichtenstein, [1832], <i>Darstell. Säugeth.</i> : text to pl. 46) for use by those who consider on taxonomic grounds that <i>Leucomitra</i> Howell is distinct from <i>Mephitis</i> Geoffroy Saint-Hilaire & Cuvier, 1795 (Mammalia). Op. 384	available
<i>Leucon</i> Krøyer, 1846, <i>Naturhistorisk Tidsskrift</i> , n. ser., 2 : 208 (gender: masculine) (type species, by subsequent designation by Sars, 1879, <i>Archiv for Mathematik og Naturvidenskab</i> , 4 : 24: <i>Cuma nasica</i> Krøyer, 1841) (Cumacea). Op. 1594	available
<i>Leucon</i> Schönherr, 1834, <i>Genera et species Curculionidum cum synonymia hujus familiae</i> , vol. 2, part 1, p. 285, and all uses of the name prior to the publication of <i>Leucon</i> Krøyer, 1846 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1594	index
LEUCONIDAE Sars, 1878, <i>Archiv for Mathematik og Naturvidenskab</i> , 3 : 466 (type genus: <i>Leucon</i> Krøyer, 1846) (Cumacea). Op. 1594	available
<i>leuconota</i> , <i>Mephitis</i> , Lichtenstein, [1832-1834], <i>Darstell. Säugth.</i> (9): text to pl. 44, fig. 1 (specific name of the type species of <i>Oryctogale</i> Merriam, 1902) (Mammalia). Op. 384	available
<i>Leucopera</i> Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3028 (an incorrect subsequent spelling for <i>Leucophra</i> Müller, 1780). Op. 915	index
<i>leucophaea</i> , <i>Antilope</i> , Pallas, 1766, <i>Miscell. Zool.</i> : 4 (specific name of the type species of <i>Hippotragus</i> Sundevall, 1846) (Mammalia). Direction 22	available
<i>leucophaea</i> , <i>Simia</i> , Cuvier, 1807, <i>Ann. Mus. Hist. nat.</i> , Paris, 9 : 477, pl. 37 (Mammalia). Op. 935	available
<i>leucophaeus</i> , <i>Bithys</i> , Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 18, pl. [16], figs. 87, 88 (Insecta, Lepidoptera). Op. 541	available
<i>Leucophasia</i> Stephens, 1827, <i>Ill. brit. Entomol.</i> , Haustellata, 4 : 24 (a junior objective synonym of <i>Leptidea</i> Billberg, 1820). Op. 584	index
<i>Leucophrus</i> Ehrenberg, 1838, <i>Die Infusionsth.</i> : 311 (an incorrect subsequent spelling for <i>Leucophra</i> Müller, 1780). Op. 915	index
LEUCOPHYRIDAЕ Mugard, 1949, <i>Ann. Sci. nat., zool. Biol. animale</i> , (3) 10 (2): 171 (type genus: <i>Leucophrys</i> Ehrenberg, 1830) (an incorrect original spelling for LEUCOPHYRIDAE Mugard, 1949). Op. 915	index
LEUCOPHYRENS Dujardin, 1841, <i>Hist. nat. Zoophytes</i> : 456 (type genus: <i>Leucophrys</i> Ehrenberg, 1830) (a vernacular name). Op. 915	index
LEUCOPHYRIDAE Mugard, 1949, <i>Ann. Sci. nat., zool. Biol. animale</i> , (3) 10 (2): 171 (type genus: <i>Leucophrys</i> Ehrenberg, 1830) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	index
<i>Leucophrys</i> Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 96 (an unjustified emendation of <i>Leucophra</i> Müller, 1780). Op. 915	index

<i>leucoptera</i> , <i>Alauda</i> , Pallas, 1811, <i>Zoograph. rosso-asiat.</i> , 1 : 518, pl. 33 (Aves). Op. 403	available
<i>leucopterus</i> , <i>Lygaeus</i> , Say, 1832, <i>N. Sp. Het. Hemipt. N. Amer.</i> : 14 (Insecta, Hemiptera). Op. 705	available
<i>leucopus</i> , <i>Acanthomys</i> , Gray, 1867, <i>Proc. zool. Soc. London</i> , 1867 : 598 (Mammalia). Op. 1116	available
<i>leucopus</i> , <i>Staphylinus</i> , Marsham, [1802], <i>Coleopt. Brit.</i> : 506 (specific name of the type species of <i>Ischnopoda</i> Stephens, 1835) (Insecta, Coleoptera). Op. 600	available
<i>leucopygus</i> , <i>Turdus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 96 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Leucorea</i> Laporte, 1835, <i>Études entomologiques</i> , part 1 (Carnassiers), p. 106 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1681	index
<i>leucorodia</i> , <i>Platalea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 139 (specific name of the type species of <i>Platalea</i> Linnaeus, 1758) (Aves, Ciconiiformes). Op. 1674, Direction 43	available
<i>Leucosia</i> Dybowski, 1875, <i>Mém. Acad. Sci. St. Pétersbourg</i> , (7) 22 (8): 36 (a junior homonym of <i>Leucosia</i> Weber, 1795). Op. 712	index
<i>Leucosia</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 313, 349 (a junior homonym of <i>Leucosia</i> Weber, 1795). Op. 712	index
<i>Leucosia</i> Rambur, 1866, <i>Cat. Syst. Lepid. Andalousie</i> (2): 267 (a junior homonym of <i>Leucosia</i> Weber, 1795). Op. 712	index
<i>Leucosia</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 92 (gender: feminine) (type species, by designation by Holthuis, 1959 (<i>Rumphius Memorial Volume</i> : 106): <i>Cancer craniolaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626) (Crustacea, Decapoda). Op. 712	available
LEUCOSIADAЕ Samouelle, 1819, <i>Entomol. useful Compendium</i> : 91 (type genus: <i>Leucosia</i> Weber, 1795) (an incorrect original spelling for LEUCOSIIDAE Samouelle, 1819). Op. 712	index
<i>Leucosides</i> Rathbun, 1897, <i>Proc. biol. Soc. Washington</i> , 11 : 160 (a junior objective synonym of <i>Leucosia</i> Weber, 1795). Op. 712	index
LEUCOSIIDAE (correction of LEUCOSIADAЕ) Samouelle, 1819, <i>Entomol. useful Compendium</i> : 91 (type genus: <i>Leucosia</i> Weber, 1795) (Crustacea, Decapoda). Op. 712	available
<i>Leucosilia</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 431; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 295 (gender: feminine) (type species, by monotypy: <i>Guaia (Ilia) jurinei</i> Saussure, 1853, <i>Rev. Mag. Zool.</i> , (2) 5 : 265, 266, pl. 13, fig. 4) (Crustacea, Decapoda). Op. 73, Direction 37	available

<i>leucospilota</i> , <i>Stichopus</i> , Brandt, 1835, <i>Prodr. Descr. Anim. Mertens. Orb. Terr. Circumnavig. observ.</i> : 251 (Holothuroidea). Op. 762	available
<i>leucosticta</i> , <i>Cetonia</i> , Reiche, 1860, <i>Annales de la Société Entomologique de France</i> , (3)7: ccix (a nomen oblitum) (Insecta, Coleoptera). Op. 2128	index
<i>leucostictos</i> , <i>Gryllus (Bulla)</i> [<i>Acridium</i>], Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 2059, No. 219 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>leucostoma</i> , <i>Voluta</i> , Gmelin, 1791, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3457, ruled under the plenary power not to be given priority over the specific name <i>papilio</i> Link, 1807, as published in the binomen <i>Voluta papilio</i> , whenever the two names are considered synonyms (Gastropoda). Op. 1292	available
<i>leucothyreus</i> , <i>Promecops</i> , Fähraeus, 1840, in Schoenherr, <i>Gen. Spec. Curc.</i> , 6(1): 328 (specific name of the type species of <i>Promecodes</i> Balfour-Browne, 1960) (Insecta, Coleoptera). Op. 605	available
<i>Leucotis</i> Swainson, 1840, <i>Treat. Malacol.</i> : 346 (a junior objective synonym of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009	index
<i>Leucotus</i> Sowerby, 1842, <i>Conch. Man.</i> (ed. 2): 172 (an unjustified emendation of <i>Leucotis</i> Swainson, 1840). Op. 1009	index
<i>Leuctra</i> Stephens, 1835, <i>Ill. Brit. Entomol.</i> , 6: 144 (gender: feminine) (type species, by designation under the plenary power: <i>Phryganea fusca</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 549) (Insecta, Plecoptera). Op. 836	available
<i>Leukocytozoen</i> Ziemann, 1898, <i>Ueber Malaria- und andere Blutparasiten nebst Anhang. Eine wirksame Methode der Chromatin- und Blutfärbung</i> , p. 128, pl. 3, figs. 29-33 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Protista). Op. 1971	index
<i>levicarina</i> , <i>Dorodotes</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 680 (specific name of the type species of <i>Heterocarpoides</i> de Man, 1917) (Crustacea, Decapoda). Op. 470	available
<i>levicollis</i> , <i>Staphylinus</i> , Brullé, 1832, in Bory St Vincent, <i>Expédition scientifique de Morée. Section des sciences physiques</i> , vol. 3, part 1 (Zoologie), section 2 (Des animaux articles), p. 131 (specific name of the type species of <i>Quedius</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1851	available
<i>levifrons</i> , <i>Pisitoe</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 26 (a junior objective synonym of <i>Cancer sedentarius</i> Forsskål, 1775, through the neotype proposed by Holthuis, 1969 (<i>Bull. zool. Nomencl.</i> , 26: 107) and designated under the plenary power). Op. 1133	index
<i>levigatus</i> , <i>Inachus</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index

<i>Levinsenia</i> Mesnil, 1897, <i>Bull. sci. France Belgique</i> , 30 : 93 (gender: feminine) (type species, by designation in Opinion 1139: <i>Aonides gracilis</i> Tauber, 1879, <i>Annulata Danica</i> , 1 : 115) (Polychaeta). Op. 1139	available
LEVINSENIIDAE Mesnil & Caullery, 1898 (as LEVINSENIENS), <i>Bull. Sci. France Belgique</i> , 31 : 137 (type genus: <i>Levinsenia</i> Mesnil, 1897) ruled under the plenary power not to be given priority over PARAONIDAE Cerruti, 1909 whenever <i>Levinsenia</i> Mesnil and <i>Paraonis</i> Grube, 1873 are placed in the same family-group taxon (Polychaeta). Op. 1139	available
<i>lewisianus, Productus</i> , de Koninck, 1847, <i>Mém. Soc. roy. Sci. Liège</i> , 4 : 262 (Brachiopoda). Op. 625	available
<i>leydigi, Alona</i> , Schödler, 1863, <i>Neue Beitr. Naturgesch. Cladoc.</i> : 27 (specific name of the type species of <i>Leydigia</i> Kurz, 1874) (Crustacea, Branchiopoda). Op. 532	available
<i>Leydigia</i> Kurz, 1874, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. Nat. Cl.), 70 (1): 57 (gender: feminine) (type species, by original designation, and under Article 67e: <i>Alona leydigi</i> Schödler, 1863, <i>Neue Beitr. Naturgesch. Cladoc.</i> : 27) (Crustacea, Branchiopoda). Op. 532	available
<i>Liagora</i> Gistl, 1848, <i>Nat. Thierr.</i> : ix (an incorrect subsequent spelling for <i>Liagore</i> de Haan, [1833]). Direction 37	index
<i>Liagore</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 4, 19 (gender: feminine) (type species, by monotypy: <i>Cancer (Liagore) rubromaculatus</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 19; <i>id.</i> , [1835], <i>ibid.</i> : 49) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Liasis</i> Gray, 1842, <i>Zoological Miscellany</i> , p. 44 (gender: masculine) (type species, by designation under the plenary power: <i>Liasis mackloti</i> Duméril & Bibron, 1844) (Reptilia, Serpentes). Op. 1514	available
<i>liassicus, Nummulites</i> , Jones, 1853, in Brodie, <i>Proc. Cotteswold Nat. Field Club</i> , 1 : 243 (valid name at the date of Opinion 706 of the type species of <i>Involutina</i> Terquem, 1862) (Rhizopoda). Op. 706	available
<i>liberiensis, Hippopotamus</i> , Morton, 1849, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , (2) 1 : 232 (specific name of the type species of <i>Choeropsis</i> Leidy, 1852) (Mammalia, Artiodactyla). Op. 1393	available
<i>Libystes</i> Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 285 (gender: masculine) (type species, by monotypy: <i>Libystes nitidus</i> Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 285) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Lichenella</i> Gray, 1858, <i>Proc. zool. Soc. London</i> , 26 : 322 (rejected for all purposes other than those of the Principle of Homonymy as a name applied to a specimen not belonging to the animal kingdom). Op. 617	index
<i>Lichia</i> Cuvier, 1817, <i>Règne Animal</i> , 2 : 321 (gender: feminine) (type species, by designation by Regan, 1903 (<i>Ann. Mag. nat. Hist.</i> , (7) 12 : 348-350): <i>Scomber amia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 299) (Osteichthyes). Op. 1124	available

<i>ligea</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 473 (specific name of the type species of <i>Erebia</i> Dalman, 1816) (Insecta, Lepidoptera). Op. 506	available
<i>Ligia</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 296, 301 (conserved under the plenary power) (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 423, 110): <i>Oniscus oceanicus</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1061) (Crustacea, Isopoda). Op. 330	available
<i>Ligia</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 92 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 330	index
<i>lignaria</i> , <i>Bulla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727 (specific name of the type species of <i>Scaphander</i> Montfort, 1810) (Gastropoda). Op. 287	available
<i>ligniperda</i> , <i>Formica</i> , Latreille, 1802, <i>Hist. nat. Fourmis</i> : 88 (specific name of the type species of <i>Camponotus</i> Mayr, 1861) (Insecta, Hymenoptera). Op. 424	available
<i>Ligula</i> Bloch, 1782, <i>Abh. Eingeweidewürmer</i> : 1 (gender: feminine) (type species, by designation by Braun, 1900 (<i>in Bronn, Klass. Ordn. Thierr.</i> , 4 : 1670): <i>Ligula avium</i> Bloch, 1782, <i>Abh. Eingeweidewürmer</i> : 4) (Cestoda). Op. 104, Direction 76	available
<i>Ligula</i> Montagu, 1808, <i>Test. brit.</i> , Suppl.: 22 (a junior homonym of <i>Ligula</i> Bloch, 1782). Direction 76	index
<i>Liguligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Ligulops</i> Hall, 1871, <i>Preliminary Notice: 23rd Report State Cabinet Nat. Hist. Paleontology New York</i> : 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1151	index
<i>Ligur</i> Sarato, 1885, <i>Moniteur des Etrangers Nice</i> , 9 (222): 2 (gender: masculine) (type species, by monotypy: <i>Ligur edwardsii</i> Sarato, 1885, <i>Moniteur des Etrangers Nice</i> , 9 (222): 2, valid name: <i>Palemon ensiferus</i> Risso, 1816) (Crustacea, Decapoda). Op. 470	available
<i>liguricus</i> , <i>Euchirograpsus</i> , Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 175 (specific name of the type species of <i>Euchirograpsus</i> Milne Edwards, 1853) (Crustacea, Decapoda). Direction 36	available
<i>ligustri</i> , <i>Sphinx</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 489 (specific name of the type species of <i>Sphinx</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 379	available
<i>Ligyrocoris</i> Stål, 1872, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 29 : 51 (gender: masculine) (type species, by monotypy: <i>Cimex sylvestris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 449) (Insecta, Hemiptera). Direction 63	available
<i>lilifolia</i> , <i>Locusta</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 36 (specific name of the type species of <i>Tylopsis</i> Fieber, 1853) (Insecta, Orthoptera). Direction 4	available
<i>lili</i> , <i>Attelabus</i> , Scopoli, 1763, <i>Entomol. Carniolica</i> : 36 (Insecta, Coleoptera). Op. 908, Op. 1130	available

<i>liliiformis</i> , Encrinus , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 379 (specific name of the type species of Encrinus Lamarck, 1801) (Crinoidea). Op. 636	available
<i>Lilioceris</i> Reitter, 1912, <i>Fauna Germ.</i> , 4 : 79 (gender: masculine) (type species, by designation by Heinze, 1937 (<i>Bull. Mus. roy. Hist. nat. Belgique</i> , 13 (25): 3): Chrysomela merdigera Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 375) (Insecta, Coleoptera). Op. 908, Op. 1130	available
<i>lilljeborgi</i> , Pupa (Vertigo) , Westerlund, 1871, <i>Nova Acta. K. Vet.-Soc. Upsala</i> , (3) 8 (No. 1): 90 (Gastropoda). Op. 336	available
<i>lilljeborgi</i> , Termes , Sjöstedt, 1896, <i>Festskrift för Lilljeborg</i> , p. 269 (specific name of the type species of Macrotermes Holmgren, 1909) (Insecta, Isoptera). Op. 2038	available
<i>Lima</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 429 (an incorrect original spelling for <i>Lupa</i> [Leach, 1814], and a junior homonym of <i>Lima</i> Bruguière, [1797]). Op. 394	index
<i>Limacia</i> Müller, 1781, <i>Zool. dan.</i> (ed. 2) (Danish edition), 1 : 65 (gender: feminine) (type species, by designation under the plenary power: Doris clavigera Müller, 1776, <i>Zool. dan. Prodr.</i> : 229) (Gastropoda). Op. 833	available
<i>limacina</i> , all uses of, in combination with the generic name <i>Tethys</i> , Linnaeus, 1767 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 200	index
<i>limacina</i> , Clio , Phipps, 1774, <i>A voyage towards the North Pole undertaken by His Majesty's command 1773</i> , p. 195 (senior synonym of <i>Clione borealis</i> Pallas, 1774, type species of <i>Clione</i> Pallas, 1774) (Pteropoda). Op. 2133	available
<i>limacina</i> , <i>Tethys</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 653 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 200	index
<i>Limaculum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 280 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>limatula</i> , Acmaea , Carpenter, 1864, <i>Rep. brit. Assoc. Adv. Sci. for 1863</i> : 650 (Gastropoda). Op. 1281	available
<i>Limax</i> Féruccac, 1819, <i>Hist. nat. gén. partic. Moll. terrestr. fluviat.</i> , 2 (1): 50 (a later usage of Limax Linnaeus, 1758, often cited as the name of a separately established genus, in which case it would be a junior homonym of Limax Linnaeus, 1758). Direction 72	index
Limax Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 652 (gender: masculine) (type species, by designation by Féruccac, 1819 (<i>Hist. nat. gén. partic. Moll. terrestr. fluviat.</i> , 2 (1): 67): Limax maximus Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 652) (Gastropoda). Op. 94, Direction 72	available
<i>Limax</i> Martyn, 1784, <i>Univ. Conch.</i> : 1 (a junior homonym of Limax Linnaeus, 1758, and included in a work rejected for nomenclatural purposes). Direction 72	index

<i>Limax</i> Pallas, 1774, <i>Spicil. zool.</i> , 10 : 19 (a junior homonym of Limax Linnaeus, 1758). Direction 72	index
<i>limax, Madrepora</i> , Esper, 1797, <i>Fortsetzungen der Pflanzenthiere</i> , vol. 1, p. 77 (Anthozoa). Op. 1573	available
<i>limax, Madrepora</i> , Houttuyn, 1772, <i>Natuurlyke Historie of Uitvoerige Beschryving der Dieren, Planten en Mineraalen</i> , vol. 1, part 17, p. 119, and all uses of the name prior to the publication of Madrepora limax Esper, 1797 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Anthozoa). Op. 1573	index
<i>limbata, Fulgora</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 6 (a junior primary homonym of <i>limbata, Fulgora</i> , Olivier, 1791). Op. 648	index
<i>limbata, Galeodes</i> , Lucas, 1835, <i>Magasin de Zoologie</i> , 5 : Classe VIII, plate 5, text (specific name of the type species of Ammotrecha Banks, 1900) (Arachnida). Op. 2050	available
<i>limbatus, Phytocoris</i> , Fallén, 1829, <i>Hemipt. svec.</i> : 92 (specific name of the type species of <i>Apolygus</i> China, 1941) (Insecta, Hemiptera). Op. 667	available
LIMENITIDES Butler, 1870, <i>Cat. diurn. Lep. Fabricius</i> : 57 (type genus: Limenitis Fabricius, 1807) (an incorrect original spelling for LIMENITIDINAE Butler, 1870). Direction 99	index
LIMENITIDINAE (correction of LIMENITIDES) Butler, [12 February 1870], <i>Cat. diurn. Lep. Fabricius</i> : 57 (type genus: Limenitis Fabricius, 1807) (Insecta, Lepidoptera). Direction 99, Direction 118	available
<i>Limenitis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 281 (gender: feminine) (type species, by designation by Dalman, 1816 (<i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 1816 (1): 55); <i>Papilio populi</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 476) (Insecta, Lepidoptera). Op. 278	available
<i>limes, Pycnonotus tricolor</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12) 9 : 366 (a junior primary homonym of <i>limes, Pycnonotus tricolor</i> , Horniman, 1940). Op. 480	index
<i>limes, Pycnonotus tricolor</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>Limigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Limnaea</i> Blainville, 1823, <i>Dict. Sci. nat.</i> , 26 : 449 (an incorrect subsequent spelling for Lymnaea Lamarck, 1799). Op. 495	index
<i>Limnaea</i> Poli, 1791, <i>Test. Sicil.</i> , 1 : 31 (a junior objective synonym of Unio Philipsson, 1788). Op. 495	index
<i>Limnaeus</i> Pfeiffer, 1821, <i>Naturgesch. deutsch. Land- u. Süssw.-Moll.</i> , 1 : 14, 84 (an incorrect subsequent spelling for Lymnaea Lamarck, 1799). Op. 495	index

<i>Limnas</i> Hübner, [1806], <i>Sammel. exot. Schmett.</i> , 1 : pl. [29] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 2	index
<i>Limnas</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
Limnatis Moquin-Tandon, 1827, <i>Monogr. Fam. Hirudin.</i> : 122 (gender: feminine) (type species, by monotypy: Bdella nilotica Savigny, 1822, <i>Descr. Egypte</i> , 1 (3) (Ann.): 113) (Hirudinea). Op. 104	available
<i>Limnea</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 273 (an incorrect subsequent spelling for Lymnaea Lamarck, 1799). Op. 495	index
<i>Limneus</i> Draparnaud, [1801], <i>Tabl. Moll. terrestrestr. fluviat. France</i> : 47 (an incorrect subsequent spelling for Lymnaea Lamarck, 1799). Op. 495	index
<i>Limnicythere</i> Brady, 1868, <i>Trans. linn. Soc. London</i> , 26 : 419, 420 (an incorrect subsequent spelling for Limnocythere Brady, 1868). Op. 528	index
LIMNICYTHERINAE Sars, 1925, <i>Crustacea Norway</i> , 9 , Ostracoda: 148 (type genus: Limnocythere Brady, 1868) (an incorrect original spelling for LIMNOCYTHERINAE Sars, 1925). Op. 528	index
<i>Limnum</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): viii (included in a work rejected for nomenclatural purposes). Op. 495	index
Limnocaridella Bouvier, 1913, <i>Bull. Soc. entomol. France</i> , 1913 : 180 (gender: feminine) (type species, by monotypy: Limnocaridina alberti Lenz, 1910, <i>Wiss. Ergebni. Deutsch Zentral-Afr. Exped.</i> 1907-1908, 3 (3): 12) (Crustacea, Decapoda). Op. 470	available
Limnocaridina Calman, 1899, <i>Proc. zool. Soc. London</i> , 1899 : 704 (gender: feminine) (type species, by monotypy: Limnocaridina tanganyikae Calman, 1899, <i>Proc. zool. Soc. London</i> , 1899 : 704) (Crustacea, Decapoda). Op. 470	available
<i>Limnocythere</i> Brady, 1868, <i>Intell. Observ.</i> , 12 : 121 (gender: feminine) (type species, by designation by Brady & Norman, 1889 (<i>Sci. Trans. roy. Dublin Soc.</i> , (2) 4 : 170): Cythere inopinata Baird, 1843, <i>Zoologist</i> , 1 : 195) (Crustacea, Ostracoda). Op. 528	available
LIMNOCYTHERINAE (correction by Klie, 1938, of LIMNICYTHERINAE) Sars, 1925, <i>Crustacea Norway</i> , 9 , Ostracoda: 148 (type genus: Limnocythere Brady, 1868) (Crustacea, Ostracoda). Op. 528	available
<i>Limnoea</i> Gourdon, 1889, <i>Cat. rais. Moll. Pique et Affluents</i> : 70 (an incorrect subsequent spelling for Lymnaea Lamarck, 1799). Op. 495	index
<i>Limnoeus</i> Shuttleworth, 1872, <i>Enum. Plantes Moll. terrestrestr. Eau douce Ile de Corse</i> : 28 (an incorrect subsequent spelling for Lymnaea Lamarck, 1799). Op. 495	index
<i>limnophilus, Paederus</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 2, p. 653, ruled under the plenary power to be given precedence over <i>P. limnophilus</i> Heer, 1839 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2139	available

<i>Limnostracites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 92 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>limonii</i> , <i>Heterodera</i> , Cooper, 1955, A preliminary key to British species of <i>Heterodera</i> for use in soil examination, in: <i>Soil Zoology, Proceedings of the University of Nottingham Second Easter School in Agricultural Science</i> , Kevan (ed.), Butterworth, London: 273, 274, 275, 276, 278 (Nematoda). Op. 1336	available
<i>limophilus</i> , <i>Paederus</i> , Heer, 1839, <i>Fauna Coleopterorum Helvetica</i> , vol. 1, part 2, p. 235, ruled under the plenary power not to be given priority over <i>P. limnophilus</i> Erichson, 1840 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2139	available
<i>limosa</i> , <i>Cancer</i> , Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 446 (specific name of the type species of <i>Eurytium</i> Stimpson, 1859) (Crustacea, Decapoda). Direction 36	available
<i>limosa</i> , <i>Copromyza</i> , Fallén, 1820, <i>Diptera Sueciae Heteromyzides</i> , p. 8, as defined by the lectotype (male syntype in Stockholm) designated under the plenary power (Insecta, Diptera). Op. 1745	available
<i>limosa</i> , <i>Paludina</i> , Say, 1817, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (6): 125 (valid name at the date of Opinion 1108 of the type species of <i>Amnicola</i> Gould & Haldeman, 1840) (Gastropoda). Op. 1108	available
<i>limosus</i> , <i>Astacus</i> , Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 (1): 42 (Crustacea, Decapoda). Op. 522	available
<i>limpidus</i> , <i>Centrurus</i> , Karsch, 1879, <i>Mitteilungen der Münchener Entomologischen Verein</i> , 3 : 120 (Arachnida, Scorpiones). Op. 1394	available
<i>Limulus</i> Müller, 1785, <i>Entomostraca</i> : 124 (conserved under the plenary power) (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 421, 90); <i>Monoculus polyphemus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 634) (Merostomata). Op. 104, Op. 320	available
<i>Lincus</i> Stål, 1867, <i>Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Förhandlingar</i> , 24 (7): 524 (gender: masculine) (type species, by monotypy: <i>Pentatomia rufospilota</i> Westwood, 1837) (Insecta, Heteroptera). Op. 1742	available
<i>linea</i> , <i>Buccin[um]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 48 (conserved under the plenary power) (valid name at the date of Opinion 479 of the type species of <i>Buccinulum</i> Deshayes, 1830) (Gastropoda). Op. 479	available
<i>linearis</i> , <i>Cladograpsus</i> , Carruthers, 1858, <i>Proc. roy. phys. Soc. Edinburgh</i> , 1 : 467 (specific name of the type species of <i>Pleurograptus</i> Nicholson, 1867) (Graptolithina). Op. 650	available
<i>linearis</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>linearis</i> , <i>Pupa (Truncatellina)</i> , Lowe, 1852, <i>Ann. Mag. nat. Hist.</i> , (2) 9 : 275 (specific name of the type species of <i>Truncatellina</i> Lowe, 1852) (Gastropoda). Op. 335	available

<i>linearis</i> , <i>Staphylinus</i> , Olivier, 1794, <i>Entomologie, hist. nat. Ins.</i> , 3(42): 19, pl. 4, fig. 38 (specific name of the type species of <i>Xantholinus</i> Dejean, 1821, ex Dahl) (Insecta, Coleoptera). Op. 1250	available
<i>lineata</i> , <i>Plotia</i> , [Röding], 1798, <i>Mus. bolten.</i> (2): 96 (a junior objective synonym of <i>dolabratus</i> , <i>Trochus</i> , Linnaeus, 1758). Op. 386	index
<i>lineata</i> , <i>Sigara</i> , Fabricius, 1787, <i>Mantissa insectorum sistens species nuper detectas adiectas synonymis, observationibus, descriptionibus, emendationibus</i> , vol. 2, p. 276 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1626	index
<i>lineata</i> , <i>Terebratula</i> , Young & Bird, 1828, <i>Geological survey of the Yorkshire coast</i> (ed. 2): 232, pl. 7, fig. 10, as interpreted by the neotype designated under the plenary power (Brachiopoda). Op. 1183	available
<i>lineata</i> , <i>Terebratula?</i> , Sowerby, 1822, <i>Min. Conch.</i> , 4: 39, pl. 335, figs. 1, 2 (referred to as pl. 334 in text in error), as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12)4: 106, pl. 5, figs. 4a-c) (Brachiopoda). Op. 420	available
<i>lineata</i> , <i>Thaumantias</i> , Forbes, 1848, <i>A monograph of the British naked-eyed medusae: with figures of all the species</i> , p. 48 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>lineata</i> , <i>Tigoma</i> , Girard, 1856, <i>Researches upon the cyprinoid fishes inhabiting the freshwaters of the United States west of the Mississippi Valley, from specimens in the museum of the Smithsonian Institution</i> , p. 42, first issued as a separate in September 1856; published in the <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 8: 206 between 30 September and 27 December 1856) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Cypriniformes). Op. 1872	index
<i>lineatum</i> , <i>Macronema</i> , Pictet, 1836, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 7: 399 (specific name of the type species of <i>Macronema</i> Pictet, 1836) (Insecta, Trichoptera). Op. 623	available
<i>lineatus</i> , <i>Bulimus</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 67 (specific name of the type species of <i>Acicula</i> Hartmann, 1821) (Gastropoda). Op. 344	available
<i>lineatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Q[4], pl. 36, fig. 3 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>lineatus</i> , <i>Geophilus</i> , Newport, 1845, <i>Transactions of the Linnean Society of London</i> , 19(9): 436 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Chilopoda). Op. 2071	index
<i>lineolatus</i> , <i>Alburnus</i> , Putnam, 1863, <i>Bulletin of the Museum of Comparative Zoology, Cambridge, Massachusetts, U.S.A.</i> , 1: 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 1991	index

<i>lingua</i> , <i>Mytilus</i> , Lightfoot, 1786, <i>Catalogue of the Portland Museum</i> : 77 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1355	index
<i>linguifera</i> , <i>Atrypa</i> , Sowerby, 1839, in Murchison, <i>Silurian System</i> : 629 (specific name of the type species of <i>Antirhynchonella</i> Oehlert, 1887) (Brachiopoda). Op. 374	available
<i>Lingula</i> Bruguière, [1797], <i>Tabl. encycl. trois règnes de la nature, Vers, Coquilles, Mollusques et Polypiers</i> , pl. 250 (gender: feminine) (type species, by designation under the plenary power: <i>Lingula anatina</i> Lamarck, 1801, <i>Système des animaux sans vertèbres</i> : 141) (Brachiopoda). Op. 1355	available
<i>Lingulops</i> Hall, 1872, <i>23rd Report State Cabinet Nat. Hist. Paleontology New York</i> : 245 (gender: masculine) (type species, by monotypy: <i>Lingulops whitfieldi</i> Hall, 1872, <i>23rd Report State Cabinet Nat. Hist. Paleontology New York</i> : expl. pl. 13, figs. 1, 2) (Brachiopoda). Op. 1151	available
<i>linnaeana</i> , <i>Pisidia</i> , Leach, 1820, <i>Dict. Sci. nat.</i> , 18 : 54 (a junior objective synonym of <i>longicornis</i> , <i>Cancer</i> , Linnaeus, 1767). Op. 701	index
<i>linnaei</i> , <i>Calamaria</i> , Boie in Boie, 1827, <i>Isis von Oken</i> , 20 (6): column 539 (specific name of the type species of the genus <i>Calamaria</i> H. Boie in F. Boie, 1827), ruled under the plenary power not to be treated as a replacement name for <i>Coluber calamarius</i> Linnaeus, 1758, but as a new available name published by H. Boie in F. Boie, 1827 in conjunction with the diagnosis of the genus, and to be defined by the holotype RMNH 27 collected in Java, 1820–1823 by H. Kuhl and J.C. van Hasselt (Reptilia). Op. 2196	available
<i>linneella</i> , <i>Phalaena</i> , Clerck, 1759, <i>Icones Insectorum ...</i> , p. 8, pl. xii (specific name of the type species of <i>Chrysoclista</i> Stainton, 1854) (Insecta, Lepidoptera). Op. 1418	available
<i>linnei</i> , <i>Tettix</i> , Fieber, 1853, <i>Lotos</i> , 3 : 142 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>linteiformis</i> , <i>Eschara</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 155 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Linthuris</i> de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles. Coquilles univalves, cloisonnées</i> , vol. 1, p. 254 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1571	index
<i>lintingensis</i> , <i>Papilio</i> , Osbeck, 1765, <i>Reise nach Ostindien und China</i> : 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 842	index
<i>Linuparus</i> White, 1847, <i>List Crust. Coll. Brit. Mus.</i> : 70 (gender: masculine) (type species, by monotypy: <i>Palinurus trigonus</i> von Siebold, 1824, <i>Hist. nat. japon.</i> : 15) (Crustacea, Decapoda). Op. 519	available
<i>Linza</i> Schrank, 1802, <i>Briefe naturhist. physikalisch. ökonom. Inhaltes an Nau</i> : 91 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 418	index

<i>Liocheles</i> Sundevall, 1833, <i>Conspectus Arachnidum</i> , p. 31 (gender: masculine) (type species, by monotypy: <i>Scorpio australasiae</i> Fabricius, 1775) (Arachnida). Op. 2037	available
LIOCHELIDAE Fet & Bechly, 2001 (1879), <i>Bulletin of Zoological Nomenclature</i> , 58 : 281 (type genus: <i>Liocheles</i> Sundevall, 1833), ruled under the plenary power to have precedence over the name ISCHNURIDAE Simon, 1879 (Arachnida). Op. 2037	available
<i>Liodes</i> von Heyden, 1826, <i>Isis</i> (Oken), 1826 : 611 (a junior homonym of <i>Leiodes</i> Latreille, 1796). Op. 218	index
<i>Liogryphaea</i> Fischer, 1885, <i>Manuel Conchyl.</i> : 927 (a junior objective synonym of <i>Gryphaea</i> Lamarck, 1801). Op. 338	index
<i>Liogryphea</i> Douvillé, 1904, in Morgan, <i>Miss. Sci. Perse</i> , 3 (Études Géol. et Pal.) (4): 273 (an incorrect subsequent spelling for <i>Liogryphaea</i> Fischer, 1885). Op. 338	index
<i>Liomera</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2) 12 : 124 (gender: feminine) (type species, by monotypy: <i>Carpilius cinctimanus</i> White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 37) (Crustacea, Decapoda). Op. 85, Direction 36, Direction 37	available
<i>Liopelma</i> Günther, 1868, <i>Proc. zool. Soc. London</i> , 1868 : 478 (an unjustified emendation of <i>Leiopelma</i> Fitzinger, 1861). Op. 1071	index
LIOPELMATINA Mivart, 1869, <i>Proc. zool. Soc. London</i> , 1869 : 291 (type genus: <i>Leiopelma</i> Fitzinger, 1861) (an incorrect original spelling for LEIOPELMATIDAE Mivart, 1869). Op. 1071	index
LIOPELMIDAE Noble, 1924, <i>Amer. Mus. Novit.</i> (132): 9 (type genus: <i>Leiopelma</i> Fitzinger, 1861) (a junior objective synonym of LEIOPELMATIDAE Mivart, 1869). Op. 1071	index
<i>Liopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 557 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Lioteropelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 549 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
LITOHEIDAE Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 436 (type genus: <i>Liotheum</i> Nitzsch, 1818) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 628	index
<i>Liotheum</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 296 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 628	index
<i>Lipaesthesia</i> Rathbun, 1898, <i>Proc. U.S. nat. Mus.</i> , 21 (No. 1162): 584 (gender: masculine) (type species, by monotypy: <i>Lipaesthesia leeanus</i> Rathbun, 1898, <i>Proc. U.S. nat. Mus.</i> , 21 (No. 1162): 585) (Crustacea, Decapoda). Op. 85, Direction 37	available
LIPARIDAE (as LIPARIDES) Boisduval, 1834, <i>Icon. hist. Lepid. nouv. ou peu connus</i> , 2 : 134 (type genus: <i>Liparis</i> Ochsenheimer, 1810) (invalid because the name of the type genus is a junior homonym). Op. 1283	index

LIPARIDAE Gill, 1861, <i>Catalogue of the fishes of the eastern coast of North America, from Greenland to Georgia</i> , p. 47 (type genus: <i>Liparis</i> Scopoli, 1777), spelling confirmed following the ruling by the Commission that for the purposes of Article 29 of the Code the stem of the generic name <i>Liparis</i> Scopoli, 1777 is LIPAR- (Osteichthyes, Scorpaeniformes). Op. 1673	available
<i>Liparis</i> Ochsenheimer, 1810, <i>Schmett. Europas</i> , 3 : 186 (a junior homonym of <i>Liparis</i> Scopoli, 1777). Op. 1283	index
<i>Liparis</i> Scopoli, 1777, <i>J.A. Scopoli ... Introductio ad Historiam naturalem, sistens genera Lapidum, Plantarum et Animalium ...</i> , p. 453 (gender: masculine) (type species, by absolute tautonomy: <i>Cyclopterus liparis</i> Linnaeus, 1766) (Osteichthyes, Scorpaeniformes). Op. 1673	available
<i>liparis</i> , <i>Cyclopterus</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1(1), p. 414 (specific name of the type species of <i>Liparis</i> Scopoli, 1777) (Osteichthyes, Scorpaeniformes). Op. 1673	available
<i>Liparoceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (No. 5): 83 (gender: neuter) (type species, by designation under the plenary power: <i>Liparoceras bronni</i> Spath, 1938, <i>Cat. Ammon. Liass. Fam. Liparocerat.</i> : 43) (Cephalopoda). Op. 308	available
LIPAROCERATIDAE Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 : 80 (type genus: <i>Liparoceras</i> Hyatt, 1867) (Cephalopoda). Direction 14	available
<i>Liparthrum</i> Wollaston, 1854, <i>Catalogue of the coleopterous insects of the Canaries in the collection of the British Museum</i> : 265 (gender: neuter) (type species, by original designation: <i>Liparthrum</i> (emendation of <i>Leiparthrum</i>) <i>bituberculatum</i> Wollaston, 1854, <i>Insecta Maderensis, being an account of the insects of the islands of the Madeiran group</i> : 294) (Insecta, Coleoptera). Op. 1166	available
<i>Liperus</i> Kellogg, 1902, <i>J. N.Y. entomol. Soc.</i> , 10 : 22 (an unjustified emendation of <i>Lipeurus</i> Nitzsch, 1818). Op. 342	index
LIPEURIDAE Mjöberg, 1910, <i>Ark. Zool.</i> , 6 (No. 13): 82 (type genus: <i>Lipeurus</i> Nitzsch, 1818) (Insecta, Mallophaga). Direction 28	available
<i>Lipeurus</i> Nitzsch, 1818, <i>Mag. Entomol. (Germar)</i> , 3 : 292 (gender: masculine) (type species, by designation under the plenary power: <i>Pediculus caponis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 614, as interpreted by the neotype designated by Clay & Hopkins, 1955 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 10 : 288) namely the male specimen figured by Clay, 1938 (<i>Proc. zool. Soc. London (B)</i> , 108 : 112, fig. 1a)) (Insecta, Mallophaga). Op. 342	available
LIPHISTIIDAE Thorell, 1869, <i>On European Spiders</i> : 43 (type genus: <i>Liphistius</i> Schiødte, 1849) (Arachnida). Op. 933	available
<i>Liphistius</i> Schiødte, 1849, <i>Nat. Tidskr.</i> , (2) 2 : 621 (gender: masculine) (type species, by monotypy: <i>Lipistius</i> [sic] <i>desultor</i> Schiødte, 1849, <i>Nat. Tidskr.</i> , (2) 2 : 621) (Arachnida). Op. 933	available
<i>Lipistius</i> Schiødte, 1849, <i>Nat. Tidskr.</i> , (2) 2 : 621 (an incorrect original spelling for <i>Liphistius</i> Schiødte, 1849). Op. 933	index

<i>lippa, Indiana</i> , Matthew, 1902, <i>Canadian Rec. Sci.</i> , Montreal, 8 : 461 (specific name of the type species of <i>Indiana</i> Matthew, 1902) (Crustacea, Ostracoda). Op. 570	available
<i>Liptena</i> Westwood, [1851], in Doubleday, <i>Gen. diurn. Lep.</i> (2): pl. 77 (gender: feminine) (type species, by designation under the plenary power: <i>Liptena undularis</i> Hewitson, [1866], <i>Ill. exot. Butts.</i> , 3 : [120], pl. [60], fig. 7) (Insecta, Lepidoptera). Op. 566	available
LIPTENINAE Röber, (1892), in Schatz, in Staudinger & Schatz, <i>Exot. Schmett.</i> , 2 (6): 262, 277 (type genus: <i>Liptena</i> Westwood, [1851]) (Insecta, Lepidoptera). Op. 566	available
<i>Lirobarleeia</i> Ponder, 1983, <i>Records of the Australian Museum</i> , 35 (6): 243 (gender: feminine) (type species, by designation under the plenary power: <i>Alvania nigrescens</i> Bartsch & Rehder, 1939) (Gastropoda). Op. 1888	available
<i>Liromytilus</i> La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059 : 51 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>Lironeca</i> Leach, 1847, in White, <i>List of the specimens of Crustacea in the collections of the British Museum</i> , p. 109, ruled by the Commission to be an incorrect subsequent spelling of <i>Livoneca</i> Leach, 1818 (Crustacea, Isopoda). Op. 1849	index
<i>Lissa</i> Leach, 1815, <i>Zool. Miscell.</i> , 2 : 69 (gender: feminine) (type species, by monotypy: <i>Cancer chiragra</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 409) (Crustacea, Decapoda). Op. 522	available
<i>lissana, Lacerta muralis fusca</i> var., Werner, 1891, <i>Verh. zool.-bot. Ges. Wien</i> , 41 : 752 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>Lissatrypa</i> Twenhofel, 1914, <i>Museum Bulletin, Canadian Geological Survey</i> , 3 : 31 (gender: feminine) (type species, by original designation and monotypy: <i>Lissatrypa atheroidea</i> Twenhofel, 1914) (Brachiopoda). Op. 2022	available
<i>Lissocarcinus</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 45 (gender: masculine) (type species, by monotypy: <i>Lissocarcinus polybiooides</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 46) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Lissocarcinus</i> Adams & White, 1847, in White, <i>List Crust. Coll. Brit. Mus.</i> : 126 (a nomen nudum). Direction 37	index
<i>Lissochlamis</i> Sacco, 1897, <i>Bollettino dei Musei di Zoologia ed Anatomia comparata della Reale Università di Torino</i> , 12 (298): 102 (ruled under the plenary power to be an incorrect original spelling of <i>Lissochlamys</i>) (Bivalvia) Op. 2203	index
<i>Lissochlamys</i> Sacco, 1897, (30 December). <i>I molluschi dei terreni terziari del Piemonte e della Liguria</i> , Parte 24, p. 46 (gender: feminine), type species by original designation <i>Pecten excisus</i> Bronn, 1831 (Bivalvia) Op. 2203	available
<i>Lissula</i> Rafinesque, 1818, <i>Amer. mon. Mag.</i> , 2 : 272 (a junior objective synonym of <i>Lissa</i> Leach, 1815). Op. 522	index
<i>listeri, Ammonites</i> , Sowerby, 1812, <i>Brit. Min.</i> , 5 : 97, pl. 455, as interpreted by the lectotype designated and figured by Stubblefield, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 123, pl. 7, figs. 2a-c) (specific name of the type species of <i>Gastrioceras</i> Hyatt, 1884) (Cephalopoda). Op. 420	available

<i>listeri</i> , <i>Belemnites</i> , Mantell, 1822, <i>Foss. South Downs</i> : 88, pl. xix, figs. 17, 18, 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 430	index
<i>listeri</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. P[4], pl. 35, fig. 3 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>listeri</i> , <i>Unio</i> , Sowerby, 1817, <i>Min. Conch.</i> , 2: 123 (specific name of the type species of <i>Cardinia</i> Agassiz, [1841]) (Bivalvia). Op. 292	available
<i>listerianum</i> , <i>Leptoclinum</i> , Milne Edwards, 1841, <i>Mémoires de l'Académie des Sciences de l'Institut de France</i> , 18: 300 (senior subjective synonym of <i>Diplosoma rayneri</i> MacDonald, 1859, the type species of <i>Diplosoma</i> MacDonald, 1859) (Tunicata, Ascidiaceae). Op. 1412	available
<i>Listronites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 92 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Lithadia</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2: 434; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21: 305 (gender: feminine) (type species, by monotypy: <i>Lithadia cumingii</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2: 434; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21: 305) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Lithasia</i> Haldeman, 1840, <i>Monogr. Limniades or freshwater univalve shells of North America</i> , Suppl. to No. 1: 1 (gender: feminine) (type species, by monotypy: <i>Anculosa (Lithasia) geniculata</i> Haldeman, 1840, <i>Monogr. Limniades or freshwater univalve shells of North America</i> , Suppl. to No. 1: 1) (Gastropoda). Op. 1195	available
LITHOBIIDAE Newport, May 1844, <i>Proc. linn. Soc. London</i> , 1844(20): 192; <i>id.</i> , [post May] 1844, <i>Trans. linn. Soc. London</i> , 19: 275, 360 (type genus: <i>Lithobius</i> [Leach, 1814]) (Chilopoda). Op. 454	available
<i>Lithobius</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7(2): 408 (gender: masculine) (type species, by designation by Latreille, 1831 (<i>Cours Entomol.</i> : 658): <i>Scolopendra forficata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 638) (Chilopoda). Op. 454	available
<i>Lithodes</i> Latreille, 1806, <i>Gen. Crust. Ins.</i> , 1: 39 (gender: masculine) (type species, by monotypy: <i>Cancer maja</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 629) (Crustacea, Decapoda). Op. 511	available
LITHODIADAЕ Samouelle, 1819, <i>Entomol. useful Compendium</i> : 90 (type genus: <i>Lithodes</i> Latreille, 1806) (an incorrect original spelling for LITHODIDAE Samouelle, 1819). Op. 511	index
LITHODIDAE (correction of LITHODIADAЕ) Samouelle, 1819, <i>Entomol. useful Compendium</i> : 90 (type genus: <i>Lithodes</i> Latreille, 1806) (Crustacea, Decapoda). Op. 511	available
<i>lithographica</i> , <i>Archaeopteryx</i> , von Meyer, 1861, <i>Neues Jahrb. Min.</i> , 1861: 679 (specific name of the type species of <i>Archaeopteryx</i> von Meyer, 1861) ruled under the plenary power to be given precedence over the specific name <i>crassipes</i> , as published in the binomen <i>Pterodactylus crassipes</i> von Meyer, 1857, whenever the two names are considered synonyms (Aves). Op. 607, Op. 1070	available

<i>Lithostreon</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 92 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Lithostrotion</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 508 (gender: neuter) (type species, by designation under the plenary power: <i>Lithostrotion striatum</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 508) (Anthozoa). Op. 117	available
<i>Lithostrotium</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 214 (an unjustified emendation of <i>Lithostrotion</i> Fleming, 1828). Direction 76	index
<i>Litocheira</i> Kinahan, 1856, <i>J. roy. Dublin Soc.</i> , 1 : 116, 121 (gender: feminine) (type species, by monotypy: <i>Litocheira bispinosa</i> Kinahan, 1856, <i>J. roy. Dublin Soc.</i> , 1 : 121) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>litoralis</i> , <i>Pugetomysis</i> , Banner, 1948, <i>Trans. roy. canad. Inst.</i> , 27 (57): 104-106, pl. 6, fig. 18, as interpreted by the lectotype designated by Holmquist, 1958 (<i>Medd. om Grønl.</i> , 159 (4): 6) (specific name of the type species of <i>Pugetomysis</i> Banner, 1948) (Crustacea, Mysidacea). Op. 578	available
<i>litoreus</i> , <i>Staphylinus</i> , Broun, 1880, <i>Manual of the New Zealand Coleoptera</i> , part 1, p. 108, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. littoreus</i> Linnaeus, 1758 (Insecta, Coleoptera). Op. 2053	available
<i>litteratus</i> , <i>Cancer</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 342 (specific name of the type species of <i>Varuna</i> Milne Edwards, 1830) (Crustacea, Decapoda). Direction 36	available
<i>littoralis</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 442 (specific name of the type species of <i>Salda</i> Fabricius, 1803) (Insecta, Hemiptera). Op. 245	available
<i>littoralis</i> , <i>Psammylla</i> , Rafinesque, 1817, <i>Amer. mon. Mag. crit. Review</i> , 2 : 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1133	index
<i>littoralis</i> , <i>Scopula</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 176 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>littoralis</i> , <i>Unio</i> , Cuvier, [1797-1798], <i>Tabl. élém. Hist. nat. Anim.</i> : 425 (Bivalvia). Op. 336	available
<i>litoreus</i> , <i>Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 422 (Insecta, Coleoptera). Op. 2053	available
<i>litoreus</i> , <i>Turbo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 761 (specific name of the type species of <i>Littorina</i> Féruccac, 1822) (Gastropoda). Op. 1159	available
<i>Littorina</i> Féruccac, 1822, <i>Tabl. syst. anim. moll.</i> , pp. XI (16.2.1822), XXIV (13.4.1822), the dates <i>fide</i> Kennard, 1942, <i>Proc. malac. Soc. London</i> , 25 : 12-17, 105-118 (gender: feminine) (type species, by designation by Anton, 1838 (<i>Verzeichniss der Conchylien</i> : 52): <i>Turbo littoreus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 761) (Gastropoda). Op. 1159	available
<i>lituellum</i> , <i>Siphonium (Dendropoma)</i> , Mörcch, 1861, <i>Proceedings of the Zoological Society of London</i> , 1861 : 154 (specific name of the type species of <i>Dendropoma</i> Mörcch, 1861) (Gastropoda). Op. 1425	available

<i>Lituina</i> Link, 1807, <i>Beschr. nat.-Samml. Univ. Rostock</i> (2): 84 (a junior objective synonym of <i>Spirula</i> Lamarck, 1799). Op. 315	index
<i>liturata</i> , <i>Tenthredo</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 5, p. 2668 (senior subjective synonym of <i>Tenthredo guttata</i> Fallén, 1808, the type species of <i>Poecilostoma</i> Dahlbom, 1835) (Insecta, Hymenoptera). Op. 1963	available
<i>Lius</i> Chevrolat, 1838, <i>Revue Entomologique</i> , 5: 104 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 2112	index
<i>Lius</i> Deyrolle, 1865, <i>Annales de la Société Entomologique de Belgique</i> , 8: 219 (gender: masculine) (type species, by subsequent designation by Cobos, 1979, <i>Acta Entomologica Bohemoslovaca</i> , 76: 425: <i>Brachys ignitus</i> Gory & Laporte, 1840) (Insecta, Coleoptera). Op. 2112	available
<i>livea</i> , <i>Simia (Papio)</i> , Kerr, 1792, <i>The Animal Kingdom</i> , Mammalia: 62 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 935	available
<i>lividus</i> , <i>Dytiscus</i> , Forster, 1771, <i>Nov. Spec. Ins.</i> : 52 (specific name of the type species of <i>Helochares</i> Mulsant, 1844) (Insecta, Coleoptera). Op. 710	available
<i>Livoneca</i> Leach, 1818, in Cuvier (Ed.), <i>Dictionnaire des sciences naturelles</i> , vol. 12, p. 351 (gender: feminine) (type species, by subsequent designation by Fowler, 1912, <i>Annual Report of the New Jersey State Museum</i> , 1911: 278: <i>Livoneca redmanii</i> Leach, 1818), ruled by the Commission to be the correct original spelling (Crustacea, Isopoda). Op. 1849	available
LIVONECINAE Schioedte & Meinert, 1884, <i>Naturhistorisk Tidsskrift</i> , (3)14: 325 (type genus: <i>Livoneca</i> Leach, 1818) (Crustacea, Isopoda). Op. 1849	available
<i>livonica</i> , <i>Terebratula</i> , von Buch, 1834, <i>Abh. Kön. Ak. Wiss. zu Berlin</i> : 57 (specific name of the type species of <i>Ripidiorhynchus</i> Sartenaer, 1966) (Brachiopoda). Op. 907	available
<i>liza</i> , <i>Mugil</i> , Valenciennes in Cuvier & Valenciennes, 1836, <i>Histoire naturelle des poissons</i> , vol. 11, p. 83, as defined by the lectotype (specimen no. A.4659 in the Muséum National d'Histoire Naturelle, Paris) designated by Harrison, 1993, <i>Bulletin of Zoological Nomenclature</i> , 50: 146 (Osteichthyes, Perciformes). Op. 1787	available
<i>Lizinus</i> Mulsant & Rey, 1870, <i>Histoire naturelle des punaises de France. Coréides, Alydides, Béryties, Sténocéphalides</i> , p. 212 (gender: masculine) (type species, by subsequent designation by Péricart, 1984, <i>Faune de France</i> , vol. 70, p. 58: <i>Berytus montivagus</i> Meyer-Dür, 1841), ruled under the plenary power to be given precedence over <i>Melorus</i> Mulsant & Rey, 1870, but not to be given priority over <i>Berytinus</i> Kirkaldy, 1900, whenever it and one of the other nominal genera are considered to be synonyms (Insecta, Heteroptera). Op. 1504	available
<i>Lobacantha</i> Kirby, 1837, in Richardson, <i>Fauna bor.-amer.</i> (4): 227 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 376	index

<i>Lobactis</i> Verrill, 1864, <i>Bulletin of the Museum of Comparative Zoology</i> , 1 : 52 (gender: feminine) (type species, by original designation: <i>Fungia dentigera</i> Leuckart, 1841, a junior subjective synonym of <i>Fungia scutaria</i> Lamarck, 1801) (Anthozoa). Op. 1649	available
<i>lobata, Aranea</i> , Pallas, 1772, <i>Spicilegia Zoologiae</i> , Fasc. 9: 46 (specific name of the type species of <i>Argiope</i> Audouin, 1826) (Arachnida). Op. 1038	available
<i>Lobophora</i> Agassiz, 1841, <i>Mon. Echin.</i> , Monogr. 2: 62 (a junior objective synonym of <i>Echinodiscus</i> Leske, 1778). Op. LOBORHYNCHINAE Schoenherr, 1823, <i>Isis</i> (Oken), 7 (10): col. 1144 (type genus: <i>Loborhynchus</i> Schoenherr, 1823) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 982	index
<i>Loborhynchus</i> Schoenherr, 1823, <i>Isis</i> (Oken), 7 (10): col. 1145 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 982	index
<i>Locusta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 431 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Gryllus migratorius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 432) (Insecta, Orthoptera). Op. 158	available
<i>locusta, Astacus</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 513 (a junior secondary homonym in the genus <i>Astacus</i> Fabricius, 1775, of <i>locusta, Cancer</i> , Linnaeus, 1758). Op. 564	index
<i>locusta, Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 634 (Crustacea, Amphipoda). Op. 564, Op. 1133	available
<i>loewi, Culex</i> , Giebel, 1862, <i>Z. gesamten Naturwiss. Halle</i> , Jahrg. 1862, 20 : 317, 318 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1213	index
<i>loewii, Aleuropteryx</i> , Klapálek, 1894, <i>Entomologist's Monthly Magazine</i> , 30 : 122 (specific name of the type species of <i>Aleuropteryx</i> Löw, 1885) (Insecta, Neuroptera). Op. 1595	available
<i>lofotensis, Rhizocrinus</i> , Sars, 1865, <i>Forh. Vidensk.-Selsk. Christiania</i> , 1864 : 127 (a nomen nudum). Direction 72	index
<i>lofotensis, Rhizocrinus</i> , Sars, 1868, <i>Mém. serv. Conn. Crin. viv.</i> : 1, 39 (specific name of the type species of <i>Rhizocrinus</i> Sars, 1868) (Crinoidea). Direction 73	available
<i>Loligo</i> Lamarck, 1798, <i>Bulletin des Sciences, par la Société Philomatique de Paris</i> , 17 : 130 (gender: masculine) (type species, by subsequent designation by Children, 1823, <i>Lamarck's genera of shells</i> , p. 16: <i>Loligo vulgaris</i> Lamarck, 1798) (Cephalopoda, Coleoidea). Op. 1861	available
<i>Loligo</i> Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 110 (not made available in the work cited). Op. 233	index
<i>loligo, Sepia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 659 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1861	index

<i>Loligosepia</i> Quenstedt, 1839, <i>Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde</i> , 1839 : 163 (gender: feminine) (type species, by subsequent designation by Regteren Altena, 1949, <i>Archives du Musée Teyler</i> , (3) 10 : 58: <i>Loligo aalensis</i> Schübler in Zieten, 1832) (Cephalopoda, Coleoidea). Op. 1914	available
<i>Lomatoceras</i> Bronn, 1834, <i>Lethaea geogn.</i> , 1 (1): 55 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 198	index
<i>Lonchaea</i> Fallén, 1820, <i>Dipt. svec.</i> 2 , <i>Ortalides</i> (3): 25 (gender: feminine) (type species, by designation by Westwood, 1840 (<i>Introd. mod. Classif. Ins.</i> , Gen. Synopsis: 150): <i>Musca chorea</i> Fabricius, 1781, <i>Spec. Ins.</i> , 2 : 444) (Insecta, Diptera). Op. 652	available
LONCHAEIDAE Loew, 1862, <i>Die europ. Bohrfliegen</i> (Tryptidae): 7 (type genus: <i>Lonchaea</i> Fallén, 1820) (Insecta, Diptera). Op. 652	available
<i>Lonchea</i> Rondani, 1856, <i>Dipterol. ital. Prodri.</i> , 1 : 120 (an incorrect subsequent spelling for <i>Lonchaea</i> Fallén, 1820). Op. 652	index
<i>longicarpus, Pagurus</i> , Say, 1817, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (8): 163 (Crustacea, Decapoda). Op. 522	available
<i>longicauda, Agathis</i> , Boheman, 1853, <i>Kongliga Vetenskaps-Akademiens Handlingar</i> , 1851 : 178, as defined by the lectotype (specimen labelled (1) Sc. ar. [= Scanis arid]; (2) Bhn [=Bohemian]; (3) 487 91 [pink label designating loan number for 1991]; (4) Riksmuseum Stockholm [green]; (5) lectotype label [red]) designated by Wharton, 1991, <i>Bulletin of Zoological Nomenclature</i> , 48 : 332 (specific name of the type species of <i>Vipio</i> Latreille, 1804) (Insecta, Hymenoptera). Op. 1758	available
<i>longicauda, Asterias</i> , Retzius, 1805, <i>Diss. sist. spec. cogn. Ast.</i> : 29 (specific name of the type species of <i>Ophioderma</i> Müller & Troschel, 1840) (Ophiuroidea). Op. 1152	available
<i>longicaudatoides, Prodorylaimus</i> , Altherr, 1968, <i>Limnol.</i> , 6 (2): 270 (specific name of the type species of <i>Prodorylaimus</i> Andrassy, 1959) (Nematoda). Op. 1330	available
<i>longicaudatum, Kinosternon</i> , Spix, 1824, <i>Animalia nova, sive species novae testudinem</i> , p. 17 (specific name of the type species of <i>Kinosternon</i> Spix, 1824) (Reptilia, Testudines). Op. 1534	available
<i>longicaudatus, Griphornis</i> , (Owen MS) Woodward, 1862, <i>Intell. Observ.</i> , 2 : plate (a junior objective synonym of <i>lithographica, Archaeopteryx</i> , von Meyer, 1861). Op. 607	index
<i>longiceps, Griffithides</i> , Portlock, 1843, <i>Report on the geology of the county of Londonderry, and of parts of Tyrone and Fermanagh</i> , p. 310 (specific name of the type species of <i>Griffithides</i> Portlock, 1843) (Trilobita). Op. 1652	available
<i>longicorne, Acrydium</i> , Latreille, [1803-1804], <i>Hist. nat. gén. partic. Crust. Ins.</i> , 12 : 159 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 609	index
<i>longicornis, Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 574 (specific name of the type species of <i>Eucera</i> Scopoli, 1770) (Insecta, Hymenoptera). Op. 1713	available

<i>longicornis</i> , <i>Cancer</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1040, as interpreted by the lectotype designated by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 178, 179) (specific name of the type species of <i>Pisidia</i> Leach, 1820) (Crustacea, Decapoda). Op. 701	available
<i>longicornis</i> , <i>Hirtea</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 367 (specific name of the type species of <i>Hirtea</i> Scopoli, 1763) (Insecta, Diptera). Op. 441	available
<i>longicornis</i> , <i>Monstrilla</i> , Thompson, 1890, <i>Proc. Trans. Liverpool biol. Soc.</i> , 4 : 119 (Crustacea, Copepoda). Op. 1175	available
<i>longicornis</i> , <i>Nematopagurus</i> , Milne Edwards & Bouvier, 1892, <i>Ann. Sci. nat.</i> , Paris (Zool.), (7) 13 : 210 (specific name of the type species of <i>Nematopagurus</i> Milne Edwards & Bouvier, 1892) (Crustacea, Decapoda). Op. 712	available
<i>longicornis</i> , <i>Oniscus</i> , J. Sowerby, 1805, <i>The British Miscellany</i> , part 4, p. 31 (specific name of the type species of <i>Astacilla</i> Cordiner, 1793) (Isopoda). Op. 1369	available
<i>longicornis</i> , <i>Psednura</i> , Sjöstedt, 1920, <i>Arkiv Zool.</i> , 12 (No. 20): 5, as interpreted by reference to the lectotype designated under the plenary power, being the male syntype from Atherton, Queensland, Australia, preserved in the Stockholm Museum (Insecta, Orthoptera). Op. 1096	available
<i>longicornis</i> , <i>Talitrus</i> , Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 : 384 (Crustacea, Amphipoda). Op. 1133	available
<i>longicosta</i> , <i>Patella</i> , Lamarck, 1819, Patelle. <i>Patella</i> . In: <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 6, part 1, p. 326 (Gastropoda). Op. 1868	available
<i>longidens</i> , <i>Ammonites parkinsoni</i> , Quenstedt, 1886, <i>Die Ammoniten des Schwäbischen Jura, II, Der Braune Jura</i> , p. 592, ruled under the plenary power to be an available name (specific name of the type species of <i>Odontolkites</i> Buckman, 1925) (Ammonoidea). Op. 2123	available
<i>longimana</i> , <i>Simia</i> , Schreber, [1774], <i>Die Säugthiere in Abbildungen nach der Natur mit Beschreibungen</i> , vol. 1, p. 67, pl. 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1736	index
<i>longimanus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 629 (specific name of the type species of <i>Parthenope</i> Weber, 1795) (Crustacea, Decapoda). Op. 696	available
<i>longimanus</i> , <i>Heteropenaeus</i> , De Man, 1896, <i>Zool. Anz.</i> , 19 : 111 (specific name of the type species of <i>Heteropenaeus</i> De Man, 1896) (Crustacea, Decapoda). Op. 864	available
<i>longimanus</i> , <i>Squalus (Carcharias)</i> , Poey, 1861, <i>Mem. Hist. nat. Cuba</i> , 2 : 338 (specific name of the type species of <i>Pterolamiops</i> Springer, 1951) (Chondrichthyes). Op. 723	available
<i>longinaris</i> , <i>Artemesia</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 281 (specific name of the type species of <i>Artemesia</i> Bate, 1888) (Crustacea, Decapoda). Op. 864	available
<i>longior</i> , <i>Tyroglyphus</i> , Gervais, 1844, <i>Hist. nat. Ins. (Aptères)</i> , 3 : 262, pl. 35, fig. 5, as interpreted by the neotype designated by Robertson, 1959 (<i>Austr. J. Zool.</i> , 7 (2): 153, 154) (Arachnida). Op. 1298	available

- longipalpis*, *Erigone*, Sundevall, 1830, *Kungliga Svenska Vetenskapsakademiens Handlingar*, **1829**: 212 (specific name of the type species of *Erigone* Audouin, [1826]) (Arachnida, Araneae). Op. 1421 available
- longipenne*, *Anthobium*, Erichson, 1839, *Die Käfer der Mark Brandenburg*, vol. 1, part 2, p. 640, ruled under the plenary power to be given precedence over *Omalium imhoffii* Heer, 1839, whenever they are considered to be synonyms, and not invalid by reason of being a junior primary homonym of *Anthobium longipenne* Stephens, 1834 (Insecta, Coleoptera). Op. 2086 available
- longipenne*, *Anthobium*, Stephens, 1834, *Illustrations of British entomology ... Mandibulata*, vol. 5, p. 342 (Insecta, Coleoptera). Op. 2086 available
- longipenne*, *Tricholaema melanocephalum*, Grant, 1956, *Ann. Mag. nat. Hist.*, (12)**9**: 368 (a junior primary homonym of *longipenne*, *Tricholaema melanocephalum*, Horniman, 1940). Op. 480 index
- longipenne*, *Tricholaema melanocephalum*, Horniman, 1940, *Prelim. Descr. new Birds*: 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480 index
- longipennis*, *Hirundo*, Rafinesque, 1802, *Bull. Sci. Soc. philomat. Paris*, No. **68**: 153 (specific name of the type species of *Hemiprocne* (emendation under the plenary power of *Hemiprocnes*) Nitzsch, 1829) (Aves). Op. 457 available
- longipes*, *Cancer (Astacus)*, Herbst, 1793, *Versuch Naturgesch. Krabben Krebse*, **2**: 90 (a junior primary homonym of *longipes*, *Cancer*, Linnaeus, 1758). Op. 381 index
- longipes*, *Portunus*, Risso, 1816, *Hist. nat. Crust. Nice*: 30 (Crustacea, Decapoda). Op. 522 available
- longiremis*, *Pseudaugaptilus*, Sars, 1907, *Bulletin de l'Institut Océanographique*, **101**: 24 (Copepoda). Op. 1613 available
- longirostris*, *Cancer*, Fabricius, 1775, *Syst. Entomol.*: 408 (specific name of the type species of *Macropodia* [Leach, 1814]) (Crustacea, Decapoda). Op. 763 available
- longirostris*, *Palaemon*, H. Milne Edwards, 1837, *Histoire Naturelle des Crustacés*, vol. 2, p. 392 (Crustacea, Decapoda). Op. 1576 available
- longirostris*, *Palaemon*, H. Milne Edwards, 1837, *Histoire Naturelle des Crustacés*, vol. 2, p. 394 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Crustacea, Decapoda). Op. 1576 index
- longirostris*, *Peneus*, Lucas, 1846, *Explor. sci. Algérie (Zool.)*, **2**, Crust.: 46 (conserved under the plenary power) (specific name of the type species of *Parapenaeus* Smith, 1885) (Crustacea, Decapoda). Op. 611 available
- longisetosus*, *Isochaeta*, Thompson, 1903, *Annals and Magazine of Natural History*, (7)**12**(67): 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Copepoda). Op. 1613 index

<i>longispinus</i> , <i>Dactylopius</i> , Targioni-Tozzetti, 1867, <i>Mem. Soc. Ital. Sci. nat.</i> , 3 : 75, as interpreted by the neotype designated by Miller, 1981 (<i>Bull. zool. Nomencl.</i> , 38 : 83) (specific name of the type species of <i>Pseudococcus</i> Westwood, 1840) (Insecta, Hemiptera). Op. 1247	available
<i>longissimus</i> , <i>Phorusrhacos</i> , Ameghino, 1887, <i>Boletin del Museo de La Plata</i> , 1887 : 24 (specific name of the type species of <i>Phorusrhacos</i> Ameghino, 1887) (Aves, Gruiformes). Op. 1687	available
<i>longus</i> , <i>Calanus</i> , Lubbock, 1854, <i>Ann. Mag. nat. Hist.</i> , (2) 14 : 127 (valid name at the date of Opinion 1269 of the type species of <i>Metridia</i> Boeck, 1865) (Crustacea, Copepoda). Op. 1269	available
<i>lonnbergi</i> , <i>Catharacta antarctica</i> , Mathews, 1912, <i>Novitates Zoologicae</i> , 18 (3): 212 (Aves, Charadriiformes). Op. 1814	available
<i>Lonomia</i> Walker, 1855, <i>List Specim. Lepid. Ins. Coll. Brit. Mus.</i> , 5 : 1191 (gender: feminine) (type species, by designation under the plenary power: <i>Lonomia obliqua</i> Walker, 1855, <i>List Specim. Lepid. Ins. Coll. Brit. Mus.</i> , 5 : 1194) (Insecta, Lepidoptera). Op. 1105	available
<i>Lonsdaleia</i> McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 3 : 11 (gender: feminine) (type species, by original designation: <i>Erismatolithus Madreporites duplicatus</i> Martin, 1809, <i>Petrif. derb.</i> : sign. N[4], pl. 30, figs. 1, 2, as conserved under the plenary power and as interpreted by the neotype designated by Smith, 1916 (<i>Quart. J. geol. Soc. London</i> , 71 : 238, pl. 17, fig. 1)) (Anthozoa). Op. 419	available
LONSDALEIDAE Grabau, 1931, <i>Nat. Hist. Centr. Asia</i> , 4 : 42 (forming part of the <i>Central Asiatic Expeditions</i> published by the Amer. Mus. nat. Hist., New York) (type genus: <i>Lonsdaleia</i> McCoy, 1849) (an incorrect original spelling for LONSDALEIIDAE Grabau, 1931). Direction 62	index
LONSDALEIIDAE (correction of LONSDALEIDAE) Grabau, 1931, <i>Nat. Hist. Centr. Asia</i> , 4 : 42 (forming part of the <i>Central Asiatic Expeditions</i> published by the Amer. Mus. nat. Hist., New York) (type genus: <i>Lonsdaleia</i> McCoy, 1849) (Anthozoa). Direction 62	available
<i>Lophiotherium</i> Fischer von Waldheim, 1829, <i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 1 : 284 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 530	index
<i>Lophiotherium</i> Gervais, 1849, <i>C.R. Acad. Sci.</i> , Paris, 29 : 381, 573 (a nomen nudum). Op. 530	index
<i>Lophiotherium</i> Gervais, 1850, <i>Zool. Paléont. franç.</i> (ed. 1): expl. pl. 11, figs. 10, 10a, 11, 12 (conserved under the plenary power) (gender: neuter) (type species, by monotypy: <i>Lophiotherium cervulum</i> Gervais, 1850, <i>Zool. Paléont. franç.</i> (ed. 1): expl. pl. 11, figs. 10, 10a, 11, 12, as interpreted by the lectotype designated by Hopwood, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 197)) (Mammalia). Op. 530	available
<i>Lophius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 236 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 844): <i>Lophius piscatorius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 236) (Osteichthyes). Op. 77, Direction 56	available

<i>Lophopanopeus</i> Rathbun, 1898, <i>Bull. Lab. nat. Hist. State Univ. Iowa</i> , 4 : 272 (gender: masculine) (type species, by original designation: <i>Xantho bella</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 204, pl. 3, fig. 2) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Lophopilumnus</i> Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 148 (gender: masculine) (type species, by original designation: <i>Pilumnus dilatipes</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 44, pl. ix, fig. 4) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Lorica</i> Adams & Adams, 1852, <i>Ann. Mag. nat. Hist.</i> , (2) 9 : 355 (gender: feminine) (type species, by monotypy: <i>Chiton cimolius</i> Reeve, 1847, <i>Conchologia Iconica</i> , London, 4 Chiton, no. 141, May 1847) (Polyplacophora). Op. 1044	available
<i>Lorica</i> Anon., 1844, <i>Neues Jahrb. Min. Geogn. Geol. Petref. Kunde</i> , Jahrg. 1844 : 384 (an incorrect subsequent spelling for <i>Loricula</i> Sowerby, 1844). Op. 1044	index
<i>loricatus</i> , <i>Picus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 55 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
LORIDAE Gray, 1821, <i>London Medical Repository</i> , 15 (1): 298, spelling emended to LORISIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Loris</i> is LORIS- (Mammalia). Op. 1995	index
<i>Loridium</i> Rafinesque, 1815, <i>Analyse de la nature</i> , p. 54 (a junior objective synonym of <i>Loris</i> E. Geoffroy Saint-Hilaire, 1796) (Mammalia, Primates). Op. 1922	index
LORIIDAE (correction of LORIANA and LORIANAE) Selby, 1836, <i>Parrots, in: Naturalist's Library, Ornithology</i> , 6 : 57, 141, 142 (type genus: <i>Lorius</i> Vigors, 1825) (Aves). Op. 938, Direction 107	available
<i>Loris</i> E. Geoffroy Saint-Hilaire, 1796, <i>Magasin Encyclopédique, ou journal des sciences, des lettres et des arts</i> , (2) 1 (1): 48, 49 (gender: masculine) (type species, under Article 67.8 of the Code by subsequent designation by Illiger, 1811, <i>Prodromus systematis Mammalium et Avium</i> ..., p. 73: <i>Lemur tardigradus</i> Linnaeus, 1758) (Mammalia, Primates). Op. 1922	available
LORISIDAE Gray, 1821, <i>London Medical Repository</i> , 15 (1): 298 (type genus: <i>Loris</i> Geoffroy Saint- Hilaire, 1796), spelling emended from LORIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Loris</i> is LORIS- (Mammalia). Op. 1995	available
<i>Lorius</i> Vigors, 1825, <i>Zool. Journ.</i> , 2 : 400 (gender: masculine) (type species, by original designation: <i>Psittacus domicella</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 100) (Aves). Op. 938	available
<i>Löschia</i> Chatton & Lalung-Bonnaire, 1912, <i>Bull. Soc. Path. exot.</i> , 5 (2): 142 (a junior objective synonym of <i>Entamoeba</i> Casagrandi & Barbagallo, 1895). Op. 312	index
<i>lotor</i> , <i>Ursus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 48 (specific name of the type species of <i>Procyon</i> Storr, 1780) (Mammalia). Direction 22	available

<i>lotorium, Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 749, ruled under the plenary power to be interpreted by reference to the specimen figured by Reeve, 1844 (<i>Conchologia Iconica</i> , 2: pl. 6, fig. 19b) (Gastropoda). Op. 1135	available
<i>lottini, Alpheus</i> , Guérin, [1829], <i>Voyage autour du Monde ... sur ... La Coquille, pendant... 1822-1825, Zoologie</i> , 2(2): 38, pl. 3 (Crustacea, Decapoda). Op. 1367	available
<i>Lovenechinus</i> Jackson, 1912, <i>Mem. Boston Soc. nat. Hist.</i> , 7: 207, 324 (gender: masculine) (type species, by original designation: <i>Oligoporus missouriensis</i> Jackson, 1896, <i>Bull. geol. Soc. Amer.</i> , 7: 184-186, pl. 9, figs. 50-52) (Echinoidea). Op. 372	available
<i>Loxia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 171 (gender: feminine) (type species, by Linnaean tautonymy: <i>Loxia curvirostra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 171) (Aves). Direction 17	available
<i>Loxoconchella</i> Triebel, 1954, <i>Senckenbergiana Lethaea</i> , 35: 17 (gender: feminine) (type species, confirmed by the Commission to be by original designation: <i>Loxoconcha honoluliensis</i> Brady, 1880) (Ostracoda). Op. 1541	available
<i>lubentina, Papilio</i> , Cramer, [1777], <i>Uitl. Kapellen</i> , 2(13): 92, pl. 115, figs. C, D (specific name of the type species of <i>Euthalia</i> Hübner, [1819]) (Insecta, Lepidoptera). Direction 2	available
<i>lubrica, Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 104 (Gastropoda). Op. 336	available
<i>Lucicutia</i> Giesbrecht in Giesbrecht & Schmeil, 1898, <i>Das Tierreich</i> , 6: 110 (gender: feminine) (type species, by indication under Article 67.8 of the Code: <i>Leuckartia flavigornis</i> Claus, 1863) (Copepoda). Op. 1613	available
LUCICUTIIDAE Sars, 1902, <i>An account of the Crustacea of Norway</i> , vol. 4 (Copepoda, Calanoida), parts 7 and 8 (Centropagidae and Diaptomidae), p. 73 (type genus: <i>Lucicutia</i> Giesbrecht in Giesbrecht & Schmeil, 1898) (Copepoda). Op. 1613	available
<i>lucida, Yoldia</i> , Lovén, 1846, <i>Öfvers. k. Vetenskaps Akad. Förh.</i> , 3(6): 188 (specific name of the type species of <i>Yoldiella</i> Verrill & Bush, 1897) (Bivalvia). Op. 1306	available
<i>lucidus, Regulus</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6: 27 (specific name of the type species of <i>Thalassocaris</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>lucidus, Sperchiuss</i> , Rafinesque, 1820, <i>Annals of Nature</i> , 1: 7 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1133	index
<i>Lucifer</i> Thompson, 1830, <i>Zool. Res.</i> (3): 37 (gender: masculine) (type species, by subsequent indication under Art. 68b, by Milne Edwards, 1837: <i>Leucifer typus</i> Milne Edwards, 1837, <i>Hist. nat. Crust.</i> , 2: 469) (Crustacea, Decapoda). Op. 864	available
LUCIFERIDAE Dana, 1852, <i>U.S. Explor. Exped.</i> , 13(1): 636, 639 (type genus: <i>Lucifer</i> Thompson, 1830) (Crustacea, Decapoda). Op. 864	available
<i>lucifuga, Holothuria</i> , Quoy & Gaimard, 1833, <i>Voy. 'Astrolabe'</i> , Zool., 4: 134 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762	index

<i>Lucina</i> Bruguière, 1797, <i>Encyclopédie méthodique, Histoire naturelle des vers, coquilles, mollusques et polypiers</i> , pls. 284-286 (gender: feminine) (type species, by designation under the plenary power: <i>Venus pensylvanica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 688) (Bivalvia). Op. 1095	available
<i>Lucinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>lucius</i> , <i>Crocodilus (Alligator)</i> , Cuvier, 1807, <i>Ann. Mus. Hist. nat.</i> , Paris, 10 : 28, as interpreted by the lectotype designated by Mertens, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 175) (a junior objective synonym of <i>mississippiensis</i> (emendation of <i>mississipiensis</i>), <i>Crocodilus</i> , Daudin, [1801]). Direction 97	index
<i>lucius</i> , <i>Esox</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 314 (specific name of the type species of <i>Esox</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>lucorum</i> , <i>Apis</i> , Linnaeus, 1761, <i>Fauna Suecica</i> , Ed. 2, p. 425, as defined by the neotype designated by Day, 1979, <i>Biological Journal of the Linnean Society</i> (London), 12 : 66 (Insecta, Hymenoptera). Op. 1828	available
<i>lucorum</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 773, as defined by neotype (specimen labelled as the neotype, length 32.71 mm, diameter 39.96 mm, in the Zoological Museum of the University of Copenhagen) designated under the plenary power (Gastropoda). Op. 1996	available
<i>Lucoscombrus</i> van der Hoeven, 1855, <i>Handb. Dierk.</i> (ed. 2), 2 : 367 (a junior objective synonym of <i>Gempylus</i> Cuvier, 1829). Op. 487	index
<i>luctator</i> , <i>Longitarsus aeruginosus</i> , Weise, 1893, <i>Naturgeschichte der Insekten Deutschlands</i> , vol. 6, part 1, p. 1010 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1656	index
<i>luctuosus</i> , <i>Odynerus</i> , Saussure, 1855, <i>Et. Fam. Vespa.</i> , 3 : 220 (specific name of the type species of <i>Pseudodynerus</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>ludibunda</i> , <i>Cyprinella</i> , Girard, 1856, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 8 (5): 35 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 1991	index
<i>Luditia</i> Nagy, 1967, <i>Reichenbachia</i> , 8 (24): 197 (gender: feminine) (type species, by designation under the plenary power: <i>Tiphia villosa</i> Fabricius, 1793) (Insecta, Hymenoptera). Op. 1559	available
<i>Ludwigella</i> Buckman, 1901, <i>Proc. Cotteswold Nat. Field Club</i> , 13 : 266 (gender: feminine) (type species, by monotypy: <i>Ammonites concavus</i> Sowerby, 1815, <i>Min. Conch.</i> , 1 : 214, pl. 94, as interpreted by reference to the holotype refigured by Buckman, 1887 (<i>Monogr. Inf. Oolite Ammonites</i> (Pal. Soc.): pl. 2, figs. 6, 7)) (Cephalopoda). Op. 324	available
<i>lugdunaea</i> , <i>Cinips</i> [sic], de la Tourette, 1780, <i>Mém. Math. Phys. Acad. Sci. Paris</i> , 9 : 730-746, pl. 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1111	index

<i>lugubris</i> , <i>Caranx</i> , Poey, [1860], <i>Poissons de Cuba. In: Memorias sobre la historia natural de la Isla de Cuba, acompañadas de sumarios Latinos y extractos en Francés</i> , vol. 2, p. 222 (Osteichthyes, Perciformes). Op. 1841	available
<i>lugubris</i> , <i>Hephthopelta</i> , Alcock, 1899, <i>Account Deep Sea Brachyura</i> : 77 (specific name of the type species of <i>Hephthopelta</i> Alcock, 1899) (Crustacea, Decapoda). Direction 36	available
<i>lugubris</i> , <i>Salamandra</i> , Hallowell, 1849, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 4 : 126 (specific name of the type species of <i>Aneides</i> Baird, [1849]) (Amphibia). Op. 377	available
<i>Luidia</i> Forbes, 1839, <i>Mem. werner. nat. Hist. Soc.</i> , 8 (1): 123 (gender: feminine) (type species, by monotypy: <i>Luidia fragilissima</i> Forbes, 1839, <i>Mem. werner. nat. Hist. Soc.</i> , 8 (1): 123) (Asteroidea). Op. 129	available
LUMBRICIDAE Rafinesque, 1815, <i>Analyse Nature</i> : 135 (as LUMBRICINIA) (type genus: <i>Lumbricus</i> Linnaeus, 1758) (Oligochaeta). Op. 1102	available
<i>lumbricoides</i> , <i>Ascaris</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 648 (specific name of the type species of <i>Ascaris</i> Linnaeus, 1758) (Nematoda). Direction 77	available
<i>Lumbricus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647 (gender: masculine) (type species, by designation by Stiles & Hassall, 1903 (<i>Bull. Bureau Anim. Ind. U.S. Dep. Agric.</i> , 79 : 118): <i>Lumbricus terrestris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647) (Oligochaeta). Op. 1102	available
<i>lumpus</i> , <i>Cyclopterus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 260 (specific name of the type species of <i>Cyclopterus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>lunaris</i> , <i>Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 346 (specific name of the type species of <i>Copris</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>lunatum</i> , <i>Phalangium</i> , Pallas, 1772, <i>Spicilegia Zoologica</i> , vol. 9, p. 35, ruled under the plenary power not to be given priority over the name <i>Phrynus ceylonicus</i> Koch, 1843 whenever the two are considered to be synonyms (Arachnida). Op. 2082	available
<i>lunifrontis</i> , <i>Cimex</i> , Cooper, 1870, in Baird, <i>Ornithology</i> , 1 Land Birds: 105, 106 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1360	index
<i>lunulata</i> , <i>Maia</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 49 (Crustacea, Decapoda). Op. 522	available
<i>lunulatus</i> , <i>Uriechis</i> , Peters, 1854, <i>Monatsber. Akad. Wiss. Berlin</i> : 623 (specific name of the type species of <i>Uriechis</i> Peters, 1854) (Reptilia). Op. 1201	available
<i>Lupa</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 390 (a junior objective synonym of <i>Portunus</i> Weber, 1795). Op. 394	index
<i>Lupa</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 11 (a junior homonym of <i>Lupa</i> [Leach, 1814]). Op. 394	index
<i>Lupania</i> Rafinesque, 1818, <i>Amer. mon. Mag.</i> , 2 : 272 (a junior objective synonym of <i>Portunus</i> Weber, 1795). Op. 522	index

<i>Luperus</i> Geoffroy, 1762, <i>Hist. abr. Ins. env. Paris</i> : 230 (gender: masculine) (type species, by designation under the plenary power: <i>Chrysomela flavipes</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 601) (Insecta, Coleoptera). Op. 1273	available
LUPINAE Dana, 1851, <i>Amer. J. Sci.</i> , (2)12: 129 (type genus: <i>Lupa</i> [Leach, 1814]) (a junior objective synonym of PORTUNIDAE (correction of PORTUNIDIA) Rafinesque, 1815, the respective type genera of the two families having the same nominal species as type species). Op. 394	index
<i>Lupocyclus</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 46 (gender: masculine) (type species, by monotypy: <i>Lupocyclus rotundatus</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 47) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Lupocyclus</i> White, 1847, <i>List Crust. Coll. Brit. Mus.</i> : 127 (a nomen nudum). Direction 37	index
<i>lupus, Anarhichas</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 247 (specific name of the type species of <i>Anarhichas</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>lupus, Canis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 39, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>luridus, Dytiscus</i> , Linnaeus, 1761, <i>Fauna Svecica</i> , Ed. 2, p. 214 (specific name of the type species of <i>Berosus</i> Leach, 1817) (Insecta, Coleoptera). Op. 1577	available
<i>lustrica, Amnicola</i> , Pilsbry, 1890, <i>Nautilus</i> , 4(5): 53 (specific name of the type species of <i>Marstonia</i> Baker, 1926) (Gastropoda). Op. 1108	available
<i>lustrica, Paludina</i> , Say, 1821, <i>J. Acad. nat. Sci. Philadelphia</i> , 2: 175 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1108	index
<i>lutarius, Hemerobius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 550 (specific name of the type species of <i>Sialis</i> Latreille, 1802) (Insecta, Megaloptera). Op. 1596	available
<i>lutea, Holothuria</i> , Quoy & Gaimard, 1833, <i>Voy. 'Astrolabe'</i> , Zool., 4: 140 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762	index
<i>lutea, Muscicapa</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 11 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>lutea, Tenthredo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 555 (specific name of the type species of <i>Cimbex</i> Olivier, 1790) (Insecta, Hymenoptera). Direction 4	available
<i>luteoscutellata, Phytomyza</i> , de Meijere, 1924, <i>Tijdschrift voor Entomologie</i> , 67: 145 (specific name of the type species of <i>Paraphytomyza</i> Enderlein, 1936) (Insecta, Diptera). Op. 1509	available
<i>lutescens, Harpilius</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6: 25 (specific name of the type species of <i>Harpilius</i> Dana, 1852) (Crustacea, Decapoda). Op. 712	available

<i>lutescens</i> , <i>Triturus</i> , Rafinesque, 1832, <i>Atlantic J.</i> , 1 (3): 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 738	index
<i>luteus</i> , <i>Synaptiphilus</i> , Canu & Cuénot, 1892, in Cuénot, <i>Rev. Biol. Nord. France</i> , 5 : 19, 21, 22 (specific name of the type species of <i>Synaptiphilus</i> Canu & Cuénot, 1892) (Crustacea, Copepoda). Op. 815	available
<i>lutosa</i> , <i>Limosina</i> , Stenhammar, 1855, <i>Kongl. Vetenskaps-Akademiens Handlingar</i> , 1853 : 380, as defined by the lectotype designated by Kim, 1972, <i>Entomological News</i> , 83 : 206 (Insecta, Diptera). Op. 1745	available
<i>Lutra</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 201 (gender: feminine) (type species, by designation under the plenary power: <i>Mustela lutra</i> Linnaeus, 1758), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Carnivora). Op. 1894	available
<i>lutra</i> , <i>Mustela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 45 (specific name of the type species of <i>Lutra</i> Brisson, 1762) (Mammalia, Carnivora). Op. 1894	available
<i>Lutrarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Lutreola</i> Wagner, 1841, in Schreber, <i>Die Säugthiere</i> , Suppl. 2 : 239 (gender: feminine) (type species, by absolute tautonomy: <i>Viverra lutreola</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 5) for use by those who consider on taxonomic grounds that <i>Lutreola</i> Wagner is distinct from <i>Mustela</i> Linnaeus, 1758 (Mammalia). Op. 384	available
<i>lutreola</i> , <i>Viverra</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 5 (specific name of the type species of <i>Lutreola</i> Wagner, 1841) (Mammalia). Op. 384	available
<i>lutris</i> , <i>Mustela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 45 (specific name of the type species of <i>Enhydra</i> Fleming, 1822) (Mammalia). Op. 384	available
<i>Luzonia</i> Dall & Smith in Dall, 1890, <i>Proceedings of the U.S. National Museum</i> , 12 : 282 (gender: feminine) (type species, by original designation: <i>Neaera philippinensis</i> Hinds, 1843) (Bivalvia). Op. 1376	available
<i>luzoniensis</i> , <i>Muscicapa</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 942 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>Lybas</i> Dejean, 1836, <i>Catalogue des coléoptères de la collection de M. le Comte Dejean</i> , Ed. 2, Livr. 5, p. 429, and all uses of the name prior to the publication of <i>Lybas</i> Lacordaire, 1842 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1824	index
<i>Lybas</i> Lacordaire, 1842, <i>Monographie des Erotyliens, famille de l'ordre des coléoptères</i> , p. 228 (gender: masculine) (type species, by subsequent designation by Crotch, 1876, <i>Cistula Entomologica</i> , 1 : 471: <i>Lybas normalis</i> Lacordaire, 1842) (Insecta, Coleoptera). Op. 1824	available

<i>Lybia</i> Milne Edwards, 1834, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 1 : 431 (gender: feminine) (type species, by monotypy: <i>Grapsus tesselatus</i> Latreille, 1812, <i>in Milbert, Voy. Ile de France</i> , 2 : 275) (Crustacea, Decapoda). Op. 85, Direction 36, Direction 37	available
<i>Lycaeides</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (5): 69 (gender: masculine) (type species, by designation under the plenary power: <i>Papilio argyrogномон</i> Bergsträsser, [1779], <i>Nomencl. Beschr. Ins. Grafschaft Hanau- Munzenberg</i> , 2 : 76, pl. 46, figs. 1, 2♀, as interpreted by reference to the male genitalia figured by Chapman, 1917 (<i>in Oberthür, Études Lépidopt. comp.</i> , 14 : pl. VIII, fig. 23)) (Insecta, Lepidoptera). Op. 270	available
<i>Lycaon</i> Brookes, 1827, <i>in Griffith's Cuvier, Anim. Kingd.</i> (Mamm.), 5 Syn.: 151 (gender: masculine) (type species, by monotypy: <i>Lycaon tricolor</i> Brookes, 1827, <i>in Griffith's Cuvier, Anim. Kingd.</i> (Mamm.), 5 Syn.: 151, valid name: <i>Hyaena picta</i> Temminck, 1820) (Mammalia). Op. 384	available
<i>Lychnoculus</i> Murray, 1877, <i>Science Lectures for the People</i> , (9)4: 132 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1333	index
<i>Lycognathophis</i> Boulenger, 1893, <i>Catalogue of the snakes in the British Museum (Natural History)</i> , vol. 1, p. 317 (gender: masculine) (type species, by monotypy: <i>Psammophis seychellensis</i> Schlegel, 1837) (Reptilia, Serpentes). Op. 1856	available
<i>Lygocoris</i> Reuter, 1875, <i>Bih. K. svenska Vetensk.-Akad. Handl.</i> , 3 (1): 16-18 (gender: masculine) (type species, by designation by Kirkaldy, 1906 (<i>Trans. amer. entomol. Soc.</i> , 32 : 139): <i>Cimex pabulinus</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 253) (Insecta, Hemiptera). Op. 667	available
<i>Lygus</i> Hahn, 1833, <i>Wanzen. Ins.</i> , 1 : 147, 148 (gender: masculine) (type species, by designation under the plenary power: <i>Cimex pratensis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 448) (Insecta, Hemiptera). Op. 667	available
<i>Lymantria</i> Hübner, [1819], <i>Verz. bekannter Schmett.</i> (9)-(11): 160 (gender: feminine) (type species, by designation by Moore, [1883] (<i>Lepid. Ceylon</i> , 2 : 99): <i>Phalaena monacha</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 501) (Insecta, Lepidoptera). Op. 1283	available
LYMANTRIIDAE Hampson, [1893], <i>Fauna British India, Moths</i> , 1 : 432 (type genus: <i>Lymantria</i> Hübner, [1819]), ruled under the plenary power to be given precedence over ORGYIIDAE Wallengren, 1861 and over DASYCHIRIDAE Packard, 1864 whenever <i>Lymantria</i> Hübner, [1819] and <i>Orgyia</i> Ochsenheimer, 1810 or <i>Dasychira</i> Hübner, [1809] are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 1283	available
<i>Lymnaea</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 75 (gender: feminine) (type species, by designation by Fleming, 1818 (<i>Ency. Brit.</i> (Suppl. 4th, 5th & 6th eds.), 3 : 313): <i>Helix stagnalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 774) (Gastropoda). Op. 495	available
<i>Lymnaea</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): 236 (included in a work rejected for nomenclatural purposes). Op. 495	index
LYMNAEADAE Gray, 1824, <i>Ann. Phil.</i> , 25 : 107 (type genus: <i>Lymnaea</i> Lamarck, 1799) (an incorrect subsequent spelling for LYMNAEIDAE (correction of LYMNIDIA) Rafinesque, 1815). Op. 495	index

LYMNAEIDAE (correction of LYMNIDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 144 (type genus: <i>Lymnaea</i> Lamarck, 1799) (Gastropoda). Op. 495	available
<i>Lymnaeus</i> Cuvier, 1817, <i>Règne Anim.</i> (ed. 2), 2 : 412 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
<i>Lymnea</i> Link, 1807, <i>Beschr. nat.-Samml. Univ. Rostock</i> , 3 : 138 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
<i>Lymneigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Lymneus</i> Féruccac, 1812, <i>Ann. Mus. Hist. nat.</i> , Paris, 9 : 252 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
LYMNIDIA Rafinesque, 1815, <i>Analyse Nature</i> : 144 (type genus: <i>Lymnaea</i> Lamarck, 1799) (an incorrect original spelling for LYMNAEIDAE Rafinesque, 1815). Op. 495	index
<i>Lymnium</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): 236, 237 (published in a work rejected for nomenclatural purposes). Op. 495	index
<i>Lymnoea</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 75 (an incorrect original spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
<i>Lymnoea</i> Suter, 1913, <i>Manual N.Z. Moll.</i> : 604 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
<i>Lymnoeus</i> Michelin, 1831, <i>Mag. Zool.</i> , 1 : 22 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
<i>Lynnula</i> Rafinesque, 1819, <i>J. Phys. Chim. Hist. nat.</i> , 88 : 423 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
<i>Lymnus</i> Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 262 (an incorrect subsequent spelling for <i>Lymnaea</i> Lamarck, 1799). Op. 495	index
LYNCEIDAE Sayce, 1902, <i>Proc. roy. Soc. Victoria</i> (n.s.), 15 : 257 (type genus: <i>Lynceus</i> Müller, 1776) (Crustacea, Branchiopoda). Op. 532	available
<i>Lynceus</i> Gray, 1821, <i>London med. Reposit.</i> , 15 : 302 (a junior homonym of <i>Lynceus</i> Müller, 1776). Op. 532	index
<i>Lynceus</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : xxvii, 199 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 421, 91); <i>Lynceus brachyurus</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 199) (Crustacea, Branchiopoda). Op. 532	available
<i>Lynx</i> Kerr, 1792, <i>Anim. Kingd.</i> : 32, 155 (gender: masculine) (type species, by absolute tautonymy: <i>Felis lynx</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 43) (Mammalia). Op. 91 <i>lynx</i> , <i>Felis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 43 (specific name of the type species of <i>Lynx</i> Kerr, 1792) (Mammalia). Direction 22	available
<i>lyra, Callionymus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 249 (specific name of the type species of <i>Callionymus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available

<i>Lyrus</i> Brullé, 1837, <i>in</i> Audouin & Brullé, <i>Hist. nat. Ins.</i> , 6 (Coleopt., 3): 108 (an incorrect subsequent spelling for <i>Zyras</i> Stephens, 1835). Op. 599	index
<i>Lysandra</i> Hemming, 1933, <i>Entomologist</i> , 66 : 277 (gender: feminine) (type species, by original designation: <i>Papilio coridon</i> Poda, 1761, <i>Ins. Mus. graec.</i> : 77) for use by those who consider that the type species of this genus is not congeneric with <i>Papilio icarus</i> Rottemburg, 1775, the type species of <i>Polyommatus</i> Latreille, 1804 (Insecta, Lepidoptera). Op. 429	available
<i>Lysiosquilla</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 616 (gender: feminine) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i> , 1911 : 539)): <i>Lysiosquilla inornata</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 616) (Crustacea, Stomatopoda). Op. 294	available
<i>Lysippe</i> Kinahan, 1858, <i>Nat. Hist. Rev.</i> , 5 : 266-271 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 347	index
<i>Lysippe</i> Malmgren, 1865, <i>Öfvers K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 22 : 367 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Lysippe labiata</i> Malmgren, 1865, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 22 : 367) (Polychaeta). Op. 347	available
<i>lysippus</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 484 (specific name of the type species of <i>Riodina</i> Westwood, [1851]) (Insecta, Lepidoptera). Op. 1073	available
<i>Lysmata</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 175 (gender: feminine) (type species, by designation by Milne Edwards, 1837 (Cuvier's <i>Règne Anim.</i> (ed. 3, Disciples ed.), 18 : pl. 54, fig. 3); <i>Melicerta seticaudata</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 110) (Crustacea, Decapoda). Op. 522	available
LYSMATINAE Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 16, 20 (type genus: <i>Lysmata</i> Risso, 1816) for use by those who consider that <i>Lysmata</i> Risso and <i>Hippolyte</i> [Leach, 1814] belong to different family-group taxa, but not to be used in preference to HIPPOLYTIDAE Bate, 1888 by those specialists who consider that these genera belong to the same family-group taxon (Crustacea, Decapoda). Op. 470	available
<i>Lystrophis</i> Cope, 1885, <i>Proc. Amer. Phil. Soc.</i> , 22 : 193 (conserved under the plenary power) (gender: masculine) (type species, by original designation: <i>Heterodon dorbigyni</i> Duméril, Bibron & Duméril, 1854, <i>in</i> Roret's <i>Suites à Buffon, Erpét. Gén.</i> , 7 : 772) (Reptilia). Op. 698	available
<i>Lytoceras</i> Suess, 1865, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 52 (No. 1): 78 (gender: neuter) (type species, by designation under the plenary power: <i>Ammonites fimbriatus</i> Sowerby, 1817, <i>Min. Conch.</i> , 2 : 145) (Cephalopoda). Op. 130	available
<i>Mabouia</i> Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 2 : 62 (an incorrect subsequent spelling for <i>Mabuya</i> Fitzinger, 1826). Direction 56	index
<i>Mabouya</i> Duméril & Bibron, 1839, <i>Erpét.</i> , 5 : 663, 671 (an incorrect subsequent spelling for <i>Mabuya</i> Fitzinger, 1826). Direction 56	index
<i>mabouya</i> , <i>Lacertus</i> , Lacepede, 1788, <i>Hist. nat. Quad. ovip. Serpens</i> , 1 : Syn. méth. (specific name of the type species of <i>Mabuya</i> Fitzinger, 1826) (Reptilia). Op. 240	available

<i>Mabuia</i> Cuvier, 1829, <i>Règne Anim.</i> (ed. 2), 2 : 64 (an incorrect subsequent spelling for <i>Mabuya</i> Fitzinger, 1826). Direction 56	index
<i>Mabuya</i> Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 23, 52, 53 (gender: feminine) (type species, by absolute tautonymy: <i>Lacertus mabouya</i> Lacepède, 1788, <i>Hist. nat. Quad. ovip. Serpens</i> , 1 : Syn. méth.) (Reptilia). Op. 92, Op. 240	available
<i>Mabuya</i> Rafinesque, 1815, <i>Analyse Nature</i> : 76 (a nomen nudum). Direction 56	index
<i>macandreae, Calocaris</i> , Bell, 1846, <i>Hist. Brit. stalk-eyed Crust.</i> (5): 233 (specific name of the type species of <i>Calocaris</i> Bell, 1846) (Crustacea, Decapoda). Op. 712	available
<i>maccoa, Erismatura</i> , Eyton, 1838, <i>Mon. Anatidae</i> : 169 (Aves). Op. 1078	available
<i>macellaria, Musca</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 776 (specific name of the type species of <i>Cochliomyia</i> Townsend, 1915) (Insecta, Diptera). Op. 1399	available
<i>macer, Ammonites humphriesianus</i> , Quenstedt, 1886, <i>Die Ammoniten des Schwäbischen Jura</i> , II, <i>Der Braune Jura</i> , p. 528, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (specific name of the type species of <i>Skirroceras</i> Mascke, 1907) (Ammonoidea). Op. 2123	available
<i>macfarlandi</i> (emendation of <i>mcfarlandi</i>), <i>Chromodoris</i> , Cockerell, 1901, <i>Nature</i> , 65 : 79 (Gastropoda). Op. 221	available
<i>Macgillivraya</i> Grote, 1894, <i>Canad. Entomol.</i> , 26 : 54 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1049	index
<i>macgillivrayi, Ommatocarcinus</i> , White, 1852, in MacGillivray, <i>Voy. ‘Rattlesnake’</i> , 2 : 393 (specific name of the type species of <i>Ommatocarcinus</i> White, 1852) (Crustacea, Decapoda). Direction 36	available
<i>Machaeraria</i> Cooper, 1955, <i>J. Paleontol.</i> , 29 (1): 55 (gender: feminine) (type species, by original designation: <i>Rhynchonella formosa</i> Hall, 1857, <i>Tenth ann. Rept. New York State Cab. nat. Hist.</i> : 76) (Brachiopoda). Op. 770	available
<i>Machaerilaemus</i> Harrison, 1915, <i>Parasitology</i> , 7 : 389 (gender: masculine) (type species, by original designation: <i>Machaerilaemus latifrons</i> Harrison, 1915, <i>Parasitology</i> , 7 : 390) (Insecta, Mallophaga). Op. 343	available
<i>machaeon, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 462 (specific name of the type species of <i>Papilio</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 278	available
<i>mackloti, Liasis</i> , Duméril & Bibron, 1844, <i>Erpét. gén.</i> , 6 : 440 (specific name of the type species of <i>Liasis</i> Gray, 1842, as ruled under the plenary power) (Reptilia). Op. 939, Op. 1514	available
<i>Maclurea</i> Emmons, 1842, <i>Geology of New York</i> , part 2, p. 312 (an unjustified emendation of <i>Maclurites</i> Lesueur, 1818) (Gastropoda, Archaeogastropoda). Op. 1470	index
<i>Maclurita</i> de Blainville 1823, <i>Dictionnaire des Sciences naturelles</i> , vol. 27, p. 519 (an unjustified emendation of <i>Maclurites</i> Lesueur, 1818) (Gastropoda, Archaeogastropoda). Op. 1470	index

<i>Maclurite</i> Lesueur, 1818, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 1(2): 312, ruled under the plenary power to be an incorrect original spelling of <i>Maclurites</i> (Gastropoda, Archaeogastropoda). Op. 1470	index
<i>Maclurites</i> Lesueur, 1818, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 1(2): 312 (gender: masculine) (type species, by subsequent designation by de Koninck, 1881, <i>Bulletin du Musée Royal d'Histoire Naturelle de Belgique</i> , 6: 107: <i>Maclurites magna</i> Lesueur, 1818), ruled under the plenary power to be the correct original spelling of <i>Maceturite</i> (Gastropoda, Archaeogastropoda). Op. 1470	available
MACLURITIDAE Carpenter, 1861, <i>Annual Reports of the Smithsonian Institution</i> , 1861: 216 (correction of MACLUREADAE) (type genus: <i>Maclurites</i> Lesueur, 1818) (Gastropoda, Archaeogastropoda). Op. 1470	available
<i>Macneillena</i> Iredale, 1930, <i>Australian Zoologist</i> , 6(2): 175 (a junior objective synonym of <i>Trichia</i> De Haan, 1839) (Brachyura). Op. 2079	index
<i>Macrobrachium</i> Bate, 1868, <i>Proc. zool. Soc. London</i> , 1868: 363 (gender: neuter) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i> , 1911: 558): <i>Macrobrachium americanum</i> Bate, 1868, <i>Proc. zool. Soc. London</i> , 1868: 363) (Crustacea, Decapoda). Op. 564	available
<i>Macrocephalites</i> Zittel, 1884, <i>Handb. Paleont.</i> , 1(2)(3): 470 (gender: masculine) (type species, by designation by Lemoine, 1910 (<i>Ann. Paléontol.</i> , 5: 151): <i>Ammonites macrocephalus</i> Schlotheim, 1813, in Leonhard, <i>Taschenb. gesamte Mineral.</i> , 7: 70) (Cephalopoda). Op. 1275	available
MACROCEPHALITIDAE Buckman, 1922, <i>Type Ammonites</i> , 4: 24, 54 (type genus: <i>Macrocephalites</i> Zittel, 1884) (Cephalopoda). Direction 14	available
<i>Macrocephalus</i> Frisch, 1775, <i>Natur-Syst. vierfüssig. Thiere</i> : 3 (published in a work rejected for nomenclatural purposes). Op. 466	index
<i>Macrocephalus</i> Palmer, 1904, <i>N. Amer. Fauna</i> , 23: 391 (a junior objective synonym of <i>Phacochoerus</i> Cuvier, 1826). Op. 466	index
<i>macrocephalus, Ammonites</i> , Schlotheim, 1813, in Leonhard, <i>Taschenb. gesamte Mineral.</i> , 7: 70, as interpreted by the neotype designated by Callomon, 1971 (<i>Palaeontol.</i> , 14: 120) (specific name of the type species of <i>Macrocephalites</i> Zittel, 1884) (Cephalopoda). Op. 1275	available
<i>macrocephalus, Harpes</i> , Goldfuss, 1839, <i>Nova Acta Academiae Caesarea Leopoldino-Carolinae Germanicum Naturae Curiosorum</i> , 19(1): 359 (specific name of the type species of <i>Harpa</i> Goldfuss, 1839) (Trilobita). Op. 1436	available
<i>macrocera, Mira</i> , Schellenberg, 1803, <i>Gen. Mouch. dipt.</i> : 68 (specific name of the type species of <i>Mira</i> Schellenberg, 1803) (Insecta, Hymenoptera). Op. 898	available
<i>Macrochaeta</i> Bretscher, 1896, <i>Revue Suisse de Zoologie</i> , 3(4): 509 (a junior homonym of <i>Macrochaeta</i> Grube, 1850 and a senior objective synonym of <i>Macrochaetina</i> Bretscher, 1899) (Oligochaeta). Op. 1835	index

<i>Macrochaetina</i> Bretscher, 1899, <i>Revue Suisse de Zoologie</i> , 6 (2): 392 (gender: feminine) (type species, by monotypy of the replaced nominal genus <i>Macrochaeta</i> Bretscher, 1896: <i>Macrochaeta intermedia</i> Bretscher, 1896), ruled under the plenary power not to be given priority over <i>Vejdovskyella</i> Michaelsen, 1903 whenever the two names are considered to be synonyms (Oligochaeta). Op. 1835	available
<i>Macrochlamis</i> Sacco, 1897, <i>Bollettino dei Musei di Zoologia ed Anatomia comparata della Reale Università di Torino</i> , 12 (298): 101 (ruled under the plenary power to be an incorrect original spelling of <i>Macrochlamys</i>) (Bivalvia) Op. 2203	index
<i>Macrochlamys</i> Sacco, 1897, (30 December). <i>I molluschi dei terreni terziarii del Piemonte e della Liguria</i> , Parte 24, p. 32 (a junior homonym of <i>Macrochlamys</i> Gray, 1847) (Bivalvia) Op. 2203	index
<i>Macrochoeta</i> Macquart, 1851, <i>Mém. Soc. Sci. Agric. Lille</i> , 1850 : 242 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 867	index
<i>Macrocytella</i> Callaway, 1877, <i>Quart. J. geol. Soc. London</i> , 33 : 670 (gender: feminine) (type species, by monotypy: <i>Macrocytella mariae</i> Callaway, 1877, <i>Quart. J. geol. Soc. London</i> , 33 : 670) (Cystoidea). Op. 927	available
MACROCYSTELLIDAE Bather, 1899, <i>Rep. Br. Assoc. Advmt. Sci.</i> , 68 : 920 (type genus: <i>Macrocytella</i> Callaway, 1877) (Cystoidea). Op. 927	available
<i>macrodactylus</i> , <i>Gelasimus</i> , Milne Edwards & Lucas, 1843, <i>in d'Orbigny, Voy. Amér. Mérid.</i> , 6 : 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 940	index
<i>Macronectes</i> Richmond, 1905, <i>Proceedings of the Biological Society of Washington</i> , 18 : 76 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Ossifraga</i> Hombron & Jacquinot, 1844: <i>Procellaria gigantea</i> Gmelin, [1789]) (Aves, Procellariiformes). Op. 1751	available
<i>Macronema</i> Pictet, 1836, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 7 : 399 (gender: neuter) (type species, by monotypy: <i>Macronema lineatum</i> Pictet, 1836, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 7 : 399) (Insecta, Trichoptera). Op. 623	available
<i>Macronema</i> Stephens, 1829, <i>Syst. Cat. brit. Ins.</i> : 217 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 623	index
<i>Macronemum</i> Burmeister, 1839, <i>Handb. Entomol.</i> , 2 : 915 (an unjustified emendation of <i>Macronema</i> Pictet, 1836). Op. 623	index
<i>Macropetasma</i> Stebbing, 1914, <i>Ann. S. Afr. Mus.</i> , 15 : 22 (gender: neuter) (type species, by monotypy: <i>Parapenaeus africanus</i> Bals, 1913, <i>Denkschr. med. naturwiss. Ges. Jena</i> , 17 : 105) (Crustacea, Decapoda). Op. 864	available
<i>macrophanes</i> , <i>Scoparia</i> , Meyrick, 1888, <i>Trans. entomol. Soc. London</i> , 1888 : 231, as interpreted by its holotype (female), Hawaiian Islands, Blackburn, 1881, in British Museum (Natural History) (Insecta, Lepidoptera). Op. 977	available
<i>macrophthalmus</i> , <i>Otolithus</i> , Bleeker, 1850, <i>Verhandel. Batav. Genootsch.</i> , 23 : 16 (specific name of the type species of <i>Pennahia</i> Fowler, 1926) (Osteichthyes). Op. 1237	available

<p>Macrophya Dahlbom, 1835, <i>Conspectus Tenthredinidum, Siricidum et Oryssinorum Scandinaviae quas Hymenopterorum familias</i>, pp. 4, 11 (gender: feminine) (type species, by designation under the plenary power: Tenthredo montana Scopoli, 1763) (Insecta, Hymenoptera). Op. 1958</p>	available
<p>Macropipus Prestandrea, 1833, <i>Effem. Sci. lett. Sicilia</i>, 6: 5 (gender: masculine) (type species, by monotypy: Portunus macropipus Prestandrea, 1833, <i>Effem. Sci. lett. Sicilia</i>, 6: 4, valid name: Portunus tuberculatus Roux, 1828) (Crustacea, Decapoda). Op. 394</p>	available
<p>Macropis Panzer, 1809, <i>Fauna Insectorum Germanicae initia ...</i>, vol. 107, tab. 16 (gender: feminine) (type species, by monotypy: Megilla labiata Fabricius, [1805]) (Insecta, Hymenoptera). Op. 1383</p>	available
<p>Macropodia [Leach, 1814], in Brewster's <i>Edinburgh. Ency.</i>, 7: 431 (gender: feminine) (type species, by monotypy: Cancer longirostris Fabricius, 1775, <i>Syst. Entomol.</i>: 408) (Crustacea, Decapoda). Op. 763</p>	available
<p>MACROPODIDAE Gray, 1821, <i>London Medical Repository</i>, 15: 308 (type genus: Macropus Shaw & Nodder, 1790) (Mammalia). Op. 2058</p>	available
<p>MACROPODINAE Hoedeman, 1948, <i>Encyclopaedie voor den aquariumhouder</i>, p. 2, spelling emended to MACROPODUSINAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Macropodus is MACROPODUS- (Osteichthyes). Op. 2058</p>	index
<p>Macropodus Lacepède, 1801, <i>Histoire naturelle des poissons</i>, vol. 3, p. 416 (gender: masculine) (type species, by monotypy: Macropodus viridiauratus Lacepède, 1801) (Osteichthyes). Op. 2058</p>	available
<p>MACROPODUSINAE Hoedeman, 1948, <i>Encyclopaedie voor den aquariumhouder</i>, p. 2 (type genus: Macropodus Lacepède, 1801), spelling emended from MACROPODINAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Macropodus is MACROPODUS- (Osteichthyes). Op. 2058</p>	available
<p>MACROPSIDAE Evans, 1938, <i>Proc. roy. Soc. Tasmania</i>, 1938: 43 (type genus: Macropsis Lewis, 1834) (Insecta, Hemiptera). Op. 603</p>	available
<p>Macropsis Lewis, 1834, <i>Trans. entomol. Soc. London</i>, 1: 49-51, pl. 7, figs. 3, 4 (gender: feminine) (type species, by designation under the plenary power: Jassus [sic] prasina Boheman, 1852, <i>K. Svensk. Vetensk.- Akad. Handl.</i>, 1851: 122) (Insecta, Hemiptera). Op. 603</p>	available
<p><i>Macropsis</i> Sars, 1876, <i>Arch. Math. Naturvidensk.</i>, 1: 35 (a junior homonym of Macropsis Lewis, 1834). Op. 603</p>	index
<p>Macropterygius von Huene, 1922, <i>Monographien zur Geologie und Palaeontologie</i>, 1: 98 (gender: masculine) (type species, by subsequent designation by von Huene, 1923, <i>Bulletin of the Geological Society of America</i>, 34: 465: Ichthyosaurus trigonus Owen, 1840) (Reptilia, Ichthyopterygia). Op. 1734</p>	available
<p>Macropteryx Swainson, [1831], <i>Zool. Illustr.</i>, (2)2(11): pl. 47 (a junior objective synonym of Hemiprocne (emendation of <i>Hemiprocnes</i>) Nitzsch, 1829). Op. 457</p>	index

Macropus Latreille, [1802], in Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **3**: 27
(a junior homonym of *Macropus* Shaw, 1790). Op. 763

index

Macropus Shaw, 1790, *Nat. Miscell.*: pl. 33 and text (gender: masculine) (type species, by monotypy: *Macropus giganteus* Shaw, 1790, *Nat. Miscell.*: pl. 33 and text, as interpreted by the neotype designated by Calaby & Ride, 1964 (*Bull. zool. Nomencl.*, **21**: 254)) (Mammalia). Op. 760

available

Macroscelosaurus von Meyer, [1852], *Zur Fauna der Vorwelt* (2): 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1186

index

Macrotermes Holmgren, 1909, *Kungliga Svenska Vetenskapsakademiens Handlingar*, (2)**44**(3): 193 (gender: masculine) (type species, by monotypy: *Termes lilljeborgi* Sjöstedt, 1896) (Insecta, Isoptera). Op. 2038

available

MACROTERMITINAE Kemner, 1934, *Kungliga Svenska Vetenskapsakademiens Handlingar*, (3)**13**(4): 69 (type genus: *Macrotermes* Holmgren, 1909), ruled under the plenary power that this name and other family-group names based on *Macrotermes* are to be given precedence over **ACANTHOTERMITINAE** Sjöstedt, 1926 and other family-group names based on *Acanthotermes* Sjöstedt, 1900 whenever their type genera are placed in the same family-group taxon (Insecta, Isoptera). Op. 2038

available

macrotis, *Cornellites*, La Rocque, 1948, *Univ. Microfilm Publ.*, No. 1059: 12 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318

index

macrotuberculata, *Waagenoconcha* (*Gruntoconcha*), Angiolini, 1995, *Rivista Italiana di Paleontologia e Stratigrafia*, **101**: 206 (specific name of the type species of *Gruntoconcha* Angiolini, 1995) (Brachiopoda). Op. 1928

available

macroura, *Chincha*, Lichtenstein, [1832], *Darstell. Säugth.*: text to pl. 46 (specific name of the type species of *Leucomitra* Howell, 1901) (Mammalia). Op. 384

available

macroura, *Columba*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 164, as interpreted by the lectotype designated under the plenary power, namely the specimen described and figured by Edwards, 1743 (*Nat. Hist. Birds*, **1**: 15, pl. 15) (type locality: 'West Indies') (Aves). Direction 18

available

macrurus, *Archeopteryx* [sic], Owen, 1863, *Proc. roy. Soc. London*, **12**: 272 (a junior objective synonym of *lithographica*, *Archaeopteryx*, von Meyer, 1861). Op. 607

index

Mactra Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 1125 (gender: feminine) (type species, by designation by Gray, 1847 (*Proc. zool. Soc. London*, **15**: 185); *Cardium stultorum* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 681) (Bivalvia). Op. 94, Direction 72

available

Mactrigenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427

index

macula, *Acicula*, [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VI (included in a work rejected for nomenclatural purposes). Op. 427

index

<i>macularius</i> , <i>Bucco</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>maculata</i> , <i>Lacerta</i> , Shaw, 1802, <i>Gen. Zool.</i> , 3 (1): 304 (valid name at the date of Opinion 649 of the type species of <i>Ambystoma</i> Tschudi, 1838) (Amphibia). Op. 649	available
<i>maculata</i> , <i>Pomacea</i> , Perry, 1810, <i>Arcana; or the Museum of Natural History</i> , pl. 11 and text (specific name of the type species of <i>Pomacea</i> Perry, 1810) (Gastropoda). Op. 1913	available
<i>maculata</i> , <i>Viverra</i> , Gray, 1830, <i>Spicilegia Zoologica</i> , p. 9. (a junior homonym of <i>Viverra maculata</i> Kerr, 1792) (Mammalia). Op. 2183	index
<i>maculatus</i> (correction of <i>maculata</i>), <i>Naucoris</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 325 (specific name of the type species of <i>Naucoris</i> Geoffroy, 1762) (Insecta, Hemiptera). Op. 681	available
<i>maculatus</i> , <i>Callopistes</i> , Gravenhorst, 1837, <i>Nova Acta Academiae Caesarea Leopoldino-Carolinae Germaninicae Naturae Curiosorum</i> , 18 (2): 744 (specific name of the type species of <i>Callopistes</i> Gravenhorst, 1837) (Reptilia). Op. 2118	available
<i>maculatus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626 (specific name of the type species of <i>Carpilius</i> Desmarest, 1823) (Crustacea, Decapoda). Direction 36	available
<i>maculatus</i> , <i>Clinus</i> , Fries, 1838, <i>K. svenska Vetensk. Akad. Handl.</i> , 1837 : 51 (Osteichthyes). Op. 1021	available
<i>maculatus</i> , <i>Henicops</i> , Newport, 1845, <i>Trans. linn. Soc. London</i> , 19 : 372 (specific name of the type species of <i>Henicops</i> Newport, 1844) (Chilopoda). Op. 1228	available
<i>maculatus</i> , <i>Hylambates</i> , Duméril, 1853, <i>Annls. Sci. nat.</i> , (Zool.), 19 : 165 (specific name of the type species of <i>Hylambates</i> Duméril, 1853) (Amphibia). Op. 1364	available
<i>maculatus</i> , <i>Scorpio</i> , De Geer, 1778, <i>Mémoires pour servir à l'histoire des insectes</i> , Tom. 7, p. 346 (senior synonym of <i>Buthus</i> (<i>Isometrus</i>) <i>filum</i> Ehrenberg in Hemprich & Ehrenberg, 1828, the specific name of the type species of <i>Isometrus</i> Ehrenberg in Hemprich & Ehrenberg, 1828) (Scorpiones). Op. 2132	available
<i>maculatus</i> , <i>Sparus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 42 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>maculicollis</i> , <i>Gryllacris</i> , Serville, 1831, <i>Ann. Sci. nat.</i> , Paris, 22 : 139 (specific name of the type species of <i>Gryllacris</i> Serville, 1831) (Insecta, Orthoptera). Direction 5	available
<i>Maculinea</i> van Eecke, 1915, <i>Zool. Meded.</i> , 1 : 28 (gender: feminine) (type species, by designation by Graves, 1928 (<i>Entomol. Rec.</i> , 40 : 102): <i>Papilio alcon</i> [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werks Schmett. Wien. Gegend.</i> : 182) (Insecta, Lepidoptera). Op. 503	available
<i>Maculipennia</i> Buonomini & Mariani, 1953, <i>Riv. Malariol.</i> , 32 : 178 (a junior objective synonym of <i>Anopheles</i> Meigen, 1818). Op. 547	index

<i>maculipennis</i> , <i>Anopheles</i> , Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1 : 11 (specific name of the type species of <i>Anopheles</i> Meigen, 1818) (Insecta, Diptera). Op. 547	available
<i>maculipennis</i> , <i>Buprestis</i> , Gory, 1841, <i>Histoire naturelle et iconographie des insectes coléoptères</i> . Monographie des buprestides, Supplement, p. 118, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis maculipennis</i> Laporte & Gory, 1837 (Insecta, Coleoptera). Op. 2008	available
<i>maculipennis</i> , <i>Buprestis</i> , Laporte & Gory, 1837, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 111 (Insecta, Coleoptera). Op. 2008	available
<i>maculiventris</i> , <i>Lacerta muralis</i> var. <i>fusca</i> , Werner, 1891, <i>Verh. zool.-bot. Ges. Wien</i> , 41 : 752 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>maculosum</i> , <i>Buccin[um]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 8 (conserved under the plenary power) (valid name at the date of Opinion 479 of the type species of <i>Cominella</i> Gray, 1850) (Gastropoda). Op. 479	available
<i>maculosus</i> , <i>Geomalacus</i> , Allman, 1843, <i>Athenaeum</i> , 1843 : 851 (specific name of the type species of <i>Geomalacus</i> Allman, 1843) (Gastropoda). Op. 335	available
<i>maculosus</i> , <i>Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia</i> , p. 165 (Insecta, Coleoptera). Op. 2039	available
<i>madagascarensis</i> , <i>Astacus</i> , Milne Edwards & Audouin, 1839, <i>L'Institut</i> (sect. 1), 7 (280): 152 (valid name at the date of Opinion 519 of the type species of <i>Astacoides</i> Guérin-Méneville, 1839) (Crustacea, Decapoda). Op. 519	available
<i>madagascariensis</i> , <i>Astacus</i> , Audouin & Milne Edwards, 1841, <i>Arch. Mus. Hist. nat.</i> , Paris, 2 : 35 (an incorrect subsequent spelling for <i>madagascarensis</i> , <i>Astacus</i> , Milne Edwards & Audouin, 1839). Op. 519	index
<i>madagascariensis</i> , <i>Chalarodon</i> , Peters, 1854, <i>Monat. König. Akad. Wiss. Berlin</i> : 616 (specific name of the type species of <i>Chalarodon</i> Peters, 1854) (Reptilia). Op. 955	available
<i>madagascariensis</i> , <i>Langaha</i> , Bonnaterre, 1790, <i>Ophiologie, in: Tableau Encyclopédique et Méthodique des Trois Règnes de la Nature</i> , p. 71 (specific name of the type species of <i>Langaha</i> Bonnaterre, 1790) (Reptilia). Op. 1463	available
<i>madagascariensis</i> , <i>Stercorarius antarcticus</i> , Bonaparte, 1856, <i>Conspectus generum avium</i> , vol. 2, p. 207 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Charadriiformes). Op. 1814	index
<i>Madiza</i> Fallén, 1810, <i>Specim. entomol. novam Diptera disp. Meth. exhibens.</i> : 19 (gender: feminine) (type species, by designation under the plenary power: <i>Madiza glabra</i> Fallén, 1820, <i>Oscinides Sveciae</i> : 9) (Insecta, Diptera). Op. 1112	available
MADIZINAE Czerny, 1909, <i>in</i> Czerny & Strobl, <i>Verh. zool.-bot. Ges. Wien</i> , 59 : 278 (type genus: <i>Madiza</i> Fallén, 1810) (Insecta, Diptera). Op. 1112	available

<i>Madrepora</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 793 (conserved under the plenary power) (gender: feminine) (type species, by designation by Verrill, 1901 (<i>Trans. Connecticut Acad. Arts Sci.</i> , 11 : 111); <i>Madrepora oculata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 798) (Anthozoa). Op. 674	available
<i>maena, Sparus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 278 (Osteichthyes). Op. 960	available
<i>maenas, Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627 (specific name of the type species of <i>Carcinus</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 330	available
<i>Maenopon</i> Harrison, 1916, <i>Parasitology</i> , 9 : 22 (an incorrect subsequent spelling for <i>Menopon</i> Nitzsch, 1818). Op. 628	index
<i>Maenopon</i> Packard, 1873, [<i>Rep. U.S. geol. Surv.</i> , 6 : 731] (not made available in the work cited). Op. 628	index
<i>magalhaensis, Paessleria</i> , Michaelsen, 1907, <i>Ergebnisse der Hamburger Magalhaensischen Sammelreise</i> , 8 (5): 69 (specific name of the type species of <i>Paessleria</i> Michaelsen, 1907) (Tunicata). Op. 1865	available
<i>Magdalinus</i> Germar, 1843, in Schoenherr, <i>Gen. Spec. Curcul.</i> , 7 (2): 135 (a junior objective synonym of <i>Magdalitis</i> Germar, 1817). Op. 345	index
<i>Magdalitis</i> Germar, 1817, <i>Mag. Entomol.</i> (Germar), 2 : 340 (gender: feminine) (type species, by designation under the plenary power: <i>Curculio violaceus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 378) (Insecta, Coleoptera). Op. 345	available
<i>magellanica, Venus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 130 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>magellanica, Voluta</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 149 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>magna, Alauda</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 167 (specific name of the type species of <i>Sturnella</i> Vieillot, 1816) (Aves). Direction 43	available
<i>magna, Conchoecia</i> , Claus, 1874, <i>Schriften zool. Inhalts</i> , 1 : 6, pl. 1, fig. 6c; pl. 2, figs. 16, 18 (specific name of the type species of <i>Conchoecia</i> (emendation of <i>Conchaecia</i>) Dana, 1849) (Crustacea, Ostracoda). Op. 534	available
<i>magna, Datames</i> , Hancock, 1888, <i>Proceedings of the American Philosophical Society</i> , 25 : 107 (specific name of the type species of <i>Eremorhax</i> Roewer, 1934) (Arachnida). Op. 2050	available
<i>magna, Maclurites</i> , Lesueur, 1818, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 1 (2): 312 (specific name of the type species of <i>Maclurites</i> Lesueur, 1818) (Gastropoda, Archaeogastropoda). Op. 1470	available
<i>magnifica, Doris</i> , Quoy & Gaimard, 1832, <i>Voyage de l'Astrolabe, Zoologie</i> , vol. 2, Mollusques, p. 270 (specific name of the type species of <i>Chromodoris</i> Alder & Hancock, 1855) (Gastropoda). Op. 1375	available

<i>magnifica, Phaenomeris</i> , Hope, 1833, <i>Proc. zool. Soc. London</i> , 1833 : 62 (specific name of the type species of <i>Phaenomeris</i> Hope, 1833) (Insecta, Coleoptera). Op. 621	available
<i>magnificus, Otouphepus</i> , Cushman, 1904, <i>Amer. Geol.</i> , 33 : 155 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 535	index
<i>magnificus, Psittacus</i> , Shaw in Shaw & Nodder, 1790, <i>The naturalist's miscellany</i> , vol. 2, p. 50 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1833	index
<i>magnificus, Pycinaster</i> , Spencer, 1913, <i>Philosophical Transactions of the Royal Society of London</i> , (B) 204 : 125 (Asteroidea). Op. 1579	available
<i>magnilarva, Distaplia</i> , Della Valle, 1881, <i>Atti. Accad. Lincei</i> , Mem., (3) 10 : 431, 446 (specific name of the type species of <i>Distaplia</i> Della Valle, 1881) (Urochordata). Direction 73	available
<i>magnirostris, Alauda</i> , Stephens, 1826, in Shaw, <i>General zoology</i> (Aves), vol. 14, part 1, p. 26 (Aves). Op. 1859	available
<i>magnirostris, Charadrius</i> , Latham, 1801, <i>Index orn.</i> , Suppl.: lxvi (specific name of the type species of <i>Burhinus</i> Illiger, 1811) (Aves). Direction 20	available
<i>magnolia, Sylvia</i> , Wilson, 1811, <i>Amer. Ornith.</i> , 3 : 63 (Aves). Op. 412	available
<i>Magnonaia</i> Utterback, 1915, <i>American Midland Naturalist</i> , vol. 4(3), p. 47 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bivalvia). Op. 1487	index
<i>Maia</i> Brisson, 1760, <i>Ornithologia</i> , 3 : 212 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 511	index
<i>Maia</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 428 (an incorrect original spelling for <i>Maja</i> Lamarck, 1801). Op. 511	index
<i>MAΪADAE</i> Samouelle, 1819, <i>Entomol. useful Compendium</i> : 88 (type genus: <i>Maja</i> Lamarck, 1801) (an incorrect original spelling for MAJIDAE Samouelle, 1819). Op. 511	index
<i>maior, Papilio malvae</i> , Fabricius, 1787, <i>Mantissa insectorum</i> , vol. 2, p. 91 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1599	index
<i>Maja</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 154 (gender: feminine) (type species, by designation under the plenary power: <i>Cancer squinado</i> Herbst, 1788, <i>Versuch Naturgesch. Krabben Krebse</i> , 1(7): 214) (Crustacea, Decapoda). Op. 511	available
<i>maja, Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 629 (specific name of the type species of <i>Lithodes</i> Latreille, 1806) (Crustacea, Decapoda). Op. 511	available
MAJIDAE (correction of MAΪADAE) Samouelle, 1819, <i>Entomol. useful Compendium</i> : 88 (type genus: <i>Maja</i> Lamarck, 1801) (Crustacea, Decapoda). Op. 511	available

major, <i>Cancer vocans</i> , Herbst, 1782, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (1): 83 (specific name of the type species of <i>Uca</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 712	available
major, <i>Helicolimax</i> , Féruccac, 1807, <i>Essai Méth. conchyl.</i> : 43 (Gastropoda). Op. 336	available
major, <i>Macropus</i> , Shaw, 1800, <i>Gen. Zool.</i> , 1 : 505 (ruled under the plenary power not to be an objective synonym of <i>Macropus giganteus</i> Shaw, 1790) (Mammalia). Op. 760	available
major, <i>Monograptus triangulatus</i> , var., Elles & Wood, 1913, <i>Mon. Brit. Grapt. (Palaeontogr. Soc.)</i> (9): 472, pl. xlvii, figs. 5a-d, text-figs. 328a, b, as interpreted by direction under the plenary power, by the lectotype designated by Bulman, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 314) (Graptolithina). Op. 571	available
major, <i>Parus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 189 (specific name of the type species of <i>Parus</i> Linnaeus, 1758) (Aves). Direction 43	available
major, <i>Phalaena (Bombyx) pavonia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 497, ruled under the plenary power not to be given priority over the specific name <i>pyri</i> [Denis & Schiffermüller], 1775, as published in the binomen <i>Bombyx pyri</i> , whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1170	available
major, <i>Syrichthus serratulae</i> , Staudinger, 1879, <i>Horae Societatis Entomologicae Rossicae</i> , 14 : 292 (Insecta, Lepidoptera). Op. 1599	available
malabaricus, <i>Astacus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 415 (Crustacea, Decapoda). Op. 334	available
<i>Malacostraca</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 3 (included in a work rejected for nomenclatural purposes). Op. 592	index
Malapterurus Lacepède, 1803, <i>Hist. nat. Poiss.</i> , 5 : 90 (gender: masculine) (type species, by designation under the plenary power: <i>Silurus electricus</i> Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1354) (Osteichthyes). Op. 93 Malapterus Jarocki, 1822, <i>Zoologia</i> , 4 : 87 (an incorrect subsequent spelling for <i>Malapterurus</i> Lacepède, 1803). Direction 56	available
<i>Malapturus</i> Swainson, 1838, <i>Nat. Hist. Class. Fish. Amph. Rept.</i> , 1 : 348, 353 (an incorrect subsequent spelling for <i>Malapterurus</i> Lacepède, 1803). Direction 56	index
Malariaeus Jordan, 1933, <i>Novit. zool.</i> , 39 : 76 (gender: masculine) (type species, by original designation: <i>Ceratophyllus telchinum</i> Rothschild, 1905, <i>Novit. zool.</i> , 12 : 153, pl. 8, fig. 21) (Insecta, Siphonaptera). Op. 388	available
malariae, <i>Haemamoeba</i> , Feletti & Grassi, December 1889, <i>Sui Parasiti della Malaria</i> (a paper also published in January 1890, <i>Riforma medica</i> , 6 (11): 64) (conserved under the plenary power) (specific name of the type species of <i>Plasmodium</i> Marchiafava & Celli, 1885) (Sporozoa). Op. 283	available
malariae, <i>Laverania</i> , Feletti & Grassi, December 1889, <i>Sui Parasiti della Malaria</i> (a paper also published in January 1890, <i>Riforma medica</i> , 6 (11): 64) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy, in so far as it was published as a new name and does not represent a transfer of <i>Oscillaria malariae</i> Laveran, 1881 to the genus <i>Haemamoeba</i>). Op. 283	index

<i>malariae</i> , <i>Oscillaria</i> , Laveran, [May] 1881, <i>Nature parasit. Accidents Impaludisme</i> : 87 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 285	index
<i>malariae</i> , <i>Plasmodium</i> , Marchiafava & Celli, 1885, <i>Fortschr. Med.</i> , 3 (24): 791 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 283	index
<i>malayanus</i> , <i>Ursus</i> , Raffles, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 254 (valid name at the date of Opinion 384 of the type species of <i>Helarctos</i> Horsfield, 1825) (Mammalia). Op. 384	available
<i>maldivensis</i> , <i>Pontonia</i> , Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 213 (specific name of the type species of <i>Pontonides</i> Borradaile, 1917) (Crustacea, Decapoda). Op. 470	available
<i>maldivensis</i> , <i>Sicyonella</i> , Borradaile, 1910, <i>Trans. linn. Soc. London</i> , Zool., (2) 13 : 259 (specific name of the type species of <i>Sicyonella</i> Borradaile, 1910) (Crustacea, Decapoda). Op. 864	available
<i>Malleigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>malleum</i> , <i>Eureum</i> , Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 441 (Insecta, Mallophaga). Op. 343	available
<i>malvae</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 485 (valid name at the date of Opinion 278 of the type species of <i>Pyrgus</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 278	available
<i>Mamaia</i> Stebbing, 1904, <i>Spolia zeylan.</i> , 2 (5): 2 (a junior objective synonym of <i>Maja</i> Lamarck, 1801). Op. 511	index
<i>mamillaris</i> , <i>Douvilleiceras</i> , de Grossouvre, 1893, <i>Mém. Carte géol. France</i> , Rech. Craie sup. (2): 23, 26 (an incorrect subsequent spelling for <i>mammillaris</i> , <i>Ammonites</i> , d'Orbigny, 1841). Op. 422	index
<i>mamillata</i> , <i>Patella</i> , Reeve, 1855, <i>Conchol. icon.</i> , 8 : species 140 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1281	index
<i>mammillaris</i> , <i>Ammonites</i> , d'Orbigny, 1841, <i>Pal. franç.</i> , Terr. crét., 1 : pls. 72, 73 (an unjustified emendation of <i>mammillatus</i> , <i>Ammonites</i> , Schlotheim, 1813). Op. 422	index
<i>mammillaris</i> , <i>Cidaris</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>mammillaris</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>mammillata</i> , <i>Cidaris</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>mammillatus</i> , <i>Ammonites</i> , Schlotheim, 1813, <i>Tasch. Min.</i> , 7 : 111, as interpreted by the neotype designated by Casey, 1954 (<i>Bull. zool. Nomencl.</i> , 9 : 252, 253) (specific name of the type species of <i>Douvilleiceras</i> de Grossouvre, 1893) (Cephalopoda). Op. 422	available
<i>mammulata</i> , <i>Monticulipora</i> , d'Orbigny, [January 1850], <i>Prodr. Paléontol.</i> , 1 : 25 (specific name of the type species of <i>Monticulipora</i> d'Orbigny, October 1849) (Bryozoa). Op. 443	available
<i>Mammuthus</i> Brookes, 1828, <i>A catalogue of the anatomical & zoological museum of Joshua Brookes, Esq., F.R.S., F.L.S. etc. Part 1</i> , p. 73 (gender: masculine) (type species, by designation under the plenary power: <i>Elephas primigenius</i> Blumenbach, 1799) (Mammalia, Proboscidea). Op. 1661	available
<i>Manati</i> Steller, 1774, <i>Beschreibung von dem Lande Kamtschatka</i> : 97 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1320	index
<i>Manatus</i> Brünnich, 1771, <i>Zool. Fund.</i> : 38 (a junior objective synonym of <i>Trichechus</i> Linnaeus, 1758). Direction 13	index
<i>Manatus</i> Storr, 1780, <i>Prodr. meth. Mamm.</i> : 41, Tab. C (a junior homonym of <i>Manatus</i> Brünnich, 1771). Direction 13	index
<i>manatus</i> , <i>Trichechus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 34 (specific name of the type species of <i>Trichechus</i> Linnaeus, 1758) (Mammalia). Direction 13	available
<i>manca</i> , <i>Buprestis</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1067 (specific name of the type species of <i>Trichocratomerus</i> Richter, 1949) (Insecta, Coleoptera). Op. 2009	available
<i>manca</i> , <i>Trigoniza</i> , Bolivar, 1898, <i>Annali del Museo Civico di Storia Naturale Giacomo Doria</i> , 39 : 96 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Orthoptera). Op. 1489	index
<i>Mancinella</i> Link, 1807, <i>Beschr. nat.-Sammel. Univ. Rostock</i> (3): 115 (gender: feminine) (type species, by absolute tautonymy, through its cited synonym, <i>Murex mancinella</i> Linnaeus, 1758: <i>Mancinella aculeata</i> Link, 1807, <i>Beschr. nat.-Sammel. Univ. Rostock</i> (3): 115, valid name: <i>Volema alouina</i> [Röding]) (Gastropoda). Op. 911	available
<i>mancinella</i> , <i>Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 751 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 911	index
<i>Mancipium</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Mancipium</i> Hübner, [1807], <i>Samml. exot. Schmett.</i> , 1 : pl. [141] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 4	index
<i>Mancipium</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4, 5 (included in a work rejected for nomenclatural purposes). Op. 789	index

<i>mandarina</i> , <i>Theophila</i> , Moore, 1872, <i>Proceedings of the Zoological Society of London</i> , 1872: 576, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Insecta, Lepidoptera). Op. 2027	available
<i>mandibulare</i> , <i>Theridion</i> , Lucas, 1846, <i>Explor. Sci. Algérie (Zool.)</i> , 2 (Hist. nat. Anim. art.) (1): 260, pl. 17, fig. 1 (specific name of the type species of <i>Enoplognatha</i> Pavesi, 1880) (Arachnida). Op. 517	available
<i>Mandrillus</i> Ritgen, 1824, <i>Nat. Entheil. Saigethiere</i> : 33 (gender: masculine) (type species, by designation by Allen, 1939 (<i>Bull. Mus. comp. Zool.</i> , 83: 157)): <i>Simia sphinx</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 25) (Mammalia). Op. 1199	available
<i>Mangalura</i> Miers, 1878, <i>Proc. zool. Soc. London</i> , 1878: 303 (gender: feminine) (type species, by monotypy: <i>Penaeus dobsoni</i> Miers, 1878, <i>Proc. zool. Soc. London</i> , 1878: 302) ruled under the plenary power not to be given priority over the generic name <i>Metapenaeus</i> Wood-Mason, 1891 whenever the two names are considered synonyms (Crustacea, Decapoda). Op. 864	available
<i>mangiferae</i> , <i>Cryphalus</i> , Stebbing, 1914, <i>Indian Forest Insects of Economic Importance</i> . Coleoptera, p. 542, ruled under the plenary power to be given precedence over the specific names of <i>Cryphalus inops</i> Eichhoff, 1872 and <i>Hypothenemus griseus</i> Blackburn, 1885 whenever it is considered to be a synonym of either (Insecta, Coleoptera). Op. 1408	available
<i>manicata</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 577 (specific name of the type species of <i>Anthidium</i> Fabricius, 1804) (Insecta, Hymenoptera). Op. 1713	available
<i>manifestator</i> , <i>Ichneumon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 563 (specific name of the type species of <i>Ephialtes</i> Gravenhorst, 1829) (Insecta, Hymenoptera). Direction 4	available
<i>Maniola</i> Schrank, 1801, <i>Fauna boica</i> , 1(2): 152, 170 (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proc. amer. Acad. Arts Sci.</i> , Boston, 10: 211) and through Article 67e (1961 Code): <i>Papilio jurtina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 475) (Insecta, Lepidoptera). Op. 506	available
MANIOLIDI Reuter, 1897, <i>Acta Soc. Sci. fenn.</i> , 22: 356 (type genus: <i>Maniola</i> Schrank, 1801) (invalid because based on a misidentified type genus). Op. 506	index
MANIOLIDI Verity, 1953, <i>Farfalle diurne Ital.</i> , 5: 228, 237 (type genus: <i>Maniola</i> Schrank, 1801) (published as a name for a taxon below subfamily rank) (Insecta, Lepidoptera). Op. 506	available
<i>manitobense</i> , <i>Cyrtoceras</i> , Whiteaves, 1890, <i>Proc. Trans. roy. Soc. Canada</i> , 7(4): 80 (specific name of the type species of <i>Westonoceras</i> Foerste, 1924) (Cephalopoda). Op. 593	available
<i>manitoulinensis</i> , <i>Climacograptus</i> , Caley, 1936, <i>Geological Survey of Canada, Memoir</i> 202(2): 65 (Graptolithina). Op. 1561	available
<i>Mansonia</i> Blanchard, 1901, <i>C.R. Soc. Biol.</i> , Paris, 53: 1046 (conserved under the plenary power) (gender: feminine) (type species, by designation by Neveu-Lemaire, 1902 (<i>Mém. Soc. zool. France</i> , 15: 214)): <i>Culex titillans</i> Walker, 1848, <i>List Dipt. Brit. Mus.</i> (1): 5 (Insecta, Diptera). Op. 550	available

<i>mantelli</i> , <i>Ammonites</i> , Sowerby, 1814, <i>Min. Conch.</i> , 1 : 119, pl. 55 (specific name of the type species of <i>Mantelliceras</i> Hyatt, 1903) (Cephalopoda). Op. 557	available
<i>mantelli</i> , <i>Nummulites</i> , Morton, 1833, <i>Amer. J. Sci.</i> , 23 (2): 291 (specific name of the type species of <i>Lepidocyclina</i> Gümbel, [1870]) (Rhizopoda). Direction 77	available
<i>Mantelliceras</i> Hyatt, 1903, <i>Mon. U.S. geol. Surv.</i> , 44 : 113 (gender: neuter) (type species, by original designation: <i>Ammonites mantelli</i> Sowerby, 1814, <i>Min. Conch.</i> , 1 : 119, pl. 55) (Cephalopoda). Op. 557	available
MANTELLICERATIDAE Hyatt, 1903, <i>Mon. U.S. geol. Surv.</i> , 44 : 105 (type genus: <i>Mantelliceras</i> Hyatt, 1903) (Cephalopoda). Op. 557	available
<i>mantellii</i> , <i>Notornis</i> , Owen, 1848, <i>Trans. zool. Soc. London</i> , 3 (5): 347, pl. 56, figs. 7-13 (specific name of the type species of <i>Notornis</i> Owen, 1848) (Aves). Direction 43	available
<i>Mantes</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 1 : 399 (included in a work rejected for nomenclatural purposes). Op. 299	index
<i>Mantes</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 399 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Orthoptera). Op. 1754	index
<i>Mantis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425 (gender: feminine) ruled under the plenary power to be an available genus-group name (type species, ruled under the plenary power to be by subsequent designation by Latreille, 1810 (<i>Considerations générales sur l'ordre des animaux composant les classes des crustacés, des arachnides et des insectes</i> , pp. 247, 433); <i>Gryllus religiosus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 426) (Insecta, Orthoptera). Op. 149, Op. 1754	available
<i>Mantis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425 (not made available in the work cited; published as a term intermediate between generic and specific names and not possessing the status of a subgeneric name). Op. 299	index
<i>mantis</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633 (specific name of the type species of <i>Squilla</i> Fabricius, 1787) (Crustacea, Stomatopoda). Direction 1	available
<i>Manucodia</i> Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 39 (gender: masculine) (type species, by monotypy and through Opinion 67 and Article 67e (1961 Code); <i>Paradisea</i> [sic] <i>chalybata</i> Forster, 1781, <i>Indische Zool.</i> : 40) (Aves). Op. 67, Direction 43, Direction 44	available
<i>marchei</i> , <i>Micracanthus</i> , Sauvage, 1879, <i>Bulletin de la Société Philomathique de Paris</i> , (7)3 : 96 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 2043	index
<i>Maretia</i> Gray, 1855, <i>Cat. rec. Echin. B.M.</i> (1), Echin. Irreg.: 48 (gender: feminine) (type species, by monotypy: <i>Spatangus planulatus</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 31) (Echinoidea). Op. 608	available
MARETIINAE (correction of MARETINAE) Lambert, 1905, <i>in</i> Doncieux, <i>Ann. Univ. Lyon</i> (17): 162 (type genus: <i>Maretia</i> Gray, 1855) (Echinoidea). Op. 608	available

MARETINAE Lambert, 1905, <i>in</i> Doncieux, <i>Ann. Univ. Lyon</i> (17): 162 (type genus: <i>Maretia</i> Gray, 1855) (an incorrect original spelling for MARETIINAE Lambert, 1905). Op. 608	index
<i>margaritacea</i> , <i>Trigonia</i> , Lamarck, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 4 (23): 335 (specific name of the type species of <i>Neotrigonia</i> Cossmann, 1912) (Bivalvia). Op. 327	available
<i>margaritaceus</i> , <i>Solenopus</i> , Koren & Danielssen, 1877, <i>Arch. Math. Naturv.</i> , 2 : 128 (specific name of the type species of <i>Simrothiella</i> Pilsbry, 1898) (Solenogastres). Op. 1185	available
<i>Margaritana</i> Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 41, 123 (a junior objective synonym of <i>Margaritifera</i> (emendation of <i>Margaritifera</i>) Schumacher, 1816). Op. 495	index
MARGARITANINAE Ortmann, 1910, <i>Nautilus</i> , 23 : 114 (type genus: <i>Margaritana</i> Schumacher, 1817) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 495	index
<i>margaritarius</i> , <i>Heteromurus</i> , Wankel, 1860, <i>Lotos</i> , Jahrg. 10: 203 (specific name of the type species of <i>Heteromurus</i> Wankel, 1860) (Insecta, Collembola). Op. 1064	available
<i>margaritatus</i> , <i>Amaltheus</i> , Montfort, 1808, <i>Conch. syst. Class. méth. Coquilles</i> , 1 : 91 (specific name of the type species of <i>Amaltheus</i> Montfort, 1808) (Cephalopoda). Op. 575	available
<i>Margaritifera</i> (emendation of <i>Margartifera</i>) Schumacher, 1816, <i>Overs. K. Dansk Vidensk. Selsk. Forhandl. Kjobenhavn</i> , 7 : 7 (gender: feminine) (type species, by monotypy: <i>Mya margaritifera</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 671) (Bivalvia). Op. 495	available
<i>margaritifera</i> , <i>Mya</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 671 (specific name of the type species of <i>Margaritifera</i> (emendation of <i>Margartifera</i>) Schumacher, 1816) (Bivalvia). Op. 495	available
MARGARITIFERIDAE Haas, 1940, <i>Field Mus. Publ. (Zool.)</i> , 24 : 119 (conserved under the plenary power) (type genus: <i>Margaritifera</i> Schumacher, 1816) for use by those who consider that <i>Margaritifera</i> Schumacher and <i>Unio</i> Philipsson, 1788 belong to different family-group taxa (Bivalvia). Op. 495	available
<i>margaritiferus</i> , <i>Herpetodryas</i> , Schlegel, 1837, <i>Essai. phys. Serp.</i> , 1 : 151; 2 : 184 (Reptilia). Op. 1246	available
<i>Margartifera</i> Schumacher, 1816, <i>Overs. K. Dansk. Vidensk. Selsk. Forhandl. Kjobenhavn</i> , 7 : 7 (an incorrect original spelling for <i>Margaritifera</i> Schumacher, 1816). Op. 495	index
<i>margelanica</i> , <i>Platyscelis</i> , Kraatz, 1882, <i>Deutsche Entomologische Zeitschrift</i> , 26 (1): 84 (specific name of the type species of <i>Planoplatyscelis</i> Kaszab, 1940) (Insecta, Coleoptera). Op. 1728	available
<i>Marggravii</i> (=marcgravi), <i>Salmo (Curimata)</i> , Walbaum, 1792, <i>Artedi Genera Piscium, Ichth.</i> (ed. 2), 3 : 80 (not made available in the work cited). Op. 772	index

<i>marginalis</i> , <i>Dytiscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 411 (specific name of the type species of <i>Dytiscus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 619	available
<i>marginalis</i> , <i>Epinephelus</i> , Bloch, 1793, <i>Naturgesch. ausl. Fische</i> , 7: 14 (specific name of the type species of <i>Epinephelus</i> Bloch, 1793) (Osteichthyes). Direction 57	available
<i>marginalis</i> , <i>Musca</i> , Fallén, 1824, <i>Monographia Muscidium Sueciae</i> , vol. 7, p. 66, and all uses of the specific name of <i>Musca marginalis</i> prior to the publication of <i>Musca marginalis</i> Wiedemann, 1830 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 1507	index
<i>marginalis</i> , <i>Musca</i> , Fourcroy, 1785, <i>Entomologia Parisiensis</i> , 2(5): 497, and all uses of the specific name of <i>Musca marginalis</i> prior to the publication of <i>Musca marginalis</i> Wiedemann, 1830 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 1507	index
<i>marginalis</i> , <i>Musca</i> , Wiedemann, 1830, <i>Aussereuropäische zweiflügelige Insekten</i> , vol. 2, p. 395 (Insecta, Diptera). Op. 1507	available
<i>marginata</i> , <i>Bulimina</i> , d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , 7: 269 (specific name of the type species of <i>Bulimina</i> d'Orbigny, 1826) (Foraminifera). Op. 2018	available
<i>marginata</i> , <i>Columba</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 286 (a junior objective synonym of <i>macroura</i> , <i>Columba</i> , Linnaeus, 1758). Direction 18	index
<i>marginata</i> , <i>Leptura</i> , Fabricius, 1781, <i>Species Insectorum eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adiectis observationibus, descriptionibus</i> , 1: 247 (Insecta, Coleoptera). Op. 1494	available
<i>marginata</i> , <i>Leptura</i> , O.F. Müller, 1766, in Allioni, <i>Mélanges de Philosophie et de mathématique de la Société Royale de Turin</i> , 3: 188, and all uses of the name prior to the publication of <i>Leptura marginata</i> Fabricius, 1781 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1494	index
<i>marginata</i> , <i>Notonecta</i> , Müller, 1776, <i>Zoologiae Danicae prodromus, seu animalium Daniae et Norvegiae indigenarum characteres, nomina, et synonyma imprimis popularium</i> , p. 104 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1794	index
<i>marginata</i> , <i>Paludina</i> , Michaud, 1831, <i>Complément Hist. nat. Moll. terrestr. fluviat. France Draparnaud</i> : 98 (Gastropoda). Op. 336	available
<i>marginata</i> , <i>Semblis</i> , Fabricius, 1793, <i>Entomol. Syst.</i> , 2: 73 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1276	index
<i>marginata</i> , <i>Semblis</i> , Panzer, 1799, <i>Deutschlands Insekten</i> , Heft 71, Abth. 3, ruled under the plenary power to be given precedence over the specific name <i>maxima</i> Scopoli, 1763, as published in the binomen <i>Phryganea maxima</i> , whenever the two names are considered synonyms (Insecta, Plecoptera). Op. 1276	available

<i>marginatum, Omalium</i> , Cameron, 1941, <i>Proceedings of the Royal Entomological Society of London</i> , (B)10: 58, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. marginatum</i> Say, 1832 and <i>O. marginatum</i> Kirby, 1837 (Insecta, Coleoptera). Op. 2053	available
<i>marginatum, Omalium</i> , Say, 1832, <i>Descriptions of new species of North American insects, and observations on some already described</i> , p. 50 (Insecta, Coleoptera). Op. 2053	available
<i>marginatus, Carabus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 416 (specific name of the type species of <i>Agonum</i> Bonelli, 1810) (Insecta, Coleoptera). Op. 1855	available
<i>marginatus, Cerebratulus</i> , Renier, [1804], <i>Prospetto Classe Vermi: XXI</i> (specific name of the type species of <i>Cerebratulus</i> Renier, [1804]) (conserved under the plenary power) (Nemertea). Op. 477	available
<i>marginatus, Staphylinus</i> , Cameron, 1944, <i>Proceedings of the Royal Entomological Society of London</i> , (B)13: 11, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. marginatus</i> Müller, 1764, <i>S. marginatus</i> Ström, 1768, <i>S. marginatus</i> Fabricius, 1775 and <i>S. marginatus</i> Geoffroy, 1785 (Insecta, Coleoptera). Op. 2053	available
<i>marginatus, Staphylinus</i> , Müller, 1764, <i>Fauna Insectorum Fridrichsdalina, sive methodica descriptio insectorum agri Fridrichsdalensis ...</i> , p. 23 (Insecta, Coleoptera). Op. 2053	available
<i>Marginella</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Marginelligenus</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Marginelligenus</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>mariae, Macrocytella</i> , Callaway, 1877, <i>Quart. J. geol. Soc. London</i> , 33: 670 (specific name of the type species of <i>Macrocytella</i> Callaway, 1877) (Cystoidea). Op. 927	available
<i>marina, Retes</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 155 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>marinum, Aurantium</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>marinum, Cor</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 104 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>marinus, Astacus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 413 (a junior objective synonym of <i>gammarus, Cancer</i> , Linnaeus, 1758). Direction 51	index
<i>marinus, Carduus</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 100 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>marinus</i> , <i>Elophorus</i> , Paykull, 1798, <i>Fauna Suecica, Insecta</i> , vol. 1[8], p. 245 (specific name of the type species of <i>Ochthebius</i> Leach, 1815) (Insecta, Coleoptera). Op. 1631	available
<i>marinus</i> , <i>Esox</i> , Walbaum, 1792, <i>Arte di Ichthyol.</i> , 3: 88 (Osteichthyes). Op. 900	available
<i>marinus</i> , <i>Larus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 136 (specific name of the type species of <i>Larus</i> Linnaeus, 1758) (Aves). Op. 1515	available
<i>marinus</i> , <i>Oniscus</i> , Fabricius, 1780, [Fauna groenl.: 252] (not made available in the work cited). Op. 643	index
<i>marinus</i> , <i>Oniscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 643	index
<i>marinus</i> , <i>Petromyzon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 230 (specific name of the type species of <i>Petromyzon</i> Linnaeus, 1758) (Agnatha). Op. 1171	available
<i>marinus</i> , <i>Silurus</i> , Mitchell, 1815, <i>Transactions of the Literary and Philosophical Society of New York</i> , 1: 433 (Osteichthyes, Siluriformes). Op. 1547	available
<i>marionis</i> , <i>Nauticaris</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 603 (specific name of the type species of <i>Nauticaris</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>marisrubri</i> , <i>Esox belone</i> , Schneider, 1801, in Bloch, <i>Syst. Ichth.</i> : 391 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 900	index
<i>maritimus</i> , <i>Cimex</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 129 (specific name of the type species of <i>Beosus</i> Amyot & Serville, 1843) (Insecta, Hemiptera). Op. 249	available
<i>maritimus</i> , <i>Ursus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 47 (valid name at the date of Opinion 384 of the type species of <i>Thalarctos</i> Gray, 1825) (Mammalia). Op. 384	available
<i>marmorata</i> , <i>Amphisbaena</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 30 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>marmoratus</i> , <i>Curculio</i> , Goeze, 1777, <i>Entomologische Beyträge zu des Ritter Linne zwölften Ausgabe des Natursystems</i> , vol. 1, p. 413 (senior subjective synonym of <i>Curculio lythri</i> Fabricius, 1787, the type species of <i>Nanophyes</i> Schönherr, 1838) (Insecta, Coleoptera). Op. 1526	available
<i>marmoratus</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>marmoratus</i> , <i>Hemitripteras</i> , Ayres, 1854, <i>The Pacific</i> (San Francisco), 3(44): 174, ruled by the Commission to have priority over its subjective synonym <i>Scorpaenichthys marmoratus</i> Girard, 1854, the type species of <i>Scorpaenichthys</i> Girard, 1854 (Osteichthyes, Scorpaeniformes). Op. 1583	available
<i>marmoratus</i> , <i>Palaemon</i> , Olivier, 1811, <i>Ency. méth.</i> , 8 (Ins.): 663 (valid name at the date of Opinion 470 of the type species of <i>Saron</i> Thallwitz, 1891) (Crustacea, Decapoda). Op. 470	available

<i>marmoratus</i> , <i>Remipes</i> , Jacquinot, 1846, in Hombron & Jacquinot (Eds.), <i>Voyage au pôle sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée: exécuté ... pendant ... 1837-1840, sous le commandement de M.J. Dumont d'Urville, capitaine de vaisseau ... sous la direction supérieure de M. Jacquinot, ... Zoologie. Crustacés</i> , part 19, pl. 8, figs. 22-26 (Anomura). Op. 2063	available
<i>marmoratus</i> , <i>Rivulus</i> , Poey, 1880, <i>Anales de la Sociedad Española de Historia Natural</i> , 9(2): 248, as defined by the neotype (specimen no. 37429 in the United States National Museum, Washington, D.C.) designated under the plenary power, ruled under the plenary power to be given precedence over the specific name of <i>Rivulus ocellatus</i> Hensel, 1868 whenever the two names are considered to be synonyms (Osteichthyes, Cyprinodontiformes). Op. 1798	available
<i>marmorea</i> , <i>Discocephala</i> , Laporte, 1833, <i>Magasin de Zoologie</i> , 2: 57 (specific name of the type species of <i>Discocephala</i> Laporte, 1833) (Insecta, Heteroptera). Op. 1538	available
<i>marmoreus</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 69 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>marmoraria</i> , <i>Drosophila</i> , Hutton, 1901, <i>Transactions and Proceedings of the New Zealand Institute</i> , 33: 91 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1712	index
<i>marnockii</i> , <i>Syrrhophus</i> , Cope, 1878, <i>Am. Nat.</i> , 12: 253 (specific name of the type species of <i>Syrrhophus</i> Cope, 1878) (Amphibia). Op. 1024	available
<i>marocana</i> , <i>Dugastella</i> , Bouvier, 1912, <i>C.R. Acad. Sci., Paris</i> , 155: 993 (specific name of the type species of <i>Dugastella</i> Bouvier, 1912) (Crustacea, Decapoda). Op. 470	available
<i>Marssonopora</i> Lang, 1914, <i>Geological Magazine</i> , n.s., decade 6, 1: 438 (gender: feminine) (type species, by designation under the plenary power: <i>Membranipora densispina</i> Levinsen, 1925) (Bryozoa, Cheilostomata). Op. 1608	available
<i>Marstonia</i> Baker, 1926, <i>Trans. Wisconsin Acad. Sci. Arts</i> , 22: 195 (gender: feminine) (type species, by original designation: <i>Amnicola lustrica</i> Pilsbry, 1890, <i>Nautilus</i> , 4(5): 53) (Gastropoda). Op. 1108	available
<i>marsupialis</i> , <i>Didelphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 54 (specific name of the type species of <i>Didelphis</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>martensi</i> , <i>Cermatobius</i> , Haase, 1885, <i>Zool. Anz.</i> , 8: 695 (specific name of the type species of <i>Cermatobius</i> Haase, 1885) (Chilopoda). Op. 1228	available
<i>Marthamea</i> Klapálek, 1907, <i>Rospr. Ceske Akad.</i> , (2)16(16): 19 (gender: feminine) (type species, by designation by Klapálek, 1923 (<i>Colls. zool. Selys Longchamps</i> : 97): <i>Perla vitripennis</i> Burmeister, 1839, <i>Handb. Entomol.</i> , 2(2): ii, 850) (Insecta, Plecoptera). Op. 1276	available
<i>martini</i> , <i>Spirifer</i> , Fleming, 1828, <i>Hist. brit. Anim.</i> : 376 (a junior objective synonym of <i>lineata</i> , <i>Terebratula?</i> , Sowerby, 1822). Op. 420	index

Martinia McCoy, 1844, <i>Syn. Char. Carb. Limest. Foss. Ireland</i> : 128, 139 (gender: feminine) (type species, by designation under the plenary power: <i>Spirifer glaber</i> Sowerby, 1820, <i>Min. Conch.</i> , 3 : 123, pl. 269, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 111, pl. 3, figs. 2a-c)) (Brachiopoda). Op. 421	available
martinicensis , <i>Hylobates</i> , Tschudi, 1838, <i>Classif. der Batrachier</i> [preprint of <i>Mem. Soc. Sci. nat. Neuchâtel</i> , 2]: 37, 77 (specific name of the type species of <i>Eleutherodactylus</i> Duméril & Bibron, 1841) (Amphibia). Op. 1104	available
MARTINIINAE Waagen, 1883, <i>Pal. ind.</i> (13), <i>Salt Range Fossils</i> , 1 : 524 (type genus: Martinia McCoy, 1844) (Brachiopoda). Direction 62	available
martis , <i>Filaria</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3040 (specific name of the type species of <i>Filaria</i> Müller, 1787) (Nematoda). Direction 77	available
mascarone , <i>Cancer</i> , Herbst, 1785, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (6): 191 (specific name of the type species of <i>Ethusa</i> Roux, 1830) (Crustacea, Decapoda). Op. 712	available
Massaihelix Germain, 1913, <i>Bulletin du Muséum National d'Histoire Naturelle, Paris</i> , 19 : 352 (gender: feminine) (type species, by monotypy: <i>Helix butumbiana</i> von Martens, 1895), ruled under the plenary power not to be given priority over the name <i>Prositala</i> Germain, 1915 whenever the two are considered to be synonyms (Gastropoda). Op. 2081	available
Mastigodryas Amaral, 1934, <i>Mems. Inst. Butantan</i> , 8 : 157 (gender: feminine) (type species, by monotypy: <i>Mastigodryas danieli</i> Amaral, 1934, <i>Mems. Inst. Butantan</i> , 8 : 158) (Reptilia). Op. 1035	available
mastigophorus , <i>Calanus</i> , Claus, 1863, <i>Die freilebenden Copepoden mit besonderer Berücksichtigung der Fauna Deutschlands, der Nordsee und des Mittelmeeres</i> , p. 173 (specific name of the type species of <i>Clausocalanus</i> Giesbrecht, 1888) (Copepoda). Op. 1503	available
mauguetii , <i>Elmis</i> , Latreille, 1802, <i>Histoire naturelle des fourmis</i> , p. 400 (specific name of the type species of <i>Elmis</i> Latreille, 1802) (Insecta, Coleoptera). Op. 1812	available
maulica , <i>Chrysomela</i> , Molina, 1782, <i>Saggio sulla storia naturale del Chili</i> , p. 209 (senior synonym of <i>Buprestis bella</i> Guérin Méneville, 1830) (Insecta, Coleoptera). Op. 2008	available
Maurea Oliver, [20th] December 1926, <i>Proc. malac. Soc. London</i> , 17 (2/3): 107, 108 (gender: feminine) (type species, by original designation and through Opinion 479 and Article 67e (1961 Code): <i>Trochus tigris</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3585, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2 : fig. 75)) (Gastropoda). Op. 479	available
mauri , <i>Cidaris</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Mauriella</i> Oliver, 1926, <i>Proc. malac. Soc. London</i> , 17 : 107, 109 (gender: feminine) (type species, by original designation: [Trocus] punctulatus Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 36) (Gastropoda). Op. 479	available
<i>mauritiana, Holothuria</i> , Quoy & Gaimard, 1833, <i>in d'Urville, Voy. 'Astrolabe'</i> , Zool., 4 : 138 (Holothuroidea). Op. 914	available
<i>maurus, Scorpio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 624 (specific name of the type species of <i>Scorpio</i> Linnaeus, 1758) (Arachnida). Direction 60	available
<i>maurus, Thya</i> , Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3) 4 : 216 (specific name of the type species of <i>Beraea</i> Stephens, 1833) (Insecta, Trichoptera). Op. 589	available
<i>maxillosa, Phyllodoce</i> , Ranzani, 1817, <i>Opuscoli Scientifici, Bologna</i> , 1 (2): 109 (specific name of the type species of <i>Polyodontes</i> de Blainville, 1828) (Polychaeta). Op. 1692	available
<i>maxillosus, Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 421 (specific name of the type species of <i>Creophilus</i> Samouelle, 1819) (Insecta, Coleoptera). Op. 546	available
<i>maxima, Formica</i> , Moore, 1842, <i>A descriptive vocabulary of the language in common use among the aborigines of Western Australia with copious meanings embodying much interesting information regarding the habits, manners and customs of the Natives, and the natural history of the country</i> . William S. Orr, London: 54 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1053	index
<i>maxima, Halcampella</i> , Hertwig, 1888, <i>Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1873-76, Zoology</i> , 26 : 29 (specific name of the type species of <i>Halcampella</i> Andres, 1883) (Anthozoa). Op. 2073	available
<i>maxima, Phryganea</i> , Scopoli, 1763, <i>Entomol. Carniol.</i> : 269, ruled under the plenary power not to be given priority over the specific name <i>marginata</i> Panzer, 1799, as published in the binomen <i>Sembolis marginata</i> , whenever the two names are considered synonyms (Insecta, Plecoptera). Op. 1276	available
<i>maxima, Rana</i> , Laurenti, 1768, <i>Specimen medicum, exhibens synopsis Reptilium emendatum cum experimentis circa venena et antidota reptilium Austriacorum</i> , Vienna: 32 (a junior objective synonym of <i>Rana boans</i> Linnaeus, 1758). Op. 1029	index
<i>maxima, Salpa</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 112 (specific name of the type species of <i>Salpa</i> Forsskål, 1775) (Urochordata). Op. 888	available
<i>maximus, Aepyornis</i> , Geoffroy Saint-Hilaire, 1850, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 14 : 209 (specific name of the type species of <i>Aepyornis</i> Geoffroy Saint-Hilaire, 1850) (Aves). Direction 43	available
<i>maximus, Limax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 652 (specific name of the type species of <i>Limax</i> Linnaeus, 1758) (Gastropoda). Op. 336	available
<i>maya, Ammonites</i> , Sowerby, 1840, <i>Trans. geol. Soc. London</i> , (2) 5 : expl. to pl. 61, fig. 8 (specific name of the type species of <i>Mayates</i> Spath, 1924) (Cephalopoda). Op. 471	available

<i>Mayaites</i> Spath, 1924, <i>Pal. ind.</i> (n.s.), 9 : 9 (gender: masculine) (type species, by original designation: <i>Ammonites maya</i> Sowerby, 1840, <i>Trans. geol. Soc. London</i> , (2) 5 : expl. to pl. 61, fig. 8) (Cephalopoda). Op. 471	available
MAYAITIDAE Spath, 1928, <i>Pal. ind.</i> (n.s.), 9 : 165 (type genus: <i>Mayaites</i> Spath, 1924) ruled under the plenary power to be given precedence over the family-group name GRAYICERATIDAE Spath, 1925 by those who consider that <i>Mayaites</i> Spath and <i>Grayiceras</i> Spath, 1923 belong to the same family-group taxon (Cephalopoda). Op. 471	available
<i>Mayorella</i> Schaeffer, 1926, <i>Taxonomy of the Amebas</i> : 56 (gender: feminine) (type species, by original designation: <i>Amoeba bigemma</i> Schaeffer, 1918, <i>Trans. amer. microsc. Soc.</i> , 94 : 80-88) ruled under the plenary power to be given precedence over the generic name <i>Dactylamoeba</i> Korotneff, 1880 whenever the two names are considered synonyms (Rhizopoda). Op. 1344	available
<i>mcintoshii, Aedes (Neomelaniconion)</i> , Huang, 1985, <i>Mosquito Systematics</i> , 17 : 109 (Insecta, Diptera). Op. 1775	available
<i>Mechanitis</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180, 1181 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Mechanitis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 284 (conserved under the plenary power) (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proc. amer. Acad. Arts Sci.</i> , Boston, 10 : 212): <i>Papilio polymlia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 466) (Insecta, Lepidoptera). Op. 232	available
<i>Mecistocephalus</i> Newport, 1843 <i>Proceedings of the Zoological Society of London</i> , 10 : 178 (gender: masculine), type species designated under the plenary power: <i>Mecistocephalus punctifrons</i> Newport, 1843 (Chilopoda). Op. 2218	available
<i>Mecocerus</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 44 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 982	index
<i>Mecocerus</i> Schoenherr, 1833, <i>Gen. Spec. Curc.</i> , 1 (1): 115 (gender: masculine) (type species, by original designation: <i>Mecocerus gazella</i> Gyllenhal, in Schoenherr, 1833, <i>Gen. Spec. Curc.</i> , 1 (1): 115) (Insecta, Coleoptera). Op. 982	available
<i>Medaeus</i> Dana, 1851, <i>Amer. J. Sci.</i> , (2) 12 : 125 (gender: masculine) (type species, by subsequent monotypy: <i>Medaeus ornatus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 76) (Crustacea, Decapoda). Op. 712	available
<i>media, Gallinago</i> , Koch, 1816, <i>Syst. baier. Zool.</i> , 1 : 314 (a junior objective synonym of <i>gallinago, Scolopax</i> , Linnaeus, 1758). Direction 39	index
<i>medicinalis, Hirudo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 649 (specific name of the type species of <i>Hirudo</i> Linnaeus, 1758) (Hirudinea). Direction 77	available
<i>medinensis, Gordius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647 (specific name of the type species of <i>Dracunculus</i> Reichard, 1759) (Nematoda). Direction 102	available
<i>Megachile</i> Latreille, 1802, <i>Hist. nat. Fourmis</i> : 434 (gender: feminine) (type species, by designation by Curtis, 1828 (<i>Brit. Entomol.</i> , 5 : pl. 218): <i>Apis centuncularis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 575) (Insecta, Hymenoptera). Op. 219	available

<i>Megalichthys</i> Agassiz, 1835, in Hibbert, <i>Trans. roy. Soc. Edinburgh</i> , 13 : 202 (gender: masculine) (type species, by monotypy: <i>Megalichthys hibberti</i> Agassiz, 1835, in Hibbert, <i>Trans. roy. Soc. Edinburgh</i> , 13 : 202, as interpreted by the neotype designated under the plenary power) (Osteichthyes). Op. 930	available
<i>Megaloceros</i> Brookes, 1828, <i>A Catalogue of the Anatomical and Zoological Museum of Joshua Brookes, Esq.</i> , part 1, p. 61 (gender: masculine) (type species, by monotypy: <i>Megaloceros antiquorum</i> Brookes, 1828, a junior subjective synonym of <i>Alce gigantea</i> Blumenbach, 1799), ruled under the plenary power to be the correct original spelling of <i>Megalocerus</i> (Mammalia, Artiodactyla). Op. 1566	available
<i>Megalocerus</i> Brookes, 1828, <i>A Catalogue of the Anatomical and Zoological Museum of Joshua Brookes, Esq.</i> , part 1, p. 61, ruled under the plenary power to be an incorrect original spelling of <i>Megaloceros</i> (Mammalia, Artiodactyla). Op. 1566	index
<i>Megalodon</i> Sowerby, 1827, <i>The mineral conchology of Great Britain</i> , part 97 (vol. 6), p. 131 (gender: masculine) (type species, by monotypy: <i>Megalodon cucullatus</i> Sowerby, 1827) (Bivalvia). Op. 1829	available
<i>Megalodontes</i> Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 302 (gender: masculine) (type species, by monotypy: <i>Tenthredo cephalotes</i> Fabricius, 1781) (Insecta, Hymenoptera). Op. 1829	available
MEGALODONTESIDAE Konow, 1897, <i>Annalen des Königlichen-Kaiserlichen Naturhistorischen Hofmuseums</i> , (Wien), 12 : 1 (type genus: <i>Megalodontes</i> Latreille, 1802), spelling emended from MEGALODONTIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Megalodontes</i> Latreille, 1802 is MEGALODONTES- (Insecta, Hymenoptera). Op. 1829	available
MEGALODONTIDAE Konow, 1897, <i>Annalen des Königlichen-Kaiserlichen Naturhistorischen Hofmuseums</i> , (Wien), 12 : 1, spelling emended to MEGALODONTESIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Megalodontes</i> Latreille, 1802 is MEGALODONTES- (Insecta, Hymenoptera). Op. 1829	index
MEGALODONTIDAE Morris & Lycett, 1853, <i>A monograph of the Mollusca from the Great Oolite, chiefly from Minchinhampton and the coast of Yorkshire</i> , part 2, p. 78 (type genus: <i>Megalodon</i> Sowerby, 1827) (Bivalvia). Op. 1829	available
<i>Megalonaia</i> Utterback, 1915, <i>American Midland Naturalist</i> , vol. 4(4), p. 123 (gender: feminine) (type species, by original designation: <i>Unio heros</i> Say, 1829, a junior subjective synonym of <i>Unio giganteus</i> Barnes, 1823) (Bivalvia). Op. 1487	available
MEGALONOTINI Slater, 1957, <i>Bull. Brooklyn entomol. Soc.</i> , 52 : 35 (type genus: <i>Megalonotus</i> Fieber, [1860]) (Insecta, Hemiptera). Op. 676	available
<i>Megalonotus</i> Fieber, [1860], <i>Europ. Hemipt.</i> : 181 (gender: masculine) (type species, by designation by China, 1941 (<i>Proc. R. entomol. Soc. London</i> (B), 10 : 130): <i>Lygaeus chiragra</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 168) (Insecta, Hemiptera). Op. 676	available
<i>Megalopalpus</i> Röber, 1886, <i>CorrespBl. entomol. Ver. Iris</i> , 1 : 51 (gender: masculine) (type species, by original designation: <i>Megalopalpus simplex</i> Röber, 1886, <i>CorrespBl. entomol. Ver. Iris</i> , 1 : 51, pl. 4, fig. 4) (Insecta, Lepidoptera). Op. 566	available

<i>Megalophrys</i> Wagler, 1830, <i>Natürliches System der Amphibien</i> ..., p. 204 (an unjustified emendation of <i>Megophrys</i> Kuhl & van Hasselt, 1822) (Amphibia, Anura). Op. 1763	index
<i>Megalophthalmus</i> Gray, 1832, in Griffith's Cuvier, <i>Anim. Kingdom</i> , 14 : 371 (a junior homonym of <i>Megalophthalmus</i> Leach, 1830). Op. 578	index
<i>Megalophthalmus</i> Leach, 1830, <i>Trans. Plymouth Inst.</i> , 1 : 176 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 578	index
<i>Megalophthalmus</i> Lorenz, 1906, <i>Z. deutsche geol. Ges.</i> , 58 : 62 (a junior homonym of <i>Megalophthalmus</i> Leach, 1830). Op. 578	index
Megalopta Smith, 1853, <i>Cat. hymenopt. Ins. Coll. Brit. Mus.</i> , 1 : 83 (gender: feminine) (type species, by designation under the plenary power: <i>Megalopta idalia</i> Smith, 1853, <i>Cat. hymenopt. Ins. Coll. Brit. Mus.</i> , 1 : 83) (Insecta, Hymenoptera). Op. 788	available
megalotis, Canis , Desmarest, 1822, <i>Ency. méth.</i> , Mamm. (2): 538 (valid name at the date of Opinion 384 of the type species of <i>Otocyon</i> Müller, 1836) (Mammalia). Op. 384	available
Megalotragus Van Hoepen, 1932, <i>Paleontologiese Navorsing van die Nasionale Museum, Bloemfontein</i> , 2 (5): 63 (gender: masculine) (type species, by monotypy: <i>Megalotragus eocornutus</i> Van Hoepen, 1932, a junior subjective synonym of <i>Bubalis priscus</i> Broom, 1909) (Mammalia). Op. 2029	available
megapoda, Rana , Taylor, 1942, <i>University of Kansas Science Bulletin</i> , 28 (2): 310 (Amphibia, Anura). Op. 1776	available
Megasternum Mulsant, 1844, <i>Hist. nat. coléoptères de France</i> , Palpicornes: 187 (gender: neuter) (type species, by designation under the plenary power: <i>Dermestes obscurus</i> Marsham, 1802, <i>Entomol. Britannica</i> , I Coleoptera: 72) (Insecta, Coleoptera). Op. 1178	available
<i>Megastropha</i> Walker, 1918, <i>Univ. Michigan Studies</i> , Publ. No. 6: 106, 207 (an incorrect subsequent spelling for <i>Megasystropha</i> Lea, 1864). Op. 432	index
<i>Megasystropha</i> Lea, 1864, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1864 : 5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 432	index
MEGATHYMIIDAE Comstock & Comstock, 1895, <i>Man. Study Ins.</i> : 365 (type genus: <i>Megathymus</i> Scudder, 1872) (Insecta, Lepidoptera). Op. 483	available
Megathymus Scudder, 1872, <i>4th Ann. Rep. Peabody Acad. Sci.</i> , 1871 : 83 (gender: masculine) (type species, by original designation: <i>Eudamus ? yuccae</i> Boisduval & Leconte, [1837], <i>Hist. gén. Icon. Lépid. Chen. Amér. sept.</i> , 1 : pl. 70, 6 figs. [no text]) (Insecta, Lepidoptera). Op. 483	available
Megatyloceras Humphrey, 1949, <i>Bull. geol. Soc. Amer.</i> , 60 (No. 1): 149 (gender: neuter) (type species, by original designation: <i>Douvilleiceras coronatum</i> Rouchadzé, 1932, <i>Bull. Inst. géol. Géorgie</i> , 1 (3): 195, pl. 3, fig. 4; text-figs. 12, 13) (Cephalopoda). Op. 428	available

<i>Megilla</i> Fabricius, [1805], <i>Systema Piezatorum</i> , p. 328 (a junior objective synonym of <i>Anthophora</i> Latreille, 1803, by the type species designation under the plenary power of <i>Apis pilipes</i> Fabricius, 1775) (Insecta, Hymenoptera). Op. 1383	index
<i>Megischyrus</i> Crotch, 1873, <i>Cistula Entomologica</i> , 1 : 143 (gender: masculine) (type species, by original designation: <i>Erotylus undatus</i> Olivier, 1792) (Insecta, Coleoptera). Op. 1824	available
<i>megistos</i> , <i>Cancer</i> , Herbst, 1804, <i>Versuch Naturgesch. Krabben Krebse</i> , 3 (4): 23 (Crustacea, Decapoda). Op. 472	available
<i>Megophrys</i> (misspelt as ‘ <i>Mogophrys</i> ’) Kuhl & van Hasselt, 1822, <i>Algemeene Konst- en Letter-Bode</i> , 7 : 102 (gender: feminine) (type species, by monotypy: <i>Megophrys montana</i> Kuhl & van Hasselt, 1822) (Amphibia, Anura). Op. 1763	available
<i>meigenii</i> , <i>Chlorops</i> , Loew, 1866, <i>Zeitschrift für Entomologie</i> (Breslau), 20 : 43, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Chlorops meigenii</i> Fallén, 1823 (Insecta, Coleoptera). Op. 2040	available
<i>Meladema</i> Laporte, 1835, <i>Études entomologiques, ou description d'insectes nouveaux; et observations sur la synonymie</i> , part 1, p. 98 (gender: feminine) (type species, by monotypy: <i>Meladema coriacea</i> Laporte, 1835) (Insecta, Coleoptera). Op. 1725	available
<i>melagaster</i> , <i>Labrus</i> , Bloch, 1792, <i>Naturgeschichte der ausländischen Fische</i> , part 6, p. 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1548	index
<i>Melanaria</i> Meigen, [1828], <i>Syst. Beschr. Europ. Schmett.</i> , 1 (3): 97 (conserved under the plenary power) (gender: feminine) (type species, by designation by Kirby, 1894 (<i>Allen's Nat. Libr.</i> , Lepid., 1 : 240); <i>Papilio galathea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 474) (Insecta, Lepidoptera). Op. 400	available
MELANARGIINAE Verity, 1920, <i>Boll. Lab. Zool. gen.</i> , Portici, 14 : 56 (type genus: <i>Melanaria</i> Meigen, [1828]) (Insecta, Lepidoptera). Direction 54	available
<i>melanepis</i> , <i>Coluber</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>Melanerythronotos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Melanigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Melanobasis</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 549 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>melanocephalus</i> , <i>Oxyporus</i> , Kirshenblat, 1938, <i>Vypusk</i> , 1 : 529, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O.</i>	available
<i>melanocephalus</i> Fabricius, 1793 (Insecta, Coleoptera). Op. 2053	
<i>melanocephalus</i> , <i>Staphylinus</i> , Fabricius, 1787, <i>Mantissa insectorum sistens eorum species</i> ..., p. 222 (a nomen protectum) (Insecta, Coleoptera). Op. 2053	available
<i>melanocercus</i> , <i>Drymarchon corais</i> , Smith, 1941, <i>J. Washington Acad. Sci.</i> , 31 : 473, 474 (a junior objective synonym of <i>melanurus</i> , <i>Spilotes</i> , Duméril, Bibron & Duméril, 1854). Op. 746	index
<i>melanochirus</i> , <i>Chlorodopsis</i> , Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 228 (specific name of the type species of <i>Chlorodopsis</i> Milne Edwards, 1873) (Crustacea, Decapoda). Direction 36	available
<i>Melanochroa</i> Broun, 1882, <i>Annals and Magazine of Natural History</i> , (5) 9 : 409, and all uses of the name prior to the publication of <i>Melanochroa</i> Roeder, 1886 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1472	index
<i>Melanochroa</i> Roeder, 1886, <i>Entomologische Nachrichten</i> , 12 (1), no. 9, p. 139 (gender: feminine) (type species, by monotypy: <i>Melanochroa dubia</i> Roeder, 1886) (Insecta, Coleoptera). Op. 1472	available
<i>Melanomesonotos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 587 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Melanonotos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 546 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Melanophila</i> Eschscholtz, 1829, <i>Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch- Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823-1826</i> , part 1, p. 9 (gender: feminine) (type species, by designation under the plenary power: <i>Buprestis acuminata</i> De Geer, 1774) (Insecta, Coleoptera). Op. 1826	available
<i>Melanopleurae</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 554 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Melanoplus</i> Stål, 1873, <i>Recens. Orth.</i> , 1 : 79 (gender: masculine) (type species, by designation by Scudder, 1897 (<i>Bull. U.S. nat. Mus.</i> , 20 : 122)): <i>Acrydium femurrubrum</i> de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 498, pl. 42, fig. 5) (Insecta, Orthoptera). Op. 835	available
<i>melanops</i> , <i>Polyommatus</i> , Boisduval, 1828, <i>Europ. Lép. Index méth.</i> : 13 (Insecta, Lepidoptera). Op. 972	available

<i>melanopterus</i> , <i>Carcharias</i> , Quoy & Gaimard, 1824, in Freycinet, <i>Voy. autour Monde 'Uranie' & 'Physicienne'</i> (Zool.): 194 (specific name of the type species of <i>Carcharhinus</i> Blainville, 1816) (Chondrichthyes). Op. 723	available
<i>melanopyga</i> , <i>Asterophrys</i> , Doria, 1875, <i>Ann. Mus. civ. Stor. nat. Genova</i> , 6 : 355, 356 (specific name of the type species of <i>Lechriodus</i> Boulenger, 1882) (Amphibia). Op. 1063	available
<i>Melanospilos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 565 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>melanotheron</i> , <i>Sarotherodon</i> , Rüppell, 1852, <i>Verzeichniss der in dem Museum der Senckenbergischen Naturforschenden Gesellschaft aufgestellten Sammlungen</i> , part 4, p. 21 (specific name of the type species of <i>Sarotherodon</i> Rüppell, 1852) (Osteichthyes, Perciformes). Op. 1548	available
<i>melanothrix</i> , <i>Trachyphloeus</i> , Kirby, 1837, <i>Fauna Boreali-Americanæ</i> , 4 : 202 (specific name of the type species of <i>Geoderces</i> Horn, 1876) (Insecta, Coleoptera). Op. 1452	available
<i>melanotica</i> , <i>Gaussia</i> , Wolfenden, 1905, <i>Plankton Studies</i> , part 1, p. 5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Copepoda). Op. 1590	index
<i>melanurus</i> , <i>Spilotes</i> , Duméril, Bibron & Duméril, 1854, <i>Erp. Gén.</i> , 7 : 224, 225 (ruled under the plenary power not to be invalidated by its senior secondary homonym, <i>Coluber melanurus</i> Schlegel, 1837) (Reptilia). Op. 746	available
<i>melanus</i> , <i>Galeodes</i> , Olivier, 1807, <i>Voyage dans l'Empire Othoman, l'Égypte et la Perse, fait par ordre du gouvernement, pendant les six premières années de la République</i> , vol. 3, p. 308 (specific name of the type species of <i>Rhagodes</i> Pocock, 1897) (Arachnida). Op. 2095	available
<i>melas</i> , <i>Dermestes</i> , Marsham, 1802, <i>Entomologia britannica</i> : 78 (specific name of the type species of <i>Anisarthria</i> Stephens, 1830) ruled under the plenary power not to be given priority over the specific name <i>pusillum</i> Gyllenhal, 1808, as published in the binomen <i>Scaphidium pusillum</i> , whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1277	available
<i>Meleagris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156 (gender: feminine) (type species, by Linnaean tautonomy: <i>Meleagris gallopavo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156) (Aves). Direction 17	available
<i>meleagris</i> , <i>Phasianus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158 (specific name of the type species of <i>Numida</i> Linnaeus, 1764) (Aves). Direction 43	available
<i>meleagris</i> , <i>Testudo</i> , Shaw, 1793, <i>Nat. Miscell.</i> : tab. 44 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index

<i>Meles</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 183 (gender: masculine) (type species, by designation under the plenary power: <i>Ursus meles</i> Linnaeus, 1758), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Carnivora). Op. 1894	available
<i>meles</i> , <i>Ursus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 48 (specific name of the type species of <i>Meles</i> Brisson, 1762) (Mammalia, Carnivora). Op. 1894	available
<i>Melesium</i> Rafinesque, 1815, <i>Analyse de la nature ...</i> , p. 59 (a junior objective synonym of <i>Meles</i> Brisson, 1762) (Mammalia, Carnivora). Op. 1894	index
<i>Melibaea</i> Forbes, 1838, <i>Malac. Monensis</i> : 4 (an incorrect subsequent spelling for <i>Melibe</i> Rang, 1829). Op. 697	index
<i>Meliboea</i> Forbes, 1838, <i>Malac. Monensis</i> : 59 (an incorrect subsequent spelling for <i>Melibe</i> Rang, 1829). Op. 697	index
<i>meliceps</i> , <i>Mydaus</i> , Cuvier, 1821, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 2(27): 'Telagon' 2 (specific name of the type species of <i>Mydaus</i> Cuvier, 1821) (Mammalia). Op. 384	available
<i>Melicerta</i> Péron & Lesueur, 1810, <i>Ann. Mus. Hist. nat.</i> , Paris, 14(83): 352 (a junior homonym of <i>Melicerta</i> Schrank, 1803). Op. 522	index
<i>Melicerta</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 109 (a junior homonym of <i>Melicerta</i> Schrank, 1803). Op. 522	index
<i>Melicerta</i> Schrank, 1803, <i>Fauna boica</i> , 3(2): 302, 310 (gender: masculine) (type species, by monotypy: <i>Sabella ringens</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1268) (Rotifera). Op. 522	available
<i>Melicerta</i> Stephens, 1833, <i>Nomencl. Brit. Ins.</i> (ed. 2): 129 (a junior homonym of <i>Melicerta</i> Schrank, 1803). Op. 522	index
<i>Melicerta</i> Tilesius, 1831, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 15(2): 257 (a junior homonym of <i>Melicerta</i> Schrank, 1803). Op. 522	index
MELICERTADAE Hudson & Gosse, 1886, <i>The Rotifera or Wheel-Animalcules, both British and foreign</i> , 1: 30 (type genus: <i>Melicerta</i> Schrank, 1803) (an incorrect original spelling for MELICERTIDAE Hudson & Gosse, 1886). Op. 522	index
MELICERTIDAE (correction by Collin, Dieffenbach, Sachse & Voigt, 1912, of MELICERTADAE) Hudson & Gosse, 1886, <i>The Rotifera or Wheel-Animalcules, both British and foreign</i> , 1: 30 (type genus: <i>Melicerta</i> Schrank, 1803) (Rotifera). Op. 522	available
<i>melichari</i> , <i>Leprota</i> , Fennah, 1963, <i>Bull. zool. Nomencl.</i> , 20: 303 (specific name of the type species of <i>Leprota</i> Melichar, 1912) (Insecta, Hemiptera). Op. 751	available
<i>melinus</i> , <i>Strymon</i> , Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1: 22, pl. [21], figs. 121, 122 (specific name of the type species of <i>Strymon</i> Hübner, 1818) (Insecta, Lepidoptera). Op. 541	available

<i>Melissodes</i> Latreille, 1829, in Cuvier, <i>Règne Anim.</i> (ed. 2), 5 : 354 (gender: feminine) (type species, by designation under the plenary power: <i>Melissodes leprieuri</i> Blanchard, 1849, in Cuvier, <i>Règne Anim.</i> (ed. 3), 2 : atlas pl. 129 bis, figs. 4, 4a) (Insecta, Hymenoptera). Op. 750	available
<i>Melita</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Melitea</i> Lamouroux, 1812, <i>Nouv. Bull. Soc. philom. Paris</i> , 3 (63): 188 (a junior homonym of <i>Melitea</i> Péron & Lesueur, 1810). Op. 1304	index
<i>Melitenses, Ophiodontes</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 192 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Melithaea</i> Milne Edwards & Haime, 1857, <i>Histoire naturelle des coralliaires ou polypes proprement dits</i> : 199 (gender: feminine) ruled under the plenary power to be an available name (type species, through <i>Melitea</i> Lamouroux, 1812 (<i>Nouv. Bull. Soc. philom. Paris</i> , 3 (63): 188); <i>Isis ochracea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 799) (Anthozoa). Op. 1304	available
<i>Melitodes</i> Verrill, 1864, <i>Bull. Mus. comp. Zool.</i> , 1 : 38 (a junior objective synonym of <i>Melithaea</i> Milne Edwards & Haime, 1857). Op. 1304	index
<i>melleri, Rhinogale</i> , Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 575, text-fig. (specific name of the type species of <i>Rhynchogale</i> Thomas, 1894) (Mammalia). Op. 384	available
MELLICORINA Gray, 1865, <i>Proc. zool. Soc. London</i> , 1865 : 103, 154 (type genus: <i>Mellivora</i> Storr, 1780) (an incorrect original spelling for MELLIVORINAE Gray, 1865). Direction 53	index
<i>Mellita</i> Agassiz, 1841, <i>Mon. Echin.</i> , Monogr. 2: 34 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Echinodiscus quinquesperforatus</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 197) (Echinoidea). Op. 393	available
<i>Mellita</i> Fabricius, [1823], <i>Fortegnelse over afg. Biskop Fabriciusses eft. Natur.</i> : 110 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 393	index
MELLITINAE Stefanini, 1911, <i>Boll. Soc. geol. ital.</i> , 30 : 749 (type genus: <i>Mellita</i> Agassiz, 1841) (Echinoidea). Direction 54	available
<i>Mellivora</i> Storr, 1780, <i>Prodr. Meth. Mamm.</i> : 34, Tab. A (gender: feminine) (type species, by designation by Sclater, 1900 (<i>Fauna S. Africa</i> , Mamm., 1 : 109); <i>Viverra ratel</i> Sparrman, 1777, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 38 : 147, valid name: <i>Viverra capensis</i> Schreber, [1776]) (Mammalia). Op. 384	available
MELLIVORINAE (correction by Gill, 1872 (<i>Smithson. misc. Coll.</i> , 230 : 6, 66) of MELLIVORINA Gray, 1865, <i>Proc. zool. Soc. London</i> , 1865 : 103, 154 (type genus: <i>Mellivora</i> Storr, 1780) (Mammalia). Direction 53	available

<i>Meloe</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 419 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides, et des insectes</i> , p. 419; <i>Meloe proscarabaeus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1918	available
MELOIDAE Gyllenhal, 1810, <i>Insecta Suecica descripta. Classis I. Coleoptera sive Eleutherata. Pars II</i> , p. 481 (type genus: <i>Meloe</i> Linnaeus, 1758), ruled under the plenary power that this name and other family-group names based on <i>Meloe</i> are to be given precedence over HORIIDAE Latreille, 1802 and other family-group names based on <i>Horia</i> Fabricius, 1787 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1918	available
<i>Melolontha</i> Fabricius, 1775, <i>Systema Entomologiae ...</i> , p. 31 (gender: feminine) (type species, by absolute tautonymy: <i>Scarabaeus melolontha</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>Melolontha</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 195, and all uses of the name prior to the publication of <i>Melolontha</i> Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
<i>melolontha, Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 351 (specific name of the type species of <i>Melolontha</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1754	available
<i>Melorus</i> Mulsant & Rey, 1870, <i>Histoire naturelle des punaises de France. Coréides, Alydides, Bérytides, Sténocéphalides</i> , p. 212 (gender: masculine) (type species, by designation under the plenary power: <i>Neides hirticornis</i> Brullé, 1835), ruled under the plenary power not to be given priority over <i>Berytinus</i> Kirkaldy, 1900 or <i>Lizinus</i> Mulsant & Rey, 1870, whenever it and one of the other nominal genera are considered to be synonyms (Insecta, Heteroptera). Op. 1504	available
<i>Melursus</i> Meyer, 1793, <i>Syst.-summ. Uebers. neuest zool. Entdeck. Neuholdland u. Afrika</i> : 155 (gender: masculine) (type species, by monotypy: <i>Melursus lybius</i> Meyer, 1793, <i>Syst.-summ. Uebers. neuest zool. Entdeck. Neuholdland u. Afrika</i> : 156, valid name: <i>Bradypus ursinus</i> Shaw, 1791) (Mammalia). Op. 384	available
<i>Melusina</i> Stål, 1867, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 24 : 552 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678	index
<i>Melybia</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 144 (gender: feminine) (type species, by monotypy: <i>Melybia thalamita</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 144) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>membranaceus, Peneus</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 98, as interpreted by the neotype designated by Holthuis, 1961 (<i>Bull. zool. Nomencl.</i> , 18 : 309, 310, pl. 4) (valid name at the date of Opinion 611 of the type species of <i>Solenocera</i> Lucas, 1849) (Crustacea, Decapoda). Op. 611	available
<i>menapiensis, Ctenodonta</i> , Hicks, 1873, <i>Quart. J. geol. Soc. London</i> , 29 : 47 (Bivalvia). Op. 1022	available

menardii, *Rotalia*, Parker, Jones & Brady, 1865, *Ann. Mag. nat. Hist.*, (3)16: 20, pl. 3, fig. 81, as interpreted by the neotype proposed by Stainforth, Lamb & Jeffords, 1978 (*Bull. zool. Nomencl.*, 34: 260, 261, pls. 1, 2) and designated under the plenary power (Rhizopoda). Op. 1234

available

meneghinii, *Pleurotoma*, Mayer, 1868, *Journal de Conchyliologie*, 16: 109, as defined by the lectotype (specimen no. H 17365 in the Mayer-Eymar collection in the Naturhistorisches Museum, Basel, figured by Mayer, 1868, pl. 3, fig. 3 and by Gatto, 1993, *Revue de Paléobiologie*, 11(2): 483-489, pl. 1, figs. 1a, 1b) designated by the Commission (specific name of the type species of *Asthenotoma* Harris & Burrows, 1891) (Gastropoda). Op. 1792

available

Menoeiderythros Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, 28: 566 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Menoetius Dejean, 1821, *Catalogue de la collection de Coléoptères de M. le Baron Dejean*, p. 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1451

index

Menopon Nitzsch, 1818, *Mag. Entomol.* (Germar), 3: 299 (gender: neuter) (type species, by designation by Johnston & Harrison, 1911 (*Proc. linn. Soc. N.S. Wales*, 36: 327):

Pediculus gallinae Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 613, as interpreted by the neotype designated by Clay & Hopkins, 1950 (*Bull. Brit. Mus. (nat. Hist.) Entomol.*, 1: 262, fig. 56)) (Insecta, Mallophaga). Op. 628

available

MENOPONIDAE Mjöberg, 1910, *Ark. Zool.*, 6(13): 26 (type genus: *Menopon* Nitzsch, 1818) (Insecta, Mallophaga). Op. 628

available

Menopum Neumann, 1906, *Bull. zool. Soc. France*, 20: 59 (an incorrect subsequent spelling for *Menopon* Nitzsch, 1818). Op. 628

index

mercatoria, *Voluta*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 730 (specific name of the type species of *Columbella* Lamarck, 1799) (Gastropoda). Direction 73

available

mercatorum, *Drosophila*, Patterson & Wheeler, 1942, *Univ. Texas Publ.*, No. 4213: 93, 94 (Insecta, Diptera). Op. 1099

available

mercenaria, *Corixia*, Say, 1832, *Descr. new spp. heteropt. Hemipt. N. America*: 39 (specific name of the type species of *Corisella* Lundblad, 1928) (Insecta, Hemiptera). Op. 1311

available

mercurialis, *Curculio*, Fabricius, 1801, *Systema Eleutherorum* ..., vol. 2, p. 530 (specific name of the type species of *Tropiphorus* Schönherr, 1842) (Insecta, Coleoptera). Op. 1474

available

mercurialis, *Sphargis*, Merrem, 1820, *Tent. Syst. Amph.*: 19 (a junior objective synonym of *coriacea*, *Testudo*, Linnaeus, 1766). Direction 56

index

merdigera, *Chrysomela*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 375 (specific name of the type species of *Lilioceris* Reitter, 1912) (Insecta, Coleoptera). Op. 1130

available

<i>mergi</i> , <i>Pediculus</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 2 : 480 (a junior objective synonym of <i>mergiserrati</i> , <i>Ricinus</i> , de Geer, 1778). Op. 627	index
<i>mergiserrati</i> , <i>Ricinus</i> , de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 78, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 241) (Insecta, Mallophaga). Op. 627	available
<i>Mergua</i> Kemp, 1914, <i>Rec. Indian Mus.</i> , 10 : 121 (gender: feminine) (type species, by monotypy: <i>Hippolyte oligodon</i> de Man, 1888, <i>J. linn. Soc. London (Zool.)</i> , 22 : 277) (Crustacea, Decapoda). Op. 470	available
<i>Merhippolyte</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 577, 618 (gender: feminine) (type species, by original designation: <i>Merhippolyte agulhasensis</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 619) (Crustacea, Decapoda). Op. 470	available
<i>meridiana</i> , <i>Leptura</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 398 (specific name of the type species of <i>Stenocorus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>meridionalis</i> , <i>Abderites</i> , Ameghino, 1887, <i>Bol. Mus. de la Plata</i> , 1 : 5 (specific name of the type species of <i>Abderites</i> Ameghino, 1887) (Mammalia). Op. 1241	available
<i>meridionalis</i> , <i>Colias hyale</i> , Krulikowsky, 1903, <i>Revue Russe d'Entomologie</i> , 3 (5): 302, ruled under the plenary power not to be given priority over the name of <i>Colias hyale alfacariensis</i> Ribbe, 1905 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 2180	available
<i>meridionalis</i> , <i>Gypaetos</i> [sic], Keyserling & Blasius, 1840, <i>Wirbelth. Europas</i> : xxviii (Aves). Direction 81	available
<i>meridionalis</i> , <i>Termes</i> , Froggatt, 1898, <i>Proceedings of the Linnean Society of New South Wales</i> , 22 : 726, as defined by the neotype (a soldier registered as Type No. 9077 in the Australian National Insect Collection, CSIRO, Canberra) designated by Hill, 1942, <i>Termites (Isoptera) from the Australian Region</i> , p. 336, and confirmed by the Commission (Insecta, Isoptera). Op. 1808	available
<i>Meriellum</i> Linsley, 1957, <i>Canadian Entomologist</i> , 89 : 287 (gender: neuter) (type species, by indication: <i>Merium proteus</i> Kirby, 1837) (Insecta, Coleoptera). Op. 1525	available
<i>Meristella</i> Hall, 1859, <i>Palaeontology of New York. New York State Cabinet of Natural History, Annual Report</i> , 12 : 78 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Miller, 1889, <i>North American geology and paleontology for the use of amateurs, students and scientists</i> , p. 354: <i>Atrypa laevis</i> Vanuxem, 1842) (Brachiopoda). Op. 1899	available
<i>Merium</i> Kirby, 1837, <i>Fauna Boreali Americana, The Insects</i> , part 4, p. 172 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1525	index

<i>Merocryptus</i> Milne Edwards, 1873, <i>J. Mus. Godeffroy</i> , 1 (No. 4): 84 (gender: masculine) (type species, by monotypy: <i>Merocryptus lambriformis</i> Milne Edwards, 1873, <i>J. Mus. Godeffroy</i> , 1 (No. 4): 85) (Crustacea, Decapoda). Op. 73	<i>Merolepis</i> Rafinesque, 1810, <i>Maggio, Ind. ittiol. Sicil.</i> : 25 (gender: feminine) (type species, by monotypy: <i>Sparus massiliensis</i> Lacepède, 1802, in Buffon, <i>Hist. nat. Poissons</i> (nouvelle édition), 4 : 33, 108) (Osteichthyes). Op. 960	available
<i>Merope</i> Newman, 1838, <i>Entomol. Mag.</i> , 5 (2): 180 (gender: feminine) (type species, by monotypy: <i>Merope tuber</i> Newman, 1838, <i>Entomol. Mag.</i> , 5 (2): 180) (Insecta, Mecoptera). Direction 4		available
MEROPEIDAE (emendation of MEROPIDAE) Tillyard, 1919, <i>Proc. linn. Soc. N.S. Wales</i> , 44 : 603 (type genus: <i>Merope</i> Newman, 1838) (form for this family name designated by the ruling given in Opinion 140) (Insecta, Mecoptera). Direction 6		available
MEROPIDAE Rafinesque, 1815, <i>Analyse Nature</i> : 66 (type genus: <i>Merops</i> Linnaeus, 1758) (form for this family name designated by the ruling given in Opinion 140) (Aves). Direction 6, Direction 115		available
MEROPIDAE Tillyard, 1919, <i>Proc. linn. Soc. N.S. Wales</i> , 44 : 603 (type genus: <i>Merope</i> Newman, 1838) (an incorrect original spelling for MEROPEIDAE Tillyard, 1919, the form for this family name designated in Opinion 140). Direction 6		index
<i>Merops</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 117 (gender: masculine) (type species, by Linnaean tautonymy: <i>Merops apiaster</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 117) (Aves). Direction 4		available
<i>Merria</i> Gray, 1839 (?), in Beechey, <i>Zool. Blossom</i> : 137 (a junior objective synonym of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009		index
MERRIIDAE Hedley, 1917, <i>J. Proc. R. Soc. N.S. Wales</i> , 51 : Suppl., p. M62 (type genus: <i>Merria</i> Gray, 1839(?)) (based on an objective junior synonym of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009		index
<i>Merrya</i> Récluz, 1846 ['1845'], <i>Mag. Zool.</i> , (2) 7 (9): 7 (an unjustified emendation of <i>Merria</i> Gray, 1839 (?)). Op. 1009		index
<i>merula</i> , <i>Saxicola</i> , Lesson, 1828, in Duperrey, <i>Voy. 'Coquille'</i> , <i>Zool.</i> , 1 (2): 622 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684		index
<i>Mesapus</i> Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522		index
<i>Mesidotea</i> Richardson, 1905, <i>Bull. U.S. nat. Mus.</i> , 54 : 347 (a junior objective synonym of <i>Saduria</i> Adams, 1852). Op. 643, Appendix to Op. 643 (<i>Bulletin of Zoological Nomenclature</i> , vol. 21, pp. 92-93)		index
MESIDOTEINI Racovitza & Sevastos, 1910, <i>Arch. Zool. exp. gén.</i> , (5) 6 : 194 (type genus: <i>Mesidotea</i> Richardson, 1905) (Crustacea, Isopoda). Op. 643		index
<i>Mesidothea</i> Stephensen, 1913, <i>Medd. om Grønl.</i> , 22 : 235 (an incorrect subsequent spelling for <i>Mesidotea</i> Richardson, 1905). Op. 643		index

<i>Mesodesma</i> Deshayes, [1832], <i>Ency. méth. (Vers)</i> , 2 (2): 441 (gender: neuter) (type species, by designation by Anton, [1838] (<i>Verz. Conch. Samml. Anton</i> : 3): <i>Macra donacia</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vert.</i> , 5 : 479) (Bivalvia). Op. 1141	available
<i>Mesodon</i> Féruccac, 1821, <i>Tableaux systématiques des animaux mollusques ... suivis d'un prodrome général</i> ..., part 2, p. 37 (folio), p. 33 (quarto) (gender: masculine) (type species, by monotypy: <i>Helix thyroidus</i> Say, 1817) (Gastropoda). Op. 1691	available
<i>Mesodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
MESODONTIDAE Tryon, 1866, <i>American Journal of Conchology</i> , 2 : 306 (type genus: <i>Mesodon</i> Féruccac, 1821), ruled under the plenary power that this name and other family-group names based on <i>Mesodon</i> are not to be given priority over POLYGYRIDAE Pilsbry, 1895 and other family-group names based on <i>Polygyra</i> Say, 1818 whenever their type genera are placed in the same family-group taxon (Gastropoda). Op. 1691	available
<i>mesoleucum</i> , <i>Liotheum</i> , Nitzsch, 1818, <i>Mag. Entomol.</i> (German), 3 : 300 (a junior objective synonym of <i>cornicis</i> , <i>Ricinus</i> , de Geer, 1778). Op. 627	index
<i>Mesolobus</i> Dunbar & Condra, 1932, <i>Nebraska geol. Surv. Bull.</i> , (2) 5 : 159-168, pl. 20, figs. 1-17, 23-32 (gender: masculine) (type species, by original designation: <i>Chonetes mesolobus</i> Norwood & Pratten, 1854, <i>J. Acad. nat. Sci. Philadelphia</i> , 3 : 27, pl. 2, figs. 7a-c) (Brachiopoda). Op. 797	available
mesolobus , <i>Chonetes</i> , Norwood & Pratten, 1854, <i>J. Acad. nat. Sci. Philadelphia</i> , 3 : 27, pl. 2, figs. 7a-c, as interpreted by the neotype designated by Hoare, 1964 (<i>Bull. zool. Nomencl.</i> , 21 : 316, pl. 2, figs. 1-3) (specific name of the type species of <i>Mesolobus</i> Dunbar & Condra, 1932) (Brachiopoda). Op. 797	available
<i>Mesoplodon</i> Gervais, 1850, <i>Ann. Sci. nat., Paris, Zool.</i> , (3) 14 : 16 (gender: masculine) (type species, by original designation: <i>Delphinus soverbensis</i> Blainville, 1817, valid name: <i>Physeter bidens</i> Sowerby, 1804) (Mammalia). Op. 1289	available
<i>Mesopodopsis</i> Czerniavsky, 1882, <i>Trudui St. Petersburg Obshchest. Estest.</i> , 12 (2): 145, 148 (gender: feminine) (type species, by monotypy, through <i>Macropsis</i> Sars, 1876: <i>Podopsis slabberi</i> Van Beneden, 1861, <i>Mém. Acad. roy. Belg., Cl. Sci.</i> , 33 : 18, pl. 7) (Crustacea, Mysidacea). Op. 603	available
<i>Mesosmittia</i> Brundin, 1956, <i>Reports from the Institute of Freshwater Research, Drottningholm</i> , 37 : 163 (gender: feminine) (type species, by original designation and monotypy: <i>Spaniotoma (Orthocladius) flexuella</i> Edwards, 1929) (Insecta, Diptera). Op. 2179	available
<i>Metablastothrix</i> Sugonjaev, 1964, <i>Entomologicheskoe Obozrenie</i> , 43 (2): 371 (gender: feminine) (type species, by designation under the plenary power: <i>Blastothrix isomorpha</i> Sugonjaev, 1964) (Insecta, Hymenoptera). Op. 1857	available
<i>Metacalycoceras</i> Spath, 1926, <i>Geol. Mag.</i> , 63 : 81 (a junior objective synonym of <i>Calycoceras</i> Hyatt, 1900). Op. 557	index

- Metacrinus** Carpenter, 1882, *Bull. Mus. comp. Zool.*, **10**: 167 (gender: masculine) (type species, by designation by Clark, 1908 (*Proc. U.S. nat. Mus.*, **34**: 527): **Metacrinus wyvillei** (correction of *wyvillii*) Carpenter, 1884, *Rep. Voy. 'Challenger'* (Zool.), **11**(32): 358) (Crinoidea). Op. 73, Direction 72 available
- Metadiaeopes** Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 573 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- Metalia** Gray, 1855, *Cat. rec. Echin. B.M.* (1), Echin. Irreg.: 51 (gender: feminine) (type species, by monotypy: **Spatangus sternalis** Lamarck, 1816, *Hist. nat. Anim. sans Vert.*, **3**: 31) (Echinoidea). Op. 608 available
- metallella, Tinea**, [Denis & Schiffermüller], 1775, *Ankundung eines systematischen Werkes von dem Schmetterlingen der Wienergegend ...*, p. 144 (senior subjective synonym of the specific name of **Antispila stadtmuellerella** Hübner, [1825], the type species of **Antispila** Hübner, [1825]) (Insecta, Lepidoptera). Op. 1479 available
- metallica, Heptomera**, Blanchard, 1850, *Catalogue de la collection Entomologique. Classes des Insectes. Ordre des Coléoptères*, part: Melolonthidae, tome I, p. 89 (specific name of the type species of **Emphania** Erichson, 1847 and senior subjective synonym of **Emphania chloris** Burmeister, 1855) (Insecta, Coleoptera). Op. 2130 available
- Metapenaeopsis** Bouvier, 1905, *C.R. Acad. Sci.*, Paris, **140**: 981 (gender: feminine) (type species, by original designation: **Metapenaeopsis pubescens** Bouvier, 1905, *C.R. Acad. Sci.*, Paris, **140**: 981, a junior secondary homonym of *Penaeus pubescens* Stimpson, 1871, replaced by **Penaeopsis miersi** Holthuis, 1952) (Crustacea, Decapoda). Op. 864 available
- Metapenaeus** Wood-Mason, 1891, in Wood-Mason & Alcock, *Ann. Mag. nat. Hist.*, (6)**8**: 271 (gender: masculine) (type species, by original designation: **Penaeus affinis** Milne Edwards, 1837, *Hist. nat. Crust.*, **2**: 416) ruled under the plenary power to be given precedence over the generic name **Mangalura** Miers, 1878, whenever the two names are considered synonyms (Crustacea, Decapoda). Op. 864 available
- Metapeneus** Alcock, 1901, *Descr. Cat. Indian Deep Sea Crust.*: 14 (an incorrect subsequent spelling for **Metapenaeus** Wood-Mason, 1891). Op. 864 index
- Metaphycus** Mercet, 1917, *Boletin de la Real Sociedad Española de Historia Natural*, **17**(2): 138 (gender: masculine) (type species, by monotypy: **Aphycus zebratus** Mercet, 1917), ruled under the plenary power to be given precedence over **Aenasioidea** Girault, 1911 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1898 available
- Metasesarma** Milne Edwards, 1853, *Ann. Sci. nat.*, Paris (Zool.), (3)**20**: 188 (gender: feminine) (type species, by monotypy: **Metasesarma rousseuxii** Milne Edwards, 1853, *Ann. Sci. nat.*, Paris (Zool.), (3)**20**: 188) (Crustacea, Decapoda). Op. 85, Direction 37 available
- Metastemma** Amyot & Serville, 1843, in Roret's Suites à Buffon, *Hist. nat. Ins. Hémipt.*: 327 (an unjustified emendation of **Prostemma** Laporte, [1832]). Direction 63 index
- Metentomes** Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 573 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index

<i>methwoldensis</i> , <i>Heterodera</i> , Cooper, 1955, A preliminary key to British species of <i>Heterodera</i> for use in soil examination, in: <i>Soil Zoology, Proceedings of the University of Nottingham Second Easter School in Agricultural Science</i> , Kevan (ed.), Butterworth, London: 277, 279 (Nematoda). Op. 1336	available
<i>Metopaster</i> Sladen, 1893, in Sladen & Spencer, in Wright, <i>Mon. brit. foss. Echin. cret. Form.</i> (Pal. Soc.), 2(2): 30 (gender: masculine) (type species, by designation by Rasmussen, 1950 (<i>Dansk. geol. Unders.</i> , 2 (No. 77): 16): <i>Goniaster (Goniodiscus) parkinsoni</i> Forbes, 1848, <i>Mem. geol. Surv. Great Brit.</i> , 2: 472) (Asteroidea). Op. 331	available
<i>Metopeurum</i> Mordvilko, 1914, <i>Faune de la Russie, Ins. Hémipt.</i> , 1 Aphidodea (1): 67 (gender: neuter) (type species, by designation under the plenary power: <i>Metopeurum fuscoviride</i> Stroyan, 1950, <i>Trans. 8th Int. Congr. Entomol.</i> 1948: 999-1001) (Insecta, Hemiptera). Op. 646	available
<i>Metopia</i> Meigen, 1803, <i>Magazin für Insektenkunde (Illiger)</i> , 2: 280 (gender: feminine) (type species, by monotypy: <i>Musca leucocephala</i> Rossi, 1790, a senior subjective synonym of <i>Tachina argyrocephala</i> Meigen, 1824 but a junior primary homonym of <i>Musca leucocephala</i> de Villers, 1789) (Insecta, Diptera). Op. 1772	available
METOPIAINI Townsend, 1908, <i>Smithsonian Miscellaneous Collections</i> , 51(2): 64 (type genus: <i>Metopia</i> Meigen, 1803), spelling emended from METOPIINI by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Metopia</i> Meigen, 1803 is METOPIA- (Insecta, Diptera). Op. 1772	available
<i>Metopias</i> Gory, 1832, <i>Magasin de Zoologie</i> , 2: pl. 42 [2 pp. text, 1 pl.] (gender: masculine) (type species, by monotypy: <i>Metopias curculionoides</i> Gory, 1832) (Insecta, Coleoptera). Op. 1772	available
METOPIASINI Raffray, 1904, <i>Annales de la Société Entomologique de France</i> , 73: 106 (type genus: <i>Metopias</i> Gory, 1832), spelling emended from METOPIINI by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Metopias</i> Gory, 1832 is METOPIAS- (Insecta, Coleoptera). Op. 1772	available
METOPIINAE Foerster, [1869], <i>Verhandlungen des Naturhistorischen Vereines der Preussischen Rheinlande und Westphalens</i> , 25: 142 (type genus: <i>Metopius</i> Panzer, 1806) (Insecta, Hymenoptera). Op. 1772	available
METOPIINI Raffray, 1904, <i>Annales de la Société Entomologique de France</i> , 73: 106 (an incorrect original spelling of METOPIASINI , spelling emended under the plenary power) (Insecta, Coleoptera). Op. 1772	index
METOPIINI Townsend, 1908, <i>Smithsonian Miscellaneous Collections</i> , 51(2): 64, spelling emended to METOPIAINI following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Metopia</i> Meigen, 1803 is METOPIA- (Insecta, Diptera). Op. 1772	index
<i>Metopius</i> Panzer, 1806, <i>Kritische Revision der Insektenfauna Deutschlands</i> , vol. 2, p. 78 (gender: masculine) (type species, by subsequent designation by Viereck, 1912, <i>Proceedings of the Entomological Society of Washington</i> , 14: 176: <i>Sphex vespidoides</i> Scopoli, 1763) (Insecta, Hymenoptera). Op. 1772	available

<i>Metopocarcinus</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 216 (gender: masculine) (type species, by monotypy: <i>Metopocarcinus truncatus</i> Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 216) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Metridia</i> Boeck, 1865, <i>Forh. Videnskabs-Selsk. Christiania</i> for 1864: 237 (gender: feminine) (type species, by designation by Sars, 1902 (<i>An account of the Crustacea of Norway</i> , 4 : 113); <i>Metridia armata</i> Boeck, 1865, <i>Forh. Videnskabs-Selsk. Christiania</i> for 1864: 238, valid name: <i>Calanus longus</i> Lubbock, 1854) (Crustacea, Copepoda). Op. 1269	available
METRIDIIDAE Carlgren, 1893, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 25 (10): 101 (type genus: <i>Metridium</i> Blainville, 1824) (Anthozoa). Op. 1269	available
METRIDIIDAE Sars, 1902, <i>An account of the Crustacea of Norway</i> , 4 , parts IX and X: 110 (type genus: <i>Metridia</i> Boeck, 1865) (ruled under the plenary power to be an incorrect original spelling for METRIDINIDAE Sars, 1902). Op. 1269	index
METRIDINIDAE Sars, 1902, <i>An account of the Crustacea of Norway</i> , 4 , parts IX and X: 110 (type genus: <i>Metridia</i> Boeck, 1865) (Crustacea, Copepoda). Op. 1269	available
<i>Metridium</i> Blainville, 1824, <i>Dictionnaire des Sciences Naturelles</i> , 30 (Mell-Mez), F.G. Levrault, ed. Paris: 470 (gender: neuter) (type species, by monotypy: <i>Actinia dianthus</i> Ellis, 1768, <i>Phil. Trans. roy. Soc. London</i> , 57 : 436, pl. 19, fig. 8, valid name: <i>Priapus senilis</i> Linnaeus, 1761) (Anthozoa). Op. 1269	available
<i>Metrioptera</i> Wesmaël, 1838, <i>Bulletin de l'Académie Royale des Sciences et des belles-lettres de Bruxelles</i> , 5 : 592 (gender: feminine) (type species, by monotypy: <i>Gryllus brachypterus</i> Linnaeus, 1761) (Insecta, Orthoptera). Op. 2075	available
<i>Metromenus</i> Sharp, 1884, <i>Entomologist's Monthly Magazine</i> , 20 : 217 (gender: masculine), ruled under the plenary power that all previous type fixations are set aside before the subsequent designation of <i>Dyscolus palmae</i> Blackburn, 1877 by Lorenz, 1998, <i>Nomina Carabidarum, a directory of the scientific names of ground beetles</i> , p. 116 (Insecta, Coleoptera). Op. 2140	available
<i>meunieri, Schizoneura</i> , Heie, 1969, <i>Bull. zool. Nomencl.</i> , 25 : 222 (Insecta, Hemiptera). Op. 1162	available
<i>mexicanus, Diplocentrus</i> , Peters, 1861, <i>Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1861 : 512, as defined by the holotype (female specimen no. ZMB 74 in the Zoologisches Museum, Humboldt-Universität zu Berlin) confirmed by the Commission to be the namebearing type (specific name of the type species of <i>Diplocentrus</i> Peters, 1861) (Arachnida, Scorpiones). Op. 1847	available
<i>mexicanus, Gyrinus</i> , Shaw, 1798, <i>Nat. Misc.</i> , 9 : 343, 344, ruled under the plenary power not to be given priority over <i>Salamandra tigrina</i> Green, 1825 by those who consider that both names apply to the same species (Amphibia). Op. 649, Op. 1025	available
<i>micans, Bostrichus</i> , Kugelmann, 1794, <i>Mag. Lieb. Entomol. [Schneider's]</i> , 5 : 523 (specific name of the type species of <i>Dendroctonus</i> Erichson, 1836) (Insecta, Coleoptera). Op. 670	available

<i>michahellesii</i> , <i>Podarcis</i> , Fitzinger, 1864, in Erber, <i>Verh. zool.-bot. Ges. Wien</i> , 14 : 703 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>michiganensis</i> , <i>Follmannella</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 17 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>Micracanthus</i> Sauvage, 1879, <i>Bulletin de la Société Philomathique de Paris</i> , (7)3: 95 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 2043	index
<i>Micraster</i> Agassiz, 1836, <i>Mém. Soc. Sci. nat. Neuchâtel</i> , 1 : 184 (gender: masculine) (type species, by designation by Forbes, 1850 (<i>Mem. geol. Surv. U.K.</i> , Dec. 3: pl. 10, p. 2): <i>Spatangus coranguinum</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 221) (Echinoidea). Op. 608	available
<i>Micratya</i> Bouvier, 1913, <i>Bull. Soc. entomol. France</i> , 1913 : 181 (gender: feminine) (type species, by monotypy: <i>Atya poeyi</i> Guérin-Méneville, 1856, in Sagra, <i>Hist. Cuba, Hist. nat.</i> , 7 : xviii) (Crustacea, Decapoda). Op. 470	available
<i>Micrischyrus</i> Alvarenga, 1965, <i>Boletim da Universidade Federal do Paraná, Zoologia</i> , 2 (6): 86 (a junior objective synonym of <i>Ischyrus</i> Lacordaire, 1842) (Insecta, Coleoptera). Op. 1824	index
<i>microbiplex</i> , <i>Ammonites</i> , Quenstedt, 1887, <i>Die Ammoniten des Schwäbischen Jura</i> , p. 876 (specific name of the type species of <i>Microbiplices</i> Arkell, 1936) (Ammonoidea). Op. 2123	available
<i>Microcephalops</i> De Meyer, 1989, <i>Bulletin de l'Institut Royal des Sciences Naturelles de Belgique (Entomologie)</i> , 59 : 120 (gender: feminine) (type species, by original designation: <i>Pipunculus banksi</i> Aczél, 1940) (Insecta, Diptera). Op. 2000	available
<i>microcephalus</i> , <i>Lepadogaster</i> , Brook, 1889, <i>Proc. roy. phys. Soc. Edinburgh</i> , 10 : 166, pl. 7, figs. 1-4 (specific name of the type species of <i>Apletodon</i> Briggs, 1955) (Osteichthyes). Op. 638	available
<i>Microchrysa</i> Loew, 1855, <i>Verhandlungen des zoologisch-botanischen Vereins in Wien</i> , 5 : 146 (gender: feminine) (type species, by original designation: <i>Musca polita</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1443	available
<i>microdon</i> , <i>Xenogale</i> , Allen, 1919, <i>J. Mamm.</i> , 1 : 27 (specific name of the type species of <i>Xenogale</i> Allen, 1919) (Mammalia). Op. 384	available
<i>Microdryas</i> Laseron, 1950, <i>Rec. Australian Mus.</i> , 22 (3): 277 (gender: feminine) (type species, by designation under the plenary power: <i>Epigrus iravadioides</i> Gatliff & Gabriel, 1913, <i>Proc. roy. Soc. Victoria N.S.</i> , 26 (1): 67) (Gastropoda). Op. 1181	available
<i>Microfasciolites</i> Gaemers, 1978, <i>Leidse Geologische Mededelingen</i> , 51 : 106 (a junior objective synonym of <i>Alveolina</i> d'Orbigny, 1826) (Foraminiferida). Op. 1501	index
<i>Microgaster</i> Latreille, 1804, <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , vol. 24, p. 175 (gender: masculine) (type species, by designation under the plenary power: <i>Microgaster australis</i> Thomson, 1895) (Insecta, Hymenoptera). Op. 1510	available

<i>microlepis</i> , <i>Sphalerosophis</i> (sic), Jan, 1865, in Filippi, <i>Note Viaggio Persia</i> : 356, 357 (specific name of the type species of <i>Spalerosophis</i> Jan, 1865) (Reptilia). Op. 794	available
<i>Micronecta</i> Kirkaldy, 1897, <i>Entomologist</i> , 30 : 260 (gender: feminine) (type species, by original designation: <i>Notonecta minutissima</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439) (Insecta, Hemiptera). Op. 739	available
MICRONECTINAE Jaczewski, 1924, <i>Ann. Zool. Mus. Pol. N.H.</i> , 3 : 3 (type genus: <i>Micronecta</i> Kirkaldy, 1897) (Insecta, Hemiptera). Op. 739	available
<i>Micropanope</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 139 (gender: feminine) (type species, by monotypy: <i>Micropanope sculptipes</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 140) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Micropoza</i> Meigen, 1803, <i>Mag. f. Insektenk.</i> (Illiger), 2 : 276 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Musca corrigiolata</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 955) (Insecta, Diptera). Op. 369	available
MICROPEZIDAE Loew, 1862, <i>Smithson. misc. Coll.</i> , 6 (Art. 1): 38 (type genus: <i>Micropoza</i> Meigen, 1803) (Insecta, Diptera). Direction 41	available
<i>Microphthalmus</i> Gortani, 1907, <i>Memorie della Reale Accademia delle Scienze dell'Istituto di Bologna</i> , (6) 4 : 229 (a junior homonym of <i>Microphthalmus</i> Mecznikow, 1865) (Trilobita). Op. 2006	index
MICROPODIDAE Stejneger, 1885, in Kingsley, <i>Standard nat. Hist.</i> , 4 : 437 (type genus: <i>Micropus</i> Wolf, 1810) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 502	index
<i>micropogon</i> , <i>Ceratichthys</i> , Cope, 1865, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 16 (5): 277, as defined by the neotype (specimen no. USNM 166416 in the National Museum of Natural History, Washington, D.C.) designated under the plenary power (Osteichthyes). Op. 2002	available
<i>Microporella</i> Hincks, 1877, <i>Ann. Mag. nat. Hist.</i> , (4) 20 : 526 (gender: feminine) (type species, by original designation: <i>Eschara ciliata</i> Pallas, 1766, <i>Elench. Zooph.</i> : 38) (Bryozoa). Op. 458	available
MICROPORELLIDAE Hincks, 1880, <i>Hist. brit. mar. Polyzoa</i> , 1 : 204 (type genus: <i>Microporella</i> Hincks, 1877) (Bryozoa). Op. 458	available
<i>microps</i> , <i>Catapaguroides</i> , Milne Edwards & Bouvier, 1892, <i>Ann. Sci. nat.</i> , Paris (Zool.), (7) 13 : 211 (specific name of the type species of <i>Catapaguroides</i> Milne Edwards & Bouvier, 1892) (Crustacea, Decapoda). Op. 712	available
<i>microps</i> , <i>Xanthodes</i> , Alcock & Anderson, 1894, <i>J. asiat. Soc. Bengal</i> , 63 (2): 183 (specific name of the type species of <i>Orphnoxanthus</i> Alcock, 1898) (Crustacea, Decapoda). Direction 36	available
<i>Micropteron</i> Eschricht, 1849, <i>K. dansk. Vidensk. Selsk. Skr.</i> , (5) 1 : 97 (an incorrect subsequent spelling for <i>Micropterus</i> Wagner, 1846). Op. 1289	index

<i>Micropus</i> Denny, 1842, <i>Monogr. Anoplurorum Brit.</i> : 247 (a junior homonym of <i>Micropus</i> Wolf, 1810). Op. 502	index
<i>Micropus</i> Gray, 1831, <i>Zool. Miscell.</i> (1): 20 (a junior homonym of <i>Micropus</i> Wolf, 1810). Op. 502	index
<i>Micropus</i> Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 24 (a junior homonym of <i>Micropus</i> Wolf, 1810). Op. 502	index
<i>Micropus</i> Kner, 1868, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math.-Nat. Cl.), 58 (1): 29, 322 (a junior homonym of <i>Micropus</i> Wolf, 1810). Op. 502	index
<i>Micropus</i> Spinola, 1837, <i>Essai Genres Ins. Ordre Hémipt.</i> : 218 (a junior homonym of <i>Micropus</i> Wolf, 1810). Op. 502	index
<i>Micropus</i> Swainson, [1832], in Richardson, <i>Fauna bor.-amer.</i> , 2 : 486 (a junior homonym of <i>Micropus</i> Wolf, 1810). Op. 502	index
<i>Micropus</i> Wolf, 1810, in Meyer & Wolf, <i>Taschenb. deuts. Vögelk.</i> , 1 : 280 (a junior objective synonym of <i>Apus</i> Scopoli, 1777). Op. 502	index
<i>Microsaurus</i> Dejean, 1833, <i>Catalogue des Coléoptères de la collection de M. le Comte Dejean</i> , p. 61 (gender: masculine) (type species, designated under the plenary power: <i>Staphylinus ochripennis</i> Ménétriés, 1832) (Insecta, Coleoptera). Op. 2115	available
<i>Microspongia</i> Miller & Dyer, 1878, <i>Cincinnati Society of Natural History Journal</i> , 1 : 37 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Porifera). Op. 2134	index
MICROSPONGIIDAE Howell, 1940, <i>Bulletin of the Wagner Free Institute of Sciences</i> , 15 : 45 (invalid because the name of the type genus, <i>Microspongia</i> Miller & Dyer, 1878, is suppressed) (Porifera). Op. 2134	index
MICROSPORIDAE Crotch, 1873, <i>Proceedings of the American Philosophical Society</i> , 13 : 78 (type genus: <i>Microsporus</i> Kolenati, 1846) (Insecta, Coleoptera). Op. 1331, Op. 1957	available
<i>Microsporus</i> Kolenati, 1846, <i>Melet. entomol.</i> , 5 : 64 (gender: masculine) (type species, by monotypy: <i>Microsporus obsidianus</i> Kolenati, 1846, <i>Melet. entomol.</i> , 5 : 64) (Insecta, Coleoptera). Op. 1331	available
<i>Microterys</i> Thomson, [1876], <i>Scandinaviens Hymenopteren</i> , 4 : 155 (gender: masculine) (type species, by designation by Ashmead, 1900 (<i>Proc. U.S. Nat. Mus.</i> , 22 : 390-394): <i>Encyrtus sylvius</i> Dalman, 1820, <i>K. Svensk. Vetenskaps Akad. Handl.</i> , (1) 20 : 154) (Insecta, Hymenoptera). Op. 1110	available
<i>Microura</i> Gould, 1837, <i>Icones Avium</i> (1): expl. to pl. 5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 695	index

<i>Micrurus</i> Wagler, 1824, <i>in Spix, Serpentium brasiliensium</i> (Munich): 48 (gender: masculine) (type species, by monotypy: <i>Micrurus spixii</i> Wagler, 1824, <i>in Spix, Serpentium brasiliensium</i> (Munich): 48) ruled under the plenary power to be given precedence over the generic name <i>Elaps</i> Schneider, 1801 whenever the two names are considered synonyms (Reptilia). Op. 1201	available
<i>miersi, Harpilius</i> , de Man, 1888, <i>J. linn. Soc. London (Zool.)</i> , 22 : 274 (specific name of the type species of <i>Anchistus</i> Borradaile, 1898) (Crustacea, Decapoda). Op. 470	available
<i>miersi, Penaeopsis</i> , Holthuis, 1952, <i>Rés. sci. Expéd. océanogr. Belge Atlant. Sud</i> , 3 (2): 80 (specific name of the type species, through <i>Metapenaeopsis pubescens</i> Bouvier, 1905, of <i>Metapenaeopsis</i> Bouvier, 1905) (Crustacea, Decapoda). Op. 864	available
<i>Miersia</i> Kingsley, 1880, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1879 : 416 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 359	index
<i>miescheri, Sarcocystis</i> , Lankester, 1882, <i>Quart. J. micr. Sci. (n.s.)</i> , 22 : 54, 60 (a junior objective synonym of <i>miescherianum, Synchytrium</i> , Kühn, 1865). Direction 76	index
<i>miescherianum, Synchytrium</i> , Kühn, 1865, <i>Mitt. landwirthsch. Inst. Halle</i> : 68 (specific name of the type species of <i>Sarcocystis</i> Lankester, 1882) (Sporozoa). Direction 77	available
<i>Mieza</i> Walker, 1854, <i>List of the specimens of lepidopterous insects in the collection of the British Museum</i> , part 2, p. 527 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1927	index
<i>migrans, Limoptera</i> , La Rocque, 1948, <i>Univ. Microfilm Publ.</i> , No. 1059: 47 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>migratoria, Columba</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 285 (specific name of the type species of <i>Ectopistes</i> Swainson, 1827) (Aves). Direction 18	available
<i>migratorius, Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 432 (specific name of the type species of <i>Locusta</i> Linnaeus, 1758) (Insecta, Orthoptera). Op. 299	available
<i>Mikropteron</i> Eschricht, 1849, <i>K. dansk. Vidensk. Selsk. Skr.</i> , (5) 1 : 98 (an incorrect subsequent spelling for <i>Micropterus</i> Wagner, 1846). Op. 1289	index
MILACIDAE Ellis, 1926, <i>Brit. Snails</i> : 252 (type genus: <i>Milax</i> Gray, 1855) (Gastropoda). Direction 27	available
<i>Milax</i> Gray, 1855, <i>Cat. Pulmonata Brit. Mus.</i> : 174 (gender: masculine) (type species, by designation by Hesse, 1926 (<i>Abh. Arch. Molluskenk.</i> , 2 : 31) and by Kennard & Woodward, 1926 (<i>Syn. brit. non-marine Moll.</i> : 204): <i>Limax gagates</i> Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 100) (Gastropoda). Op. 335	available
<i>mildei, Amphisbaena</i> , Peters, 1878, <i>Monatsber. k. preuss. Akad. Wiss.</i> , 1878: 778-781 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1131	index
<i>milensis, Lacerta muralis fusca</i> var., Bedriaga, 1882, <i>Bull. Soc. imp. Nat. Moscou</i> , 56 (3): 98 (conserved under the plenary power) (Reptilia). Op. 642	available

<i>miles</i> , <i>Pagurus</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 327 (specific name of the type species of <i>Diogenes</i> Dana, 1851) (Crustacea, Decapoda). Op. 472	available
<i>miliaris</i> , <i>Cidaris</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>militaris</i> , <i>Ctenotus</i> , Storr, 1975, <i>Records of The Western Australian Museum</i> , 3 : 231, as defined by the holotype (registration number R40779 in the Western Australian Museum) (Reptilia). Op. 2090	available
<i>militaris</i> , <i>Emberiza</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 178 (valid name at the date of Direction 43 of the type species of <i>Leistes</i> Vigors, 1825) (Aves). Direction 43	available
<i>militaris</i> , <i>Formica</i> , Fabricius, 1781, <i>Species Insectorum ...</i> , vol. 1, p. 493 (specific name of the type species of <i>Myrma</i> Billberg, 1820) (Insecta, Hymenoptera). Op. 1919	available
<i>milium</i> , <i>Pisidium</i> , Held, 1836, <i>Isis</i> (Oken), 29 : 281 (Bivalvia). Op. 336	available
<i>milneedwardsii</i> , <i>Paracyclois</i> , Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 289 (specific name of the type species of <i>Paracyclois</i> Miers, 1886) (Crustacea, Decapoda). Direction 36	available
<i>Mimecomutilla</i> Ashmead, 1903, <i>Canad. Entomol.</i> , 35 (12): 327 (gender: feminine) (type species, by designation under the plenary power: <i>Mimecomutilla renominanda</i> Bischoff, 1921, <i>Arch. Naturgesch. (A)</i> , 86 (4): 508) (Insecta, Hymenoptera). Op. 1000	available
<i>Mimocaris</i> Nobili, 1903, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 18 (447): 5 (gender: feminine) (type species, by monotypy: <i>Mimocaris heterocarpoides</i> Nobili, 1903, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 18 (447): 6) (Crustacea, Decapoda). Op. 470	available
<i>mimulus</i> , <i>Philonthus</i> , Sharp, 1874, <i>Transactions of the Entomological Society of London</i> , 1874 : 38, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. mimulus</i> Rottenberg, 1870 (Insecta, Coleoptera). Op. 2053	available
<i>mindanense</i> , <i>Cardium</i> , Reeve, 1844, <i>Conchologia Iconica</i> , vol. 2. Pl. 4, fig. 19 as defined by the lectotype designated by Vidal (1998) (Bivalvia). Op. 2197	available
<i>minima</i> , <i>Tyrannula</i> , Baird & Baird, 1843, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1 : 284 (Aves, Passeriformes). Op. 1885	available
<i>minimum</i> , <i>Carychium</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 125 (specific name of the type species of <i>Carychium</i> Müller, 1774) (Gastropoda). Op. 335	available
<i>minimus</i> , <i>Belemnites</i> , Miller, 1826, <i>Trans. geol. Soc. London</i> , (2) 2 : 62, pl. ix, fig. 6 (Cephalopoda). Op. 430	available
<i>minimus</i> , <i>Conus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 714 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 753	index
<i>minimus</i> , <i>Limax</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 100 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 773	index

<i>minimus, Papilio</i> , Fuessly, 1775, <i>Verz. bekannt. schweiz. Ins.</i> : 31 (specific name of the type species of <i>Cupido</i> Schrank, 1801) (Insecta, Lepidoptera). Op. 503	available
<i>minimus, Vulpes</i> , Skjöldebrand, 1777, <i>K. svenska Vetensk. Akad. Handl.</i> , 38 : 265-267 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1129	index
<i>minor, Arengus</i> , Cornide, 1788, <i>Hist. Peces Galicia</i> : 91 (included in a work rejected for nomenclatural purposes). Op. 799	index
<i>minor, Cricetodon</i> , Lartet, 1851, <i>Notice sur la colline de Sansan ...</i> , p. 19, as defined by the neotype designated by Freudenthal, 1969, <i>Bulletin of Zoological Nomenclature</i> , 25 : 180, it having been ruled by the Commission that the lectotype designation by Fahlbusch, 1964, <i>Abhandlungen der Bayerischen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Klasse</i> , (n.f.) 118 : 19, is invalid (Mammalia, Rodentia). Op. 1419	available
<i>minor, Fistulipora</i> , McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 3 : 130 (specific name of the type species of <i>Fistulipora</i> McCoy, 1849) (Bryozoa). Op. 459	available
<i>minor, Forficula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423 (specific name of the type species of <i>Labia</i> [Leach, 1815]) (Insecta, Dermaptera). Direction 5	available
<i>minor, Macrotona</i> , Lubbock, 1862, <i>Trans. linn. Soc. London</i> (Zool.), 23 : 598 (specific name of the type species of <i>Tomocerus</i> Nicolet, [1842]) (Insecta, Lepidoptera). Op. 239	available
<i>minor, Testudo mydas</i> , Suckow, 1798, <i>Anfangsgr. Naturgesch. Thiere</i> , 3 : 30 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index
<i>minus, Gammarus</i> , Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 : 376 (Crustacea, Amphipoda). Op. 1133	available
<i>minuscula, Helix</i> , Binney, 1840, <i>Boston J. nat. Hist.</i> , 3 (4): 435 (Gastropoda). Op. 336	available
<i>minuta, Aphrodita</i> , Fabricius, 1780, <i>Fauna Groenlandica</i> , p. 314 (Polychaeta). Op. 1666	available
<i>minuta, Aphrodita</i> , Pennant, 1777, <i>British Zoology</i> , Ed. 4, vol. 4, p. 38 (quarto edition), and all uses of the name prior to the publication of <i>Aphrodita minuta</i> Fabricius, 1780 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Polychaeta). Op. 1666	index
<i>minuta, Buprestis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, p. 410, specific name of the type species of <i>Trachys</i> Fabricius, 1801 (Coleoptera). Op. 2222.	index
<i>minuta, Cidaris</i> , Buckman, 1845, in Murchison, <i>Geology of Cheltenham</i> (ed. 2): 81 (a nomen nudum). Op. 626	index
<i>minuta, Euphonia</i> , Cabanis, 1849, in Schomburgk, <i>Reisen Brit. Guiana</i> , 3 : 671 (valid name at the date of Opinion 852 of the type species of <i>Euphonia</i> Desmarest, [1806]) (Aves). Op. 852	available

<i>minuta</i> , <i>Notonecta</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 2119 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1782	index
<i>minuta</i> , <i>Podura</i> , Fabricius, 1783, <i>K. danske Vidensk. Selsk. Skr.</i> , 2(2): 307 (specific name of the type species of <i>Dicyrtomina</i> Börner, 1903) (Insecta, Collembola). Op. 1092	available
<i>minuta</i> , <i>Podura</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1013, and all uses prior to <i>minuta</i> , <i>Podura</i> , Fabricius, 1783 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1092	index
<i>minuta</i> , <i>Sigara</i> , Fabricius, 1794, <i>Entomologia systematica, emendata et aucta, secundum classes, ordines, genera, species</i> , p. 60 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1491	index
<i>minuta</i> , <i>Valvata</i> , Draparnaud, 1805, <i>Histoire naturelle des mollusques terrestres et fluviatiles de la France</i> , p. 42, as defined by the neotype (specimen no. 100485 in the Naturhistorisches Museum, Vienna) designated under the plenary power (Gastropoda). Op. 2035 <i>minutator</i> , <i>Ichneumon</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 225 (specific name of the type species of <i>Bracon</i> Fabricius, [1804-1805]) (Insecta, Hymenoptera). Direction 2	available
<i>minutior</i> , <i>Notonecta</i> , Sulzer, 1776, <i>Abgekürzte Geschichte der Insecten</i> , part 2, p. 91 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1782	index
<i>minutissima</i> , <i>Apis</i> , Rossi, 1790, <i>Fauna Etrusca</i> , 2: 109, Liburni (Pisis) (specific name of the type species of <i>Nomiooides</i> Schenck, 1866) (Insecta, Hymenoptera). Op. 1319	available
<i>minutissima</i> , <i>Helix</i> , Lea, 1841, <i>Trans. amer. phil. Soc.</i> , 9: 17 (specific name of the type species of <i>Punctum</i> Morse, 1864) (Gastropoda). Op. 335	available
<i>minutissima</i> , <i>Notonecta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439 (specific name of the type species of <i>Micronecta</i> Kirkaldy, 1897) (Insecta, Hemiptera). Op. 739	available
<i>minutum</i> , <i>Sphaeridium</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 68 (specific name of the type species of <i>Cryptopleurum</i> Mulsant, 1844) (Insecta, Coleoptera). Op. 1178	available
<i>minutus</i> , <i>Calanus</i> , Krøyer, 1845, in Gaimard, <i>Voyages ... en Scandinavie ... pendant ... 1838, 1839 et 1840 su la Corvette La Recherche, Zoologie (Crustacés)</i> , Atlas, pl. 41, fig. 4 (senior subjective synonym of <i>Clausia elongata</i> Boeck, 1865, the type species of <i>Pseudocalanus</i> Boeck, 1873) (Copepoda). Op. 1503	available
<i>minutus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 625 (valid name at the date of Direction 36 of the type species of <i>Planes</i> Bowditch, 1825) (Crustacea, Decapoda). Direction 36	available
<i>minutus</i> , <i>Echinus</i> , all uses of, prior to <i>minutus</i> , <i>Echinus</i> , Buckman, 1845 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 626	index

<i>minutus, Echinus</i> , Buckman, 1845, in Murchison, <i>Geology of Cheltenham</i> (ed. 2): 81 (conserved under the plenary power) (Echinoidea). Op. 626	available
<i>minutus, Echinus</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3194 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 626	index
<i>minutus, Echinus</i> , Pallas, 1774, [Spicil. Zool. (10): 34] (not made available in the work cited). Op. 626	index
<i>minutus, Xantholinus</i> , Coiffait, 1962, <i>Comptes Rendus des Séances Mensuelles Société des Sciences Naturelles et Physiques du Maroc</i> , 28 : 73, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>X. minutus</i> Lacordaire, 1835 (Insecta, Coleoptera). Op. 2053	available
<i>Miopentamerus</i> Alexander (née Caldwell), 1936, <i>Abstr. geol. Soc. London</i> , 1315 : 116, 117 (a nomen nudum). Op. 297	index
<i>Miopentamerus</i> Woods, 1937, <i>Palaeontology</i> (ed. 7): 209, 210 (a junior objective synonym of <i>Pentamerus</i> Sowerby, 1813). Op. 297	index
<i>Miotermes</i> Rosen, 1913. <i>Transactions of the Second International Congress of Entomology</i> , Oxford 1912, 2 : 325 (gender: masculine) (type species, by original designation: <i>Termopsis procera</i> Heer, 1849) (Insecta, Isoptera). Op. 2124	available
<i>Mira</i> Schellenberg, 1803, <i>Gen. Mouch. dipt.</i> : 68 (gender: feminine) (type species, by monotypy: <i>Mira macrocera</i> Schellenberg, 1803, <i>Gen. Mouch. dipt.</i> : 68) (Insecta, Hymenoptera). Op. 898	available
<i>mira, Pedalion</i> , Hudson, 1871, <i>Mon. microscop. J.</i> , 6 : 121 (Rotifera). Op. 326	available
<i>mirabilis, Lychnoculus</i> , Murray, 1877, <i>Science Lectures for the People</i> , (9) 4 : 132 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1333	index
<i>mirabilis, Neopasiphæ</i> , Perkins, 1912, <i>Annals and Magazine of Natural History</i> , (8) 9 : 115 (specific name of the type species of <i>Neopasiphæ</i> Perkins, 1912) (Insecta, Hymenoptera). Op. 1713	available
<i>mirabilis, Nothosaurus</i> , Münster, 1834, <i>Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde</i> , 1834 : 525 (specific name of the type species of <i>Nothosaurus</i> Münster, 1834) (Reptilia, Sauropterygia). Op. 1907	available
<i>mirabilis, Triaena</i> , Tullberg, 1871, <i>Öfvers. k. Vetensk. Akad. Förh.</i> , 28 : 155 (specific name of the type species of <i>Friesea</i> von Dalla Torre, 1895) (Insecta, Collembola). Op. 1049	available
MIRAINI (emendation under the plenary power of MIRINI) Ashmead, 1900, <i>Proc. U.S. nat. Mus.</i> , 22 : 327 (type genus: <i>Mira</i> Schellenberg, 1803) (Insecta, Hymenoptera). Op. 898	available
<i>mirandaribeiroi, Synapturanus</i> , Nelson & Lescure, 1975, <i>Herpetologica</i> , 31 : 394 (specific name of the type species of <i>Synapturanus</i> Carvalho, 1954) (Amphibia, Anura). Op. 1513	available

MIRIDAE (correction of MIRIDES) Hahn, 1833, <i>Wanzen. Ins.</i> , 1 : 234 (type genus: <i>Miris</i> Fabricius, 1794) (Insecta, Hemiptera). Op. 898	available
MIRIDIDAE Timberlake, 1962, <i>Entomol. News</i> , 73 (3): 66 (type genus: <i>Miris</i> Fabricius, 1794) (an incorrect subsequent spelling for MIRIDAE Hahn, 1833). Op. 898	index
MIRINI Ashmead, 1900, <i>Proc. U.S. nat. Mus.</i> , 22 : 327 (type genus: <i>Mira</i> Schellenberg, 1803) (ruled under the plenary power to be an incorrect original spelling for MIRAINI Ashmead, 1900). Op. 898	index
<i>Miris</i> Fabricius, 1794, <i>Entomol. Syst.</i> , 4 : 215 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 433): <i>Cimex striatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 449) (Insecta, Hemiptera). Op. 898	available
<i>Mirochernes</i> Beier, 1930, <i>Annalen des Naturhistorischen Museums in Wien</i> , 44 : 216 (gender: masculine) (type species, confirmed by the Commission to be by original designation: <i>Chelanops dentatus</i> Banks, 1895) (Arachnida, Pseudoscorpionida). Op. 1653	available
<i>mirus</i> , <i>Dolomedes</i> , Walckenaer, 1837, <i>Hist. nat. Ins. Aptères</i> , 1 : 357, 358 (specific name of the type species of <i>Pisaurina</i> Simon, 1898) (Arachnida). Op. 1083	available
<i>mirza</i> , <i>Lycaena</i> , Plotz, 1880, <i>Stettiner Entomologische Zeitung</i> , 41 : 203 (Insecta, Lepidoptera). Op. 1478	available
<i>mirza</i> , <i>Lycaena</i> , Staudinger, 1874, <i>Stettiner Entomologische Zeitung</i> , 35 : 90 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1478	index
<i>mirzaellus</i> , <i>Azanus</i> , Koçak, 1980, <i>Nota Lepidopterologica</i> , 2 : 141 (a junior objective synonym of <i>Lycaena mirza</i> Plotz, 1880) (Insecta, Lepidoptera). Op. 1478	index
<i>miser</i> , <i>Eulophus</i> , Nees, 1834, <i>Hymenopt. Ichneum.</i> , 2 : 173 (valid name at the date of Opinion 720 of the type species of <i>Tetrasichus</i> Haliday, 1844) (Insecta, Hymenoptera). Op. 720	available
<i>Misocampe</i> Latreille, 1818, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 21 : 213 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 4	index
<i>mississipensis</i> , <i>Alligator</i> , Gray, 1831, <i>Syn. Rept.</i> : 62 (an incorrect subsequent spelling for <i>mississippiensis</i> (emendation of <i>mississipiensis</i>), <i>Crocodilus</i> , Daudin, [1801]). Direction 97	index
<i>mississipiensis</i> , <i>Crocodilus</i> , Daudin, [1801], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 2 : 412, nota (1) (an incorrect original spelling for <i>mississippiensis</i> , <i>Crocodilus</i> , Daudin, [1801]). Direction 97	index
<i>mississippiensis</i> (emendation under the plenary power of <i>mississipiensis</i>), <i>Crocodilus</i> , Daudin, [1801], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 2 : 412, nota (1) (specific name of the type species of <i>Alligator</i> Cuvier, 1807) (Reptilia). Direction 97	available

<i>missouriensis</i> , <i>Oligoporus</i> , Jackson, 1896, <i>Bull. geol. Soc. Amer.</i> , 7 : 184-186, pl. 9, figs. 50-52 (specific name of the type species of <i>Lovenechinus</i> Jackson, 1912) (Echinoidea). Op. 372	available
<i>mistroides</i> , <i>Mesogonimus</i> , Monticelli, 1896, <i>Internationale Monatsschrift für Anatomie und Physiologie</i> (Leipzig), 13 : 144 (senior subjective synonym of the specific name of <i>Hapalotrema loossi</i> Price, 1934, the type species of <i>Hapalotrema</i> Looss, 1899) (Digenea). Op. 1875	available
<i>misumenus</i> , <i>Somatodes</i> , Gyllenhal in Schönherr, 1840, <i>Genera et species curculionidum</i> , vol. 5, part 2, p. 801 (specific name of the type species of <i>Somatodes</i> Schönherr, 1840) (Insecta, Coleoptera). Op. 1770	available
<i>Mithion</i> Simon, 1884, <i>Bulletin de la Société Zoologique de France</i> , 9 : 4 (gender: masculine) (type species, by monotypy: <i>Mithion semiargenteus</i> Simon, 1884), ruled under the plenary power not to be given priority over <i>Thyene</i> Simon, 1885 whenever the two names are considered to be synonyms (Arachnida, Araneae). Op. 1625	available
<i>Mitobates</i> Sundevall, 1833, <i>Conspectus arachnidum</i> , p. 34 (gender: masculine) (type species, by original designation and by monotypy: <i>Mitobates triangulus</i> Sundevall, 1833) (Arachnida, Opiliones). Op. 1703	available
<i>Mitra</i> Lamarck, [1798], <i>Ency. méth.</i> , Tabl. Vers: pl. 369 (gender: feminine) (type species, by absolute tautonymy: <i>Voluta mitra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 732, 733) (Gastropoda). Op. 885	available
<i>mitra</i> , <i>Acmaea</i> , Eschscholtz, 1833, <i>Zool. Atlas</i> , 5 : 18 (specific name of the type species of <i>Acmaea</i> Eschscholtz, 1833) (Gastropoda). Op. 344	available
<i>mitra</i> , <i>Voluta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 732, 733 (specific name of the type species of <i>Mitra</i> Lamarck, [1798]) (Gastropoda). Op. 885	available
<i>mitrata</i> , <i>Presbytis</i> , Eschscholtz, 1821, in Kotzebue, <i>Entdeckungsreise in die Sud-See und nach den Berings- Strasse zur Erforschung einer nordostlichen Durchfahrt unternommen in den Jahren 1815-1818</i> (Weimar, Gebrüder Hoffmann), 3 : 196 (specific name of the type species of <i>Presbytis</i> Eschscholtz, 1821) (Mammalia). Op. 1202	available
<i>mitrata</i> , <i>Rana</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 19 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Mitrigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Mixosaurus</i> Baur, 1887, <i>Bericht über die XX Versammlung des Oberrheinischen geologischen Vereins</i> , p. 19 (gender: masculine) (type species, by original designation: <i>Ichthyosaurus cornalianus</i> Bassani, 1886) (Reptilia). Op. 1977	available
<i>mixta</i> , <i>Cicada</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 39 (specific name of the type species of <i>Allygus</i> Fieber, 1872) (Insecta, Hemiptera). Op. 1365	available

<i>mixtus</i> , <i>Labrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 287, as defined by the neotype (catalogue no. UUZM 193 in the Uppsala University Zoological Museum, Sweden) designated by Kullander, 1997, <i>Bulletin of Zoological Nomenclature</i> , 54 : 113 (specific name of the type species of <i>Labrus</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1954	available
<i>Mnestra</i> Krohn, 1853, <i>Archiv für Naturgeschichte</i> , 19 (1): 281 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1752	index
<i>m-nigrum</i> , <i>Coluber</i> , Raddi, 1820, <i>Atti della Società Italiana di Scienze Naturali di Modena</i> , 18 : 338 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1832	index
<i>mobilispinis</i> , <i>Metapenaeus</i> , Rathbun, 1915, <i>Proc. biol. Soc. Washington</i> , 28 : 117 (specific name of the type species of <i>Trachypenaeopsis</i> Burkenroad, 1934) (Crustacea, Decapoda). Op. 864	available
<i>mocinno</i> , <i>Pharomachrus</i> , de la Llave, 1832, <i>Registro trimestre</i> , 1 (1): 48 (specific name of the type species of <i>Pharomachrus</i> de la Llave, 1832) (Aves). Direction 43	available
<i>Modelia</i> Gray, 1850, <i>Figs. moll. Anim.</i> , 4 : 87 (gender: feminine) (type species, by monotypy: [<i>Trochus</i>] <i>granosus</i> Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 37) (Gastropoda). Op. 479	available
<i>modestus</i> , <i>Conus</i> , Sowerby, [1833], <i>The conchological illustrations</i> , part 28, <i>Conus</i> , fig. 19 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1699	index
<i>Modiola</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 113 (a junior objective synonym of <i>Modiolus</i> Lamarck, 1799). Op. <i>Modioligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Modiolus</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 87 (conserved under the plenary power) (gender: masculine) (type species, by absolute tautomy: <i>Mytilus modiolus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 706) (Bivalvia). Op. <i>modiolus</i> , <i>Mytilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 706 (specific name of the type species of <i>Modiolus</i> Lamarck, 1799) (Bivalvia). Op. 325	available
<i>modiolus</i> , <i>Stellarum</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 62 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>moebii</i> , <i>Holothuria</i> , Ludwig, 1883, <i>Ber. oberhess. Ges. Nat.-u. Heilk.</i> : 246 (Holothuroidea). Op. 762	available
<i>moebii</i> , <i>Xenophthalmodes</i> , Richters, 1880, in Moebius, <i>Beitr. Meeresf. Insel Mauritius Seychellen</i> (3) Decap.: 155 (specific name of the type species of <i>Xenophthalmodes</i> Richters, 1880) (Crustacea, Decapoda). Direction 36	available
<i>moelleri</i> , <i>Schwagerina</i> , Rauser-Chernoussova, 1937, <i>Bull. Acad. Sci. URSS</i> (Cl. sci. math. nat.), 1936 : 578, 579 (Rhizopoda). Op. 213	available

<i>Moera</i> Michelin, 1855, <i>Rev. Mag. Zool.</i> , (2)7: 246 (a junior homonym of <i>Moera</i> Hübner, [1819]). Op. 209	index
<i>Moira</i> Agassiz, 1872, <i>Ill. Cat. Mus. Harvard</i> , 3 (No. 7): 146 (gender: feminine) (type species, by designation under the plenary power: <i>Spatangus atropos</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3: 32) (Echinoidea). Op. 209	available
<i>moitessierianum, Pisidium</i> , Paladilhe, 1866, <i>Rev. Mag. Zool.</i> , (2)18: 172 (Bivalvia). Op. 336	available
<i>Molanna</i> Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3)4: 214 (gender: feminine) (type species, by monotypy: <i>Molanna angustata</i> Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3)4: 214) (Insecta, Trichoptera). Op. 586	available
MOLANNIDAE Wallengren, 1891, <i>K. svenska Vetensk.-Akad. Handl.</i> , 24(10): 116 (type genus: <i>Molanna</i> Curtis, 1834) (Insecta, Trichoptera). Op. 586	available
<i>Molgula</i> Forbes, 1848, in Forbes & Hanley, <i>Hist. brit. Moll.</i> , 1: 36 (gender: feminine) (type species, by designation by Hartmeyer, 1914 (<i>SitzBer. Ges. naturf.-Freunde Berlin</i> , 1914(1): 5); <i>Molgula oculata</i> Forbes, 1848, in Forbes & Hanley, <i>Hist. brit. Moll.</i> , 1: 36) (Urochordata). Op. 94, Direction 80	available
MOLGULIDAE Lacaze-Duthiers, 1877, <i>Arch. Zool. expér. gén.</i> , 6: 488 (type genus: <i>Molgula</i> Forbes, 1848) (Urochordata). Direction 80	available
<i>mollis, Carabus</i> , Marsham, 1802, <i>Coleoptera Britannica ...</i> , vol. 2, p. 456, as defined by the lectotype designated by Aukema & Luff, 1992, <i>Bulletin of Zoological Nomenclature</i> , 49: 28 (Insecta, Coleoptera). Op. 1723	available
<i>mollis, Carabus</i> , Ström, 1768, <i>Kongelige Norske Videnskabers Selskabs Skrifter</i> , 4: 330, and all uses of the name prior to the publication of <i>Carabus mollis</i> Marsham, 1802 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1723	index
<i>molochina, Psammophis</i> , Berthold, 1846, <i>Mitt. über das Nachr. v. d. G.A. Univ. und die k. Ges. Wiss. zu Göttingen vom Jahre 1846, Zool. Mus. Göttingen</i> : 143, 144 (reprint: 21, 22) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1211	index
<i>moluccanus, Psittacus haematotus</i> [sic] var., Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 316, a name having precedence over <i>Psittacus haematotus</i> var. <i>novaehollandiae</i> (emendation of <i>novae Hollandia</i> [sic]) Gmelin, 1788, through the action of Matthews, 1916-1917 (<i>Birds Australia</i> , 6: 9-12) as first reviser (Aves). Direction 82	available
<i>moluccensis, Conus</i> , Küster, 1838, <i>Syst. Conch.-Cabinet von Martini und Chemnitz. Familie der Coneae oder Conidae</i> (ed. 2), 4(2): 121, 181, pl. 23, figs. 4, 5 (Gastropoda). Op. 1163	available
<i>moluccensis, Microhyla achatina</i> , Peters & Doria, 1878, <i>Ann. Mus. civ. Stor. nat. G. Doria</i> , 13: 428 (valid name at the date of Opinion 1266 of the type species of <i>Oreophryne</i> Boettger, 1895) (Amphibia). Op. 1266	available

- monacaria*, *Holothuria*, Lesson, 1830, *Cent. Zool.* (13-16): 225 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 914 index
- Monacha** Fitzinger, 1833, *Beitr. Landesk. Oesterreich Enns*, **3**: 95 (gender: feminine) (type species, by designation by Gray, 1847 (*Proc. zool. Soc. London*, **15**: 173): **Helix cartusiana** Müller, 1774, *Verm. terrestr. fluviat. Hist.*, **2**: 15) (Gastropoda). Op. 431 available
- monacha*, **Phalaena**, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 501 (specific name of the type species of **Lymantria** Hübner, [1819]) (Insecta, Lepidoptera). Op. 1283 available
- MONACHINAE / MONACHINI** Wenz, 1930 (1904), *Fossilium Catalogus, I: Animalia*, pars 46(11), p. 3027 (type genus: **Monacha** Fitzinger, 1833), to take the priority of CARTHUSIANINI Kobelt, 1904, and to be cited **MONACHINAE / MONACHINI** Wenz, 1930 (1904) (Gastropoda). Op. 2135 available
- MONACHINAE Wenz, 1930, *Fossilium Catalogus, I: Animalia*, pars 46(11), p. 3027 (an incorrect original spelling of **MONACHINAE** Wenz, 1930) (Gastropoda). Op. 2135 index
- monaconensis*, **Lacerta muralis coerulescens**, Eimer, 1881, *Arch. Naturgesch.*, **47**(1): 393, tab. 15, fig. 23 (conserved under the plenary power) (Reptilia). Op. 642 available
- monardae*, **Rhopalosiphum**, Davis, 1911, *University of Nebraska Studies*, **11**(3): 288 (Insecta, Sternorrhyncha). Op. 1818 available
- Monedula* Brehm, 1828, *Isis* (Oken), **1828**: 1273 (a nomen nudum). Direction 32 index
- Monedula* Brehm, 1831, *Handb. Naturg. Vögel Deutschl.*: 172 (a junior homonym of *Monedula* Latreille, [1802], and a junior objective synonym of *Monedula* Kaup, 1829). Direction 32 index
- Monedula* Hasselquist, 1762, *D.F. Hasselquists ... Reise nach Palästina*: 294 (German translation of Hasselquist, 1757, *Iter Palatinum*) (included in a work rejected for nomenclatural purposes). Direction 32 index
- Monedula* Kaup, 1829, *Skizz. Entwickel.-Gesch. naturl. Syst. europ. Thierwelt*: 193 (a junior homonym of *Monedula* Latreille, [1802]). Direction 32 index
- Monedula* Nozeman & Vosmaer, 1758, *Geslacht. Vogel.*: 1, 16 (Dutch translation of Moehring, 1752, *Avium Genera*) (included in a work rejected for nomenclatural purposes). Direction 32 index
- Monietia* Diamare, 1900, *Zbl. Bakt. (Abt. 1)*, **28**: 849 (an incorrect subsequent spelling for **Moniezia** Blanchard, 1891). Direction 76 index
- Moniezia* Smith, 1908, *Med. Bull. Pennsylvania*, **20** (No. 12): 264 (an incorrect subsequent spelling for **Moniezia** Blanchard, 1891). Direction 76 index

<p>Moniezia Blanchard, 1891, <i>Mém. Soc. zool. France</i>, 4: 443 (gender: feminine) (type species, by original designation: Taenia expansa Rudolphi, 1805, <i>Bemerk. Naturg.</i>, 2: 38) (Cestoda). Op. 77 moniliferus, Pachyrhynchus, Germar, 1824, <i>Ins. Spec. nov.</i>: 336, pl. 1, fig. 2 (specific name of the type species of Pachyrhynchus Germar, 1824) (Insecta, Coleoptera). Op. 928</p>	available
<p><i>monitor</i>, <i>Lacerta</i>, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 201 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 540</p>	index
<p>monoceros, Attelabus, Linnaeus, 1761, <i>Fauna Suecica</i>, Ed. 2, p. 185 (specific name of the type species of Notoxus Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754</p>	available
<p>monoceros, Monodon, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 75 (specific name of the type species of Monodon Linnaeus, 1758) (Mammalia). Direction 22</p>	available
<p><i>Monochromatopoda</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i>, 28: 562 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069</p>	index
<p><i>monoctenus</i>, <i>Ceratopsyllus</i>, Kolenati, 1856, <i>Parasiten der Chiroptern</i>, Brünn ed.: 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 843</p>	index
<p><i>Monoculus</i> Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 634 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 288</p>	index
<p>monodi, Sphaeroma, Arcangeli, 1934, <i>Bollettino dei Musei di Zoologia e di Anatomia Comparata della R. Università di Torino</i>, 44(3)(48): 149 (senior subjective synonym of <i>Europosphaera (Lekanesphaera) excavatum</i> Verhoeff, 1943, the type species of <i>Lekanesphaera</i> Verhoeff, 1943) (Isopoda). Op. 1574</p>	available
<p>Monodon Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 75 (gender: masculine) (type species, by monotypy: Monodon monoceros Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 75) (Mammalia). Op. 75 monodon, Penaeus, Fabricius, 1798, <i>Suppl. Entomol. syst.</i>: 408 (specific name of the type species of Penaeus Fabricius, 1798) (Crustacea, Decapoda). Direction 15</p>	available
<p><i>monodon</i>, <i>Peneus</i>, Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i>: 94 (a nomen nudum). Direction 15</p>	index
<p><i>Monodontigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427</p>	index
<p>monographus, Bostrichus, Fabricius, 1792, <i>Entomol. syst.</i>, 1: 365 (specific name of the type species of Xyleborus Eichhoff, 1864) (Insecta, Coleoptera). Op. 848</p>	available
<p><i>Monograpsus</i> Geinitz, 1852, <i>Verstein. Grauwackenform.</i>, 1: 19, 32 (an incorrect original spelling for Monograpta Geinitz, 1852). Op. 198</p>	index

<i>Monograptus</i> (emendation of <i>Monograpus</i>) Geinitz, 1852, <i>Verstein. Grauwackenform.</i> , 1: 19, 32 (conserved under the plenary power) (gender: masculine) (type species, by designation by Bassler, 1915 (<i>Bull. U.S. nat. Mus.</i> , 92 : 822): <i>Lomatoceras priodon</i> Bronn, 1834, <i>Lethaea geogn.</i> , 1 (1): 56) (Graptolithina). Op. 198	available
<i>Mononychus</i> Germar, 1824, <i>Insectorum species novae aut minus cognitae</i> , p. 241 (gender: masculine) (type species, by subsequent designation by Schönherr, 1826, <i>Curculionidum dispositio methodica</i> , p. 22: <i>Curculio pseudacori</i> Fabricius, 1792, a junior subjective synonym of <i>Curculio punctumalbum</i> Herbst, 1784) (Insecta, Coleoptera). Op. 1529	available
<i>Monopriion</i> Barrande, 1850, <i>Grapt. Bohême</i> : 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 198	index
<i>Monops</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 132 (a junior objective synonym of <i>Lepidurus</i> Leach, 1819). Op. 502	index
<i>Monopsyllus</i> Kolenati, 1857, <i>Wiener entomol. Monatschrift</i> , 1 : 65 (gender: masculine) (type species, by designation under the plenary power: <i>Pulex sciurorum</i> Schrank, 1803, <i>Fauna boica</i> , 3 (1): 195) (Insecta, Siphonaptera). Op. 843	available
<i>Monsoma</i> MacGillivray, 1908, <i>Canadian Entomologist</i> , 40 (10): 368 (gender: neuter) (type species, by monotypy and original designation: <i>Poecilostoma inferentia</i> Norton, 1868) (Insecta, Hymenoptera). Op. 1963	available
<i>Monstrilla</i> Dana, 1849, <i>Conspectus Crustaceorum quae in Orbis Terrarum circumnavigatione ... pars I and II</i> , p. 53 (gender: feminine) (type species, by monotypy: <i>Monstrilla viridis</i> Dana, 1849) (Copepoda). Op. 1869	available
MONSTRILLIDAE Dana, 1849, <i>Conspectus Crustaceorum quae in Orbis Terrarum circumnavigatione ... pars I and II</i> , p. 53 (type genus: <i>Monstrilla</i> Dana, 1849) (Copepoda). Op. 1869	available
<i>monstrosa</i> , <i>Chimaera</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 236 (specific name of the type species of <i>Chimaera</i> Linnaeus, 1758) (Chondrichthyes). Direction 57	available
<i>monstrosus</i> , <i>Gryllus</i> , Drury, [1773], <i>Ill. nat. Hist.</i> , 2 : index, 81 (specific name of the type species of <i>Schizodactylus</i> Brullé, 1835) (Insecta, Orthoptera). Direction 5	available
<i>Montagua</i> Bate, 1856, <i>Rep. Brit. Assoc. Adv. Sci.</i> , 25 (1855): 57 (a junior homonym of <i>Montagua</i> Leach, 1814). Op. 775	index
<i>Montagua</i> Fleming, 1822, <i>Encycl. Brit.</i> (Suppl. ed. 4-6), 5 : 575 (a junior homonym of <i>Montagua</i> Leach, 1814). Op. 775	index
<i>montagui</i> , <i>Isaea</i> , H. Milne Edwards, 1830, <i>Annales des Sciences naturelles, Paris</i> , 20 : 380 (specific name of the type species of <i>Isaea</i> H. Milne Edwards, 1830) (Amphipoda). Op. 1522	available
<i>montagui</i> , <i>Pandalus</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 432 (specific name of the type species of <i>Pandalus</i> [Leach, 1814]) (Crustacea, Decapoda). Direction 47	available

<i>montana</i> , <i>Agrotis</i> , Morrison, 1875, <i>Ann. Lyc. nat. Hist. N.Y.</i> , 11 : 95 (specific name of the type species of <i>Orosagrotis</i> Hampson, 1903) (Insecta, Lepidoptera). Op. 983	available
<i>montana</i> , <i>Crateroscelis</i> , De Vis, 1897, <i>Ibis</i> , (7) 3 : 387 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>montana</i> , <i>Megophrys</i> , Kuhl & van Hasselt, 1822, <i>Algemeene Konst- en Letter-Bode</i> , 7 : 102 (specific name of the type species of <i>Megophrys</i> Kuhl & van Hasselt, 1822) (Amphibia, Anura). Op. 1763	available
<i>montana</i> , <i>Motacilla</i> , Wilkes, 1817, <i>Encyclopaedia Londinensis</i> , vol. 16, p. 89 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>montana</i> , <i>Tenthredo</i> , Scopoli, 1763, <i>Entomologia Carniolica</i> ..., p. 276 (specific name of the type species of <i>Macrophya</i> Dahlbom, 1835) (Insecta, Hymenoptera). Op. 1958	available
<i>montanus</i> , <i>Bulimus</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 65 (specific name of the type species of <i>Ena</i> Turton, 1831) (Gastropoda). Op. 475	available
<i>montanus</i> , <i>Gryllus</i> , Charpentier, 1825, <i>Hor. Entomol.</i> , 1825 : 173 (Insecta, Orthoptera). Op. 609	available
<i>montanus</i> , <i>Meles</i> , Richardson, 1829, <i>Fauna Boreali-Americanana</i> (1): 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 897	index
<i>montanus</i> , <i>Philonthus</i> , Bernhauer, 1934, <i>Comptes Rendus des Séances Mensuelles Société des Sciences Naturelles et Physiques du Maroc</i> , 28 : 237, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. montanus</i> Heer, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>montefiorei</i> , <i>Belemnoteuthis</i> , Buckman, 1880, <i>Proceedings of the Dorset Natural History and Antiquarian Field Club</i> , 3 : 141 (Cephalopoda, Coleoidea). Op. 1914	available
<i>montenigrina</i> , <i>Planaria</i> , Mrázek, 1904, <i>Sitzungsber. k. böhm. Ges. Wiss., Math.-Nat. Kl.</i> Jahrg. 1903 (33), 43 pp., 2 pls., ruled under the plenary power to be given precedence over the specific name <i>cornuta</i> Shishkov, 1903, as published in the binomen <i>Phagocata cornuta</i> , whenever the two names are considered synonyms (Turbellaria). Op. 1127	available
<i>montezumae</i> , <i>Cambarus</i> , Saussure, 1857, <i>Rev. Mag. Zool.</i> , (2) 9 : 102 (specific name of the type species of <i>Cambarellus</i> Ortmann, 1905) (Crustacea, Decapoda). Op. 519	available
<i>monticola</i> , <i>Megophrys</i> , Kuhl & van Hasselt, 1822, <i>Algemeene Konst- en Letter-Bode</i> , 7 : 104, ruled under the plenary power to be an incorrect original spelling of <i>Megophrys montana</i> (Amphibia, Anura). Op. 1763	index
<i>monticola</i> , <i>Oenanthe</i> , Vieillot, 1818, <i>Nouveau dictionnaire d'histoire naturelle</i> , Ed. 2, vol. 21, p. 434 (Aves). Op. 1859	available
<i>monticola</i> , <i>Xenophrys</i> , Günther, 1864, <i>The reptiles of British India</i> , p. 414 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia, Anura). Op. 1763	index

<i>Monticulipora</i> d'Orbigny, October 1849, <i>Rev. Mag. Zool.</i> , (2)1: 503 (gender: feminine) (type species, by designation under the plenary power: <i>Monticulipora mammulata</i> d'Orbigny, [January 1850], <i>Prodr. Pal.</i> , 1: 25) (Bryozoa). Op. 443	available
<i>Monticuliporella</i> Bassler, 1934, <i>J. Washington Acad. Sci.</i> , 24 (No. 9): 408 (a junior objective synonym of <i>Monticulipora</i> d'Orbigny, October 1849). Op. 443	index
MONTICULIPORIDAE Nicholson, 1881, <i>Struct. Affin. Genus Monticulipora</i> : 90 (type genus: <i>Monticulipora</i> d'Orbigny, October 1849) (Bryozoa). Op. 443	available
<i>montivagus, Berytus</i> , Meyer-Dür, 1841, <i>Stettiner Entomologische Zeitung</i> , 2(6): 89 (specific name of the type species of <i>Lizinus</i> Mulsant & Rey, 1870) (Insecta, Heteroptera). Op. 1504	available
<i>moorei, Halpe</i> , Watson, 1893, <i>Proc. zool. Soc. London</i> , 1893: 109 (specific name of the type species of <i>Halpe</i> Moore, 1878) (Insecta, Lepidoptera). Op. 828	available
<i>Mopsea</i> Lamouroux, 1816, <i>Histoire des Polypiers coralligènes flexibles, vulgairement nommés Zoophytes</i> , p. 465 (gender: feminine) (type species, by designation under the plenary power: <i>Isis encrinula</i> Lamarck, 1815) (Anthozoa). Op. 1738	available
<i>Moraba</i> Walker, 1870, <i>Catalogue Dermaptera Saltatoria Brit. Mus.</i> , Part 3: 505 (gender: feminine) (type species, by monotypy: <i>Moraba serricornis</i> Walker, 1870, <i>Catalogue Dermaptera Saltatoria Brit. Mus.</i> , Part 3: 505) (Insecta, Orthoptera). Op. 1096	available
<i>morae, Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5: 153 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>morbillosus, Gryllus Locusta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 431 (specific name of the type species of <i>Phymateus</i> Thunberg, 1815) (Insecta, Orthoptera). Op. 969	available
<i>morgense, Criconema</i> , Hofmänner & Menzel, 1914, <i>Zoologischer Anzeiger</i> , 44: 90 (specific name of the type species of <i>Criconemoides</i> Taylor, 1936) (Nematoda). Op. 2046	available
<i>morhua, Gadus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 252 (specific name of the type species of <i>Gadus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>mori, Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 499 (specific name of the type species of <i>Bombyx</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>morio, Voluta</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1193 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 841	index
<i>Mormoops</i> Leach, 1821, <i>Trans. linn. Soc. London</i> , 13(1): 76 (gender: feminine) (type species, by monotypy: <i>Mormoops blainvilliei</i> (correction of <i>blainvillii</i>) Leach, 1821, <i>Trans. linn. Soc. London</i> , 13(1): 77) these names having precedence over <i>Aëllo</i> Leach, 1821 and <i>Aëllo cuvieri</i> Leach, 1821, through the action of Dobson, 1878 (<i>Cat. Chiropt. Brit. Mus.</i> : 454, nota) as first reviser (Mammalia). Op. 462	available
<i>Mormops</i> Cuvier, 1829, <i>Dict. Sci. nat.</i> , 59: 422 (an unjustified emendation of <i>Mormoops</i> Leach, 1821). Op. 462	index

<i>Mormyrus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 327 (gender: masculine) (type species, by designation by Jordan & Evermann, 1917 (<i>Gen. Fish.</i> (1): 15): <i>Mormyrus cyprinoides</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 327) (Osteichthyes). Op. 77, Direction 56	available
MORPHIDAE (correction of MORPHITES) Newman, 1834, <i>Entomol. Mag.</i> , 2 (4): 379, 381 (type genus: <i>Morpho</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 99, Direction 113	available
MORPHITES Newman, 1834, <i>Entomol. Mag.</i> , 2 (4): 379, 381 (type genus: <i>Morpho</i> Fabricius, 1807) (an incorrect original spelling for MORPHIDAE Newman, 1834). Direction 113	index
<i>Morpho</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 280 (gender: feminine) (type species, by designation by Westwood, [1851] (<i>in Doubleday, Gen. diurn. Lep.</i> (2): 341): <i>Papilio achilles</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 463) (Insecta, Lepidoptera). Op. 137	available
MORPHOIDAE Agassiz, 1847, <i>Nomencl. zool., Index univ.</i> (ed. 4): 239 (type genus: <i>Morpho</i> Fabricius, 1807) (an unjustified emendation of MORPHIDES Boisduval, 1836, itself an incorrect subsequent spelling for MORPHIDAE Newman, 1834). Direction 113	index
<i>morrisiana</i> (emendation under the plenary power of <i>morrisiania</i>), <i>Strophalosia</i> , King, 1848, <i>Catalogue of the Organic Remains of the Permian Rocks of Northumberland and Durham</i> : 9 (Brachiopoda). Op. 625	available
<i>morrisiania</i> , <i>Strophalosia</i> , King, 1848, <i>Catalogue of the Organic Remains of the Permian Rocks of Northumberland and Durham</i> : 9 (ruled under the plenary power to be an incorrect original spelling for <i>morrisiana</i> , <i>Strophalosia</i> , King, 1848). Op. 625	index
<i>morrisianus</i> , <i>Productus</i> , Howse, 1848, <i>Trans. Tyneside Nat. Field Club</i> , 1 (3): 257 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 625	index
<i>morrisianus</i> , <i>Productus</i> , Murchison & de Verneuil, 1845, <i>Géologie de la Russie d'Europe</i> , 1 : 223 (a nomen nudum). Op. 625	index
<i>morrisoni</i> , <i>Phoranthella</i> , Townsend, 1915, <i>Proc. biol. Soc. Washington</i> , 18 : 23 (a nomen nudum). Op. 205	index
<i>morsitans</i> , <i>Scolopendra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 638 (specific name of the type species of <i>Scolopendra</i> Linnaeus, 1758) (Chilopoda). Op. 454	available
<i>Mortonella</i> Pomel, 1883, <i>Class. méth. Gen. Echin. viv. foss.</i> : 70 (gender: feminine) (type species, by designation under the plenary power: <i>Scutella quinquefaria</i> Say, [1826], <i>J. Acad. nat. Sci. Philadelphia</i> , 5 : 228) (Echinoidea). Op. 358	available
<i>Mortonia</i> Desor, 1858, <i>Syn. Echin. foss.</i> : 231 (a junior homonym of <i>Mortonia</i> Gray, [1852]). Op. 358	index

<i>Morum</i> [Röding], 1798, <i>Mus. Bolten.</i> , (2) Hamburg: 53 (gender: neuter) (type species, by monotypy: <i>Morum purpureum</i> [Röding], 1798, <i>Mus. Bolten.</i> , (2) Hamburg: 53, valid name: <i>Strombus oniscus</i> Linnaeus, 1767) (Gastropoda). Op. 1040	available
<i>morys, Pteromalus</i> , Walker, 1848, <i>List Hym. Coll. Brit. Mus.</i> (2): 197 (valid name at the date of Opinion 1297 of the type species of <i>Xenocrepis</i> Foerster, 1856) (Insecta, Hymenoptera). Op. 1297	available
<i>moschata, Anas</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 124 (specific name of the type species of <i>Cairina</i> Fleming, 1822) (Aves). Direction 43	available
<i>moschata, Helictis</i> , Gray, 1831, <i>Proc. zool. Soc. London</i> , 1(1830-31): 94 (specific name of the type species of <i>Helictis</i> Gray, 1831) (Mammalia). Op. 384	available
<i>moschatus, Bos</i> , Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2: 86 (specific name of the type species of <i>Ovibos</i> Blainville, 1816) (Mammalia). Direction 22	available
<i>moschatus, Octopus</i> , Lamarck, 1798, <i>Bull. Sci. Soc. philomat. Paris</i> (No. 17): 130 (specific name of the type species of <i>Eledone</i> Leach, 1817) (Cephalopoda). Op. 233	available
<i>moschiferus, Moschus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66 (specific name of the type species of <i>Moschus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>Moschites</i> Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 118 (not made available in the work cited). Op. 233	index
<i>moschites, Octopodia</i> , Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 118 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 233	index
<i>Moschus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66 (gender: masculine) (type species, by monotypy: <i>Moschus moschiferus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 66) (Mammalia). Op. 75 <i>Mosillus</i> Latreille, 1804, in: <i>Nouveau dictionnaire d'histoire naturelle</i> , vol. 24, p. 196 (gender: masculine) (type species, by subsequent monotypy by Latreille, 1805, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 14, p. 390: <i>Mosillus arcuatus</i> Latreille, 1805, a junior subjective synonym of <i>Syrphus subsultans</i> Fabricius, 1794, type species of <i>Gymnomyzza</i> Fallén, 1810) (Insecta, Diptera). Op. 1748	available
<i>mosquensis, Avicula</i> , von Buch, 1844, <i>Neues Jahrb. Min.</i> , 1844: 537, as interpreted by the lectotype designated by Pavlov, 1907 (<i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 17: 23-25) (specific name of the type species of <i>Buchia</i> Rouillier, 1845) (Bivalvia). Op. 492	available
<i>Motacilla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 184 (gender: feminine) (type species, by Linnaean tautonymy: <i>Motacilla alba</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 185) (Aves). Direction 17	available
<i>moulinsiana, Pupa</i> , Dupuy, 1849, <i>Cat. extra-marin. Galliae Test.</i> : 4 (Gastropoda). Op. 336	available
<i>mucronata, Buprestis</i> , Klug, 1825, <i>Nova Acta Physico-Medica Academiae Caesareae-Leopoldino Carolinae, Naturae Curiosorum</i> , 12(2): 426 (Insecta, Coleoptera). Op. 2008	available

<i>mucronata</i> , Buprestis , Laporte & Gory, 1836, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 62, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of Buprestis mucronata Klug, 1825 (Insecta, Coleoptera). Op. 2008	available
<i>mucronata</i> , Hispa , Olivier, 1808, <i>Entomologie, ou histoire naturelle des insectes ...</i> , 6 Coléoptères: 765 (specific name of the type species of Uroplata Chevrolat, 1835) (Insecta, Coleoptera). Op. 1359	available
<i>mucronata</i> , Phillipsia , McCoy, 1844, <i>Syn. Char. Carb. Limest. Foss. Ireland</i> : 162, pl. iv, fig. 8 (specific name of the type species of Weberides Reed, 1942) (Trilobita). Op. 352	available
<i>mucronatus</i> , Belemnites , Schlotheim, 1813, <i>Leonhard's Tasch. Min.</i> , 7 : 111, as interpreted by the neotype designated under the plenary power (specific name of the type species of Belemnitella d'Orbigny, 1840) (Cephalopoda). Op. 1328	available
<i>mucronatus</i> , Nematus (Cryptocampus) , Hartig, 1837, <i>Die Aderflügler Deutschlands mit besonderer Berücksichtigung ihres Larvenzustandes und ihres Wirkens in Wäldern und Gärten für Entomologen, Wald- und Gartenbesitzer ...</i> , vol. 1, p. 223 (specific name of the type species of Gemmura Smith, 1968) (Insecta, Hymenoptera). Op. 1963	available
<i>muelleri</i> , Asteracanthion , Sars, 1846, <i>Fauna littoralis Norvegiae</i> : 56, pl. 8, figs. 38, 39 (specific name of the type species of Leptasterias Verrill, 1866) (Asteroidea). Op. 984	available
<i>muelleri</i> , Stentor , Ehrenberg, [1832], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1831 : 99, as interpreted, by direction under the plenary power, by reference to the description and figures published by Ehrenberg, 1838 (<i>Die Infusionsth.</i> : 262) (specific name of the type species of Stentor Oken, 1815) (Ciliophora). Op. 418	available
<i>Muensterella</i> Schevill, 1950, <i>Journal of Paleontology</i> , 24 : 117 (gender: feminine) (type species, by subsequent designation by Bülow-Trummer, 1920, <i>Fossilium Catalogus</i> , I (<i>Animalia</i>), part 11, p. 266, for the replaced nominal genus <i>Kelaeno</i> Münster, 1842: <i>Kelaeno arquata</i> Münster, 1842) (Cephalopoda, Coleoidea). Op. 1860	available
MUENSTERELLIDAE Roger, 1952 (1921), in Piveteau, J. (Ed.), <i>Traité de Paléontologie</i> , vol. 2, p. 742 (type genus: Muensterella Schevill, 1950) (Cephalopoda, Coleoidea). Op. 1860	available
<i>Muensteroceras</i> (emendation of <i>Munsteroceras</i>) Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 326 (gender: neuter) (type species, by original designation: Goniatites oweni var. parallela Hall, 1860, <i>Ann. Rep. New York State Cab. nat. Hist.</i> , 13 : 100, 101, text figs. 13, 14) (Cephalopoda). Op. 391	available
<i>Mugie</i> Macklot, 1830, <i>Bijd. Natuurk. Wetensch.</i> , 5 : 177 (an incorrect subsequent spelling for Mugil Linnaeus, 1758). Direction 56	index
Mugil Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 316 (gender: masculine) (type species, by monotypy: Mugil cephalus Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 316) (Osteichthyes). Op. 75 mulciber , Papilio , Cramer, 1777, <i>Uitl. Kapellen</i> , 2 : 45, 150, pl. 127, figs. C, D (specific name of the type species of Trepsichrois Hübner, 1816) (Insecta, Lepidoptera). Op. 990	available

<i>Mulloidichthys</i> Whitley, 1929, <i>Rec. Australian Museum</i> , 17 : 123 (gender: masculine) (type species, by designation by Jordan, 1919 (<i>Genera of Fishes</i> : 240) through <i>Mulloides</i> Bleeker, 1849; <i>Mullus flavolineatus</i> Lacepède, 1802, in Buffon, <i>Hist. nat. Poissons</i> , 3 : 406) (Osteichthyes). Op. 846	available
<i>Mullus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 299 (gender: masculine) (type species, by designation by Bleeker, 1876 (<i>Arch. néerl. Sci. nat.</i> , Haarlem, 11 : 334); <i>Mullus barbatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 299) (Osteichthyes). Op. 77, Direction 56	available
<i>mulsanti, Mycetoporus</i> , Ganglbauer, 1895, <i>Die Käfer von Mitteleuropa. Zweiter Band. Familienreihe Staphylinoidea. I. Theil: Staphylinidae, Pselaphidae</i> , p. 375 (Insecta, Coleoptera). Op. 2078	available
<i>multifasciata, Tenthredo</i> , Geoffroy in Fourcroy, 1785, <i>Entomologia Parisiensis</i> ..., vol. 2, p. 368 (specific name of the type species of <i>Strongylogaster</i> Dahlbom, 1835) (Insecta, Hymenoptera). Op. 1953	available
<i>multilineatus, Typhlops</i> , Schlegel, 1839, <i>Abbildungen neuer oder unvollständig bekannter Amphibien</i> : 40 (specific name of the type species of <i>Ramphotyphlops</i> Fitzinger, 1843) (Reptilia). Op. 1207	available
<i>multimaculata</i> , <i>Crotalus lugubris</i> , var., Jan, 1863, <i>Elenco sist. Ofidi</i> : 124 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 366	index
<i>multiplex</i> , <i>Cyclogyra</i> , Wood, 1842, <i>Ann. Mag. nat. Hist.</i> , (1) 9 : 458 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1114	index
<i>multiplicatus, Pachycerianthus</i> , Carlgren, 1912, <i>The Danish Ingolf Expedition</i> , vol. 5, part 3, p. 5 (specific name of the type species of <i>Pachycerianthus</i> Roule, 1904) (Cnidaria). Op. 1987	available
<i>multistriatus, Spirifer</i> , Hall, 1857, <i>New York State Cabinet of Natural History, Annual Report</i> , 10 : 59 (specific name of the type species of <i>Trematospira</i> Hall, 1859) (Brachiopoda). Op. 1900	available
<i>mundula, Nectris</i> , Kuhl, 1820, <i>Beitr. Zool. Vergl. Anat.</i> , 1 (2): 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 497	index
<i>mundula, Proc.[ellaria]</i> , Kuhl, 1820, <i>Beitr. Zool. Vergl. Anat.</i> , 1 (2): 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 497	index
<i>Mungo</i> Muirhead, [1819], in Brewster's <i>Edinburgh Ency.</i> , 13 : 415 (an unjustified emendation of <i>Mungos</i> Geoffroy Saint-Hilaire & Cuvier, 1795). Op. 384	index
<i>mungo, Viverra</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 1, p. 84 (specific name of the type species of <i>Mungos</i> Geoffroy Saint-Hilaire & Cuvier, 1795) (Mammalia). Op. 384	available

Mungos Geoffroy Saint-Hilaire & Cuvier, 1795, <i>Mag. encyclop.</i> , 2 (6): 187 (gender: masculine) (type species, by designation by Muirhead, [1819] (<i>in Brewster's Edinburgh Ency.</i> , 13 : 415); Viverra mungo Gmelin, 1788, <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 1, p. 84) (Mammalia). Op. 384	available
Munida Leach, 1820, <i>Dict. Sci. nat.</i> , 18 : 52 (gender: feminine) (type species, by monotypy: Pagurus rugosus Fabricius, 1775, <i>Syst. Entomol.</i> : 412) (Crustacea, Decapoda). Op. 712	available
Munidopsis Whiteaves, 1874, <i>Amer. J. Sci.</i> , (3) 7 : 212, 213 (gender: feminine) (type species, by monotypy: Munidopsis curvirostra Whiteaves, 1874, <i>Amer. J. Sci.</i> , (3) 7 : 212) (Crustacea, Decapoda). Op. 712	available
Munsteroceras Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 326 (an incorrect original spelling for Muensteroceras Hyatt, 1884). Op. 391	index
MUNTIACINAE Pocock, 1923, <i>Proc. zool. Soc. London</i> , 1923 : 307 (conserved under the plenary power) (type genus: Muntiacus Rafinesque, 1815) (Mammalia). Op. 544	available
Muntiacus Rafinesque, 1815, <i>Analyse Nature</i> : 56 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: Cervus muntjak Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 131) (Mammalia). Op. 460	available
muntjak , Cervus , Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 131 (specific name of the type species of Muntiacus Rafinesque, 1815) (Mammalia). Op. 460	available
Muraena Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 244 (gender: feminine) (type species, by subsequent designation by Bory de Saint-Vincent, 1827, <i>in Audouin et al. (Eds.), Dictionnaire classique d'Histoire naturelle</i> , vol. 11, p. 305; Muraena helena Linnaeus, 1758) (Osteichthyes, Anguilliformes). Op. 1672	available
murchisoni , Graptolithus , Beck, 1839, <i>in Murchison, Silurian System</i> : 694 (specific name of the type species of Didymograptus McCoy, (1851)) (Graptolithina). Op. 650	available
murchisonii , Cyrtograpsus , Carruthers, 1867, <i>in Murchison, Siluria</i> (ed. 4), App.: 540 (specific name of the type species of Cyrtograptus Lapworth, 1873) (Graptolithina). Op. 650	available
Muricanthus Swainson, 1840, <i>Treatise Malac.</i> : 296 (gender: feminine) (type species, by designation under the plenary power: Murex radix Gmelin, [1791], <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3527) (Gastropoda). Op. 886	available
muricata , Millepora , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 792 (specific name of the type species of Acropora Oken, 1815) (Anthozoa). Op. 674	available
muricatus , Astacus , Olivier, 1791, <i>Ency. méth.</i> , 6 (Ins.): 346 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 381	index
muricatus , Staurogmus , Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 28 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 144) (a junior objective synonym of hirsuta , Sao , Barrande, 1846). Op. 512	index

<i>Muricigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>muriger, Tlos</i> , Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 58 (specific name of the type species of <i>Tlos</i> Adams & White, [1849]) (Crustacea, Decapoda). Direction 36	available
<i>murigera, Xanthasia</i> , White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 177 (specific name of the type species of <i>Xanthasia</i> White, 1846) (Crustacea, Decapoda). Direction 36	available
<i>murina, Cubaris</i> , Brandt, 1833, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 6 : 190 (specific name of the type species of <i>Cubaris</i> Brandt, 1833) (Crustacea, Isopoda). Op. 1848	available
<i>murinus, Byrrhus</i> , Fabricius, 1794, <i>Entomologia systematica</i> , vol. 4, p. 437 (specific name of the type species of <i>Porcinolus</i> Mulsant & Rey, 1869) (Insecta, Coleoptera). Op. 1396	available
<i>murinus, Neelus</i> , Folsom, 1896, <i>Psyche</i> , Cambridge, Mass., 7 : 391 (specific name of the type species of <i>Neelus</i> Folsom, 1896) (Insecta, Collembola). Op. 291	available
<i>murinus, Vespertilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 32, to be interpreted, as directed under the plenary power, in the manner adopted by Nilsson, 1847 (<i>Skand. Fauna, Dagg. Djur.</i> : 17-20) and therefore to have as its type specimen the type specimen of the nominal species <i>Vespertilio discolor</i> (Natterer MS.) Kuhl, 1817, <i>Die dtsch. Fledermause</i> : 43 (specific name of the type species of <i>Vespertilio</i> Linnaeus, 1758) (Mammalia). Direction 98	available
<i>murinus, Vespertilio</i> , Schreber, [1775], <i>Die Saugthiere</i> , 1 : 165, pl. 11 (a junior primary homonym of <i>murinus, Vespertilio</i> , Linnaeus, 1758). Direction 98	index
<i>murorum, Hypogastrura</i> , Bourlet, 1843, <i>Mém. Soc. R. Agric. Dep. Nord</i> , 1841-1842 : 123 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 435	index
<i>murrayi, Ipnops</i> , Günther, 1878, <i>Ann. Mag. nat. Hist.</i> , (5)8 : 187 (specific name of the type species of <i>Ipnops</i> Günther, 1878) (Osteichthyes). Op. 1333	available
<i>Mus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 59 (gender: masculine) (type species, by Linnaean tautonomy: <i>Mus musculus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 62) (Mammalia). Op. 91, Direction 24	available
<i>Musca</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 589 (gender: feminine) (type species, by designation under the plenary power: <i>Musca domestica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 596) (Insecta, Diptera). Op. 82 <i>muscaria, Apis</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 386 (Insecta, Hymenoptera). Op. 657	available
<i>muscoides, Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 86 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>muscorum, Achorutes</i> , Templeton, 1835, <i>Trans. entomol. Soc. London</i> , 1(2) : 97 (specific name of the type species of <i>Neanura</i> MacGillivray, 1893) (Insecta, Collembola). Op. 435	available

<i>muscorum</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 579, as defined by the neotype (the queen specimen with a red label reading 'NEOTYPE Apis muscorum L., 1758', a white label reading 'Sk. Arkelstorp 5.7.1947 B.O. Landin', a white label reading 'Bombus muscorum L., A. Løken det.', and a blue label reading 'Naturhistoriska Riksmuseet Stockholm Loan 268/94') designated under the plenary power (Insecta, Hymenoptera). Op. 1828	available
<i>muscorum</i> , <i>Degeeria</i> , Nicolet, [1842], <i>Neue Denkschr. allgem. schweiz. Ges.</i> , 6 : 73 (specific name of the type species of <i>Entomobrya</i> Rondani, 1861) (Insecta, Collembola). Op. 440	available
<i>muscorum</i> , <i>Turbo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 767 (valid name at the date of Opinion 335 of the type species of <i>Pupilla</i> Fleming, 1828) (Gastropoda). Op. 335	available
<i>musculi</i> , <i>Ctenophthalmus</i> , Kolenati, 1856, <i>Parasiten der Chiroptern</i> (Brunn ed.): 33 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 741	index
<i>musculus</i> , <i>Mus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 62 (specific name of the type species of <i>Mus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>museorum</i> , <i>Chelifer</i> , Leach, 1817, <i>The zoological miscellany; being descriptions of new or interesting animals</i> , vol. 3, p. 50 (specific name of the type species of <i>Cheiridium</i> Menge, 1855) (Arachnida, Pseudoscorpionida). Op. 1697	available
<i>Musica</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 66 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>musica</i> , <i>Tyrannula</i> , Swainson, 1827, <i>Philosophical Magazine</i> , (n.s.) 1 (5): 368 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Passeriformes). Op. 1885	index
<i>musicus</i> , <i>Turdus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 169 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 551	index
<i>Musophaga</i> Isert, 1789, <i>Schrift. Berlin Ges. Nat. Freunde</i> , 9 : 17 (gender: feminine) (type species, by monotypy: <i>Musophaga violacea</i> Isert, 1789, <i>Schrift. Berlin Ges. Nat. Freunde</i> , 9 : 18, pl. 1) (Aves). Op. 67 <i>Musophagus</i> Bonnaterre, 1790, <i>Ency. méth.</i> , Orn., 1 : xcv (an unjustified emendation of <i>Musophaga</i> Isert, 1789). Direction 44	available
<i>Mussa</i> Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , vol. 3 (Zoologie), part 1 (Fleischlose Thiere), p. 71, ruled under the plenary power to be available despite having been published in a rejected work (gender: feminine) (type species, by subsequent designation by Vaughan, 1918, Publications of the Carnegie Institution of Washington, No. 213. <i>Papers of the Department of Marine Biology</i> , 9 : 122: <i>Madrepora angulosa</i> Pallas, 1766) (Anthozoa). Op. 2061	available
MUSSIDAE Ortmann, 1890, <i>Zeitschrift für Wissenschaftliche Zoologie</i> , 50 : 315 (type genus: <i>Mussa</i> Oken, 1815) (Anthozoa). Op. 2061	available
<i>Mustellus</i> Fischer von Waldheim, 1813, <i>Zoognosia</i> (ed. 3), 1 : 78 (an incorrect subsequent spelling for <i>Mustelus</i> Linck, 1790). Direction 56	index

<i>Mustelus</i> Linck, 1790, <i>Mag. n. Phys. Naturg.</i> , 6 (3): 31 (gender: masculine) (type species, by designation under the plenary power: <i>Squalus mustelus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 235) (Chondrichthyes). Op. 93 mustelus , <i>Squalus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 235 (specific name of the type species of <i>Mustelus</i> Linck, 1790) (Chondrichthyes). Direction 57	available
<i>mutabilis, Ammonites</i> , Sowerby, 1823, <i>Min. Conch.</i> , 4 : 145, pl. 405 (Cephalopoda). Op. 302	available
<i>mutabilis, Gymnetis</i> , Gory & Percheron, [1836], <i>Mon. Cétoines</i> (13): 334 (specific name of the type species of <i>Cotinis</i> Burmeister, 1842) (Insecta, Coleoptera). Op. 806	available
<i>mutillarius, Clerus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 157 (specific name of the type species of <i>Clerus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1273	available
<i>mutus, Poephagus</i> , Przewalski, 1883, <i>Third journey in Central Asia. From Zaisan through Khami into Tibet and to the sources of the Yellow River</i> , p. 191, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>mwinilunga, Cossypha heuglini</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12) 9 : 366 (a junior primary homonym of <i>mwinilunga, Cossypha heuglini</i> , Horniman, 1940). Op. 480	index
<i>mwinilunga, Cossypha heuglini</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>Mya</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 670 (gender: feminine) (type species, by designation by Children, 1822 (<i>Quart. J. Sci. Lit. Arts</i> , 14 : 85); <i>Mya truncata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 670) (Bivalvia). Op. 94, Direction 72	available
<i>Mya</i> Rondani, 1850, <i>N. Ann. Sci. nat.</i> , Bologna, (3) 2 : 175 (a junior homonym of <i>Mya</i> Linnaeus, 1758). Direction 72	index
MYCETOGLOSSINI Bonaparte, 1850, <i>Conspectus systematum</i> , Classis IV (Amphibia), no. 27 (invalid because the name of the type genus has been suppressed under the plenary power) (Amphibia, Caudata). Op. 1873	index
<i>Mycetoglossus</i> Bonaparte, [1839], <i>Iconografia della fauna Italica per le quattro classi degli animali vertebrati</i> , vol. 2 (Amfibi), Generi Salamandrini, no. 13 (a junior objective synonym of <i>Pseudotriton</i> Tschudi, 1838) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia, Caudata). Op. 1873	index
<i>Mycetoporus</i> Mannerheim, 1831, <i>Mémoires présentés à l'Académie Impériale des Sciences de St.- Pétersbourg par divers Savants, et dans ses Assemblées</i> , 1 (5): 476 (gender: masculine) (type species, by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera, synoptiskt bearbetade</i> , vol. 1, p. 47: <i>Tachinus punctus</i> Gravenhorst, 1806), ruled under the plenary power to be given precedence over <i>Ischnosoma</i> Stephens, 1829 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1726	available

- Mycodinium* Averinzeff, 1916, *Revue Zoologique Russe*, **1**(6/7): 183 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Ciliophora). Op. 2106 index
- Mycotretus* Dejean, 1836, *Catalogue des coléoptères de la collection de M. le Comte Dejean*, Ed. 2, Livr. 5, p. 428, and all uses of the name prior to the publication of *Mycotretus* Lacordaire, 1842 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1824 index
- Mycotretus* Lacordaire, 1842, *Monographie des Erotyliens, famille de l'ordre des coléoptères*, p. 132 (gender: masculine) (type species, by subsequent designation by Boyle, 1956, *Bulletin of the American Museum of Natural History*, **110**(2): 137: *Erotulus lesueuri* Chevrolat, 1835) (Insecta, Coleoptera). Op. 1824 available
- Mycteromyia* Philippi, 1865, *Verh. zool.-bot. Ges. Wien*, **15**: 712 (gender: feminine) (type species, by designation in Opinion 1238: *Pangonia conica* Bigot, 1857, *Ann. Soc. entomol. France*, **5**: 278) (Insecta, Diptera). Op. 1238 available
- Mydaus* Cuvier, 1821, in Geoffroy Saint-Hilaire & Cuvier, *Hist. nat. Mammif.*, **2**(27): 'Telagon' 2 (gender: masculine) (type species, by monotypy: *Mydaus meliceps* Cuvier, 1821, in Geoffroy Saint-Hilaire & Cuvier, *Hist. nat. Mammif.*, **2**(27): 'Telagon' 2) (Mammalia). Op. 384 available
- MYDONIIDAE Salmon, 1945, *Trans. roy. Soc. N.Z.*, **75**: 69 (type genus: *Mydonius* Gistl, 1848) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 440 index
- Mydonius* Gistl, 1848, *Nat. Thierr.*: ix (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 440 index
- Myelophilus* Eichhoff, 1878, *Stettin Entomol. Ztg.*, **39**: 400 (a junior objective synonym of *Tomicus* Latreille, [1802]). Op. 670 index
- Myersia* Evans, 1929, *Bull. entomol. Res.*, **19**: 353 (a junior homonym of *Myersia* Viereck, 1912). Op. 319 index
- Myigenus* [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427 index
- Myiobius* Darwin, 1839, *Zool. Voy. 'Beagle'*, **3**: 46 (gender: masculine) (type species, by designation under the plenary power: *Muscicapa barbata* Gmelin, [1789], in Linnaeus, *Systema Naturae*, Ed. 13, vol. 1, part 2, p. 933) (Aves). Op. 414 available
- Mylabris* Fabricius, 1775, *Systema Entomologiae*, p. 261 (gender: feminine) (type species, by subsequent designation by Latreille, 1810, *Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides et des insectes*, p. 430: *Meloe cichorii* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1809 available
- Mylabris* Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de Paris*, vol. 1, p. 266, and all uses of the name prior to the publication of *Mylabris* Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1809 index

<i>Myletes</i> Cuvier, 1814, <i>Bulletin des Sciences, par la Société Philomatique de Paris</i> , 1814 : 75 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Characiformes). Op. 1813	index
<i>Mymar</i> Curtis, 1829, <i>Guide Arrang. Brit. Ins.</i> : 112 (gender: neuter) (type species, by designation under the plenary power: <i>Mymar pulchellum</i> Curtis, 1832, <i>Brit. Entomol.</i> , 9 : pl. 411) (Insecta, Hymenoptera). Op. 729	available
MYMARIDAE Haliday, 1839, in Westwood, <i>Introd. mod. Classif. Brit. Ins.</i> , 2 : 173 (type genus: <i>Mymar</i> Curtis, 1829) (Insecta, Hymenoptera). Op. 729	available
<i>Mymarilla</i> Westwood, 1879, <i>Trans. linn. Soc. London</i> , (2) 1 : 583-593 (gender: neuter) (type species, by original designation: <i>Mymar wollastonii</i> Westwood, 1879, <i>Trans. linn. Soc. London</i> , (2) 1 : 585) (Insecta, Hymenoptera). Op. 729	available
<i>Myodocha</i> Latreille, 1807, <i>Gen. Crust. Ins.</i> , 3 : 126 (gender: feminine) (type species, by designation under the plenary power: <i>Myodochus serripes</i> Olivier, 1811, <i>Ency. méth.</i> , 8 (Ins.): 106) (Insecta, Hemiptera). Op. 669	available
MYODOCHINI (correction of MYODOCHARIA) Stål, 1872, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 29 (7): 51 (type genus: <i>Myodocha</i> Latreille, 1807) (Insecta, Hemiptera). Op. 669	available
<i>Myodochus</i> Olivier, 1811, <i>Ency. méth.</i> , 8 (Ins.): 104, 106 (an unjustified emendation of <i>Myodocha</i> Latreille, 1807). Op. 669	index
<i>Myopa</i> Fabricius, 1775, <i>Systema Entomologiae ...</i> , p. 798 (gender: feminine) (type species, by subsequent designation by Curtis, 1838, <i>British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland</i> , pl. 677, text: <i>Conops buccatus</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1870	available
<i>Myopella</i> Robineau-Desvoidy, 1853, <i>Bulletin de la Société des Sciences Historiques et Naturelles de l'Yonne</i> , 7 : 98 (a junior objective synonym of <i>Myopa</i> Fabricius, 1775) (Insecta, Diptera). Op. 1870	index
<i>myoti, Pteropus</i> , Kolenati, [1856], <i>Paras. Chiropt.</i> : 26 (specific name of the type species of <i>Spinturnix</i> von Heyden, 1826) (Arachnida). Direction 67	available
<i>Myotis</i> Kaup, 1829, <i>Skizz. Entwickel.-Gesch. naturl. Syst. europ. Thierwelt</i> : 106 (gender: masculine) (type species, by monotypy: <i>Vespertilio murinus</i> Schreber, [1775], <i>Die Säugthiere</i> , 1 : 165, pl. 11, valid name: <i>Vespertilio myotis</i> Borkhausen, 1797) (Mammalia). Direction 98	available
<i>myotis, Vespertilio</i> , Borkhausen, 1797, <i>Deutschl. Fauna</i> , 1 : 80 (valid name at the date of Direction 98 of the type species of <i>Myotis</i> Kaup, 1829) (Mammalia). Direction 98	available
<i>Myoxus</i> Zimmermann, 1780, <i>Geographische Geschichte des Menschen, und der allgemein verbreiteten vierfüßigen Thiere</i> , vol. 2, p. 351 (a junior objective synonym of <i>Glis</i> Brisson, 1762) (Mammalia, Rodentia). Op. 1894	index
<i>Myra</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 19, 23 (gender: feminine) (type species, by monotypy: <i>Leucosia fugax</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 351) (Crustacea, Decapoda). Op. 712	available

<i>Myriochele</i> Malmgren, 1867, <i>Spetsbergens, Grönlands, Islands och den Skandinaviska halföns hittills kända Annulata Polychaeta</i> , p. 101 (gender: feminine) (type species, by monotypy: <i>Myriochele heeri</i> Malmgren, 1867) (Polychaeta). Op. 1636	available
<i>Myrma</i> Billberg, 1820, <i>Enumeratio Insectorum in Museo Gust. Joh. Billberg</i> , p. 104 (gender: feminine) (type species, by subsequent designation by Wheeler, 1911, <i>Science</i> , (n.s.) 33 : 859; <i>Formica militaris</i> Fabricius, 1781), ruled under the plenary power not to be given priority over the name <i>Polyrhachis</i> Smith, 1857 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1919	available
<i>Myrmecopha</i> Fischer von Waldheim, 1803, <i>Ann. Mus. Hist. nat.</i> , Paris, 2 : 333 (an incorrect subsequent spelling for <i>Myrmecophaga</i> Linnaeus, 1758). Direction 24	index
<i>Myrmecophaga</i> Laceyde, 1799, <i>Tabl. Ois.</i> : 6 (a junior homonym of <i>Myrmecophaga</i> Linnaeus, 1758). Direction 24	index
<i>Myrmecophaga</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 35 (gender: feminine) (type species, by designation by Thomas, 1901 (<i>Amer. Nat.</i> , 35 : 143, 144); <i>Myrmecophaga tridactyla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 35) (Mammalia). Op. 91, Direction 24	available
<i>Myrmecophagus</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 343 (an unjustified emendation of <i>Myrmecopha</i> Linnaeus, 1758). Direction 24	index
<i>myrmecophilum</i> , <i>Macrosiphum</i> , Theobald, 1916, <i>Entomologist</i> , 49 : 49, ruled under the plenary power not to be given priority over the specific name <i>festucae</i> Theobald, 1917, as published in the binomen <i>Myzus festucae</i> , whenever the two names are considered synonyms (Insecta, Hemiptera). Op. 1353	available
<i>Myrmecophilus</i> Berthold, 1827, in Latreille, <i>Nat. Fam. Thier.</i> : 409 (gender: masculine) (type species, by monotypy: <i>Blatta acervorum</i> Panzer, [1799], <i>Fauna Ins. germ.</i> (68): tab. 24) (Insecta, Orthoptera). Op. 149	available
<i>Myrodes</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 432; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 298 (gender: masculine) (type species, by monotypy: <i>Myrodes eudactylus</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 432; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 299) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Myrsidea</i> Waterston, 1915, <i>Entomol. mon. Mag.</i> , 51 : 12 (gender: feminine) (type species, by original designation: <i>Myrsidea victrix</i> Waterston, 1915, <i>Entomol. mon. Mag.</i> , 51 : 13) (Insecta, Mallophaga). Op. 627	available
<i>mysia</i> , <i>Papilio</i> , [Hübner, 1790-1793], <i>Lep. Linn.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 975	index
MYSIDAE Haworth, 1825, <i>Phil. Mag.</i> , 65 : 184 (type genus: <i>Mysis</i> Latreille, [1802]) (Crustacea, Mysidacea). Op. 578	available
MYSINA Burmeister, 1837, <i>Handb. Naturgesch.</i> (2): 566 (type genus: <i>Mysis</i> Latreille, [1802]) (an incorrect subsequent spelling for MYSIDAE Haworth, 1825). Op. 578	index

<i>Mysis</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 36 (gender: feminine) (type species, by designation under the plenary power: <i>Cancer oculatus</i> Fabricius, 1780, <i>Fauna groenl.</i> : 245, as interpreted by the neotype designated by Holmquist, 1958 (<i>Medd. om Grønl.</i> , 159 (4): 7)) (Crustacea, Mysidacea). Op. 578	available
<i>Mystacina</i> Gray, 1843, in Dieffenbach, <i>Travels in New Zealand; with contributions to the geography, geology, botany, and natural history of that country</i> , vol. 2, p. 296 (gender: feminine) (type species, by original designation: <i>Mystacina tuberculata</i> Gray, 1843) (Mammalia). Op. 1994	available
<i>Mystacops</i> Lydekker, 1891, in Flower & Lydekker, <i>An introduction to the study of mammals living and extinct</i> , p. 671 (a junior objective synonym of <i>Mystacina</i> Gray, 1843) (Mammalia). Op. 1994	index
<i>mysticetus, Balaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 75 (specific name of the type species of <i>Balaena</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>Mystus</i> Scopoli, 1777, <i>Introductio ad historiam naturalem, sistens genera lapidum, plantarum et animalium hactenus detecta, caracteribus essentialibus donata, in tribus divisa, subinde ad leges naturae</i> , p. 451 (gender: masculine), type species <i>Bagrus halepensis</i> Valenciennes, in Cuvier & Valenciennes, 1840 by subsequent designation by Jordan & Evermann, 1917 (Osteichthyes) Op. 2209	available
<i>Myteroxis</i> Gozis, 1886, <i>Recherche de l'espèce typique de quelques anciens genres. Rectifications synonymiques et notes diverses</i> , p. 14 (a junior objective synonym of <i>Ischnosoma</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1726	index
<i>mytilaspidis, Aphelinus</i> , Le Baron, 1870, <i>American Entomologist and Botanist</i> , 2 : 360 (Insecta, Hymenoptera). Op. 1405	available
<i>mytili, Alcyonidium</i> , Dalyell, 1848, <i>Rare and remarkable animals of Scotland, represented from living subjects with practical observations on their nature</i> , vol. 2, p. 36, as defined by the neotype (specimen no. BM(NH) 1994.4.5.1, collected from Longniddry, East Lothian, Scotland, and deposited in the Natural History Museum, London) designated under the plenary power (Bryozoa). Op. 1892	available
<i>Mytiligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Mytiloides</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 61 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Mytilus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 704 (gender: masculine) (type species, by designation by Anton, 1839 (<i>Verz. Conchyl. Samml. Anton</i> : 17): <i>Mytilus edulis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 705) (Bivalvia). Op. 94, Op. 333	available
<i>Myxine</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 650 (gender: feminine) (type species, by monotypy: <i>Myxine glutinosa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 650) (Agnatha). Op. 75 NABINI Costa, 1852, <i>Cimicum regni neapolitani centuria tertia et quartae fragmentum</i> (Naples): 66 (type genus: <i>Nabis</i> Latreille, [1802]) (Insecta, Hemiptera). Direction 109	available

nabirop, *Sturnus*, Temminck, 1807, *Catalogue systématique du cabinet d'ornithologie et de la collection de quadrumanes de Crd. Jb. Temminck*, p. 85 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859

index

Nabis Latreille, [1802], in Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **3**: 248 (gender: masculine) (type species, by designation by Westwood, [1840] (*Introd. Mod. Class. Ins.*, **2**, Syn. Gen. brit. Ins.: 120): *Cimex vagans* Fabricius, 1787, *Mantissa Ins.*, **2**: 307, valid name: **Cimex ferus** Linnaeus, 1758) (Insecta, Hemiptera). Op. 104, Direction 63

available

Nacaduba Moore, [1881], *The Lepidoptera of Ceylon*, vol. 1, part 3, p. 88 (gender: feminine) (type species, by original designation: **Lampides prominens** Moore, 1877), ruled under the plenary power to be given precedence over **Pepliphorus** Hübner, [1819] whenever the two names are considered to be synonyms (Insecta, Lepidoptera). Op. 1773

available

nagelii, *Gulo*, [anon.], [1840], *Verz. Java Samml. Thier. Holzapfel*: No. 17 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273

index

Nahecaris Jaekel, 1921, *Zeitschrift der Deutschen Geologischen Gesellschaft*, **72**: 290 (gender: feminine) (type species, by original designation: **N. stuertzi** Jaekel, 1921, ruled under the plenary power to be given precedence over the name **Dilophaspis** Traquair in Walther, 1903 whenever the two names are considered to be synonyms (Malacostraca). Op. 2109

available

NAIDIDAE Ehrenberg, 1828, *Symbolae physicae. Animalia evertebrata*, p. 59 (type genus: **Nais** Müller, 1774) (Annelida). Op. 2167

available

Nais Müller, 1774, *Vermium Terrestrium et Fluvialium, seu Animalium, Infusoriorum, Helminthicorum et Testaceorum, non Marinorum, Succincta Historia*, vol. 1, part 2, p. 20 (gender: feminine) (type species, by subsequent designation by Sperber, 1948, *Zoologiska Bidrag från Uppsala*, **28**: 102: **Nais barbata** Müller, 1774) (Annelida). Op. 2167

available

nais, **Papilio**, Forster, 1771, *Nov. Spec. Ins.*, **1**: 73 (Insecta, Lepidoptera). Direction 2

available

Najas Hübner, [1806], *Tentamen*: [1] (included in a work rejected for nomenclatural purposes). Op. 278

index

Najas Hübner, [1807], *Sammlung exotischer Schmettlinge*, vol. 1, pl. [60] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1380

index

Najas Hübner, 1808, *Erste Zutr. Samml. exot. Schmett.*: 3 (included in a work rejected for nomenclatural purposes). Op. 789

index

najas, **Cimex**, de Geer, 1773, *Mém. Hist. Ins.*, **3**: 313 (specific name of the type species of **Aquarius** Schellenberg, 1800) (Insecta, Hemiptera). Op. 247

available

nama, **Chanda**, Hamilton-Buchanan, 1822, *An account of the fishes of the Ganges*: 109 (specific name of the type species of **Chanda** Hamilton-Buchanan, 1822) (Osteichthyes). Op. 1121

available

<i>Nana</i> Schumacher, 1817, <i>Essai nouv. Syst. Habitations Vers test.</i> : 225 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 793	index
<i>nana</i> , <i>Buprestis</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 1940 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 322	index
<i>nana</i> , <i>Buprestis</i> , Paykull, 1799, <i>Fauna suecica</i> , 2 : 233 (Insecta, Coleoptera). Op. 1322	available
<i>nana</i> , <i>Eolis</i> , Alder & Hancock, 1842, <i>Ann. Mag. nat. Hist.</i> , 9 : 36 (specific name of the type species of <i>Cuthona</i> Alder & Hancock, 1855) (Gastropoda). Op. 773	available
<i>Nandinia</i> Gray, 1843, <i>List Mamm. Coll. Brit. Mus.</i> : 54 (gender: feminine) (type species, by monotypy: <i>Viverra binotata</i> Gray, 1830, <i>Spicil. zool.</i> (2): 9) (Mammalia). Op. 384	available
NANDINIIDAE Pocock, 1929, <i>Ency. Brit.</i> (ed. 14), 3 : 898 (type genus: <i>Nandinia</i> Gray, 1843) (Mammalia). Direction 53	available
<i>nannodes</i> , <i>Anolis</i> , Cope, 1864, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 16 : 173, as interpreted by the lectotype designated by Smith & Follett, 1960 (<i>Bull. zool. Nomencl.</i> , 18 : 78) (Reptilia). Op. 637	available
<i>Nanodes</i> Schönherr, 1825, <i>Isis</i> (von Oken), 1825 : col. 587 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1526	index
<i>Nanodes</i> Stephens, 1826, in Shaw, <i>General Zoology or systematic Natural History commenced by the late George Shaw, M.D., F.R.S. &c.</i> , vol. 14, p. 118 (a junior homonym of <i>Nanodes</i> Schönherr, 1825) (Aves). Op. 1526	index
<i>Nanophyes</i> Schönherr, 1838, <i>Genera et species Curculionidum ...</i> , vol. 4(2), p. 780 (gender: masculine) (type species, by original designation for <i>Nanodes</i> by Schönherr, 1825, <i>Isis</i> (von Oken), 1838 : col. 587: <i>Curculio lythri</i> Fabricius, 1787, a junior subjective synonym of <i>Curculio marmoratus</i> Goeze, 1777) (Insecta, Coleoptera). Op. 1526	available
<i>nanum</i> , <i>Cacosternum</i> , Boulenger, 1887, <i>Annals and Magazine of Natural History</i> , (5) 20 : 52 (specific name of the type species of <i>Cacosternum</i> Boulenger, 1887) (Amphibia, Anura). Op. 1921	available
<i>nanus</i> , <i>Vespertilio</i> , Peters, 1852, <i>Naturwissenschaftliche Reise nach Mozambique auf Befehl seiner Majestät des Königs Friedrich Wilhelm IV. in den Jahren 1842 bis 1848 ausgeführt. Zoologie, I. Säugetiere</i> , p. 63, ruled under the plenary power to be given precedence over the name <i>Vespertilio pipistrellus africanus</i> Rüpell, 1842 whenever the two are considered to be synonyms (Mammalia). Op. 2120	available
<i>Napaea</i> Hübner, [1819], <i>Samml. exot. Schmett.</i> , 1 : pl. [34] (gender: feminine) (type species, by designation under the plenary power: <i>Cremna eucharila</i> Bates, 1867, <i>Trans. entomol. Soc. London</i> , (3) 5 : 543, as interpreted by the lectotype designated by Hemming, 1964 (<i>Ann. Lep.</i> , 1 : 102)) (Insecta, Lepidoptera). Op. 820	available

<i>Napomyza</i> Curtis, 1837, <i>A guide to an arrangement of British Insects; being a catalogue of all the named species hitherto discovered in Great Britain and Ireland</i> , p. 282, and all uses of the name prior to the publication of <i>Napomyza</i> Westwood, 1840 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 1477	index
<i>Napomyza</i> Westwood, 1840, <i>An introduction to the modern classification of insects. Synopsis of the genera of British insects</i> , p. 152 (gender: feminine) (type species, by monotypy: <i>Phytomyza festiva</i> Meigen, 1830 = <i>Phytomyza elegans</i> Meigen 1830 by the first reviser action of Hendel, 1920, <i>Archiv für Naturgeschichte</i> , 84 : 148) (Insecta, Diptera). Op. 1477	available
<i>Narella</i> Gray, 1870, <i>Catalogue of the lithophytes or stony corals in the collection of the British Museum</i> , p. 49 (gender: feminine) (type species, by monotypy: <i>Primnoa regularis</i> Duchassaing & Michelotti, 1860) (Coelenterata). Op. 2122	available
<i>Narica</i> d'Orbigny (ex Récluz MS), 1842 (?), in <i>Sagra, Cuba, Moll.</i> (French ed.), 2 : 39 (a junior objective synonym of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009	index
<i>NARICIDAE</i> Récluz, 1846, ['1845'], <i>Mag. Zool.</i> , (2) 7 (9): 6 (type genus: <i>Narica</i> d'Orbigny (ex Récluz MS), 1842 (?)) (based on a junior objective synonym of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009	index
<i>narina, Trogon</i> , Stephens, 1815, in <i>Shaw, Gen. Zool. (Aves)</i> , 9 (1): 14 (specific name of the type species of <i>Apaloderma</i> Swainson, 1833) (Aves). Direction 43	available
<i>nasalis, Oestrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 584 (Insecta, Diptera). Direction 63	available
<i>Nascio</i> Gory & Laporte, 1838, <i>Histoire naturelle et iconographie des insectes coléoptères, publiée par monographies séparées</i> , Genre <i>Nascio</i> , p. 2 (gender: feminine) (type species, by monotypy: <i>Buprestis vetusta</i> Boisduval, 1835) (Insecta, Coleoptera). Op. 2008	available
<i>nasica, Cuma</i> , Krøyer, 1841, <i>Naturhistorisk Tidsskrift</i> , (1) 3 : 524 (specific name of the type species of <i>Leucon</i> Krøyer, 1846) (Cumacea). Op. 1594	available
<i>nassatula, Turbinella</i> , Lamarck, 1822, <i>Histoire naturelle des animaux sans vertèbres ...</i> , vol. 7, p. 110 (specific name of the type species of <i>Peristernia</i> Mörch, 1852) (Gastropoda). Op. 1981	available
<i>Nassigenus</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Nasua</i> Storr, 1780, <i>Prodr. Meth. Mamm.</i> : 35, tab. A (gender: feminine) (type species, by absolute tautonomy: <i>Viverra nasua</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 64) (Mammalia). Op. 91 <i>nasua, Vipera</i> , Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 171 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 698	available
<i>nasua, Viverra</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 64 (specific name of the type species of <i>Nasua</i> Storr, 1780) (Mammalia). Direction 22	available

<i>Nasus</i> Basilewsky, 1855, <i>Nouv. Mém. Soc. imp. Nat. Moscou</i> , 10 : 234 (gender: masculine) (type species, by absolute tautonomy: <i>Cyprinus nasus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 325) (Osteichthyes). Op. 513	available
<i>nasus</i> , <i>Cyprinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 325 (specific name of the type species of <i>Nasus</i> Basilewsky, 1855) (Osteichthyes). Op. 513	available
<i>nasutus</i> , <i>Coluber</i> , Lacepède, 1789, <i>Hist. nat. Quad. ovip. Serpens</i> , 2 : 100 (valid name at the date of Opinion 524 of the type species of <i>Ahaetulla</i> Link, 1807) (Reptilia). Op. 524	available
<i>natalensis</i> , <i>Stenorhynchus</i> , Smith, 1849, <i>Illustrations of the zoology of South Africa ... Reptilia</i> , Appendix, pp. 23-24 (senior subjective synonym of <i>Phrynobatrachus natalensis</i> Günther, 1862, the type species of <i>Phrynobatrachus</i> Günther, 1862) (Amphibia, Anura). Op. 1921	available
<i>natalis</i> , <i>Pimelodus</i> , Lesueur, 1819, <i>Mémoires du Muséum d'Histoire naturelle</i> , Paris, 5 : 154 (senior subjective synonym of <i>Silurus lividus</i> Rafinesque, 1820, the type species of <i>Ameiurus</i> Rafinesque, 1820) (Osteichthyes, Siluriformes). Op. 1584	available
<i>natator</i> , <i>Dytiscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 412 (specific name of the type species of <i>Gyrinus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>Natica</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Naticigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>naticina</i> , <i>Valvata</i> , Menke, 1845, <i>Z. f. Malakzool.</i> , 2 : 129 (Gastropoda). Op. 336	available
<i>natka</i> , <i>Lanius</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 309 (Aves). Op. 409	available
<i>natrix</i> , <i>Ammonites</i> , Schlotheim, 1820, <i>Die Petrefaktenkunde</i> : 162 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 996	index
<i>nattereri</i> , <i>Philodryas</i> , Steindachner, 1870, <i>Sitz. Math.-Naturwiss. Kl. Akad. Wiss. Wien</i> , 62 : 345 (Reptilia). Op. 1211	available
NAUCORIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 : 123 (type genus: <i>Naucoris</i> Geoffroy, 1762) (an incorrect original spelling for NAUCORIDAE [Leach, 1815]). Op. 681	index
NAUCORIDAE (correction of NAUCORIDA) [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 : 123 (type genus: <i>Naucoris</i> Geoffroy, 1762) (Insecta, Hemiptera). Op. 681	available
NAUCORIDEA Fieber, 1851, <i>Genera Hydrocoridum</i> : 9, 15 (type genus: <i>Naucoris</i> Geoffroy, 1762) (an incorrect subsequent spelling for NAUCORIDAE [Leach, 1815]). Op. 681	index
NAUCORIDES Fallén, 1814, <i>Spec. nov. Hemipt.</i> : 3, 15 (type genus: <i>Naucoris</i> Fabricius, 1775) (invalid because the name of the type genus is a junior homonym). Op. 681	index

NAUCORIDI Acloque, 1897, <i>Faune de France</i> , 2 : 259, 398 (type genus: <i>Naucoris</i> Geoffroy, 1762) (an incorrect subsequent spelling for NAUCORIDAE [Leach, 1815]). Op. 681	index
NAUCORINI Costa, 1852, <i>Cimicum Regni Neap. Centuria tertia et quartae</i> : 65 (type genus: <i>Naucoris</i> Geoffroy, 1762) (an incorrect subsequent spelling for NAUCORIDAE [Leach, 1815], but available for use for a taxon belonging to any category within the family-group for which the termination ‘-INI’ is considered appropriate). Op. 681	index
<i>Naucoris</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 693 (a junior homonym of <i>Naucoris</i> Geoffroy, 1762). Op. 681	index
<i>Naucoris</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris.</i> , 1 : 473-475 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Naucoris maculatus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 325) (Insecta, Hemiptera). Op. 681	available
NAUCORISEAE Fieber, 1851, <i>Genera Hydrocoridum</i> : 9 (type genus: <i>Naucoris</i> Geoffroy, 1762) (an incorrect subsequent spelling for NAUCORIDAE [Leach, 1815]). Op. 681	index
<i>naucrates</i> (emendation of <i>neucrates</i>), <i>Echeneis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 261 (specific name of the type species of <i>Echeneis</i> Linnaeus, 1758) (Osteichthyes). Op. 242	available
<i>Naucrates</i> Rafinesque, 1810, <i>Caratteri di alcuni nuovi generi e nuove specie di animali e piante della Sicilia ...</i> , p. 43 (gender: masculine) (type species, by subsequent designation by Jordan & Gilbert, 1883, <i>Bulletin of the United States National Museum</i> , 16 : 443: <i>Gasterosteus ductor</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1799	available
<i>naucum</i> , <i>Bulla</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 726 (senior objective synonym of the specific name of <i>Atys cymbulus</i> de Montfort, 1810, the type species of <i>Atys</i> de Montfort, 1810) (Gastropoda). Op. 1553	available
<i>Nauticaris</i> Bate, 1888, <i>Rep. Voy. ‘Challenger’</i> (Zool.), 24 : 577, 602 (gender: feminine) (type species, by designation by Calman, 1906 (<i>Ann. Mag. nat. Hist.</i> , (7) 17 : 31): <i>Nauticaris marionis</i> Bate, 1888, <i>Rep. Voy. ‘Challenger’</i> (Zool.), 24 : 603) (Crustacea, Decapoda). Op. 470	available
<i>Nautilus</i> Schneider, 1784, <i>Sammel. verm. Abhandl. Aufklär. Zool.</i> : 120 (not made available in the work cited). Op. 233	index
<i>nautilus</i> , <i>Octopodia</i> , Schneider, 1784, <i>Sammel. verm. Abhandl. Aufklär. Zool.</i> : 120 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 233	index
<i>navalis</i> , <i>Dermestes</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 56 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1495	index
<i>navalis</i> , <i>Teredo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 651 (specific name of the type species of <i>Teredo</i> Linnaeus, 1758) (Bivalvia). Direction 73	available

<i>navicularis</i> , <i>Ammonites</i> , Mantell, 1822, <i>Fossils South Downs</i> : 198 (specific name of the type species of <i>Calycoceras</i> Hyatt, 1900) (Cephalopoda). Op. 557	available
<i>naxensis</i> , <i>Lacerta muralis fusca</i> var., Werner, 1889, <i>Wiss. Mitt. Bosn. Hercegov.</i> , 6 : 835 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>Neadmete</i> Habe, 1961, <i>Coloured Illustrations of the Shells of Japan</i> , vol. 2, appendix, p. 28 (gender: feminine) (type species, by designation under the plenary power: <i>Neadmete okutanii</i> Petit, 1974) (Gastropoda). Op. 1370	available
<i>Neamia</i> Smith & Radcliffe in Radcliffe, 1912, <i>Proceedings of the U.S. National Museum</i> , 41 : 441 (gender: feminine) (type species, by original designation: <i>Neamia octospina</i> Smith & Radcliffe in Radcliffe, 1912) (Osteichthyes, Perciformes). Op. 1564	available
<i>Neanura</i> MacGillivray, 1893, <i>Canad. Entomol.</i> , 25 : 314 (gender: feminine) (type species, by designation under the plenary power: <i>Achorutes muscorum</i> Templeton, 1835, <i>Trans. entomol. Soc. London</i> , 1 (2): 97) (Insecta, Collembola). Op. 435	available
NEANURINAE Börner, June 1901, <i>Zool. Anz.</i> , 24 : 431 (type genus: <i>Neanura</i> MacGillivray, 1893) (Insecta, Collembola). Op. 435	available
<i>neapolitana</i> , <i>Paragalene</i> , Kossmann, 1878, <i>Arch. Naturgesch.</i> , 44 (No. 1): 254 (specific name of the type species of <i>Paragalene</i> Kossmann, 1878) (Crustacea, Decapoda). Direction 36	available
<i>Neastacilla</i> Tattersall, 1921, <i>British Antarctic Terra Nova Expedition 1910</i> , 3 (38): 243 (gender: feminine) (type species, confirmed by the Commission to be by original designation: <i>Astacilla falclandica</i> Ohlin, 1901) (Isopoda). Op. 1457	available
<i>nebulosa</i> , <i>Cassida</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 363 (specific name of the type species of <i>Cassida</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1023	available
<i>nebulosa</i> , <i>Phryganea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 549 (specific name of the type species of <i>Taeniopteryx</i> Pictet, 1842) (Insecta, Plecoptera). Op. 653	available
<i>nebulosus</i> , <i>Hydrophorus</i> , Fallén, 1823, <i>Monographia Dolichopodum Sveciae</i> : 3 (specific name of the type species of <i>Hydrophorus</i> Fallén, 1823) (Insecta, Diptera). Op. 1314	available
<i>Necator</i> Sclater & Saunders, 1896, <i>Ibis</i> , (7) 2 : 420 (an emendation of <i>Nicator</i> Finsch & Hartlaub, 1870) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 201	index
<i>Necator</i> Stiles, 1903, <i>Bull. hyg. Lab. Washington</i> , 10 : 14 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Uncinaria americana</i> Stiles, 1902, <i>Amer. Med.</i> , 3 : 777) (Nematoda). Op. 66, Op. 201, Direction 76	available
<i>Necrobia</i> Olivier, 1795, <i>Entomologie</i> , Coleopt., 4 , No. 76 bis (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 427): <i>Dermestes violaceus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 356) (Insecta, Coleoptera). Op. 604	available
<i>Necromantes</i> Gistl, [1847], <i>Nat. Thierr.</i> : xi (a junior objective synonym of <i>Tritonia</i> Cuvier, [1797]). Op. 668	index

<i>Nectoceras</i> Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 : 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>Nectocrangon</i> Brandt, 1851, in Middendorff, <i>Reise Nord. Ost. Sibir.</i> , 2 (1): 114 (a junior objective synonym of <i>Argis</i> Krøyer, 1842). Op. 470	index
NECTOPODES Duméril, 1806, <i>Zool. analyt.</i> : 197 (invalid because not based on a generic name). Op. 619	index
<i>Nectria</i> Gray, 1840, <i>Annals and Magazine of Natural History</i> , (1) 6 (37): 287 (gender: feminine) (type species, by designation under the plenary power: <i>Nectria ocellata</i> Perrier, 1875) (Asteroidea). Op. 1858	available
<i>Neelus</i> Folsom, 1896, <i>Psyche</i> , Cambr., Mass., 7 : 391 (gender: masculine) (type species, by monotypy: <i>Neelus murinus</i> Folsom, 1896, <i>Psyche</i> , Cambr., Mass., 7 : 391) (Insecta, Collembola). Op. 291	available
<i>neglecta</i> , <i>Aeolis</i> , Lovén, 1846, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1846 : 7 (an incorrect subsequent spelling for <i>despecta</i> , <i>Eolidia</i> , Johnston, 1835). Op. 773	index
<i>neglecta</i> , <i>Helix</i> , Draparnaud, [1805], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 108 (Gastropoda). Op. 336	available
<i>neglecta</i> , <i>Idothea</i> [sic], Sars, 1897, <i>Crust. Norway</i> , 2 (5, 6): 84 (Crustacea, Isopoda). Op. 643	available
<i>neglectus</i> , <i>Neriene</i> , Pickard-Cambridge, 1871, <i>Transactions of the Linnean Society of London</i> , 27 : 443 (senior objective synonym of <i>Robertus astutus</i> Pickard-Cambridge, 1879, the type species of <i>Robertus</i> Pickard-Cambridge, 1879) (Arachnida, Araneae). Op. 1426	available
<i>Neides</i> Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 246 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides et des insectes; avec un tableau méthodique de leurs genres, disposés en familles</i> , p. 433: <i>Cimex tipularius</i> Linnaeus, 1758), the valid name at the time of the ruling of <i>Berytus</i> Fabricius, 1803, the type genus of BERYTIDAE Fieber, [1851] (Insecta, Heteroptera). Op. 1504	available
<i>Nemagrapsus</i> Emmons, 1855, <i>Amer. Geol.</i> , 1 : 109 (ruled under the plenary power to be an incorrect original spelling for <i>Nemagraptus</i> Emmons, 1855). Op. 650	index
<i>Nemagraptus</i> (emendation of <i>Nemagrapsus</i>) Emmons, 1855, <i>Amer. Geol.</i> , 1 : 109 (conserved under the plenary power) (gender: masculine) (type species, by designation by Hall, 1868 (<i>20th Rept. N.Y. State Cab. nat. Hist.</i> : 211): <i>Nemagrapsus</i> [sic] <i>elegans</i> Emmons, 1855, <i>Amer. Geol.</i> , 1 : 109, valid name: <i>Graptolithus gracilis</i> Hall, 1848) (Graptolithina). Op. 650	available
NEMATOCARCININAE Smith, 1884, <i>Rep. U.S. Comm. Fish</i> , 10 : 368 (type genus: <i>Nematocarcinus</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available

<i>Nematocarcinus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6)11(4): 14 (gender: masculine) (type species, by monotypy: <i>Nematocarcinus cursor</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6)11(4): 14) (Crustacea, Decapoda). Op. 470	available
<i>Nematopagurus</i> Milne Edwards & Bouvier, 1892, <i>Ann. Sci. nat.</i> , Paris (Zool.), (7)13: 209 (gender: masculine) (type species, by monotypy: <i>Nematopagurus longicornis</i> Milne Edwards & Bouvier, 1892, <i>Ann. Sci. nat.</i> , Paris (Zool.), (7)13: 210) (Crustacea, Decapoda). Op. 712	available
<i>Nematophyllum</i> Bleeker, 1856, <i>Reis Minahassa Moluksch. Arch.</i> , 2: 37 (a junior homonym of <i>Nematophyllum</i> Milne Edwards & Haime, 1850, and a junior objective synonym of <i>Hymenocera</i> Latreille, 1819). Op. 383	index
<i>Nemocestes</i> Van Dyke, 1936, <i>Pan-Pacific Entomologist</i> , 12(1): 22 (gender: masculine) (type species, by designation under the plenary power: <i>Geoderces incomptus</i> Horn, 1876) (Insecta, Coleoptera). Op. 1452	available
<i>Nemognatha</i> Illiger, 1807, <i>Magazin für Insektenkunde</i> , vol. 6, p. 333 (gender: feminine) (type species, by monotypy: <i>Zonitis vittata</i> Fabricius, 1801) (Insecta, Coleoptera). Op. 1918	available
NEMOGNATHINAE Castelnau, 1840, <i>Histoire naturelle des animaux articulés</i> , part 2, p. 280 (type genus: <i>Nemognatha</i> Illiger, 1807), ruled under the plenary power that this name and other family-group names based on <i>Nemognatha</i> are to be given precedence over HORIIDAE Latreille, 1802 and other family-group names based on <i>Horia</i> Fabricius, 1787 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1918	available
NEMONYCHIDAE Bedel, 1882, <i>Annales de la Société entomologique de France</i> , (6)2(3), Publication Hors Série: 3 (type genus: <i>Nemonyx</i> Redtenbacher, 1845), ruled under the plenary power that it and other family-group names based on <i>Nemonyx</i> are to be given precedence over CIMBERIDIDAE Gozis, 1882 and other family-group names based on <i>Cimberis</i> Gozis, 1881 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 2111	available
<i>Nemonyx</i> Redtenbacher, 1845, <i>Die Gattungen der deutschen Käfer-Fauna nach der analytischen Methode bearbeitet ...</i> , p. 96 (gender: masculine) (type species, by monotypy: <i>Rhinomacer lepturoides</i> Fabricius, 1801) (Insecta, Coleoptera). Op. 2111	available
<i>nemoralis</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 773 (Gastropoda). Op. 336	available
<i>nemorum</i> , <i>Cimex</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 254 (specific name of the type species of <i>Anthocoris</i> Fallén, 1814) (Insecta, Hemiptera). Direction 64	available
<i>nemorum</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 591, ruled under the plenary power that all previous type fixations are set aside and the male specimen labelled Sweden, Vstm, Nora district, Klacka Lerberg, 22.vi.1986, in horse paddock, leg. A.C. Pont, 'Er. interrupta (Poda) T.R. Nielsen det.' is designated as the neotype (Insecta, Diptera). Op. 2153	available
<i>Nemotelus</i> Fourcroy, 1785, <i>Entomol. paris.</i> (2): 502 (a junior homonym of <i>Nemotelus</i> Geoffroy, 1762). Op. 441	index

<i>Nemotelus</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 450, 542 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Musca pantherina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 590) (Insecta, Diptera). Op. 441	available
<i>Nemoura</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 101 (gender: feminine) (type species, by designation under the plenary power: <i>Perla cinerea</i> Retzius, 1783, <i>in de Geer, Gen. Spec. Ins.</i> : 60) (Insecta, Plecoptera). Op. 653	available
NEMOURIDAE Newman, 1853, <i>Zoologist</i> , 11 : App. cxc (type genus: <i>Nemoura</i> Latreille, 1796) (Insecta, Plecoptera). Op. 653	available
<i>nemurus, Bagrus</i> , Valenciennes in Cuvier & Valenciennes, 1840, <i>Histoire naturelle des poissons</i> , vol. 14, p. 423, ruled that the previous fixation of type specimen is not set aside (specific name of the type species of <i>Hemibagrus</i> Bleeker, 1862) (Osteichthyes). Op. 2011	available
<i>neocaesariensis</i> , <i>Proteus</i> , Green, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 : 358 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 662	index
<i>Neocimberis</i> O'Brien & Wibmer, 1982, <i>Memoirs of the American Entomological Institute</i> , 34 : 18 (a nomen nudum) (Insecta, Coleoptera). Op. 2111	index
<i>Neodorippe</i> Serène & Romimohtarto, 1969, <i>Marine Research in Indonesia</i> , no. 9, p. 3 (gender: feminine) (type species, by designation under the plenary power: <i>Dorippe callida</i> Fabricius, 1798) (Crustacea, Decapoda). Op. 1437	available
<i>Neodorylas</i> Kuznetzov, 1995, <i>International Journal of Dipterological Research</i> , 6 (4): 326 (a junior objective synonym of <i>Eudorylas</i> Aczél, 1940) (Insecta, Diptera). Op. 2000	index
<i>Neocothea</i> Peterson & Gill, 1982, <i>Memoirs of the Entomological Society of Washington</i> , 10 : 219 (a junior objective synonym of <i>Oecothea</i> Haliday in Curtis, 1837) (Insecta, Diptera). Op. 1797	index
<i>Neoeuthyris</i> Bretnall, 1921, <i>Rec. austr. Mus.</i> , Sydney, 13 : 157 (gender: feminine) (type species, by monotypy: <i>Euthyris woosteri</i> MacGillivray, 1891, <i>Proc. roy. Soc. Victoria</i> , n.s., 3 : 77) (Bryozoa). Op. 617	available
<i>Neogastrura</i> Stach, 1949, <i>Apterygotan Fauna Poland</i> , Fam. Neogastruridae, Brachystomellidae (<i>Acta Mon. Mus. Hist. nat. Cracoviae</i>): 6, 9, 16 (a junior objective synonym of <i>Hypogastrura</i> Bourlet, 1839). Op. 435	index
NEOGASTRURIDAE Stach, 1949, <i>Apterygotan Fauna Poland</i> , Fam. Neogastruridae, Brachystomellidae (<i>Acta Mon. Mus. Hist. nat. Cracoviae</i>): 5 (type genus: <i>Neogastrura</i> Stach, 1949) (a junior objective synonym of HYPOGASTRURINAE Börner, 1906, the respective type genera of these two families having the same nominal species as type species). Op. 435	index
<i>Neokentroceras</i> Spath, 1921, <i>Ann. South African Mus.</i> , 12 : 306 (gender: neuter) (type species, by designation under the plenary power: <i>Neokentroceras curvicornu</i> Spath, 1922, <i>Trans. r. Soc. Edinburgh</i> , 53 : 139) (Cephalopoda). Op. 1254	available

<i>Neolycaena</i> de Nicéville, 1890, <i>Butterflies of India, Burmah and Ceylon</i> , 3 : 64 (gender: feminine) (type species, by original designation: <i>Lycaena sinensis</i> Alphéraky, 1881, <i>Hor. entomol. Ross.</i> , 16 : 383, pl. 14, fig. 7) (Insecta, Lepidoptera). Op. 899	available
<i>neomexicanus, Cnemidophorus</i> , Lowe & Zweifel, 1952, <i>Bulletin of the Chicago Academy of Sciences</i> , 9 (13): 230 (Reptilia, Squamata). Op. 1929	available
<i>Neomorpha</i> Gould, January 1837, <i>Syn. Birds Austr.</i> (1): pl. xi; <i>id.</i> , June 1837, <i>Proc. zool. Soc. London</i> , 4 : 144 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 514	index
<i>Neopasiphae</i> Perkins, 1912, <i>Annals and Magazine of Natural History</i> , (8)9 : 114 (gender: feminine) (type species, by monotypy: <i>Neopasiphae mirabilis</i> Perkins, 1912) (Insecta, Hymenoptera). Op. 1713	available
NEOPASIPHAEIDAE Cockerell, 1930, <i>Australian Zoologist</i> , 6 (2): 148 (type genus: <i>Neopasiphae</i> Perkins, 1912), ruled under the plenary power that this name and other family-group names based on <i>Neopasiphae</i> are not to be given priority over PARACOLLETIDAE Cockerell, 1934 and other familygroup names based on <i>Paracolletes</i> Smith, 1853 whenever their type genera are placed in the same familygroup taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Neophron</i> Savigny, 1809, <i>Descr. Egypte</i> , 1 (1) (Ois.): 68, 75 (gender: feminine) (type species, by monotypy: <i>Vultur percnopterus</i> (emendation of <i>perenopterus</i>) Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 87) (Aves). Op. 67, Op. 411, Direction 74	available
<i>Neothraupis</i> Berlepsch, 1879, in Schalow, <i>Ornithologisches Centralblatt</i> , 4 (7): 55, and all uses of that name prior to Hellmayr, 1936 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy, and a junior objective synonym of <i>Cyanicterus</i> Bonaparte, 1850) (Aves). Op. 2004	index
<i>Neothraupis</i> Hellmayr, 1936, <i>Field Museum of Natural History Publications, Zoology Series</i> , 13 (9): 432 (gender: feminine) (type species, by subsequent designation by Gray, 1855, <i>Catalogue of the genera and subgenera of birds contained in the British Museum</i> , p. 73, of the replaced nominal genus <i>Diucopis</i> Bonaparte, 1850: <i>Tanagra fasciata</i> Lichtenstein, 1823) (Aves). Op. 2004	available
<i>Neotrigonia</i> Cossmann, 1912, <i>Ann. Paléont.</i> , 7 (2): 81 (gender: feminine) (type species, by original designation: <i>Trigonia margaritacea</i> Lamarck, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 4 (23): 355) (Bivalvia). Op. 327	available
<i>Nephanes</i> Thomson, 1859, <i>Skand. Coleopt.</i> , 1 : 62 (gender: feminine) (type species, by original designation: <i>Trichopteryx abbreviatella</i> Heer, 1841, <i>Fauna Coleopterorum Helvetica</i> , I. Turici: 375, valid name: <i>Trichopteryx titan</i> Newman, 1834) (Insecta, Coleoptera). Op. 1307	available
<i>Nephrops</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 398, 400 (gender: masculine) (type species, by monotypy: <i>Cancer norvegicus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 632) (Crustacea, Decapoda). Op. 104, Direction 37	available
<i>Nephropsis</i> Wood-Mason, 1872, <i>Proc. asiat. Soc. Bengal</i> , 1872 : 151 (gender: feminine) (type species, by monotypy: <i>Nephropsis stewarti</i> Wood-Mason, 1872, <i>Proc. asiat. Soc. Bengal</i> , 1872 : 151) (Crustacea, Decapoda). Op. 559	available

<i>nepoides</i> , <i>Chelifer</i> , Hermann, 1804, <i>Mémoire Aptérologique</i> , p. 116 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Pseudoscorpionida). Op. 1697	index
<i>Neptis</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Neptis</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 282 (conserved under the plenary power) (gender: feminine) (type species, by designation by Crotch, 1872 (<i>Cistula entomol.</i> , 1 : 66); <i>Papilio aceris</i> Esper, [1783], <i>Die Schmett.</i> , 1 (Bd. 2) Forts. Tagschmett.: 142, pl. 81, figs. 3♂, 4♀, valid name: <i>Papilio hylas</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 232	available
<i>neptuni</i> , <i>Actaletes</i> , Giard, 1889, <i>Le Naturaliste</i> , (2) 11 : 123 (specific name of the type species of <i>Actaletes</i> Giard, 1889) (Insecta, Collembola). Op. 291	available
<i>neptuni</i> , <i>Receptacules</i> , Defrance, 1827, <i>Dict. Sci. nat.</i> , 45 : 7 (specific name of the type species of <i>Receptaculites</i> Deshayes, 1828) (Receptaculitidae). Op. 909	available
<i>Neptunus</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 3, 7 (a junior objective synonym of <i>Portunus</i> Weber, 1795). Op. 394	index
<i>neptunus</i> , <i>Alpheus</i> , Dana, 1852, Crustacea, in: <i>U.S. Exploring Expedition 1838 ... 1842 under the command of Charles Wilkes, USN</i> , 13 : 553, pl. 35, fig. 5, as interpreted by the neotype proposed by Banner & Banner, 1972 (<i>Crustaceana</i> , 23 : 24) and designated under the plenary power (Crustacea, Decapoda). Op. 1113	available
<i>Nereis</i> Conrad, 1860, <i>J. Acad. nat. Sci. Philadelphia</i> , (2) 4 : 289 (a junior homonym of <i>Nereis</i> Linnaeus, 1758). Op. 789	index
<i>Nereis</i> Hübner, [1806], <i>Sammel. exot. Schmett.</i> , 1 : pl. [1], [2], [5-8], [12], [15] (a junior homonym of <i>Nereis</i> Linnaeus, 1758). Op. 789	index
<i>Nereis</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Nereis</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4-6 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Nereis</i> Warren, 1908, <i>Proc. U.S. nat. Mus.</i> , 34 (1601): 110 (a junior homonym of <i>Nereis</i> Linnaeus, 1758). Op. 789	index
<i>neriifolia</i> , <i>Locusta</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 82, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Orthoptera). Op. 1820	available
<i>Nerinella</i> Nardo, 1847, <i>Prospetto Faun. marin. volg. Veneto Estuario</i> : 13 (a nomen nudum). Op. 316	index
<i>Nerinella</i> Sharpe, 1850, <i>Quart. J. geol. Soc. London</i> , 6 : 103 (gender: feminine) (type species, by designation by Cossmann, 1896 (<i>Essai Paléoconch. comp.</i> , 2 : 36); <i>Nerinea dupiniana</i> d'Orbigny, 1843, <i>Paléont. franç.</i> , Terr. crét., 2 : 81) (Gastropoda). Op. 316	available

<i>Nerinoides</i> Wenz, 1940, <i>Handb. Paläozool.</i> , Gastropoda: 824 (a junior objective synonym of <i>Nerinella</i> Sharpe, 1850). Op. 316	index
<i>neriteum, Buccinum</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 738 (valid name at the date of Opinion 793 of the type species of <i>Cyclope</i> Risso, 1826) (Gastropoda). Op. 793	available
<i>Neritina</i> Lamarck, 1816, <i>Ency. méth. (Vers. Coqu. Moll. Polyp.)</i> , 3: pl. 455; liste: 11 (gender: feminine) (type species, by designation by Children, 1823 (<i>Quart. J. Sci. Lit. Arts</i> , 15: 247); <i>Nerita pulligera</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1253) (Gastropoda). Op. 119, Direction 72	available
<i>Neritina</i> Rafinesque, 1815, <i>Analyse Nature</i> : 144 (a nomen nudum). Direction 72	index
<i>neritina, Sertularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 815 (specific name of the type species of <i>Bugula</i> Oken, 1815) (Bryozoa). Op. 902	available
<i>Neritinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>nervosa, Gynacantha</i> , Rambur, 1842, <i>Histoire naturelle des insectes. Névroptères</i> , p. 213 (type species of <i>Gynacantha</i> Rambur, 1842) (Insecta, Odonata). Op. 2148	available
<i>nesarnack, Delphinus</i> , Lacepède, 1804, <i>Histoire Naturelle des Cétacées</i> , vol. 40, p. 307, pl. 15, fig. 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Cetacea). Op. 1413	index
<i>Nesopupa</i> Pilsbry, 1900, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 52: 431 (gender: feminine) (type species, by original designation of the replaced nominal genus <i>Ptychochilus</i> Boettger, 1881; <i>Pupa tantilla</i> Gould, 1847) (Gastropoda). Op. 1823	available
<i>Netastoma</i> Carpenter, 1864, <i>Rep. brit. Assoc. Adv. Sci. for 1863</i> : 529, 540, 605, 635, 637, 684 (gender: neuter) (type species, by monotypy: <i>Pholas darwini</i> Sowerby, 1849, <i>Thesaurus conchylium</i> , 2(10): 490, pl. 107, figs. 76, 77) (Bivalvia). Op. 1296	available
<i>neubergicus, Ammonites</i> , Hauer, 1858, <i>Beitrag zur palaeontographie von Österreich</i> , vol. 1, p. 12, ruled under the plenary power to be given precedence over the specific name of <i>Ammonites chrishna</i> Forbes, 1846 whenever the two names are considered to be synonyms (specific name of the type species of <i>Pachydiscus</i> Zittel, 1884) (Cephalopoda, Ammonoidea). Op. 1519	available
<i>neucrates, Echeneis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 261 (an incorrect original spelling for <i>naucrates, Echeneis</i> , Linnaeus, 1758). Op. 242	index
<i>neumoegeni, Megathymus</i> , Edwards, 1882, <i>Papilio</i> , 2: 27 (Insecta, Lepidoptera). Op. 483	available
<i>neuter, Hydroporus</i> , Fairmaire & Laboulbène, 1855, <i>Faune entomologique française ou description des insectes qui se trouvent en France, coléoptères</i> , vol. 1, p. 205 suppressed for the purposes of the Principle of Priority but not for those of the Principle of Homonymy. (Insecta, Coleoptera) Op. 2065 (rescinded) Op. 2207	index

<i>newberryi</i> , <i>Planorbis</i> , Lea, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 91 (specific name of the type species of <i>Carinifex</i> Binney, 1865) (Gastropoda). Op. 432	available
<i>nexus</i> , <i>Baetis</i> , Navás, 1918, <i>Butlleti de la Institucio Catalana d'Historia Natural</i> , 1918 : 38–39 (Insecta, Ephemeroptera). Op. 2171	available
<i>nibe</i> , <i>Sciaena</i> , Jordan & Thompson, 1911, <i>Proc. U.S. natn. Mus.</i> , 39 : 258 (Osteichthyes). Op. 1272	available
<i>nicholsoni</i> , <i>Cyphaspis (Törnquistia)</i> [sic], Reed, 1896, <i>Quart. J. geol. Soc. London</i> , 52 : 433 (specific name of the type species of <i>Toernquistia</i> (correction of <i>Törnquistia</i>) Reed, 1896) (Trilobita). Op. 367	available
<i>niger</i> , <i>Aigocerus</i> , Harris, 1838, <i>Proc. zool. Soc. London</i> , 6 : 2 (Mammalia). Direction 23	available
<i>niger</i> , <i>Aphodius</i> , Illiger, 1798, <i>Verzeichniss der Käfer Preussens. Entworfen von Johann Gottlieb Kugelann Apotheker in Osterode</i> , p. 24, as defined by the lectotype labelled ‘Suec’ and ‘lectotype’ in the Museum für Naturkunde, Berlin, designated by Krell, F-T., Mann, D.J., Angus, R.B. & Maté, J.F., 2003, <i>Bulletin of Zoological Nomenclature</i> , 60 : 129 (Insecta, Coleoptera). Op. 2099	available
<i>niger</i> , <i>Bucco</i> , Müller, [1776], <i>Linné vollständ. Natursyst.</i> , Suppl.: 89 (specific name of the type species of <i>Capito</i> Vieillot, 1816) (Aves). Direction 43	available
<i>niger</i> , <i>Cancer</i> , Forskål, 1775, <i>Descriptiones Animalium Avium, Amphibiorum, Piscium, Insectorum, Vermium; quae in Itinere orientali observavit Petrus Forskal. Post Mortem Auctoris editit Carsten Niebuhr. Adjuncta est materia Medica Kahirina</i> , p. 89 (specific name of the type species of the genus <i>Chlorodiella</i> Rathbun, 1897) (Crustacea). Op. 2204	available
<i>niger</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 67 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>niger</i> , <i>Elater</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 75 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>niger</i> , <i>Figites</i> , Hartig, 1840, <i>Z. Entomol.</i> (German), 2 : 202 (valid name at the date of Direction 50 of the type species of <i>Omalaspis</i> Giraud, 1860) (Insecta, Hymenoptera). Direction 50	available
<i>niger</i> , <i>Gobius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 262 (specific name of the type species of <i>Gobius</i> Linnaeus, 1758) (Osteichthyes). Direction 51	available
<i>niger</i> , <i>Scarabaeus</i> , Panzer, 1797, <i>Fauna Insectorum Germaniae initia oder Deutschlands Insecten</i> , Heft 37, p. 1 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 2099	index
<i>niger</i> , <i>Scolytus</i> , Geoffroy, 1785, in Fourcroy, <i>Entomol. paris</i> : 139 (a junior objective synonym of <i>scolytus</i> , <i>Bostričus</i> , Fabricius, 1775). Op. 683	index
<i>niger</i> , <i>Scytale</i> , Daudin, 1803, <i>Histoire naturelle, générale et particulière des reptiles</i> , Paris: 342, and all uses of that name prior to the publication of <i>Scytale neuwiedii</i> var. <i>nigrum</i> Duméril, Bibron & Duméril, 1854, <i>Erpétologie générale ou histoire naturelle complète des reptiles</i> , Paris, 7 : 1002 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1165	index

<i>niger, Smynthurus</i> , Lubbock, 1868, <i>Trans. linn. Soc. London</i> , 26 : 297 (specific name of the type species of <i>Sminthurinus</i> Börner, 1901) (Insecta, Collembola). Op. 1027	available
<i>niger, Sphex</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 350 (Insecta, Hymenoptera). Op. 997	available
<i>niger, Staphylinus</i> , Müller, 1764, <i>Fauna Insectorum Fridrichsdalina, sive methodica descriptio insectorum agri Fridrichsdalensis</i> , p. 23, ruled under the plenary power not to be given priority over <i>Staphylinus splendens</i> Fabricius, 1793 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>niger, Vespertilio vampirus</i> , Kerr, 1792, <i>The animal kingdom or zoological system of the celebrated Sir Charles Linnaeus. Class 1, Mammalia</i> , p. 90 (specific name of the type species of <i>Pteropus</i> Brisson, 1762) (Mammalia, Chiroptera). Op. 1894	available
<i>nigerrimus, Sphex</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 295 (specific name of the type species of <i>Anoplus</i> Dufour, 1834) (Insecta, Hymenoptera). Op. 997	available
<i>nigra, Formica</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 580 (specific name of the type species of <i>Lasius</i> Fabricius, [1804-1805]) (Insecta, Hymenoptera). Direction 4	available
<i>nigra, Paradisea</i> [sic], Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 401 (specific name of the type species of <i>Astrapia</i> Vieillot, 1816) (Aves). Direction 43	available
<i>nigrellus, Anthocoris</i> , Zetterstedt, 1838, <i>Ins. Lapp.</i> : 265, as interpreted by the specimen described by Péricart, 1966 (<i>Bull. zool. Nomencl.</i> , 23 : 122) and designated as neotype under the plenary power (specific name of the type species of <i>Elatophilus</i> Reuter, 1884) (Insecta, Hemiptera). Op. 863	available
<i>nigrescens, Alvania</i> , Bartsch & Rehder, 1939, <i>Smithsonian Miscellaneous Collections</i> , 98 (10): 8 (specific name of the type species of <i>Lirobarleeia</i> Ponder, 1983) (Gastropoda). Op. 1888	available
<i>nigricana, Pyralis</i> , Fabricius, 1794, <i>Entomologia Systematica</i> , vol. 3, part 2, p. 276 (Insecta, Lepidoptera). Op. 1528	available
<i>nigricans, Typhlops</i> , Schlegel, 1839, <i>Abbildungen neuer oder unvollständig bekannter Amphibien</i> : 38 (specific name of the type species of <i>Leptotyphlops</i> Fitzinger, 1843) (Reptilia). Op. 1207	available
<i>nigricephala, Tanagra</i> , Jameson, 1835, <i>Edinburgh new Phil. J.</i> , 19 : 213 (valid name at the date of Direction 43 of the type species of <i>Spindalis</i> Jardine & Selby, 1836) (Aves). Direction 43	available
<i>nigriceps, Philonthus</i> , Eppelsheim, 1885, <i>Deutsche Entomologische Zeitschrift</i> , 29 : 112, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. nigriceps</i> Gemminger & Harold, 1868 (Insecta, Coleoptera). Op. 2053	available
<i>nigricollis, Coluber</i> , Dwigubskij, 1832, <i>Opyt estestv. Istorii</i> , 3 : 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index

<i>nigricollis</i> , <i>Podiceps</i> , Brehm, 1831, <i>Handb. Naturg. Vögel Deutschl.</i> : 963 (Aves). Op. 406	available
<i>nigricorne</i> , <i>Acridium</i> , Burmeister, 1838, <i>Handb. Entomol.</i> , 2(2): 629 (specific name of the type species of <i>Valanga</i> Uvarov, 1923) (Insecta, Orthoptera). Op. 998	available
<i>nigricornis</i> , <i>Anthocoris</i> , Zetterstedt, 1838, <i>Ins. Lapp.</i> : 265, as interpreted by the specimen described by Péricart, 1966 (<i>Bull. zool. Nomencl.</i> , 23: 122) and designated as neotype under the plenary power (Insecta, Hemiptera). Op. 863	available
<i>nigrimana</i> , <i>Cordylura</i> , Zetterstedt, 1846, <i>Dipt. Scand.</i> , 5: 2040 (specific name of the type species of <i>Acanthocnema</i> Becker, 1894) (Insecta, Diptera). Op. 290	available
<i>nigripes</i> , <i>Dermestes</i> , Fabricius, 1792, <i>Entomol. syst.</i> , 1(1): 233 (valid name at the date of Opinion 300 of the type species of <i>Globicornis</i> Latreille, 1829) (Insecta, Coleoptera). Op. 300	available
<i>nigrofasciatus</i> , <i>Philothamnus</i> , Buchholz & Peters, 1875, <i>Monatsber. Akad. Wiss. Berlin</i> : 199, 200, ruled under the plenary power not to be given priority over the specific name <i>carinatus</i> Andersson, 1901, as published in the binomen <i>Chlorophis carinatus</i> , whenever the two names are considered synonyms (Reptilia). Op. 1214	available
<i>nigrolimbatus</i> , <i>Lipeurus</i> , Giebel, 1874, <i>Insecta epizoa</i> : 233 (specific name of the type species of <i>Perineus</i> Thompson, 1936) (Insecta, Mallophaga). Op. 656	available
<i>nigrolineata</i> , <i>Corisa</i> , Fieber, 1848, <i>Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou</i> , 21: 527 (Insecta, Heteroptera). Op. 1782	available
<i>nigromaculatus</i> , <i>Pediopsis</i> , Motschulsky, 1859, <i>Études Entomologiques, redigées par Victor de Motschulsky</i> , vol. 8, p. 111 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Auchenorrhyncha). Op. 1936	index
<i>nigropictus</i> , <i>Thamnotettix</i> , Stål, 1870, <i>Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Förfärlingar</i> , 27: 740 (Insecta, Auchenorrhyncha). Op. 1936	available
<i>nigroplanus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>nigrum</i> , <i>Omalium</i> , Coiffait, 1982, <i>Senckenbergiana Biologica</i> , 62: 151, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O.</i> <i>nigrum</i> Gravenhorst, 1806 (Insecta, Coleoptera). Op. 2053	available
<i>nigrum</i> , <i>Omalium</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropterorum</i> , p. 212 (Insecta, Coleoptera). Op. 2053	available
<i>nigrum</i> , <i>Scytale neuwiedii</i> var., Duméril, Bibron & Duméril, 1854, in Roret's Suites à Buffon, <i>Erpét. Gén.</i> , 7: 1002 (Reptilia). Op. 698	available
NIKIDAE Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: xii, xli, 480, 503 (type genus: <i>Nika</i> Risso, 1816) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 434	index

<i>Nikoides</i> Paulson, 1875, <i>Issled. Rakoobr. krasn. Morja</i> [Stud. Crust. Red Sea]: 98 (gender: masculine) (type species, by monotypy: <i>Nikoides danae</i> Paulson, 1875, <i>Issled. Rakoobr. krasn. Morja</i> [Stud. Crust. Red Sea]: 98) (Crustacea, Decapoda). Op. 470	available
<i>nilotica, Bdella</i> , Savigny, 1822, <i>Descr. Egypte</i> , 1(3) (Ann.): 113 (specific name of the type species of <i>Limnatis</i> Moquin-Tandon, 1827) (Hirudinea). Direction 77	available
<i>niloticum, Trombidium</i> , Trägårdh, 1905, <i>Results Swedish zool. Exp. Egypt and White Nile</i> , 1901, II: 78-82 (specific name of the type species of <i>Blankaartia</i> Oudemans, 1911) (Arachnida). Op. 655	available
<i>niloticus, Sudis</i> , Cuvier, 1829, ex Ehrenberg MS, <i>Règne Animal</i> (ed. 2), 2: 328 (specific name of the type species of <i>Heterotis</i> Rüppell, 1829, ex Ehrenberg MS) (Osteichthyes). Op. 1132	available
<i>nina, Papilio</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 3(1): 194 (Insecta, Lepidoptera). Op. 584	available
<i>niobe, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 481 (specific name of the type species of <i>Fabriciana</i> Reuss, 1920) (Insecta, Lepidoptera). Op. 501	available
<i>Nioma</i> Gray, 1842, <i>Syn. Brit. Mus.</i> (ed. 44): 60 (a junior objective synonym of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009	index
<i>Niomia</i> Gray, 1842, <i>Syn. Brit. Mus.</i> (ed. 44): 90 (an unjustified emendation of <i>Nioma</i> Gray, 1842). Op. 1009	index
<i>Niona</i> Paetel, 1887, <i>Cat. Conch.</i> (ed. 4), 1: 511 (an unjustified emendation of <i>Nioma</i> Gray, 1842). Op. 1009	index
<i>Niphea</i> Rafinesque, 1815, <i>Analyse Nature</i> : 98 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>niponensis, Hymenocera</i> , de Haan, [1844], in Siebold, <i>Fauna japon.</i> (Crust.): pl. 46 (an incorrect original spelling for <i>nipponeensis, Hymenocera</i> , de Haan, [1844]). Op. 383	index
<i>Nipponaphera</i> Habe, 1961, <i>Coloured Illustrations of the Shells of Japan</i> , 2, Osaka, Appendix: 27 (gender: feminine) (type species, by designation under the plenary power: <i>Nipponaphera habei</i> Petit, 1972, <i>Venus</i> , 31(2): 103) (Gastropoda). Op. 1052	available
<i>nipponensis</i> , (emendation of <i>niponensis</i>), <i>Hymenocera</i> , de Haan, [1844], in Siebold, <i>Fauna japon.</i> (Crust.): pl. 46 (Crustacea, Decapoda). Op. 383	available
<i>nipponica, Hanzawaia</i> , Asano, 1944, <i>Journal of the Geological Society of Japan</i> , 51(606): 98 (specific name of the type species of <i>Hanzawaia</i> Asano, 1944) (Foraminiferida). Op. 1568	available
<i>NIRMIDES</i> [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> (ed. 1), 9: 78 (type genus: <i>Nirmus</i> Hermann, 1804) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 627	index
<i>Nirmus</i> Hermann, 1804, <i>Mém. apt.</i> : 12 (a junior objective synonym of <i>Ricinus</i> de Geer, 1778). Op. 627	index

<i>Nirmus</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 291 (a junior homonym of <i>Nirmus</i> Hermann, 1804). Op. 627	index
<i>nisibis, Neocheritra</i> , de Nicéville, 1895, <i>J. Bombay nat. Hist. Soc.</i> , 9 (3): 316, pl. P, fig. 45 (specific name of the type species of <i>Thrix</i> Doherty, 1891) (Insecta, Lepidoptera). Op. 894	available
<i>nitens, Curculio</i> , Scopoli, 1763, <i>Entomol. Carniolica</i> : 25 (valid name at the date of Opinion 1239 of the type species of <i>Attelabus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1239	available
<i>nitens, Helix</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3633 (a junior objective synonym of the specific name of <i>Helix nitida</i> Müller, 1774) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1822	index
<i>nitens, Helix</i> , Michaud, 1831, <i>Complément de l'histoire naturelle des mollusques terrestres et fluviatiles de la France</i> , de J.P.R. Draparnaud, p. 44, as defined by the lectotype designated by Forcart, 1959, <i>Archiv für Molluskenkunde</i> , 88 (1-3): 24 (Gastropoda). Op. 1822	available
<i>nitescens, Palaemon</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 401 (specific name of the type species of <i>Athanas</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 470	available
<i>nitida, Cicindela</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 32, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>nitida, Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 32 (specific name of the type species of <i>Zonitoides</i> Lehmann, 1862) (Gastropoda). Op. 335	available
<i>nitidissimum, Liotheum</i> , Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 302 (a junior objective synonym of <i>fringillae, Ricinus</i> , de Geer, 1778). Op. 627	index
<i>nitidula, Helix</i> , Draparnaud, [1805], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 117, as defined by the neotype (specimen no. 86934 in the Naturhistorisches Museum, Vienna) designated under the plenary power (Gastropoda). Op. 336, Op. 1822	available
<i>nitidulum, Chaetoderma</i> , Lovén, 1844, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1 : 116 (specific name of the type species of <i>Chaetoderma</i> Lovén, 1844) (Caudofoveata). Op. 764	available
<i>nitidulus, Pupoides</i> , Pfeiffer, 1854, <i>Malak. Bl.</i> , 1 : 192 (specific name of the type species of <i>Pupoides</i> Pfeiffer, 1854) (Gastropoda). Direction 72	available
<i>nitidulus, Staphylinus</i> , Fabricius, 1781, <i>Species insectorum exhibentes eorum differentias specificas ...</i> , p. 337 (Insecta, Coleoptera). Op. 2053	available
<i>nitidulus, Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia ...</i> , p. 27, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. nitidulus</i> Fabricius, 1781 (Insecta, Coleoptera). Op. 2053	available

<i>nitidum</i> , <i>Pisidium</i> , Jenyns, 1832, <i>Trans. Cambridge phil. Soc.</i> , 4 (2): 304 (Bivalvia). Op. 336	available
<i>nitidus</i> , <i>Catoptrus</i> , Milne Edwards, 1870, <i>Ann. Sci. nat.</i> , Paris (Zool.), (5) 13 (No. 2): [1] (specific name of the type species of <i>Catoptrus</i> Milne Edwards, 1870) (Crustacea, Decapoda). Direction 36	available
<i>nitidus</i> , <i>Dissodactylus</i> , Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 173 (specific name of the type species of <i>Dissodactylus</i> Smith, 1870) (Crustacea, Decapoda). Direction 36	available
<i>nitidus</i> , <i>Euryplax</i> , Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 60 (specific name of the type species of <i>Euryplax</i> Stimpson, 1859) (Crustacea, Decapoda). Direction 36	available
<i>nitidus</i> , <i>Falco</i> , Latham, 1790, <i>Index orn.</i> : 41 (valid name at the date of Direction 43 of the type species of <i>Asturina</i> Vieillot, 1816) (Aves). Direction 43	available
<i>nitidus</i> , <i>Libystes</i> , Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 285 (specific name of the type species of <i>Libystes</i> Milne Edwards, 1867) (Crustacea, Decapoda). Direction 36	available
<i>nitidus</i> , <i>Notonyx</i> , Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 269 (specific name of the type species of <i>Notonyx</i> Milne Edwards, 1873) (Crustacea, Decapoda). Direction 36	available
<i>nitidus</i> , <i>Planorbis</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 163 (valid name at the date of Opinion 335 of the type species of <i>Segmentina</i> Fleming, 1818) (Gastropoda). Op. 335	available
<i>nitidus</i> , <i>Sphaerozius</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 35 (specific name of the type species of <i>Sphaerozius</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>nivalis</i> , <i>Hydroporus</i> , Heer, 1839, <i>Fauna coleopterorum Helvetica</i> , part 1, vol. 2, p. 157, ruled under the plenary power not to be given priority over the name <i>Hydroporus foveolatus</i> Heer, 1839 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2127	available
<i>nivea</i> , <i>Cystia</i> , [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Noachi</i> , <i>Arca</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 42 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>noae</i> , <i>Arca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 693 (specific name of the type species of <i>Arca</i> Linnaeus, 1758) (Bivalvia). Direction 1	available
<i>nobile</i> , <i>Trichopeltarion</i> , Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 20 (specific name of the type species of <i>Trichopeltarion</i> Milne Edwards, 1880) (Crustacea, Decapoda). Direction 36	available

<i>nobilis</i> , <i>Buprestis</i> , Fabricius, 1787, <i>Mantissa insectorum</i> ..., vol. 1, p. 180, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis nobilis</i> Linnaeus, 1758 (Insecta, Coleoptera). Op. 2008	available
<i>nobilis</i> , <i>Buprestis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 410 (specific name of the type species of <i>Actenodes</i> Dejean, 1833) (Insecta, Coleoptera). Op. 2008	available
<i>nobilis</i> , <i>Mulleria</i> , Selenka, 1867, <i>Z. wiss. Zool.</i> , 17 : 313 (Holothuroidea). Op. 762	available
<i>nobilis</i> , <i>Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, p. 353 (specific name of the type species of <i>Gnorimus</i> Le Peletier & Serville, 1828) (Insecta, Coleoptera). Op. 2186	available
<i>nobilissimus</i> , <i>Holoptychius</i> , Agassiz, 1839, in Murchison, <i>Silurian System</i> : 599-601, pl. 2 bis, figs. 1, 2 (specific name of the type species of <i>Holoptychius</i> Agassiz, 1839) (Osteichthyes). Op. 930	available
<i>Noctiluca</i> Houttuyn, 1766, <i>Natuurl. Hist.</i> : 245 (not made available in the work cited). Op. 322	index
<i>noctiluca</i> , <i>Cantharis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 400 (specific name of the type species of <i>Lampyris</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1273	available
<i>Noctua</i> Gmelin, 1771, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 15 : 447 (a junior homonym of <i>Noctua</i> Linnaeus, 1758). Op. 450	index
<i>Noctua</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 508 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Phalaena pronuba</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 512) (Insecta, Lepidoptera). Op. 450	available
<i>Noctua</i> Linnaeus, 1764, <i>Dissert. Acad. demonstr. Necess. promov. Hist. nat. Rossia</i> : 16; <i>id.</i> , 1767, <i>Amoen. Acad.</i> , 7 : 450 (a nomen nudum). Op. 450	index
NOCTUACEA Burmeister, 1829, <i>De Ins. Syst. Nat.</i> : 27 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUAEIDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 85 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUAELITES Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 191, 224 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect original spelling for NOCTUIDAE Latreille, 1809). Op. 450	index
NOCTUARIA Gravenhorst, 1843, <i>Vergleich. Zool.</i> : 167 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUARIAE Zetterstedt, 1840, <i>Ins. lapp.</i> : vi, 932 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index

NOCTUELIDES Duponchel, 1844, <i>Cat. méth. Lépid. Europ.</i> : 145 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUELIDI Boisduval, [November 1828], <i>Euro. Lep. Index meth.</i> : 101 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUELITES Guénée, 1852, <i>Hist. nat. Ins.</i> , 5 : 1 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUES Swinhoe, 1890, <i>Trans. entomol. Soc. London</i> , 1890 : 217 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 134 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 191, 224 (type genus: <i>Noctua</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
NOCTUITES Newman, 1835, <i>Grammar Entomol.</i> : 176 (type genus: <i>Noctua</i> Linnaeus, 1758) (an incorrect subsequent spelling for NOCTUIDAE (correction of NOCTUAELITES) Latreille, 1809). Op. 450	index
<i>nocturna, Jaxeia</i> , Nardo, 1847, <i>Sinon. moderna Opera Chiereghin</i> : 4 (specific name of the type species of <i>Jaxeia</i> Nardo, 1847) (Crustacea, Decapoda). Op. 712	available
<i>nodipes, Pisa</i> , Leach, 1815, <i>Zool. Miscell.</i> , 2 : 50 (Crustacea, Decapoda). Op. 708	available
<i>nodosa, Ammonites</i> , Bruguière, 1789, <i>Encyclopédie méthodique. 1. Histoire naturelle des vers</i> , p. 43, and all uses of the name prior to the publication of Ammonites nodosus Schlotheim, 1813 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Cephalopoda, Ammonoidea). Op. 1806	index
<i>nodosa, Asterias</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 661, as interpreted by the lectotype designated by Clark, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 175) (specific name of the type species of <i>Protoreaster</i> Döderlein, 1916) (Asteroidea). Op. 707	available
<i>nodosa, Ceriopora</i> , Fischer von Waldheim, 1837, <i>Oryctographie du Gouvernement de Moscou</i> , Ed. 2, p. 166 (specific name of the type species of <i>Ascopora</i> Trautschold, 1876) (Bryozoa, Cryptostomata). Op. 1786	available
<i>nodosa, Nerita</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 777 (valid name at the date of Opinion 886 of the type species of <i>Thais</i> [Röding], 1798) (Gastropoda). Op. 886	available

<i>nodosa</i> , <i>Robulina</i> , Reuss, 1863, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Classe</i> , 46 (1): 78, as defined by the neotype (specimen no. C 30169 in the Naturhistorisches Museum, Basle) designated by Bartenstein, 1974, <i>Elogiae Geologicae Helvetiae</i> , 67 : 540 and confirmed by the Commission as the name-bearing type (Foraminifera). Op. 1803	available
<i>Nodosaria</i> [Lamarck], [1816], <i>Ency. méth. (Vers)</i> : pl. 465 (gender: feminine) (type species, by designation by Children, 1823 (Lamarck's <i>Genera of Shells</i> : 149): <i>Nautilus radicula</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 71) (Rhizopoda). Op. 1003	available
<i>nodostrictus</i> , <i>Ammonites</i> , Quenstedt, 1885, <i>Die Ammoniten des Schwäbischen Jura</i> , p. 264 (specific name of the type species of <i>Holcolytoceras</i> Spath, 1924) (Ammonoidea). Op. 2123	available
<i>nodosus</i> , <i>Ammonites</i> , Schlotheim, 1813, <i>Beiträge zur Naturgeschichte der Versteinerungen in geognostischer Sicht. Taschenbuch für die gesammte Mineralogie</i> , 7 : 100, ruled under the plenary power to be defined by the lectotype (specimen no. C785 in the Museum für Naturkunde an der Humboldt Universität, Berlin) designated by Urlichs & Mundlos, 1987, <i>Stuttgarter Beiträge zur Naturkunde</i> , (B) 128 : 7 (specific name of the type species of <i>Ceratites</i> de Haan, 1825) (Cephalopoda, Ammonoidea). Op. 1806	available
<i>nodosus</i> , <i>Oreophorus</i> , Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 434 (specific name of the type species of <i>Speloeophorus</i> Milne Edwards, 1865) (Crustacea, Decapoda). Direction 36	available
<i>nodulatus</i> , <i>Ammonites</i> , Quenstedt, 1888, <i>Die Ammoniten des Schwäbischen Jura</i> , p. 981 (specific name of the type species of <i>Presimoceras</i> Sarti, 1990) (Ammonoidea). Op. 2123	available
<i>nodulosa</i> , <i>Trigonia</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 117 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 327	index
<i>Nodus</i> Wagler, 1830, <i>Nat. Syst. Amphibien</i> : 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1289	index
<i>noliformis</i> , <i>Campanularia</i> , McCrary, 1859, <i>Proceedings of the Elliott Society of Natural History</i> , 1 : 194, as defined by the neotype (fertile hydroid colony from Castle Harbour, Bermuda, in the Royal Ontario Museum, Toronto, Canada, collection no. ROMIZ B365) designated under the plenary power (Cnidaria). Op. 1986	available
<i>Nomada</i> Scopoli, 1770, <i>Annus IV, historico-naturalis</i> , p. 44 (gender: feminine) (type species, by subsequent designation by Curtis, 1832, <i>British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland ...</i> , vol. 9, pl. 419, text: <i>Apis ruficornis</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1713	available

<i>Nomadacris</i> Uvarov, 1923, <i>Annals and Magazine of Natural History</i> , (9)11: 143 (gender: feminine) (type species, by original designation: <i>Acridium septemfasciatum</i> Audinet-Serville, [1838]), ruled under the plenary power that the first reviser action of Jago, 1981, whereby the name <i>Patanga</i> Uvarov, 1923 was given precedence over the name <i>Nomadacris</i> , is set aside and that <i>Nomadacris</i> has precedence over <i>Patanga</i> whenever the two names are considered to be synonyms (Insecta, Orthoptera). Op. 1454	available
NOMADIDAE Fallén, 1813, <i>Specimen novam Hymenoptera disponendi methodum exhibens</i> , p. 31 (type genus: <i>Nomada</i> Scopoli, 1770), ruled under the plenary power that this name and other family-group names based on <i>Nomada</i> are not to be given priority over ANTHOPHORIDAE Dahlbom, 1835 and other family-group names based on <i>Anthophora</i> Latreille, 1803 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Nomioides</i> Schenck, 1866, <i>Berlin Entomol. Zeitschr.</i> , 10: 333 (gender: masculine) (type species, by designation under the plenary power: <i>Apis minutissima</i> Rossi, 1790, <i>Fauna Etrusca</i> , 2: 109, Liburni (Pisis)) (Insecta, Hymenoptera). Op. 1319	available
<i>Nonion</i> de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles. Coquilles univalves, cloisonnées</i> , vol. 1, p. 210 (gender: masculine) (type species, by designation under the plenary power: <i>Nautilus faba</i> Fichtel & Moll, 1798) (Foraminiferida). Op. 1567	available
<i>Nonionina</i> d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , (1)7: 293 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1568	index
<i>Norella</i> Bittner, 1890, <i>Abh. k.-k. geol. Reichsanst.</i> , 14: 315 (gender: feminine) (type species, by designation under the plenary power: <i>Rhynchonella refractifrons</i> Bittner, 1890, <i>Abh. k.-k. geol. Reichsanst.</i> , 14: 34) (Brachiopoda). Op. 633	available
NORELLINAE Ager, 1959, <i>J. Paleontol.</i> , 33: 330 (type genus: <i>Norella</i> Bittner, 1890) (Brachiopoda). Op. 633	available
<i>norma</i> , <i>Autographa</i> , Hübner, [1821], <i>Verzeichniss bekannter Schmettlinge</i> , p. 251 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1682	index
<i>normalis</i> , <i>Lybas</i> , Lacordaire, 1842, <i>Monographie des Erotyliens, famille de l'ordre des coléoptères</i> , p. 235 (specific name of the type species of <i>Lybas</i> Lacordaire, 1842) (Insecta, Coleoptera). Op. 1824	available
<i>Normannites</i> Munier-Chalmas, 1892, <i>Bull. Soc. géol. France</i> , (3)20, C.R.: clxxii (gender: masculine) (type species, by designation under the plenary power: <i>Normannites orbignyi</i> Buckman, 1908, <i>Ann. Mag. nat. Hist.</i> , (8)1: 146) (Cephalopoda). Op. 309	available
<i>nortoniensis</i> , <i>Fringilla</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 922 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 408	index
<i>norvegicus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 632 (specific name of the type species of <i>Nephrops</i> [Leach, 1814]) (Crustacea, Decapoda). Direction 36	available

<i>notata</i> , <i>Tipula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 588 (specific name of the type species of <i>Scatopse</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
<i>notaticollis</i> , <i>Leucocelis</i> , Kraatz, [1897], <i>Deutsche entomol. Z.</i> , 1896 : 71, footnote (specific name of the type species of <i>Leucochilus</i> Kraatz, [1897]) (Insecta, Coleoptera). Direction 72	available
<i>natha</i> , <i>Acinacea</i> , Bory de St. Vincent, 1804, <i>Voy. Iles Afrique</i> , 1 : 93 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 487	index
<i>Nothosaurus</i> Münster, 1834, <i>Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefactenkunde</i> , 1834 : 525 (gender: masculine) (type species, by monotypy: <i>Nothosaurus mirabilis</i> Münster, 1834), ruled under the plenary power to be given precedence over <i>Conchiosaurus</i> Meyer, [1833] whenever the two are considered to be synonyms (Reptilia, Sauropterygia). Op. 1907	available
<i>Notocrangon</i> Coutière, 1900, <i>C.R. Acad. Sci.</i> , Paris, 130 : 1640 (gender: feminine) (type species, by monotypy: <i>Crangon antarcticus</i> Pfeffer, 1887, <i>Jahrb. Hamb. wiss. Anst.</i> , 4 : 45) (Crustacea, Decapoda). Op. 470	available
<i>Notogastropus</i> Vosmaer, 1763, <i>Mém. Math. Phys. Acad. Sci. Paris</i> , 4 : 635 (included in a work in which the author did not apply the principles of binomial nomenclature). Op. 688	index
<i>Noto-gastropus</i> Vosmaer, 1765, <i>Uitgez. Verh. Werken Soc. Weetensch. Europ.</i> , 10 : 119 (included in a work in which the author did not apply the principles of binomial nomenclature). Op. 688	index
<i>Notonecia</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 524 (an incorrect subsequent spelling for <i>Notonecta</i> Linnaeus, 1758). Direction 63	index
<i>Notonecta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 434, 261); <i>Notonecta glauca</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439) (Insecta, Hemiptera). Op. 104, Direction 63	available
NOTONECTARIAE Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 253 (type genus: <i>Notonecta</i> Linnaeus, 1758) (an incorrect original spelling for NOTONECTIDAE Latreille, [1802]). Direction 109	index
NOTONECTIDAE Latreille, [1802] (as NOTONECTARIAE), <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 253 (type genus: <i>Notonecta</i> Linnaeus, 1758) (Insecta, Hemiptera). Direction 109	available
<i>Notonyx</i> Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 268 (gender: masculine) (type species, by monotypy: <i>Notonyx nitidus</i> Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 269) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Notophthalma</i> Gray, 1858, <i>Proc. zool. Soc. London</i> , 26 : 138 (an incorrect subsequent spelling for <i>Notophthalmus</i> Rafinesque, 1820). Op. 635	index
<i>Notophthalmia</i> Gray, 1850, <i>Cat. Bat. Grad. Brit. Mus.</i> : 22 (an incorrect spelling for <i>Notophthalmus</i> Rafinesque, 1820). Op. 635	index

<i>Notophthalmus</i> Rafinesque, 1820, <i>Annals of Nature</i> : 5 (gender: masculine) (type species, by monotypy: <i>Triturus miniatus</i> Rafinesque, 1820, <i>Annals of Nature</i> : 5) (a name selected by Baird, 1850 (<i>J. Acad. nat. Sci. Philadelphia</i> , (2)1(4): 284) as first reviser, in preference to <i>Diemictylus</i> Rafinesque, 1820) (Amphibia). Op. 635	available
<i>Notophthalmus</i> Baird, 1850, <i>J. Acad. nat. Sci. Philadelphia</i> , (2)1(4): 284 (an incorrect subsequent spelling for <i>Notophthalmus</i> Rafinesque, 1820). Op. 635	index
<i>Notopus</i> de Haan, [1841], in Siebold, <i>Fauna japon. (Crust.)</i> (5): 137, 138, 139 (gender: masculine) (type species, by monotypy: <i>Cancer dorsipes</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630) (Crustacea, Decapoda). Op. 688	available
<i>Notornis</i> Owen, 1848, <i>Proc. zool. Soc. London</i> , 16: 2 (gender: masculine) (type species, by monotypy: <i>Notornis mantelli</i> Owen, 1848, <i>Trans. zool. Soc. London</i> , 3(5): 347, pl. 56, figs. 7-13) (Aves). Op. 67 <i>Notostomus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6)11(4): 7 (gender: masculine) (type species, by original designation: <i>Notostomus gibbosus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6)11(4): 7) (Crustacea, Decapoda). Op. 470	available
<i>Notoxus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 356 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considerations générales sur ... les classes des crustacés, des arachnides et des insectes</i> , p. 430: <i>Attelabus monoceros</i> Linnaeus, 1761) (Insecta, Coleoptera). Op. 1754	available
<i>Notropis</i> Rafinesque, 1818, <i>Amer. mon. Mag. crit. Rev.</i> , 2: 204 (gender, by ruling under the plenary power: masculine) (type species, by monotypy: <i>Notropis atherinoides</i> Rafinesque, 1818, <i>Amer. mon. Mag. crit. Rev.</i> , 2: 204) (Osteichthyes). Op. 1230	available
<i>novacula, Coryphaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 262 (specific name of the type species of <i>Xyrichtys</i> Cuvier, 1814) (Osteichthyes, Perciformes). Op. 1799	available
<i>novae Guineae, Perdix</i> , Latham, 1790, <i>Index orn.</i> , 2: 655 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>novae Guineae, Tetrao</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 746 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>novaehollandiae, Cereopsis</i> , Latham, 1801, <i>Index orn.</i> , Suppl.: lxvii (specific name of the type species of <i>Cereopsis</i> Latham, 1801) (Aves). Direction 43	available
<i>novaehollandiae, Muscipapa</i> , Latham, 1790, <i>Index orn.</i> : 478 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 410	index
<i>novaenzealandiae, Dinornis</i> , Owen, 1843, <i>Proc. zool. Soc. London</i> , 11: 8, 10, as interpreted by the lectotype designated by Lydekker, 1891 (<i>Cat. foss. Birds Brit. Mus.</i> : 224 (footnote), 227) (Aves). Op. 229	available

<i>novemcinctus</i> , <i>Dasypus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 51 (specific name of the type species of <i>Dasypus</i> Linnaeus, 1758) (Mammalia, Xenarthra). Op. 1926	available
<i>novemdecos</i> , <i>Cancer</i> , Sulzer, 1776, <i>Abgekürzte Gesch. Ins.</i> : 265 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>noxius</i> , <i>Cancer</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 55 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>nubeculosa</i> , <i>Tipula</i> , Meigen, 1804, <i>Klass. Beschr. Zweifl. Ins.</i> : 70 (Insecta, Diptera). Op. 834	available
<i>nucella</i> , <i>Goniophora</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 61 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>Nucia</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 392, 397 (gender: feminine) (type species, by monotypy: <i>Nucia speciosa</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 397) (Crustacea, Decapoda). Op. 73 <i>nucleus</i> , <i>Ammonites</i> , Phillips, 1829, <i>Illustrations of the Geology of Yorkshire</i> , p. 174, and all uses of the name prior to the publication of <i>Ammonites nucleus</i> Roemer, 1841 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Cephalopoda, Ammonoidea). Op. 1610	available
<i>nucleus</i> , <i>Ammonites</i> , Roemer, 1841, <i>Die Versteinerungen des Norddeutschen Kreidegebirges</i> , part 2, p. 87 (specific name of the type species of <i>Valanginites</i> Sayn in Kilian, 1910) (Cephalopoda, Ammonoidea). Op. 1610	available
<i>nucleus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627 (specific name of the type species of <i>Ilia</i> Leach, 1817) (Crustacea, Decapoda). Op. 712	available
<i>nucleus</i> , <i>Pachyodon</i> , Brown, 1843, <i>Ann. Mag. Nat. Hist.</i> , (1) 12 : 394, pl. 16*, fig. 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 858	index
<i>Nuculigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>nudicapitata</i> , <i>Chromadora</i> , Bastian, 1865, <i>Transactions of the Linnean Society of London</i> , 25 : 167 (specific name of the type species of <i>Chromadora</i> Bastian, 1865) (Nematoda). Op. 1815	available
<i>nudus</i> , <i>Lachnus</i> , Mordvilko, 1895, <i>Zool. Anz.</i> , 18 : 99 (a junior objective synonym of <i>pini</i> , <i>Aphis</i> , Linnaeus, 1758). Op. 398	index
<i>numerosa</i> , <i>Coccinella</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 66 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Numida</i> Hope, 1851, <i>Cat. Crost. Ital.</i> : 14 (an incorrect subsequent spelling for <i>Munida</i> Leach, 1820). Op. 712	index

<i>Numida</i> Linnaeus, 1764, <i>Mus. Adolph. Frid.</i> , 2 : 27 (gender: masculine) (type species, by monotypy: <i>Phasianus meleagris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158) (Aves). Op. 67 <i>Numidia</i> Forster, 1817, <i>Syn. Cat. brit. Birds</i> : 64 (an incorrect subsequent spelling for <i>Numida</i> Linnaeus, 1764). Direction 44	available
<i>numismalis, Ammonites heterophyllus</i> , Quenstedt, 1845, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 100, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (specific name of the type species of <i>Tragophylloceras</i> Hyatt, 1900) (Ammonoidea). Op. 2123	available
<i>Nummulites</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 101 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Camerina laevigata</i> Bruguière, 1792, <i>Ency. méth.. Vers</i> , 1 (2): 399) (Rhizopoda). Op. 192	available
<i>nuncius, Palaeophoneus</i> [sic], Lindström & Thorell, 1884, <i>C.R. Acad. Sci., Paris</i> , 99 : 984 (specific name of the type species of <i>Palaeophonous</i> (emendation of <i>Palaeophoneus</i>) Lindström & Thorell, 1884) (Arachnida). Op. 523	available
<i>Nupedia</i> Karl, 1930, <i>Zool. Anz.</i> , 86 : 174 (gender: feminine) (type species, by designation under the plenary power: <i>Anthomyia infirma</i> Meigen, 1826, <i>Syst. Beschr. Zweifl. Ins.</i> , 5 : 176) (Insecta, Diptera). Op. 837	available
<i>Nursia</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 20 (gender: feminine) (type species, by monotypy: <i>Nursia hardwickii</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 20) (Crustacea, Decapoda). Op. 73 <i>Nursilia</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 434; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 308 (gender: feminine) (type species, by monotypy: <i>Nursilia dentata</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 434; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 309) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>nutans, Discoides</i> , Renier, [1804], <i>Prospetto Classe Vermi</i> : XVI (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>nutans, Tetrix</i> , Hagenbach, 1822, <i>Symb. Faun. Ins. Helvet.</i> , 1 : 41, pl. 13, fig. 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>nuttalli, Cerostoma</i> , Conrad, 1837, <i>J. Acad. nat. Sci. Philadelphia</i> , 7 : 263 (specific name of the type species of <i>Ceratostoma</i> Herrmannsen, 1846) (Gastropoda). Op. 704	available
<i>Nyctea</i> Stephens, 1826, in Shaw, <i>Gen. Zool. (Aves)</i> , 13 (2): 63 (gender: feminine) (type species, by monotypy: <i>Strix erminea</i> Shaw, 1809, <i>Gen. Zool. (Aves)</i> , 7 (1): 251) (Aves). Op. 67, Direction 81	available
<i>nycteis, Melitaea</i> , Doubleday, 1847, <i>The genera of diurnal Lepidoptera: comprising their generic characters, a notice of their habits and transformations and a catalogue of the species of each genus</i> , vol. 1, pl. 23, fig. 3, as defined by the holotype (B.M. Type no. Rh 8433 in the Natural History Museum, London (Insecta, Lepidoptera). Op. 2160	available
<i>nyctelea, Strix</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 6 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index

Nycteribia Latreille, 1796, *Précis Caract. Ins.*: 176 (gender: feminine) (type species, by designation under the plenary power: **Nycteribia pedicularia** Latreille, [1804-1805], *in* Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **14**: 403) (Insecta, Diptera). Op. 128, Direction 63

available

Nycteris Borkhausen, 1797, *in* Eisenach, *Der Zoologe*, **1**(21): 66 (a junior homonym of **Nycteris** Geoffroy Saint- Hilaire & Cuvier, 1795). Direction 24

index

Nycteris Geoffroy Saint-Hilaire & Cuvier, 1795, *Mag. encyclop.*, **2**(6): 186 (gender: feminine) (type species, by designation under the plenary power: **Vespertilio hispidus** Schreber, [1774], *Die Säugthiere*, **1**: 169, pl. 56) (Mammalia). Op. 111

available

Nygolaimus Cobb, 1913, *Journal of the Washington Academy of Sciences*, **3**: 441 (gender: masculine) (type species, by designation under the plenary power: **Dorylaimus brachyurus** de Man, 1880) (Nematoda). Op. 1876

available

nymphaea, *Clupea*, Richardson, 1846, *15th. Rept. Brit. Assoc.* (Cambridge 1845): 304 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 901

index

NYMPHALIDAE Swainson, 1827, *Phil. Mag.* (n.s.), **1**(2): 187 (type genus: **Nymphalis** Kluk, 1802) (Insecta, Lepidoptera). Direction 99

available

Nymphalis Kluk, 1802, *Zwierz. Hist. nat. pocz. gospod.*, **4**: 86 (gender: masculine) (type species, by designation by Hemming, 1933 (*Entomologist*, **66**: 223): **Papilio polychloros** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 477) (Insecta, Lepidoptera). Op. 278

available

Nymphidia Boisduval & Leconte, 1833, *Hist. gén. Icon. Lépid. Chen. Amér. sept.* (14): 131 (an incorrect subsequent spelling for **Nymphidium** Fabricius, 1807). Op. 755

index

Nymphidium [Illiger], 1807, *Allgem. Lit. Ztg.*, Halle (Jena), **1807** (No. 2): 1180 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232

index

Nymphidium Boisduval & Leconte, 1833, *Hist. gén. Icon. Lépid. Chen. Amér. sept.* (14): 131 (a junior homonym of **Nymphidium** Fabricius, 1807). Op. 755

index

Nymphidium Fabricius, 1807, *Mag. f. Insektenk.* (Illiger), **6**: 286 (conserved under the plenary power) (gender: neuter) (type species, by designation by Crotch, 1872 (*Cistula entomol.*, **1**: 66): **Papilio caricae** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 484) (Insecta, Lepidoptera). Op. 171

available

Nymphula Schrank, 1802, *Fauna boica*, vol. 2, part 2, p. 162 (gender: feminine) (type species, by designation under the plenary power: **Phalaena stagnata** Donovan, 1806) (type genus of NYMPHULINAE Duponchel, 1845) (Insecta, Lepidoptera). Op. 1406, Op. 2021

available

NYMPHULINAE Duponchel, 1845, *Catalogue méthodique des Lépidoptères d'Europe*, p. 201 (type genus: **Nymphula** Schrank, 1802), ruled in accordance with the precepts of the Code not to have precedence over **ACENTROPINAE** Stephens, 1835 whenever their type genera are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 2021

available

- Nysius** Dallas, 1852, *List Spec. hemipt. Ins. Brit. Mus.* (2): 551 (gender: masculine) (type species, by designation under the plenary power: **Lygaeus thymi** Wolff, 1804, *Icon. Cimicum* (4): 149) (Insecta, Hemiptera). Op. 319 available
- Nyso** Latreille, 1796, *Préc. Car. gén. Ins.*: 125 (ruled under the plenary power to be an incorrect original spelling for **Nysson** Latreille, 1796). Op. 1115 index
- Nysson** Latreille, 1796, *Préc. Car. gén. Ins.*: 125 (gender: masculine) (type species, by designation by Shuckard, 1837 (*Essay Indig. Fossilial Hym.*: 99): **Sphex spinosus** Forster, 1771, *New Sp. Ins.*: 87) (Insecta, Hymenoptera). Op. 1115 available
- NYSSONINAE** (correction of ‘NYSSONIENS’, ‘NYSSONII’) Latreille, 1804, Déterville’s *Nouv. Dict. Hist. nat.*, **24**: 178, 180 (type genus: **Nysson** Latreille, 1796) (Insecta, Hymenoptera). Op. 1115 available
- oaxacae**, **Kinosternon**, Berry & Iverson, 1980, *J. Herpetol.*, **14**: 313-320 (Reptilia). Op. 1343 available
- oaxacae**, *Kinosternon*, Pritchard, 1979, *Encyclopedia of Turtles*. Neptune, N.J., T.F.H. Publ.: 557 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1343 index
- oberhaeuser**, *Macrobiotus*, Doyère, 1840, *Annales des Sciences Naturelles*, (Zoologie), (2)**14**: 286, ruled under the plenary power to be the incorrect original spelling of **oberhaeuseri** (Tardigrada). Op. 1551 index
- oberhaeuseri**, *Macrobiotus*, Doyère, 1840, *Annales des Sciences Naturelles*, (Zoologie), (2)**14**: 286, ruled under the plenary power to be the correct original spelling of **oberhaeuser** (Tardigrada). Op. 1551 available
- obesa**, *Anthracoptera*, Etheridge, 1878, *Quart. J. geol. Soc. London*, **34**: 12, pl. 1, figs. 12-14 (Bivalvia). Op. 634 available
- obesa**, *Euphryne*, Baird, 1858, *Proceedings of the Academy of Natural Sciences of Philadelphia*, **10**: 253 (Reptilia). Op. 2072 available
- Obisium* Illiger, 1798, in Kugelann, *Verzeichniss der Käfer Preussens, Entworfen von Johann Gottlieb Kugelann. Ausgearbeitet von Johann Karl Wilhelm Illiger*, p. 501 (a junior objective synonym of **Chelifer** Geoffroy, 1762) (Arachnida, Pseudoscorpionida). Op. 1542 index
- oblidens**, *Chironomus*, Walker, 1856, *Insecta britannica. Diptera*, vol. III, p. 180 (specific name of the type species of *Orthocladius* van der Wulp, 1874) (Diptera). Op. 2206 available
- obliqua**, *Arca*, Philippi, 1844, *Enumeratio molluscorum Siciliae cum viventium tum in tellure tertiaria fossilium ...*, vol. 2, p. 43 (a junior homonym of *Arca obliqua* Portlock, 1843 and of *A. obliqua* Reeve, 1844) (Bivalvia). Op. 1887 index
- obliqua**, *Lonomia*, Walker, 1855, *List Specim. Lepid. Ins. Coll. Brit. Mus.*, **5**: 1194 (specific name of the type species of **Lonomia** Walker, 1855) (Insecta, Lepidoptera). Op. 1105 available

<i>obliqua</i> , <i>Notonecta</i> , Thunberg, 1787, <i>Donation Thunbergiana</i> 1785, continuat. III. <i>Museum Naturalium Academiae Upsaliensis</i> , p. 61, footnote (Insecta, Heteroptera). Op. 1794	available
<i>obliqua</i> , <i>Tellina</i> , Sowerby, 1817, <i>Min. Conch.</i> , 2(28): 137, 138, pl. 161, fig. 1 (Bivalvia). Op. 948	available
<i>obliqua</i> , <i>Tellina</i> , Wood, 1815, <i>Gen. Conch.</i> , 1: 152, pl. 41, figs. 4, 5 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 948	index
<i>obliquata</i> , <i>Arca</i> , Locard, 1899, <i>Les coquilles marines au large des côtes de France</i> , p. 158 (a junior objective synonym of <i>Arca obliqua</i> Philippi, 1844 and of <i>A. philippiana</i> Nyst, 1848 and a junior homonym of <i>Arca obliquata</i> Wood, 1828 and of <i>A. obliquata</i> Zieten, 1833) (Bivalvia). Op. 1887	index
<i>obliquata</i> , <i>Gryphaea</i> , Sowerby, 1815, <i>Min. Conch.</i> , 2: 24 (Bivalvia). Op. 338	available
<i>obliquatula</i> , <i>Arca</i> , Dautzenberg, 1927, <i>Résultats des Campagnes Scientifiques Accomplies sur son Yacht par Albert Ier, Prince Souverain de Monaco</i> , 72: 281 (a junior objective synonym of <i>Arca philippiana</i> Nyst, 1848) (Bivalvia). Op. 1887	index
<i>oblonga</i> , <i>Chama</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 692 (senior subjective synonym of <i>Trapezium perfectum</i> Megerle von Mühlfeld, 1811, the type species of <i>Trapezium</i> Megerle von Mühlfeld, 1811) (Bivalvia). Op. 1615	available
<i>oblonga</i> , <i>Succinea</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 56 (Gastropoda). Op. 336	available
<i>oblongata</i> , <i>Blatta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425 (specific name of the type species of <i>Pseudomops</i> Audinet-Serville, 1831) (Insecta, Dictyoptera). Op. 1231	available
<i>oblongus</i> , <i>Pentamerus</i> , Sowerby, 1839, in Murchison, <i>Silurian System</i> : 641, pl. 19, fig. 10 (specific name of the type species of <i>Pentamerus</i> Sowerby, 1813) (Brachiopoda). Op. 297	available
<i>obovalis</i> , <i>Obovaria</i> , Rafinesque, 1820, <i>Annales Générales des Sciences Physiques, à Bruxelles</i> , 5(5): 311 ruled to be a nomen oblitum (Bivalvia) Op. 2188	index
<i>Obovaria</i> Rafinesque, 1819, <i>Journal de Physique, de Chimie, d'Histoire Naturelle et des Arts</i> , 88: 426 (gender: feminine) (type species, by designation under the plenary power: <i>Unio retusa</i> Lamarck, 1819) (Bivalvia) Op. 2188	available
<i>obscura</i> , <i>Chrysomela</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 66 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>obscura</i> , <i>Cicada</i> [sic] <i>cingulata</i> , Fabricius a var., Hudson, 1891, <i>Trans. N.Z. Inst.</i> , 23: 51 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1136	index
<i>obscura</i> , <i>Cyanecula</i> , Brehm, 1831, <i>Handb. Naturgesch. Vögel Deutschl.</i> : 353 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 444	index

<i>obscura</i> , <i>Goniodoris</i> , Stimpson, 1855, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 7(10): 388 (specific name of the type species of <i>Hypselodoris</i> Stimpson, 1855) (Gastropoda). Op. 1375	available
<i>obscura</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 103 (Gastropoda). Op. 475	available
<i>obscura</i> , <i>Larvivora</i> , Berezowsky & Bianchi, 1891, <i>Aves Exped. Potanini Gan-su</i> : 97, pl. 1, fig. 2 (conserved under the plenary power) (Aves). Op. 444	available
<i>obscura</i> , <i>Tarraga</i> , Walker, 1869, <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 1: 100 (specific name of the type species of <i>Prophalangopsis</i> Walker, [1871]) (Insecta, Orthoptera). Direction 5	available
<i>obscurellus</i> , <i>Helophorus (Trichelophorus)</i> , Poppius, 1907, <i>Ofversigt af Finska Vetenskaps-Societetens Förhandlingar</i> , 49: 3, ruled under the plenary power to be given precedence over the specific name of <i>Helophorus fausti</i> Kuwert, 1887 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 1630	available
<i>obscurus</i> , <i>Carpelimus</i> , Stephens, 1834, <i>Illustrations of British entomology ... Mandibulata</i> , vol. 5, p. 326, ruled under the plenary power not to be given priority over <i>Trogophloeus rivularis</i> Motschulsky, 1860 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>obscurus</i> , <i>Crossarchus</i> , Cuvier, 1825, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 3(47): 'Mangue' 3 et Tab. (specific name of the type species of <i>Crossarchus</i> Cuvier, 1825) (Mammalia). Op. 384	available
<i>obscurus</i> , <i>Dermestes</i> , Marsham, 1802, <i>Entomol. Britannica</i> , I. Coleoptera: 72 (specific name of the type species of <i>Megasternum</i> Mulsant, 1844) (Insecta, Coleoptera). Op. 1178	available
<i>obscurus</i> , <i>Procyon</i> , Wiegmann, 1837, <i>Arch. Naturges.</i> , 3(1): 370 (Mammalia). Op. 1076	available
<i>obsidianus</i> , <i>Microsporus</i> , Kolenati, 1846, <i>Melet. entomol.</i> , 5: 64 (specific name of the type species of <i>Microsporus</i> Kolenati, 1846) (Insecta, Coleoptera). Op. 1331	available
<i>obtectum</i> , <i>Setidium</i> , Schmidt, 1879, <i>Die Spongien des Meerbusen von Mexico</i> , Heft 1, p. 30 (specific name of the type species of <i>Setidium</i> Schmidt, 1879) (Porifera). Op. 2060	available
<i>obtusa</i> , <i>Bulla</i> , Montagu, 1803, <i>Test. brit.</i> : 223 (conserved under the plenary power) (specific name of the type species of <i>Retusa</i> Brown, 1827) (Gastropoda). Op. 568	available
<i>obtusalis</i> , <i>Cyclas</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5: 559 (Bivalvia). Op. 336	available
<i>obtusirostris</i> , <i>Laemantus</i> , Wiegmann, 1834, <i>Herpetologia Mexicana, seu descriptio amphibiorum Novae Hispaniae ... Pars prima, saurorum species amplectens ..., p. 46</i> (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1777	index

<i>obtusus</i> , <i>Ammonites murchisonae</i> , Quenstedt, 1846, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 116, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (specific name of the type species of <i>Cosmogryria</i> Buckman, 1898) (Ammonoidea). Op. 2123	available
<i>obtusus</i> , <i>Gryllus (Acrida)</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 83 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>obvoluta</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 27 (Gastropoda). Op. 336	available
<i>occidentale</i> , <i>Aphyosemion</i> , Stenholt Clausen, 1966, <i>Revue Zool. Bot. afr.</i> , 73 : 331 (specific name of the type species of <i>Callopanchax</i> Myers, 1933) (Osteichthyes). Op. 1010	available
<i>occidentalis</i> , <i>Podiceps</i> , Lawrence, 1858, in Baird, <i>Rep. Explor. surv. Route Railroad Pacific Ocean</i> , 9 : 894 (specific name of the type species of <i>Aechmophorus</i> Coues, 1862) (Aves). Direction 43	available
<i>occidentalis</i> , <i>Sceloporus</i> , Baird & Girard, 1852, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 6 : 175, as defined by the neotype (specimen no. MVZ 59874 in the Museum of Vertebrate Zoology, University of California) designated under the plenary power (Reptilia). Op. 2024	available
<i>occidualis</i> , <i>Halipegus</i> , Stafford, 1905, <i>Zoologischer Anzeiger</i> , 28 : 687 (Digenea). Op. 2170	available
<i>occipitomaculatus</i> , <i>Coluber</i> , Storer, 1839, <i>Rept. Ichth. Herpet. Mass.</i> : 230 (Reptilia). Op. 632	available
<i>Oceania</i> Péron & Lesueur, 1810, <i>Annales du Muséum national d'histoire naturelle de Paris</i> , 14 : 343 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Mayer, 1910, <i>Medusae of the world. Hydromedusae</i> , p. 147: <i>Oceania armata</i> Kölliker, 1853) (Cnidaria, Hydrozoa). Op. 2166	available
<i>oceanicus</i> , <i>Oniscus</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1061 (specific name of the type species of <i>Ligia</i> Fabricius, 1798) (Crustacea, Isopoda). Op. 330	available
OCEANIDAE Escholtz, 1829, <i>System der Acalephen. Eine ausführliche Beschreibung aller medusenartigen Strahlthiere</i> , p. 96 (an incorrect original spelling of OCEANIIDAE) (Cnidaria, Hydrozoa). Op. 2166	index
OCEANIIDAE Escholtz, 1829, <i>System der Acalephen. Eine ausführliche Beschreibung aller medusenartigen Strahlthiere</i> , p. 96, correction of OCEANIDAE (type genus <i>Oceania</i> Péron & Lesueur, 1810) (Cnidaria, Hydrozoa). Op. 2166	available
<i>ocellaris</i> , <i>Blennius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 256 (specific name of the type species of <i>Blennius</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>ocellarius</i> , <i>Hydrosaurus</i> , Blyth, 1868, in Theobald, W., <i>Journal of the Asiatic Society of Bengal</i> , 37 (2)(extra number): 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1948	index

<i>ocellata</i> , <i>Lacerta</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 24 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>ocellata</i> , <i>Nectria</i> , Perrier, 1875, <i>Révision de la collection de stéllerides du Muséum d'Histoire naturelle de Paris</i> , p. 188, as defined by the lectotype (specimen no. 1958.7.30.20 in the Natural History Museum, London) designated by Zeidler & Rowe, 1986, <i>Records of the South Australian Museum</i> , 19 (9): 120 (specific name of the type species of <i>Nectria</i> Gray, 1840) (Asteroidea). Op. 1858	available
<i>ocellatus</i> , <i>Draco</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 277 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>ocellatus</i> , <i>Oreaster</i> , Forbes, 1848, <i>Mem. geol. Surv. Great Brit.</i> , 2 : 468 (specific name of the type species of <i>Valettaster</i> Lambert, 1914) (Asteroidea). Op. 331	available
<i>ocellatus</i> , <i>Pediculus</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 382, as interpreted by the neotype designated by Clay & Hopkins, 1951 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 2 : 8, figs. 8, 9, 11, pl. 1, fig. 2) (specific name of the type species of <i>Philopterus</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 629	available
<i>ocellatus</i> , <i>Rivulus</i> , Hensel, 1868, <i>Archiv für Naturgeschichte Wiegman</i> , 34 (1): 365, ruled under the plenary power not to be given priority over the specific name of <i>Rivulus marmoratus</i> Poey, 1880 whenever the two names are considered to be synonyms (Osteichthyes, Cyprinodontiformes). Op. 1798	available
<i>Ocenebra</i> Gray, 1847, <i>Ann. Mag. nat. Hist.</i> , 20 : 200 (gender: feminine) (type species, by monotypy: <i>Murex erinaceus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 743) (Gastropoda). Op. 886	available
<i>ochracea</i> , <i>Coenonympha</i> , Edwards, 1861, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 13 : 163, as interpreted under the plenary power by the neotype designated by Brown, 1963 (<i>Bull. zool. Nomencl.</i> , 20 : 448) (Insecta, Lepidoptera). Op. 768	available
<i>ochracea</i> , <i>Isis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 799 (ruled under the plenary power to be a justified emendation of <i>ocracea</i> Linnaeus, 1758) (specific name of the type species of <i>Melithaea</i> Edwards & Haime, 1857) (Anthozoa). Op. 1304	available
<i>ochraceus</i> , <i>Herpestes</i> , Gray, [1849], <i>Proc. zool. Soc. London</i> , 16 : 138 (specific name of the type species of <i>Galerella</i> Gray, [1865]) (Mammalia). Op. 384	available
<i>ochraceus</i> , <i>Unio</i> , Say, 1817, <i>Nicholson's Encyclopedia or Dictionary of Arts & Sciences</i> , Ed. 1, vol. 4 (Conchology), pl. 2, fig. 8, ruled under the plenary power to be given precedence over the name <i>Mytilus fluviatilis</i> Gmelin, 1791 whenever the two are considered to be synonyms (Bivalvia). Op. 2092	available
<i>ochripennis</i> , <i>Staphylinus</i> , Ménétrier, 1832, <i>Catalogue raisonné des objets de zoologie recueillis dans un voyage au Caucase ...</i> , p. 145 (specific name of the type species of <i>Microsaurus</i> Dejean, 1833) (Insecta, Coleoptera). Op. 2115	available
<i>ochrodactyla</i> , <i>Alucita</i> , Denis & Schiffermüller, 1775, <i>Ankündung eines systematisches Werkes von den Schmetterlingen der Wiener Gegend</i> , p. 145 (Insecta, Lepidoptera). Op. 2041	available

<i>ochropus</i> (emendation of <i>ocrophus</i>), <i>Tringa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 149 (specific name of the type species of <i>Tringa</i> Linnaeus, 1758) (Aves). Direction 17	available
<i>Ochthebius</i> Leach, 1815, Entomology. In Brewster, <i>The Edinburgh Encyclopaedia</i> , vol. 9, pp. 95-96 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by d'Orchymont, 1942, <i>Bulletin du Musée royal d'Histoire naturelle de Belgique</i> , 18(39): 2: <i>Elophorus marinus</i> Paykull, 1798) (Insecta, Coleoptera). Op. 1631	available
<i>ocracea</i> , <i>Isis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 799 (ruled under the plenary power to be an incorrect original spelling for <i>Isis ochracea</i> Linnaeus, 1758). Op. 1304	index
<i>ocrophus</i> , <i>Tringa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 149 (an incorrect original spelling for <i>ochropus</i> , <i>Tringa</i> , Linnaeus, 1758). Direction 17	index
<i>Octodrilus</i> Omodeo, 1956, <i>Archivio Zoologico Italiano</i> , 41: 206 (gender: masculine) (type species, by original designation: <i>Lumbricus complanatus</i> Dugès, 1828) (Oligochaeta). Op. 1403	available
<i>octoguttata</i> , <i>Buprestis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 408 (specific name of the type species of <i>Buprestis</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1784	available
<i>Octolasia</i> Rosa, 1893, <i>Bollettino dei Musei di Zoologia ed Anatomia Comparata della R. Università di Torino</i> , 11(246): 3 (an unjustified emendation of <i>Octolasion</i> Örley, 1885) (Oligochaeta). Op. 1403	index
<i>Octolasion</i> Örley, 1885, <i>Ertekezések a Természettudományok Körebel</i> , 15: 13 (gender: neuter) (type species, by designation under the plenary power: <i>Lumbricus lacteus</i> Örley, 1881) (Oligochaeta). Op. 1403	available
<i>Octolasmus</i> Michaelsen, 1900, <i>Tierreich</i> , vol. 10, p. 504 (an unjustified emendation of <i>Octolasion</i> Örley, 1885) (Oligochaeta). Op. 1403	index
<i>octonus</i> , <i>Bulimus</i> , Bruguière, [1789], <i>Ency. méth.</i> , Vers 1(1): 325 (specific name of the type species of <i>Subulina</i> Beck, 1837) (Gastropoda). Op. 335	available
<i>Octopodia</i> Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 108 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 233	index
<i>octopodia</i> , <i>Sepia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 658 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1861	index
<i>Octopus</i> Cuvier, [1797], <i>Tabl. élém. Hist. nat. Anim.</i> : 380 (gender: masculine) (type species, by absolute tautomy: <i>Sepia octopus</i> Gmelin in Linnaeus, [1791], suppressed senior objective synonym of <i>Octopus vulgaris</i> Cuvier, [1797], <i>Tabl. élém. Hist. nat. Anim.</i> : 380) (Cephalopoda). Op. 233, Op. 1861	available
<i>octopus</i> , <i>Sepia</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3149 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1861	index

<i>octospina</i> , Neamia , Smith & Radcliffe in Radcliffe, 1912, <i>Proceedings of the U.S. National Museum</i> , 41 : 441 (specific name of the type species of Neamia Smith & Radcliffe in Radcliffe, 1912) (Osteichthyes, Perciformes). Op. 1564	available
<i>octotuberculatus</i> , Curculio , Fabricius, 1787, <i>Mantissa insectorum ...</i> , vol. 1, p. 112 (specific name of the type species of Brachyomus Lacordaire, 1863) (Insecta, Coleoptera). Op. 1493	available
<i>oculata</i> , <i>Coccinella</i> , Thunberg, 1781, <i>Dissertatio entomologica. Novas Insectorum Species sistens</i> , part 1, p. 14, as defined by the lectotype designated by Pope, 1987, <i>Entomologica Scandinavica</i> , 18 (1): 61 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1693	index
<i>oculata</i> , Madrepora , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 798 (specific name of the type species of Madrepora Linnaeus, 1758) (Anthozoa). Op. 674	available
<i>oculata</i> , Molgula , Forbes, 1848, in Forbes & Hanley, <i>Hist. brit. Moll.</i> , 1 : 36 (specific name of the type species of Molgula Forbes, 1848) (Urochordata). Direction 80	available
<i>oculata</i> , Myriochele , Zaks, 1923, <i>Trudy Petrogradskoga Obshchestva Estestvoispytatelei</i> , 53 (1): 163 (Polychaeta). Op. 1636	available
<i>oculata</i> , Vespa , Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 463 (valid name at the date of Opinion 747 of the type species of Rhynchium Spinola, 1806) (Insecta, Hymenoptera). Op. 747	available
<i>oculator</i> , Ichneumon , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 338 (specific name of the type species of Chelonus Panzer, 1806) (Insecta, Hymenoptera). Op. 1546	available
<i>oculatus</i> , Achias , Fabricius, 1805, <i>Syst. Antl.</i> : 247 (specific name of the type species of Achias Fabricius, 1805) (Insecta, Diptera). Op. 1142	available
<i>oculatus</i> , Anthicus , Paykull, 1798, <i>Fauna Svecica</i> , vol. 1, p. 256 (specific name of the type species of Euglenes Westwood, 1830) (Insecta, Coleoptera). Op. 1549	available
<i>oculatus</i> , Cancer , Fabricius, 1780, <i>Fauna groenl.</i> : 245, as interpreted, by direction under the plenary power, by the neotype designated by Holmquist, 1958 (<i>Medd. om Grønl.</i> , 159 (4): 7) (specific name of the type species of Mysis Latreille, [1802]) (Crustacea, Mysidacea). Op. 578	available
<i>Ocypoda</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 149 (an incorrect subsequent spelling for Ocypode Weber, 1795). Op. 712	index
<i>Ocypode</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 312, 347 (a junior homonym and a junior objective synonym of Ocypode Weber, 1795). Op. 712	index
Ocypode Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 92 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 95, 422); Cancer ceratophthalmus Pallas, 1772, <i>Spicil. Zool.</i> , 9 : 83) (Crustacea, Decapoda). Op. 712	available
OCYPODIA Rafinesque, 1815, <i>Analyse Nature</i> : 96 (type genus: Ocypode Weber, 1795) (an incorrect original spelling for OCYPODIDAE Rafinesque, 1815). Op. 712	index

OCYPODIDAE (correction of OCYPODIA) Rafinesque, 1815, <i>Analyse Nature</i> : 96 (type genus: <i>Ocypode</i> Weber, 1795) (Crustacea, Decapoda). Op. 712	available
ODOBAENIDAE Allen, 1880, <i>U.S. geol. geogr. Surv. Terr.</i> , Misc. Publ. 12: 5, 17 (type genus: <i>Odobaenus</i> Féé, 1830, an unjustified emendation of <i>Odobenus</i> Brisson, 1762) (an incorrect original spelling for ODOBENIDAE Allen, 1880). Op. 544	index
<i>Odobaenus</i> Féé, 1830, in Linnaeus, <i>Systema Naturae</i> (ed. prim. reedit.): 59 (an unjustified emendation of <i>Odobenus</i> Brisson, 1762). Op. 544	index
ODOBENIDAE (correction of ODOBAENIDAE) Allen, 1880, <i>U.S. geol. geogr. Surv. Terr.</i> , Misc. Publ. 12: 5, 17 (conserved under the plenary power) (type genus: <i>Odobenus</i> Brisson, 1762) (Mammalia). Op. 544	available
<i>Odobenus</i> Brisson, 1762, <i>Regn. Anim.</i> (ed. 2): 30 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Phoca rosmarus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 38) (Mammalia). Op. 467	available
<i>Odocoileus</i> Rafinesque, 1832, <i>Atlantic J.</i> (3): 109 (gender: masculine) (type species, by monotypy: <i>Odocoileus speleus</i> Rafinesque, 1832, <i>Atlantic J.</i> (3): 109) (Mammalia). Op. 581	available
ODONTASPIDES Müller & Henle, [1839], <i>Syst. Beschr. Plagiost.</i> : xvii (type genus: <i>Odontaspis</i> Agassiz, 1838) (an incorrect original spelling for ODONTASPIDIDAE Müller & Henle, [1839]). Op. 723	index
ODONTASPIDIDAE (correction of ODONTASPIDES) Müller & Henle, [1839], <i>Syst. Beschr. Plagiost.</i> : xvii (type genus: <i>Odontaspis</i> Agassiz, 1838), ruled under the plenary power that this and other familygroup names based on <i>Odontaspis</i> Agassiz, 1838 are to be given precedence over CARCHARIIDAE Müller & Henle, [1839] and other family-group names based on <i>Carcharias</i> Rafinesque, 1810 whenever their type genera are placed in the family-group taxon (Chondrichthyes). Op. 723, Op. 1459	available
<i>Odontaspis</i> Agassiz, 1838, <i>Rech. Poiss. foss.</i> , 3: 87 (gender: feminine) (type species, by monotypy: <i>Carcharias ferox</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 3: 122), ruled under the plenary power to be given precedence over <i>Carcharias</i> Rafinesque, 1810 whenever the two names are considered to be synonyms (Chondrichthyes). Op. 723, Op. 1459	available
<i>Odonteus</i> Samouelle, 1819, <i>The entomologist's useful compendium; or an introduction to the knowledge of British insects ...</i> , p. 189 (gender: masculine) (type species, by monotypy: <i>Scarabaeus mobilicornis</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 2138	available
<i>Odonthoplites</i> Breistroffer, 1947, <i>Trav. Lab. Geol. Univ. Grenoble</i> , 26: 84 (a junior objective synonym of <i>Hoplites</i> Neumayr, 1875). Op. 353	index
<i>Odontochile</i> Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilobiten</i> : 92 (gender: feminine) (type species, by designation under the plenary power: <i>Asaphus hausmanni</i> Brongniart, 1822, in Brongniart & Desmarest, <i>Hist. nat. Crust. foss.</i> : 21) (Trilobita). Op. 537	available

- Odontodactylus* Bigelow, 1893, *Johns Hopkins Univ. Circ.*, **12**: 100 (conserved under the plenary power) (gender: masculine) (type species, by subsequent designation by Bigelow, 1931 (*Bull. Mus. comp. Zool.*, **72**: 144): *Cancer scyllarus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 633) (Crustacea, Stomatopoda). Op. 295 available
- Odontomus* Kirby, 1837, in Richardson, *Fauna Boreali-Americana, or the zoology of the northern parts of British America*, part 4, p. 156 (a junior objective synonym of *Chrysobothris* Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1784 index
- odorata*, *Testudo*, Latreille, 1801, *Histoire naturelle des Reptiles*, vol. 1, p. 122 (specific name of the type species of *Sternotherus* Gray, 1825) (Reptilia, Testudines). Op. 1534 available
- Oebia* Hübner, [1825], *Verz. bekannt. Schmett.* (23): 362 (an incorrect original spelling for *Oeobia* Hübner, [1825]). Op. 536 index
- Oecothea* Haliday in Curtis, 1837, *A guide to an arrangement of British insects; being a catalogue of all the named species hitherto discovered in Great Britain and Ireland*, Ed. 2, col. 280, ruled under the plenary power to be available from Haliday in Curtis (1837) (gender: feminine) (type species, by subsequent designation by Gorodkov, 1984, in Soós & Papp (Eds.), *Catalogue of Palaearctic Diptera*, vol. 10, p. 18: *Helomyza fenestralis* Fallén, 1820) (Insecta, Diptera). Op. 1797 available
- Oecotraustes* Waagen, 1869, *Geogn.-Pal. Beitr.*, **2**: 251 (as *Oekotraustes*), expl. pl. 20 (gender: masculine) (type species, by designation by Munier-Chalmas, 1892 (*Bull. Soc. géol. France*, (3)**20** C.R.: clxxi): *Ammonites genicularis* Waagen, 1869, *Geogn.-Pal. Beitr.*, **2**: 227, pl. 20, figs. 4a-c) (Cephalopoda). Op. 324 available
- Oedemagena* Latreille, 1818, *Nouv. Dict. Hist. nat.* (ed. 2), **23**: 272 (gender: masculine) (type species, by monotypy: *Oestrus tarandi* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 584) (Insecta, Diptera). Op. 106 available
- Oedemagenus* Berthold, 1827, in Latreille, *Nat. Fam. Thierr.*: 507 (an unjustified emendation of *Oedemagena* Latreille, 1818). Direction 63 index
- Oedicnemus* Temminck, 1815, *Manuel Ornithol.*: 321 (gender: masculine) (type species, by monotypy: *Oedicnemus crepitans* Temminck, 1815, *Manuel Ornithol.*: 322) for use by those who consider that the type species of this nominal genus is not congeneric with the type species of *Burhinus* Illiger, 1811 (Aves). Op. 67, Direction 20 available
- oedicnemus*, *Charadrius*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 151 (Aves). Direction 20 available
- Oediplax* Rathbun, 1893, *Proc. U.S. nat. Mus.*, **16** (No. 933): 241 (gender: feminine) (type species, by monotypy: *Oediplax granulatus* Rathbun, 1893, *Proc. U.S. nat. Mus.*, **16** (No. 933): 242) (Crustacea, Decapoda). Op. 85, Direction 37 available
- Oedipoda* Latreille, 1829, in Cuvier, *Règne Anim.* (ed. 2), **5**: 188 (gender: feminine) (type species, by designation by Kirby, 1910 (*Syn. Cat. Orthopt.*, **3**: 238): *Gryllus caerulescens* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 432) (Insecta, Orthoptera). Op. 149 available
- Oedipus* Berthold, 1827, in Latreille, *Nat. Fam. Thierr.*: 441 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 631 index

<i>Oedipus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 17 (a junior homonym of <i>Oedipus</i> Berthold, 1827). Op. 470	index
<i>Oedipus</i> Lesson, 1840, <i>Spec. Mamm.</i> : 197 (a junior homonym of <i>Oedipus</i> Berthold, 1827). Op. 631	index
<i>Oedipus</i> Menge, 1876, <i>Schr. Ges. Danzig</i> , N.F., 4 (1): 482 (a junior homonym of <i>Oedipus</i> Berthold, 1827). Op. 631	index
<i>Oedipus</i> Tschudi, 1838, <i>Mém. Soc. Sci. nat. Neuchâtel</i> , 2 : 28, 93 (a junior homonym of <i>Oedipus</i> Berthold, 1827). Op. 631	index
<i>Oegocerus</i> Lesson, 1842, <i>Nouv. Tabl. Règne Anim.</i> , <i>Mamm.</i> : 179 (an incorrect subsequent spelling for <i>Egocerus</i> Desmarest, 1822). Direction 23	index
<i>Oekotraustes</i> Waagen, 1869, <i>Geogn.-pal. Beitr.</i> , 2 : 251 (an incorrect original spelling for <i>Oecotraustes</i> Waagen, 1869). Op. 324	index
<i>oenas</i> , <i>Columba</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 162 (specific name of the type species of <i>Columba</i> Linnaeus, 1758) (Aves). Direction 38	available
<i>Oeobia</i> (emendation of <i>Oebia</i>) Hübner, [1825], <i>Verz. bekannt. Schmett.</i> (23): 362 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 536	index
OESOPHAGOSTOMATINAE Lane, 1923, in Byam & Archibald, <i>Pract. Med. Tropics</i> , 3 : 1704 (type genus: <i>Oesophagostomum</i> Molin, 1861) (an unjustified emendation of OESOPHAGOSTOMINAE (correction of OESOPHAGOSTOMEAE) Railliet & Henry, 1909). Direction 28	index
OESOPHAGOSTOMEAE Railliet & Henry, 1909, <i>C.R. Acad. Sci.</i> , Paris, 66 (4): 169 (type genus: <i>Oesophagostomum</i> Molin, 1861) (an incorrect original spelling for OESOPHAGOSTOMINAE Railliet & Henry, 1909). Direction 28	index
OESOPHAGOSTOMINAE (correction by Railliet, 1915 (<i>Rep. 10th Int. vet. Congr.</i> (London 1914), 3 : 734) of OESOPHAGOSTOMEAE) Railliet & Henry, 1909, <i>C.R. Acad. Sci.</i> , Paris, 66 (4): 169 (type genus: <i>Oesophagostomum</i> Molin, 1861) (Nematoda). Direction 28	available
<i>Oesophagostomum</i> Molin, 1861, <i>Mem. Ist. Veneto Sci. Lett. Arti</i> , 9 : 435, 443 (gender: neuter) (type species, by designation by Stiles & Hassall, 1905 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 79 : 124); <i>Strongylus dentatus</i> Rudolphi, 1803, <i>Archiv Zool.</i> (Wiedemann), 3 (2): 12, as interpreted by the descriptions and figures published by Goodey, 1924 (<i>J. Helminth.</i> , 2 (1): 1-14, figs. 1-15)) (Nematoda). Op. 340	available
<i>Oestrus</i> Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 106 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Oestrus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 584 (gender: masculine) (type species, by designation by Curtis, 1826 (<i>Brit. Entomol.</i> , 8 : pl. 106); <i>Oestrus ovis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 585) (Insecta, Diptera). Op. 106	available

<i>officinalis</i> , <i>Armadillo</i> , Duméril, 1816, <i>Dictionnaire des Sciences Naturelles</i> , Ed. 2, vol. 3, p. 117 (specific name of the type species of <i>Armadillo</i> Latreille, 1802) (Isopoda). Op. 1897	available
<i>officinalis</i> , <i>Sepia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 658 (specific name of the type species of <i>Sepia</i> Linnaeus, 1758) (Cephalopoda). Direction 73	available
<i>Oglobliniella</i> Soyka, 1946, <i>Zbl. Gesamtgeb. Entomol.</i> , 1 : 181 (a junior objective synonym of <i>Mymar</i> Curtis, 1829). Op. 729	index
<i>Ogygia</i> Brongniart, 1817, <i>in Desmarest, Nouv. Dict. Hist. nat.</i> (ed. 2), 8 : 516 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1259	index
<i>Ogygia</i> Hübner, [1821], <i>Verz. bekannt. Schmett.</i> , signature 15: 225 (a junior homonym of <i>Ogygia</i> Brongniart, 1817). Op. 1259	index
<i>OGYGINAE</i> Raymond, 1913, <i>Bull. Victoria Mem. Mus.</i> , No. 1: 41 (type genus: <i>Ogygia</i> Brongniart, 1817) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 1259	index
OGYGIOCARIDINAE (correction of <i>OGYGOCARINAE</i>) Raymond, 1913, <i>in Eastman-Zittel, Textbook of Paleontology</i> : 718 (type genus: <i>Ogygiocaris</i> Angelin, 1854) (Trilobita). Op. 1259	available
<i>OGYGIOCARINAE</i> Raymond, 1913, <i>in Eastman-Zittel, Textbook of Paleontology</i> : 718 (type genus: <i>Ogygiocaris</i> Angelin, 1854) (an incorrect original spelling for OGYGIOCARIDINAE Raymond, 1913). Op. 1259	index
<i>Ogygiocaris</i> Angelin, 1854, <i>Palaeont. Scand.</i> : 92 (gender: feminine) (type species, by designation under the plenary power: <i>Trilobus dilatatus</i> Brünnich, 1781, <i>Nye Samml. k. dansk. Skr.</i> , 1 : 393) (Trilobita). Op. 1259	available
<i>Ogygites</i> Tromelin & Lebesconte, 1876, <i>C.R. Assoc. fr. Adv. Sci.</i> for 1875: 633 (gender: masculine) (type species, by designation under the plenary power: <i>Ogygia desmaresti</i> Brongniart, <i>in Brongniart & Desmarest, 1822, Hist. nat. Crust.</i> : 28) (Trilobita). Op. 1259	available
<i>Ogyrides</i> Stebbing, 1914, <i>Ann. S. Afr. Mus.</i> , 15 : 31 (gender: masculine) (type species, by monotypy through <i>Ogyris</i> Stimpson, 1860 (for which <i>Ogyrides</i> Stebbing, 1914, is a replacement name): <i>Ogyris orientalis</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 36) (Crustacea, Decapoda). Op. 470	available
<i>Ogyris</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 36 (a junior homonym of <i>Ogyris</i> Westwood, [1851]). Op. 470	index
<i>Okenia</i> Menke, 1830, <i>Synopsis methodica molluscorum generum omnium</i> : 10 (gender: feminine) (type species, by monotypy: <i>Idalia elegans</i> Leuckart, 1828, <i>Brev. Anim.</i> : 15) (Gastropoda). Op. 1014	available
<i>okutanii</i> , <i>Neadmete</i> , Petit, 1974, <i>Venus</i> , 33 (3): 110 (specific name of the type species of <i>Neadmete</i> Habe, 1961) (Gastropoda). Op. 1370	available

OLCOSTEPHANIDAE (correction of HOLCOSTEPHANIDAE) Haug, 1910, <i>Traité Géol.</i> , 2(2): 1167 (type genus: <i>Olcostephanus</i> Neumayr, 1875) (Cephalopoda). Op. 575	available
<i>Olcostephanus</i> Neumayr, 1875, <i>Z. deutsch. geol. Ges.</i> , 27: 922 (gender: masculine) (type species, by original designation: <i>Ammonites astierianus</i> d'Orbigny, 1840, <i>Paléont. franç.</i> , Terr. crét., 1: 115) (Cephalopoda). Op. 575	available
<i>Oleacina</i> [Röding], 1798, <i>Mus. bolten.</i> , 2: 110 (gender: feminine) (type species, by monotypy through Opinion 119 and Article 67e (1961 Code): <i>Bulla voluta</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3433) (Gastropoda). Op. 119, Direction 72	available
OLENIDAE Burmeister, 1843, <i>Organ. Trilob.</i> : 47 (type genus: <i>Olenus</i> Dalman, [1827]) (Trilobita). Op. 496	available
<i>Olenus</i> Dalman, [1827], <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 1826(1): 150 (gender: masculine) (type species, by designation under the plenary power: <i>Entomostracites gibbosus</i> Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8: 39) (Trilobita). Op. 496	available
<i>Olenus</i> Dejean, 1835, <i>Cat. Coléopt.</i> (ed. 2): 439 (a junior homonym of <i>Olenus</i> Dalman, [1827]). Op. 496	index
<i>Olenus</i> Thomson, 1857, <i>Arch. entomol.</i> , Paris, 1: 157 (a junior homonym of <i>Olenus</i> Dalman, [1827]). Op. 496	index
<i>oleracea</i> , <i>Chrysomela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 372 (specific name of the type species of <i>Altica</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>oleracea</i> , <i>Tipula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 585, as interpreted by the neotype proposed by Hemmingsen & Lemche, 1960 (<i>Bull. zool. Nomencl.</i> , 17: 212, 213) and designated under the plenary power (specific name of the type species of <i>Tipula</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1160	available
<i>olidus</i> , <i>Nicrophorus</i> , Matthews, 1888, <i>Biologia Centrali-Americanana. Insecta. Coleoptera</i> , vol. 2, part 1. <i>Fam. Silphidae</i> , p. 92, ruled under the plenary power to be given precedence over <i>Nicrophorus quadricollis</i> Gistel, 1848 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2141	available
<i>oligodon</i> , <i>Hippolyte</i> , de Man, 1888, <i>J. linn. Soc. London (Zool.)</i> , 22: 277 (specific name of the type species of <i>Merguia</i> Kemp, 1914) (Crustacea, Decapoda). Op. 470	available
OLIGOLOPHINAE Banks, 1893, <i>Canad. Entomol.</i> , 25: 207 (type genus: <i>Oligolophus</i> Koch, 1872) (Arachnida). Op. 942	available
<i>Oligolophus</i> Koch, 1872, <i>Ber. Offenb. Ver. Naturk.</i> , 12: 63, 64 (gender: masculine) (type species, by designation under the plenary power: <i>Opilio tridens</i> Koch, 1836, <i>Die Arachniden</i> , 3: 14, 15, pl. 78, figs. 173, 173a) (Arachnida). Op. 942	available
<i>olivacea</i> , <i>Euphonia</i> , Desmarest, 1806, <i>Hist. Nat. Tangaras</i> , livr. 10: pl. 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 852	index

<i>olivaceus</i> , <i>Centrurus</i> , Thorell, 1877, <i>Atti della Società Italiana di Scienze Naturali</i> , 19 : 151-152 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Scorpiones). Op. 1394	index
<i>olivaceus</i> , <i>Eutettix?</i> , Melichar, 1903, <i>Homopteren-Fauna von Ceylon</i> , p. 191 (specific name of the type species of <i>Bhatia</i> Distant, 1908) (Insecta, Auchenorrhyncha). Op. 1819	available
<i>olivaceus</i> , <i>Planorbis</i> , Spix, 1827, <i>Test. fluviat. Brasil.</i> : 26 (specific name of the type species of <i>Planorbina</i> Haldeman, 1842) (Gastropoda). Op. 735	available
<i>olivaris</i> , <i>Silurus</i> , Rafinesque, 1818, <i>American Monthly Magazine and Critical Review</i> , New York, 3 (5): 355 (senior subjective synonym of <i>Pylodictis limosus</i> Rafinesque, 1819, the type species of <i>Pylodictis</i> Rafinesque, 1819) (Osteichthyes, Siluriformes). Op. 1584	available
<i>olivetorum</i> , <i>Helix</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3639 (specific name of the type species of <i>Retinella</i> Fischer, 1877) (Gastropoda). Op. 335	available
<i>olivieri</i> , <i>Agabus</i> , Zaitzev, 1908, <i>Russkoe Entomologicheskoe Obozrenie</i> , 7 : 121 (a junior objective synonym of the specific name of <i>Dytiscus biguttatus</i> Olivier, 1795) (Insecta, Coleoptera). Op. 1785	index
<i>Olivigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Olonthogaster</i> Motschulsky, 1866, <i>Bull. Soc. imp. Nat. Moscou</i> , 39 : 401 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1167	index
OLPHIDAE Banks, 1895, <i>Journal of the New York Entomological Society</i> , 3 (1): 10 (type genus: <i>Olpium</i> L. Koch, 1873) (Arachnida). Op. 1423	available
<i>Olpium</i> L. Koch, 1873, <i>Uebersichtliche Darstellung der europäischen Chernetiden (Pseudoscorpione)</i> , p. 33 (gender: neuter) (type species, by designation under the plenary power: <i>Obisium pallipes</i> Lucas, [1846]) (Arachnida). Op. 1423	available
<i>Omalaspis</i> Giraud, 1860, <i>Verh. zool.-bot. Ges. Wien</i> , 10 (Abh.): 155 (gender: feminine) (type species, by monotypy: <i>Omalaspis noricus</i> Giraud, 1860, <i>Verh. zool.-bot. Ges. Wien</i> , 10 (Abh.): 155, valid name: <i>Figites niger</i> Hartig, 1840) (Insecta, Hymenoptera). Direction 50	available
<i>Omalisus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 179 (gender: masculine) (type species, by subsequent monotypy by Fourcroy, 1785, <i>Entomologia Parisiensis</i> , vol. 1, p. 64: <i>Omalisus fontisbellaquaei</i> Geoffroy in Fourcroy, 1785) (Insecta, Coleoptera). Op. 1754	available
<i>Ombellula</i> Cuvier, [1797], <i>Tableau élémentaire de l'histoire naturelle des animaux</i> , p. 675, ruled under the plenary power to be an incorrect original spelling of <i>Umbellula</i> (Anthozoa). Op. 1903	index
<i>Ombrias</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Ommateremias</i> Lantz, 1928, <i>Bull. Mus. Géorgie</i> (4): 2 (gender: feminine) (type species, by original designation: <i>Lacerta arguta</i> Pallas, 1773, <i>Reise Russland</i> , 2: 718) (Reptilia). Op. 1318	available
<i>Ommatocarcinus</i> White, 1852, in MacGillivray, <i>Voy. 'Rattlesnake'</i> , 2: 393 (gender: masculine) (type species, by monotypy: <i>Ommatocarcinus macgillivrayi</i> White, 1852, in MacGillivray, <i>Voy. 'Rattlesnake'</i> , 2: 393) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>ommatosteres, Prionocrangon</i> , Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i> , (6)8: 362 (specific name of the type species of <i>Prionocrangon</i> Wood-Mason & Alcock, 1891) (Crustacea, Decapoda). Op. 470	available
OMPHALOTROPIDINAE Thiele, 1929, <i>Zool. Jahrb., Syst.</i> , 53: 126 (type genus: <i>Omphalotropis</i> Pfeiffer, 1851) to be given precedence over GARRETTIINAE Kobelt, 1906 by those who believe these names to refer to the same family-group taxon (Gastropoda). Op. 973	available
<i>Omphalotropis</i> Pfeiffer, 1851, <i>Zeit. f. Malakozool.</i> , 8: 176 (gender: masculine) (type species, by designation by Nevill, 1878 (<i>Hand-List Moll. Indian Mus.</i> (1): 319): <i>Bulimus hieroglyphicus</i> Potiez & Michaud, 1838, <i>Galérie Moll. Cat. méth.</i> , 1: 144) (Gastropoda). Op. 973	available
<i>Oncomera</i> Stephens, 1829, <i>The Nomenclature of British Insects</i> , p. 20 (gender: feminine) (type species, by designation under the plenary power: <i>Dryops femorata</i> Fabricius, 1792) (Insecta, Coleoptera). Op. 1506	available
ONCOPODIDAE Thorell, 1876, <i>Annali del Museo civico di Storia Naturale di Genova</i> , (1)9: 134 (type genus <i>Oncopus</i> Thorell, 1876) (Arachnida) Op. 2189	index
<i>Oncopus</i> Herrich-Schäffer, 1855, <i>Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jakob Hübner's Sammlung Europäischer Schmetterlinge</i> , vol. 6, p. 99 (gender: masculine) (type species, by subsequent designation by Prout in Strand (1934), <i>Paidia citrosa</i> Geyer, 1832) (Lepidoptera) Op. 2189	available
<i>Oncopus</i> Thorell, <i>Annali del Museo civico di Storia Naturale di Genova</i> , (1)9: 134 (Arachnida) Op. 2189	index
<i>Oncotylus</i> Fieber, 1858, <i>Wien. entomol. Monats.</i> , 2: 318 (gender: masculine) (type species, by designation under the plenary power: <i>Oncotylus punctipes</i> Reuter, 1873, <i>Bihang. K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 3 (No. 1): 42) (Insecta, Hemiptera). Op. 252	available
<i>Oniscidia</i> Gray, 1847, <i>Proc. zool. Soc. London</i> (15): 137 (an incorrect subsequent spelling for and published in synonymy with <i>Oniscia</i> Sowerby, 1824). Op. 1040	index
<i>Oniscidia</i> Mörch, 1852, <i>Catalogus Conchyliorum quae reliquit D.A. d'Aguirra & Gadea, Comes de Yoldi</i> , Hafniae: 111 (gender: feminine) (type species, by monotypy: <i>Oniscia cancellata</i> Sowerby, 1824, <i>The Genera of Recent and Fossil Shells</i> (24), London: no pagination, but follows pl. 233) (Gastropoda). Op. 1040	available
<i>Oniscidia</i> Swainson, 1840, <i>A Treatise on Malacology</i> , London: 299 (an incorrect subsequent spelling for <i>Oniscia</i> Sowerby, 1824). Op. 1040	index

<i>Oniscus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 636 (gender: masculine) (type species, by designation by Audouin, 1823, Cloporte. <i>Oniscus</i> , in Bory de Saint-Vincent (Ed.), <i>Dictionnaire classique d'histoire naturelle</i> , vol. 4, p. 222: <i>Oniscus asellus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637) (Crustacea, Isopoda). Op. 104, Op. 1837, Direction 88	available
<i>oniscus, Strombus</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1210 (valid name at the date of Opinion 1040 of the type species of <i>Morum</i> [Röding], 1798) (Gastropoda). Op. 1040	available
<i>onocrotalus, Pelecanus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 132 (specific name of the type species of <i>Pelecanus</i> Linnaeus, 1758) (Aves). Direction 68	available
<i>Onthotrogus</i> Motschulsky, 1859, <i>Études Entomologiques</i> , 8: 153 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1708	index
<i>Onychites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 80 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Onychiurus</i> Gervais, 1841, <i>Écho Monde savant</i> , 8: 372 (gender: masculine) (type species, by original designation: <i>Podura ambulans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608) (Insecta, Collembola). Op. 291	available
<i>Onycholyda</i> Takeuchi, 1938, <i>Tenthredo</i> , 2: 218 (gender: feminine) (type species, by designation under the plenary power: <i>Pamphilus viriditibialis</i> Takeuchi, 1930, <i>Trans. Kansai entomol. Soc.</i> , 1: 13) (Insecta, Hymenoptera). Op. 1087	available
<i>Onychomorpha</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858: 162 (gender: feminine) (type species, by monotypy: <i>Onychomorpha lamelligera</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858: 162) (Crustacea, Decapoda). Op. 73 <i>Oodescelis</i> Motschulsky, 1845, <i>Bulletin de la Société Impériale des Sciences des Naturalistes de Moscou</i> , 18(1): 76 (gender: feminine) (type species, by subsequent designation by Kaszab, 1940, <i>Mitteilungen der Münchner Entomologischen Gesellschaft</i> , 30(3): 937: <i>Blaps polita</i> Sturm, 1807) (Insecta, Coleoptera). Op. 1729	available
<i>Oosternum</i> Sharp, 1882, Insecta. Coleoptera. Vol. 1, part 2 in Godman, F.D. & Salvin, O., <i>Biologia Centrali-Americanana</i> , vol. 16, p. 112 (gender: neuter) (type species, by monotypy: <i>Oosternum costatum</i> Sharp, 1882) (Insecta, Coleoptera). Op. 1891	available
<i>opacum, Acridium</i> , Herbst, 1786, <i>Fuessly's Archiv Ins.</i> : 190, No. 3, pl. 52, fig. 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>opalescens, Cynolebias</i> , Myers, 1942, <i>Stanford Ichthyological Bulletin</i> , 2(4): 107 (Osteichthyes, Cyprinodontiformes). Op. 1762	available
<i>opalescens, Loligo</i> , Berry, 1911, <i>Proc. U.S. nat. Mus.</i> , 40(1838): 591, ruled under the plenary power to be given precedence over the specific name <i>stearnsii</i> Hemphill, 1892, as published in the binomen <i>Loligo stearnsii</i> , by those who regard both as denoting the same taxon (Cephalopoda). Op. 1122	available

<i>opus</i> , [<i>Limax</i>], Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 24 (conserved under the plenary power) (valid name at the date of Opinion 479 of the type species of <i>Cantharidus</i> Montfort, 1810) (Gastropoda). Op. 479	available
<i>operculata</i> , Siren, Beauvois, 1799, <i>Trans. amer. phil. Soc.</i> , 4 : 277-281, figs. 1-4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 662	index
<i>Ophiceras</i> Griesbach, 1880, <i>Rec. geol. Surv. Ind.</i> , 13 : 102, 109 (conserved under the plenary power) (gender: neuter) (type species, by designation by Diener, 1897 (<i>Pal. ind.</i> (15), Himalayan Fossils, 2 (1): 101): <i>Ophiceras tibeticum</i> Griesbach, 1880, <i>Rec. geol. Surv. Ind.</i> , 13 : 109, pl. 3, fig. 4) (Cephalopoda). Op. 194	available
<i>Ophiceras</i> Suess, 1865, <i>Anz. Akad. Wiss., Wien</i> , 2 (No. 17): 112 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>Ophidion</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 259 (gender: neuter) (type species, by designation by Gill, 1863 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1863 : 210): <i>Ophidion barbatum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 259) (Osteichthyes). Op. 92, Direction 56	available
<i>Ophidion</i> Pomel, 1853, <i>Cat. méth. Vert. foss. Loire</i> : 128 (a junior homonym of <i>Ophidion</i> Linnaeus, 1758). Direction 56	index
<i>Ophidium</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 431 (an unjustified emendation of <i>Ophidion</i> Linnaeus, 1758). Direction 56	index
<i>ophiocoma</i> , <i>Rhopalura</i> , Giard, 1877, <i>Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris</i> , 85 : 813 (specific name of the type species of <i>Rhopalura</i> Giard, 1877) (Orthonectida). Op. 2096	available
<i>Ophioderma</i> Müller & Troschel, 1840, <i>Arch. Naturges.</i> , Jahrg. 6, 1 : 329 (gender: neuter) (type species, by designation by Clark, 1915 (<i>Mem. Mus. comp. Zool.</i> , 25 (4): 300): <i>Asterias longicauda</i> Retzius, 1805, <i>Diss. Sist. spec. cogn. Ast.</i> : 29) (Ophiuroidea). Op. 1152	available
OPHIODERMATIDAE Ljungman, 1867, <i>Öfvers. k. Vetensk. Akad. Forh.</i> , for 1866: 303 (type genus: <i>Ophioderma</i> Müller & Troschel, 1840) (Ophiuroidea). Op. 1152	available
<i>Ophiodontes</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 192 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ophiolepis</i> Müller & Troschel, 1840, <i>Arch. Naturges.</i> , Jahrg. 6, 1 : 328 (gender: feminine) (type species, by designation under the plenary power: <i>Ophiolepis superba</i> Clark, 1915, <i>Spolia Zeylanica</i> , 10 : 89) (Ophiuroidea). Op. 1187	available
<i>Ophiophagus</i> Günther, 1864, <i>Rept. Brit. Ind.</i> : 340 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Hamadryas elaps</i> Günther, 1858, <i>Cat. Colubr. Snakes Brit. Mus.</i> : 219, valid name: <i>Naja hannah</i> Cantor, 1836) (Reptilia). Op. 709	available

<i>Ophiura</i> Lamarck, 1801, <i>Syst. Anim. sans Vert.</i> : 350 (gender: feminine) (type species, by absolute tautonymy: <i>Asterias ophiura</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 662) (Ophiuroidea). Op. 1152	available
<i>ophiura</i> , <i>Asterias</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 662, as interpreted by the specimen illustrated by Linck, 1733 (<i>De Stellis marinis</i> , pl. 2, no. 4) and designated as lectotype under the plenary power (specific name of the type species of <i>Ophiura</i> Lamarck, 1801) (Ophiuroidea). Op. 1152	available
OPHIURIDAE Müller & Troschel, 1840 (as OPHIURIDEN), <i>Arch. Naturges.</i> , Jahrgang 6, 1 : 329 (type genus: <i>Ophiura</i> Lamarck, 1801) (Ophiuroidea). Op. 1152	available
<i>Ophonus</i> Dejean, 1821, <i>Catalogue de la collection de Coléoptères de M. le Baron Dejean</i> , p. 13 (gender: masculine) (type species, by designation under the plenary power: <i>Carabus sabulicola</i> Panzer, 1796) (Insecta, Coleoptera). Op. 1598	available
<i>opilio</i> , <i>Phalangium</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 618 (specific name of the type species of <i>Phalangium</i> Linnaeus, 1758) (Arachnida). Op. 2082	available
<i>Opisthoecomus</i> Illiger, 1811, <i>Prod. Syst. Mamm. Avium</i> : 239 (gender: masculine) (type species, by monotypy: <i>Phasianus cristatus</i> Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 741, valid name: <i>Phasianus hoazin</i> Müller, [1776]) (Aves). Op. 67 <i>Opisthocoenon</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 548 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	available
<i>Opisthopodus</i> Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 (No. 933): 251 (gender: masculine) (type species, by monotypy: <i>Opisthopodus transversus</i> Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 (No. 933): 252) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Opius</i> Wesmael, 1835, <i>Nouveaux Mémoires de l'Académie Royale des Sciences et Belles-Lettres de Bruxelles</i> , 9 : 115 (gender: masculine) (type species, by designation under the plenary power: <i>Opius pallipes</i> Wesmael, 1835) (Insecta, Hymenoptera). Op. 1497	available
OPLOPHAIIDAE Guiler, 1952, <i>Rec. Queen Victoria Mus. Tasmania</i> , 3 (3): 35 (type genus: <i>Oplophorus</i> Milne Edwards, 1837) (an incorrect subsequent spelling for OPLOPHORIDAE Dana, 1852). Op. 470	index
OPLOPHORINAE Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 18, 27 (type genus: <i>Oplophorus</i> Milne Edwards, 1837) (Crustacea, Decapoda). Op. 470	available
<i>Oplophorus</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 423 (gender: masculine) (type species, by indication under Article 68(c): <i>Oplophorus typus</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 424) (Crustacea, Decapoda). Op. 470	available
<i>Opomyza</i> Fallén, 1820, <i>Opomyzides Sveciae</i> , p. 10 (gender: feminine) (type species, by subsequent designation by Westwood, 1840, <i>An introduction to the modern classification of insects</i> , p. 152: <i>Musca germinationis</i> Linnaeus, 1758) (Insecta, Diptera). Op. 2088	available

<i>opossum</i> , <i>Didelphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 55 (specific name of the type species of <i>Philander</i> Brisson, 1762) (Mammalia, Marsupialia). Op. 1894	available
<i>Oppelia</i> Waagen, 1869, <i>Geogr.-Pal. Beitr.</i> , 2: 250 (gender: feminine) (type species, by designation by Douvillé, 1884 (<i>Bull. Soc. géol. France</i> , (3)13: 32): <i>Ammonites subradiatus</i> Sowerby, 1823, <i>Min. Conch.</i> , 5: 23, pl. 421, fig. 2) (Cephalopoda). Op. 324	available
OPPELIIDAE Bonarelli, 1893, <i>Bull. Soc. malac. ital.</i> , 18: 81 (type genus: <i>Oppelia</i> Waagen, 1869) (Cephalopoda). Direction 14	available
<i>orbata</i> , <i>Tachina</i> , Wiedemann, 1830, <i>Aussereuropäische zweiflügelige Insekten</i> , 2: 336, ruled by the Commission to be as defined by the neotype designated by Crosskey, 1967, <i>Proceedings of the Royal Entomological Society of London</i> , (B)36: 106 (Insecta, Diptera). Op. 1600	available
<i>Orbicula</i> Cuvier, 1798, <i>Tableau élémentaire de l'histoire naturelle des animaux</i> , p. 435 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1468	index
<i>orbicularis</i> , <i>Glycymeris</i> , da Costa, 1778, <i>British Conchology</i> , p. 168 (a junior objective synonym of the specific name of <i>Arca glycymeris</i> Linnaeus, 1758) (Bivalvia). Op. 1414	index
<i>orbicularis</i> , <i>Lacerta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 206, as interpreted by the lectotype designated by Smith, 1957 (<i>Bull. zool. Nomencl.</i> , 13: 268) (specific name of the type species of <i>Phrynosoma</i> Wiegmann, 1828) (Reptilia). Op. 565	available
<i>orbicularis</i> , <i>Testudo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 198 (senior subjective synonym of the specific name of <i>Testudo lutaria</i> Linnaeus, 1758, the type species of <i>Emys</i> Duméril, 1806, by the first reviser action of Mertens & Wermuth, 1960, <i>Die Amphibien und Reptilien Europas</i> , p. 12) (Reptilia, Testudines). Op. 1800	available
<i>orbiculata</i> , <i>Nitidula</i> , Gyllenhal, 1808, <i>Insecta Svecica, Descripta a Leonardo Gyllenhal, Classis I. Coleoptera sive Eleuterata</i> , vol. 1, p. 242 (specific name of the type species of <i>Aspidiphorus</i> Ziegler in Dejean, 1821) (Insecta, Coleoptera). Op. 1862	available
<i>Orbiculigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Orbiculoides</i> d'Orbigny, 1847, <i>C.R. Acad. Sci.</i> , Paris, 25: 269 (gender: masculine) (type species, by designation under the plenary power: <i>Orbicula forbesii</i> Davidson, 1848, <i>Bull. Soc. géol. France</i> , (2)5: 334) (Brachiopoda). Op. 722	available
ORBICULOIDEINAE Schuchert & LeVene, 1929, <i>Brachiop., Fossilium Catalogus, I Animalia</i> (42): 13 (type genus: <i>Orbiculoides</i> d'Orbigny, 1847) (Brachiopoda). Op. 722	available
<i>orbiculus</i> , <i>Nautilus</i> , Forsskål, 1775, <i>Descriptiones animalium ...</i> , p. 125 (specific name of the type species of <i>Sorites</i> Ehrenberg, [1839]) (Foraminiferida). Op. 1536	available
<i>orbignyi</i> , <i>Normannites</i> , Buckman, 1908, <i>Ann. Mag. nat. Hist.</i> , (8)1: 146 (specific name of the type species of <i>Normannites</i> Munier-Chalmas, 1892) (Cephalopoda). Op. 309	available

<i>orbignyi</i> , <i>Xantho</i> , Milne Edwards & Lucas, [1844], <i>in d'Orbigny, Voy. Amér. mérid.</i> , 6 (Crust.): 14, pl. 7 (specific name of the type species of <i>Platyxanthus</i> Milne Edwards, 1863) (Crustacea, Decapoda). Direction 36	available
<i>Orbitolina</i> d'Orbigny, 1850, <i>Prodrome de Paléontologie stratigraphique universelle des animaux mollusques & rayonnés faisant suite au cours élémentaire de Paléontologie et Géologie stratigraphiques</i> , vol. 2, p. 143 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Davies, 1939, <i>Transactions of the Royal Society of Edinburgh</i> , 59 : 786: <i>Orbulites concava</i> Lamarck, 1816) (Foraminiferida). Op. 1587	available
<i>Orbulina</i> d'Orbigny, 1839, <i>in R. de la Sagra, Hist. phys. pol. nat. Ile de Cuba</i> : 2 (gender: feminine) (type species, by monotypy: <i>Orbulina universa</i> d'Orbigny, 1839, <i>in R. de la Sagra, Hist. phys. pol. nat. Ile de Cuba</i> : 3) (Rhizopoda). Op. 552	available
ORBULINIDA Schultze, 1854, <i>Ueber Organ. d. Polythalamien</i> : 52 (type genus: <i>Orbulina</i> d'Orbigny, 1839) (an incorrect original spelling for ORBULINIDAE Schultze, 1854). Op. 552	index
ORBULINIDAE (correction by Galloway, 1933, of ORBULINIDA) Schultze, 1854, <i>Ueber Organ. d. Polythalamien</i> : 52 (type genus: <i>Orbulina</i> d'Orbigny, 1839) for use by those who consider that <i>Orbulina</i> d'Orbigny and <i>Globigerina</i> d'Orbigny, 1826 belong to different family-group taxa (Rhizopoda). Op. 552	available
<i>Orbulites</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 100 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 304	index
<i>Orchelimum</i> Audinet-Serville, 1838, <i>Hist. nat. Ins. Orth.</i> : 522 (gender: neuter) (type species, by designation by Kirby, 1906 (<i>Syn. Cat. Orth. II, Orth. Salt.</i> , 1 : 273)): <i>Orchelimum cuticulare</i> Audinet-Serville, 1838, <i>Hist. nat. Ins. Orth.</i> : 523, 524, valid name: <i>Orchelimum vulgare</i> Harris, 1841) (Insecta, Orthoptera). Op. 1148	available
<i>Orchesella</i> Templeton, 1835, <i>Trans. entomol. Soc. London</i> , 1 (2): 92 (gender: feminine) (type species, by designation by Börner, 1903 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1903 : 180): <i>Podura cincta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 609) (Insecta, Collembola). Op. 291	available
<i>Orchestia</i> Leach, 1814, <i>in Brewster's Edinburgh Encycl.</i> , 7 : 402, 432 (gender: feminine) (type species, by monotypy: <i>Cancer (Gammarus) littoreus</i> Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 96, valid name: <i>Oniscus gammarellus</i> Pallas, 1766) (Crustacea, Amphipoda). Op. 1133	available
ORCHESTIIDAE (correction of ORCHESTIDAE) Leach, 1814, <i>in Brewster's Edinburgh Encycl.</i> , 7 : 432 (type genus: <i>Orchestia</i> Leach, 1814) ruled under the plenary power not to be given priority over TALITRIDAE Rafinesque, 1815 whenever <i>Orchestia</i> Leach and <i>Talitrus</i> Bosc, [1802] are placed in the same family-group taxon (Crustacea, Amphipoda). Op. 1133	available
<i>Orconectes</i> Cope, 1872, <i>Amer. Nat.</i> , 6 : 409, 410, 416, 417, 419 (gender: masculine) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i> , 1911 : 339): <i>Orconectes inermis</i> Cope, 1872, <i>Amer. Nat.</i> , 6 : 409, 410, 419, valid name: <i>Astacus pellucidus</i> Tellkampf, 1844) (Crustacea, Decapoda). Op. 519	available

<i>Oreas</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> (a junior homonym of <i>Oreas</i> Hübner, [1807]). Op. 789	index
<i>Oreas</i> Desmarest, 1822, <i>Ency. méth. (Mamm.)</i> , 2 : 471 (a junior homonym of <i>Oreas</i> Hübner, [1807]). Op. 789	index
<i>Oreas</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Oreas</i> Hübner, [1807], <i>Samml. exot. Schmett.</i> , 1 : pl. [82] (a junior objective synonym of <i>Haetera</i> Fabricius, 1807). Op. 789	index
<i>Oreas</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 3 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Oreas</i> Montfort, 1808, <i>Conch. syst. Class. méth. Coquilles</i> , 1 : 94 (a junior homonym of <i>Oreas</i> Hübner, [1807]). Op. 789	index
<i>oreganus</i> , <i>Astacus</i> , Randall, 1840, <i>J. Acad. nat. Sci. Philadelphia</i> , 3 (1): 138 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 855	index
<i>Oreophorus</i> Rüppell, 1830, <i>Beschr. Krabben rothen Meeres</i> : 18 (gender: masculine) (type species, by monotypy: <i>Oreophorus horridus</i> Rüppell, 1830, <i>Beschr. Krabben rothen Meeres</i> : 19) (Crustacea, Decapoda). Op. 73 <i>Oreophryne</i> Boettger, 1895, <i>Zool. Anz.</i> , 18 (472): 135 (gender: feminine) (type species, by monotypy: <i>Oreophryne senckenbergiana</i> Boettger, 1895, <i>Zool. Anz.</i> , 18 (472): 135, valid name: <i>Microhyla achatina moluccensis</i> Peters & Doria, 1878) (Amphibia). Op. 1266	available
<i>orestes</i> , <i>Phacops</i> , Billings, 1860, <i>Canadian Naturalist and Geologist</i> , 5 : 65 (specific name of the type species of <i>Aceraspis</i> Campbell, 1967) (Trilobita). Op. 1846	available
<i>Orgyia</i> Ochsenheimer, 1810, <i>Schmett. Europas</i> , 3 : 208 (gender: feminine) (type species, by designation by Curtis, 1831 (<i>British Entomol.</i> , 8 : 378): <i>Phalaena antiqua</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 503) (Insecta, Lepidoptera). Op. 1283	available
ORGYIIDAE Wallengren, 1861, <i>K. Svenska Fregattes Eugenies Resa. C.A. Virgin åren</i> , 1851-1853, (Zool.), 1 (10, Lepidoptera): 369 (type genus: <i>Orgyia</i> Ochsenheimer, 1810) ruled under the plenary power not to be given priority over LYMANTRIIDAE Hampson, [1893] whenever <i>Orgyia</i> Ochsenheimer, 1810 and <i>Lymantria</i> Hübner, [1819] are placed in the same family-group taxon (Insecta, Lepidoptera). Op. 1283	available
<i>orientalis</i> , <i>Anthocharis belemida</i> , var., Bremer, 1864, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , (7) 8 : 8 (without prejudice to the prior rights of the nominal species <i>Anthocharis creusa</i> Doubleday, [1847], if that name is considered to be conspecific with <i>orientalis</i> Bremer) (Insecta, Lepidoptera). Op. 270	available
<i>orientalis</i> , <i>Blatta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 424 (specific name of the type species of <i>Blatta</i> Linnaeus, 1758) (Insecta, Orthoptera). Direction 64	available
<i>orientalis</i> , <i>Lupocyclus (Parathranites)</i> , Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 186 (specific name of the type species of <i>Parathranites</i> Miers, 1886) (Crustacea, Decapoda). Direction 36	available

<i>orientalis</i> , <i>Ogyris</i> , Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 36 (specific name of the type species of <i>Ogyrides</i> Stebbing, 1914) (Crustacea, Decapoda). Op. 470	available
<i>orientalis</i> , <i>Ovis</i> , Gmelin, 1774, <i>Reise durch Russland zur Untersuchung der drey Natur-Reiche</i> , vol. 3, pp. 432, 486, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>orientalis</i> , <i>Scyllarus</i> , Lund, 1793, <i>Skr. naturh. Selsk. Kbh.</i> , 2 (2): 22 (valid name at the date of Opinion 519 of the type species of <i>Thenus</i> Leach, 1815) (Crustacea, Decapoda). Op. 519	available
<i>Oriolus</i> Brisson, 1760, <i>Ornithologia</i> , 2 : 320-333 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 21	index
<i>Oriolus</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 160 (conserved under the plenary power) (gender: masculine) (type species, by absolute tautonymy and through Opinion 67 and Article 67e (1961 Code): <i>Coracias oriolus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 107) (Aves). Op. 67, Direction 21, Direction 43	available
<i>oriolus</i> , <i>Coracias</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 107 (specific name of the type species of <i>Oriolus</i> Linnaeus, 1766) (Aves). Direction 43	available
<i>Ormenoflata</i> Melichar, 1923, in Wytsman, <i>Gen. Ins.</i> (182): 67 (gender: feminine) (type species, by original designation: <i>Poeciloptera pulverulenta</i> Guérin, 1844, <i>Icon. Règne Anim. Ins.</i> : 361) (Insecta, Hemiptera). Op. 598	available
<i>ornata</i> , <i>Ilia</i> , Randall, 1840, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 129 (specific name of the type species of <i>Randallia</i> Stimpson, 1857) (Crustacea, Decapoda). Direction 36	available
<i>ornata</i> , <i>Tanagra</i> , Sparrman, 1789, <i>Mus. Carls.</i> (4): pl. 95 (valid name at the date of Opinion 852 of the type species of <i>Thraupis</i> Boie, 1826) (Aves). Op. 852	available
<i>ornatus</i> , <i>Centruroides</i> , Pocock, 1902, <i>Biologia Centrali-Americanana</i> , p. 26 (Arachnida, Scorpiones). Op. 1394	available
<i>ornatus</i> , <i>Cephalopterus</i> , Geoffroy Saint-Hilaire, 1809, <i>Ann. Mus. Hist. nat.</i> , Paris, 13 (75): 238 (specific name of the type species of <i>Cephalopterus</i> Geoffroy Saint-Hilaire, 1809) (Aves). Direction 43	available
<i>ornatus</i> , <i>Cyclodius</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 80 (specific name of the type species of <i>Cyclodius</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>ornatus</i> , <i>Medaeus</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 76 (specific name of the type species of <i>Medaeus</i> Dana, 1851) (Crustacea, Decapoda). Op. 712	available
<i>ornatus</i> , <i>Tetrodon</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 32 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>ornatus</i> , <i>Tylosteus</i> , Leidy, 1872, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1872 : 40 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Dinosauria). Op. 1371	index

<i>Orneodes</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 148 (a junior objective synonym of <i>Alucita</i> Linnaeus, 1758). Op. 450	index
ORNEODIDAE (correction by Meyrick, 1895 (<i>Handb. brit. Lep.</i> : 441) of ORNEODIDES Herrich-Schaeffer, [1843], <i>Syst. Bearbeit. Schmett. Europ.</i> , 1 : 14 (type genus: <i>Orneodes</i> Latreille, 1796) (a junior objective synonym of ALUCITIDAE (correction of ALUCITIDES) [Leach, 1815], the respective type genera of the two families having the same nominal species as type species). Op. 450	index
ORNEODIDES Herrich-Schaeffer, [1843], <i>Syst. Bearbeit. Schmett. Europ.</i> , 1 : 14 (type genus: <i>Orneodes</i> Latreille, 1796) (an incorrect original spelling for ORNEODIDAE Herrich-Schaeffer, [1843]). Op. 450	index
<i>ornigis, Apanteles</i> , Weed, 1887, <i>Bulletin of the Illinois State Laboratory of Natural History</i> , 3 : 6, ruled under the plenary power to be given precedence over the specific name of <i>Microgaster robiniae</i> Fitch, 1859 whenever the two names are considered to be synonyms (specific name of the type species of <i>Pholetesor</i> Mason, 1981) (Insecta, Hymenoptera). Op. 1480	available
<i>Ornipholidotos</i> Bethune Baker, 1914, <i>Trans. entomol. Soc. London</i> , 1914 : 319 (gender: masculine) (type species, by designation under the plenary power: <i>Pentila kirbyi</i> Aurivillius, 1895, <i>Entomol. Tidskr.</i> , 16 : 198) (Insecta, Lepidoptera). Op. 814	available
<i>Ornitoglossum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 87 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Orobothriurus</i> Maury, 1976, <i>Revista Peruana de Entomología</i> , 18 : 14 (gender: masculine) (type species, by original designation: <i>Bothriurus alticola</i> Pocock, 1899) (Arachnida). Op. 2074	available
<i>Orosagrotis</i> Hampson, 1903, <i>Cat. Lep. Phal. Brit. Mus.</i> , 4 : 133 (gender: feminine) (type species, by original designation: <i>Agrotis montana</i> Morrison, 1875, <i>Ann. Lyc. nat. Hist. N.Y.</i> , 11 : 95) (Insecta, Lepidoptera). Op. 983	available
<i>Orpheides</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (6): 86 (a junior objective synonym of <i>Princeps</i> Hübner, [1807]). Op. 270	index
<i>Orphnaeus</i> Meinert, 1870, <i>Naturhistorisk Tidsskrift</i> , (3) 7 : 17 (gender: masculine) (type species, by subsequent designation by Crabbill, 1968, <i>Entomological News</i> , 79 : 109: <i>Orphnaeus lividus</i> Meinert, 1870, a junior subjective synonym of <i>Geophilus brevilabiatus</i> Newport, 1845) (Chilopoda). Op. 2071	available
<i>Orphnoxanthus</i> Alcock, 1898, <i>J. asiat. Soc. Bengal</i> , 67 (2): 127 (gender: masculine) (type species, by monotypy: <i>Xanthodes microps</i> Alcock & Anderson, 1894, <i>J. asiat. Soc. Bengal</i> , 63 (2): 183) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Orsodacne</i> Latreille, 1802, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 3, p. 223 (gender: feminine) (type species, by designation under the plenary power: <i>Chrysomela cerasi</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1989	available
<i>Orthocera</i> Blainville, 1828, <i>Dict. Sci. nat.</i> , 36 : 485 (a junior homonym of <i>Orthocera</i> Modeer, 1789). Op. 1003	index

- Orthocera* Fleming, 1815, *Ann. Phil.*, **5**: 201-206 (a junior homonym of *Orthocera* Modeer, 1789). Op. 1003 index
- Orthocera* Lamarck, 1799, *Mém. Soc. Hist. nat. Paris*, **1**: 80 (a junior homonym of *Orthocera* Modeer, 1789). Op. 1003 index
- Orthocera* Modeer, 1789, *Illust. quaedam in R.D. Ambr. Soldani opus egreg. Saggio Orittografico dictum*, first published as a part of *Testaceogr. ac Zoophyogr. parvae et microsc. tomus primus*: 41-43 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1003 index
- Orthocera* Sowerby, 1812, *Min. Conch.*, **1**: 127 (a junior homonym of *Orthocera* Modeer, 1789). Op. 1003 index
- Orthoceras* Balashov, 1956, emendation pro *Orthoceros* Brünnich, 1771, *Ezheg. vses. paleont. Obshch.*, **15**: 233 (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Batsch, 1791, *Sechs Kupfertafeln mit Conchylien des Seesandes*: (no page nos.) (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Blainville, 1825, *Man. Malac.*: 379 (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Bruguière, 1789, *Ency. méth., Hist. nat. Vers* (1): xvi (gender: neuter) (type species, by designation by Miller, Dunbar & Condra, 1933 (*Bull. Nebraska Geol. Surv.*, (2)**9**: 61, 62); *Orthoceratites regularis* Schlotheim, 1820, *Die Petref.*: 54) (Cephalopoda). Op. 1003 available
- Orthoceras* Deshayes, 1831, *Descr. Coquilles caract. Terrains*: 215 (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Perry, 1811, *Conch. nat. Hist. Shells*: pl. LII (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Phillips, 1836, *Ill. Geol. Yorks*: 237 (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Schrank, 1796, *Sammel. Nat. Phys. Aufsatz*: 131 (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthoceras* Spalovsky, 1795, *Prodromus in Syst. Nat. Hist. Test.*: 10 (a junior homonym of *Orthoceras* Bruguière, 1789). Op. 1003 index
- Orthocerata* Soldani, 1780, *Saggio Orittografico, ovvero osservazioni sopra le terre nautilitiche ed ammonitiche della Toscana*: 106 (included in a non-binominal work by a non-binominal author). Op. 1003 index
- Orthoceratia* Soldani, 1791, *Testaceographiae ac Zoophytopraphiae parvae et microscopicae tomus primus* (2): 91 (included in a non-binominal work by a non-binominal author). Op. 1003 index

ORTHOCECERATIDAE McCoy, 1844, <i>A synopsis of the characters of the Carboniferous Limestone fossils of Ireland</i> (London): 6 (type genus: <i>Orthoceras</i> Bruguière, 1789) (Cephalopoda). Op. 1003	available
<i>Orthoceratites</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1 : 81 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 613	index
ORTHOCECERINI Blanchard, 1845 (1820), <i>Histoire des insectes ... comprenant une nouvelle classification fondée sur leurs rapports naturels</i> , vol. 2, p. 29 (type genus: <i>Orthocerus</i> Latreille, 1796), ruled under the plenary power that this name and other family-group names based on <i>Orthocerus</i> are not to be given priority over	
COLYDIIDAE Erichson, 1842 and other family-group names based on <i>Colydium</i> Fabricius, 1792 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1811	available
<i>Orthoceros</i> Brünnich, [1771], <i>Zoologiae Fundamenta</i> : 232, 246 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1003	index
ORTHOCECEROTIDAE Teichert & Miller, 1936, in Kindle & Miller, <i>Geol. Soc. America Special Paper</i> , 23 : 1 (type genus: <i>Orthoceros</i> Brünnich, [1771]) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 1003	index
<i>Orthocerus</i> Latreille, 1796, <i>Précis des caractères générériques des insectes, disposés dans un ordre naturel</i> , p. 16 (gender: masculine) (type species, by subsequent monotypy by Latreille, 1807, <i>Genera Crustaceorum et Insectorum</i> , vol. 2, p. 172: <i>Tenebrio hirticornis</i> De Geer, 1775, a junior subjective synonym of <i>Dermestes clavicornis</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1811	available
ORTHOCLADIINAE Kieffer, 1911, <i>Records of the Indian Museum</i> , 6 : 345 (type genus <i>Orthocladius</i> van der Wulp, 1874), ruled under the plenary power (with other family-group names based on <i>Orthocladius</i>) to be given precedence over ERETMOPTERINAE Kellogg, 1900 and other family-group names based on <i>Eretmoptera</i> Kellogg, 1900, and over CLUNIONINAE Kieffer, 1906 and other family-group names based on <i>Clunio</i> Haliday, 1855, whenever the respective type genera are placed in the same family-group taxon (Diptera) Op. 2206	available
<i>Orthocladius</i> van der Wulp, 1874, <i>Tijdschrift voor Entomologie</i> , 16 : 132 (gender: masculine), type species <i>Chironomus oblidens</i> Walker, 1856 (Diptera) Op. 2206	available
<i>Orthocolobos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 558 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Orthonus</i> Miers, [1878], <i>Proceedings of the Zoological Society of London</i> , 1877 (43): 664 (a junior objective synonym of <i>Armadillo</i> Latreille, 1802) (Isopoda). Op. 1897	index
<i>Orthoptiche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>orthorhynchus</i> , <i>Lebbeus</i> , White, 1847, <i>List Crust. Coll. Brit. Mus.</i> : 76, 135 (a junior objective synonym of <i>polaris</i> , <i>Alpheus</i> , Sabine, 1824). Op. 671	index
<i>Orthosphinctes</i> Schindewolf, 1925, <i>Neues Jahrb. Min.</i> , Beil.-Band. 52(B) : 2, 324 (gender: masculine) (type species, by original designation: <i>Ammonites tiziani</i> Oppel, 1863, <i>Pal. Mitt.</i> , 1 (3): 246) (Cephalopoda). Op. 504	available
<i>Orthothrix</i> Geinitz, 1847, <i>Bull. Soc. imp. Nat. Moscou</i> , 20 (2): 84 (gender: feminine) (type species, by designation by Dall, 1877 (<i>Bull. U.S. nat. Mus.</i> , 8 : 53): <i>Orthis excavata</i> Geinitz, 1842, <i>Neues Jahrb. Min., Geol. Pal. Abh.</i> , 1842 : 578, pl. 10, figs. 12, 13) (Brachiopoda). Op. 625	available
<i>Orthunga</i> Dohrn, 1859, <i>Catalogus Hemipterorum</i> : 105 (gender: feminine) (type species, by monotypy: <i>Emesa wahlbergi</i> Stål, 1855, <i>Öfvers. k. Vetenskaps Akad. Handl.</i> , 12 : 45) (Insecta, Hemiptera). Op. 1260	available
<i>Oryctogale</i> Merriam, 1902, <i>Proc. biol. Soc. Washington</i> , 15 : 161 (gender: feminine) (type species, by original designation: <i>Mephitis leuconota</i> Lichtenstein, [1832-1834], <i>Darstell. Säugth.</i> (9): text to pl. 44, fig. 1) for use by those who consider on taxonomic grounds that <i>Oryctogale</i> Merriam is distinct from <i>Conepatus</i> Gray, 1837 (Mammalia). Op. 384	available
<i>Oryx</i> Blainville, 1816, <i>Bull. Sci. Soc. philomat. Paris</i> , 1816 : 75 (gender: masculine) (type species, by designation by Sclater & Thomas, 1899 (<i>Book of Antelopes</i> , 4 : 41): <i>Antilope oryx</i> Pallas, 1777, <i>Spicil. Zool.</i> (1): 16, valid name: <i>Capra gazella</i> Linnaeus, 1758) (Mammalia). Direction 23	available
<i>oryx</i> , <i>Antilope</i> , Pallas, 1766, <i>Miscell. Zool.</i> : 9 (Mammalia). Direction 23	available
<i>oryx</i> , <i>Antilope</i> , Pallas, 1777, <i>Spicil. Zool.</i> (1): 16 (a junior primary homonym of <i>oryx</i> , <i>Antilope</i> , Pallas, 1766). Direction 23	index
<i>oryza</i> , <i>Curculio</i> , Linnaeus, 1763, <i>Amoen. Acad.</i> , 6 : 395 (ruled under the plenary power to be an incorrect original spelling for <i>oryzae</i> , <i>Curculio</i> , Linnaeus, 1763). Op. 572	index
<i>oryzae</i> (emendation under the plenary power of <i>oryza</i>), <i>Curculio</i> , Linnaeus, 1763, <i>Amoen. Acad.</i> , 6 : 395 (specific name of the type species of <i>Sitophilus</i> Schoenherr, 1838) (Insecta, Coleoptera). Op. 572	available
<i>Oryzaria</i> Defrance in Bronn, 1825, <i>System der urweltlichen Pflanzenthiere</i> , p. 31 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1501	index
<i>oryzicola</i> , <i>Berus</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 248 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>oryzivorus</i> , <i>Coluber</i> , Suckow, 1798, <i>Anfangsgrunde der theoretischen und angewandten Naturgeschichte der Thiere</i> , 3, <i>von den Amphibien</i> , p. 245 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia). Op. 1463	index

<i>Osachila</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 154 (gender: feminine) (type species, by monotypy: <i>Osachila tuberosa</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 154) (Crustacea, Decapoda). Op. 73 <i>osceola</i> , <i>Chelydra</i> , Stejneger, 1918, <i>Proceedings of the Biological Society of Washington</i> , 31 : 89, ruled under the plenary power to be given precedence over the specific names of <i>Chelydra laticarinata</i> Hay, 1916 and <i>Chelydra sculpta</i> Hay, 1916 whenever it is considered to be a synonym of either of them (Reptilia, Testudines). Op. 1377	available
<i>Oscillaria</i> Laveran, [May] 1881, <i>Nature parasit. Accidents Impaludisme</i> : 87 (a junior homonym of <i>Oscillaria</i> Schrank, 1823). Op. 283	index
<i>Oscinella</i> Becker, 1909, <i>Chloropidae. Eine monographische Studie</i> , I. Teil, Palaearktisches Region. <i>Archivum Zoologicum</i> (Budapest), 1 : 150 (gender: feminine) (type species, by designation under the plenary power: <i>Musca frit</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 598) (Insecta, Diptera). Op. 1100	available
<i>osgoodi</i> , <i>Chagrinichnites</i> , Hannibal & Feldmann, 1983, <i>Journal of Paleontology</i> , 57 : 706 (Trace fossil, arthropod). Op. 1520	available
<i>Osilinus</i> Philippi, 1847, <i>Zeitschrift für Malakozoologie</i> , 4 : 19-20 (gender: masculine) (type species, by designation under the plenary power: <i>Trochus turbinatus</i> Born, 1778) (Gastropoda). Op. 1930	available
OSMERIDAE Regan, 1913, <i>Trans. roy. Soc. Edinburgh</i> , 49 : 290 (type genus: <i>Osmerus</i> Linnaeus, 1758) (Osteichthyes). Direction 69	available
<i>Osmerus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 310 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Salmo eperlanus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 310) (Osteichthyes). Op. 77, Direction 69	available
<i>Osmoderma</i> Le Peletier de Saint-Fargeau & Serville, 1828, Latreille, <i>Encyclopédie Methodique. Histoire Naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes</i> . 10. Agasse, Paris, p. 702 (gender: neuter) (type species, by subsequent designation by MacLeay, 1838, <i>Illustrations of the zoology of South Africa</i> , p. 16: <i>Scarabaeus eremita</i> Scopoli, 1763) (Insecta, Coleoptera). Op. 2186	available
<i>ossifagus</i> , <i>Labrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 286 (a junior objective synonym of <i>Labrus mixtus</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1954	index
<i>ossifragus</i> , <i>Labrus</i> , Lönnberg, 1896, <i>Bihang till Kongliga Svenska Vetenskaps-Akademiens Handlingar</i> , 22 (4, 1): 42 (a junior objective synonym of <i>Labrus ossifagus</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1954	index
<i>Osteoglossum</i> Cuvier, 1829, <i>Le règne animal distribué d'après son organisation pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée</i> , Ed. 2, vol. 2, p. 328 (gender: neuter) (type species, by designation under the plenary power: <i>Osteoglossum bicirrhosum</i> Cuvier, 1829) (Osteichthyes, Osteoglossiformes). Op. 1621	available
OSTRACEA Blainville, 1825, <i>Man. Malac.</i> : 519 (type genus: <i>Ostrea</i> Linnaeus, 1758) (an incorrect subsequent spelling for OSTREIDAE Rafinesque, 1815). Op. 356	index

<i>Ostracia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 92 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ostracites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 92 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>ostralegus, Haematopus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 152 (specific name of the type species of <i>Haematopus</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Ostrea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 696 (gender: feminine) (type species, by Linnaean tautonymy: <i>Ostrea edulis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 699) (Bivalvia). Op. 94 OSTREACIA Rafinesque, 1815, <i>Analyse Nature</i> : 148 (type genus: <i>Ostrea</i> Linnaeus, 1758) (an incorrect original spelling for OSTREIDAE Rafinesque, 1815). Op. 356	available
OSTREADAE Fleming, 1828, <i>Hist. brit. Anim.</i> : 392 (type genus: <i>Ostrea</i> Linnaeus, 1758) (an incorrect subsequent spelling for OSTREIDAE Rafinesque, 1815). Op. 356	index
OSTREIDAE (correction of OSTREACIA) Rafinesque, 1815, <i>Analyse Nature</i> : 148 (type genus: <i>Ostrea</i> Linnaeus, 1758) (Bivalvia). Op. 356	available
<i>Ostreigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Ostreites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 92 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ostrem</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Otaria</i> Périon, 1816, <i>Histoire de l'éléphant marin, ou phoque à trompe [Phoca proboscidae, N.]</i> : pêches des Anglois aux Terres Australes in: <i>Voyage de découvertes aux Terres Australes, exécuté sur les Corvettes le Géographe, le Naturaliste, et la Goëlette le Casuarina, pendant les années 1800, 1801, 1802, 1803 et 1804</i> , vol. 2, p. 37, footnote (gender: feminine) (type species, by designation under the plenary power: <i>Phoca leonina</i> Molina, 1782, invalid senior subjective synonym of <i>Phoca byronia</i> de Blainville, 1820) (Mammalia, Pinnipedia). Op. 1962	available
<i>Otarion</i> Zenker, 1833, <i>Beitr. Nat. Urwelt</i> : 44 (gender: neuter) (type species, by monotypy: <i>Otarion diffractum</i> Zenker, 1833, <i>Beitr. Nat. Urwelt</i> : 44) (Trilobita). Op. 88	
<i>Othius</i> Stephens, 1829, ex Leach MS, <i>Nomenclature British Insects</i> : 23 (gender: masculine) (type species, by designation under the plenary power: <i>Staphylinus punctulatus</i> Goeze, 1777, <i>Entomol. Beiträge Linne 12. Ausgabe Natursystems</i> , 1 : 730) (Insecta, Coleoptera). Op. 1250	available
<i>otidiformis, Dinornis</i> , Owen, 1844, <i>Transactions of the Zoological Society of London</i> , 3 (3): 247 (specific name of the type species of <i>Aptornis</i> Owen, 1848) (Aves). Op. 1874	available
<i>Otina</i> Gray, 1847, <i>Proc. zool. Soc. London</i> , 15 : 156 (gender: feminine) (type species, by monotypy: <i>Helix otis</i> Turton, 1819, <i>Conch. Dict. brit. Islands</i> : 70, valid name: <i>Geliculum ovatum</i> Brown, 1827) (Gastropoda). Op. 335	available

OTINIDAE Chenu, 1859, <i>Man. Conchyl.</i> , 1 : 479 (type genus: <i>Otina</i> Gray, 1847) (Gastropoda). Direction 27	available
OTIORHYNCHINAE (correction of OTIORHYNCHIDES) Schoenherr, 1826, <i>Circ. Disp. meth.</i> : 203 (type genus: <i>Otiorynchus</i> Germar, 1824) (Insecta, Coleoptera). Op. 982	available
<i>Otiorynchus</i> Germar, 1824, <i>Ins. Spec. nov.</i> 1, Coleopt.: 343 (gender: masculine) (type species, by designation by Schoenherr, 1826 (<i>Circ. Disp. meth.</i> : 205): <i>Curculio clavipes</i> Bonsdorff, 1785, <i>Hist. nat. Curcul. svec.</i> (2): 40) (Insecta, Coleoptera). Op. 982	available
<i>otiosus</i> , <i>Attus</i> , Hentz, 1846, <i>Boston J. nat. Hist.</i> , 5 : 356 (Arachnida). Op. 1340	available
<i>otis</i> , <i>Helix</i> , Turton, 1819, <i>Conch. Dict. brit. Islands</i> : 70 (a junior primary homonym of <i>otis</i> , <i>Helix</i> , Solander, 1786). Op. 335	index
<i>Otocyon</i> Müller, 1836, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1836 : 1 (gender: masculine) (type species, by monotypy: <i>Otocyon caffer</i> Müller, 1836, <i>Arch. Anat. Phys. Wiss. Med.</i> , 1836 : 1, valid name: <i>Canis megalotis</i> Desmarest, 1822) (Mammalia). Op. 384	available
OTOCYONIDAE Trouessart, 1885, <i>Cat. Mamm. viv. foss.</i> (Fasc. IV, Carniv.): 51 (published as a suppl. to <i>Bull. Soc. Etud. Sci. Angers</i> , 15) (type genus: <i>Otocyon</i> Müller, 1836) (Mammalia). Direction 53	available
<i>Otoes</i> Fischer, 1817, <i>Mémoires de la Société Impériale des Naturalistes de Moscou</i> , 5 : 445 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Pinnipedia). Op. 1962	index
OTOPHEPODIDAE Lull, 1915, <i>Connecticut geol. nat. Hist. Surv. Bull.</i> , 24 : 187 (type genus: <i>Otophepus</i> Cushman, 1904) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 535	index
<i>Otophepus</i> Cushman, 1904, <i>Amer. Geol.</i> , 33 : 154 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 535	index
<i>oularsawa</i> , <i>Coluber</i> , Bonnaterre, 1790, Ophiologie, in: <i>Tableau Encyclopédique et Méthodique des Trois Règnes de la Nature</i> , p. 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia). Op. 1463	index
<i>Ourocnemis</i> Baker, 1887, <i>Transactions of the Entomological Society of London</i> , 1887 : 175-176, pl. 9 (gender: feminine) (type species, by monotypy: <i>Anteros axiochus</i> Hewitson, [1867], a junior subjective synonym of <i>Papilio archytas</i> Stoll, [1787]) (Insecta, Lepidoptera). Op. 1381	available
<i>Ova</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 431 (gender: feminine) (type species, by monotypy: <i>Spatangus canaliferus</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 31) (Echinoidea). Op. 209	available
<i>ovalis</i> , <i>Ammonites sowerbyi</i> , Quenstedt, 1886, <i>Die Ammoniten des Schwäbischen Jura, II, Der Braune Jura</i> , p. 488, ruled under the plenary power to be an available name, not invalid by reason of being a junior homonym (Ammonoidea). Op. 2123	available

<i>ovalis</i> , <i>Gyropus</i> , Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 443 (specific name of the type species of <i>Gyropus</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 342	available
<i>ovalis</i> , <i>Heliastes</i> , Steindachner, 1900, <i>Denkschriften der Mathematisch-naturwissenschaftlichen Classe der Kaiserlichen Akademie der Wissenschaften Wien</i> , 70 (for 1901), p. 502, p. 20 in the separate issued in 1900, ruled under the plenary power not to be invalid by reason of having been rejected before 1961 as a junior secondary homonym of <i>Chromis ovalis</i> Steindachner, 1866 (Osteichthyes, Perciformes). Op. 1622	available
<i>ovalis</i> , <i>Naiadites</i> , Dawson, 1860, <i>Supplement to Acadian Geology</i> : 45, as interpreted by reference to the specimen figured by Dawson, 1894 (<i>Canadian Record of Science</i> : 129, fig. 11) as <i>Anthracomyia ovalis</i> (No. 2, 1170 in the Redpath Museum, Montreal, Canada) (Bivalvia). Op. 728	available
<i>Ovarium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>ovarius</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>ovata</i> , <i>Fasciola</i> , Rudolphi, 1803, <i>Archiv Zool.</i> (Wiedemann), 3 (2): 25, as interpreted by the lectotype designated by Braun, 1901 (<i>Zbl. Bakt. (Abt. 1)</i> , 29 : 12-19) (Trematoda). Op. 227	available
<i>ovata</i> , <i>Fenestrella</i> , Osborn & Drake, 1916, <i>Ohio State Univ. Bull.</i> , 20 : 222 (specific name of the type species of <i>Fenestrella</i> Osborn & Drake, 1916) (Insecta, Hemiptera). Op. 622	available
<i>ovata</i> , <i>Hamiltonia</i> , Swainson, 1839, <i>Nat. hist. class. fishes amph. rept.</i> , 2 : 250 (a junior objective synonym of <i>Chanda nama</i> Hamilton-Buchanan, 1822). Op. 1121	index
<i>ovatum</i> , <i>Galericulum</i> , Brown, 1827, <i>Ill. Conch. Gt. Brit.</i> : pl. 38, figs. 27, 28 (pl. reissued in 1844 in 2nd ed. as pl. 19, with descr. on p. 23) (valid name at the date of Opinion 335 of the type species of <i>Otina</i> Gray, 1847) (Gastropoda). Op. 335	available
<i>ovatus</i> , <i>Araneus</i> , Clerck, [1758], <i>Aran. svec.</i> : 58, pl. 3, Tab. 8 (Arachnida). Op. 517	available
<i>ovatus</i> , <i>Gasterosteus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 296 (Osteichthyes, Perciformes). Op. 1841	available
<i>Ovibos</i> Blainville, 1816, <i>Bull. Sci. Soc. philomat. Paris</i> , 1816 : 76 (gender: masculine) (type species, by designation by Elliot, 1901 (<i>Field Mus. Publ. (Zool.)</i> , 2 : 48): <i>Bos moschatus</i> Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 86) (Mammalia). Op. 91, Direction 24	available
<i>ovifera</i> , <i>Vorticella</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1319 (specific name of the type species of <i>Boltenia</i> Savigny, 1816) (Asciidiacea). Op. 636	available
<i>Ovis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 70 (gender: feminine) (type species, by Linnaean tautonymy: <i>Ovis aries</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 70) (Mammalia). Op. 75 <i>ovis</i> , <i>Oestrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 585 (specific name of the type species of <i>Oestrus</i> Linnaeus, 1758) (Insecta, Diptera). Direction 64	available

<i>Ovuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>ovulum</i> , <i>Enchelis</i> , Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 : 36 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	index
<i>ovulum</i> , <i>Fibularia</i> , Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 17 (specific name of the type species of <i>Fibularia</i> Lamarck, 1816) (Echinoidea). Op. 207	available
<i>oweni</i> , <i>Archaeopteryx</i> , Petronievics, 1921, <i>Über das Becken, den Schultergürtel und einige andere Teile der Londoner Archaeopteryx</i> : 10 (a junior objective synonym of <i>lithographica</i> , <i>Archaeopteryx</i> , von Meyer, 1861). Op. 607	index
<i>oxianus</i> , <i>Ammobates (Xerammobates)</i> , Popov, 1951, <i>Trudy Zoologicheskogo Instituta</i> , 9 (3): 917 (specific name of the type species of <i>Xerammobates</i> Popov, 1951) (Insecta, Hymenoptera). Op. 1853	available
<i>oxyacanthalae</i> , <i>Lithocolletis</i> , Frey, 1855, <i>Mittheilungen der Naturforschenden Gesellschaft in Zürich</i> , 3 : 606–607 ruled under the plenary power to be given precedence over the name <i>pomonella</i> Zeller, 1846, as published in the binomen <i>Lithocolletis pomonella</i> , whenever the two are considered to be synonyms (Lepidoptera) Op. 2205	available
<i>Oxycanus</i> Walker, 1856, <i>List lep. Ins. Brit. Mus.</i> (7): 1573 (gender: masculine) (type species, by designation by Kirby, 1892 (<i>Syn. Cat. Lep. Het.</i> : 892)): <i>Oxycanus australis</i> Walker, 1856, <i>List lep. Ins. Brit. Mus.</i> (7): 1574 (Insecta, Lepidoptera). Op. 267	available
<i>oxycephalus</i> , <i>Coluber</i> , Boie, 1827, <i>Isis</i> (Oken), 1827 : 537 (valid name at the date of Opinion 490 of the type species of <i>Gonyosoma</i> Wagler, 1828) (Reptilia). Op. 490	available
<i>Oxychilus</i> Fitzinger, 1833, <i>Beitr. Landesk. Oesterreich Enns</i> , 3 : 100 (gender: masculine) (type species, by designation by Herrmannsen, 1847 (<i>Indicis Gen. Malacoz. Primordia</i> , 2 : 183)): <i>Helix cellaria</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 28) (Gastropoda). Op. 431	available
<i>Oxyepiptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 547 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Oxyeschatia</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 560 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Oxynoticeras</i> Hyatt, 1875, <i>Proc. Boston Soc. nat. Hist.</i> , 17 : 230 (gender: neuter) (type species, by designation by Buckman, 1909 (<i>Yorkshire Type Ammonites</i> , 1 : ii)): <i>Ammonites oxynotus</i> Quenstedt, 1843, <i>Floeggeb. Wurtemb.</i> : 161) (Cephalopoda). Op. 575	available
OXYNOTICERATIDAE (correction of OXYNOTIDAE) Hyatt, 1875, <i>Proc. Boston Soc. nat. Hist.</i> , 17 : 230 (type genus: <i>Oxynoticeras</i> Hyatt, 1875) (Cephalopoda). Op. 575	available

OXYNOTIDAE Hyatt, 1875, *Proc. Boston Soc. nat. Hist.*, **17**: 230 (type genus: *Oxynoticeras* Hyatt, 1875) (an incorrect original spelling for **OXYNOTICERATIDAE** Hyatt, 1875). Op. 575

index

oxynotus, **Ammonites**, Quenstedt, 1843, *Floezgeb. Wurtemb.*: 161 (specific name of the type species of *Oxynoticeras* Hyatt, 1875) (Cephalopoda). Op. 575

available

Oxypoda Mannerheim, 1831, *Mém. Acad. imp. Sci. St. Pétersbourg*, **1**(5): 483 (gender: feminine) (type species, by designation under the plenary power: *Oxypoda spectabilis* Maerkel, 1844, *Z. Entomol. (Germar)*, **5**: 217) (Insecta, Coleoptera). Op. 463

available

OXYPODATES Mulsant & Rey, 1874, *Hist. nat. Coléopt. France*, Brévip. Aléoch. (Suite): 2, 199 (type genus: *Oxypoda* Mannerheim, 1831) (a vernacular (French) name). Op. 463

index

OXYPODIDES Thomson, 1859, *Skand. Coleopt.*, **1**: 36 (published as a name for a taxon below subfamily rank) (type genus: *Oxypoda* Mannerheim, 1831) (Insecta, Coleoptera). Op. 463

available

Oxystoglossa Smith, 1853, *Catalogue of hymenopterous insects in the collection of the British Museum*, part 1 (Andrenidae and Apidae), p. 83 (gender: feminine) (type species, by monotypy: *Oxystoglossa decorata* Smith, 1853) (Insecta, Hymenoptera). Op. 1952

available

OXYSTOGLOSSINI Schrottky, 1909, *Deutsche Entomologische Zeitschrift*, **1909**: 482 (type genus: *Oxystoglossa* Smith, 1853), ruled under the plenary power that this name and other family-group names based on *Oxystoglossa* are not to be given priority over **AUGOCHLORINI** Beebe, 1925 and other familygroup names based on *Augochlora* Smith, 1853 whenever their type genera are placed in the same familygroup taxon (Insecta, Hymenoptera). Op. 1952

available

Oxystomina Filipjev, 1918, *Trud. osoboi zool. Lab. Sevastopol biol. Stansii Ross. Akad. Nauk*, **2**: explanation of plate 2 (gender: feminine) (type species, by designation under the plenary power: *Oxystoma elongatum* Bütschli, 1874, *Abhandl. Senckenberg. naturf. Ges.*, **9**: 270) (Nematoda). Op. 1098

available

Ozanna Reichenbach, 1845, *Vollständ. Naturgesch.*, [1]**3** (Rumin.): 126 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 23

index

Ozoena Rafinesque, 1814, *Précis Découv. Trav. somiolog.*: 29 (a junior homonym of *Ozaena* Olivier, [1812]). Op. 233

index

pabulinus, **Cimex**, Linnaeus, 1761, *Fauna svec.* (ed. 2): 253 (specific name of the type species of *Lygocoris* Reuter, 1875) (Insecta, Hemiptera). Op. 667

available

paca, **Mus**, Linnaeus, 1766, *Systema Naturae*, Ed. 12, vol. 1, p. 81 (specific name of the type species of *Cuniculus* Brisson, 1762) (Mammalia, Rodentia). Op. 1894

available

Pachodynerus Saussure, 1870, *Rev. Mag. Zool.*, (2)**22**: 56 (gender: masculine) (type species: *Odynerus californicus* Saussure, 1870, *Rev. Mag. Zool.*, (2)**22**: 57) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893

available

<i>Pachycephala</i> Broun, 1881, <i>Man. N.Z. Col.</i> , 2 : 672 (a junior homonym of <i>Pachycephala</i> Vigors, 1825). Direction 44	index
<i>Pachycephala</i> Doleschall, 1858, <i>Natuurk. Tijdskr. Nederl. Ind.</i> , 17 : 115 (a junior homonym of <i>Pachycephala</i> Vigors, 1825). Direction 44	index
<i>Pachycephala</i> Fairmaire, 1883, <i>Ann. Soc. entomol. Belg.</i> , 27 (2): 4 (a junior homonym of <i>Pachycephala</i> Vigors, 1825). Direction 44	index
<i>Pachycephala</i> Klug, 1834, <i>Jahrb. Insectenk.</i> , 1 : 4 (a junior homonym of <i>Pachycephala</i> Vigors, 1825). Direction 44	index
<i>Pachycephala</i> Lioy, 1864, <i>Atti Ist. Veneto Sci. Lett. Arti</i> , (3) 9 : 1343 (a junior homonym of <i>Pachycephala</i> Vigors, 1825). Direction 44	index
<i>Pachycephala</i> Vigors, 1825, <i>Trans. linn. Soc. London</i> , 14 (3): 444 (gender: feminine) (type species, by original designation: <i>Muscicapa pectoralis</i> Latham, 1801, <i>Index orn.</i> , Suppl.: li) (Aves). Op. 67 PACHYCEPHALOSAURIDAE Sternberg, 1945, <i>Journal of Paleontology</i> , 19 (5): 535 (type genus: <i>Pachycephalosaurus</i> Brown & Schlaikjer, 1943) (Reptilia, Dinosauria). Op. 1371	available
<i>Pachycephalosaurus</i> Brown & Schlaikjer, 1943, <i>Bulletin of the American Museum of Natural History</i> , 82 (5): 132 (gender: masculine) (type species, by original designation: <i>Pachycephalosaurus grangeri</i> Brown & Schlaikjer, 1943, a junior subjective synonym of <i>Troodon wyomingensis</i> Gilmore, 1931) (Reptilia, Dinosauria). Op. 1371	available
<i>Pachycephalus</i> Stephens, 1826, in Shaw, <i>Gen. Zool.</i> (Aves), 13 (2): 267 (an unjustified emendation of <i>Pachycephala</i> Vigors, 1825). Direction 44	index
<i>Pachyceras</i> Bayle, 1878, <i>Explic. Carte géol. France</i> , 4 (Atlas): pl. 43 (conserved under the plenary power) (gender: neuter) (type species, by monotypy: <i>Ammonites lalandeanus</i> d'Orbigny, 1848, <i>Paléont. franç.</i> , Terr. jurass., 1 : 477, pl. 175) (Cephalopoda). Op. 437	available
<i>Pachyceras</i> Ratzeburg, 1844, <i>Die Ichneumonen</i> , 1 : Table facing p. 40, 217 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 437	index
PACHYCERATIDAE Buckman, 1918, <i>Type Ammonites</i> , 2 : xiii (type genus: <i>Pachyceras</i> Bayle, 1878) (Cephalopoda). Op. 437	available
<i>Pachycerianthus</i> Roule, 1904, <i>Compte Rendu de l'Association Française pour l'Avancement des Sciences</i> , 32me session (Angers, 1903), p. 793 (gender: masculine) (type species, by designation under the plenary power: <i>Pachycerianthus multiplicatus</i> Carlgren, 1912) (Cnidaria). Op. 1987	available
<i>pachydactyla</i> , <i>Candace</i> , Dana, 1849, <i>Proc. Amer. Acad. Arts Sci.</i> , 2 : 23 (specific name of the type species of <i>Candacia</i> Dana, 1846) (Crustacea, Copepoda). Op. 733	available
<i>Pachygrapsus</i> Randall, 1840, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 126 (gender: masculine) (type species, by designation by Kingsley, 1880 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1880 : 198): <i>Pachygrapsus crassipes</i> Randall, 1840, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 127) (Crustacea, Decapoda). Op. 712	available

<i>Pachylops</i> Fieber, 1858, <i>Wien. entomol. Monats.</i> , 2 : 314 (gender: masculine) (type species, by monotypy: <i>Capsus chloropterus</i> Kirschbaum, 1856, the invalid senior subjective synonym of <i>Litosoma virescens</i> Douglas & Scott, 1865, the designation under the plenary power of <i>Litosoma bicolor</i> Douglas & Scott, 1868 having been set aside under the plenary power) (Insecta, Hemiptera). Op. 253, Op. 1943	available
PACHYMERIDES Baerensprung, 1860, <i>Berlin. Entomol. Zeit.</i> , 4 : 9 (type genus: <i>Pachymerus</i> Lepeletier & Serville, 1825) (invalid because the name of the type genus is a junior homonym). Op. 676	index
Pachymerium Koch, 1847, in Herrich-Schäffer, L. (Ed.), <i>Kritische Revision der Insecten-faune Deutschlands</i> , vol. 3, p. 85 (gender: neuter), type species by monotypy <i>Geophilus ferrugineus</i> Koch, 1835 (Chilopoda). Op. 2218	available
<i>Pachymerus</i> Lepeletier & Serville, 1825, <i>Ency. méth.</i> , 10 (1): 322 (a junior homonym of <i>Pachymerus</i> Thunberg, 1805). Op. 676	index
<i>Pachyodon</i> Stutchbury, 1842, <i>Ann. Mag. nat. Hist.</i> , 8 : 481 (a junior homonym of <i>Pachyodon</i> Meyer, 1838). Op. 292	index
PACHYRHYNCHINI (correction of PACHYRHYNCHIDES Schoenherr, 1826, <i>Circ. Disp. meth.</i> : 88 (type genus: Pachyrhynchus Germar, 1824) (Insecta, Coleoptera). Op. 928	available
Pachyrhynchus Germar, 1824, <i>Ins. Spec. nov.</i> : 336 (gender: masculine) (type species, by monotypy: <i>Pachyrhynchus moniliferus</i> Germar, 1824, <i>Ins. Spec. nov.</i> : 336, pl. 1, fig. 2) (Insecta, Coleoptera). Op. 928	available
<i>Pachyrhynchus</i> Wagler, 1822, in Hahn, <i>Vögel aus Asien, Africa, America & Neuholland</i> (13): col. 6, text to pl. (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 928	index
<i>pacifica, Certhia</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 470 (specific name of the type species of <i>Drepanis</i> Temminck, 1820) (Aves). Op. 610	available
<i>pacifica, Miersia</i> , Holmes, 1895, <i>Proc. Calif. Acad. Sci.</i> , (2)4 : 577 (specific name of the type species of <i>Syncaris</i> Holmes, 1900) (Crustacea, Decapoda). Op. 470	available
<i>pacifica, Voluta</i> , Solander, 1786, <i>Cat. Portland Mus.</i> : 190 (a nomen nudum). Op. 479	index
<i>pacificum, Phascolosoma</i> , Keferstein, 1866, <i>Nachrichten von der Königlichen Gesellschaft der Wissenschaften (und der Georg-Augusts-Universität)</i> , 1866 (14): 221 (Sipuncula). Op. 1532	available
<i>pacivorus, Speothos</i> , Lund, [April] 1839, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2)11 : 224 (specific name of the type species of <i>Speothos</i> Lund, [April] 1839) (Mammalia). Op. 384	available
<i>Pactolus</i> Leach, 1815, <i>Zool. Miscell.</i> , 2 : 19 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 763	index
<i>padi, Aphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 451, to be interpreted, by direction under the plenary power, by reference to the description published for that nominal species by Schrank, 1801 (<i>Fauna boica</i> , 2 : 115) (Insecta, Hemiptera). Op. 563	available

<i>Paeckelmannia</i> Licharew, 1934, <i>in</i> Zittel, <i>Grundzüge Paläont.</i> (Russian ed.), 1 (Invert.): 509 (a junior objective synonym of <i>Tornquistia</i> Paeckelmann, 1930). Op. 367	index
<i>Paessleria</i> Michaelsen, 1907, <i>Ergebnisse der Hamburger Magalhaensischen Sammelreise</i> , 8 (5): 68 (gender: feminine) (type species, by monotypy: <i>Paessleria magalhaensis</i> Michaelsen, 1907), ruled under the plenary power not to be given priority over <i>Eudistoma</i> Caullery, 1909 whenever the two names are considered to be synonyms (Tunicata). Op. 1865	available
<i>pagelli</i> , <i>Anchorella</i> , Krøyer, 1863, <i>Naturh. Tidsskr.</i> , (3) 2 : 75-320 (specific name of the type species, by designation under the plenary power, of <i>Alella</i> Leigh-Sharpe, 1925) (Crustacea, Copepoda). Op. 1047	available
<i>pagoda</i> , <i>Defrancia</i> , Millet, 1826, <i>Mém. linn. Soc. Paris</i> , 5 : 439, pl. 9, figs. la, b (specific name of the type species of <i>Pleurotomoides</i> Bronn, 1831) (Gastropoda). Op. 666	available
<i>paguri</i> , <i>Phryxus</i> , Rathke, 1843, <i>Verh. kaiserl. Leopold.-Carolin. Akad. Naturf.</i> , 20 (1): 57 (valid name at the date of Opinion 1229 of the type species of <i>Athelges</i> Gerstaecker, 1862) (Crustacea, Isopoda). Op. 1229	available
PAGURIDAE (correction by Samouelle, 1819 (<i>Entomol. useful Compendium</i> : 91) of PAGURII Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 29 (type genus: <i>Pagurus</i> Fabricius, 1775) (Crustacea, Decapoda). Op. 472	available
PAGURII Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 29 (type genus: <i>Pagurus</i> Fabricius, 1775) (an incorrect original spelling for PAGURIDAE Latreille, [1802]). Op. 472	index
<i>Paguristes</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 268, 269, 271 (gender: masculine) (type species, by designation by Stimpson, 1858 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 235); <i>Paguristes hirtus</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 272) (Crustacea, Decapoda). Op. 712	available
PAGURISTINEN Boas, 1924, <i>Biol. Medd. K. Dansk. Vidensk. Selsk.</i> , Kbh., 4 (4): 30 (type genus: <i>Paguristes</i> Dana, 1851) (a vernacular (German) name). Op. 472	index
<i>Pagurus</i> Berthold, 1827, <i>in</i> Latreille, <i>Nat. Fam. Thierr.</i> : 255 (a nomen nudum). Op. 472	index
<i>Pagurus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 410 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 422, 100); <i>Cancer bernhardus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 631, as interpreted by the lectotype designated by Forest & Holthuis, 1955 (<i>Bull. zool. Nomencl.</i> , 11 : 312)) (Crustacea, Decapoda). Op. 472	available
<i>pagurus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 627 (specific name of the type species of <i>Cancer</i> Linnaeus, 1758) (Crustacea, Decapoda). Direction 36	available
<i>Palaeaneilo</i> Hall, 1869, <i>Prelim. Not. lamellibr. Shells</i> (Part 2): 6 (an incorrect original spelling for <i>Palaeoneilo</i> Hall, 1869). Op. 215	index

<i>Palaega</i> Woodward, 1870, <i>Geological Magazine</i> , 7 : 496, ruled under the plenary power not to be given priority over <i>Bathynomus</i> Milne Edwards, 1879 whenever the two names are considered to be synonyms (gender: feminine) (type species, by monotypy: <i>Palaega carteri</i> Woodward, 1870) (Isopoda). Op. 1668	available
<i>Palaemon</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 378, 402 (a junior homonym and a junior objective synonym of <i>Palaemon</i> Weber, 1795). Op. 564	index
<i>Palaemon</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (gender: masculine) (type species, by direction under the plenary power: <i>Palaemon adspersus</i> Rathke, 1837, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , 3 (3/4): 368) (Crustacea, Decapoda). Op. 564	available
<i>Palaemonella</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 17 (gender: feminine) (type species, by designation by Kingsley, 1880 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1879 : 425); <i>Palaemonella tenuipes</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 25) (Crustacea, Decapoda). Op. 470	available
<i>Palaemonetes</i> Heller, 1869, <i>Z. wiss. zool.</i> , 19 : 157, 161 (gender: masculine) (type species, by monotypy: <i>Palaemon varians</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 432) (Crustacea, Decapoda). Op. 470	available
<i>Palaemonias</i> Hay, 1901, <i>Proc. biol. Soc. Washington</i> , 14 : 179 (gender: masculine) (type species, by monotypy: <i>Palaemonias ganteri</i> Hay, 1901, <i>Proc. biol. Soc. Washington</i> , 14 : 180) (Crustacea, Decapoda). Op. 470	available
PALAEMONIDAE (correction of PALEMONIA) Rafinesque, 1815, <i>Analyse Nature</i> : 98 (type genus: <i>Palaemon</i> Weber, 1795) (Crustacea, Decapoda). Op. 564	available
<i>Palaeoneilo</i> (emendation of <i>Palaeaneilo</i>) Hall, 1869, <i>Prelim. Not. lamellibr. Shells</i> , Part 2: 6 (gender: feminine) (type species, by designation by Hall, 1885 (<i>Nat. Hist. New York</i> (Pal.), 5 (1) Lamellibr. 2: xxvii); <i>Nuculites constricta</i> Conrad, 1842, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 249, pl. 15, fig. 8) (Bivalvia). Op. 215	available
<i>Palaeophoneus</i> Lindström & Thorell, 1884, <i>C.R. Acad. Sci.</i> , Paris, 99 : 984 (ruled under the plenary power to be an incorrect original spelling for <i>Palaeophonus</i> Lindström & Thorell, 1884). Op. 523	index
PALAEOPHONIDAE (correction by Fritsch, 1904, of PALAEOPHONOIDAE) Thorell & Lindström, 1885, <i>K. Svensk. Vetensk.-Akad. Handl.</i> (n.s. [4]), 21 (9): 9 (type genus: <i>Palaeophonus</i> Lindström & Thorell, 1884) (Arachnida). Op. 523	available
PALAEOPHONOIDAE Thorell & Lindström, 1885, <i>K. Svensk. Vetensk.-Akad. Handl.</i> (n.s. [4]), 21 (9): 9 (type genus: <i>Palaeophonus</i> (emendation of <i>Palaeophoneus</i>) Lindström & Thorell, 1884) (an incorrect original spelling for PALAEOPHONIDAE Thorell & Lindström, 1885). Op. 523	index
<i>Palaeophonus</i> (emendation of <i>Palaeophoneus</i>) Lindström & Thorell, 1884, <i>C.R. Acad. Sci.</i> , Paris, 99 : 984 (gender: masculine) (type species, by monotypy: <i>Palaeophonus</i> [sic] <i>nuncius</i> Lindström & Thorell, 1884, <i>C.R. Acad. Sci.</i> , Paris, 99 : 984) (Arachnida). Op. 523	available
<i>Palaeopropithecus</i> G. Grandidier, 1899, <i>Bulletin du Muséum National d'Histoire Naturelle</i> , 5 (7): 345 (gender: masculine) (type species, by monotypy: <i>Palaeopropithecus ingens</i> G. Grandidier, 1899) (Mammalia, Primates). Op. 1737	available

<i>Palaeopsylla</i> Wagner, 1903, <i>Hor. Soc. entomol. Ross.</i> , 36 : 137 (gender: feminine) (type species, by designation under the plenary power: <i>Palaeopsylla similis</i> Dampf, 1910, <i>Schr. phys. ökon. Ges. Königsb.</i> , 51 : 327, figs. 4, 5d) (Insecta, Siphonaptera). Op. 373	available
<i>Palaeoteuthis</i> Roemer, 1855, <i>Palaeontographica</i> , 4 : 72 (a junior homonym of <i>Palaeoteuthis</i> d'Orbigny, [1850]). Op. 438	index
<i>Palaeothentes</i> Ameghino, 1887, <i>Bol. Mus. de la Plata</i> , 1 : 5 (gender: masculine) (type species, by designation by Clemens & Marshall, 1976 (<i>Fossilium Catalogus: American and European Marsupialia</i> . W. Junk (The Hague), Pars 123: 72): <i>Palaeothentes aratae</i> Ameghino, 1887, <i>Bol. Mus. de la Plata</i> , 1 : 5) (Mammalia). Op. 1241	available
PALAEOTHENTINAE Sinclair, 1906, <i>Rep. Princeton Univ. Exped. Patagonia</i> , 4 : 417 (type genus: <i>Palaeothentes</i> Ameghino, 1887) ruled under the plenary power to be given precedence over the familygroup names ABDERITIDAE Ameghino, 1889, GARZONIIDAE Ameghino, 1891 and DECASTIDAE Ameghino, 1893 whenever <i>Palaeothentes</i> Ameghino, 1887 and <i>Abderites</i> Ameghino, 1887, <i>Garzonia</i> Ameghino, 1891 or <i>Decastis</i> Ameghino, 1891 are placed in the same family-group taxon (Mammalia). Op. 1241	available
<i>Palaeotriton</i> Fitzinger, 1837, <i>Ann. wien. Mus. Naturgesch.</i> , 2 : 186 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 869	index
<i>Palamopus</i> E. Hitchcock, 1845, <i>Proceedings of the American Association of Geologists and Naturalists</i> , 6 : 24 (gender: masculine) (type species, by monotypy: <i>Ornithichnites palmatus</i> E. Hitchcock, 1836) (Ichnotaxa, Reptilia?). Op. 2182	available
<i>Palamopus</i> E. Hitchcock, 1848, <i>American Academy of Arts and Sciences Memoir</i> (new series), 3 : 217 (a junior homonym of <i>Palamopus</i> Hitchcock, 1845) (Ichnotaxa, Reptilia?). Op. 2182	index
<i>Palemon</i> Duméril, [1805], <i>Zool. analyt.</i> : 339 (an unjustified emendation of <i>Palaemon</i> Fabricius, 1798). Op. 564	index
PALEMONIA Rafinesque, 1815, <i>Analyse Nature</i> : 98 (type genus: <i>Palaemon</i> Weber, 1795) (an incorrect original spelling for PALAEMONIDAE Rafinesque, 1815). Op. 564	index
PALEMONIDAE Randall, 1839, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 141 (type genus: <i>Palaemon</i> Weber, 1795) (an incorrect subsequent spelling for PALAEMONIDAE Rafinesque, 1815). Op. 564	index
<i>Paleofavosites</i> Twenhofel, 1914, <i>Geol. Surv. Canada, Mus. Bull.</i> III, Geol. Ser., 19 : 24 (gender: masculine) (type species, by original designation: <i>Favosites asper</i> d'Orbigny, 1850, <i>Prodrome de paléontologie stratigraphique universelle</i> , 1: 49) (Anthozoa). Op. 1059	available
PALICIDAE Rathbun, 1898, <i>Bull. Lab. nat. Hist. State Univ. Iowa</i> , 4 : 280 (type genus: <i>Palicus</i> Philippi, 1838) (Crustacea, Decapoda). Op. 712	available

<i>Palicus</i> Philippi, 1838, <i>Jahresber. Ver. Naturk. Cassel</i> , 2 : 11 (gender: masculine) (type species, by monotypy: <i>Palicus granulatus</i> Philippi, 1838, <i>Jahresber. Ver. Naturk. Cassel</i> , 2 : 11, valid name: <i>Cymopolia caronii</i> Roux, 1830) (Crustacea, Decapoda). Op. 712	available
<i>Palicus</i> Stål, 1866, <i>Hemipt. Afr.</i> , 4 : 120 (a junior homonym of <i>Palicus</i> Philippi, 1838). Op. 712	index
<i>Palinanalogonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 582 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Palindeuteros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 583 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Palindiestecodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 582 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Palinostus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 56, 76, 85 (an incorrect original spelling for <i>Palinosytus</i> Bate, 1888). Op. 612	index
<i>Palinosytus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : ix, xxx, lxxv, 937 (a junior objective synonym of <i>Jasus</i> Parker, 1883). Op. 612	index
<i>Palinurellus</i> von Martens, 1878, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1878 : 131 (gender: masculine) (type species, by monotypy: <i>Palinurellus gundlachi</i> von Martens, 1878, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1878 : 131) (Crustacea, Decapoda). Op. 519	available
PALINURIDAE (correction by Samouelle, 1819, of PALINURINI) Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 31 (type genus: <i>Palinurus</i> Weber, 1795) (Crustacea, Decapoda). Op. 519	available
PALINURINI Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 31 (type genus: <i>Palinurus</i> Weber, 1795) (an incorrect original spelling for PALINURIDAE Latreille, [1802], but available for a family-group taxon at a rank not having a prescribed termination). Op. 519	index
<i>Palinurus</i> (emendation under the plenary power of <i>Pallinurus</i>) Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (gender: masculine) (type species, by monotypy: <i>Astacus elephas</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 331) (Crustacea, Decapoda). Op. 519	available
<i>Palinurus</i> De Kay, 1842, <i>Zool. New York</i> , 4 : 118 (a junior homonym of <i>Palinurus</i> Weber, 1795). Op. 519	index
<i>Palinurus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 376, 400 (a junior objective synonym and junior homonym of <i>Palinurus</i> Weber, 1795). Op. 519	index

<i>Palinustus</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 66 (gender: masculine) (type species, by monotypy: <i>Palinustus truncatus</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 66) (Crustacea, Decapoda). Op. 519	available
<i>pallassii</i> , <i>Cistena</i> , Leach, 1816, <i>Encycl. brit.</i> , Annulosa, Suppl. to eds. 4-6, 1 : 452 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1225	index
<i>pallida</i> , <i>Attus pulcher</i> , Walckenaer, 1837, <i>Histoire naturelle des insectes aptères</i> , Paris, 1 : 439 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1340	index
<i>pallida</i> , <i>Banksinella luteolateralis</i> , Theobald, 1907, <i>A monograph of the Culicidae or mosquitoes</i> , vol. 4, p. 470 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1775	index
<i>pallida</i> , <i>Doris</i> , Rüppell & Leuckart, 1830 or 1831, in Rüppell, <i>Atlas zu der Reise im nördlichen Africa</i> , p. 33, pl. 10, fig. 1 (senior subjective synonym of the specific name of <i>Doris (Glossodoris) xantholeuca</i> Ehrenberg, 1831, the type species of <i>Glossodoris</i> Ehrenberg, 1831) (Gastropoda). Op. 1375	available
<i>pallida</i> , <i>Eolis</i> , Alder & Hancock, 1842, <i>Ann. Mag. nat. Hist.</i> , 9 : 35 (Gastropoda). Op. 773	available
<i>pallida</i> , <i>Janthina</i> , 'Harvey MS' Thomson, 1840, <i>Ann. Mag. nat. Hist.</i> , 5 : 96 (Gastropoda). Op. 989	available
<i>pallidum</i> , <i>Liotheum</i> , Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 299 (a junior objective synonym of <i>gallinae</i> , <i>Pediculus</i> , Linnaeus, 1758). Op. 628	index
<i>pallidus</i> , <i>Zosterops</i> , Swainson, [1837], in Lardner, <i>The Cabinet of Natural History</i> , p. 294 (Aves). Op. 1859	available
<i>Pallinurus</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (an incorrect original spelling for <i>Palinurus</i> Weber, 1795). Op. 519	index
<i>pallipes</i> , <i>Galeodes</i> , Say, 1823, <i>Account of an expedition from Pittsburgh to the Rocky Mountains, performed in the years 1819 and '20, by order of the Hon. J.C. Calhoun, Sec'y of War: under the command of Major Stephen H. Long</i> , vol. 2, p. 3, footnote, as defined by the neotype designated by Brookhart & Muma, 1981, <i>Florida Entomologist</i> , 64 : 292 (specific name of the type species of <i>Eremobates</i> Banks, 1900) (Arachnida). Op. 2050	available
<i>pallipes</i> , <i>Julus</i> , Olivier, 1792, <i>Ency. méth.</i> , Ins., 7 : 416 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 936	index
<i>pallipes</i> , <i>Lathrobium</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia</i> , p. 179 (Insecta, Coleoptera). Op. 2139	available
<i>pallipes</i> , <i>Lathrobium</i> , Sharp, 1889, <i>Annals and Magazine of Natural History</i> , (6) 3 : 257, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>L. pallipes</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2139	available

<i>pallipes</i> , <i>Obisium</i> , Lucas, [1846], <i>Exploration scientifique de l'Algérie pendant les années 1840, 1841, 1842</i> , Zoologie, vol. 2, p. 277 (specific name of the type species of <i>Olpium</i> L. Koch, 1873) (Arachnida). Op. 1423	available
<i>pallipes</i> , <i>Opius</i> , Wesmael, 1835, <i>Nouveaux Mémoires de l'Académie Royale des Sciences et Belles-Lettres de Bruxelles</i> , 9 : 118 (specific name of the type species of <i>Opius</i> Wesmael, 1835) (Insecta, Hymenoptera). Op. 1497	available
<i>pallipes</i> , <i>Phryganea</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 388 (specific name of the type species of <i>Silo</i> Curtis, 1833) (Insecta, Trichoptera). Op. 654	available
<i>palluma</i> , <i>Lacerta</i> , Molina, 1782, <i>Saggio sulla storia naturale del Chili</i> , p. 217, as defined by the neotype, specimen BMNH 1946.8.29.84 in the collections of the Natural History Museum, London, designated under the plenary power (specific name of the type species of <i>Phymaturus</i> Gravenhorst, 1837) (Reptilia). Op. 2118	available
<i>palmae</i> , <i>Dyscolus</i> , Blackburn, 1877, <i>Entomologist's Monthly Magazine</i> , 14 : 147 (specific name of the type species of <i>Metromenus</i> Sharp, 1884) (Insecta, Coleoptera). Op. 2140	available
<i>Palmar</i> Schaefer, 1949, <i>Miscellanea Entomologica</i> , Supplément: 167 (gender: feminine) (type species, by original designation: <i>Buprestis festiva</i> Linnaeus, 1767) (Insecta, Coleoptera). Op. 1825	available
<i>palmarosae</i> , <i>Murex</i> , Lamarck, 1822, <i>Hist. nat. Anim. sans Vertèbr.</i> , 7 : 161 (Gastropoda). Op. 911	available
<i>Palmatotriton</i> Smith, 1945, <i>Ward's Nat. Sci. Bull.</i> , 19 (1): 4 (published without an 'indication'). Op. 425	index
<i>palmatus</i> , <i>Ornithichnites</i> , E. Hitchcock, 1836, <i>American Journal of Science</i> (series 1), 29 : 324 (specific name of the type species of <i>Palamopus</i> Hitchcock, 1845) (Ichnotaxa, Reptilia?). Op. 2182	available
<i>Palorbitolina</i> Schroeder, 1963, <i>Neues Jahrbuch für Geologie und Paläontologie Abhandlungen</i> , 117 : 348 (gender: feminine) (type species, by monotypy: <i>Madreporites lenticularis</i> Blumenbach, 1805) (Foraminiferida). Op. 1587	available
<i>palpata</i> , <i>Gryllus (Tettigonia)</i> , Sulzer, 1776, <i>Abgekürzte Geschichte der Insecten nach dem Linnaeischen System</i> , p. 83 (specific name of the type species of <i>Dolichopoda</i> Bolivar, 1880) (Grylloptera). Op. 1998	available
<i>palpator</i> , <i>Hippolyte</i> , Owen, 1839, <i>Zool. Beechey's Voy. 'Blossom'</i> : 89 (specific name of the type species of <i>Heptacarpus</i> Holmes, 1900) (Crustacea, Decapoda). Op. 470	available
<i>Palpita</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5, 6 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>Paltopleuroceras</i> Buckman, 1898, <i>Quart. J. geol. Soc. London</i> , 54 : 453 (a junior objective synonym of <i>Pleuroceras</i> Hyatt, 1867). Op. 324	index
<i>Paludestrina</i> d'Orbigny, 1840. <i>Voyage dans l' Amérique méridionale [. . .] exécuté pendant les années 1826, 1827, 1828, 1829, 1830, 1831, 1832 et 1833</i> , 5 (3): <i>Mollusques</i> . P. 381 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda) Op. 2202	index

PALUDESTRINIDAE Newton, 1891, *Systematic list of the Frederick E. Edwards collection of British Oligocene and Eocene mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the geological department of the museum*, p. 226 suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy (Gastropoda) Op. 2202

index

Paludina Féruccac, 1812, *Ann. Mus. Hist. nat.*, Paris, **19**: 253 (a junior objective synonym of *Viviparus* Montfort, 1810). Op. 573

index

Paludina Lamarck, 1812, [Extr. *Cours Zool. Mus. Hist. nat.*, Paris: 117] (not made available in the work cited). Op. 573

available

PALUDINIDAE Gray, 1840, *Synopsis Cont. Brit. Mus.* (ed. 42): 117 and *Man. Land & Freshwater Shells Brit. Isles* (ed. 2): 79, 89 (type genus: *Paludina* Féruccac, 1812) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 573

index

paludinosus, Herpestes, Cuvier, 1829, *Règne Anim.* (ed. 2), **1**: 158 (specific name of the type species of *Atilax* Cuvier, 1826) (Mammalia). Op. 384

available

paludosa, Tipula, Fabricius, 1794, *Entomol. Syst.*, **4**: 239 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1160

index

paludosa, Tipula, Meigen, 1830, *Syst. Beschr. zweifl. Ins.*, **6**: 289 (Insecta, Diptera). Op. 1160

available

paludum, Gerris, Fabricius, 1794, *Entomologia systematica emendata et aucta*, vol. 4, p. 188, as defined by the lectotype designated by Andersen, 1990, *Steenstrupia*, **16**: 59 (Insecta, Heteroptera). Op. 1741

available

palustre, Buccinum, Müller, 1774, *Verm. terrestr. fluviat. Hist.*, **2**: 131 (Gastropoda). Op. 336

available

palustris, Binoculus, Müller, 1776, *Zool. dan. Prodr.*: 200 (a junior objective synonym of *apus, Monoculus*, Linnaeus, 1758). Op. 502

index

palustris, Crocodilus, Lesson, 1831, in Féruccac, *Bull. Sci. nat. Geol.*, **25**: 121 (conserved under the plenary power) (Reptilia). Op. 624

available

palustris, Podura, Müller, 1776, *Zool. dan. Prodr.*: 184 (specific name of the type species of *Isotomurus* Börner, 1903) (Insecta, Collembola). Op. 291

available

Pamera Say, 1831, *Descr. n. sp. Het. Hemipt. N. Amer.*, New Harmony, Indiana: 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 676

index

PAMPHAGIDAE Burmeister, 1840, *Z. Entomol.* (Germar), **2**(1): 45, 46 (type genus: *Pamphagus* Thunberg, 1815) (Insecta, Orthoptera). Op. 969

available

Pamphagus Thunberg, 1815, *Mém. Acad. Sci. St. Pétersbourg*, **5**: 217, 260 (gender: masculine) (type species, conserved under the plenary power, by designation by Kirby, 1910 (*Syn. Cat. Orth.*, **3**: 352): *Gryllus Locusta elephas* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 431) (Insecta, Orthoptera). Op. 969

available

<p>Pan, ruled under the plenary power to be a generic name and available as from Oken, 1816, <i>Lehrbuch der Naturgeschichte</i>, 3 (Zoologie): 1230 (gender: masculine) (type species, by designation under the plenary power: Simia troglodytes Blumenbach, 1775, <i>De generis humani varietate nativa</i>, p. 37) (Mammalia). Op. 1368, Corrigenda in <i>Bulletin of Zoological Nomenclature</i>, 45: 304 pan, Scarabaeus, Fabricius, 1775, <i>Syst. Entomol.</i>: 5 (valid name of the type species of Enema Hope, 1837 for those who consider <i>Scarabaeus enema</i> Fabricius, 1787 a variety of <i>S. pan</i>) (Insecta, Coleoptera). Op. 353</p>	available
<p>panamensis, Hyloxalus, Dunn, 1933, <i>Occasional Papers of the Boston Society of Natural History</i>, 8: 69 (Amphibia) Op. 2195</p>	available
<p>panamensis, Hyloxalus, Dunn, 1940, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i>, 92: 109 (an unjustified emendation of <i>Hyloxalus panamensis</i> Dunn, 1933) (Amphibia) Op. 2195</p>	index
<p>PANAPHIDINI Oestlund, 1922, <i>Rep. Minn. St. Entomol.</i>, 22: 135 (type genus: Panaphis Kirkaldy, 1904) (Insecta, Hemiptera). Op. 1358</p>	available
<p><i>Panaphilus</i> Dejean, 1821, <i>Cat. Coléopt.</i> (ed. 1): 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 982</p>	index
<p>Panaphis Kirkaldy, 1904, <i>Entomologist</i>, 37: 279 (gender: feminine) (type species, by monotypy: Aphis juglandis Goeze, 1778, <i>Entomol. Beyträge</i>, 2: 311) (Insecta, Hemiptera). Op. 1358</p>	available
<p>Pandalina Calman, 1899, <i>Ann. Mag. nat. Hist.</i>, (7)3: 37 (gender: feminine) (type species, by monotypy: Pandalus brevirostris Rathke, 1843, <i>Nova Acta Acad. Caes. Leop. Carol.</i>, 20(1): 17) (Crustacea, Decapoda). Op. 470</p>	available
<p>Pandalopsis Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 627, 671 (gender: feminine) (type species, by monotypy: Pandalopsis amplus Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 671) (Crustacea, Decapoda). Op. 559</p>	available
<p>Pandalus [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i>, 7(2): 432 (gender: masculine) (type species, by monotypy: Pandalus montagui [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i>, 7(2): 432) (Crustacea, Decapoda). Op. 104, Direction 47</p>	available
<p><i>Pandalus</i> Leach, [1815], <i>Malac. podophth. Brit.</i> (2): expl. pl. 40 (a junior homonym of Pandalus [Leach, 1814]). Direction 47</p>	index
<p><i>Pandalus</i> Leach, 1815, <i>Trans. linn. Soc. London</i>, 11(2): 346 (a junior homonym of Pandalus [Leach, 1814]). Direction 47</p>	index
<p>Pandion Savigny, 1809, <i>Descr. Egypte</i>, 1(1) (Ois.): 69, 95 (gender: masculine) (type species, by monotypy and through Opinion 67 and Article 67e (1961 Code): Falco haliaeetus Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 91) (Aves). Op. 67, Direction 43</p>	available
<p>pandora, Anthrax, Fabricius, 1805, <i>Systema animalium secundum ordines genera, species, adjectis synonymis, locis, observationibus, descriptionibus</i>, p. 121 (specific name of the type species of Exoprosopa Macquart, 1840) (Insecta, Diptera). Op. 1632</p>	available

<i>pandora</i> , <i>Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wien. Gegend</i> : 176 (Insecta, Lepidoptera). Direction 96	available
<i>Pandoriana</i> Warren, 1942, <i>Entomologist</i> , 75 : 245, 246 (gender: feminine) (type species, by original designation: <i>Papilio maja</i> Cramer, [1775], <i>Util. Kapellen</i> , 1 (3): 39, pl. 25, figs. B, C) (Insecta, Lepidoptera). Direction 96	available
<i>Pandorigenuss</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>pangia</i> , <i>Cobitis</i> , Hamilton, 1822, <i>An account of the fishes found in the river Ganges and its branches</i> , p. 355 (senior objective synonym of the specific name of <i>Cobitis cinnamomea</i> McClelland, 1839, the type species of <i>Pangio</i> Blyth, 1860) (Osteichthyes, Cypriniformes). Op. 1695	available
<i>Pangio</i> Blyth, 1860, <i>Journal of the Asiatic Society of Bengal</i> , 29 : 169 (gender: feminine) (type species, by monotypy: <i>Cobitis cinnamomea</i> McClelland, 1839, an unnecessary replacement name for <i>Cobitis pangia</i> Hamilton, 1822) (Osteichthyes, Cypriniformes). Op. 1695	available
<i>paniculata</i> , <i>Rusea</i> , Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2) 19 : 294 (specific name of the type species of <i>Riisea</i> Duchassaing & Michelotti, 1860) (Anthozoa). Op. 1895	available
<i>paniscus</i> , <i>Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 26 (specific name of the type species of <i>Ateles</i> Geoffroy Saint-Hilaire, 1806) (Mammalia). Direction 22	available
<i>Panope</i> Ménard de la Groye, 1807, <i>Mémoire sur un nouveau genre de coquille bivalve-equivalve</i> ..., p. 31 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bivalvia). Op. 1414	index
<i>Panopea</i> Ménard de la Groye, 1807, <i>Annales du Muséum National d'Histoire Naturelle. Paris</i> , 9 : 135 (gender: feminine) (type species, by subsequent designation by Children, 1823, <i>Quarterly Journal of Science, Literature and the Arts</i> , 14 : 84: <i>Panopea aldrovandi</i> Ménard de la Groye, 1807, a junior subjective synonym of <i>Mya glycimeris</i> Born, 1778) (Bivalvia). Op. 1414	available
<i>Panopeigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Panopeus</i> Milne Edwards, 1834, <i>Hist. nat. Crustacés</i> , 1 : 403 (type species, by designation under the plenary power: <i>Panopeus herbstii</i> Milne Edwards, 1834, <i>Hist. nat. Crustacés</i> , 1 : 403) (Crustacea, Decapoda). Op. 1282	available
<i>Panoplax</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 151 (gender: feminine) (type species, by monotypy: <i>Panoplax depressa</i> Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 151) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Panoplites</i> Blanchard, 1901, <i>J. trop. Med. Hyg.</i> , 4 : 235; <i>id.</i> , 1901, <i>Mon. Culic.</i> , 2 : 173 (a junior homonym of <i>Panoplites</i> Gould, [1854]). Op. 550	index
<i>Panoplites</i> Gould, [1854], <i>Mon. Trochilidae</i> , 2 : text to pls. 110-112 (a junior objective synonym of <i>Boissonneaua</i> Reichenbach, [1854]). Op. 550	index

Panoplites Reichenasperger, 1923, *Mitt. schweiz. entomol. Ges.*, **13**: 321 (a junior homonym of *Panoplites* Gould, [1854]). Op. 550

index

panoptes*, *Varanus, Storr, 1980, *Records of the Western Australian Museum*, **8**(2): 273, as defined by the holotype (catalogue no. R44792 in the Western Australian Museum, Perth) (Reptilia, Squamata). Op. 1948

available

panopus*, *Sphinx, Cramer, [1779], *Uitl. Kapellen*, **3**: 50, pl. 124, figs. A, B (specific name of the type species of *Amplypterus* Hübner, [1819]) (Insecta, Lepidoptera). Op. 275

available

Pantelochroma Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 578 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Pantelomelas Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Pantelostilpnos Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 566 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Panterythromera Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Panthera, ruled under the plenary power to be a generic name and available as from Oken, 1816, *Lehrbuch der Naturgeschichte*, **3** (Zoologie): 1052 (gender: feminine) (type species, by designation under the plenary power : *Felis pardus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, pp. 41, 42) (Mammalia). Op. 1368

available

pantherina*, *Musca, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 590 (specific name of the type species of *Nemotelus* Geoffroy, 1762) (Insecta, Diptera). Op. 441

available

Pantomus Milne Edwards, 1883, *Rec. Fig. Crust. nouv. peu conn.*: pl. 26, fig. 1 (gender: masculine) (type species, by monotypy: *Pantomus parvulus* Milne Edwards, 1883, *Rec. Fig. Crust. nouv. peu conn.*: pl. 26, fig. 1) (Crustacea, Decapoda). Op. 470

available

Panulirus White, 1847, *List Crust. Coll. Brit. Mus.*: 69 (gender: masculine) (type species, by designation by Holthuis, 1956 (*Bull. zool. Nomencl.*, **12**: 55)): ***Palinurus japonicus*** Siebold, 1824, *Hist. nat. Japon.*: 15 (Crustacea, Decapoda). Op. 507

available

Paolia Smith, 1871, *American Journal of Science and Arts*, (3)**1**: 44 (gender: feminine) (type species, by monotypy: *Paolia vetusta* Smith, 1871) (Insecta, Protorhoptera). Op. 1705

available

papalis*, *Voluta, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, pp. 732, 733 (Gastropoda). Op. 885

available

<i>papatasi</i> , Bibio , Scopoli, 1786, <i>Delic. Flor. Faun. insubr.</i> , 1 : 55 (specific name of the type species of Phlebotomus (emendation of <i>Flebotomus</i>) Rondani, 1840) (Insecta, Diptera). Op. 256	available
<i>Paphia</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 282 (a junior homonym of <i>Paphia</i> [Röding], 1798). Op. 577	index
<i>paphia</i> , Papilio , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 481 (specific name of the type species of <i>Argynnus</i> Fabricius, 1807) (Insecta, Lepidoptera). Direction 2	available
<i>Papias</i> Godman, [1900], in Godman & Salvin, <i>Biol. centr.-amer.</i> , Lep. Rhop., 2 : 559 (gender: masculine) (type species, by designation under the plenary power: Pamphila integra Mabille, 1891, <i>Bull. C.R. Soc. entomol. Belg.</i> , 35 : clxix) (Insecta, Lepidoptera). Op. 829	available
<i>Papilio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 458 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 440, 350); <i>Papilio machaon</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 462) (Insecta, Lepidoptera). Op. 278	available
<i>papilio</i> , Voluta , Link, 1807, <i>Beschr. nat. Samml. Univ. Rostock</i> (3): 127, ruled under the plenary power to be given precedence over the specific name <i>leucostoma</i> Gmelin, 1791, as published in the binomen Voluta leucostoma , whenever the two names are considered synonyms (Gastropoda). Op. 1292	available
<i>papilionaria</i> , Phalaena , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 522 (specific name of the type species of Geometra Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
PAPILIONIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 127 (type genus: <i>Papilio</i> Linnaeus, 1758) (an incorrect subsequent spelling for PAPILIONIDAE Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 387). Direction 99, Direction 116	index
PAPILIONIDAE (correction of 'Papilionides') Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 387 (type genus: <i>Papilio</i> Linnaeus, 1758) (Insecta, Lepidoptera). Direction 99, Direction 116	available
PAPILIONIDES Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 387 (type genus: <i>Papilio</i> Linnaeus, 1758) (an incorrect original spelling for PAPILIONIDAE Latreille, [1802]). Direction 116	index
<i>papillosa</i> , Duseideia? , Johnston, 1842, <i>A history of the British sponges and lithophytes</i> , p. 190 (specific name of the type species of <i>Epizoanthus</i> Gray, 1867) (Anthozoa). Op. 1689	available
<i>papillosa</i> , Rana , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 19 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>papillosus</i> , Limax , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 508 (specific name of the type species of <i>Aeolidia</i> Cuvier, 1797) (Gastropoda). Op. 779	available

<i>Papio</i> Erxleben, 1777, <i>Syst. regni anim.</i> , 1 : 15 (gender: masculine) (type species, by designation under the plenary power: <i>Cynocephalus papio</i> Desmarest, 1820, <i>Encycl. méth.</i> , Mammifères, 1 : 69) (Mammalia). Op. 1199	available
<i>Papio</i> Müller, 1773, <i>Vollst. Natursystem</i> : 118, and all uses prior to the publication of <i>Papio</i> Erxleben, 1777, <i>Syst. regni anim.</i> , 1 : 15 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1199	index
<i>papio</i> , <i>Cynocephalus</i> , Desmarest, 1820, <i>Encycl. méth.</i> , Mammifères, 1 : 69 (specific name of the type species of <i>Papio</i> Erxleben, 1777) (Mammalia). Op. 1199	available
<i>papulosum</i> , <i>Buccin[um]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 54 (conserved under the plenary power) (valid name at the date of Opinion 479 of the type species of <i>Struthiolaria</i> Lamarck, 1816) (Gastropoda). Op. 479	available
<i>papulosus</i> , <i>Carpoporus</i> , Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 139 (specific name of the type species of <i>Carpoporus</i> Stimpson, [1871]) (Crustacea, Decapoda). Direction 36	available
<i>papyraceus</i> , <i>Pecten</i> , Sowerby, 1822, <i>Min. Conch.</i> , 4 : 75 (Brachiopoda). Op. 224	available
<i>Parabelopeltis</i> Naef, 1921, <i>Mitteilungen aus der Zoologischen Station zu Neapel</i> , 22 : 534 (gender: feminine) (type species, by monotypy: <i>Geoteuthis flexuosa</i> Münster, 1843) (Cephalopoda, Coleoidea). Op. 1914	available
<i>parabola</i> , <i>Phacops</i> , Barrande, 1846, <i>Nouv. Trilob. (Supp. Not. prélim. Syst. silur. Trilob. Bohême)</i> : 6, 7 (specific name of the type species of <i>Phillipsinella</i> Novák, 1886) (Trilobita). Op. 476	available
<i>Parabolina</i> Salter, 1849, <i>Mem. geol. Surv. U.K.</i> , Figures Descr. brit. Org. rem., Decade 2 : 2, pl. ix (gender: feminine) (type species, by monotypy: <i>Entomostracites spinulosus</i> Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 38) (Trilobita). Op. 496	available
<i>Paracalyptophora</i> Kinoshita, 1908, <i>Journal of the College of Science, Imperial University, Tokyo, Japan</i> , 23 (12): 58, 63 (gender: feminine) (type species, by subsequent designation by Cairns & Bayer, 2004, <i>Proceedings of the Biological Society of Washington</i> , 117 (1): 174-199; <i>Calyptophora kerberti</i> Versluys, 1906) (Coelenterata). Op. 2122	available
<i>Paracambarus</i> Ortmann, 1906, <i>Proc. Washington Acad. Sci.</i> , 8 : 1 (gender: masculine) (type species, by monotypy: <i>Cambarus (Paracambarus) paradoxus</i> Ortmann, 1906, <i>Proc. Washington Acad. Sci.</i> , 8 : 1, 3) (Crustacea, Decapoda). Op. 519	available
<i>Paracleius</i> Bigot, 1859, <i>Annales de la Société Entomologique de France</i> , (3) 7 : 215, 227 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 2087	index
<i>Paracolletes</i> Smith, 1853, <i>Catalogue of hymenopterous insects in the collection of the British Museum</i> , part 1, p. 6 (gender: masculine) (type species, by monotypy: <i>Paracolletes crassipes</i> Smith, 1853) (Insecta, Hymenoptera). Op. 1713	available

PARACOLLETIDAE Cockerell, 1934, <i>Australian Zoologist</i> , 8 (1): 6 (type genus: <i>Paracolletes</i> Smith, 1853), ruled under the plenary power that this name and other family-group names based on <i>Paracolletes</i> are to be given precedence over	
NEOPASIPHAEIDAE Cockerell, 1930 and other family-group names based on <i>Neopasiphae</i> Perkins, 1912 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Paracrangon</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 16, 20 (gender: feminine) (type species, by monotypy: <i>Paracrangon echinatus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 20) (Crustacea, Decapoda). Op. 470	available
<i>Paracyclois</i> Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 288 (gender: feminine) (type species, by monotypy: <i>Paracyclois milneedwardsii</i> Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 289) (Crustacea, Decapoda). Op. 73 <i>Paracymus</i> Thomson, 1867, <i>Skand. Coleopt.</i> , 9 : 119 (gender: masculine) (type species, by monotypy: <i>Hydrophilus aeneus</i> Germar, 1824, <i>Ins. Spec. nov.</i> , 1 : 96) (Insecta, Coleoptera). Op. 583	available
<i>Paracynictis</i> Pocock, 1916, <i>Ann. Mag. nat. Hist.</i> , (8) 17 : 177 (gender: feminine) (type species, by original designation: <i>Cynictis selousi</i> de Winton, 1896, <i>Ann. Mag. nat. Hist.</i> , (6) 18 : 469) for use by those who consider on taxonomic grounds that <i>Paracynictis</i> Pocock is distinct from <i>Cynictis</i> Ogilby, 1833 (Mammalia). Op. 384	available
<i>paradiseus</i> , <i>Polynemus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 317 (specific name of the type species of <i>Polynemus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>paradiseus</i> , <i>Ptiloris</i> , Swainson, 1825, <i>Zool. J.</i> , 1 (4): 481 (specific name of the type species of <i>Ptiloris</i> Swainson, 1825) (Aves). Direction 43	available
<i>paradoxa</i> , <i>Heterogynis</i> , Rambur, 1837, <i>Annales de la Société Entomologique de France</i> , 5 : 585 (specific name of the type species of <i>Heterogynis</i> Rambur, 1837) (Insecta, Lepidoptera). Op. 1445	available
<i>paradoxa</i> , <i>Tetrao</i> , Pallas, 1773, <i>Reise russ. Reichs</i> , 2 : 712 (specific name of the type species of <i>Syrrhaptes</i> Illiger, 1811) (Aves). Direction 43	available
PARADOXIDEN Emmrich, 1844, <i>Zur Naturgesch. Trilobiten</i> : 17 (type genus: <i>Paradoxides</i> Brongniart, 1822) (invalid because based on a misidentified type genus). Op. 496	index
<i>Paradoxides</i> Brongniart, 1822, in Brongniart & Desmarest, <i>Hist. nat. Crust. foss.</i> : 31 (gender: masculine) (type species, by designation by Barrande, 1852 (<i>Syst. silur. Centre Bohême</i> , 1 : 362): <i>Entomostracites paradoxissimus</i> Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 34, as interpreted by the lectotype designated by Poulsen, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 8)) (Trilobita). Op. 496	available
PARADOXIDES Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 11 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 127) (type genus: <i>Paradoxides</i> Brongniart, 1822) (an incorrect original spelling for PARADOXIDIDAE Hawle & Corda, 1847). Op. 496	index
<i>Paradoxides</i> Motschulsky, 1851, <i>Bull. Soc. imp. Nat. Moscou</i> , 24 (2): 510 (a junior homonym of <i>Paradoxides</i> Brongniart, 1822). Op. 496	index

PARADOXIDIDAE (correction of PARADOXIDES) Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 11 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5)5: 127) (type genus: Paradoxides Brongniart, 1822) (Trilobita). Op. 496	available
paradoxiſſimus , <i>Entomoſtracites</i> , Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8: 34, as interpreted by the lectotype designated by Poulsen, 1956 (<i>Bull. zool. Nomencl.</i> , 12: 8) (specific name of the type species of Paradoxides Brongniart, 1822) (Trilobita). Op. 496	available
<i>Paradoxites</i> Goldfuss, 1843, <i>Neues Jahrb. Min.</i> , 1843 : 347 (an unjustified emendation of Paradoxides Brongniart, 1822). Op. 496	index
<i>Paradoxotetartos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 548 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
PARADOXURINA Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 508, 526 (type genus: Paradoxurus Cuvier, 1821) (an incorrect original spelling for PARADOXURINAE Gray, [1865]). Direction 53	index
PARADOXURINAE (correction by Gill, 1872 (<i>Smithson. misc. Coll.</i> , 230 : 4, 61) of PARADOXURINA) Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 508, 526 (type genus: Paradoxurus Cuvier, 1821) (Mammalia). Direction 53	available
Paradoxurus Cuvier, 1821, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 2(24): ‘Martre des Palmiers’ 5 et Tab. 1 (gender: masculine) (type species, by indication under Article 68(c): <i>Paradoxurus typus</i> Cuvier, 1821, in Geoffroy Saint-Hilaire & Cuvier, <i>Hist. nat. Mammif.</i> , 2(24): ‘Martre des Palmiers’ 5 et Tab. 1, valid name: Viverra hermaphroditus Pallas, [1777]) (Mammalia). Op. 384	available
paradoxus , <i>Cambarus (Paracambarus)</i> , Ortmann, 1906, <i>Proc. Washington Acad. Sci.</i> , 8: 1, 3 (specific name of the type species of Paracambarus Ortmann, 1906) (Crustacea, Decapoda). Op. 519	available
<i>paradoxus</i> , <i>Entomolithus</i> , Linnaeus, 1759, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 20 : 19, fig. 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 496	index
paradoxus , <i>Tridactylus</i> , Latreille, [1802], in Sonnini’s Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3: 276 (specific name of the type species of Tridactylus Olivier, 1789) (Insecta, Orthoptera). Direction 5	available
Paragalene Kossmann, 1878, <i>Arch. Naturgesch.</i> , 44 (No. 1): 253 (gender: feminine) (type species, by monotypy: Paragalene neapolitana Kossmann, 1878, <i>Arch. Naturgesch.</i> , 44 (No. 1): 254) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Paraglaucoma</i> Warren, 1932, <i>Ann. Natal Mus.</i> , 7 (1): 11 (a junior homonym of <i>Paraglaucoma</i> Kahl, 1926). Op. 915	index
Paragordius Camerano, 1897, <i>Zool. Anz.</i> , 20 : 227 (gender: masculine) (type species, by designation by Stiles & Hassall, 1905 (<i>Bull. U.S. Bur. Anim. Ind.</i> , 79 : 127): Gordius varius Leidy, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 262, 263) (Nematomorpha). Op. 66, Direction 76	available

<i>paragracilis</i> , <i>Chitinotylenchus</i> , Micoletzky, 1922, <i>Arch. Naturges.</i> , A 87 : 547, 575 (specific name of the type species of <i>Chitinotylenchus</i> Micoletzky, 1922) (Nematoda). Op. 1184	available
<i>Paralastor</i> Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 328 (gender: masculine) (type species: <i>Alastor tuberculatus</i> Saussure, 1853, <i>Et. Fam. Vespa.</i> , 1 : 253) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Paralastoroides</i> Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 328 (an objective synonym of <i>Alastoroides</i> Saussure, 1856, rejected under the plenary power in favour of <i>Alastoroides</i> Saussure, 1856 and placed on the Official Index of Specific Names in Zoology) (ruled under the plenary power to be available from the date of publication by H. de Saussure). Op. 893	index
<i>Paralatreutes</i> Kemp, 1925, <i>Rec. Indian Mus.</i> , 27 : 334 (gender: masculine) (type species, by monotypy: <i>Paralatreutes bicornis</i> Kemp, 1925, <i>Rec. Indian Mus.</i> , 27 : 334) (Crustacea, Decapoda). Op. 470	available
<i>Paralces</i> Allen, 1902, <i>Bull. amer. Mus. nat. Hist.</i> , 16 : 160 (a junior objective synonym of <i>Alces</i> Gray, 1821). Direction 24	index
<i>Paralictus</i> Robertson, 1901, <i>Canadian Entomologist</i> , 33 : 229 (gender: masculine) (type species, by original designation: <i>Halictus cephalicus</i> Robertson, 1892, a junior homonym of <i>Halictus cephalicus</i> Morawitz, 1873 and replaced by <i>Halictus cephalotes</i> Dalla Torre, 1896), ruled under the plenary power not to be given priority over <i>Dialictus</i> Robertson, 1902 or <i>Chloralictus</i> Robertson, 1902 whenever it is considered to be a synonym of them (Insecta, Hymenoptera). Op. 1882	available
<i>parallela</i> , <i>Goniatites oweni</i> var., Hall, 1860, <i>Ann. Rep. New York State Cab. nat. Hist.</i> , 13 : 100, 101, text figs. 13, 14 (specific name of the type species of <i>Muensteroceras</i> (emendation of <i>Munsteroceras</i>) Hyatt, 1884) (Cephalopoda). Op. 391	available
<i>parallelus</i> , <i>Dacus</i> , Wiedemann, 1830, <i>Aussereuropäische zweiflügelige Insekten</i> , vol. 2, p. 515, as defined by the lectotype designated by Zucchi, 1979, <i>Revista Brasileira de Entomologia</i> , 23 : 263, all prior designations of lectotype having been set aside under the plenary power (Insecta, Diptera). Op. 1558	available
<i>parallelus</i> , <i>Gryllus</i> , Zetterstedt, 1821, <i>Orth. svec.</i> : 85 (Insecta, Orthoptera). Op. 609	available
<i>parallelus</i> , <i>Planorbis</i> , Say, 1821, <i>J. Acad. nat. Sci. Philadelphia</i> , 2 : 164 (Gastropoda). Op. 336	available
<i>Paranephrops</i> White, 1842, Gray's <i>Zool. Miscell.</i> (5): 78 (gender: masculine) (type species, by monotypy: <i>Paranephrops planifrons</i> White, 1842, Gray's <i>Zool. Miscell.</i> (5): 79) (Crustacea, Decapoda). Op. 519	available
PARAONIDAE Cerruti, 1909, <i>Mitt. zool. Stn. Neapel</i> , 19 : 503 (type genus: <i>Paraonis</i> Grube, 1873) ruled under the plenary power to be given precedence over LEVINSENIIDAE Mesnil & Caullery, 1898 whenever <i>Paraonis</i> Grube and <i>Levinsenia</i> Mesnil, 1897 are placed in the same family-group taxon (Polychaeta). Op. 1139	available

<p>Paraonis Grube, 1873, <i>Jber. schles. Ges. vaterl. Kult.</i>, 50: 57 (gender: feminine) (type species, by designation under the plenary power: Aonides fulgens Levinsen, 1884, <i>Videnskab. Medd. naturh. Forening København</i> for 1883: 101-103) (Polychaeta). Op. 1139</p>	available
<p>Parapandalus Borradaile, 1899, in Willey, <i>Zool. Res.</i> (4): 411 (gender: masculine) (type species, by designation by Alcock, 1901 (<i>Descr. Cat. Indian Deep-Sea Crust. Decap. Macr. Anom.</i>: 94): <i>Pandalus (Parapandalus) serratifrons</i> Borradaile, 1899, in Willey, <i>Zool. Res.</i> (4): 411, valid name: Plesionika spinipes Bate, 1888) (Crustacea, Decapoda). Op. 470</p>	available
<p>Parapanope de Man, 1895, <i>Zool. Jahrb.</i>, Jena (Syst.), 8: 513 (gender: feminine) (type species, by monotypy: Parapanope euagora de Man, 1895, <i>Zool. Jahrb.</i>, Jena (Syst.), 8: 514) (Crustacea, Decapoda). Op. 85, Direction 37</p>	available
<p>Parapasiphaë Smith, 1884, <i>Rep. U.S. Comm. Fish.</i>, 10: 383 (gender: feminine) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i>, 1911: 547): Parapasiphaë sulcatifrons Smith, 1884, <i>Rep. U.S. Comm. Fish.</i>, 10: 384) (Crustacea, Decapoda). Op. 470</p>	available
<p>PARAPENAEINA Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i>, (6)9: 271 (type genus: Parapenaeus Smith, 1885) (an incorrect original spelling for PARAPENAEINAE Wood-Mason & Alcock, 1891). Op. 611</p>	index
<p>PARAPENAEINAE (correction of PARAPENAEINA) Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i>, (6)9: 271 (type genus: Parapenaeus Smith, 1885) (Crustacea, Decapoda). Op. 611</p>	available
<p>Parapenaeopsis (emendation under the plenary power for <i>Parapeneopsis</i>) Alcock, 1901, <i>Descr. Cat. Indian Deep Sea Crust.</i>: 14 (gender: feminine) (type species, by original designation: Penaeus styliferus Milne Edwards, 1837, <i>Hist. nat. Crust.</i>, 2: 418) (Crustacea, Decapoda). Op. 864</p>	available
<p><i>Parapenaeus</i> Claus, 1876, <i>Untersuchungen zur Erforschung der genealogischen Grundlage des Crustaceen-Systems</i>: 46 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 611</p>	index
<p>Parapenaeus Smith, 1885, <i>Proc. U.S. nat. Mus.</i>, 8: 170 (conserved under the plenary power) (gender: masculine) (type species, by original designation: Peneus longirostris Lucas, 1846, <i>Explor. Sci. Algérie</i> (Zool.), 2, Crust.: 46) (Crustacea, Decapoda). Op. 611</p>	available
<p><i>Parapeneopsis</i> Alcock, 1901, <i>Descr. Cat. Indian Deep Sea Crust.</i>: 14 (ruled under the plenary power to be an incorrect original spelling for Parapenaeopsis Alcock, 1901). Op. 864</p>	index
<p>Paraphytomyza Enderlein, 1936, <i>Mitteilungen der Deutschen Entomologischen Gesellschaft</i>, 7: 42 (gender: feminine) (type species, by designation under the plenary power: Phytagromyza luteoscutellata de Meijere, 1924) (Insecta, Diptera). Op. 1509</p>	available
<p>Parapisalia Scheerpeltz, 1966, <i>Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien</i>, 105-106: 18 (a junior homonym of <i>Parapisalia</i> Scheerpeltz, 1948) (Insecta, Coleoptera). Op. 2113</p>	index

<i>Paraplesioteuthis</i> Naef, 1921, <i>Mitteilungen aus der Zoologischen Station zu Neapel</i> , 22 : 534 (gender: feminine) (type species, by original designation and monotypy: <i>Geoteuthis sagittata</i> Münster, 1843) (Cephalopoda, Coleoidea). Op. 1914	available
<i>Parapleurophrycoides</i> Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 264 (gender: masculine) (type species, by monotypy: <i>Parapleurophrycoides roseus</i> Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 264) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Parapontia</i> Röber, (1892), in Schatz, in Staudinger & Schatz, <i>Exot. Schmett.</i> , 1 (Th. 2)(6): 280 (a junior objective synonym of <i>Liptena</i> Westwood, [1851]). Op. 566	index
<i>Pararhamphomyia</i> Frey, 1922, <i>Notulae Entomologicae</i> , 2 : 3 (gender: feminine) (type species, by original designation: <i>Empis plumipes</i> Fallén, 1816, a misidentification of <i>Rhamphomyia geniculata</i> Meigen, 1830, fixed as the type species by Barták & Sinclair, 2003, <i>Bulletin of Zoological Nomenclature</i> , 60 : 204) (Insecta, Diptera). Op. 2117	available
<i>Parasigara</i> Poisson, 1957, <i>Faune de France</i> , 61 : 85 (gender: feminine) (type species, confirmed by the Commission to be by original designation: <i>Corisa transversa</i> Fieber, 1848) (Insecta, Heteroptera). Op. 1555	available
<i>parasites</i> , <i>Mnestra</i> , Krohn, 1853, <i>Archiv für Naturgeschichte</i> , 19 (1): 281 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1752	index
PARASTACIDAE Huxley, [1879], <i>Proc. zool. Soc. London</i> , 1878 : 771, 775 (type genus: <i>Parastacus</i> Huxley, [1879]) (Crustacea, Decapoda). Op. 519	available
<i>Parastacus</i> Huxley, [1879], <i>Proc. zool. Soc. London</i> , 1878 : 759, 771 (gender: masculine) (type species, by designation by Faxon, 1898 (<i>Proc. U.S. nat. Mus.</i> , 20 : 683): <i>Astacus pilimanus</i> von Martens, 1869, <i>Arch. Naturgesch.</i> , 35 (1): 15) (Crustacea, Decapoda). Op. 519	available
<i>Parasuchus</i> Lydekker, 1885, <i>Palaeontology Indica</i> , (4) 1 (5): 22 (gender: masculine) (type species, by monotypy: <i>Parasuchus hislopi</i> Lydekker, 1885) (Reptilia). Op. 2045	available
<i>Parathelphusa</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 213 (gender: feminine) (type species, by designation by Rathbun, 1905 (<i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, (4) 7 : 228): <i>Parathelphusa tridentata</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 213) (Crustacea, Decapoda). Op. 73 <i>Parathranites</i> Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 169, 185 (gender: masculine) (type species, by monotypy: <i>Lupocylus (Parathranites) orientalis</i> Miers, 1886, <i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 186) (Crustacea, Decapoda). Op. 73 <i>Paratya</i> Miers, 1882, <i>Ann. Mag. nat. Hist.</i> , (5) 9 : 194 (gender: feminine) (type species, by monotypy: <i>Ephyra compressa</i> de Haan, [1844], in Siebold, <i>Fauna japon.</i> (Crust.): pl. 46, fig. 7) (Crustacea, Decapoda). Op. 470, Direction 85	available
<i>Paratypton</i> Balss, 1914, <i>Zool. Anz.</i> , 45 : 83 (gender: masculine) (type species, by monotypy: <i>Paratypton siebenrocki</i> Balss, 1914, <i>Zool. Anz.</i> , 45 : 84) (Crustacea, Decapoda). Op. 470	available
<i>Paraxanthus</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amér. mérid.</i> , 6 (Crust.): 18 (gender: masculine) (type species, by monotypy: <i>Paraxanthus hirtipes</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amér. mérid.</i> , 6 (Crust.): 19, valid name: <i>Gecarcinus barbiger</i> Poeppig, 1836) (Crustacea, Decapoda). Op. 85, Direction 37	available

<i>Pardosa</i> C.L. Koch, 1847, <i>Die Arachniden</i> , vol. 14, p. 100 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Charitonov, 1932, <i>Izvestiya Biologicheskogo Nauchnoissledovatel'skogo Instituta i Biologicheskoi Stantsii pri Permskom Gosudarstvennom Universitete</i> , 8 : 21: <i>Lycosa alacris</i> C.L. Koch, 1833) (Arachnida). Op. 2049	available
<i>pardus</i> , <i>Felis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 41, 42 (specific name of the type species of <i>Panthera</i> Oken, 1816) (Mammalia). Op. 1368	available
<i>Pareas</i> Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 181 (gender: masculine) (type species, by monotypy: <i>Dipsas carinata</i> Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 181) (Reptilia). Op. 963	available
<i>Parilia</i> Wood-Mason, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 7 : 264 (gender: feminine) (type species, through Article 68b(i): <i>Parilia alcocki</i> Wood-Mason, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 7 : 264) (Crustacea, Decapoda). Op. 73 <i>parinodus</i> , <i>Ammonites striatus</i> , Quenstedt, 1884, <i>Die Ammoniten des Schwäbischen Jura</i> , I, <i>Der Schwarze Jura (Lias)</i> , p. 227, ruled under the plenary power to be an available name (specific name of the type species of <i>Parinodiceras</i> Trueman, 1918) (Ammonoidea). Op. 2123	available
<i>Pariphiculus</i> Alcock, 1896, <i>J. asiat. Soc. Bengal</i> , 65 (2): 257 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 27): <i>Randallia coronata</i> Alcock & Anderson, 1894, <i>J. asiat. Soc. Bengal</i> , 63 (2): 177) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>parkinsoni</i> , <i>Goniaster (Goniodiscus)</i> , Forbes, 1848, <i>Mem. geol. Surv. Great Brit.</i> , 2 : 472 (specific name of the type species of <i>Metopaster</i> Sladen, 1893) (Asteroidea). Op. 331	available
<i>parma</i> , <i>Scutella</i> , Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 11 (specific name of the type species of <i>Echinorachnius</i> Gray, 1825) (Echinoidea). Op. 277	available
<i>Parnalius</i> Rafinesque, 1815, <i>Analyse Nature</i> : 128 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1134	index
<i>Parodynerus</i> Saussure, 1855, <i>Et. Fam. Vesp.</i> , 3 : 245 (gender: masculine) (type species: <i>Odynerus bizonatus</i> Boisduval, 1835, in d'Urville, <i>Voy. 'Astrolabe' Entomol.</i> (2): 658) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Paromola</i> Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 7 : 267 (gender: feminine) (type species, by monotypy: <i>Dorippe cuvieri</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 35) (Crustacea, Decapoda). Op. 712	available
<i>paronae</i> , <i>Latreutes</i> , Nobili, 1905, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 20 (506): 2 (an incorrect original spelling for <i>paronai</i> , <i>Latreutes</i> , Nobili, 1905). Op. 470	index
<i>paronai</i> (correction of <i>paronae</i>), <i>Latreutes</i> , Nobili, 1905, <i>Boll. Mus. Zool. Anat. comp. Torino</i> , 20 (506): 2 (specific name of the type species of <i>Gelastocaris</i> Kemp, 1914) (Crustacea, Decapoda). Op. 470	available
<i>Paronella</i> Schött, 1893, <i>Bihang K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 19 (4) (No. 4): 18 (gender: feminine) (type species, by monotypy: <i>Paronella fusca</i> Schött, 1893, <i>Bihang K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 19 (4) (No. 4): 18) (Insecta, Collembola). Op. 291	available

<i>Parosphromenus</i> Bleeker, 1877, <i>Atlas ichthyologique des Indes orientales néerlandaises</i> , vol. 9 (Percoides 3), pl. 395, caption of fig. 1 (gender: masculine) (type species, by monotypy: <i>Osphronemus deissneri</i> Bleeker, 1859) (Osteichthyes, Perciformes). Op. 1946	available
<i>Parotia</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 35 (gender: feminine) (type species, by monotypy: <i>Paradisea</i> [sic] <i>sefilata</i> Forster, 1781, <i>Indische Zool.</i> : 40) (Aves). Op. 67 <i>Parotica</i> Wagler, 1827, <i>Syst. Avium</i> , 1 : 99 (an incorrect subsequent spelling for <i>Parotia</i> Vieillot, 1816). Direction 44	available
<i>Parribacus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 14 (gender: masculine) (type species, by designation by Holthuis, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 110, 114)): <i>Scyllarus antarcticus</i> Lund, 1793, <i>Skr. naturhist. Selsk. Kbh.</i> , 2 (2): 22, as interpreted by the lectotype designated by Holthuis, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 111)) (Crustacea, Decapoda). Op. 519	available
<i>parrii</i> , <i>Ophidium</i> , Ross, 1826, in Parry, <i>J. Third voyage discovery north-west passage</i> : 109 (London) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1217	index
<i>Parthenolecanium</i> Šulc, 1908, <i>Entomol. mon. Mag.</i> , 44 : 36 (gender: neuter) (type species, by designation under the plenary power: <i>Lecanium corni</i> Bouché, 1844, <i>Entomol. Z. Stettin</i> , Jahrg. 5 (8): 298) (Insecta, Hemiptera). Op. 1303	available
<i>Parthenope</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 315, 352 (a junior homonym of <i>Parthenope</i> Weber, 1795). Op. 696	index
<i>Parthenope</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 92 (gender: feminine) (type species, by designation by Rathbun, 1904 (<i>Proc. biol. Soc. Washington</i> , 17 : 170, 171)): <i>Cancer longimanus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 629) (Crustacea, Decapoda). Op. 696	available
PARTHENOPIDAE (correction of PARTHENOPINA) MacLeay, 1838, <i>Smith's Illustr. Zool. S. Afr.</i> (Invert.): 55 (type genus: <i>Parthenope</i> Weber, 1795) (Crustacea, Decapoda). Op. 696	available
PARTHENOPINA MacLeay, 1838, <i>Smith's Illustr. Zool. S. Afr.</i> (Invert.): 55 (type genus: <i>Parthenope</i> Weber, 1795) (an incorrect original spelling for PARTHENOPIDAE MacLeay, 1838). Op. 696	index
<i>Parupeneus</i> Bleeker, 1863, <i>Ned. Tijdschr. Dierk.</i> , 1 : 234 (gender: masculine) (type species, by designation by Jordan, 1919 (<i>Genera of Fishes</i> : 322): <i>Mullus bifasciatus</i> Lacepède, 1802, in Buffon, <i>Hist. nat. Poissons</i> , 3 : 383) (Osteichthyes). Op. 846	available
<i>Paruroctonus</i> Werner, 1934, Scorpiones. In: <i>H.G. Bronn's Klassen und Ordnungen des Tierreichs</i> , Band 5 (Arthropoda), Abt. 4 (Arachnoidea), Buch 8 (Scorpiones, Pedipalpi), Lieferung 1-2, p. 283 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Uroctonoides</i> Hoffmann, 1931: <i>Uroctonoides gracilior</i> Hoffmann, 1931) (Arachnida, Scorpiones). Op. 1934	available

<i>Parus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 189 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 23): <i>Parus major</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 189) (Aves). Op. 67 <i>parvula, Acmaeopleura</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 105 (specific name of the type species of <i>Acmaeopleura</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>parvula, Aplysia</i> , Mörch, 1863, <i>J. Conchyliol.</i> , 11 [(3)3]: 22 (conserved under the plenary power) (Gastropoda). Op. 560	available
<i>parvula, Clausilia</i> , Féruccac, 1807, <i>Essai méth. Conchyl.</i> : 111 (Gastropoda). Op. 336	available
<i>parvulus, Dacus</i> , Hendel, 1912, <i>Supplementa Entomologica</i> , 1 : 21, ruled under the plenary power not to be given priority over the specific name of <i>Chaetodacus latifrons</i> Hendel, 1915 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1864	available
<i>parvulus, Herpestes</i> , Sundevall, 1846, <i>Öfvers K. svensk. Vetensk.-Akad. Förhandl.</i> , Stockholm, 3 (No. 5): 151 (specific name of the type species of <i>Helogale</i> Gray, [1862]) (Mammalia). Op. 384	available
<i>parvulus, Oxytelus</i> , Mulsant & Rey, 1861, <i>Opuscules Entomologiques</i> , 12 : 175, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. parvulus</i> Melsheimer, 1844 (Insecta, Coleoptera). Op. 2053	available
<i>parvulus, Pantomus</i> , Milne Edwards, 1883, <i>Rec. Fig. Crust. nouv. peu conn.</i> : pl. 26, fig. 1 (specific name of the type species of <i>Pantomus</i> Milne Edwards, 1883) (Crustacea, Decapoda). Op. 470	available
<i>parvum, Leptobrachium</i> , Boulenger, 1893, <i>Annali del Museo Civico di Storia Naturale di Genova</i> , (2a) 13 : 344, as defined by the lectotype designated by Capoccacia, 1957, <i>Annali del Museo Civico di Storia Naturale di Genova</i> , 69 : 211 (Amphibia, Anura). Op. 1763	available
<i>parvus, Gennadas</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 192 (specific name of the type species of <i>Gennadas</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>Pasiphae</i> Krøyer, 1845, <i>Naturhist. Tidsskrift</i> (n.s.), 1 : 453 (an unjustified emendation of <i>Pasiphæa</i> Savigny, 1816). Op. 470	index
<i>Pasiphæa</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 1 : 50 (gender: feminine) (type species, by monotypy: <i>Alpheus sivado</i> Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 93) (Crustacea, Decapoda). Op. 470	available
<i>Pasiphaeia</i> Faxon, 1895, <i>Mem. Mus. comp. Zool.</i> , 18 : 173 (an unjustified emendation of <i>Pasiphæa</i> Savigny, 1816). Op. 470	index
<i>PASIPHAEIDAE</i> Barnard, 1950, <i>Ann. S. Afr. Mus.</i> , 38 : 648 (type genus: <i>Pasiphaea</i> Savigny, 1816) (an incorrect subsequent spelling for <i>PASIPHAEIDAE</i> Dana, 1852). Op. 470	index
<i>PASIPHAEIDAE</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 13, 18 (type genus: <i>Pasiphaea</i> Savigny, 1816) (Crustacea, Decapoda). Op. 470	available

PASIPHAEIIDAE Faxon, 1893, *Bull. Mus. comp. Zool.*, **24**: 208 (type genus: *Pasiphaea* Savigny, 1816) (an incorrect subsequent spelling for PASIPHAEIDAE Dana, 1852). Op. 470

index

PASIPHAIDAE Smith, 1884, *Rep. U.S. Comm. Fish.*, **10**: 381 (type genus: *Pasiphaea* Savigny, 1816) (an incorrect subsequent spelling for PASIPHAEIDAE Dana, 1852). Op. 470

index

PASIPHAIDAE Wood-Mason & Alcock, 1893, *Ann. Mag. nat. Hist.*, (6)**11**: 161 (type genus: *Pasiphaea* Savigny, 1816) (an incorrect subsequent spelling for PASIPHAEIDAE Dana, 1852). Op. 470

index

PASIPHEIDAE de Miranda y Rivera, 1933, *Not. Res. Inst. Espan. Oceanogr.*, (2)**67**: 6 (type genus: *Pasiphaea* Savigny, 1816) (an incorrect subsequent spelling for PASIPHAEIDAE Dana, 1852). Op. 470

index

pasithoe, *Papilio*, Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 755 (Insecta, Lepidoptera). Op. 974

available

PASSALOTEUTHIDAE Naef, 1922, *Die fossilen Tintenfische ...*, p. 230 (type genus: *Passaloteuthis* Lissajous, 1915) (Cephalopoda, Coleoidea). Op. 1721

available

Passaloteuthis Lissajous, 1915, *Bulletin de la Société d'Histoire Naturelle de Mâcon*, **1915**(1): 9 (gender: feminine) (type species, by original designation: *Belemnites bruguierianus* d'Orbigny, 1843, a junior subjective synonym of *Belemnites bisulcatus* de Blainville 1827) (Cephalopoda, Coleoidea). Op. 1721

available

passerina, *Columba*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 165 (specific name of the type species of *Columbigallina* Boie, 1826) (Aves). Direction 35

available

Passerita Gray, 1825, *Ann. Phil.*, **26**: 208 (a junior objective synonym of *Ahaetulla* Link, 1807). Op. 524

index

patachonica, *Oidemia*, King, 1828, *Zoological Journal (London)*, **4**: 100 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Anseriformes). Op. 1648

index

patachonicus, *Micropterus*, King, 1831, *Proceedings of the Committee of Science and Correspondence of the Zoological Society of London*, **1**: 14 (Aves, Anseriformes). Op. 1648

available

patagonica, *Aptenodytes*, Miller, 1778, *Var. Subj. nat. Hist.*: pl. 23 (specific name of the type species of *Aptenodytes* Miller, 1778) (Aves). Direction 43

available

Patanga Uvarov, 1923, *Ann. Mag. nat. Hist.*, (9)**12**: 362 (gender: feminine) (type species, by original designation: *Gryllus Locusta succinctus* Linnaeus, 1763, *Amoen. Acad.*, **6**: 398) ruled under the plenary power not to be given priority over *Nomadacris* Uvarov, 1923 whenever the two names are considered to be synonyms (Insecta, Orthoptera). Op. 998, Op. 1454

available

patchi, *Schizoneura*, Meunier, 1917, *Verh. k. Akad. Wet. Amsterdam*, **20**: 7 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1162

index

<i>Patelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Patellites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 107 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>patula</i> , <i>Leucophrys</i> , Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 95 (ruled under the plenary power to be an available name) (Ciliophora). Op. 915	available
<i>patula</i> , <i>Trichoda</i> , Müller, 1786, <i>Anim. Infus. fluviat. marin.</i> : 181 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	index
<i>patulum</i> , <i>Cyclostoma</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 39 (Gastropoda). Op. 336	available
<i>Paua</i> Fleming, 1952, <i>Trans. roy. Soc. N.Z.</i> , 80 (2): 230 (gender: feminine) (type species, by original designation and through Opinion 479 and Article 67e (1961 Code): <i>Haliotis iris</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3691, as interpreted by the lectotype designated by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 396)) (Gastropoda). Op. 479	available
<i>paulsoni</i> , <i>Leontocaris</i> , Stebbing, 1905, <i>Mar. Invest. S. Afr.</i> , 4 : 99 (specific name of the type species of <i>Leontocaris</i> Stebbing, 1905) (Crustacea, Decapoda). Op. 470	available
<i>paumotensis</i> , <i>Fungia</i> , Stutchbury, 1833, <i>Transactions of the Linnean Society of London</i> , 16 : 495, as defined by the neotype designated by Hoeksema, 1989, <i>Zoologische Verhandelingen</i> , Leiden, 254 : 145 (specific name of the type species of <i>Pleuractis</i> Verrill, 1864) (Anthozoa). Op. 1649	available
<i>pauillum</i> , <i>Apion (Rhinapion)</i> , Beguin-Billecocq, 1905, <i>Annales de la Société Entomologique de France</i> , 74 : 147 (specific name of the type species of <i>Rhinapion</i> Beguin-Billecocq, 1905) (Insecta, Coleoptera). Op. 1694	available
<i>pavida</i> , <i>Buprestis</i> , Fabricius, 1793, <i>Entomologia systematica emendata et aucta. Secundum classes, ordines, genera, species adjectis synonymis, locis, observationibus, descriptionibus</i> , vol. 1, part 2, p. 214, with the endorsement that it is not to be given precedence over the name <i>angustula</i> Illiger, 1803, as published in the binomen <i>Buprestis angustula</i> , whenever the two are considered to be synonyms (Coleoptera). Op. 2221	available
<i>Pavo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156 (gender: masculine) (type species, by Linnaean tautonymy: <i>Pavo cristatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156) (Aves). Direction 17	available
<i>pavonia</i> , <i>Cythere</i> , Brady, 1866, <i>Trans. zool. Soc. London</i> , 5 (5): 378, 379, as interpreted by the lectotype designated by Athersuch, 1982 (<i>Bull. zool. Nomencl.</i> , 39 : 226, 227) (Crustacea, Ostracoda). Op. 1346	available
<i>paxillosa</i> , <i>Belemnites</i> , Lamarck, 1801, <i>Système des animaux sans vertèbres</i> , p. 104 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Coleoidea). Op. 1721	index
<i>paytae</i> , <i>Geositta</i> , Ménegaux & Hellmayr, 1906, <i>Bull. Soc. Hist. nat. Autun</i> , 19 : 46 (Aves). Op. 1101	available

<i>paytensis</i> , <i>Anthus</i> , Lesson, 1837, <i>Compléments de Buffon</i> , 8 : 167 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1101	index
<i>peachii</i> , <i>Eolis</i> , Alder & Hancock, 1848, <i>Ann. Mag. nat. Hist.</i> , (2) 1 : 191 (specific name of the type species of <i>Precuthona</i> Odhner, 1929) (Gastropoda). Op. 783	available
<i>peckhami</i> , <i>Bellota</i> , Galiano, 1978, <i>Rev. peruana Entomol.</i> , 21 (1): 27 (specific name of the type species of <i>Bellota</i> Peckham & Peckham, 1892) (Arachnida). Op. 1265	available
<i>pecten</i> , <i>Anomia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 702, as interpreted, by direction under the plenary power, as the species represented by the lectotype figured by Brunton, Cocks & Dance, 1967 (<i>Proc. linn. Soc. London</i> , 178 (2): 166, 167, pl. 1, figs. 22-26) (Brachiopoda). Op. 224, Op. 964	available
<i>Pectinaria</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vert.</i> , 5 : 348 (gender: feminine) (type species, by designation by Malmgren, 1866 (<i>Öfvers. K. Vetensk Akad. Förh. Stockholm</i> , 1865 : 356); <i>Nereis cylindraria belgica</i> Pallas, 1766, <i>Misc. zoologica</i> : 122) (Polychaeta). Op. 1225	available
PECTINARIIDAE Quatrefages, 1865, <i>Hist. nat. Annélés marins et d'eau douce, Annélides et géphyriens</i> , 2 : 327 (type genus: <i>Pectinaria</i> Lamarck, 1818) ruled under the plenary power to be given precedence over AMPHICTENIDAE Grube, 1851 whenever <i>Pectinaria</i> Lamarck, 1818 and <i>Amphictene</i> Savigny, 1822 are placed in the same family-group taxon (Polychaeta). Op. 1225	available
<i>pectinata</i> , <i>Listroscelis</i> , Guérin, 1831, in Lesson, <i>Histoire naturelle des Crustacés, Arachnides et Insectes ... Voyage autour du Monde sur la Corvette 'La Coquille' du Capitaine Duperrey. Zoologie</i> , 2 (2), Division 1, pl. 10 (specific name of the type species of <i>Phisis</i> Stål, 1861) (Orthoptera, Grylloptera). Op. 1490	available
<i>pectinata</i> , <i>Nereis</i> , Sowerby, 1805, <i>British Miscellany</i> , 1 : 107 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1225	index
<i>pectinata</i> , <i>Tellina</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3236 (Bivalvia). Op. 1095	available
<i>pectinata</i> , <i>Venus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 689 (specific name of the type species of <i>Gafarium</i> [Röding], 1798) (Bivalvia). Op. 1189	available
<i>pectinifera</i> , <i>Atrypa</i> , Sowerby, 1840, <i>Mineral Conchology of Great Britain</i> , 7 : 14 (specific name of the type species of <i>Cleiothyridina</i> Buckman, 1906) (Brachiopoda). Op. 1041	available
<i>Pectinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Pectonculites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 108 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>pectoralis</i> , <i>Muscicapa</i> , Latham, 1801, <i>Index orn.</i> , Suppl.: li (specific name of the type species of <i>Pachycephala</i> Vigors, 1825) (Aves). Direction 43	available

<i>pectoralis</i> , <i>Turdus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 89 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Pectunculigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: <i>Tav. VII</i> (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>pectunculoides</i> , <i>Arca</i> , Scacchi, 1834, <i>Annali Civili del Regno delle due Sicilie</i> , 6 : 82 (specific name of the type species of <i>Bathyarca</i> Kobelt, 1891) (Bivalvia). Op. 1887	available
<i>Pectunculus</i> da Costa, 1778, <i>British Conchology</i> , p. 183 (gender: masculine) (type species, by subsequent designation by Juke-Browne, 1911, <i>Proceedings of the Malacological Society. London</i> , 9 : 250: <i>Pectunculus capillaceus</i> da Costa, 1778, a junior objective synonym of <i>Venus exoleta</i> Linnaeus, 1758) (Bivalvia). Op. 1414	available
<i>Pectunculus</i> Lamarck, 1799, <i>Mémoires de la Société d'Histoire Naturelle de Paris</i> , 1799 : 87 (a junior homonym of <i>Pectunculus</i> da Costa, 1778) (Bivalvia). Op. 1414	index
<i>Pedalia</i> Barrois, 1878, <i>C.R. Assoc. franç. Adv. Sci.</i> , 6 (Le Havre, 1877): 661 (not made available in the work cited). Op. 326	index
<i>Pedalion</i> Buckton, 1903, <i>Monogr. Membr.</i> (No. 6): 251 (a junior homonym of <i>Pedalion</i> Dillwyn, 1817). Op. 326	index
<i>Pedalion</i> Hudson, 1871, <i>Mon. microscop. J.</i> , 6 : 121 (a junior homonym of <i>Pedalion</i> Dillwyn, 1817). Op. 326	index
<i>Pedalion</i> Swainson, 1838, <i>Nat. Hist. Class. Fishes Amph. Rept.</i> , 1 : 199 (a junior homonym of <i>Pedalion</i> Dillwyn, 1817). Op. 326	index
<i>pedatus</i> , <i>Cancer</i> , Fabricius, 1780, <i>Fauna groenl.</i> : 283 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 578	index
<i>pedestris</i> , <i>Hyperia</i> , Guérin-Méneville, 1836, <i>Iconographie du Règne Animal de G. Cuvier</i> , vol. 2, Crustacés, pl. 25, fig. 6 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphipoda). Op. 1878	index
<i>pedestris</i> , <i>Mesops</i> , Erichson, 1842, <i>Arch. Naturges.</i> , Jahrg. 8, 1 : 250, 251 (specific name of the type species of <i>Psednura</i> Burr, 1903) (Insecta, Orthoptera). Op. 1096	available
<i>pedicularia</i> , <i>Nycteribia</i> , Latreille, [1804-1805], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 14 : 403 (specific name of the type species of <i>Nycteribia</i> Latreille, 1796) (Insecta, Diptera). Direction 64	available
<i>pedicularius</i> , <i>Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 357 (specific name of the type species of <i>Kateretes</i> Herbst, 1793) (Insecta, Coleoptera). Op. 1916	available
<i>pediculoides</i> , <i>Cancer</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 109 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index

<i>Pediculus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 610 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 423, 114); <i>Pediculus humanus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 610) (as restricted by Latreille, [1803-1804] (<i>Hist. nat. gén. partic., Crust. Ins.</i> , 8 : 93-94) to the form referred to by Linnaeus as living ‘ <i>in vestimentis humanis</i> ’ (i.e. the form commonly known as <i>corporis</i>)) (Insecta, Anoplura). Op. 104, Direction 63	available
<i>Pedigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Pediopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 561 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Pedipes</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Peggichisme</i> Kirkaldy, 1904, <i>Entomologist</i> , 37 : 280 (gender: feminine) (type species, by designation under the plenary power: <i>Davila consanguinea</i> Distant, 1893, <i>Biol. centr.-Amer.</i> , Heteroptera, 1 Suppl.: 395) (Insecta, Hemiptera). Op. 1284	available
<i>Pelagia</i> Gumppenberg, 1890, <i>N. Acta Acad. Leop. Carol.</i> , 54 : 483; 58 : 237 (a junior homonym of <i>Pelagia</i> Péron & Lesueur, 1810). Op. 666	index
<i>Pelagia</i> Lamouroux, 1821, <i>Exp. Méth. polyp.</i> : 78 (a junior homonym of <i>Pelagia</i> Peron & Lesueur, 1810). Op. 666	index
<i>Pelagia</i> Quoy & Gaimard, (1833), in d’Urville, <i>Voy. ‘Astrolabe’</i> , Zool., 2 : 292 (a junior homonym of <i>Pelagia</i> Peron & Lesueur, 1810). Op. 666	index
<i>pelagica</i> , <i>Coccospaera</i> , Wallich, 1877, <i>Ann. Mag. nat. Hist.</i> , (4) 19 : 348 (valid name at the date of Opinion 805 of the type species of <i>Coccolithus</i> Schwarz, 1894) (Coccolithophorida). Op. 805	available
<i>pelagica</i> , <i>Heteronota</i> , Girard, 1857, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 9 : 197, ruled under the plenary power to be given precedence over the specific name of <i>Gymnodactylus arnouxit</i> Duméril, 1851 whenever the two names are considered to be synonyms (Reptilia, Sauria). Op. 1647	available
<i>pelagica</i> , <i>Nectoceras</i> , Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 : 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>pelagica</i> , <i>Physalia</i> , Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 335 (a junior objective synonym of <i>physalis</i> , <i>Holothuria</i> , Linnaeus, 1758). Direction 76	index
<i>pelagica</i> , <i>Procellaria</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 131 (specific name of the type species of <i>Hydrobates</i> Boie, 1822) (Aves, Procellariiformes). Op. 1696	available
<i>pelagicus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626 (specific name of the type species of <i>Portunus</i> Weber, 1795) (Crustacea, Decapoda). Op. 394	available

<i>pelagosae</i> , <i>Lacerta muralis neapolitana</i> var., Bedriaga, 1886, <i>Abh. Senckenb. naturf. Ges.</i> , 14 (2): 228 (conserved under the plenary power) (Reptilia). Op. 642	available
<i>Pelagus</i> Montfort, 1808, <i>Conch. syst. Class. méth. Coquilles</i> , 1 : 62 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 304	index
<i>pelamys</i> , <i>Hydrophis</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 279 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>Pelastoneurus</i> Loew, 1861, <i>Neue Beiträge zur Kenntniss der Dipteren</i> , Beitrag 8, p. 36 (gender: masculine) (type species, by subsequent designation by Coquillett, 1910, <i>Proceedings of the United States National Museum</i> , 37 : 586: <i>Pelastoneurus vagans</i> Loew, 1861 (Insecta, Diptera). Op. 2087	available
<i>Pelecanus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 132 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 80): <i>Pelecanus onocrotalus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 132) (Aves). Direction 68	available
<i>Pelicaria</i> Gray, 1857, <i>Guide Syst. Distrib. Moll. Brit. Mus.</i> : 77 (gender: feminine) (type species, by monotypy: <i>Buccin[um] vermis</i> Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 53) (Gastropoda). Op. 479	available
<i>Pelidnota</i> MacLeay, 1819, <i>Horae entomologicae: or essays on the annulose animals</i> , vol. 1, part 1, p. 158 (gender: feminine) (type species, by monotypy: <i>Scarabaeus punctatus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 2054	available
<i>pellarini</i> , <i>Aedipoda</i> , Le Guillou, 1841, <i>Rev. Zool.</i> , 4 : 295 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 631	index
<i>pellionella</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 536 (specific name of the type species of <i>Tinea</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>pellucens</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 595 (specific name of the type species of <i>Volucella</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
<i>pellucida</i> , <i>Erycina</i> , Lamarck, 1805, <i>Ann. Mus. Hist. nat.</i> , Paris, 6 (37): 53 (specific name of the type species of <i>Erycina</i> Lamarck, 1805) (Bivalvia). Op. 217	available
<i>pellucida</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 15 (specific name of the type species of <i>Vitrina</i> Draparnaud, [1801]) (Gastropoda). Op. 336	available
<i>pellucidus</i> , <i>Astacus</i> , Teilkampf, 1844, <i>Arch. Anat. Phys. wiss. Medic.</i> , 1844 : 383 (valid name at the date of Opinion 519 of the type species of <i>Orconectes</i> Cope, 1872) (Crustacea, Decapoda). Op. 519	available
<i>pellucidus</i> , <i>Tintinnus</i> , Cleve, 1899, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 32 (3): 24, Tab. 1, fig. 4 (specific name of the type species of <i>Leprotintinnus</i> Jörgensen, 1900) (Ciliophora). Op. 926	available

<i>Pelomedusa</i> Wagler, 1830, <i>Natürliches System der Amphibien ...</i> , p. 136 (gender: feminine) (type species, by monotypy: <i>Testudo galeata</i> Schoepff, 1792) (Reptilia, Testudines). Op. 1534	available
PELOMEDUSIDAE Cope, 1868, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1868 : 119 (type genus: <i>Pelomedusa</i> Wagler, 1830) (Reptilia, Testudines). Op. 1534	available
<i>pelopus</i> , <i>Anthus</i> , Gray, 1846, <i>Catalogue of the Specimens and Drawings of Mammalia and Birds of Nepal and Thibet presented by B.H. Hodgson Esq. to the British Museum</i> : 154 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 803	index
<i>Pelorus</i> de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles. Coquilles univalves, cloisonnées</i> , vol. 1, p. 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1570	index
<i>Pelta</i> Quatrefages, 1844, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 1 : 151 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 811	index
PELTIDAE [Winckworth], 1931, <i>Plymouth mar. Fauna</i> (ed. 2): 267 (type genus: <i>Pelta</i> Quatrefages, 1844) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 811	index
<i>Peltis</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 117, and all uses of the name prior to the publication of <i>Peltis</i> Kugelann, 1792 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
<i>Peltis</i> Kugelann, 1792, <i>Neuestes Magazin für die Liebhaber der Entomologie</i> , 4 : 508 (gender: feminine) (type species, by subsequent designation by Hope, 1840, <i>The coleopterist's manual</i> , vol. 3, p. 150: <i>Silpha grossa</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>Peltoura</i> Milne Edwards, 1840, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 3 : 344 (an incorrect original spelling for <i>Peltura</i> Milne Edwards, 1840). Op. 499	index
<i>Peltura</i> (emendation under the plenary power of <i>Peltoura</i>) Milne Edwards, 1840, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 3 : 344 (gender: feminine) (type species, by designation by Hawle & Corda, 1847 (<i>Prodrom Mon. böhm. Trilob.</i> : 127 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 243)): <i>Entomostracites scarabaeoides</i> Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 41) (Trilobita). Op. 499	available
PELTURIDES Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 118 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 234) (type genus: <i>Peltura</i> Milne Edwards, 1840) (an incorrect original spelling for PELTURINAE Hawle & Corda, 1847). Op. 499	index
PELTURINAE (correction of PELTURIDES) Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 118 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 234) (type genus: <i>Peltura</i> Milne Edwards, 1840) (Trilobita). Op. 499	available

<i>Pelusios</i> Wagler, 1830, <i>Natürliche System der Amphibien ...</i> , p. 136 (gender: masculine) (type species, by subsequent designation by Fitzinger, 1843, <i>Systema Reptilium</i> , 1, Amblyglossae, p. 29; <i>Testudo subnigra</i> Bonnaterre, 1790) (Reptilia, Testudines). Op. 1534	available
<i>pelusius, Silurus</i> , Solander in Russell, 1794, <i>Natural History of Aleppo. Containing a Description of the City, and the Principal Natural Productions in its Neighbourhood. Together with an Account of the Climate, Inhabitants, and Diseases; Particularly of the Plague. Second Edition, revised by P. Russell</i> , vol. 2, p. 210 (the valid name of <i>Bagrus halepensis</i> Valenciennes in Cuvier & Valenciennes, 1840, the type species of <i>Mystus</i> Scopoli, 1777) (Osteichthyes) Op. 2209	available
PEMPHIGINI (emendation of PEMPHIGIDEN) Koch, 1857, <i>Die Pflanzenläuse Aphiden.</i> , Nürnberg (8): VIII (type genus: <i>Pemphigus</i> Hartig, 1839) (Insecta, Hemiptera). Op. 1019	available
<i>Pemphigus</i> Hartig, 1839, <i>Jahresber. Fortschr. Forstwiss.-Naturk. im Jahre 1836 u. 1837</i> , 1(4): 645 (gender: masculine) (type species, by designation by Fitch, 1855 (<i>Trans. New York State Agric. Soc.</i> , 14: 7 footnote); <i>Aphis bursaria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 453) (Insecta, Hemiptera). Op. 1019	available
PENAEIDAE (correction by White, 1847 (<i>List Crust. Coll. Brit. Mus.</i> : 79) of PENEDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 98 (type genus: <i>Penaeus</i> Fabricius, 1798) (Crustacea, Decapoda). Direction 15	available
<i>Penaeopsis</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5)8: 171, 182 (gender: feminine) (type species, by designation by Bouvier, 1905 (<i>C.R. Acad. Sci., Paris</i> , 140: 981); <i>Penaeopsis serratus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5)8: 183) (Crustacea, Decapoda). Op. 864	available
<i>Penaeus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 385, 408 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 422, 102); <i>Penaeus monodon</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 408) (Crustacea, Decapoda). Op. 104, Direction 15	available
<i>Penaeus</i> Stiles, 1928, <i>Smithson. misc. Coll.</i> , 73 (No. 5): 27 (an unjustified emendation of <i>Peneus</i> Weber, 1795, and a junior homonym of <i>Penaeus</i> Fabricius, 1798). Direction 15	index
<i>pendula, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 591 (specific name of the type species of <i>Helophilus</i> Fabricius, 1805) (Insecta, Diptera). Op. 1747	available
PENEDIA Rafinesque, 1815, <i>Analyse Nature</i> : 98 (type genus: <i>Penaeus</i> Fabricius, 1798) (an incorrect original spelling for PENAEIDAE Rafinesque, 1815). Direction 15	index
<i>penelope, Castnia</i> , Schaufuss, 1870, <i>Nunqu. otiosus</i> , 1: 9 (Insecta, Lepidoptera). Direction 96	available
<i>Peneopsis</i> Faxon, 1893, <i>Bull. Mus. comp. Zool.</i> , 24: 212 (an incorrect subsequent spelling for <i>Penaeopsis</i> Bate, 1881). Op. 864	index
<i>Penerythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28: 562 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>penetrans</i> , <i>Staphylinus</i> , Müller, 1776, <i>Zoologiae Danicae prodromus, seu animalium Daniae et Norvegiae indigenarum characteres</i> , p. 97, ruled under the plenary power not to be given priority over <i>Staphylinus picipennis</i> Fabricius, 1793 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>penetrans</i> , <i>Tylenchus</i> , Cobb, 1917, <i>J. agric. Res.</i> , 11 : 27-33 (Nematoda). Op. 658	available
<i>Peneus</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (a nomen nudum). Direction 15	index
<i>penicillatus</i> , <i>Attus</i> , Simon, 1875, <i>Annales de la Société Entomologique de France</i> , (5) 5 : xcii. Bulletin des Séances (Séance du 28 Avril 1875) (Arachnida, Araneae). Op. 1612	available
<i>penicilliger</i> , <i>Pulex</i> , Grube, 1852, in Middendorf, <i>Reise Nord. Ost. Sibir.</i> , 2 (Theil 1): 500, pl. 22, figs. 7, 9, as restricted to the male component of this composite nominal species by Wagner, 1898 (<i>Hor. Soc. entomol. ross.</i> , 31 : 569, pl. 8, fig. 6) (specific name of the type species of <i>Amalaraeus</i> Ioff, 1936) (Insecta, Siphonaptera). Op. 388	available
<i>penicilliger</i> , <i>Trichopsylla</i> , Kolenati, 1863, <i>Hor. Soc. entomol. ross.</i> , 2 : 32 (a reputed but non-existent name, being a misapplication of the specific name <i>penicilliger</i> , <i>Pulex</i> , Grube, 1852). Op. 388	index
<i>penicilligerus</i> , <i>Balistes</i> , Cuvier, 1817, <i>Le Règne Animal</i> , 4 : 185, pl. 9, fig. 3 (specific name of the type species of <i>Chaetodermis</i> Swainson, 1839) (Osteichthyes). Op. 764	available
<i>peninsularis</i> , <i>Actinopterella</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 21 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>peninsularis</i> , <i>Leiopteria</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 26 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>peninsularis</i> , <i>Solenomorpha</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 121 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>Pennahia</i> Fowler, 1926, <i>J. Bombay nat. Hist. Soc.</i> , 31 : 776 (gender: feminine) (type species, by designation under the plenary power: <i>Otolithus macropthalmus</i> Bleeker, 1850, <i>Verhandel. Batav. Genootsch.</i> , 23 : 16) (Osteichthyes). Op. 1237	available
<i>pennanti</i> , <i>Ebalia</i> , Leach, [1817], <i>Malac. podophth. Brit.</i> (14): text to pl. 25 (a junior objective synonym of <i>tuberosus</i> , <i>Cancer</i> , Pennant, 1777). Direction 37	index
<i>pennata</i> , <i>Doris</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 777	index
<i>pennatibus</i> , <i>Thorius</i> , Cope, 1869 (May), <i>American Naturalist</i> , 3 (4): 222 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia, Caudata). Op. 1605	index

<i>pennatulus</i> , <i>Thorius</i> , Cope, 1869 (June), <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 21 : 111 (specific name of the type species of <i>Thorius</i> Cope, 1869, by reason of the suppression under the plenary power of <i>Thorius pennatibus</i> Cope, 1869) (Amphibia, Caudata). Op. 1605	available
<i>Pennella</i> Oken, 1815, <i>Lehrbuch der Naturgeschichte</i> , vol. 3 (Zoologie), part 1, p. 358 (gender: feminine) (type species, ruled under the plenary power to be valid by monotypy: <i>Pennella diodontis</i> Oken, 1815), ruled under the plenary power to be available despite having been published in a rejected work (Copepoda). Op. 1817	available
<i>pennicilligerus</i> , <i>Balistes</i> , Cuvier, 1817, <i>Le Règne Animal</i> , 4 : 185, pl. 9, fig. 3 (an incorrect original spelling for <i>penicilligerus</i> , <i>Balistes</i> , Cuvier, 1817). Op. 764	index
<i>pensylvanica</i> [sic], <i>Passer</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>pensylvanica</i> , <i>Macrocerca</i> , Lepeletier, 1841, <i>Histoire naturelle des insectes. Hyménoptères</i> , vol. 2, p. 97 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1852	index
<i>pensylvanica</i> , <i>Venus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 688 (specific name of the type species of <i>Lucina</i> Bruguière, 1797) (Bivalvia). Op. 1095	available
<i>Pentaceros</i> Schröter, 1782, <i>Musei Gottwaldiani testaceorum</i> : 58 (included in a work rejected for nomenclatural purposes). Op. 707	index
<i>Pentacrinos</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 109 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pentacta</i> Goldfuss, 1820, <i>Handb. Zool.</i> , 1 : 177 (gender: feminine) (type species, by monotypy: <i>Actinia doliolum</i> Pallas, 1766, <i>P.S. Pallas Misc. zool.</i> : 152) (Holothuroidea). Op. 1295	available
<i>pentadactyla</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 542 (specific name of the type species of <i>Pterophorus</i> Geoffroy, 1762) (Insecta, Lepidoptera). Op. 703	available
<i>pentagona</i> , <i>Holothuria</i> , Quoy & Gaimard, 1833, <i>Voy. 'Astrolabe'</i> , Zool., 4 : 135 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762	index
<i>pentagonus</i> , <i>Ammonites</i> , Jukes-Browne, 1896, <i>Quart. J. geol. Soc. London</i> , 52 : 156, pl. 5, fig. 1 (specific name of the type species of <i>Eucalyoceras</i> Spath, 1923) (Cephalopoda). Op. 557	available
<i>pentagonus</i> , <i>Cryptocnemus</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 162 (specific name of the type species of <i>Cryptocnemus</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>Pentamerus</i> Sowerby, 1813, <i>Min. Conch.</i> , 1 : 73*, 76* (gender: masculine) (type species, by designation under the plenary power: <i>Pentamerus oblongus</i> Sowerby, 1839, <i>in Murchison, Silurian System</i> : 641, pl. 19, fig. 10) (Brachiopoda). Op. 297	available

<i>pentangulatus</i> , <i>Euomphalus</i> , Sowerby, 1814, <i>The Mineral Conchology of Great Britain</i> , vol. 1, no. 9, p. 97 (specific name of the type species of <i>Euomphalus</i> Sowerby, 1814) (Gastropoda, Archaeogastropoda). Op. 1470	available
<i>Pentaphyllites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 109 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>pentathrix</i> , <i>Eretmia</i> , Gosse, 1886, in Hudson & Gosse, <i>The Rotifera or Wheel Animalcules both British & Foreign</i> , 2 : 128, pl. 29, fig. 12 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 816	index
<i>Pentila</i> Westwood, [1851], in Doubleday, <i>Gen. diurn. Lep.</i> (2): pl. 76 (gender: feminine) (type species, by designation under the plenary power: <i>Tingra tropicalis</i> Boisduval, 1847, in Delegorgue, <i>Voy. Afrique austr.</i> , 2 : 589) (Insecta, Lepidoptera). Op. 566	available
PENTILINI Aurivillius, [1921], in Seitz, <i>Grossschmett. Erde</i> , 13 : 298 (type genus: <i>Pentila</i> Westwood, [1851]) (Insecta, Lepidoptera). Op. 566	available
<i>Pentodon</i> Hope, 1837, <i>The Coleopterist's manual, containing the Lamellicorn insects of Linneus and Fabricius</i> , p. 92 (gender: masculine) (type species, by original designation: <i>Scarabaeus punctatus</i> Villers, 1789) (Insecta, Coleoptera). Op. 2054	available
<i>penulatum</i> , <i>Scolixedion</i> , Renier, [1804], <i>Prospetto Classe Vermi</i> : XX (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Pephricoptyche</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Pepliphorus</i> Hübner, [1819], <i>Verzeichniss bekannter Schmettlinge</i> , part 5, p. 71 (gender: masculine) (type species, by subsequent designation by Scudder, 1875, <i>Proceedings of the American Academy of Arts and Sciences</i> , 10 : 245: <i>Papilio cyanea</i> Cramer, [1775]), ruled under the plenary power not to be given priority over <i>Nacaduba</i> Moore, [1881] whenever the two names are considered to be synonyms (Insecta, Lepidoptera). Op. 1773	available
<i>Peplodyta</i> Toxopeus, 1929, <i>Tijdschrift voor Entomologie</i> , 70 : 230 (a junior objective synonym of <i>Pepliphorus</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 1773	index
<i>perarmatus</i> , <i>Ammonites</i> , J. Sowerby, June 1822, <i>The Mineral Conchology of Great Britain</i> , vol. 4, p. 72, ruled under the plenary power not rendered invalid by the prior publication of <i>Ammonites perarmatus</i> Young & Bird, [May] 1822 (specific name of the type species of <i>Euaspidoceras</i> Spath, 1931) (Cephalopoda, Ammonoidea). Op. 1456	available
<i>perarmatus</i> , <i>Ammonites</i> , Young & Bird, [May] 1822, <i>A geological survey of the Yorkshire coast</i> , p. 249 (Cephalopoda, Ammonoidea). Op. 1456	available
<i>Perca</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289 (gender: feminine) (type species, by designation by Gill, 1861 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1861 : 48): <i>Perca fluviatilis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289) (Osteichthyes). Op. 77, Direction 56	available

<i>Percnon</i> Gistl, 1848, <i>Nat. Thierr.</i> : viii (gender: neuter) (type species, by designation by Rathbun, 1918 (<i>Bull. U.S. nat. Mus.</i> , 97 : 337)): <i>Cancer planissimus</i> Herbst, [1804], <i>Versuch. Naturgesch. Krabben Krebse</i> , 3 (4): 3 (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>percnopterus</i> (emendation of <i>perenopterus</i>), <i>Vultur</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 87 (specific name of the type species of <i>Neophron</i> Savigny, 1809) (Aves). Op. 411	available
<i>percutiens</i> , <i>Alauda</i> , Wilkes, [1796], <i>Encyclopaedia Londinensis</i> , vol. 1, p. 236 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>peregrina</i> , <i>Doris</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3105 (specific name of the type species of <i>Cratena</i> Bergh, 1864) (Gastropoda). Op. 776	available
<i>peregrinus</i> , <i>Attus</i> , Walckenaer, 1837, <i>Histoire naturelle des insectes aptères</i> , Paris, 1 : 445 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1340	index
<i>peregrinus</i> , <i>Falco</i> , [Tunstall], 1771, <i>Ornithologia britannica</i> : 1 (Aves). Op. 882	available
<i>peregrum</i> , <i>Buccinum</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 130 (Gastropoda). Op. 336	available
<i>pergusna</i> , <i>Mustela</i> , Güldenstaedt, 1770, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 14 (1): 441 (valid name at the date of Opinion 384 of the type species of <i>Vormela</i> Blasius, 1884) (Mammalia). Op. 384	available
<i>perenopterus</i> , <i>Vultur</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 87 (an incorrect original spelling for <i>percnopterus</i> , <i>Vultur</i> , Linnaeus, 1758). Op. 411	index
<i>perfida</i> , <i>Aranea</i> , Walckenaer, 1802, <i>Faune paris.</i> , 2 : 223 (a junior objective synonym of <i>florentina</i> , <i>Aranea</i> , Rossi, 1790). Direction 29	index
<i>perfoliata</i> , <i>Taenia</i> , Schrank, 1788, <i>Verzeichnisse der bisher hinlänglich bekannten Eingeweidewürmer</i> , p. 37 (specific name of the type species of <i>Anoplocephala</i> Blanchard, 1848) (Cestoda). Op. 1427	available
<i>perforans</i> , <i>Stoa</i> , De Serres, 1855, <i>Annales des Sciences Naturelles, Paris. Zoologie</i> , (4) 4 : 241 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>Peribolus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>pericarpius</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 380 (specific name of the type species of <i>Rhinoncus</i> Schönherr, 1825) (Insecta, Coleoptera). Op. 1529	available
<i>Periclimenaeus</i> Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 207 (gender: masculine) (type species, by designation by Borradaile, 1917 (<i>Trans. linn. Soc. London</i> (Zool.), (2) 17 : 378)): <i>Periclimenaeus robustus</i> Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 213 (Crustacea, Decapoda). Op. 470	available

<i>Periclimenes</i> Costa, 1844, <i>Ann. Accad. Aspir. Nat. Napoli</i> , 2 : 290 (gender: masculine) (type species, by monotypy: <i>Periclimenes insignis</i> Costa, 1844, <i>Ann. Accad. Aspir. Nat. Napoli</i> , 2 : 291, valid name: <i>Alpheus amethystea</i> Risso, 1826) (Crustacea, Decapoda). Op. 470	available
<i>Perigrapsus</i> Heller, 1862, <i>Verh. zool.-bot. Ges. Wien</i> , 12 (Abh.): 522 (gender: masculine) (type species, by monotypy: <i>Perigrapsus excelsus</i> Heller, 1862, <i>Verh. zool.-bot. Ges. Wien</i> , 12 (Abh.): 522) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Perineus</i> Thompson, 1936, <i>Ann. Mag. nat. Hist.</i> , (10) 18 : 41 (gender: masculine) (type species, by original designation: <i>Lipeurus nigrolimbatus</i> Giebel, 1874, <i>Insecta epizoa</i> : 233) (Insecta, Mallophaga). Op. 656	available
<i>Periplaneta</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2) (No. 1): 502 (gender: feminine) (type species, by designation by Kirby, 1890 (<i>Proc. roy. Dublin Soc.</i> (n.s.), 6 : 562): <i>Blatta americana</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 424) (Insecta, Orthoptera). Op. 104, Direction 63	available
<i>Perisphinctes</i> Waagen, 1869, <i>Geogn.-pal. Beitr.</i> , 2 : 248 (gender: masculine) (type species, by designation under the plenary power: <i>Ammonites variocostatus</i> Buckland, 1836, <i>Bridgewater Treatise</i> , No. 6: pl. 42, fig. 7 (no text)) (Cephalopoda). Op. 303	available
PERISPINCTINAE Steinmann, 1890, in Steinmann & Döderlein, <i>Elem. Paläont.</i> (2): 441 (type genus: <i>Perisphinctes</i> Waagen, 1869) (Cephalopoda). Direction 14	available
<i>Peristernia</i> Mörch, 1852, <i>Catalogus conchyliorum quae reliquit D. Alphonso d'Aguirra & Gadea, Comes de Yoldi, &c.</i> , Fasciculus primus (Cephalophora), p. 99 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by von Martens, 1868, <i>Mollusca. Zoological Record</i> , 4 : 530: <i>Turbinella nassatula</i> Lamarck, 1822) (Gastropoda). Op. 1981	available
<i>Perla</i> de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 567 (a junior homonym of <i>Perla</i> Geoffroy, 1762). Op. 645	index
<i>Perla</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 229 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Perla bipunctata</i> Pictet, 1833, <i>Ann. Sci. nat.</i> , Paris, 28 (109): 55) (Insecta, Plecoptera). Op. 645	available
<i>Perla</i> Retzius, 1783, <i>in de Geer, Gen. Spec. Ins.</i> : 50 (a junior homonym of <i>Perla</i> Geoffroy, 1762). Op. 645	index
<i>perla, Hemerobius</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 549 (specific name of the type species of <i>Chrysopa</i> [Leach, 1815]) (Insecta, Neuroptera). Op. 211	available
PERLARIAE Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 292 (type genus: <i>Perla</i> Geoffroy, 1762) (an incorrect original spelling for PERLIIDAE Latreille, [1802]). Op. 645	index
<i>perlata, Thelpheusa</i> [sic], Milne Edwards, 1837, <i>in</i> Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 13 (specific name of the type species of <i>Potamonautes</i> MacLeay, 1838) (Crustacea, Decapoda). Direction 36	available

<i>perlatus</i> , <i>Cancer</i> , Herbst, [1790], <i>Versuch. Naturgesch. Krabben Krebse</i> , 1 (8): 265 (specific name of the type species of <i>Daira</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 78	available
<i>perlatus</i> , <i>Hepatus</i> , Poeppig, 1836, <i>Arch. Naturgesch.</i> , 2 (No. 1): 135 (specific name of the type species of <i>Pilumnoides</i> Milne Edwards & Lucas, [1844]) (Crustacea, Decapoda). Direction 36	available
PERLIDAE (correction of PERLARIAE) Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 292 (type genus: <i>Perla</i> Geoffroy, 1762) (Insecta, Plecoptera). Op. 645	available
<i>permianus</i> , <i>Tupus</i> , Sellards, 1906, <i>Amer. J. Sci.</i> , (4) 22 : 249 (specific name of the type species of <i>Tupus</i> Sellards, 1906) (Insecta, Protodonata). Op. 1317	available
<i>permutata</i> , <i>Siphania</i> , Klausewitz, 1966, <i>Senckenbergiana Biologica</i> , 47 : 217 (Osteichthyes, Perciformes). Op. 1481	available
<i>permutatus</i> , <i>Cornalatus</i> , Attems, 1938, <i>Tierreich</i> , 69 : 61 (specific name of the type species of <i>Cornalatus</i> Attems, 1931) (Diplopoda, Polydesmida). Op. 1498	available
<i>Perna</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>pernettensis</i> , <i>Delphinus</i> , de Blainville, 1817, <i>Nouv. Dict. Hist. nat.</i> , 9 : 154 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1067	index
<i>pernettyi</i> , <i>Delphinus</i> , Desmarest, 1820, <i>Mammalogie, ou description des espèces de mammifères</i> , (Agasse), Paris: 513 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1067	index
<i>Pernigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Pero</i> Herrich-Schäffer, 1855, <i>Systematische Bearbeitung Schmetterlinge Europa</i> , col. 6, p. 91 (gender: feminine) (type species, by designation under the plenary power: <i>Gonodontis rectisectaria</i> Herrich- Schäffer, [1855]) (Insecta, Lepidoptera). Op. 1379	available
<i>Peronella</i> Gray, 1855, <i>Cat. rec. Echin. B.M.</i> , (1) Echin. Irreg.: 13 (gender: feminine) (type species, by monotypy: <i>Laganum peronii</i> Agassiz, 1841, <i>Mon. Echin.</i> , 2 : 123) (Echinoidea). Op. 608	available
<i>peronii</i> , <i>Ibacus</i> , Leach, 1815, <i>Zool. Miscell.</i> , 2 : 152 (specific name of the type species of <i>Ibacus</i> Leach, 1815) (Crustacea, Decapoda). Op. 519	available
<i>peronii</i> , <i>Laganum</i> , Agassiz, 1841, <i>Mon. Echin.</i> , 2 : 123 (specific name of the type species of <i>Peronella</i> Gray, 1855) (Echinoidea). Op. 608	available
<i>Peronopora</i> Nicholson, 1881, <i>On the Structure and Affinities of the Genus Monticulipora</i> : 100, 102 (gender: feminine) (type species, by designation under the plenary power: <i>Chaetetes decipiens</i> Rominger, 1866, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1866 : 116, 117) (Bryozoa). Op. 838	available

<i>perplexa</i> , <i>Filimanus</i> , Feltes, 1991, <i>Copeia</i> , 1991 (2): 307 (specific name of the type species of <i>Filimanus</i> Myers, 1936) (Osteichthyes, Perciformes). Op. 1761	available
<i>perplexus</i> , <i>Cnemidophorus</i> , Baird & Girard, 1852, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 6 (4): 128 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1929	index
<i>Persephona</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 22 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28): <i>Persephona latreillei</i> (correction of <i>latreillii</i>) Leach, 1817, <i>Zool. Miscell.</i> , 3 : 22, valid name: <i>Cancer punctatus</i> Linnaeus, 1758) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Persephona</i> Leach, 1852, <i>Syn. Moll. Gt. Brit.</i> : 146, 189 (a junior homonym of <i>Persephona</i> Leach, 1817). Direction 37	index
<i>persica</i> , <i>Octopodoteuthis</i> , Naef, 1923, <i>Fauna e Flora del Golfo di Napoli</i> , 35 (1,1): 337, ruled under the plenary power not to be given priority over the specific name of <i>Taningia danae</i> Joubin, 1931 whenever the two names are considered to be synonyms (Cephalopoda, Coleoidea). Op. 1768	available
<i>persicum</i> , <i>Buccinum</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 738 (specific name of the type species of <i>Purpura</i> Bruguière, 1789) (Gastropoda). Op. 886	available
<i>personatus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 628, as interpreted by the neotype designated by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 53, pl. 3) (specific name of the type species of <i>Dromia</i> Weber, 1795) (Crustacea, Decapoda). Op. 688	available
<i>personatus</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 446 (specific name of the type species of <i>Reduvius</i> Fabricius, 1775) (Insecta, Hemiptera). Direction 64	available
<i>pertii</i> , <i>Stigmodera</i> , Gory & Laporte, 1837, <i>Histoire naturelle et iconographie des insectes coleoptères, publiée par monographies séparées</i> . Texte vol. 2. Suite aux Buprestides, p. 23 (specific name of the type species of <i>Castiarina</i> Gory & Laporte, 1837) (Insecta, Coleoptera). Op. 1628	available
<i>pertinax</i> , <i>Contopus</i> , Cabanis & Heine, 1859, <i>Museum Heineanum ...</i> , part 2, p. 72 (Aves, Passeriformes). Op. 1885	available
<i>pertinax</i> , <i>Walkeriana</i> , Newstead, [April 1901], <i>Proc. zool. Soc. London</i> , 1900 : 947, pl. 59 (specific name of the type species of <i>Aspidoproctus</i> Newstead, [April 1901]) (Insecta, Hemiptera). Op. 268	available
<i>pertusa</i> , <i>Voluta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 732 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 841	index
<i>peruanum</i> , <i>Lagidium</i> , Meyen, 1833, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 16 (2): 578 (specific name of the type species of <i>Lagidium</i> Meyen, 1833) (Mammalia). Direction 22	available
<i>peruviana</i> , <i>Geositta</i> , Lafresnaye, 1847, <i>Rev. Zool.</i> , [10] : 75 (Aves). Op. 1101	available

<i>peruvianus</i> , <i>Hemidactylus</i> , Wiegmann, 1835, <i>Verhandlungen der Kaiserlichen Leopoldinisch-Carolinischen Akademie der Naturforscher</i> , 17 (1): 240 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Squamata). Op. 1908	index
<i>perversus</i> , <i>Turbo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 767 (valid name at the date of Opinion 335 of the type species of <i>Balea</i> Gray, 1824) (Gastropoda). Op. 335	available
<i>Pes</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 122 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Petalia</i> Gray, 1838, <i>Mag. Zool. Bot.</i> , 2 (12): 494 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	index
<i>Petalidium</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 172, 194 (gender: neuter) (type species, by monotypy: <i>Petalidium foliaceum</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 194) (Crustacea, Decapoda). Op. 864	available
<i>Petasia</i> Audinet-Serville, 1831, <i>Ann. Sci. nat. (Zool.)</i> , 22 : 278 (a junior homonym of <i>Petasia</i> Stephens, 1828). Op. 969	index
<i>PETASIAE</i> Bolivar, 1884, <i>An. Soc. esp. Hist. nat.</i> , 13 : 21, 25, 471, 497 (type genus: <i>Petasia</i> Audinet-Serville, 1831) (invalid because the name of the type genus is a junior homonym). Op. 969	index
<i>petersii</i> , <i>Anolis</i> , Bocourt, 1873, in Duméril, Bocourt & Mocquard (Eds.), <i>Recherches Zoologiques</i> , vol. 3, (Section 1). <i>Etudes sur les reptiles et les Batraciens. Mission Scientifique au Mexique et dans l'Amérique Centrale</i> , p. 79 (Reptilia). Op. 2015	available
<i>petrefactus</i> , <i>Crocodilus</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 183 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>petri</i> , <i>Bigotella</i> , Nicolesco, 1917, <i>Bull. Soc. géol. France</i> , (4) 16 : 167, pl. 4, figs. 4, 5 (specific name of the type species of <i>Bigotites</i> Nicolesco, 1918) (Cephalopoda). Op. 324	available
<i>Petricoligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Petrodactylus</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : index (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>Petrolisthes</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 227 (gender: masculine) (type species, by original designation: <i>Porcellana violacea</i> Guérin, 1829, in Duperrey, <i>Voy. 'Coquille'</i> , Zool., 2 (2): pl. 3, fig. 2) (Crustacea, Decapoda). Op. 701	available
<i>Petromyzon</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 230 (gender: masculine) (type species, by designation by Jordan & Copeland, 1877 (<i>Bull. Buffalo Soc. nat. Sci.</i> , 3 (4): 161): <i>Petromyzon marinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 230) (Agnatha). Op. 1171	available

PETROMYZONTIDAE Bonaparte, 1832, <i>Saggio d'una distribuzione metodica degli animali vertebrati a sangue freddo. Giorn. Arcadica</i> , 52 : 165, 189 (type genus: <i>Petromyzon</i> Linnaeus, 1758) (Agnatha). Op. 1171	available
petronella, Helix , Pfeiffer, 1853, <i>Monogr. Helic. viv.</i> , 3 : 95 (Gastropoda). Op. 336	available
Petropedetes Reichenow, 1874, <i>Archiv für Naturgeschichte</i> , 40 (1.3): 290 (gender: masculine) (type species, by monotypy: <i>Petropedetes cameronensis</i> Reichenow, 1874) (Amphibia, Anura). Op. 1921	available
PETROPEDETINAE Noble, 1931, <i>The Biology of the Amphibia</i> , p. 520 (type genus: <i>Petropedetes</i> Reichenow, 1874), ruled under the plenary power that this name and other family-group names based on <i>Petropedetes</i> are to be given precedence over HEMIMANTIDAE Hoffmann, 1878 and (by the first reviser action of Dubois, 1982, <i>Bulletin of Zoological Nomenclature</i> , 39 : 136) CACOSTERNINAE Noble, 1931, and other family-group names based on <i>Hemimantis</i> Peters, 1863 and <i>Cacosternum</i> Boulenger, 1887 whenever their type genera are placed in the same family-group taxon (Amphibia, Anura). Op. 1921	available
<i>Petrophora</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
petropolitana, Dianulites , Dybowski, 1877, <i>Die Chaetiden der Ostbaltischen Silur-Formation</i> , p. 24, deemed under the plenary power to be a then new nominal species (Bryozoa). Op. 2042	available
petropolitana, Diplotrypa , Nicholson, 1879, <i>On the Structure and Affinities of the 'Tabulate Corals' of the Palaeozoic Period with critical descriptions of illustrative species</i> , p. 313, as defined by the lectotype designated by Wyse Jackson, Buttler & Key, 2001, <i>Bulletin of Zoological Nomenclature</i> , 58 : 217, deemed under the plenary power to be a then new nominal species (Bryozoa). Op. 2042	available
petropolitana, Favosites , Pander, 1830, <i>Beiträge zur Geognosie des Russischen Reiches</i> , p. 105 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Bryozoa). Op. 2042	index
pettos, Ammonites , Quenstedt, 1843, <i>Das Flözgebirge Württembergs</i> , p. 178 (specific name of the type species of <i>Coeloceras</i> Hyatt, 1867) (Ammonoidea). Op. 2123	available
Petunculus Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
peus, Culex , Speiser, 1904, <i>Insektenbörse</i> , 21 : 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Diptera). Op. 1644	index
Pezoporus Foerster, 1868, <i>Verh. naturh. Ver. preuss. Rheinlande</i> , 25 : 181 (a junior homonym of <i>Pezoporus</i> Illiger, 1811). Direction 44	index
Pezoporus Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 201 (gender: masculine) (type species, by monotypy: <i>Psittacus formosus</i> Latham, 1790, <i>Index ornithol.</i> : 103, valid name: <i>Psittacus wallicus</i> Kerr, 1792) (Aves). Op. 67 <i>Pezoporus</i> Klug, [1842], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1840 : 311 (a junior homonym of <i>Pezoporus</i> Illiger, 1811). Direction 44	available

- Phacochaeres* Gray, 1821, *London med. Reposit.*, **15**: 306 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466 index
- Phacoherus* Fleming, 1822, *Phil. Zool.*, **2**: 200 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466 index
- Phacochoerus* Cuvier, [1816], *Règne Anim.* (ed. 1), **1**: 236 (not made index in the work cited). Op. 466 index
- Phacochoerus** Cuvier, 1826, *Dict. Sci. nat.*, **39**: 383 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: *Aper aethiopicus* Pallas, 1766, *Miscell. zool.*: 16) (Mammalia). Op. 466 available
- Phacochoerus* Fischer von Waldheim, 1817, *Mém. Soc. imp. Nat. Moscou*, **5**: 417 (published in synonymy without an independent indication). Op. 466 index
- Phacochoerus*, all uses of, prior to *Phacochoerus* Cuvier, 1826 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 466 index
- Phaenodonta* Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 582 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069 index
- PHAENOMERI** Csiki, 1936, *Col. Cat.* (149): 6 (type genus: **Phaenomerus** Schoenherr, 1836) (an incorrect subsequent spelling for **PHAEONOMERINA** Faust, 1898). Op. 621 index
- PHAENOMERIDAE** Ohaus, 1913, *Deutsch. entomol. Z.*, **1913**: 225 (Beiheft) (type genus: **Phaenomeris** Hope, 1833) (an incorrect original spelling for **PHAEONOMERIDAE** Ohaus, 1913). Op. 621 index
- PHAEONOMERIDAE** (correction of PHAENOMERIDAE) Ohaus, 1913, *Deutsch. entomol. Z.*, **1913**: 225 (Beiheft) (type genus: **Phaenomeris** Hope, 1833) (Insecta, Coleoptera). Op. 621 available
- PHAEONOMERINA** Faust, 1898, *Deutsch. entomol. Z.*, **1898**: 76 (type genus: **Phaenomerus** Schoenherr, 1836) (available for a family-group taxon below subfamily level) (Insecta, Coleoptera). Op. 621 available
- PHAEONOMERINA** Hustache, 1936, *Sborn. entomol. odd. Nár. Mus. Praze*, **14**: 39 (type genus: **Phaenomerus** Schoenherr, 1836) (an incorrect subsequent spelling for **PHAEONOMERINA** Faust, 1898). Op. 621 index
- Phaenomeris** Hope, 1833, *Proc. zool. Soc. London*, **1833**: 62 (gender: feminine) (type species, by monotypy: **Phaenomeris magnifica** Hope, 1833, *Proc. zool. Soc. London*, **1833**: 62) (Insecta, Coleoptera). Op. 621 available
- Phaenomerus** Schoenherr, 1836, *Gen. Spec. Curc.*, **3**: 632 (gender: masculine) (type species, by original designation: **Phaenomerus sundewalli** Boheman, in Schoenherr, 1836, *Gen. Spec. Curc.*, **3**: 632) (Insecta, Coleoptera). Op. 621 available

<i>Phaenops</i> Dejean, 1833, <i>Catalogue des coléoptères de la collection de M. le Comte Dejean</i> , Ed. 2, part 1, p. 79 (gender: feminine, as ruled under the plenary power) (type species, by subsequent designation by Théry, 1942, <i>Faune de France</i> , 41 : 73: <i>Buprestis cyanea</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1826	available
<i>Phaenopsectra</i> Kieffer, 1921, <i>Ann. Soc. sci.</i> , Brussels, 40 : 274 (gender: feminine) (type species, by designation by Goetghebuer, 1939, (<i>in</i> Lindner, <i>Die Fliegen</i> , Fam. 13c: 80): <i>Chironomus leucolabis</i> Kieffer, 1915, <i>Broteria</i> (Ser. Zool.), 13 : 75, valid name: <i>Chironomus flavipes</i> Meigen, 1818) (Insecta, Diptera). Op. 616	available
<i>Phaëthon</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 134 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 80): <i>Phaëthon aethereus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 134) (Aves). Op. 67 <i>phaeton</i> , <i>Papilio</i> , Drury, [1773], <i>Ill. nat. Hist.</i> , 1 : index, 42, pl. 21, figs. 3, 4♀ (specific name of the type species of <i>Euphydryas</i> Scudder, 1872) (Insecta, Lepidoptera). Op. 278	available
<i>phaeus</i> , <i>Turdus</i> , Forster, 1794, <i>Mag. merkwürdig. neuen Reise Beschreib.</i> , 5 : 128 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 410	index
<i>Phakellia</i> Bowerbank, 1862, <i>Philosophical Transactions of the Royal Society of London</i> , 152 : 1109 (gender: feminine) (type species, by original designation: <i>Spongia ventilabrum</i> Linnaeus, 1767) (Porifera). Op. 2091	available
<i>Phalaena</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 495 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 450	index
<i>PHALAENAEDES</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 88 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAENIDAE (correction of PHALAENITES) Latreille, [1802]). Op. 450	index
<i>PHALAENARIAE</i> Zetterstedt, 1840, <i>Ins. lapp.</i> : vi, 953 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAENIDAE (correction of PHALAENITES) Latreille, [1802]). Op. 450	index
<i>PHALAENIDA</i> [Leach, 1815], <i>in</i> Brewster's <i>Edinburgh Ency.</i> , 9 (1): 134 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAENIDAE (correction of PHALAENITES) Latreille, [1802]). Op. 450	index
PHALAENIDAE (correction of PHALAENITES) Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 411 (type genus: <i>Phalaena</i> Linnaeus, 1758) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 450	index
PHALAENIDES [Leach, 1815], <i>in</i> Brewster's <i>Edinburgh Ency.</i> , 9 (1): 134 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAENIDAE (correction of PHALAENITES) Latreille, [1802]). Op. 450	index
PHALAENITES Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 411 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect original spelling for PHALAENIDAE Latreille, [1802]). Op. 450	index

PHALAENODEA Burmeister, 1837, <i>Handb. Nat.</i> (2): 620 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAEENIDAE (correction of PHALAEENITES) Latreille, [1802]). Op. 450	index
PHALAEENOIDEA Gravenhorst, 1843, <i>Vergleich. Zool.</i> : 167 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAEENIDAE (correction of PHALAEENITES) Latreille, [1802]). Op. 450	index
PHALAEENOIDES Burmeister, 1829, <i>De Ins. Syst. Nat.</i> : 27 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for HALAENIDAE (correction of PHALAEENITES) Latreille, [1802]). Op. 450	index
phalaenoides, Phryganea , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 547 (specific name of the type species of <i>Semblis</i> Fabricius, 1775) (Insecta, Trichoptera). Op. 1596	available
Phalangium Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 618 (gender: neuter) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des Animaux composant les classes des Crustacés, des Arachnides, et des Insectes: avec un Tableau méthodique de leurs genres, disposés en familles</i> , p. 425: Phalangium opilio Linnaeus, 1758) (Arachnida). Op. 2082	available
phalangium, Cancer , Fabricius, 1775, <i>Syst. Entomol.</i> : 408 (Crustacea, Decapoda). Op. 763	available
PHALENIDIA Rafinesque, 1815, <i>Analyse Nature</i> : 127 (type genus: <i>Phalaena</i> Linnaeus, 1758) (an incorrect subsequent spelling for PHALAEENIDAE (correction of PHALAEENITES) Latreille, [1802]). Op. 450	index
phaleratus, Aegorhinus , Erichson, 1834, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino- Carolinae Naturae Curiosorum</i> , 16 (suppl.): 262 (specific name of the type species of <i>Aegorhinus</i> Erichson, 1834) (Insecta, Coleoptera). Op. 2085	available
Phaleria Latreille, [1802], in Sonnini's Buffon, <i>Histoire naturelle, générale et particulière des Crustacés et des Insectes</i> , 3 : 162 (gender: feminine) (type species, by designation under the plenary power: Tenebrio cadaverinus Fabricius, 1792, <i>Entomol. Syst.</i> , 1 : 113) (Insecta, Coleoptera). Op. 1039	available
Phancrocraspedon Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 568 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
Phaneroptera Serville, 1831, <i>Ann. Sci. nat.</i> , Paris, 22 : 158 (gender: feminine) (type species, by designation under the plenary power: Gryllus falcata Poda, 1761, <i>Ins. Mus. graec.</i> : 52) (Insecta, Orthoptera). Op. 154	available
Phaneroptyche Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

<i>Phanes</i> Godman, [1901], in Godman & Salvin, <i>Biol. centr.-amer.</i> , Lep. Rhop., 2 : 741 (gender: masculine) (type species, by designation under the plenary power: <i>Thracides alethes</i> Geyer, [1832], in Hübner, <i>Zutr. z. Samml. exot. Schmett.</i> , 4 : 31, pl. [126], figs. 731, 732) (Insecta, Lepidoptera). Op. 830	available
<i>Phanis</i> Godman, [1900], in Godman & Salvin, <i>Biol. centr.-amer.</i> , Lep. Rhop., 2 : 548 (a junior homonym of <i>Phanis</i> Fairmaire, 1893). Op. 830	index
<i>Pharalis</i> Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217, 218 (a nomen nudum). Op. 646	index
<i>Pharomachrus</i> de la Llave, 1832, <i>Registro trimestre</i> , 1 (1): 48 (gender: masculine) (type species, by monotypy: <i>Pharomachrus mocinno</i> de la Llave, 1832, <i>Registro trimestre</i> , 1 (1): 48) (Aves). Op. 67 <i>Pharopterix</i> Rüppell, 1828, <i>Atlas zu der Reise im nördlichen Afrika von E. Rüppell (Senck. nat. Ges.)</i> , 4 Fische (10): 15 (an incorrect original spelling for <i>Pharopteryx</i> Rüppell, 1828). Op. 1082	available
<i>Pharopteryx</i> Rüppell, 1852, <i>Verz. Mus. Senck. naturf. Gesell. aufges. Samml.</i> , 4 : 16 (a junior homonym of <i>Pharopteryx</i> Rüppell, 1828). Op. 1082	index
<i>Phascochaeres</i> Cretzschmar, 1828, in Rüppell, <i>Atlas Reise nördl. Afrika, Säugth.</i> : 61 (a junior objective synonym of <i>Phacochoerus</i> Cuvier, 1826). Op. 466	index
<i>Phascochaerus</i> Desmarest, 1822, <i>Ency. méth. (Mamm.)</i> (2): 393 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466	index
<i>Phascochoeres</i> Ranzani, 1820, <i>Elem. Zool.</i> , 2 (3): 536, 537 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466	index
<i>Phascochoerus</i> Ranzani, 1820, <i>Elem. Zool.</i> , 2 (3): 536, 537 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 466	index
<i>Phasia</i> Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 15 : 122 (gender: feminine) (type species, by subsequent monotypy: <i>Conops subcoleoptrata</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1006) (Insecta, Diptera). Op. 896	available
<i>Phasianella</i> Lamarck, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 4 : 295 (gender: feminine) (type species, by designation under the plenary power: <i>Buccinum australe</i> Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3490) (Gastropoda). Op. 630	available
<i>Phasianelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
PHASIANELLINAE Swainson, 1840, <i>Treatise Malac.</i> : 354 (type genus: <i>Phasianella</i> Lamarck, 1804) (Gastropoda). Op. 630	available
<i>phasianoides</i> , <i>Palaearctyx</i> , Milne-Edwards, 1869, <i>Recherches anatomiques et paléontologiques pour servir à l'histoire des oiseaux fossiles de la France</i> , vol. 2, p. 237, ruled under the plenary that all previous type fixations are set aside and the scapula from Saint-Gérand-le-Puy, France (specimen no. MNHN Av 2895 in the Muséum National d'Histoire Naturelle, Paris) is designated as the neotype (Aves). Op. 2146	available

<i>Phasianus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158 (gender: masculine) (type species, by Linnaean tautonymy: <i>Phasianus colchicus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158) (Aves). Direction 17	available
<i>Phasma</i> Lichtenstein, 1796, <i>Cat. Mus. Zool. Hamb.</i> , 3 : 77 (gender: neuter) (type species, by designation by Kirby, 1904 (<i>Ann. Mag. nat. Hist.</i> , (7) 13 : 439): <i>Phasma empusa</i> Lichtenstein, 1796, <i>Cat. Mus. Zool. Hamb.</i> , 3 : 77) (Insecta, Phasmida). Op. 641	available
PHASMATIDAE (correction of PHASMIDAE) Gray, 1835, <i>Synops. Ins. Phasm.</i> : 1-44 (type genus: <i>Phasma</i> Lichtenstein, 1796) (Insecta, Phasmida). Op. 716	available
<i>Phasmatocarcinus</i> Tilesius von Tilenu, 1818, <i>Ann. Wetterau. Ges. Naturk.</i> , 4 : 6 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
PHASMIDAE Gray, 1835, <i>Synops. Ins. Phasm.</i> : 1-44 (type genus: <i>Phasma</i> Lichtenstein, 1796) (an incorrect original spelling for PHASMATIDAE Gray, 1835). Op. 716	index
<i>Phenacoclycas</i> La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 89 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index
<i>philadelphica</i> , <i>Macrocerca</i> , Lepeletier, 1841, <i>Histoire naturelle des insectes. Hyménoptères</i> , vol. 2, p. 110 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1852	index
<i>philadelphicus</i> , <i>Axolotus</i> , Jarocki, 1822, <i>Zoologia</i> , 3 : 179 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 662	index
PHILAENINI Metcalf, 1955, <i>J. Washington Acad. Sci.</i> , 45 : 264 (type genus: <i>Philaenus</i> Stål, 1864) (Insecta, Hemiptera). Op. 590	available
<i>Philaenus</i> Stål, 1864, <i>Entomol. Ztg. Stettin</i> , 25 : 66 (gender: masculine) (type species, by designation by Van Duzee, 1917 (<i>Cat. Hemipt. Amer. north of Mexico</i> : 513): <i>Cicada spumaria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 437, as interpreted by the lectotype designated by Ossiannilsson, 1957 (<i>Opuscula Entomol.</i> , 22 : 1)) (Insecta, Hemiptera). Op. 590	available
<i>Philander</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 207 (gender: masculine) (type species, by designation under the plenary power: <i>Didelphis opossum</i> Linnaeus, 1758), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Marsupialia). Op. 1894	available
<i>Philhydrus</i> Brookes, 1828, <i>Prodr. Syn. Anim. Brookesian Mus.</i> : 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649	index
<i>philippiana</i> , <i>Arca</i> , Nyst, 1848, <i>Mémoires de l'Académie Royale des Sciences, des Lettres et des Beaux-Arts de Belgique</i> , 22 : 54 (Bivalvia). Op. 1887	available
<i>philippii</i> , <i>Solenocera</i> , Lucas, 1849, <i>Rev. Mag. zool.</i> , (2) 1 : 300 (a junior objective synonym of <i>siphonoceros</i> , <i>Peneus</i> , Philippi, 1840). Op. 611	index

- philippinensis*, *Acmaeodera*, Obenberger, 1924, *Acta Entomologica Musaei Nationalis Pragae*, **2**: 94, ruled to retain priority over *Acmaeodera oaxacae* Fisher, 1949 whenever the two names are considered to be synonyms (Insecta, Coleoptera). Op. 2114 available
- philippinensis*, *Neaera*, Hinds, 1843, *Proceedings of the Zoological Society of London*, **1843**(11): 78 (specific name of the type species of *Luzonia* Dall & Smith in Dall, 1890) (Bivalvia). Op. 1376 available
- Phillipsella* Oehlert, 1886, *Bull. Soc. Etud. Sci. Angers*, **15**: 125, 126 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 476 index
- Phillipsia** Portlock, 1843, *Rep. Geol. Londonderry*: 305 (gender: feminine) (type species, by designation by Vogdes, 1890 (*Bull. U.S. geol. Surv.*, No. 63: 83): *Phillipsia kellyi* (correction of *kellii*) Portlock, 1843, *Rep. geol. Londonderry*: 307, pl. vi, fig. 1, as interpreted by the lectotype designated by Stubblefield, 1952 (*Bull. zool. Nomencl.*, **6**: 153)) (Trilobita). Op. 352 available
- PHILLIPSIDAE** Oehlert, 1886, *Bull. Soc. Etud. sci. Angers* (n.s.), **15**: 127 (type genus: *Phillipsia* Portlock, 1843) (an incorrect original spelling for **PHILLIPSIIDAE** Oehlert, 1886). Direction 41 index
- phillipsii*, *Unio*, Williamson, 1836, *Phil. Mag.*, (3)**9**: 350, 351, as interpreted by reference to specimen L10106 in the Geology Department of the Manchester Museum, England (specific name of the type species of *Anthraconauta* Pruvost, 1930) (Bivalvia). Op. 595 available
- PHILLIPSIIDAE** (correction of PHILLIPSIDAE) Oehlert, 1886, *Bull. Soc. Etud. sci. Angers* (n.s.), **15**: 127 (type genus: *Phillipsia* Portlock, 1843) (Trilobita). Direction 41 available
- Phillipsinella* Novák, 1885, *Stud. Hypostomen böhm. Trilob.*, **III**: 3-5 (invalid because the paper appeared only as a preprint in that year). Op. 476 index
- Phillipsinella** Novák, 1886, *SitzBer. Konigl.-böhm. Ges. Wiss. (Math.-nat. Cl.)*, **1885**: 583 (conserved under the plenary power) (gender: feminine) (type species, by original designation: *Phacops parabola* Barrande, 1846, *Nouv. Trilob.* (Supp. Not. prélim. Syst. silur. Trilob. Bohême): 6, 7) (Trilobita). Op. 476 available
- PHILLIPSINELLIDAE** Whittington, 1950, *J. Paleontol.*, **24**: 559-561 (type genus: *Phillipsinella* Novák, 1886) (Trilobita). Op. 476 available
- Philodendros* Fitzinger, 1843, *Systema Reptilium*, p. 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1384 index
- Philodendrus* Agassiz, 1846, *Nomenclatoris Zoologicci Index Universalis*, p. 285, emendation of *Philodendros* Fitzinger, 1843 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1384 index
- philomelos*, *Turdus*, Brehm, 1831, *Handb. Naturg. Vögel Deutschl.*: 322 (Aves). Op. 405 available

PHILOPTERIDAE Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 422 (type genus: <i>Philopterus</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 629	available
<i>Philopterus</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 288 (gender: masculine) (type species, by designation by Neumann, 1906 (<i>Bull. zool. Soc. France</i> , 20 : 58); <i>Pediculus ocellatus</i> Scopoli, 1763, <i>Entomol. carn.</i> : 382, as interpreted by the neotype designated by Clay & Hopkins, 1951 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 2 : 8, figs. 8, 9, 11, pl. 1, fig. 2)) (Insecta, Mallophaga). Op. 629	available
<i>Philoscaptus</i> Brèthes, 1919, <i>Physis</i> , 4 : 602 (gender: masculine) (type species, by monotypy: <i>Podalonus bonariensis</i> Burmeister, 1847) (Insecta, Coleoptera). Op. 2066	available
<i>Philothamnus</i> Smith, 1847, <i>Ill. Zool. S. Africa</i> (Rept.): pl. lix (gender: masculine) (type species, by monotypy: <i>Dendrophis (Philothamnus) semivariegata</i> Smith, 1847, <i>Ill. Zool. S. Africa</i> (Rept.): pls. lix, lx, lxiv, figs. 1a-b (type locality, as restricted by Bogert, 1940 (<i>Bull. amer. Mus. nat. Hist.</i> , 77 : 56); ‘Bushman Flat, Cape Province’) (Reptilia). Op. 328	available
<i>Philotrypesis</i> Förster, 1878, <i>Ver. naturh. Ver. preus. Rheinl.</i> , 35 : 59, 60 (gender: feminine) (type species, by original designation: <i>Philotrypesis longicauda</i> Förster, 1878, <i>Ver. naturh. Ver. preus. Rheinl.</i> , 35 : 59, 60, valid name: <i>Cynips caricae</i> Linnaeus, 1762) (Insecta, Hymenoptera). Op. 694	available
<i>Philyra</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.) (1): 5 (a junior homonym of <i>Philyra</i> Leach, 1817). Op. 712	index
<i>Philyra</i> Laporte, 1836, <i>Rev. entomol.</i> , 4 (2): 53 (a junior homonym of <i>Philyra</i> Leach, 1817). Op. 712	index
<i>Philyra</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 18, 22 (gender: feminine) (type species, by designation by Milne Edwards, 1837 (<i>in Cuvier’s Règne Anim.</i> (ed. 3, Disciples ed.), 18 : pl. 24, fig. 4); <i>Cancer globus</i> Fabricius, 1775, <i>Syst. entomol.</i> : 401) (Crustacea, Decapoda). Op. 712	available
<i>Phimophis</i> Cope, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 12 : 79 (gender: masculine) (type species, by monotypy, through <i>Rhinosimus</i> Duméril, Bibron & Duméril, 1854; <i>Rhinosimus guerini</i> Duméril, Bibron & Duméril, 1854, <i>in Roret’s Suites à Buffon, Erpét. Gén.</i> , 7 : 991) (Reptilia). Op. 698	available
<i>Phisis</i> Stål, 1861, <i>Kongliga svenska Fregattens Eugenies Resa omkring Iorden, Vetenskapliga Iakttagelser</i> , vol. 2, <i>Zoologi (I) Insecta</i> , p. 324 (gender: feminine) (type species, confirmed by the Commission to be by original designation: <i>Listroscelis pectinata</i> Guérin, 1831) (Orthoptera, Grylloptera). Op. 1490	available
PHLAEOTHRIPIDAE (correction of PHLOEOTHRIPIDAE) Uzel, 1895, <i>Mon. Thysanopt.</i> : 25, 45 (type genus: <i>Phlaeothrips</i> Haliday, 1836) (Insecta, Thysanoptera). Op. 865	available
<i>Phlaeothrips</i> Haliday, 1836, <i>Entomol. Mag.</i> , 3 : 441 (gender: masculine) (type species, by designation under the plenary power: <i>Phlaeothrips coriacea</i> Haliday, 1836, <i>Entomol. Mag.</i> , 3 : 442) (Insecta, Thysanoptera). Op. 865	available

<i>Phlebotomus</i> (emendation of <i>Flebotomus</i>) Rondani, 1840, <i>Mem. serv. Ditterol. ital.</i> , 1 : 12 (gender: masculine) (type species, by monotypy: <i>Bibio papatasi</i> Scopoli, 1786, <i>Delic. Flor. Faun. insubr.</i> , 1 : 55) (Insecta, Diptera). Op. 256	available
<i>Phloeosinus</i> Chapuis, 1869, <i>Synopsis des Scolytidés</i> (Paris): 37; <i>Mém. Soc. roy. Sci. Liége</i> , (2) 3 : 245 (gender: masculine) (type species, by designation by Hopkins, 1914 (<i>Proc. U.S. nat. Mus.</i> , 48 : 115-136): <i>Hylesinus thujae</i> Perris, 1855, <i>Ann. Soc. entomol. France</i> , (3) 3 : lxxvii-lxxviii) (Insecta, Coleoptera). Op. 1167	available
<i>Phloeotribus</i> Latreille, 1796, <i>Précis. Car. Ins.</i> : 50 (gender: masculine) (type species, through Article 67e (1961 Code): <i>Scolytus scarabaeoides</i> Bernard, 1788, <i>Mém. pour servir à l'Hist. nat. de Provence</i> , 2 : 271) (Insecta, Coleoptera). Op. 1144	available
<i>Phloeotrogus</i> Motschulsky, 1863, <i>Bull. Soc. imp. Nat. Moscou</i> , 36 : 512 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1146	index
<i>Phloiotribus</i> Latreille, 1796, <i>Précis Car. Ins.</i> : 50 (ruled under the plenary power to be an incorrect original spelling for <i>Phloeotribus</i> Latreille, 1796). Op. 1144	index
<i>Phlyctenopelt</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 576 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Phlyseogrammoceras</i> Buckman, 1901, <i>Proc. Cotteswold Nat. Field Club</i> , 13 : 266 (gender: neuter) (type species, by monotypy: <i>Ammonites dispansus</i> Lycett, 1860, <i>Proc. Cotteswold Nat. Field Club</i> , 2 : 146, as interpreted by reference to the holotype refigured by Buckman, 1922 (<i>Type Ammonites</i> , 4 : pl. 340)) (Cephalopoda). Op. 324	available
<i>Phlyxia</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 433; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 303 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28): <i>Phlyxia crassipes</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 433; <i>id.</i> , 1855, <i>Trans. linn. Soc. London</i> , 21 : 304) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Phoca</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 37 (gender: feminine) (type species, by Linnaean tautonymy: <i>Phoca vitulina</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 38) (Mammalia). Op. 75 <i>Phoenicopterus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 139 (gender: masculine) (type species, by monotypy: <i>Phoenicopterus ruber</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 139) (Aves). Op. 67 <i>phoenicopterus</i> , <i>Lamprotornis</i> , Swainson, [1837], in Lardner, <i>The Cabinet of Natural History</i> , p. 360 (Aves). Op. 1859	available
<i>Pholadigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: <i>Tav. VII</i> (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Pholadites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 117 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pholetesor</i> Mason, 1981, <i>Memoirs of the Entomological Society of Canada</i> , 115 : 37 (gender: masculine) (type species, by original designation: <i>Apanteles ornigis</i> Weed, 1887) (Insecta, Hymenoptera). Op. 1480	available

<i>Pholidocidaris</i> Meek & Worthen, 1869, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1869 : 78 (gender: feminine) (type species, by monotypy: <i>Lepidocentrus irregularis</i> Meek & Worthen, 1869, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1869 : 78) (Echinoidea). Op. 371	available
<i>Phoranthella</i> Townsend, 1915, <i>Proc. biol. Soc. Washington</i> , 18 : 23 (a nomen nudum). Op. 205	index
<i>Phorodon</i> Passerini, 1860, <i>Gli Afidi</i> : 277 (gender: masculine) (type species, by original designation: <i>Aphis humuli</i> Schrank, 1801, <i>Fauna boica</i> , 2 (1): 110) (Insecta, Hemiptera). Op. 446	available
PHORRHACIDAE Lydekker, 1893, <i>The Ibis</i> , 5 : 43 (an incorrect subsequent spelling of PHORUSRHACIDAE Ameghino, 1889) (Aves, Gruiformes). Op. 1687	index
<i>Phororhacos</i> Ameghino, 1889, <i>Actas de la Academia Nacional de Ciencias de Córdoba</i> , 6 : 659 (an unjustified emendation of Phorusrhacos Ameghino, 1887) (Aves, Gruiformes). Op. 1687	index
PHORRHACOSIDAE Ameghino, 1889, <i>Actas de la Academia Nacional de Ciencias de Córdoba</i> , 6 : 659 (an incorrect original spelling of PHORUSRHACIDAE) (Aves, Gruiformes). Op. 1687	index
PHORUSRHACIDAE Ameghino, 1889, <i>Actas de la Academia Nacional de Ciencias de Córdoba</i> , 6 : 659, correction of PHORRHACOSIDAE (type genus: <i>Phorusrhacos</i> Ameghino, 1887) (Aves, Gruiformes). Op. 1687	available
<i>Phorusrhacos</i> Ameghino, 1887, <i>Boletín del Museo de La Plata</i> , 1887 : 24 (gender: masculine) (type species, by monotypy: <i>Phorusrhacos longissimus</i> Ameghino, 1887) (Aves, Gruiformes). Op. 1687	available
<i>phosphorea</i> , <i>Scolopendra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 638 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Chilopoda). Op. 2071	index
<i>Phriissa</i> Butler, 1870, <i>Cistula entomol.</i> , 1 : 37, 49 (gender: feminine) (type species, by designation under the plenary power: <i>Pieris illana</i> Felder & Felder, 1862, <i>Wien. entomol. Monats.</i> , 6 : 287) (Insecta, Lepidoptera). Op. 824	available
<i>Phrixura</i> Müller, 1867, <i>Naturhistorisk Tidsskrift</i> , 5 : 184 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Branchiopoda). Op. 1967	index
<i>Phronima</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 38 (gender: feminine) (type species, by monotypy: <i>Cancer sedentarius</i> Forsskål, 1775, <i>Descr. Anim.</i> : 95) (Crustacea, Amphipoda). Op. 1133	available
PHRONIMIDAE (correction of PHRONIMIA) Rafinesque, 1815, <i>Analyse Nature</i> : 100 (type genus: <i>Phronima</i> Latreille, [1802]) (Crustacea, Amphipoda). Op. 1133	available
<i>Phrosina</i> Risso, 1822, <i>J. Phys. Chim. Hist. nat. Arts</i> , 95 : 244 (gender: feminine) (type species, by designation by Stebbing, 1888 (<i>Rep. Voy. 'Challenger' Zool.</i> , 29 (1): 118): <i>Phrosina semilunaria</i> Risso, 1822, <i>J. Phys. Chim. Hist. nat. Arts</i> , 95 : 245) (Crustacea, Amphipoda). Op. 1133	available

PHROSININAE Dana, 1852 (correction of PHROSINIA) Rafinesque, 1815, <i>Analyse Nature</i> : 100 (type genus: Phrosina Risso, 1822) (Crustacea, Amphipoda). Op. 1133	available
Phryganeolitha Germar, 1813, <i>Magazin Entomol.</i> (Germar), 1 : 17 (gender: feminine) (type species, by monotypy: Phryganeolitha vetusta Germar, 1813, <i>Magazin Entomol.</i> (Germar), 1 : 17) ruled under the plenary power not to be given priority over the generic name Holocentropus McLachlan, 1878 whenever the two names are considered synonyms (Insecta, Trichoptera). Op. 1327	available
<i>Phryne</i> Herrich-Schaeffer, [1844], <i>Schmett. Europ.</i> , 1 : 90 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678	index
Phrynicus Karsch, 1879, <i>Archiv für Naturgeschichte (Berlin)</i> , 45 : 197 (gender: masculine) (type species, by original designation: Phalangium reniforme Linnaeus, 1758) (Arachnida). Op. 2082	available
PHRYNOBATRACHINAE Laurent, 1941, <i>Revue de Zoologie et de Botanique Africaines</i> , 34 (2): 192 (type genus: Phrynobatrachus Günther, 1862), ruled under the plenary power that this name and other family-group names based on Phrynobatrachus are to be given precedence over HEMIMANTIDAE Hoffmann, 1878 and other family-group names based on Hemimantis Peters, 1863 whenever their type genera are placed in the same family-group taxon (Amphibia, Anura). Op. 1921	available
Phrynobatrachus Günther, 1862, <i>Proceedings of the Zoological Society of London, 1862</i> : 190 (gender: masculine) (type species, by monotypy: Phrynobatrachus natalensis Günther, 1862, a junior subjective synonym of Stenorhynchus natalensis Smith, 1849) (Amphibia, Anura). Op. 1921	available
Phrynohyas Fitzinger, 1843, <i>Syst. Rept.</i> : 30 (gender: feminine) (type species, by monotypy, and under Article 67e (1961 Code): Rana venulosa Laurenti, 1768, <i>Specimen Medicum</i> : 31, as interpreted under the plenary power by reference to the type specimen of Hyla zonata Spix, 1824, <i>Anim. nov. ... Testud. Ran ... Brasil</i> : 41) (Amphibia). Op. 520	available
Phrynosoma Wiegmann, 1828, <i>Isis</i> (Oken), 1828 : col. 367 (gender: neuter) (type species, by designation by Fitzinger, 1843 (<i>Syst. Rept.</i> : 17): Lacerta orbicularis Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 206) (Reptilia). Op. 565	available
Phthirius Burmeister, 1835, <i>Handb. Entomol.</i> , 2 (1): 58 (an unjustified emendation of Pthirus [Leach, 1815]). Direction 63	index
Phthirus Leach, 1817, <i>Zool. Miscell.</i> , 3 : 64 (an unjustified emendation of Pthirus [Leach, 1815]). Direction 63	index
Phycocaris Kemp, 1916, <i>Rec. Indian Mus.</i> , 12 : 391 (gender: feminine) (type species, by monotypy: Phycocaris simulans Kemp, 1916, <i>Rec. Indian Mus.</i> , 12 : 392) (Crustacea, Decapoda). Op. 470	available
PHYGADICIDA Stål, 1862, <i>Öfvers K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1862 : 211 (type genus: Phygadicus Fieber, 1851) (suppressed under the plenary power for the purposes of the Principle of Priority but not those of the Principle of Homonymy). Op. 679	index

PHYGADICIDA Walker, 1872, *Cat. Hemipt. Brit. Mus.*, **5**: 26 (type genus: *Phygadicus* Fieber, 1851) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 679

index

PHYGADICIDAE Douglas & Scott, 1865, *Brit. Hemipt.*, **1** (Heteropt.): 21, 221; *List Brit. Hemipt.*: 8 (type genus: *Phygadicus* Fieber, 1851) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 679

index

PHYGADICIDAE Douglas & Scott, 1876, *Cat. Brit. Hemipt.*: 19 (type genus: *Phygadicus* Fieber, 1851) (a junior objective synonym of HETEROASTRINAЕ Stål, 1872). Op. 679

index

Phygadicus Fieber, 1851, *Abh. Königl.-böhm. Ges. Wiss. (Prague)*, (5)**7**: 461 (a junior objective synonym of **Heterogaster** Schilling, 1829). Op. 679

index

Phygas Fieber, 1837, *Beitr. Ges. Natur. Heilwiss.*, **1**: 348 (a junior homonym of *Phygas* Treitschke, 1833, and a junior objective synonym of **Heterogaster** Schilling, 1829). Op. 679

index

Phyllacanthus Brandt, 1835, *Prodr. Descr. Anim. Mertens. Orb. Terr. Circumnavig.* *observ.*, **1**: 67 (conserved under the plenary power as of subgeneric status) (gender: masculine) (type species, by designation under the plenary power: **Cidarites** (**Phyllacanthus**) *dubius* Brandt, 1835, *Prodr. Descr. Anim. Mertens. Orb. Terr. Circumnavig. observ.*, **1**: 68) (Echinoidea). Op. 208

available

Phyllhydrus Gray, 1831, in Griffith's Cuvier, *Anim. Kingd.*, **9**, *Syn. Spec.*: 108 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649

index

Phyllum Illiger, 1798, in Kugelann, *Verz. Käfer Preuss.*: 499 (gender: neuter) (type species, by monotypy: **Gryllus siccifolius** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 425) (Insecta, Orthoptera). Op. 149
Phyllobates Bibron, 1840, in Cocteau, J.T. & Bibron, G. *Reptiles, in de la Sagra, R. (Ed.), Historia física, política y natural de la Isla de Cuba. Part 2, Historia natural*, vol. 8, *Atlas de Zoología*, pl. 29b (gender: masculine), type species *Phyllobates bicolor* Bibron in de la Sagra, 1840, by monotypy (Amphibia). Op. 2223

available

PHYLLOBATIDAE Fitzinger, 1843, *Systema Reptilium. Fasciculus primus. Amblyglossae*, p. 32 (type genus *Phyllobates* Bibron in de la Sagra, 1840) with an endorsement that it is not to be given priority over DENDROBATIDAE Cope, 1865 (1850) whenever the two names are considered synonyms (Amphibia). Op. 2223

index

PHYLLOBIINI (correction of PHYLLOBIDES) Schoenherr, 1826, *Curculionidum dispositio methodica* (Leipzig): 15 (type genus: **Phyllobius** Germar, 1824) (Insecta, Coleoptera). Op. 1179

available

Phyllobius Germar, 1824, *Insectorum species ...*, **1** Coleoptera: 447 (gender: masculine) (type species, by designation by Schoenherr, 1826 (*Curculionidum dispositio methodica* (Leipzig): 15): *Curculio pyri* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 384) (Insecta, Coleoptera). Op. 1179

available

<i>Phylloceras</i> Suess, 1865, <i>SitzBer. Kais. Akad. Wiss. Wien</i> (Math. nat. Cl.), 52 (1): 76 (gender: neuter) (type species, by original designation: <i>Ammonites heterophyllus</i> Sowerby, 1820, <i>Min. Conch.</i> , 3 : 119) (Cephalopoda). Op. 304	available
PHYLLOCERATIDAE Zittel, 1884, <i>Handb. Paläont., Paläozool.</i> , 2 : 434 (type genus: <i>Phylloceras</i> Suess, 1865) (Cephalopoda). Direction 14	available
<i>phyllocolpa</i> , <i>Blennocampa</i> , Viitasaari & Vikberg, 1985, <i>Notulae Entomologicae</i> , 65 : 2 (a junior objective synonym of <i>Tenthredo (Allantus) pusilla</i> Klug, 1816, the type species of <i>Blennocampa</i> Hartig, 1837 and a junior primary homonym of <i>T. pusilla</i> Müller, 1776) (Insecta, Hymenoptera). Op. 1963	index
<i>Phyllocoris</i> Costa, 1847, <i>Atti R. Ist. Incoragg. Napoli</i> , 7 : 261 (a junior objective synonym of <i>Anthocoris</i> Fallén, 1814). Direction 63	index
Phyllodoce Lamarck, 1818, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 5, p. 316 (gender: feminine) (type species, by monotypy: <i>Phyllodoce laminosa</i> Lamarck, 1818) (Polychaeta). Op. 1692	available
<i>Phyllodoce</i> Ranzani, 1817, <i>Opuscoli Scientifici, Bologna</i> , 1 (2): 109, and all uses of the name prior to the publication of <i>Phyllodoce</i> Lamarck, 1818 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Polychaeta). Op. 1692	index
PHYLLODOCIDAE Örsted, 1843, <i>Annulatorum danicorum conspectus</i> , fasc. 1 (Maricolae), p. 25 (type genus: <i>Phyllodoce</i> Lamarck, 1818) (Polychaeta). Op. 1692	available
Phyllognathia Borradale, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 205, 206 (gender: feminine) (type species, by monotypy: <i>Hymenocera</i> (?) <i>ceratophthalma</i> Balss, 1913, <i>Zool. Anz.</i> , 42 : 236) (Crustacea, Decapoda). Op. 470	available
Phylmomorpha Laporte, 1833. <i>Magasin de Zoologie</i> , 2 , suppl.: 47 type species by subsequent designation by Reuter (1888) <i>Coreus hystrix</i> Latreille, 1817 (junior subjective synonym of <i>Cimex laciniatus</i> Villers, 1789) (Heteroptera) Op. 2198	available
<i>Phylmomorphus</i> Laporte, 1833. <i>Magasin de Zoologie</i> , 2 , suppl.: 41 set aside as the incorrect original spelling of Phylmomorpha Laporte, 1833 (Heteroptera) Op. 2198	index
Phylomya Robineau-Desvoidy, 1830, <i>Mémoires présentés par divers Savants à l'Académie Royal des Sciences de l'Institut de France</i> , 2 : 213 (gender: feminine) (type species, by monotypy: <i>Musca volvulus</i> Fabricius, 1794) (Insecta, Diptera). Op. 1475	available
<i>Phyllonethis</i> Thorell, 1869, <i>Nova Acta K. vet.-Soc. Upsala</i> , (3) 7 (1) (No. 5): 90 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 517	index
<i>phyllophis</i> , <i>Coluber</i> , Boulenger, 1891, <i>Annals and Magazine of Natural History</i> , (6) 7 (39): 281 (a junior objective synonym of <i>Phyllophis carinata</i> Günther, 1864) (Reptilia, Serpentes). Op. 1867	index
PHYLLOPIA Rafinesque, 1815, <i>Analyse Nature</i> : 99 (type genus: <i>Phyllopus</i> Rafinesque, 1815) (an incorrect original spelling for PHYLLOPODIDAE Rafinesque, 1815). Op. 502	index

PHYLLOPODIDAE (correction of PHYLLOPIA) Rafinesque, 1815, <i>Analyse Nature</i> : 99 (type genus: <i>Phyllopus</i> Rafinesque, 1815) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 502	index
<i>Phyllopus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 99 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 502	index
<i>Phyllosoma</i> Leach, 1818, <i>J. Phys. Chim. Hist. nat.</i> , 86 : 306 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 507	index
<i>Phyllostoma</i> Cuvier, 1800, <i>Leçons Anat. comp.</i> , 1 : Tab. 1 (an unjustified emendation of <i>Phyllostomus</i> Lacepède, 1799). Direction 24	index
<i>Phyllostomus</i> Lacepède, 1799, <i>Tabl. Mamm.</i> : 16 (gender: masculine) (type species, by monotypy: <i>Vespertilio hastatus</i> Pallas, 1767, <i>Spicil. Zool.</i> , 3 : 7) (Mammalia). Op. 91, Direction 24	available
PHYMATEIDAE (correction of PHYMATIDAE) Burmeister, 1840, <i>Z. Entomol.</i> (Germar), 2 (1): 45, 46 (type genus: <i>Phymateus</i> Thunberg, 1815) ruled under the plenary power not to be given priority over PYRGOMORPHIDAE Brunner von Wattenwyl, 1874 (Insecta, Orthoptera). Op. 969	available
<i>Phymatestes</i> Pascoe, 1867, <i>Journal of the Linnean Society of London, Zoology</i> , 9 : 142 (gender: masculine) (type species, by indication: <i>Lagria tuberculata</i> Fabricius, 1792) (Insecta, Coleoptera). Op. 1525	available
<i>Phymateus</i> Thunberg, 1815, <i>Mém. Acad. Sci. St. Pétersbourg</i> , 5 : 214, 216, 217 (gender: masculine) (type species, by designation by Kirby, 1910 (<i>Syn. Cat. Orth.</i> , 3 : 312)): <i>Gryllus Locusta morbillosus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 431 (Insecta, Orthoptera). Op. 969	available
<i>Phymatoceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 88 (gender: neuter) (type species, by monotypy: <i>Phymatoceras robustum</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 88) (Cephalopoda). Op. 575	available
PHYMATOCERATINAE (correction of PHYMATOIDAE) Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 88 (type genus: <i>Phymatoceras</i> Hyatt, 1867) (Cephalopoda). Op. 575	available
<i>Phymatodes</i> Dejean, 1834, <i>Catalogue des Coléoptères</i> , Ed. 2(3), p. 203, and all uses of the name prior to the publication of <i>Phymatodes</i> Mulsant, 1839 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1525	index
<i>Phymatodes</i> Mulsant, 1839, <i>Histoire Naturelle des Coléoptères de France</i> , vol. 1, p. 39 (gender: masculine) (type species, by subsequent designation by Le Conte, 1850, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , (2) 12 : 32: <i>Cerambyx variabilis</i> Linnaeus, 1761) (Insecta, Coleoptera). Op. 1525	available
PHYMATOIDAE Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1 (5): 88 (type genus: <i>Phymatoceras</i> Hyatt, 1867) (an incorrect original spelling for PHYMATOCERATIDAE Hyatt, 1867). Op. 575	index

<p>Phymaturus Gravenhorst, 1837, <i>Nova Acta Academiae Caesarea Leopoldino-Carolinae Germaninicae Naturae Curiosorum</i>, 18(2): 749 (gender: masculine) (type species, by monotypy: <i>Lacerta palluma</i> Molina, 1782) (Reptilia). Op. 2118</p>	available
<p>Physa Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i>: 31, 52 (gender: feminine) (type species, by designation by Children, 1823 (<i>Quart. J. Sci. Lit. Arts</i>, 15: 243); <i>Bulla fontinalis</i> Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 727) (Gastropoda). Op. 94, Direction 72</p>	available
<p><i>Physa</i> Raffray, 1890, <i>Rev. Entomol. franç.</i>, 9: 118 (a junior homonym of Physa Draparnaud, [1801]). Direction 72</p>	index
<p>Physalia Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i>: 355 (conserved under the plenary power) (gender: feminine) (type species, by monotypy through Opinion 80 and Article 67e (1961 Code); <i>Holothuria physalis</i> Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 657) (Hydrozoa). Op. 80, Direction 76</p>	available
<p><i>Physalia</i> Langerhans, 1884, <i>Z. wiss. Zool.</i>, 40: 264 (a junior homonym of Physalia Lamarck, 1801). Direction 76</p>	index
<p><i>Physalis</i> Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i>, 2: 480 (an unjustified emendation of Physalia Lamarck, 1801). Direction 76</p>	index
<p>physalis, Holothuria, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 657 (specific name of the type species of Physalia Lamarck, 1801) (Hydrozoa). Direction 77</p>	available
<p><i>Physophyscus</i> Lesquereux, 1891, <i>Proceedings of the U.S. National Museum</i>, 13: 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Trace fossil, arthropod). Op. 1520</p>	index
<p><i>Physostomum</i> Nitzsch, 1818, <i>Mag. Entomol. (Germar)</i>, 3: 302 (a junior objective synonym of Ricinus de Geer, 1778). Op. 627</p>	index
<p>Physothrips Karny, 1912, <i>Zool. Annln.</i>, 4: 336-340 (gender: masculine) (type species, by designation under the plenary power: <i>Thrips salicis</i> Reuter, 1879, <i>Öfvers. finska Vetensk. Soc. Förh.</i>, 21: 220, 221) (Insecta, Thysanoptera). Op. 961</p>	available
<p><i>Phytobius</i> Dejean, 1835, <i>Catalogue des Coléoptères de la collection de M. le Comte Dejean</i>, Ed. 2, p. 282 (gender: masculine) (type species, by subsequent designation by Thomson, 1859, <i>Skandinaviens Coleoptera</i>, vol. 1, p. 138; <i>Curculio quadrituberculatus</i> Fabricius, 1787), deleted from the Official List of Generic Names in Zoology under the plenary power (Insecta, Coleoptera). Op. 1529, Op. 1968</p>	index
<p>Phytobius Schönherr, 1833, <i>Genus et species Curculionidum cum synonymia hujus familiae</i>, vol. 1, p. 20 (gender: masculine) (type species, by original designation of the replaced nominal genus <i>Hydaticus</i> Schönherr, 1825; <i>Rhynchaenus myriophylli</i> Gyllenhal, 1813 (a junior subjective synonym of <i>Curculio leucogaster</i> Marsham, 1802)) (Insecta, Coleoptera). Op. 1968</p>	available
<p>Phytoptus Dujardin, 1851, <i>Annales des Sciences naturelles (Zoology)</i>, (3)15: 167 (gender: masculine) (type species, by designation under the plenary power: Phytoptus avellanae Nalepa, 1889) (Arachnida, Acarina). Op. 1521</p>	available

<i>piceus</i> , <i>Dytiscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 411 (specific name of the type species of <i>Hydrophilus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>piceus</i> , <i>Lithobius</i> , L. Koch, 1862, <i>Die Myriapodengattung Lithobius darestellt</i> , p. 49 (Chilopoda). Op. 1816	available
<i>piceus</i> , <i>Tachinus</i> , Cameron, 1932, <i>The fauna of British India including Ceylon and Burma. Coleoptera. Staphylinidae</i> , vol. 3, p. 389, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>T. piceus</i> Stephens, 1829 and <i>T. piceus</i> Erichson, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>piceus</i> , <i>Xantholinus</i> , Cameron, 1926, <i>Transactions of the Entomological Society of London</i> , 1925 : 345, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>X. piceus</i> MacLeay, 1873 (Insecta, Coleoptera). Op. 2053	available
<i>picipennis</i> , <i>Philonthus</i> , Heer, 1839, <i>Fauna Coleopterorum Helvetica</i> , vol. 1, part 2, p. 279 (Insecta, Coleoptera). Op. 2053	available
<i>picipennis</i> , <i>Philonthus</i> , Mäklin, 1852, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 25 (2): 313, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. picipennis</i> Heer, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>picipennis</i> , <i>Staphylinus</i> , Fabricius, 1793, <i>Entomologiae Systematae ...</i> , vol. 1, part 2, p. 521, ruled under the plenary power to be given precedence over <i>Staphylinus penetrans</i> Müller, 1776 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>picipes</i> , <i>Bracon</i> , Nees, 1811, <i>Mag. Ges. Naturf.-Freund.</i> , Berlin, 5 (1): 28 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 284	index
<i>picipes</i> , <i>Byrrhus</i> , Olivier, 1790, <i>Entomologie, ou histoire naturelle des Insectes</i> (13): 9, ruled under the plenary power not to be given priority over the specific name <i>semistriatus</i> Fabricius, 1794, as published in the binomen <i>Byrrhus semistriatus</i> , whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1323	available
<i>picipes</i> , <i>Curculio</i> , Marsham, 1802, <i>Entomologia britannica ...</i> , vol. 1, Coleoptera, p. 272, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Curculio picipes</i> Fabricius, 1777 (type species of <i>Procas</i> Stephens, 1831) (Insecta, Coleoptera). Op. 2116	available
<i>picrostris</i> , <i>Curculio</i> , Fabricius, 1787, <i>Mantissa Insectorum sistens eorum species nuper detectas</i> , vol. 1, p. 101, as defined by the neotype (the female lectotype of <i>Curculio cinerascens</i> Marsham, 1802 in the Natural History Museum, London) designated under the plenary power (Insecta, Coleoptera). Op. 1387	available
<i>picta</i> , <i>Aranea</i> , Razoumowsky, 1789, <i>Hist. nat. Jorat</i> : 242 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 517	index
<i>picta</i> , <i>Aranea</i> , Walckenaer, 1802, <i>Faune paris.</i> , 2 : 207 (conserved under the plenary power) (specific name of the type species of <i>Theridion</i> Walckenaer, 1805) (Arachnida). Op. 517	available

<i>picta, Bellia</i> , Milne Edwards, 1848, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3)9: 192 (specific name of the type species of <i>Bellia</i> Milne Edwards, 1848) (Crustacea, Decapoda). Direction 36	available
<i>picta, Buprestis</i> , Thunberg, 1827, <i>Nova Acta Regiae Societatis Scientiarum Upsaliensis</i> , 9: 47, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis picta</i> Pallas, 1773 (Insecta, Coleoptera). Op. 2008	available
<i>picta, Buprestis</i> , Waterhouse, 1882, in Godman & Salvin (Eds.), <i>Biologia Centrali-Americana</i> , vol. 3, part 1 (Insecta, Coleoptera, Buprestidae), p. 15, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis picta</i> Pallas, 1773 (Insecta, Coleoptera). Op. 2008	available
<i>picta, Eolis</i> , Alder & Hancock, 1847, <i>Mon. brit. nud. Moll.</i> (3), fam. 3: pl. 33 (a junior objective synonym of <i>pallida, Eolis</i> , Alder & Hancock, 1842). Op. 773	index
<i>picta, Hyaena</i> , Temminck, 1820, <i>Ann. gén. Sci. phys.</i> , Bruxelles, 3: 54, pl. 35 (valid name at the date of Opinion 384 of the type species of <i>Lycaon</i> Brookes, 1827) (Mammalia). Op. 384	available
<i>picta, Hymenocera</i> , Dana, 1852, <i>U.S. Explor. Exped.</i> , 13: 593 (specific name of the type species of <i>Hymenocera</i> Latreille, 1819) (Crustacea, Decapoda). Op. 383	available
<i>picta, Lasioptera</i> , Meigen, 1818, <i>Syst. Beschr. zweifl. Ins.</i> , 1: 89 (specific name of the type species of <i>Lasioptera</i> Meigen, 1818) (Insecta, Diptera). Op. 929	available
<i>Pictonia</i> Bayle, 1878, <i>Explic. Carte géol. France</i> , 4 (Atlas): explic. pl. lxvi (gender: feminine) (type species, by designation under the plenary power: <i>Pictonia baylei</i> Salfeld, 1913, <i>Quart. J. geol. Soc. London</i> , 69: 429, to be interpreted by reference to the specimen figured by Bayle, 1878 (<i>ibid.</i> : pl. lxvi)) (Cephalopoda). Op. 426	available
PICTONIDAE Spath, 1924, <i>Pal. ind.</i> (n.s.), 9 (Mem. 1): 13 (type genus: <i>Pictonia</i> Bayle, 1878) (an incorrect original spelling for PICTONIIDAE Spath, 1924). Direction 14	index
PICTONIIDAE (correction of PICTONIDAE) Spath, 1924, <i>Pal. ind.</i> (n.s.), 9 (Mem. 1): 13 (type genus: <i>Pictonia</i> Bayle, 1878) (Cephalopoda). Direction 14	available
<i>pictorum, Mya</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 671 (specific name of the type species of <i>Unio</i> Philipsson, 1788) (Bivalvia). Op. 495	available
<i>pictum, Haustrum</i> , Perry, 1811, <i>Conchology</i> : pl. 44 (rejected as a nomen oblitum). Op. 886	index
<i>pictus, Coluber</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1116 (a name taking precedence over the specific name <i>boiga</i> , <i>Coluber</i> , Lacepède, 1789) (Reptilia). Op. 525	available
<i>pictus, Enoplometopus</i> , Milne Edwards, 1862, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4)17: 362 (specific name of the type species of <i>Enoplometopus</i> Milne Edwards, 1862) (Crustacea, Decapoda). Op. 519	available

<i>pictus</i> , <i>Gryllus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 289 (specific name of the type species of <i>Poekilocerus</i> Audinet-Serville, 1831) (Insecta, Orthoptera). Op. 969	available
<i>pictus</i> , <i>Phasianus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 158 (specific name of the type species of <i>Chrysophorus</i> Gray, [1833-34]) (Aves). Direction 43	available
<i>picui</i> , <i>Columba</i> , Temminck, 1813, <i>Hist. nat. gén. Pigeons Gallinaces</i> , 1: 435 (Aves). Direction 35	available
PIERIDAE (correction under the plenary power of PIERIDES) Duponchel, [1835], <i>in</i> Godart, <i>Hist. nat. Lépid. France</i> , Suppl., 1: 381 (type genus: <i>Pieris</i> Schrank, 1801), ruled under the plenary power to be given precedence over COLIADINAE Swainson, 1827 by those who believe their type genera lie in the same family-group taxon (Insecta, Lepidoptera). Op. 500, Direction 112	available
PIERIDES Duponchel, [1835], <i>in</i> Godart, <i>Hist. nat. Lépid. France</i> , Suppl. 1: 381 (type genus: <i>Pieris</i> Schrank, 1801) (an incorrect original spelling for PIERIDAE Duponchel, [1835]). Op. 500	index
PIERIDIDAE (correction by Reuter, 1897 (<i>Acta Soc. Sci. fenn.</i> , 22: 228) of PIERIDINA) Herrich-Schaeffer, 1853, <i>Samml. Aussereur. Schmett.</i> : 54 (often cited under the alternative title <i>Lepid. exot. Spec. nov.</i>) (type genus: <i>Pieris</i> Schrank, 1801) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 500	available
PIERIDINA Herrich-Schaeffer, 1853, <i>Samml. Aussereur. Schmett.</i> : 54 (often cited under the alternative title <i>Lepid. exot. Spec. nov.</i>) (type genus: <i>Pieris</i> Schrank, 1801) (an incorrect original spelling for PIERIDIDAE Herrich-Schaeffer, 1853). Op. 500	index
<i>Pieris</i> Schrank, 1801, <i>Fauna boica</i> , 2(1): 152, 161 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 440, 351); <i>Papilio brassicae</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 467) (Insecta, Lepidoptera). Op. 278	available
<i>piger</i> , <i>Trichius</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 41 (specific name of the type species of <i>Trichiotinus</i> Casey, 1915) (Insecta, Coleoptera). Op. 2162	available
<i>Pila</i> Röding, 1798, <i>Museum Boltenianum</i> , part 2, p. 145 (gender: feminine) (type species, by subsequent designation by Dall, 1904, <i>Journal of Conchology</i> , 11(2): 53; <i>Helix ampullacea</i> Linnaeus, 1758), senior objective synonym of <i>Ampullaria</i> Lamarck, 1799 (Gastropoda). Op. 1913	available
<i>pilchardus</i> , <i>Clupea</i> , Walbaum, 1792, <i>Artemi Ichthyologia</i> , 3: 38 (valid name at the date of Opinion 799 of the type species of <i>Sardina</i> Antipa, 1904) (Osteichthyes). Op. 799	available
<i>pileata</i> , <i>Thaumantias</i> , Forbes, 1841, <i>Annals and Magazine of Natural History</i> , (1)7: 84 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>pileatum</i> , <i>Discocephalum</i> , Linton, 1891, <i>Report U.S. Commissioner of Fish and Fisheries for 1887</i> , 15: 781 (specific name of the type species of <i>Disculiceps</i> Joyeux & Baer, 1935) (Cestoda, Lecanicephalidea). Op. 1538	available

Pileus Bertrand, 1763, *Dict. Univ. Foss. Propres Foss. Accid.*, **2**: 100 (included in a work rejected for nomenclatural purposes). Op. 592

index

pileus, Terebratula, Bruguière, 1792, *Choix des mémoires ... formant les collections du Journal d'Histoire naturelle*, vol. 1, p. 424 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1466

index

PILIDAE Preston, 1915, *The fauna of British India, including Ceylon and Burma. Mollusca*, vol. 4 (Freshwater Gastropoda & Pelecypoda), p. 96, confirmed as a junior and invalid objective synonym of **AMPULLARIIDAE** Gray, 1824 (Gastropoda). Op. 1913

index

pilimanus, Astacus, von Martens, 1869, *Arch. Naturgesch.*, **35**(1): 15 (specific name of the type species of *Parastacus* Huxley, [1879]) (Crustacea, Decapoda). Op. 519

available

pilipes, Apis, Fabricius, 1775, *Syst. Entomol.*: 383 (specific name of the type species of *Anthophora* Latreille, 1803) (Insecta, Hymenoptera). Direction 4

available

pilisuctor, Conidophrys, Chatton & Lwoff, 1934, *Comptes Rendus des Séances de l'Académie des Sciences (Paris)*, **199**(16): 697 (specific name of the type species of *Conidophrys* Chatton & Lwoff, 1934) (Ciliophora). Op. 2106

available

Pilophorus Hahn, 1826, *Icon. Cimic.*, **1**: 22 (gender: masculine) (type species, by designation under the plenary power: *Cimex clavatus* Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 729) (Insecta, Hemiptera). Op. 254

available

pilula, Dermestes, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 356 (specific name of the type species of *Byrrhus* Linnaeus, 1767) (Insecta, Coleoptera). Op. 1754

available

PILUMNIDAE Samouelle, 1819, *Entomol. useful Compendium*: 86 (type genus: *Pilumnus* Leach, 1815) ruled under the plenary power not to be given priority over XANTHINAE Dana, 1851, but available for use by those who consider that *Pilumnus* Leach and *Xantho* [Leach, 1814] belong to different familygroup taxa (Crustacea, Decapoda). Op. 423

available

Pilumnoides Milne Edwards & Lucas, [1844], in d'Orbigny, *Voy. Amérique mérid.*, **6** (Crust.): 21 (gender: masculine) (type species, by monotypy: *Hepatus perlatus* Poeppig, 1836, *Arch. Naturgesch.*, **2** (No. 1): 135) (Crustacea, Decapoda). Op. 85, Direction 37

available

Pilumnopeus Milne Edwards, 1867, *Ann. Soc. entomol. France*, (4)**7**: 277 (gender: masculine) (type species, by designation by Balss, 1933 (*Capita Zool.*, **4**(3): 33, 34): *Pilumnopeus crassimanus* Milne Edwards, 1867, *Ann. Soc. entomol. France*, (4)**7**: 278, valid name: *Ozius serratifrons* Kinahan, 1858) (Crustacea, Decapoda). Op. 712

available

Pilumnus Bonaparte, 1854, *Ateneo Ital.*, **2**: 123 (a junior homonym of *Pilumnus* Leach, 1815). Direction 37

index

Pilumnus Dejean, 1821, *Cat. Coléopt.* (ed. 1): 86; Dahl, 1823, *Col. u. Lepid.*: 56 (a nomen nudum). Direction 37

index

Pilumnus Gistl, 1848, *Nat. Thierr.*: xi (a junior homonym of *Pilumnus* Leach, 1815). Direction 37

index

<i>Pilumnus</i> Koch, 1837, <i>Uebers Arachnidensyst.</i> (1): 38 (a junior homonym of <i>Pilumnus</i> Leach, 1815). Direction 37	index
<i>Pilumnus</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 (2): 321 (gender: masculine) (type species, by monotypy: <i>Cancer hirtellus</i> Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 493) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Pilumnus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 122 (a junior homonym of <i>Pilumnus</i> Leach, 1815). Direction 37	index
<i>Pimpla</i> Fabricius, [1804-1805], <i>Syst. Piezat.</i> : 112 (gender: feminine) (type species, by designation under the plenary power: <i>Ichneumon instigator</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 164) (Insecta, Hymenoptera). Op. 159	available
<i>Pinguinus</i> Bonnaterre, 1790, <i>Ency. méth. (Ornith.)</i> , 1 : lxxxiii (gender: masculine) (type species, by designation by Ogilvie-Grant, 1898 (<i>Cat. Birds Brit. Mus.</i> , 26 : 562): <i>Alca impennis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 130) (Aves). Op. 999	available
<i>pini, Anthocoris</i> , Barenprung, 1858, <i>Berlin entomol. Z.</i> , 2 : 188, as interpreted by its holotype in the Berlin Museum (Insecta, Hemiptera). Op. 959	available
<i>pini, Aphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 453, to be interpreted by reference to the description published by de Geer, 1773 (<i>Mém. Hist. Ins.</i> , 3 (2): 27-39) under the name <i>Aphis nudi pini</i> , this reference having been selected by Goeze as first reviser in 1778 (<i>Entomol. Beytr. Linn.</i> , 2 : 304, 305) (specific name of the type species of <i>Cinara</i> Curtis, 1835) (Insecta, Hemiptera). Op. 398, Op. 399	available
<i>pini, Aspidiotus</i> , Hartig, 1839, <i>Jahresberichte über die Fortschritte der Forstwissenschaft und forstlichen Naturkunde im Jahre 1836 und 1837 nebst Original-Abhandlungen aus dem Gebiete dieser Wissenschaften</i> , Jahrg. 1, Heft 4, p. 642 (specific name of the type species of <i>Leucaspis</i> Signoret, 1869) (Insecta, Auchenorrhyncha). Op. 1401	available
<i>pini, Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 448 (specific name of the type species of <i>Rhyparochromus</i> Hahn, 1826) (Insecta, Hemiptera). Op. 676	available
<i>pini, Doralis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
<i>pini, Tenthredo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 556 (specific name of the type species of <i>Diprion</i> Schrank, 1802) (Insecta, Hymenoptera). Direction 4	available
<i>piniperda, Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 355 (specific name of the type species of <i>Tomicus</i> Latreille, [1802]) (Insecta, Coleoptera). Op. 670	available
<i>pinnata, Salpa</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 112 (specific name of the type species of <i>Cyclosalpa</i> Blainville, 1827) (Urochordata). Op. 888	available
<i>Pinnaxodes</i> Heller, [1865], <i>Reise 'Novara'</i> (Zool.), 2 (3) (Crust.): 67 (gender: masculine) (type species, through Article 68b(i): <i>Pinnaxodes hirtipes</i> Heller, [1865], <i>Reise 'Novara'</i> (Zool.), 2 (3) (Crust.): 68, pl. 6, figs. 2, 2a) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Pinnigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Pinnixa</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 177 (gender: feminine) (type species, by monotypy: <i>Pinnotheres cylindricum</i> Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 452) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>pinnophylax, Palaemon</i> , Otto, 1821, <i>Consp. Anim. marit. non edit.</i> : 12 (specific name of the type species of <i>Pontonia</i> Latreille, 1829) (Crustacea, Decapoda). Op. 378	available
<i>Pinnotherelia</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amérique mérid.</i> , 6 (Crust.): 24 (gender: feminine) (type species, by monotypy: <i>Pinnotherelia laevigata</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amérique mérid.</i> , 6 (Crust.): 25) (Crustacea, Decapoda). Op. 85, Direction 36, Direction 37	available
<i>Pinnotheres</i> Bosc, [1801-1802], in Castel's Buffon, <i>Hist. nat. Crust.</i> , 1 : 59, 239 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 422, 96): <i>Cancer pisum</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1039) (Crustacea, Decapoda). Op. 85, Direction 45	available
<i>Pinnotheres</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 25 (a junior homonym of <i>Pinnotheres</i> Bosc, [1801-1802]). Direction 45	index
<i>pinnotheroides, Xenophtalmus</i> , White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 178 (specific name of the type species of <i>Xenophtalmus</i> White, 1846) (Crustacea, Decapoda). Direction 36	available
<i>Pinnularia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 128 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pinuca</i> Hupé, 1854, in Gay, <i>Hist. Chile</i> (Zool.), 8 : 475 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 941	index
PINUCIDAE Amor, 1965, <i>Physis</i> , 25 : 165 (type genus: <i>Pinuca</i> Hupé, 1854) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 941	index
<i>piperis, Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 152 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>piperita, Cypraea</i> , Gray, 1825, <i>Zool. Journal</i> , 1 : 498 (Gastropoda). Op. 1197	available
<i>Pipistrellus</i> Kaup, 1829, <i>Skizzirte Entwickelungs-Geschichte und Natürliches System der Europäischen Thierwelt ... Erster Thiel (welcher die Vogelsäugethiere und Vögel, nebst Andeutung der Entstehung der letzteren aus Amphibien enthält)</i> , pp. 98, 188 (gender: masculine) (type species, by monotypy: <i>Vespertilio pipistrellus</i> Schreber, 1774) (Mammalia). Op. 2028	available
<i>pipistrellus, Vespertilio</i> , Schreber, 1774, <i>Die Säugthiere in Abbildungen nach der Natur mit Beschreibungen</i> , vol. 1, p. 167, as defined by the neotype (adult, male specimen no. BMNH 1997.81 from Beauvais Cathedral, Normandy, France) designated under the plenary power (specific name of the type species of <i>Pipistrellus</i> Kaup, 1829) (Mammalia). Op. 2028	available
<i>piramuta, Bagrus</i> , Kner, 1858, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftlichen Classe</i> , 26 : 382 (specific name of the type species of <i>Piramutana</i> Bleeker, 1858) (Osteichthyes). Op. 2208	available

Piramutana Bleeker, 1858, <i>Acta Societatis Scientiarum Indo-Neerlandicae</i> , 4 : 356, 357 (gender: feminine), type species by monotypy <i>Bagrus piramuta</i> Kner, 1858, ruled under the plenary power not to be given priority over the name <i>Brachyplatystoma</i> Bleeker, 1862, whenever the two names are considered to be synonyms (Osteichthyes) Op. 2208	available
Piratinga Bleeker, 1858, <i>Acta Societatis Scientiarum Indo-Neerlandicae</i> , 4 : 355, 357 (gender: feminine), type species by subsequent designation by Bleeker (1862) <i>Bagrus</i> <i>reticulatus</i> Kner, 1858, ruled under the plenary power not to be given priority over the name <i>Brachyplatystoma</i> Bleeker, 1862, whenever the two names are considered to be synonyms (Osteichthyes) Op. 2208	available
<i>piriformis</i> , when combined with the generic names <i>Glaucoma</i> , <i>Leucophrys</i> or <i>Tetrahymena</i> (an incorrect subsequent spelling for <i>pyriformis</i> , <i>Leucophrys</i> , Ehrenberg, 1830). Op. 915	index
Pirimela Leach, [1816], <i>Malac. podopht. Brit.</i> (8): text to pl. 3 (gender: feminine) (type species, by monotypy: <i>Cancer denticulatus</i> Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 87) (Crustacea, Decapoda). Op. 73 <i>pirum</i> , <i>Kolpoda</i> , Müller, 1786, <i>Anim. Infus. fluviat.</i> <i>marin.</i> : 108 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	available
Pisa [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 : 431 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Cancer biaculeatus</i> Montagu, 1813, <i>Trans. linn. Soc. London</i> , 11 (1): 2, valid name: <i>Maja armata</i> Latreille, [1802]) (Crustacea, Decapoda). Op. 708	available
pisana , Helix , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 60 (specific name of the type species of Theba Risso, 1826) (Gastropoda). Op. 431	available
Pisania Bivona, 1832, <i>Effem. Sci. Lett. Sicilia</i> , 2 : 8 (gender: feminine) (type species, conserved under the plenary power, by designation by Iredale, 1915 (<i>Trans. Proc. New Zealand Inst.</i> , 47 : 464); <i>Pisania striatula</i> Bivona, 1832, <i>Effem. Sci. Lett. Sicilia</i> , 2 : 8, valid name: <i>Voluta striata</i> Gmelin, 1791) (Gastropoda). Op. 740	available
Pisaurina Simon, 1898, <i>Hist. nat. Araignées</i> , 2 : 295 (gender: feminine) (type species, by monotypy: Dolomedes mirus Walckenaer, 1837, <i>Hist. nat. Ins., Aptères</i> , 1 : 357, 358) (Arachnida). Op. 1083	available
piscatorius , Lophius , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 236 (specific name of the type species of Lophius Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Pischnopoda</i> Tottenham, 1939, <i>Proc. roy. entomol. Soc. London</i> (B), 8 : 226 (a junior objective synonym of Ischnopoda Stephens, 1835). Op. 600	index
piscinalis , Nerita , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 172 (Gastropoda). Op. 336	available
<i>piscium</i> , <i>Ascaris</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 112 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
piscivorus , Crotalus , Lacepède, 1788-1789, <i>Histoire Naturelle des Serpens</i> , p. 130, ruled under the plenary power to be an available name despite being published in an unavailable work (Reptilia). Op. 1463	available

Pisidia Leach, 1820, <i>Dict. Sci. nat.</i> , 18 : 53 (gender: feminine) (type species, by designation under the plenary power: Cancer longicornis Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1040, as interpreted by the lectotype designated by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 178, 179)) (Crustacea, Decapoda). Op. 701	available
PISIDIADAE Gray, 1857, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 3): xvi (type genus: Pisidium Pfeiffer, 1821) (an incorrect original spelling for PISIDIIDAE Gray, 1857). Direction 27	index
PISIDIIDAE (correction of PISIDIADAE) Gray, 1857, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 3): xvi (type genus: Pisidium Pfeiffer, 1821) for use by those who consider that <i>Pisidium</i> Pfeiffer and <i>Sphaerium</i> Scopoli, 1777 belong to different family-group taxa (Bivalvia). Direction 27	available
Pisidium Pfeiffer, 1821, <i>Naturgesch. deutsch. Land.-u. Süssw.-Moll.</i> , 1 : 17, 123 (gender: neuter) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 185): Tellina amnica Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 205) (Bivalvia). Op. 335	available
PISINAE Dana, 1851, <i>Amer. J. Sci. Arts</i> , (2) 11 : 428 (type genus: Pisa [Leach, 1814]) (Crustacea, Decapoda). Op. 708	available
<i>Pisitoe</i> Rafinesque, 1814, <i>Précis Découv. somiol.</i> : 25 (a junior objective synonym of Phronima Latreille, [1802]). Op. 1133	index
pisonis, Gobius , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1206 (specific name of the type species of Eleotris Schneider, 1801) (Osteichthyes). Direction 57	available
pisorum, Dermestes , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 356 (specific name of the type species of Bruchus Linnaeus, 1767) (Insecta, Coleoptera). Op. 1809	available
Pistella Müller, 1764, <i>Fauna insectorum Fridrichsdalina</i> , p. xiii (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
pisum, Cancer , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1039 (specific name of the type species of Pinnotheres Bosc, [1801-1802]) (Crustacea, Decapoda). Direction 45	available
pitcheri, Gryphaea , Morton, 1834, <i>Synopsis of the organic remains of the Cretaceous group of the United States</i> , p. 55 (Bivalvia). Op. 1635	available
Pithecia Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 8 (gender: feminine) (type species, by absolute tautonymy: Simia pithecia Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, p. 40) (Mammalia). Op. 122	available
pithecia, Simia , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 40 (specific name of the type species of Pithecia Desmarest, 1804) (Mammalia). Direction 22	available
Pithecopus Horsfield, [1828], <i>Descr. Cat. lep. Ins. Mus. East India Coy.</i> (1): 66 (gender: masculine) (type species, by designation under the plenary power: Pithecopus corax Fruhstorfer, [1919], <i>Arch. Naturgesch.</i> , 83 , sect. A.1 (1917): 79) (Insecta, Lepidoptera). Op. 822	available

<i>Pithecius</i> Cuvier, 1800, <i>Leçons Anat. comp.</i> , 1 : Tab. 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	index
<i>Pithecius</i> Geoffroy Saint-Hilaire & Cuvier, 1795, <i>Mag. Encyclop.</i> , 3 (12): 462 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	index
<i>Pithecius</i> Geoffroy Saint-Hilaire, 1812, <i>Ann. Mus. Hist. nat.</i> , Paris, 19 : 87 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	index
<i>Placenta</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
placenta, Echinus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 666 (specific name of the type species of Arachnoides Leske, 1778) (Echinoidea). Op. 277	available
Placostylus Beck, 1837, <i>Index Molluscorum praesentis aevi Musei Principis Augustissimi Christiani Frederici</i> , p. 57 (gender: masculine) (type species, by designation under the plenary power: Limax fibratus Martyn, 1784) (Gastropoda). Op. 1662	available
plagiatus, Quedius , Mannerheim, 1843, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 16 (2): 231, a nomen protectum, ruled under the plenary power to be given precedence over Staphylinus glaber Müller, 1776 and <i>S. flavopterus</i> Geoffroy, 1785 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
plagiatus, Staphylinus , Fabricius, 1798, <i>Supplementum entomologiae systematicae</i> , p. 180 (specific name of the type species of Geodromicus Redtenbacher, 1857) (Insecta, Coleoptera). Op. 2077	available
<i>Plagiostomos</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 128 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Plagusia</i> Jarocki, 1822, <i>Zoologia</i> , 4 : 295 (a junior homonym of Plagusia Latreille, 1804). Op. 712	index
Plagusia Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 : 125 (gender: feminine) (type species, by monotypy: Cancer depressus Fabricius, 1775, <i>Syst. Entomol.</i> : 406) (Crustacea, Decapoda). Op. 712	available
PLAGUSIINAE (correction of PLAGUSINAE) Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 247, 252 (type genus: Plagusia Latreille, 1804) (Crustacea, Decapoda). Op. 712	available
PLAGUSINAE Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 247, 252 (type genus: Plagusia Latreille, 1804) (an incorrect original spelling for PLAGUSIINAE Dana, 1851). Op. 712	index
<i>plana, Nepa</i> , Sulzer, 1776, <i>Abgekürzte Geschichte der Insecten nach dem Linnaeischen System</i> , part 1, p. 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1850	index

<i>planarmatus</i> , <i>Ammonites</i> , Quenstedt, 1856, <i>Der Jura</i> , p. 153 (specific name of the type species of <i>Parahyperderoceras</i> Schlatter, 1980) (Ammonoidea). Op. 2123	available
<i>Planatella</i> Clessin, 1876, <i>Deutsch. Excursions Mollusken-Fauna</i> : 143 (a junior objective synonym of <i>Helicella</i> Féruccac, 1821). Op. 431	index
<i>Plancunigenus</i> [sic] [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Planes</i> Bowditch, 1825, <i>Excursions Madeira Porto Santo</i> : xi, 15 (nota n), pl. [14], figs. 2a, 2b (gender: masculine) (type species, by monotypy: <i>Planes clypeatus</i> Bowditch, 1825, <i>Excursions Madeira Porto Santo</i> : 15 (nota n), pl. [14], figs. 2a, 2b, valid name: <i>Cancer minutus</i> Linnaeus, 1758) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Planes</i> Rondani, 1864, <i>Arch. Zool. Anat. Fisiol.</i> , 3 (fasc. 1): 9 (a junior homonym of <i>Planes</i> Bowditch, 1825). Direction 37	index
<i>Planes</i> Saussure, 1862, <i>Rev. Mag. Zool.</i> , (2) 14 : 228 (a junior homonym of <i>Planes</i> Bowditch, 1825). Direction 37	index
<i>planiceps</i> , <i>Bagrus</i> , Valenciennes in Cuvier & Valenciennes, 1840, <i>Histoire naturelle des poissons</i> , vol. 14, p. 421, as defined by the lectotype (specimen no. RMNH 2939 in the Nationaal Natuurhistorisch Museum, Leiden) designated by Ng, Goh, Ng & Dodson, 1999, <i>Bulletin of Zoological Nomenclature</i> , 56 : 38, ruled that this fixation of type specimen is not set aside (Osteichthyes). Op. 2011	available
<i>planiceps</i> , <i>Damalis</i> , Fabricius, 1805, <i>Syst. Antl.</i> : 148 (specific name of the type species of <i>Damalis</i> Fabricius, 1805) (Insecta, Diptera). Op. 1342	available
<i>planiceps</i> , <i>Hyracodon</i> , Scott & Osborn, 1887, <i>Bull. Mus. comp. Zool.</i> , 13 : 170, 171 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 659	index
<i>planifrons</i> , <i>Paranephrops</i> , White, 1842, Gray's <i>Zool. Miscell.</i> (5): 79 (specific name of the type species of <i>Paranephrops</i> White, 1842) (Crustacea, Decapoda). Op. 519	available
<i>planissimus</i> , <i>Cancer</i> , Herbst, [1804], <i>Versuch Naturgesch. Krabben Krebse</i> , 3 (4): 3 (specific name of the type species of <i>Percnon</i> Gistl, 1848) (Crustacea, Decapoda). Direction 36	available
<i>Planites</i> de Haan, 1825, <i>Specimen philosoph. exhib. Monogr. Ammonit. Goniatit.</i> : 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 504	index
<i>planitia</i> , <i>Testudo</i> , Gmelin, 1789, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1045 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index
<i>Planoplatyscelis</i> Kaszab, 1940, <i>Mitteilungen der Münchner Entomologischen Gesellschaft</i> , 30 (1): 206 (gender: feminine) (type species, by designation under the plenary power: <i>Platyscelis margelanica</i> Kraatz, 1882) (Insecta, Coleoptera). Op. 1728	available
<i>Planorbigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Planorbina</i> Haldeman, 1842, <i>Mon. Freshw. Univalve Moll. U.S.</i> : 14 (gender: feminine) (type species, by designation by Dall, 1905 (<i>Harriman Alaska Exped.</i> , 13 : 84): <i>Planorbis olivaceus</i> Spix, 1827, <i>Test. fluviat. Brasil.</i> : 26) ruled under the plenary power not to be given priority over <i>Biomphalaria</i> Preston, 1910 whenever the two names are considered synonyms (Gastropoda). Op. 735	available
PLANORBINAE Gray, 1840, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 2): 256 (type genus: <i>Planorbis</i> Müller, 1774) (Gastropoda). Direction 27	available
<i>Planorbis</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 152 (gender: masculine) (type species, by absolute tautonymy: <i>Helix planorbis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 769) (Gastropoda). Op. 335	available
<i>planorbis</i> , Ammonites , Sowerby, 1824, <i>Min. Conch.</i> , 5 : 69, pl. 448, fig. 1 (specific name of the type species of <i>Psiloceras</i> Hyatt, 1867) (Cephalopoda). Op. 324	available
<i>planorbis</i> , Helix , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 769 (specific name of the type species of <i>Planorbis</i> Müller, 1774) (Gastropoda). Op. 335	available
<i>Planospirigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Planularia</i> Defrance, 1826, <i>Dictionnaire des Sciences Naturelles</i> , vol. 41, p. 244 (gender: feminine) (type species, by monotypy: <i>Peneroplis auris</i> Defrance, 1824) (Foraminiferida). Op. 1571	available
<i>Planularia</i> Nilsson, 1826, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , 1825 (2): 342 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Foraminiferida). Op. 1571	index
<i>planulatus</i> , Spatangus , Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 31 (specific name of the type species of <i>Maretia</i> Gray, 1855) (Echinoidea). Op. 608	available
<i>Planulites</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 101 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 304	index
<i>planumbona</i> , Leptaena , Hall, 1847, <i>Natural History of New York</i> , p. 112 (specific name of the type species of <i>Strophomena</i> de Blainville, 1824) (Brachiopoda). Op. 1671	available
<i>planus</i> , Cyathocrinites , Miller, 1821, <i>Nat. Hist. Crinoidea</i> : 85 (specific name of the type species of <i>Cyathocrinites</i> Miller, 1821) (Crinoidea). Op. 917	available
<i>planus</i> , Dytiscus , Fabricius, 1781, <i>Species Insectorum</i> , vol. 2, p. 501 (Insecta, Coleoptera). Op. 1556	available
<i>planus</i> , Orthocrinus , Schmidt, 1932, <i>Palaeontographica</i> , 76 : 29 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 727	index
<i>planus</i> , Staphylinus , Paykull, 1792, <i>Monographia Curculionum Sveciae</i> , p. 145, ruled under the plenary power to be given precedence over <i>Staphylinus flavipes</i> Linnaeus, 1758 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available

<i>planus, Xantho</i> , Milne Edwards, 1834, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 1 : 397 (specific name of the type species of <i>Homalaspis</i> Milne Edwards, 1863) (Crustacea, Decapoda). Direction 50	available
<i>Plasmodium</i> Marchiafava & Celli, 1885, <i>Fortschr. Med.</i> , 3 (24): 791 (gender: neuter) (type species, by designation under the plenary power: <i>Haemamoeba malariae</i> Feletti & Grassi, December 1889, <i>Sui Parasiti della Malaria</i> (a paper also published in January 1890, <i>Riforma medica</i> , 6 (11): 64)) (Sporozoa). Op. 104, Op. 283	available
<i>plasticus, Hoplites</i> , Paulcke, 1906, <i>Ber. naturf. Ges. Freiburg</i> , 15 : 186 (p. 20 of separate), as interpreted by the lectotype designated by Wright, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 223) (specific name of the type species of <i>Hoplitoplacenticeras</i> Paulcke, 1906) (Cephalopoda). Op. 554	available
<i>Platalea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 139 (gender: feminine) (type species, by subsequent designation by Gray, 1840, <i>A list of the genera of birds, with an indication of the typical species of each genus</i> , p. 67: <i>Platalea leucorodia</i> Linnaeus, 1758) (Aves, Ciconiiformes). Op. 67, Op. 1674	available
PLATALEIDAE Bonaparte, 1838, <i>A geographical and comparative list of the birds of Europe and North America</i> , p. 48 (type genus: <i>Platalea</i> Linnaeus, 1758), ruled under the plenary power that this name and other family-group names based on <i>Platalea</i> are not to be given priority over THRESKIORNITHIDAE Poche, 1904 and other family-group names based on <i>Threskiornis</i> Gray, 1842 whenever their type genera are placed in the same family-group taxon (Aves, Ciconiiformes). Op. 1674	available
<i>Platanista</i> Wagler, 1830, <i>Natürliches System der Amphibien, mit vorangehender Classification der Säugthiere und Vögel</i> , p. 35 (gender: feminine) (type species, by monotypy: <i>Delphinus gangeticus</i> Roxburgh, 1801) (Mammalia, Cetacea). Op. 1565	available
<i>platei, Galaxias</i> , Steindachner, 1898, <i>Zool. Jahrb.</i> , Suppl., 4 : 329, ruled under the plenary power to be given precedence over the specific name <i>delfini</i> Philippi, 1895, as published in the binomen <i>Galaxias delfini</i> , whenever the two names are considered synonyms (Osteichthyes). Op. 1153	available
<i>platensis, Orchestia</i> , Krøyer, 1844, <i>Naturhist. Tidsskr.</i> , (2) 1 (3): 304 (Crustacea, Amphipoda). Op. 1133	available
<i>Plateocolymbus</i> Gistel, 1857, <i>Vacuna oder die Geheimnisse aus der organischen und leblosen Welt</i> , vol. 2, p. 606 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1796	index
<i>Platessa</i> Cuvier, 1817, <i>Règne Anim.</i> (ed. 1), 2 : 220 (a junior objective synonym of <i>Pleuronectes</i> Linnaeus, 1758). Direction 33	index
<i>platessa, Pleuronectes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 269 (specific name of the type species of <i>Pleuronectes</i> Linnaeus, 1758) (Osteichthyes). Direction 33	available
<i>Platybunus</i> Koch, 1839, <i>Uebers. Arachnidensyst.</i> , 2 : 26 (gender: masculine) (type species, by designation under the plenary power: <i>Opilio bucephalus</i> Koch, 1835, <i>in Panzer, Ins. Germ.</i> , heft. 128: tab. 21) (Arachnida). Op. 976	available

Platycatapiesis Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 578 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

platycephalus, Spelerpes, Camp, 1916, *University of California Publications in Zoology*, **17**(3): 11 (specific name of the type species of *Hydromantes* Gistel, 1848) (Amphibia, Caudata). Op. 1866

available

Platycercus Vigors, 1825, *Zool. J.*, **1**(4): 527 (gender: masculine) (type species, by original designation: *Psittacus pennantii* Latham, 1790, *Index ornithol.*: 90, valid name: *Psittacus elegans* Gmelin, 1788) (Aves). Op. 67 *Platycerus* Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de Paris*, vol. 1, p. 59 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, *Considerations générales sur ... les classes des crustacés, des arachnides et des insectes*, p. 429: *Scarabaeus caraboides* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754

available

platycheles, Cancer, Pennant, 1777, *Brit. zool.* (ed. 4), **4**: 6 (specific name of the type species of *Porcellana* Lamarck, 1801) (Crustacea, Decapoda). Op. 701

available

Platychoirograpsus de Man, 1896, *Zool. Anz.*, **19**: 292 (gender: masculine) (type species, through Article 68b(i): *Platychoirograpsus spectabilis* de Man, 1896, *Zool. Anz.*, **19**: 292) (Crustacea, Decapoda). Op. 85, Direction 37

available

PLATYCHOEROPIDAE Lydekker, 1887, *Cat. Foss. Mamm. Brit. Mus. (nat. Hist.)*, **5**: 3 (type genus: *Platychoerops* Charlesworth, 1855) ruled under the plenary power not to be given priority over **PLESIADAPIDAE** Trouessart, 1897 by those who regard both as denoting the same taxon (Mammalia). Op. 1123

available

Platychoerops Charlesworth, 1855, *Rep. brit. Assoc. Adv. Sci.*, **24** (Liverpool, 1854), Not. Abstr.: 80 (gender: masculine) (type species, by monotypy: *Platychoerops richardsonii* Charlesworth, 1855, *Rep. brit. Assoc. Adv. Sci.*, **24** (Liverpool, 1854): 80) (Mammalia). Op. 1123

available

Platychoerops Klunzinger, 1879, *Anz. Akad. Wiss. Wien*, **16**: 255 (a junior homonym of *Platychoerops* Charlesworth, 1855). Op. 1123

index

PLATYCNEMINI Nordmann, 1837, *Symbolae ad monographiam staphylinorum*, p. 6 (type genus: *Platycnemus* Nordmann, 1837), ruled under the plenary power that this name and other family-group names based on *Platycnemus* are not to be given priority over junior family-group names in general current usage when *Platycnemus* and the relevant type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1851

available

Platycnemus Nordmann, 1837, *Symbolae ad monographiam staphylinorum*, p. 135 (gender: masculine) (type species, by monotypy: *Platycnemus lateritius* Nordmann, 1837) (Insecta, Coleoptera). Op. 1851

available

platydactylus, Gelasimus, Milne Edwards, 1837, *Hist. nat. Crust.*, **2**: 51 (a junior objective synonym of *Cancer vocans major* Herbst, 1782). Op. 1262

index

Platydoras Bleeker, 1862, *Atlas ichthyologique des Indes Orientales Néerlandaises, publié sous les auspices du Gouvernement colonial néerlandais*. Tome II. Siluroïdes, Chacoïdes et Hétérobranchioïdes, p. 5 (gender: masculine), type species *Silurus costatus* Linnaeus, 1758 by original designation (Osteichthyes) Op. 2209

available

Platyeschatia Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 560 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Platygaster Zetterstedt, 1838, *Insecta Lapponica descripta*, Section 3, Diptera, p. 574 (a junior homonym of *Platygaster* Latreille, 1809) (Insecta, Diptera). Op. 1545

index

Platyulus Brandt, 1840, *Bull. Sci. Acad. imp. Sci. St. Pétersbourg*, **7**(20-22): 327, footnote (an unjustified emendation of *Platyulus* Gervais, 1836). Op. 1065

index

Platymantis Günther, 1858, *Cat. Batrach. Sal. Brit. Mus.*: 90, 93 (gender: masculine) (type species, by designation by Zweifel, 1967 (*Copeia* (1967): 120): *Platymantis pliciferus* Günther, 1858, *Cat. Batrach. Sal. Brit. Mus.*: 95, valid name: *Hyloides corrugatus* Duméril, 1853) ruled under the plenary power to be given precedence over *Cornufer* Tschudi, 1838 by those who consider the type species of those nominal genera to belong to the same taxonomic genus (Amphibia). Op. 1104

available

Platymera Milne Edwards, 1837, in Roret's Suites à Buffon, *Hist. nat. Crust.*, **2**: 107 (gender: feminine) (type species, by monotypy: *Platymera gaudichaudii* Milne Edwards, 1837, in Roret's Suites à Buffon, *Hist. nat. Crust.*, **2**: 108) (Crustacea, Decapoda). Op. 73 *Platynectes* Régimbart, 1879, *Annales de la Société Entomologique de France*, (5)**8**: 462 (gender: masculine) (type species, by subsequent designation by Guignot, 1946, *Revue Française d'Entomologie*, **13**: 117: *Agabus decemnotatus* Aubé, 1838) (Insecta, Coleoptera). Op. 1796

available

Platyonichus Latreille, 1818, *Nouv. Dict. Hist. nat.* (ed. 2), **27**: 4 (a junior objective synonym of *Portumnus* [Leach, 1814]). Direction 84

index

Platonychus Voigt, 1836, in Cuvier, *Das Thierreich*, **4**: 104 (an incorrect subsequent spelling for *Platyonichus* Latreille, 1818). Direction 84

index

Platypilumnus Alcock, 1894, *Ann. Mag. nat. Hist.*, (6)**13**: 401 (gender: masculine) (type species, through Article 68b(i): *Platypilumnus gracilipes* Alcock, 1894, *Ann. Mag. nat. Hist.*, (6)**13**: 401) (Crustacea, Decapoda). Op. 85, Direction 37

available

Platypria Guérin-Méneville, 1840, *Rev. zool.*, Paris, **1840**: 139 (gender: feminine) (type species, by designation by Maulik, 1919 (*Fauna Brit. Ind.*, Coleopt. Chrys. (Hisp. Cassid.): 256): *Hispa echidna* Guérin-Méneville, 1840, *Rev. zool.*, Paris, **1840**: 139) (Insecta, Coleoptera). Op. 376

available

PLATYPTERICIDAE [sic] Stephens, 1829, *Nomencl. Brit. Ins.*: 45 (type genus: *Platypteryx* Laspeyres, 1803) (a junior objective synonym of DREPANIDAE Boisduval, [1828]). Op. 610

index

platypterus, *Xiphias*, Shaw & Nodder, 1792, *Naturalist's Miscellany*, **28**: pl. 88 (specific name of the type species of *Istiophorus* Lacepède, 1802) (Osteichthyes). Op. 903

available

Platypteryx Laspeyres, 1803, *N. Schrift. Berlin Ges. nat. Freunde*, **4**: 29 (a junior objective synonym of *Drepana* Schrank, 1802). Op. 610

index

<i>Platyrhacus</i> Koch, 1847, <i>System der Myriapoden</i> , in Panzer & Herrich-Schaeffer, <i>Krit. Revis. Insectenfauna Deutschlands</i> , III Bändchen: 131 (gender: masculine) (type species, by designation under the plenary power: <i>Platyrhacus fuscus</i> Koch, 1847, <i>System der Myriapoden</i> , in Panzer & Herrich-Schaeffer, <i>Krit. Revis. Insectenfauna Deutschlands</i> , III Bändchen: 132) (Diplopoda). Op. 1128	available
<i>Platyrhina</i> Müller & Henle, 1838, <i>Arch. Naturgesch.</i> , 4(1): 85 (gender: feminine) (type species, by original designation: <i>Rhina sinensis</i> Schneider, 1801, in Bloch, <i>Syst. Ichthyol.</i> : 352) (Chondrichthyes). Op. 345	available
<i>platyrhinos</i> , <i>Heterodon</i> , Latreille, 1801, in Castel's Buffon, <i>Hist. nat. Rept.</i> , 4: 32 (Reptilia). Op. 390	available
<i>platyrhyncha</i> , <i>Anas</i> , Lönnberg, 1906, <i>J. Ornith.</i> , 54: 529 (an unjustified emendation of <i>platyrhynchos</i> , <i>Anas</i> , Linnaeus, 1758). Direction 81	index
<i>platyrhynchos</i> , <i>Anas</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 125 (a name having precedence over <i>Anas boschas</i> Linnaeus, 1758, through the action of Lönnberg, 1906 (<i>J. Ornith.</i> , 54: 529) as first reviser and hence the valid name at that date of the type species of <i>Anas</i> Linnaeus, 1758) (Aves). Direction 81	available
<i>Platyrrhynchus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 130 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Platyscelis</i> Latreille, 1818, in: <i>Nouveau Dictionnaire d'Histoire naturelle</i> , Ed. 2, vol. 27, p. 23 (gender: feminine) (type species, by designation under the plenary power: <i>Tenebrio hypolithus</i> Pallas, 1781) (Insecta, Coleoptera). Op. 1729	available
<i>Platystoma</i> Meigen, 1803, Illiger's <i>Mag. Insektenk.</i> , 2: 277 (gender: neuter) (type species, by monotypy: <i>Musca seminationis</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 786) (Insecta, Diptera). Op. 1142	available
PLATYSTOMATIDAE Schiner, 1862 (as PLATYSTOMINAE), <i>Wien. entomol. Monatschr.</i> , 6: 151 (type genus: <i>Platystoma</i> Meigen, 1803) ruled under the plenary power to be given precedence over ACHIIDAE Fleming, 1821 whenever <i>Platystoma</i> Meigen, 1803 and <i>Achias</i> Fabricius, 1805 are placed in the same family-group taxon (Insecta, Diptera). Op. 1142	available
<i>Platystrophia</i> King, 1850, <i>A monograph of the Permian Fossils of England</i> , p. 106 (gender: feminine), ruled under the plenary power that all previous fixations of type species are set aside and <i>Porambonites costata</i> Pander, 1830 is designated as the type species (Brachiopoda). Op. 2154	available
<i>Platyulus</i> Gervais, 1836, <i>L'Institut</i> , (1)4(190): 435 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1065	index
<i>Platyxanthus</i> Milne Edwards, 1863, <i>Ann. Sci. nat.</i> , Paris (Zool.), (4)20: 280 (gender: masculine) (type species, by monotypy: <i>Xantho orbignyi</i> Milne Edwards & Lucas, [1844], in d'Orbigny, <i>Voy. Amérique mérid.</i> , 6 (Crust.): 14, pl. 7) (Crustacea, Decapoda). Op. 85, Direction 36, Direction 37	available

<i>Plautus</i> Brünnich, 1772, <i>Zool. Fund.</i> : 78 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 999	index
<i>Plautus</i> Gunnerus, 1761, <i>Trondheimske Selskabs Skrifter</i> , 1 : 263 (included in a non-binomial work). Op. 999	index
<i>Plautus</i> Klein, 1760, <i>Historie der Vögel</i> : 154 (included in a non-binomial work). Op. 999	index
<i>plebeja, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 589 (specific name of the type species of <i>Thereva</i> Latreille, 1797) (Insecta, Diptera). Op. 2142	available
<i>Plebejus</i> Kluk, 1802, <i>Zwierz. Hist. nat. pocz. gospod.</i> , 4 : 89 (gender: masculine) (type species, by designation by Hemming, 1933 (<i>Entomologist</i> , 66 : 224)): <i>Papilio argus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 483, as interpreted by reference to the male genitalia figured by Chapman, 1909 (<i>in Tutt, Nat. Hist. brit. Butts.</i> , 3 : pl. xx, fig. 1)) (Insecta, Lepidoptera). Op. 278	available
<i>plebejus, Trophon</i> , Hutton, 1873, <i>Cat. marine Moll. N.Z.</i> : 9 (specific name of the type species of <i>Xymene</i> Iredale, 1915) (Gastropoda). Op. 911	available
<i>Plectorites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 159 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Plectronita</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 130 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Plectronites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 130 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pleonclasoncolobos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>pleschanka, Motacilla</i> , Lepechin, 1770, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 14 (1): 503, conserved under the plenary power and ruled to have precedence over the specific name <i>leucomela</i> Pallas, 1770, as published in the binomen <i>Motacilla leucomela</i> , whenever the two names are considered synonyms (Aves). Op. 904	available
PLESIADAPIDE Trouessart, 1897, <i>Cat. Mamm.</i> , 1 : 75 (type genus: <i>Plesiadapis</i> Gervais, 1877) ruled under the plenary power to be given precedence over PLATYCHOEROPIDAE Lydekker, 1887 by those who regard both as denoting the same taxon (Mammalia). Op. 1123	available
<i>Plesiadapis</i> Gervais, 1877, <i>J. Zool. Paris</i> , 6 : 76 (gender: masculine) (type species, by monotypy: <i>Plesiadapis tricuspidens</i> Gervais, 1877, <i>J. Zool. Paris</i> , 6 : 76) (Mammalia). Op. 1123	available

<i>Plesionika</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 626, 640 (gender: feminine) (type species, by designation by Alcock, 1901 (<i>Descr. Cat. Indian Deep-Sea Crust. Decap. Macr. Anom.</i> : 93); <i>Plesionika uniproducta</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 641, valid name: <i>Acanthephyra ensis</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>Plesiopenaeus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 188 (gender: masculine) (type species, by designation by Faxon, 1895 (<i>Mem. Mus. comp. Zool.</i> , 18 : 196); <i>Aristeus armatus</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 188) (Crustacea, Decapoda). Op. 864	available
<i>Plesiopeneus</i> Faxon, 1895, <i>Mem. Mus. comp. Zool.</i> , 18 : 196, 199 (an incorrect subsequent spelling for <i>Plesiopenaeus</i> Bate, 1881). Op. 864	index
PLETHODIDAE Loomis, 1900, <i>Palaeontographica</i> , 46 : 229 (type genus: <i>Plethodus</i> Dixon, 1850) (Osteichthyes). Op. 921	available
<i>Plethodon</i> Tschudi, 1838, <i>Classification der Batrachier</i> (<i>Mém. Soc. Sci. nat. Neuchâtel</i> , 2 (1840)): 92 (gender: masculine) (type species, by designation by Bibron, 1839 (<i>in Bonaparte, Icon. Fauna Ital.</i> , 2 (26) sign.: 131**); <i>Salamandra glutinosa</i> Green, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (2): 357) (Amphibia). Op. 921	available
PLETHODONTIDAE Gray, 1850, <i>Cat. Amphibia Brit. Mus.</i> , II, Batrachia gradientia: 31 (type genus: <i>Plethodon</i> Tschudi, 1838) (Amphibia). Op. 921	available
PLETHODONTIDAE Hay, 1929, <i>2nd. Bibliography & Cat. Foss. Vertebr. N. Amer.</i> , 1 : 736 (type genus: <i>Plethodus</i> Dixon, 1850) (an incorrect subsequent spelling for PLETHODIDAE Loomis, 1900). Op. 921	index
<i>Plethodus</i> Dixon, 1850, <i>Geol. Foss. Tertiary & Cretaceous Sussex</i> : 394 (gender: masculine) (type species, by designation by Woodward, 1899 (<i>Ann. Mag. nat. Hist.</i> , (7) 3 : 354); <i>Plethodus expansus</i> Dixon, 1850, <i>Geol. Foss. Tertiary & Cretaceous Sussex</i> : 394) (Osteichthyes). Op. 921	available
PLEURACANTHITIDAE Hyatt, 1900, <i>in Zittel's Textb. Palaeont.</i> (ed. C.R. Eastman): 568 (type genus: <i>Pleuroacanthites</i> Canavari, 1883) (an incorrect original spelling for PLEUROACANTHITIDAE Hyatt, 1900). Op. 575	index
<i>Pleuractis</i> Verrill, 1864, <i>Bulletin of the Museum of Comparative Zoology</i> , 1 : 52 (gender: feminine) (type species, by designation under the plenary power: <i>Fungia paumotensis</i> Stutchbury, 1833) (Anthozoa). Op. 1649	available
<i>Pleuroacanthites</i> Canavari, 1883, <i>Atti Soc. toscana, Proc. verb.</i> , 3 : 279 (gender: masculine) (type species, by designation under the plenary power: <i>Ammonites biformis</i> Sowerby, 1831, <i>in de la Beche, Geol. Man.</i> : 319) (Cephalopoda). Op. 575, Op. 1020	available
PLEUROACANTHITIDAE (correction of PLEURACANTHITIDAE) Hyatt, 1900, <i>in Zittel's Textb. Palaeont.</i> (ed. C.R. Eastman): 568 (type genus: <i>Pleuroacanthites</i> Canavari, 1883) (Cephalopoda). Op. 575	available
<i>Pleurocera</i> Rafinesque, 1818, <i>Amer. mon. Mag. crit. Review</i> , 3 : 355 (gender: feminine) (type species, by designation under the plenary power: <i>Pleurocerus acutus</i> Rafinesque, 1824, <i>in Blainville, Dict. Sci. nat.</i> , 32 : 236) (Gastropoda). Op. 1195	available

<i>Pleuroceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 3 : 89 (gender: neuter) (type species, by designation by Fischer, 1882 (<i>Manuel Conchyl.</i> : 388); <i>Ammonites spinatus</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers, 1 (1): 40) (Cephalopoda). Op. 324	available
<i>Pleurocystus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 104 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pleurodonta</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 581 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Pleurograpsus</i> Nicholson, 1867, <i>Geol. Mag.</i> , 4 : 257 (ruled under the plenary power to be an incorrect original spelling for <i>Pleurograptus</i> Nicholson, 1867). Op. 650	index
<i>Pleurograptus</i> (emendation of <i>Pleurograpsus</i>) Nicholson, 1867, <i>Geol. Mag.</i> , 4 : 257 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Cladograpsus linearis</i> Carruthers, 1858, <i>Proc. roy. phys. Soc. Edinburgh</i> , 1 : 467) (Graptolithina). Op. 650	available
<i>Pleuronectes</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 268 (gender: masculine) (type species, by designation by Bleeker, 1862 (<i>Versl. Akad. Amsterdam</i> , 13 : 427); <i>Pleuronectes platessa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 269) (Osteichthyes). Direction 33	available
PLEURONECTIA Rafinesque, 1815, <i>Analyse Nature</i> : 83 (type genus: <i>Pleuronectes</i> Linnaeus, 1758) (an incorrect original spelling for PLEURONECTIDAE Rafinesque, 1815). Direction 33	index
PLEURONECTIDAE (correction by Bonaparte, [1832] (<i>Saggio Distrib. met. Anim. Vert.</i> : 96, 117) of PLEURONECTIA) Rafinesque, 1815, <i>Analyse Nature</i> : 83 (type genus: <i>Pleuronectes</i> Linnaeus, 1758) (Osteichthyes). Direction 33	available
PLEURONECTIDES Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 3 : 245 (type genus: <i>Pleuronectes</i> Linnaeus, 1758) (an incorrect subsequent spelling for PLEURONECTIDAE (correction of PLEURONECTIA) Rafinesque, 1815)). Direction 33	index
<i>Pleurotemaria</i> Carpenter, 1861, <i>Ann. Rep. Regents Smithson. Inst.</i> , 1860 : 218 (an incorrect subsequent spelling for <i>Pleurotomaria</i> Defrance, 1826). Op. 582	index
<i>Pleurotomaria</i> Defrance, 1826, <i>Dict. Sci. nat.</i> , 41 : 381 (conserved under the plenary power) (gender: feminine) (type species, by designation by Woodward, 1851 (<i>Manual Moll.</i> : 147); <i>Trochus anglicus</i> Sowerby, 1818, <i>Min. Conch.</i> , 2 : corrigenda, as interpreted by the neotype designated by Cox, 1955 (<i>Bull. zool. Nomencl.</i> , 11 : 27)) (Gastropoda). Op. 582	available
<i>Pleurotomaria</i> Féussac, 1822, <i>Tabl. syst. Anim. Moll. terrestr. fluviat.</i> : xxxiv (a nomen nudum). Op. 582	index
<i>Pleurotomaria</i> Sowerby, 1821, <i>Min. Conch.</i> , 3 : 139 (a name published without sufficient definition or indication under the Code). Op. 582	index

PLEUROTOMARIAE Swainson, 1840, *Treatise Malac.*: 353 (type genus:
Pleurotomaria Defrance, 1826) (an incorrect original spelling for
PLEUROTOMARIIDAE Swainson, 1840). Op. 582

index

PLEUROTOMARIIDAE (correction by King, 1850, of PLEUROTOMARIAE)
Swainson, 1840, *Treatise Malac.*: 353 (type genus: **Pleurotomaria** Defrance, 1826)
(Gastropoda). Op. 582

available

Pleurotomarium Blainville, 1825, *Man. Malac.*: 429 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 582

index

Pleurotomigenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427

index

Pleurotomoides Bronn, 1831, *Ergeb. nat. Reisen*, **2**: 555 (gender: masculine) (type species, by designation by Dall, 1908 (*Bull. Mus. comp. Zool.*, **43**: 260) through **Defrancia** Millet, 1826: **Defrancia pagoda** Millet, 1826, *Mém. linn. Soc. Paris*, **5**: 439, pl. 9, figs. 1a, b) (Gastropoda). Op. 666

available

plexippus, **Papilio**, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 471, as interpreted by the neotype designated under the plenary power, namely the male specimen figured by Clark, 1941 (*Proc. U.S. nat. Mus.*, **90**: pl. 71, fig. 1) and refi gured in Opinion 282, pl. 2 (type locality: ‘Pennsylvania’) (specific name of the type species of **Danaus** Kluk, 1802) (Insecta, Lepidoptera). Op. 282

available

plicata, **Rosacea**, Bigelow, 1911, *Transactions of the Linnean Society of London*, Series 2, Zoology, **10**(10): 201–203, as defined by the lectotype, designated as a neotype by Pugh & Harbison, 1987, *Bulletin of Marine Science*, **41**(1): 86, registered as BMNH Reg. No. 1939.6.10.1 in the Natural History Museum, London (Cnidaria). Op. 2157

available

plicata, **Rosacea**, Quoy & Gaimard, 1827, *Annales des Sciences Naturelles* (Series 1), **10**: 177, ruled under the plenary power that all uses of the name before that by Bigelow, 1911, *Transactions of the Linnean Society of London*, Series 2, Zoology, **10**(10): 201–203 are suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy (Cnidaria). Op. 2157

index

plicata, **Unio**, Say, 1817, *Nicholson’s Ency.* (Amer. ed. 1), art. Conchology: pl. 3, fig. 2 (valid name at the date of Opinion 840 of the type species of **Amblema** Rafinesque, 1820) (Bivalvia). Op. 840

available

Plicatuligenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427

index

plicatuloides, **Cardiaspis**, Foggatt, 1900, *Proc. linn. Soc. N.S. Wales*, **25**: 284 (Insecta, Hemiptera). Op. 725

available

Plotia [Röding], 1798, *Mus. bolten.* (2): 95 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 386

index

PLOTIIDAE Forcart, 1951, <i>Berichtig. Arch. Moll.</i> , 80 (1/3): 86 (type genus: <i>Plotia</i> [Röding], 1798) (invalid (i) because published for a purpose other than use in zoological nomenclature and (ii) because the name of the type genus has been suppressed under the plenary power). Direction 54	index
<i>Plotus</i> Gunnerus, 1761, <i>Trondheimske Selskabs Skrifter</i> , 1 : 263 (included in a non-binominal work). Op. 999	index
<i>plumbagana</i> , <i>Grapholitha</i> , Treitschke, 1830, <i>Die Schmetterlinge von Europa</i> , vol. 8, p. 218 (specific name of the type species of <i>Dichrorampha</i> Guenée, 1845) (Insecta, Lepidoptera). Op. 1999	available
<i>plumbeolus</i> , <i>Alburnops</i> , Cope, 1865, <i>Proc. Acad. nat. Sci. Philadelphia</i> , for 1864: 276-285, ruled under the plenary power to be interpreted by the lectotype designated by Gilbert, 1964 (<i>Bull. Florida State Mus. biol. Sci.</i> , 8 : 160) (Osteichthyes). Op. 1206	available
<i>plumicornis</i> , <i>Gammarus</i> , Costa, 1853, <i>Rendiconto Soc. R. Borbonica, Acad. Sci. (n.s.)</i> , 1853 : 176 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 992	index
<i>plumigera</i> , <i>Oscinis</i> , Loew, 1860, <i>Öfvers. k. Vetenskaps-Akad. Förh.</i> , 17 : 95 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1264	index
<i>plumosa</i> , <i>Cellularia</i> , Pallas, 1766, <i>Elench. Zoophytorum</i> : 66 (Bryozoa). Op. 956	available
<i>plumosus</i> , <i>Graptolithus</i> , Baily, 1871, in Traill & Egan, <i>Explanatory memoir to accompany sheets 49, 50 and part of 61 of the maps of the Geological Survey of Ireland ...</i> , p. 22, as defined by the neotype (specimen no. BELUM: K12274d in the Ulster Museum, Belfast, U.K.) designated by Loydell, 1990, <i>Palaeontology</i> , 33 : 938 (specific name of the type species of <i>Streptograptus</i> Yin, 1937) (Graptolithina). Op. 1714	available
<i>Plumularia</i> Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 2, p. 123 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Broch, 1918, <i>Danish Ingolf-Expedition</i> , 5 (7): 195: <i>Sertularia setacea</i> Linnaeus, 1758) (Hydrozoa). Op. 1886	available
<i>Pluralicyathus</i> Okulitch, 1950, <i>Journal of Paleontology</i> , 24 : 503 (gender: masculine) (type species, by subsequent designation by Simon, 1939, <i>Abhandlungen der Senckenbergischen Naturforschende Gesellschaft</i> , 448 : 34: <i>Polycyathus heterovalbum</i> Vologdin, 1928) (Archaeocyatha). Op. 2121	available
<i>Plusierythra</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 566 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Plutonia</i> Hicks, 1871, <i>Quarterly Journal of the Geological Society</i> , 27 (1): 399 (a junior homonym of <i>Plutonia</i> Morelet in Stabile, 1864) (Trilobita). Op. 1880	index
<i>Plutonia</i> Morelet in Stabile, 1864, <i>Atti della Società Italiana di Scienze Naturali</i> , 7 : 121 (gender: feminine) (type species, by monotypy: <i>Viquesnelia atlantica</i> Morelet, 1860) (Gastropoda). Op. 1880	available

PLUTONIINAE Bollman, 1893, <i>United States National Museum Bulletin</i> , 46 : 165, 168, spelling emended to PLUTONIUMINAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Plutonium Cavanna, 1881 is PLUTONIUM- (Chilopoda). Op. 1880	index
PLUTONIINAE Cockerell, 1893, <i>The Conchologist</i> , 2 (7): 186 (type genus: Plutonia Morelet in Stabile, 1864) (Gastropoda). Op. 1880	available
Plutonium Cavanna, 1881, <i>Bollettino della Società Entomologica Italiana</i> , 13 : 169 (gender: neuter) (type species, by monotypy: Plutonium zwierleini Cavanna, 1881) (Chilopoda). Op. 1880	available
PLUTONIUMINAE Bollman, 1893, <i>United States National Museum Bulletin</i> , 46 : 165, 168 (type genus: Plutonium Cavanna, 1881), spelling emended from PLUTONIINAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name Plutonium Cavanna, 1881 is PLUTONIUM- (Chilopoda). Op. 1880	available
PLYCTOLOPHINAE Vigors, 1825, <i>Zoological Journal</i> , 2 : 400 (invalid because the name of the type genus, <i>Plyctolophus</i> Vieillot, 1816, is suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1949	index
<i>Plyctolophus</i> Vieillot, 1816, <i>Analyse d'une nouvelle ornithologie élémentaire</i> , p. 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Psittaciformes). Op. 1949	index
Pnoepyga Hodgson, 1844, <i>Zool. Miscell.</i> : 82 (conserved under the plenary power) (gender: feminine) (type species, by designation by Sharpe, 1881 (<i>Cat. Birds Brit. Mus.</i> , 6 : 31): Tesia albiventer Hodgson, 1837, <i>J. asiat. Soc. Bengal</i> , 6 : 102) (Aves). Op. 695	available
PODACANTHINAE Günther, 1953, <i>Beitr. Entomol.</i> , 3 : 548, 553 (type genus: Podacanthus Gray, 1833) (Insecta, Phasmida). Op. 641	available
<i>Podacanthus</i> Brandt, 1848, <i>Bull. Acad. imp. Sci. St. Pétersbourg</i> , 7 (12/13): 180 (a junior homonym of Podacanthus Gray, 1833). Direction 37	index
Podacanthus Gray, 1833, <i>Entomol. Aust.</i> (1): 17 (gender: masculine) (type species, by monotypy: Podacanthus typhon Gray, 1833, <i>Entomol. Aust.</i> (1): 17, pl. 2, fig. 1, as interpreted by the lectotype designated by Key, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 235)) (Insecta, Phasmida). Op. 641	available
Podalonus Burmeister, 1847, <i>Handbuch der Entomologie</i> , Band 5 (Besondere Entomologie. Fortsetzung. Coleoptera Lamellicornia Xylophila et Pectinicornia), p. 117 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Arrow, 1908, <i>Transactions of the Entomological Society of London</i> , 1908 : 341: Podalonus cuniculus Burmeister, 1847) (Insecta, Coleoptera). Op. 2066	available
<i>Podalirius</i> Latreille, 1802, <i>Hist. nat. Fourmis</i> : 430 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 4	index

<i>podalirius</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 463, nota, as interpreted by the lectotype designated under the plenary power, namely the specimen described by Ray, 1710 (<i>Hist. Ins.</i> : 111, No. 3) (type locality: ‘Livorno, Tuscany’) (Insecta, Lepidoptera). Op. 263	available
<i>Podalonia</i> Fernald, 1927, <i>Proc. U.S. nat. Mus.</i> , 71 (9): 1-42 (gender: feminine) (type species, by designation under the plenary power: <i>Ammophila violaceipennis</i> Lepeletier, 1845, in Roret’s Suites à Buffon, <i>Hyménopt.</i> , 2 : 370) (Insecta, Hymenoptera). Op. 857	available
<i>Podalonia</i> Spinola, 1853, <i>Mem. Reale Accad. Sci. Torino</i> , (2) 13 : 52, 53 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 857	index
<i>PODICEPINAE</i> Bonaparte, [1832], <i>Saggio Distrib. met. Anim. Vert.</i> : 62 (type genus: <i>Podiceps</i> Latham, 1787) (an incorrect original spelling for PODICIPEDIDAE Bonaparte, [1832]). Direction 75, Op. 981	index
<i>Podiceps</i> Latham, 1787, <i>Suppl. gen. Synopsis Birds</i> , [1]: 294 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Columbus cristatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 135) (Aves). Op. 401	available
<i>PODICEPSINAЕ</i> Gray, 1840, <i>List Genera Birds</i> : 76 (type genus: <i>Podiceps</i> Latham, 1787) (an incorrect subsequent spelling for PODICIPEDIDAE (correction of PODICEPINAE) Bonaparte, [1832]). Direction 75, Op. 981	index
PODICIPEDIDAE (correction of PODICEPINAE) Bonaparte, [1832], <i>Saggio Distrib. met. Anim. Vert.</i> : 62 (type genus: <i>Podiceps</i> Latham, 1787) (Aves). Direction 75, Op. 981	available
<i>Podicipes</i> [Oken], 1839, <i>Isis</i> (Oken), 1839 : 673 (an unjustified emendation of <i>Podiceps</i> Latham, 1787). Direction 75	index
<i>PODICIPINAE</i> Bonaparte, 1838, <i>Geogr. comp. List Birds Eur. N. Amer.</i> : 64 (type genus: <i>Podiceps</i> Latham, 1787) (an incorrect subsequent spelling for PODICIPEDIDAE (correction of PODICEPINAE) Bonaparte, [1832]). Direction 75, Op. 981	index
PODICIPITIDAE (correction of PODICEPINAE) Bonaparte, [1832], <i>Saggio Distrib. met. Anim. Vert.</i> : 62 (type genus: <i>Podiceps</i> Latham, 1787) (an incorrect original spelling for PODICIPEDIDAE Bonaparte, [1832]). Op. 981	index
<i>Podisus</i> Herrich-Schaeffer, 1851, in: <i>Die wanzenartigen Insecten</i> , vol. 9, part 6, p. 296 (gender: masculine) (type species, by designation under the plenary powers: <i>Podisus vittipennis</i> Herrich-Schaeffer, 1851) (Insecta, Heteroptera). Op. 1755	available
<i>Podocanthus</i> Macleay, 1881, <i>Proc. linn. Soc. N.S. Wales</i> , 6 : 538 (an incorrect subsequent spelling for <i>Podacanthus</i> Gray, 1833). Op. 641	index
<i>podoliensis</i> , <i>Polonograptus</i> , Přibyl, 1983, <i>Časopis pro mineralogia geologii</i> , 28 (2): 158 (specific name of the type species of <i>Polonograptus</i> Tsegelnjuk, 1976) (Graptolithina). Op. 2023	available

<i>Podophtalmus</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 152 (an incorrect original spelling for <i>Podophthalmus</i> Lamarck, 1801). Direction 37	index
<i>Podophthalmus</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 152 (gender: masculine) (type species, by monotypy: <i>Podophtalmus</i> [sic] <i>spinosis</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 152, valid name: <i>Portunus vigil</i> Weber, 1795) (Crustacea, Decapoda). Op. 73 <i>Podura</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608 (gender: feminine) (type species, by designation under the plenary power: <i>Podura aquatica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 609) (Insecta, Collembola). Op. 104, Op. 239	available
POECILIOPSINAЕ Hubbs, 1924, <i>Misc. Publ. Mus. Zool. Univ. Mich.</i> , 13 : 9 (type genus: <i>Poeciliopsis</i> Regan, 1913) (Osteichthyes). Direction 41	available
Poeciliopsis Regan, 1913, <i>Proc. zool. Soc. London</i> , 1913 : 996 (gender: feminine) (type species, by designation by Henn, 1916 (<i>Ann. Carnegie Mus.</i> , 10 : 119); <i>Poecilia presidionis</i> Jordan & Culver, 1895, <i>Proc. Calif. Acad. Sci.</i> , (2) 5 : 413) (Osteichthyes). Op. 375	available
Poecilogale Thomas, 1883, <i>Ann. Mag. nat. Hist.</i> , (5) 11 : 370 (gender: feminine) (type species, by monotypy: <i>Zorilla albinucha</i> Gray, 1864, <i>Proc. zool. Soc. London</i> , 1864 : 69, pl. 10) (Mammalia). Op. 384	available
poeциlogyrus, Coluber , Wied-Neuwied, [1824], <i>Abbildungen zur Naturgeschichte Brasiliens</i> , Heft 8, pl. 44, fig. 2 (Reptilia, Serpentes). Op. 1832	available
Poecilonota Eschscholtz, 1829, <i>Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch- Kaiserlichen Kriegsschlupp Predpriætië in den Jahren 1823-1826</i> , part 1, p. 9 (gender: feminine) (type species, by designation under the plenary power: <i>Buprestis variolosa</i> Paykull, [1799]) (Insecta, Coleoptera). Op. 1825	available
Poecilostoma Dahlbom, 1835, <i>Conspectus Tenthredinidum, Siricidum et Oryssinorum Scandinaviae quas Hymenopterorum familias</i> , pp. 5, 13 (gender: neuter) (type species, ruled under the plenary power to be by subsequent designation by Rohwer, 1911, <i>U.S. Department of Agriculture, Bureau of Entomology, Technical Series</i> , 20 (2): 87: <i>Tenthredo guttata</i> Fallén, 1808, a junior subjective synonym of <i>Tenthredo liturata</i> Gmelin, 1790) (Insecta, Hymenoptera). Op. 1963	available
POEKILOCERIDAE (correction of POECILOCERIDAE) Burmeister, 1840, <i>Z. Entomol.</i> (Germar), 2 (1): 45, 46 (type genus: Poekilocerus Audinet-Serville, 1831), ruled under the plenary power not to be given priority over PYRGOMORPHIDAE Brunner von Wattenwyl, 1874 (Insecta, Orthoptera). Op. 969	available
Poekilocerus Audinet-Serville, 1831, <i>Ann. Sci. nat. (Zool.)</i> , 22 : 275 (gender: masculine) (type species, by designation under the plenary power: <i>Gryllus pictus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 289) (Insecta, Orthoptera). Op. 969	available
poeyi, Atya , Guérin-Méneville, 1856, in Sagra, <i>Hist. Cuba, Hist. nat.</i> , 7 : xviii (specific name of the type species of <i>Micratya</i> Bouvier, 1913) (Crustacea, Decapoda). Op. 470	available
<i>pohli, Phenacocyclas</i> , La Rocque, 1948, <i>Univ. Microfilms Publ.</i> , No. 1059: 96 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318	index

<i>Poiana</i> Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 507, 520 (gender: feminine) (type species, by monotypy: <i>Genetta richardsonii</i> Thomson, 1842, <i>Ann. Mag. nat. Hist.</i> , 10 : 204) (Mammalia). Op. 384	available
<i>Polanisa</i> Walker, 1875, <i>Entomologist</i> , 8 : 17 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1018	index
<i>polaris, Alpheus</i> , Sabine, 1824, <i>Suppl. App. Parry's Voy. N.W. Passage</i> : ccxxxviii (specific name of the type species of <i>Lebbeus</i> White, 1847) (Crustacea, Decapoda). Op. 671	available
<i>polita, Blaps</i> , Sturm, 1807, <i>Deutschlands Fauna in Abbildungen nach der Natur mit Beschreibungen</i> , part 5.2, p. 208 (specific name of the type species of <i>Oodescelis</i> Motschulsky, 1845) (Insecta, Coleoptera). Op. 1729	available
<i>polita, Leptaena (Chonetes)</i> , McCoy, 1852, <i>Ann. Mag. nat. Hist.</i> , (2) 10 : 421 (specific name of the type species of <i>Tornquistia</i> Paeckelmann, 1930) (Brachiopoda). Op. 367	available
<i>polita, Lingula</i> , Hall, 1861, <i>Rep. Superintendent Geol. Surv. Wisconsin</i> : 24 (specific name of the type species of <i>Dicellomus</i> Hall, 1871) (Brachiopoda). Op. 721	available
<i>polita, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 598 (specific name of the type species of <i>Microchrysa</i> Loew, 1855) (Insecta, Diptera). Op. 1443	available
<i>politula, Cyclomorpha</i> , Broun, 1881, <i>Manual of New Zealand Coleoptera</i> , part 2, p. 668 (specific name of the type species of <i>Cyclaxyra</i> Broun, 1893) (Insecta, Coleoptera). Op. 1472	available
<i>politus, Spiroglyphus</i> , Daudin, 1800, <i>Recueil de mémoires et de notes sur des espèces inédites ou peu connues de Mollusques, de Vers, et de Zoophytes</i> , p. 49 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>politus, Turbo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 767, as defined by the neotype (specimen no. 1071 in the Zoological Museum, Uppsala) designated by Warén, 1988, <i>Bollettino Malacologico</i> , 24 : 20, as confirmed by the setting aside under the plenary power of all previous fixations of type specimen (Gastropoda). Op. 1780	available
<i>Pollontes</i> Montfort, 1808, <i>Conch. Syst. Class. méth. Coquilles</i> , 1 : 246 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 692	index
<i>POLLYXÉNITES</i> Lucas, 1840, <i>Hist. nat. Crust. Arachn. Myriap.</i> : 518 (type genus: <i>Polyxenus</i> Latreille, [1802]) (an incorrect original spelling for POLYXENIDAE Lucas, 1840). Op. 905	index
<i>Pollyxenus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 45 (an incorrect original spelling for Polyxenus Latreille, [1802]). Op. 905	index
<i>polonica, Synurella</i> , Wrzesniowski, 1877, in Hoyer, <i>Zeitschr. wiss. Zool.</i> , 28 : 403 (specific name of the type species of <i>Synurella</i> Wrzesniowski, 1877) (Crustacea, Amphipoda). Op. 1133	available

<i>Polonograptus</i> Tsegejnuk, 1976, <i>Paleontologiya i stratigrafiya verchnego Dokembriya i nyzhnego Paleozoya jugo-zapada vostocno-evropeyskoj platformy</i> , pp. 124-125 (gender: masculine) (type species, by designation under the plenary power: <i>Polonograptus podoliensis</i> Přibyl, 1983) (Graptolithina). Op. 2023	available
<i>polybioides, Lissocarcinus</i> , Adams & White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 46 (specific name of the type species of <i>Lissocarcinus</i> Adams & White, [1849]) (Crustacea, Decapoda). Direction 36	available
<i>Polybius</i> Leach, [1820], <i>Malac. podophth. Brit.</i> (17): text to pl. 9B (gender: masculine) (type species, by monotypy: <i>Polybius henslowii</i> Leach, [1820], <i>Malac. podophth. Brit.</i> (17): text to pl. 9B) (Crustacea, Decapoda). Op. 73 <i>Polycentrus</i> Müller & Troschel, 1849, <i>Fische in Schomburgk, M.R., Reisen in Britisch-Guiana in den Jahren 1840-1844 ..., part 3 (Versuch einer Zusammenstellung der Fauna und Flora von Britisch-Guiana)</i> , no. 1 (Fauna), p. 622 (gender: masculine) (type species, by monotypy: <i>Polycentrus schomburgkii</i> Müller & Troschel, 1849) (Osteichthyes, Perciformes). Op. 1954	available
<i>Polycheles</i> Brady & Robertson, 1870, <i>Ann. Mag. nat. Hist.</i> , (4)6: 25 (a junior homonym of <i>Polycheles</i> Heller, 1862). Op.	index
<i>Polycheles</i> Heller, 1862, <i>SitzBer. Kais. Acad. Wiss. Wien</i> , 45(1): 389 (gender: masculine) (type species, by monotypy: <i>Polycheles typhlops</i> Heller, 1862, <i>SitzBer. Kais. Acad. Wiss. Wien</i> , 45(1): 392) (Crustacea, Decapoda). Op. 519	available
POLYCHELIDAE Wood-Mason, 1874, <i>Proc. asiat. Soc. Bengal</i> , 1874: 180 (type genus: <i>Polycheles</i> Heller, 1862) (Crustacea, Decapoda). Op. 519	available
<i>polychloros, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 477 (specific name of the type species of <i>Nymphalis</i> Kluk, 1802) (Insecta, Lepidoptera). Op. 278	available
<i>Polychroma</i> Dejean, 1836, <i>Catalogue des coléoptères de la collection de M. le Comte Dejean. Troisième édition, revue, corrigée et augmentée</i> , p. 89 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1628	index
<i>Polycitor</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XVII (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Polycitor crystallina</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XVII) (Urochordata). Op. 478	available
POLYCITORIDAE Michaelsen, 1904, <i>Jahrb. Hamb. wiss. Anst.</i> , 21: 2, 83 (type genus: <i>Polycitor</i> Renier, [1804]) (Urochordata). Op. 478	available
<i>Polycyathus</i> Vologdin, 1928, <i>Ezhegodnik Russkogo Paleontologicheskogo Obshchestva</i> , 7: 32 (a junior homonym of <i>Polycyathus</i> Duncan, 1876) (Archaeocyatha). Op. 2121	index
<i>Polydectus</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 145 (gender: masculine) (type species, by monotypy: <i>Pilumnus cupulifer</i> Latreille, 1825, <i>Ency. méth.</i> , 10 (Ins.): 124) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Polydectus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 142 (a nomen nudum). Direction 37	index

<p>Polydesmus Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i>, 3: 44 (gender: masculine) (type species, by monotypy: Julus complanatus Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 502) (Diplopoda). Op. 104, Direction 66</p>	available
<p>POLYDROSINI (correction of POLYDROSIDES) Schoenherr, 1823, <i>Isis</i> (Oken) (<i>Jena</i>), 7, Part 10: column 1144 (type genus: Polydrosus Schoenherr, 1826, an unjustified emendation of Polydrusus Germar, 1817) (Insecta, Coleoptera). Op. 1179</p>	available
<p>Polydrusus Germar, 1817, <i>Mag. entomol.</i> (Germar), 2: 341 (gender: masculine) (type species, by designation by Schoenherr, 1826 (<i>Curculionidum disposito methodicum</i> (Leipzig): 12) and conserved under the plenary power: Curculio undatus Fabricius, 1781, <i>Species insectorum ...</i>, 1: 189) (Insecta, Coleoptera). Op. 1179</p>	available
<p><i>polygama</i>, <i>Catocala</i>, Guenée, 1852, <i>Histoire naturelle des insectes. Species général des lepidoptères</i>, vol. 7 (Noctuelites, vol. 3), p. 105 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 2068</p>	index
<p>polygoni, Heterodera, Cooper, 1955, A preliminary key to British species of <i>Heterodera</i> for use in soil examination, in: <i>Soil Zoology, Proceedings of the University of Nottingham Second Easter School in Agricultural Science</i>, Kevan (ed.), Butterworth, London: 273, 276, 277, 279 (Nematoda). Op. 1336</p>	available
<p><i>Polygramma</i> Chevrolat, 1837, in Dejean, <i>Cat. Coleopt.</i>, 5: 397 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1290</p>	index
<p>Polygyra Say, 1818, <i>Journal of the Academy of Natural Sciences of Philadelphia</i>, 1(10): 276 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Herrmannsen, 1847, <i>Indicus generum Malacozoorum primordia</i>, vol. 2, p. 317; Polygyra septemvolva Say, 1818) (Gastropoda). Op. 1691</p>	available
<p>POLYGYRIDAE Pilsbry, 1895, <i>Manual of Conchology</i>, series 2 (Pulmonata), vol. 9, p. xxxii (type genus: Polygyra Say, 1818), ruled under the plenary power that this name and other family-group names based on Polygyra are to be given precedence over MESODONTIDAE Tryon, 1866 and other family-group names based on Mesodon Féruccac, 1821 whenever their type genera are placed in the same family-group taxon (Gastropoda). Op. 1691</p>	available
<p>polykomos, Cebus, Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i>, 2: 202 (specific name of the type species of Colobus Illiger, 1811) (Mammalia). Direction 22</p>	available
<p>polymnia, Papilio, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 466 (specific name of the type species of Mechanitis Fabricius, 1807) (Insecta, Lepidoptera). Op. 232</p>	available
<p>POLYMORPHIDAE Haug, 1887, <i>Neues Jahrb. Min.</i>, 1887(2): 89 (type genus: Polymorphites Haug, 1887) (an incorrect original spelling for POLYMORPHITIDAE Haug, 1887). Op. 575</p>	index
<p>Polymorphites Haug, 1887, <i>Neues Jahrb. Min.</i>, 1887(2): 107, 120 (gender: masculine) (type species, by designation by Buckman, 1892 (<i>Mon. Inf. Ool. Amm. Brit. Isles</i> (Palaeontogr. Soc.) (6): 267); Ammonites polymorphus Quenstedt, 1845, <i>Petrefactenk. Deutschl.</i>: 86) (Cephalopoda). Op. 575</p>	available

POLYMORPHITIDAE (correction of POLYMORPHIDAE) Haug, 1887, <i>Neues Jahrb. Min.</i> , 1887 (2): 89 (type genus: <i>Polymorphites</i> Haug, 1887) (Cephalopoda). Op. 575	available
<i>polymorphus, Ammonites</i> , Quenstedt, 1845, <i>Petrefactenk. Deutschl.</i> : 86 (specific name of the type species of <i>Polymorphites</i> Haug, 1887) (Cephalopoda). Op. 575	available
<i>polymorphus, Bucephalus</i> , Baer, 1827, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino- Carolinae Naturae Curiosorum</i> , 13 : 570, as defined by the neotype (microscopic preparation no. 1655b in the Zoological Museum, Humboldt University, Berlin, being the lectotype of <i>Gasterostomum fimbriatum</i> Siebold, 1848) designated under the plenary power (specific name of the type species of <i>Bucephalus</i> Baer, 1827) (Trematoda). Op. 1717	available
<i>polymorphus, Mytilus</i> [ex err. pro <i>Mytilus</i>], Pallas, 1771, <i>Reise russ. Reichs</i> , 1 : 478 (specific name of the type species of <i>Dreissena</i> (emendation of <i>Driessena</i>) van Beneden, 1835) (Bivalvia). Op. 351	available
<i>polymorphus, Tubulanus</i> , Renier, [1804], <i>Prospetto della Classe dei Vermi</i> , p. 20, ruled under the plenary power to be published and available from its use by Renier, [1804], <i>Prospetto della Classe dei Vermi</i> , despite that work having been rejected in Opinion 316 as not properly published (specific name of the type species of <i>Tubulanus</i> Renier, [1804]) (Nemertea). Op. 1486	available
<i>Polynemus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 317 (gender: masculine) (type species, by designation under the plenary power: <i>Polynemus paradiseus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 317) (Osteichthyes). Op. 93 <i>Polynoe</i> Savigny, 1818, <i>Histoire naturelle des animaux sans vertèbres</i> . Paris (Deterville & Verdière), 5 : 308 (gender: feminine) (type species, by designation under the plenary power: <i>Polynoe scolopendrina</i> Savigny, 1822, in: <i>Description de l'Egypte</i> . Paris (L'Imprimerie Impériale), <i>Histoire naturelle</i> , 1 (3): 25) (Polychaeta). Op. 1271	available
<i>Polyodontes</i> de Blainville, 1828, in Levrault (Ed.), <i>Dictionnaire des sciences naturelles</i> , vol. 57 (VECVER), p. 461 (gender: masculine) (type species, by monotypy: <i>Phyllodoce maxillosa</i> Ranzani, 1817) (Polychaeta). Op. 1692	available
<i>Polyommatus</i> Latreille, (1804), <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 185, 200 (gender: masculine) (type species, by designation under the plenary power: <i>Papilio icarus</i> Rottemburg, 1775, <i>Der Naturforscher</i> , Halle, 6 : 21) (Insecta, Lepidoptera). Op. 270	available
<i>polyphemus, Monoculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 634 (specific name of the type species of <i>Limulus</i> Müller, 1785) (Merostomata). Op. 320	available
<i>Polyplectron</i> Temminck, 1807, <i>Cat. syst. Cab. Ornithol.</i> : 149 (gender: neuter) (type species, by monotypy and through Opinion 67 and Article 67e (1961 Code): <i>Pavo bicalcaratus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 156) (Aves). Op. 67, Direction 43	available
<i>polyptera, Hexarthra</i> , Schmarda, 1854, <i>Denkschr. Acad. Wiss. Wien</i> (Math.-natur. Kl.), 7 (No. 2): 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 326	index
<i>Polypus</i> Leach, 1817, <i>Zool. Miscell.</i> , 3 : 139 (a junior objective synonym of <i>Octopus</i> Cuvier, [1797]). Op. 233	index

<i>Polypus</i> Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 116 (not made available in the work cited). Op. 233	index
<i>polypus</i> , <i>Octopodia</i> , Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 116 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 233	index
<i>Polyrhachis</i> Smith, 1857, <i>Journal of the Proceedings of the Linnean Society, Zoology</i> , 2 : 58 (gender: feminine) (type species, by original designation: <i>Formica bihamata</i> Drury, 1773), ruled under the plenary power to be given precedence over the name <i>Myrma</i> Billberg, 1820 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1919	available
<i>polysticta</i>, <i>Caudisona</i> , Cope, 1865, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1865 : 191 (Reptilia). Op. 366	available
<i>Polytomurus</i> Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 36, 37 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5)5: 152, 153) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 350	index
<i>polyxena</i>, <i>Papilio</i> , [Denis & Schiffermüller], 1775, <i>Ankündung syst. Werkes Schmett. Wiener Gegend</i> : 162 (valid name at the date of Opinion 1134 of the type species of <i>Zerynthia</i> Ochsenheimer, 1816) (Insecta, Lepidoptera). Op. 1134	available
POLYXENIDAE (correction of POLLYXÉNITES) Lucas, 1840, <i>Hist. nat. Crust. Arachn. Myriap.</i> : 518 (type genus: <i>Polyxenus</i> Latreille, [1802]) (Diplopoda). Op. 905	available
<i>Polyxenus</i> (emendation of <i>Pollyxenus</i>) Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 45 (gender: masculine) (type species, by monotypy: <i>Scolopendra lagura</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637) (Diplopoda). Op. 905	available
POLYZONIIDAE Newport, 1844, <i>Proc. linn. Soc. London</i> , 1 : 195 (type genus: <i>Polyzonium</i> Brandt, 1837) (Diplopoda). Op. 1065	available
<i>Polyzonium</i> Brandt, 1837, <i>Bull. Sci. Acad. imp. Sci. St. Pétersbourg</i> , 1 (23): 178, 179 (gender: neuter) (type species, by monotypy: <i>Polyzonium germanicum</i> Brandt, 1837, <i>Bull. Sci. Acad. imp. Sci. St. Pétersbourg</i> , 1 (23): 178, 179) (Diplopoda). Op. 1065	available
<i>Pomacea</i> Perry, 1810, <i>Arcana; or the Museum of Natural History</i> , pl. 11 and text (gender: feminine) (type species, by monotypy: <i>Pomacea maculata</i> Perry, 1810) (Gastropoda). Op. 1913	available
<i>pomatia</i>, <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 771 (specific name of the type species of <i>Helix</i> Linnaeus, 1758) (Gastropoda). Op. 336	available
<i>Pomocystis</i> Haeckel, 1896, Amphorideen und Cystoideen. Beiträge zur Morphologie und Phylogenie, in: <i>Festschrift zum Siebenzigsten Geburtstage von Carl Gegenbaur am 21 August 1896</i> , 1 : 98 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1048	index

<i>pomonella</i> , <i>Lithocolletis</i> , Zeller, 1846, <i>Linnaea Entomologica</i> , 1 : 201 ruled under the plenary power not to be given priority over the name <i>oxyacanthalae</i> Frey, 1855, as published in the binomen <i>Lithocolletis oxyacanthalae</i> , whenever the two are considered to be synonyms (Lepidoptera) Op. 2205	available
<i>Pomosphaera</i> Haeckel, 1896, Amphorideen und Cystoideen. Beiträge zur Morphologie und Phylogenie, in: <i>Festschrift zum Siebenzigsten Geburtstage von Carl Gegenbaur am 21 Augusti 1896</i> , 1 : 99 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1048	index
<i>Pompilus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 212 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Pompilus pulcher</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 249) (Insecta, Hymenoptera). Op. 166	available
<i>Pompilus</i> Schneider, 1784, <i>Sammel. verm. Abhandl. Aufklär. Zool.</i> : 128 (not made available in the work cited). Op. 233	index
<i>Pompilus</i> , all uses of, prior to <i>Pompilus</i> Fabricius, 1798 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 2	index
<i>ponerosum</i> , <i>Hippopodium</i> , J. Sowerby, 1819, <i>The mineral conchology of Great Britain</i> , vol. 3, no. 44, p. 91 (specific name of the type species of <i>Hippopodium</i> J. Sowerby, 1819) (Bivalvia). Op. 2036	available
<i>Poneramoeba</i> Lühe, 1909, <i>Schr. phys.-ökon. Ges. Königsb.</i> , 49 : 421 (gender: feminine) (type species, by original designation: <i>Entamoeba histolytica</i> Schaudinn, 1903, <i>Arb. Gesundheitsamt. Berlin</i> , 19 (3): 564, as interpreted by Dobell, 1919, <i>The Amoebae living in Man</i> : 31-70; pl. I, figs. 1-6; pl. II, fig. 16; pl. III; pl. IV, figs. 70-76) for use by those who consider that the type species of this genus is generically distinct from that of <i>Entamoeba</i> Casagrandi & Barbegal, 1895 (Rhizopoda). Op. 312	available
<i>Pontia</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Pontia</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 283 (conserved under the plenary power) (gender: feminine) (type species, by designation by Curtis, 1824 (<i>Brit. Entomol.</i> , 5 : pl. 48); <i>Papilio daplidice</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 468) (Insecta, Lepidoptera). Op. 137, Op. 232	available
<i>Pontocaris</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 495 (gender: feminine) (type species, by designation by Holthuis, 1947 (<i>Zool. Meded.</i> , 27 : 320); <i>Pontocaris propensalata</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 496) (Crustacea, Decapoda). Op. 470	available
<i>Pontonia</i> Latreille, 1829, in Cuvier, <i>Règne Anim.</i> (ed. 2), 4 : 96 (gender: feminine) (type species, by designation under the plenary power: <i>Palaeomon pinnophylax</i> Otto, 1821, <i>Consp. Anim. marit. non edit.</i> : 12) (Crustacea, Decapoda). Op. 378	available
<i>Pontonides</i> Borradale, 1917, <i>Trans. linn. Soc. London</i> (Zool.), (2) 17 : 387 (gender: masculine) (type species, by monotypy: <i>Pontonia maldivensis</i> Borradale, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 213) (Crustacea, Decapoda). Op. 470	available

PONTONIINAE (correction of PONTONINAE) Kingsley, 1878, <i>Bull. Essex Inst.</i> , 10 : 64 (type genus: <i>Pontonia</i> Latreille, 1829) (Crustacea, Decapoda). Direction 41	available
PONTONINAE Kingsley, 1878, <i>Bull. Essex Inst.</i> , 10 : 64 (type genus: <i>Pontonia</i> Latreille, 1829) (an incorrect original spelling for PONTONIINAE Kingsley, 1878). Direction 41	index
<i>Pontoniopsis</i> Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 207 (gender: feminine) (type species, by monotypy: <i>Pontoniopsis comanthi</i> Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8) 15 : 213) (Crustacea, Decapoda). Op. 559	available
<i>Pontophilus</i> Leach, [1817], <i>Malac. Podophth. Brit.</i> (15): expl. of pl. 37A (gender: masculine) (type species, by monotypy: <i>Crangon spinosus</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 346) (Crustacea, Decapoda). Op. 522	available
<i>populi, Chrysomela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 370 (specific name of the type species of <i>Chrysomela</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1279	available
<i>populi, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 476 (specific name of the type species of <i>Limenitis</i> Fabricius, 1807) (Insecta, Lepidoptera). Op. 278	available
<i>populi, Pharalis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 218 (a nomen nudum). Op. 646	index
<i>Porcellana</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Porcellana</i> Bruguière, 1792, <i>Ency. méth.</i> , 1 (2): 545 (a nomen nudum; not published for use in zoological nomenclature). Op. 701	index
<i>Porcellana</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 153 (gender: feminine) (type species, by monotypy: <i>Cancer platycheles</i> Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 6) (Crustacea, Decapoda). Op. 701	available
<i>Porcellana</i> Linck, 1783, <i>Index. Mus. Linck.</i> , 1 : 140 (a name included in a work in which the author did not apply the principles of binomial nomenclature). Op. 701	index
<i>Porcellana</i> Meuschen, 1787, <i>Mus. Geversianum</i> : 398 (not a name published in the nominative singular). Op. 701	index
<i>Porcellana</i> Statius Müller, 1766, <i>Deliciae Naturae</i> , 1 : 129 (a name included in a work in which the author did not apply the principles of binomial nomenclature). Op. 701	index
PORCELLANIDAE Haworth, 1825, <i>Phil. Mag.</i> , 65 : 108 (type genus: <i>Porcellana</i> Lamarck, 1801) (Crustacea, Decapoda). Op. 701	available
<i>porcelli, Pediculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 611 (a nomen nudum). Op. 342	index

<i>porcelli</i> , <i>Pediculus</i> , Schrank, 1781, <i>Enum. Ins. Austr. indig.</i> : 500, pl. 1, fig. 1, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (Nat. Hist.) Entomol.</i> , 3 (6): 254) and figured in 1955 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 10 : 290, fig. 1) (valid name at the date of Opinion 342 of the type species of <i>Gliricola</i> Mjöberg, Jan. 1910) (Insecta, Mallophaga). Op. 342	available
<i>Porcellio</i> Latreille, [1803-1804], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 7 : 39, 45 (gender: masculine) (type species, by original designation: <i>Porcellio scaber</i> Latreille, [1803-1804], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 7 : 45) (Crustacea, Isopoda). Op. 104, Direction 66	available
<i>porcellus</i> , <i>Ptochus</i> , Boheman in Schönherr, 1834, <i>Genera et species Curculionidum cum synonymia hujus familiae</i> , vol. 2, part 1, p. 483 (specific name of the type species of <i>Ptochus</i> Schönherr, 1826) (Insecta, Coleoptera). Op. 1616	available
<i>Porcinolus</i> Mulsant & Rey, 1869, <i>Histoire naturelle des coléoptères de France</i> , part 2, Piluliformes, p. 94 (gender: masculine) (type species, by subsequent designation by Mroczkowski, 1984, <i>Bulletin of Zoological Nomenclature</i> , 41 : 114: <i>Byrrhus murinus</i> Fabricius, 1794) (Insecta, Coleoptera). Op. 1396	available
<i>Porcus</i> Etienne Geoffroy Saint-Hilaire, 1808, <i>Description de l'Egypte, ... Histoire Naturelle, Planches</i> , vol. 1, pl. 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Siluriformes). Op. 1402	index
<i>porcus</i> , <i>Scorpaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 266 (specific name of the type species of <i>Scorpaena</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Porella</i> Gray, 1848, <i>List Brit. Anim.</i> , 1 : 127 (gender: feminine) (type species, by designation under the plenary power: <i>Millepora compressa</i> Sowerby, 1805, <i>Brit. Miscell.</i> , 1 : 83) (Bryozoa). Op. 967	available
<i>Pori</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 14 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Porina</i> Walker, 1856, <i>List lep. Ins. Brit. Mus.</i> (7): 1573 (a junior homonym of <i>Porina</i> d'Orbigny, 1852). Op. 267	index
<i>Porites</i> Cuvier, 1798, <i>Tableau élémentaire de l'histoire naturelle des animaux</i> , p. 678, and all uses of the name <i>Porites</i> before the publication of <i>Porites</i> Link, 1807 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Anthozoa). Op. 2061	index
<i>Porites</i> Link, 1807, <i>Beschreibung der Naturalien-Sammlung der Universität zu Rostock</i> , part 3, p. 163 (gender: masculine) (type species, by absolute tautomy: <i>Madrepora porites</i> Pallas, 1766) (Anthozoa). Op. 2061	available
<i>porites</i> , <i>Madrepora</i> , Pallas, 1766, <i>Elenchus zoophytorum sistens generum ... 28</i> , p. 324, as defined by the lectotype designated by Vaughan, 1901, <i>Bulletin of the United States Fish Commission</i> , 20 (2) (for 1900): 315 (specific name of the type species of <i>Porites</i> Link, 1807) (Anthozoa). Op. 2061	available
PORITIDAE Gray, 1842, <i>Synopsis of the contents of the British Museum</i> , Ed. 44, p. 135 (type genus: <i>Porites</i> Link, 1807) (Anthozoa). Op. 2061	available

<i>Porpites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 137 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Porrhocampyle</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 576 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Porrhodontion</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 559 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>porrima</i> , <i>Papilio</i> , [Hübner, 1790-1793], <i>Lep. linn.</i> : 6 (included in a work rejected for nomenclatural purposes). Op. 975	index
<i>Portellaria</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 137 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>portentosa</i> , <i>Acheta</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 85, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Orthoptera). Op. 1820	available
<i>Portlandia</i> Mörch, 1857, in Rink, <i>Grönl. geogr. statistisk beskrevet</i> , 2 (4): 93 (gender: feminine) (type species, by designation under the plenary power: <i>Nucula arctica</i> Gray, 1824, <i>Suppl. App. Parry's Voy. N.W. Passage</i> : 241) (Bivalvia). Op. 769	available
<i>portoricensis</i> , <i>Siphonophora</i> , Brandt, 1837, <i>Bull. Sci. Acad. imp. Sci. St. Pétersbourg</i> , 1 : 178, 179 (specific name of the type species of <i>Siphonophora</i> Brandt, 1837) (Diplopoda). Op. 1212	available
<i>Portumnus</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 391, 429, 430 (gender: masculine) (type species, by monotypy and through Opinion 73 and Article 67e (1961 Code): <i>Cancer latipes</i> Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 3) (Crustacea, Decapoda). Op. 73 PORTUNIDAE (correction by Samouelle, 1819 (<i>Entomol. useful Compendium</i> : 83) of PORTUNIDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 97 (type genus: <i>Portunus</i> Weber, 1795) (Crustacea, Decapoda). Op. 394	available
PORTUNIDIA Rafinesque, 1815, <i>Analyse Nature</i> : 97 (type genus: <i>Portunus</i> Weber, 1795) (an incorrect original spelling for PORTUNIDAE Rafinesque, 1815). Op. 394	index
<i>portunoides</i> , <i>Cancer</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 20 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>Portunus</i> Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 325, 363 (a junior homonym and a junior objective synonym of <i>Portunus</i> Weber, 1795). Op. 394	index
<i>Portunus</i> Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 93 (gender: masculine) (type species, by designation by Rathbun, 1926 (<i>Bull. U.S. nat. Mus.</i> , 138 : 75): <i>Cancer pelagicus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626) (Crustacea, Decapoda). Op. 394	available

<i>Poros</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 44 (included in a work rejected for nomenclatural purposes). Op. 592	index
Porzana Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 61 (gender: feminine) (type species, by monotypy: Rallus porzana Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 262) (Aves). Op. 67 porzana , Rallus , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 262 (specific name of the type species of Porzana Vieillot, 1816) (Aves). Direction 43	available
<i>Postemma</i> Dufour, 1834, <i>Ann. Soc. Entomol. France</i> , 3 : 350 (an unjustified emendation of Prostemma Laporte, [1832]). Direction 63	index
posticata , Phalaena , Fabricius, 1794, <i>Entomol. syst.</i> , 3 (2): 196, ruled under the plenary power not to be given priority over the specific name <i>capitata</i> Herrich-Schäffer, 1839, as published in the binomen Larentia capitata , whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1361	available
posticatum , Simulia , Meigen, 1838, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insecten</i> , vol. 7 (suppl. vol.), p. 52 (Insecta, Diptera). Op. 1508	available
POTAMIDAE (correction of POTAMONIDAE) Ortmann, 1896, <i>Zool. Jahrb. (Syst.)</i> , 9 : 445 (type genus: Potamon Savigny, 1816) under the plenary power to be given precedence over the family-group names PSEUDOTHELPHUSINAE Ortmann, 1893, THELPHUSIDAE MacLeay, 1838 and TRICHODACTYLINAE Milne Edwards, 1853 by those who consider Potamon Savigny, 1816, Pseudothelphusa De Saussure, 1857, Thelphusa Latreille, 1819 and/or Trichodactylus Latreille, [1828] to belong to the same family-group taxon (Crustacea, Decapoda). Op. 712	available
<i>Potamilus</i> Rafinesque, 1818, <i>American Monthly Magazine and Critical Revue</i> , 3 : 355 (gender: masculine) (type species, by subsequent designation by Morrison, 1969, <i>Annual Reports of the American Malacological Union</i> , 1969 : 24: Unio alatus Say, 1817) (Bivalvia). Op. 1665	available
potamios , Cancer , Olivier, 1803-1804, <i>Voyage Empire Othoman</i> , 4 : 240 (valid name at the date of Opinion 712 of the type species of Potamon Savigny, 1816) (Crustacea, Decapoda). Op. 712	available
<i>Potamis</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Potamis</i> Hübner, [1807], <i>Samm. exot. Schmett.</i> , 1 : pl. [79] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 4	index
POTAMOBIIDAE Stebbing, 1893, <i>Hist. Crust.</i> : 206 (type genus: <i>Potamobius</i> Samouelle, 1819) (a junior objective synonym of ASTACIDAE (correction of ASTACINI) Latreille, [1802], the respective type genera of the two families having the same nominal species as type species). Direction 12	index
<i>Potamobius</i> Samouelle, 1819, <i>Entomol. useful Compendium</i> : 95 (a junior objective synonym of <i>Astacus</i> Fabricius, 1775). Direction 12	index

<i>Potamocarcinus</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3)20: 208 (gender: masculine) (type species, by monotypy: <i>Potamocarcinus armatus</i> Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3)20: 208) (Crustacea, Decapoda). Op. 73 <i>potamogeti</i> , <i>Pephredo</i> , Rafinesque, 1817, <i>Amer. mon. Mag. crit. Review</i> , 2: 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1133	available
<i>Potamolithus</i> Pilsbry & Rush, 1896, <i>The Nautilus</i> , 10(7): 80 (gender: masculine) (type species, by subsequent designation by Clench, 1948, <i>The Nautilus</i> , 61(3): 105: <i>Paludina lapidum</i> d'Orbigny, 1835) (Gastropoda). Op. 1779	available
<i>Potamon</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 1: 107 (gender: neuter) (type species, by monotypy: <i>Potamon fluviatile</i> Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 1: 107, valid name: <i>Cancer potamios</i> Olivier, 1803-1804) (Crustacea, Decapoda). Op. 712	available
<i>Potamonautes</i> MacLeay, 1838, in Smith, <i>Ill. Zool. S. Africa</i> , Invert.: 64 (gender: masculine) (type species, by monotypy: <i>Thelpheusa</i> [sic] <i>perlata</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 13) (Crustacea, Decapoda). Op. 73 <i>praealtus</i> , <i>Cyclodomorphus</i> , Osborne, 1994, in Green, K. & Osborne, W., <i>Wildlife of the Australian Snow- Country</i> , p. 104 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Reptilia, Squamata). Op. 1884	available
<i>praealtus</i> , <i>Cyclodomorphus</i> , Shea, 1995, <i>Records of the Australian Museum</i> , 47(1): 105 (Reptilia, Squamata). Op. 1884	available
<i>Praeanthropus</i> Senyürek, 1955, <i>Belleten</i> (Ankara), 19: 33 (gender: masculine) (type species, by monotypy: <i>Meganthropus africanus</i> Weinert, 1950, a suppressed senior subjective synonym of <i>Australopithecus afarensis</i> Johanson, 1978) (Mammalia, Primates). Op. 1941	available
<i>praeceps</i> , <i>Tetragonosaurus</i> , Parks, 1931, <i>Univ. Toronto Stud. (Geol. Ser.)</i> , 31: 1-11, pls. 1-3 (specific name of the type species of <i>Procheneosaurus</i> Matthew, 1920) (Reptilia). Direction 1	available
<i>praecox</i> , <i>Haemamoeba</i> , Grassi & Feletti, 1890, <i>Arch. ital. Biol.</i> , 13(2): 300 (not applicable to the Malignant Tertian Malaria Parasite, but available for the avian parasite on which the description by the original authors was based). Op. 283	index
<i>praecursor</i> , <i>Peltura</i> , Westergaard, 1909, <i>Lunds Univ. Arssk. (n.s.)</i> (Afd. 2), 5 (No. 3): 48 (specific name of the type species of <i>Protopeltura</i> Brögger, 1882) (Trilobita). Op. 499	available
<i>praecornata</i> , <i>Dendrophis</i> , Schlegel, 1837, <i>Essai sur la physionomie des Serpens</i> , vol. 1, p. 157, vol. 2, p. 236 (specific name of the type species of <i>Dromophis</i> Peters, 1869) (Reptilia, Serpentes). Op. 1384	available
<i>Praeradiolites</i> Douvillé, 1902, <i>Bull. géol. Soc. Fr.</i> , (4)2: 469 (gender: masculine) (type species, by original designation: <i>Radiolites fleuriausi</i> d'Orbigny, 1842, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2)17: 181) (Bivalvia). Op. 856	available
<i>prasina</i> , <i>Jassus</i> [sic], Boheman, 1852, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 1851: 122 (specific name of the type species of <i>Macropsis</i> Lewis, 1834) (Insecta, Hemiptera). Op. 603	available

<i>pratensis</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 448 (specific name of the type species of <i>Lygus</i> Hahn, 1833) (Insecta, Hemiptera). Op. 667	available
<i>prattii</i> , <i>Orbitolites</i> , Michelin, 1847, <i>Iconographie zoophytologique</i> , p. 278 (specific name of the type species of <i>Discocyclina</i> Gümbel, 1870) (Foraminiferida). Op. 1537	available
<i>Precuthona</i> Odhner, 1929, <i>Tromsö Mus. Årsh.</i> , 50 (1): 16 (gender: feminine) (type species, by monotypy: <i>Eolis peachii</i> Alder & Hancock, 1848, <i>Ann. Mag. nat. Hist.</i> , (2) 1 : 191) (Gastropoda). Op. 783	available
PRESBYTINAE Gray, 1825 (as PRESBYTINA), <i>Ann. Philos.</i> , 26 (series 2, 10): 338 (type genus: <i>Presbytis</i> Eschscholtz, 1821) not to be used at a given rank in the family-group whenever <i>Colobus</i> Illiger, 1811 and <i>Presbytis</i> Eschscholtz, 1821 are considered to belong to the same taxon at that rank (Mammalia). Op. 1202	available
<i>Presbytis</i> Eschscholtz, 1821, <i>in</i> Kotzebue, <i>Entdeckungsreise in die Sud-See und nach den Berings-Strasse zur Erforschung einer nordostlichen Durchfahrt unternommen in der Jahren 1815-1818</i> (Weimar, Gebrüder Hoffmann), 3 : 196 (gender: feminine) (type species, by monotypy: <i>Presbytis mitrata</i> Eschscholtz, 1821, <i>in</i> Kotzebue, <i>Entdeckungsreise in die Sud-See und nach den Berings-Strasse zur Erforschung einer nordostlichen Durchfahrt unternommen in den Jahren 1815-1818</i> (Weimar, Gebrüder Hoffmann), 3 : 196) (Mammalia). Op. 1202	available
<i>presidionis</i> , <i>Poecilia</i> , Jordan & Culver, 1895, <i>Proc. Calif. Acad. Sci.</i> , (2) 5 : 413 (specific name of the type species of <i>Poeciliopsis</i> Regan, 1913) (Osteichthyes). Op. 375	available
<i>priamus</i> , <i>Helix</i> , Gmelin, 1791, <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3654, correction under Article 32c of <i>priapus</i> (specific name of the type species of <i>Ampulla</i> [Röding], 1798) (Gastropoda). Op. 986	available
<i>Priapulus</i> Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , 3 : 77 (gender: masculine) (type species, by monotypy: <i>Priapulus caudatus</i> Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , 3 : 77) (Priapulida). Op. 1013	available
<i>Priapus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 656 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1295	index
<i>priapus</i> , <i>Holothuria</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1091 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1013	index
<i>primaevus</i> , <i>Cuon</i> , Hodgson, 1838, <i>Ann. nat. Hist.</i> , 1 : 152 (specific name of the type species of <i>Cuon</i> Hodgson, 1838) (Mammalia). Op. 384	available
<i>primaevus</i> , <i>Teleosteus</i> , Volger, 1860, <i>Ber. Offenbach. Ver. Naturk.</i> , 1 : 37 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 223	index
<i>primigenius</i> , <i>Bos</i> , Bojanus, 1827, <i>Nova Acta Physico-Medica Academiae Caesareae Leopoldino Carolinae</i> , 13 (2): 477, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available

<i>primigenius</i> , <i>Elephas</i> , Blumenbach, 1799, <i>Handbuch der Naturgeschichte</i> , Ed. 6, p. 697, as defined by the neotype designated by Garutt, Gentry & Lister, 1990, <i>Bulletin of Zoological Nomenclature</i> , 47 : 41 (specific name of the type species of <i>Mammuthus</i> Brookes, 1828) (Mammalia, Proboscidea). Op. 1661	available
<i>primus</i> , <i>Epiphryxus</i> , Shiino, 1934, <i>Mem. Coll. Sci. Kyoto imp. Univ.</i> , (B) 9 : 281-283 (specific name of the type species of <i>Cataphryxus</i> Shiino, 1936) (Crustacea, Isopoda). Op. 1242	available
<i>Princeps</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Princeps</i> Hübner, [1807], <i>Sammel. exot. Schmett.</i> , 1 : pl. [116] (gender: masculine) (type species, by designation under the plenary power: <i>Papilio demodocus</i> Esper, [1798], <i>Ausl. Schmett.</i> (14): 205, pl. 51, fig. 1) for use by those who consider that the type species of this genus is not congeneric with <i>Papilio machaon</i> Linnaeus, 1758, the type species of <i>Papilio</i> Linnaeus, 1758 (Insecta, Lepidoptera). Direction 2	available
<i>princeps</i> , <i>Borelis</i> , Ehrenberg, 1842, <i>Ber. Bekannt. geeignet. Verh. K.-preuss. Acad. Wiss.</i> , Berlin, 1842 : 274 (specific name of the type species of <i>Schwagerina</i> von Möller, 1877) (Rhizopoda). Op. 213	available
<i>princeps</i> , <i>Pleuromma</i> , Scott, 1894, <i>Transactions of the Linnean Society of London</i> , Zoological Series, 6 : 42, ruled under the plenary power not to be invalid by reason of its having been rejected before 1961 as a former secondary homonym of <i>Metridia princeps</i> Giesbrecht, 1889 (specific name of the type species of <i>Gaussia</i> Wolfenden, 1905) (Copepoda). Op. 1590	available
<i>princeps</i> , <i>Schlotheimia</i> , Buckman, 1923, <i>Type Ammonites</i> , 4 : pl. 395 (Cephalopoda). Op. 323	available
<i>Priobium</i> Motschulsky, 1845, <i>Bull. Soc. imp. Nat. Moscou</i> , 18 : 45 (gender: neuter) (type species, by designation under the plenary power: <i>Anobium carpini</i> Herbst, 1793, in Jablonsky, <i>Natursystem aller bekannten ... Insekten ...</i> , Der Käfer (5): 58) (Insecta, Coleoptera). Op. 1062	available
<i>priodon</i> , <i>Lomatoceras</i> , Bronn, 1834, <i>Lethaea geogn.</i> , 1 (1): 56 (specific name of the type species of <i>Monograptus</i> (emendation of <i>Monograpsus</i>) Geinitz, 1852) (Graptolithina). Op. 198	available
<i>Prionace</i> Cantor, 1850, <i>J. asiat. Soc. Bengal</i> , 18 (2): 1381 (gender: feminine) (type species, by designation under the plenary power: <i>Squalus glaucus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 235) (Chondrichthyes). Op. 723	available
<i>Prionocrangon</i> Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 361 (gender: feminine) (type species, by monotypy: <i>Prionocrangon ommatosteres</i> Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 8 : 362) (Crustacea, Decapoda). Op. 470	available
<i>Prionodon</i> Müller & Henle, [1839], <i>Syst. Beschr. Plagiost.</i> : 35 (a junior homonym of <i>Prionodon</i> Horsfield, 1822). Op. 723	index
<i>Prionoplax</i> Milne Edwards, 1852, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 18 : 162 (gender: feminine) (type species, by monotypy: <i>Prionoplax spinicarpus</i> Milne Edwards, 1852, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 18 : 163) (Crustacea, Decapoda). Op. 85, Direction 37	available

<i>Prionorhynchotus</i> Tilesius von Tilenu, 1818, <i>Ann. Wetterau. Ges. Naturk.</i> , 4 : 6 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
<i>Prionus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 198 (gender: masculine) (type species, by designation under the plenary power: <i>Cerambyx coriarius</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>priscus, Bubalis</i> , Broom, 1909, <i>Annals of the South African Museum</i> , 7 : 279 (senior subjective synonym of <i>Megalotragus eocornutus</i> Van Hoepen, 1932, the type species of <i>Megalotragus</i> Van Hoepen, 1932) (Mammalia). Op. 2029	available
<i>priscus, Haplocanthus</i> , Hatcher, 1903, <i>Proceedings of the Biological Society of Washington</i> , 16 : 1 (specific name of the type species of <i>Haplocanthosaurus</i> Hatcher, 1903) (Reptilia, Saurischia). Op. 1633	available
<i>priscus, Rhabdodon</i> , Matheron, 1869, <i>Bulletin de la Société Géologique de France</i> , (2) 26 : 795, termination corrected from <i>priscum</i> (specific name of the type species of <i>Rhabdodon</i> Matheron, 1869) (Reptilia, Ornithischia). Op. 1483	available
<i>pristis, Prionotus</i> , Hisinger, 1837, <i>Lethaea svec.</i> , suppl.: 114 (specific name of the type species of <i>Diplograptus</i> McCoy, 1850) (Graptolithina). Op. 650	available
<i>prittwitzi, Apaustus</i> , Plötz, 1884, <i>Entomol. Ztg.</i> , Stettin, 45 : 165 (specific name of the type species of <i>Adopaeoides</i> Godman, [1900]) (Insecta, Lepidoptera). Op. 825	available
<i>Proagoderus</i> Lansberge, 1883, <i>Notes from the Leyden Museum</i> , 5 : 15 (gender: masculine) (type species, by monotypy: <i>Onthophagus (Proagoderus) ritsemae</i> Lansberge, 1883) (Insecta, Coleoptera). Op. 1708	available
<i>proava, Apis</i> , Menge, 1856, <i>Lebenszeichen vorweltlicher, im Bernstein eingeschlossener Thiere</i> , p. 26, as defined by the neotype (specimen no. BMNH In.18757 in the Palaeontology Department, the Natural History Museum, London) designated under the plenary power (Insecta, Hymenoptera). Op. 1964	available
<i>problematicus, Griphosaurus</i> , Woodward, 1862, <i>Intell. Observ.</i> , 2 : 317, plate (a junior objective synonym of <i>lithographica, Archaeopteryx</i> , von Meyer, 1861). Op. 607	index
<i>proboscidea, Rhinostoma (Rhinaspis)</i> , Fitzinger, 1843, <i>Syst. Rept.</i> : 26 (a nomen nudum). Op. 698	index
<i>proboscidea, Rhinostoma</i> , Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 56 (a nomen nudum). Op. 698	index
<i>Procambarus</i> Ortmann, 1905, <i>Ann. Carnegie Mus.</i> , 3 (3): 435, 437 (gender: masculine) (type species, by designation by Fowler, 1912 (<i>Ann. Rep. New Jersey State Mus.</i> , 1911 : 340): <i>Cambarus digueti</i> Bouvier, 1897, <i>Bull. Mus. Hist. nat.</i> , Paris, 3 : 227) (Crustacea, Decapoda). Op. 519	available
<i>Procas</i> Stephens, 1831, <i>Illustrations of British entomology ... Mandibulata</i> , vol. 4, p. 90 (gender: masculine) (type species, by subsequent designation by Westwood, 1838, <i>Synopsis of the genera of British insects</i> , [Appended to] <i>An introduction to the modern classification of insects</i> , vol. 2, p. 36: <i>Curculio picipes</i> Marsham, 1802) (Insecta, Coleoptera). Op. 2116	available

<i>procera</i> , <i>Termopsis</i> , Heer, 1849, <i>Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens Zweiter Theil: Heuschrecken, Florfliegen, Aderflügler, Schmetterlinge und Fliegen</i> , p. 23 (specific name of the type species of <i>Miotermes</i> Rosen, 1913) (Insecta, Isoptera). Op. 2124	available
<i>Procerites</i> Siemiradzki, 1898, <i>Palaeontographica</i> , 54 : 78, 303 (gender: masculine) (type species, by designation under the plenary power: <i>Procerites schloenbachi</i> de Grossouvre, 1907, <i>Vie Congrès Assoc. Franc-Comtoise</i> (Vesoul, 1906): 8) (Cephalopoda). Op. 301	available
<i>Procervulus</i> Gaudry, 1877, <i>Les enchaînements du monde animal dans les temps géologiques. Mammifères tertiaires</i> , p. 88; <i>La Revue Scientifique de la France et de l'Étranger</i> , (2) 13 (24): 555 (gender: masculine) (type species, by designation under the plenary power: <i>Antelope dichotoma</i> Gervais, 1849) (Mammalia, Artiodactyla). Op. 1791	available
<i>Processa</i> Leach, [1815], <i>Malac. podophth. Brit.</i> (4): expl. pl. 41 (gender: feminine) (type species, by monotypy: <i>Processa canaliculata</i> Leach, [1815], <i>Malac. podophth. Brit.</i> (4): expl. pl. 41) (Crustacea, Decapoda). Op. 434	available
PROCESSIDAE Ortmann, 1896, <i>Zool. Jahrb.</i> , Jena (Syst.), 9 : 415, 424 (type genus: <i>Processa</i> Leach, [1815]) (Crustacea, Decapoda). Op. 434	available
<i>Procheneosaurus</i> Matthew, 1920, <i>Nat. Hist.</i> , 20 (5): 542 (gender: masculine) (type species, by monotypy through Lull & Wright, 1942 (<i>Spec. Pap. Geol. Soc. Amer.</i> , 40 : 178); <i>Tetragonosaurus praeceps</i> Parks, 1931, <i>Univ. Toronto Stud. (Geol. Ser.)</i> , 31 : 1-11, pls. 1-3) (Reptilia). Op. 193	available
PROCHILODINAE Eigenmann, 1910, <i>Rep. Princeton Univ. Exped. Patag.</i> , 3 (4): 424 (type genus: <i>Prochilodus</i> Agassiz, 1829) (Osteichthyes). Op. 772	available
<i>Prochilodus</i> Agassiz, 1829, <i>Sel. Gen. Spec. Pisc. Brasil.</i> : 62 (gender: masculine) (type species, by designation by Eigenmann, 1910 (<i>Rep. Princeton Univ. Exped. Patag.</i> , 3 (4): 424); <i>Prochilodus argenteus</i> Agassiz, 1829, <i>Sel. Gen. Spec. Pisc. Brasil.</i> : 63, pl. 38) (Osteichthyes). Op. 772	available
<i>Procoptodon</i> Owen, 1874, <i>Philosophical Transactions of the Royal Society of London</i> , 164 : 786 (gender: masculine) (type species, by original designation: <i>Macropus goliah</i> Owen in Waterhouse, 1846) (Mammalia). Op. 1993	available
<i>Proctotrupes</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 108 (gender: masculine) (type species, by designation under the plenary power: <i>Proctotrupes brevipennis</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 309) (Insecta, Hymenoptera). Op. 178	available
<i>Procyon</i> Storr, 1780, <i>Prodr. Meth. Mamm.</i> : 35, tab. A (gender: masculine) (type species, by designation by Elliot, 1901 (<i>Field Mus. Publ. (Zool.)</i> , 2 : 317); <i>Ursus lotor</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 48) (Mammalia). Op. 91, Direction	
<i>Prodorylaimus</i> Andrassy, 1959, <i>Acta zool. Acad. Sci. Hungaricae</i> , 5 : 196 (gender: masculine) (type species, by designation under the plenary power: <i>Prodorylaimus longicaudatoides</i> Altherr, 1968, <i>Limnol.</i> , 6 (2): 270) (Nematoda). Op. 1330	available

<i>producta</i> , <i>Achatinella</i> , Reeve, 1850, <i>Achatinella</i> . Monograph of the genus. <i>Conchologia Iconica</i> , vol. 6, pl. 2, sp. 13 (specific name of the type species of <i>Achatinellastrum</i> Pfeiffer, 1854) (Gastropoda). Op. 2017	available
<i>Productella</i> Hall, 1867, <i>20th Rept. N.Y. State Cabinet</i> , Appendix I: 153, 250 (gender: feminine) (type species, by designation by Oehlert, 1887 (<i>Appendice Brachiopodes, in Fischer, Manuel Conchyl.</i> , fasc. 11: 1279): <i>Productus subaculeatus</i> Murchison, 1840, <i>Bull. Soc. géol. France</i> , 11 : 255) (Brachiopoda). Op. 625	available
PRODUCTELLINAE Schuchert & LeVene, 1929, <i>Fossilium Catalogus</i> , 1 (42), Brach.: 17 (type genus: <i>Productella</i> Hall, 1867) (Brachiopoda). Op. 625	available
PRODUCTIDAE Gray, 1840, <i>Syn. Contents Brit. Mus.</i> (ed. 42): 143, 151 (type genus: <i>Productus</i> Sowerby, 1814) (Brachiopoda). Direction 62	available
<i>Productus</i> Sowerby, 1814, <i>Min. Conch.</i> , 1 : 153 (gender: masculine) (type species, by absolute tautonymy: <i>Conchyliolithus Anomites productus</i> Martin, 1809, <i>Petrif. derb.</i> : sign. K[2], pl. 22, figs. 1-3, as conserved under the plenary power and as interpreted by reference to the holotype preserved in the British Museum (Natural History) and refigured by Muir-Wood, 1956 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 14 (3): 120, pl. 1, figs. 1-3)) (Brachiopoda). Op. 419	available
<i>productus</i> , <i>Apus</i> , Bosc, [1801-1802], in Castel's Buffon, <i>Hist. nat. Crust.</i> , 2 : 244 (a junior objective synonym of <i>apus</i> , <i>Monoculus</i> , Linnaeus, 1758). Op. 502	index
<i>productus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. K[2], pl. 22, figs. 1-3, to be interpreted by reference to the holotype refigured by Muir-Wood, 1956 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 14 : pl. 1, figs. 1- 3) (conserved under the plenary power) (specific name of the type species of <i>Productus</i> Sowerby, 1814) (Brachiopoda). Op. 419	available
<i>Proechimys</i> Allen, 1899, <i>Bulletin of the American Museum of Natural History</i> , 12 : 264 (gender: masculine) (type species, by original designation: <i>Echimys trinitatis</i> Allen & Chapman, 1893) (Mammalia). Op. 1984	available
<i>Proelectrotermes</i> von Rosen, 1913, <i>Transactions of the Second International Congress of Entomology</i> , Oxford 1912, 2 : 331 (gender: masculine) (type species, by original designation and monotypy: <i>Termes berendtii</i> Pictet, 1856) (Insecta, Isoptera). Op. 2007	available
<i>proficua</i> , <i>Tellina</i> , Pulteney, 1799, <i>Catalogues of Birds, Shells and more rare Plants of Dorsetshire</i> (London): 29 (valid name at the date of Opinion 1141 of the type species of <i>Semele</i> Schumacher, 1817) (Bivalvia). Op. 1141	available
<i>proglottina</i> , <i>Taenia</i> , Davaine, 1860, <i>Traité Entoz.</i> (ed. 1): xxxix-xl, figs. 5, 13 (specific name of the type species of <i>Davainea</i> Blanchard & Railliet, 1891) (Cestoda). Direction 77	available
<i>progracile</i> , <i>Rhabdomeson</i> , Wyse Jackson & Bancroft, 1995, <i>Journal of Paleontology</i> , 69 : 30 (specific name of the type species of <i>Rhabdomeson</i> Young & Young, 1874) (Bryozoa). Op. 1854	available
<i>Prohysterooceras</i> Spath, 1921, <i>Ann. South African Mus.</i> , 12 : 286 (gender: neuter) (type species, by designation under the plenary power: <i>Prohysterooceras wordiei</i> Spath, 1922, <i>Trans. r. Soc. Edinburgh</i> , 53 : 143) (Cephalopoda). Op. 1254	available

<i>projecta</i> , <i>Cercaria</i> , Willey, 1930, <i>Parasitology</i> , 22 : 481 (Digenea). Op. 2170	available
<i>Promecodes</i> Balfour-Browne, 1960, <i>Entomologist</i> , 93 : 240 (gender: masculine) (type species, by original designation: <i>Promecops leucothyreus</i> Fåhraeus, 1840, in Schoenherr, <i>Gen. Spec. Cerc.</i> , 6 (1): 328) (Insecta, Coleoptera). Op. 605	available
<i>Promecopsis</i> Champion, 1911, in Godman & Salvin, <i>Biologia centr.-amer.</i> , Zool., Coleopt., 4 (3): 312 (a junior homonym of <i>Promecopsis</i> Duméril, 1806). Op. 605	index
<i>Promecopsis</i> Duméril, 1806, <i>Zool. analyt.</i> : 167 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 605	index
<i>prominens</i> , <i>Lampides</i> , Moore, 1877, <i>Annals and Magazine of Natural History</i> , (4) 20 : 341 (specific name of the type species of <i>Nacaduba</i> Moore, [1881]) (Insecta, Lepidoptera). Op. 1773	available
<i>pronuba</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 512 (specific name of the type species of <i>Noctua</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>propensalata</i> , <i>Pontocaris</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 496 (specific name of the type species of <i>Pontocaris</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>Prophalangopsis</i> Walker, [1871], <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 5 , Suppl. Dermapt. Salt.: 116 (gender: feminine) (type species, by monotypy: <i>Tarraga obscura</i> Walker, 1869, <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 1 : 100) (Insecta, Orthoptera). Op. 149	available
<i>Prophyla</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>propinqua</i> , <i>Corisa</i> , Fieber, 1860, <i>Die Europäischen Hemiptera</i> , part 1, p. 99, as defined by the neotype designated by Jansson, 1986, <i>Acta Entomologica Fennica</i> , 47 : 26 (Insecta, Heteroptera). Op. 1937	available
<i>propinquus</i> , <i>Philonthus</i> , Cameron, 1933, <i>Tijdschrift voor Entomologie</i> , 76 : 389, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. propinquus</i> Sharp, 1876 (Insecta, Coleoptera). Op. 2053	available
<i>propinquus</i> , <i>Philonthus</i> , Sharp, 1876, <i>Transactions of the Entomological Society of London</i> , 1876 : 176 (Insecta, Coleoptera). Op. 2053	available
<i>Proptera</i> Rafinesque, 1819, <i>Journal de Physique, de Chimie, d'Histoire Naturelle</i> , 88 : 420 (a junior objective synonym of <i>Potamilus</i> Rafinesque, 1818, by designation of <i>Unio alatus</i> Say, 1817 as type species by Herrmannsen, 1847, <i>Indices generum malacozoorum primordia</i> , vol. 2, p. 41) (Bivalvia). Op. 1665	index
<i>Propus</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 287 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>propython</i> , <i>Clidastes</i> , Cope, 1869, <i>Proceedings of the Boston Society of Natural History</i> , 12 : 258 (specific name of the type species of <i>Clidastes</i> Cope, 1868) (Reptilia, Sauria). Op. 1750	available

<i>proscarabaeus</i> , <i>Meloe</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 430 (specific name of the type species of <i>Meloe</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1918	available
<i>Proscopia</i> Klug, 1820, in Nees von Esenbeck, <i>Hor. phys. berol.</i> : 17 (gender: feminine) (type species, by designation by Guérin-Méneville, 1828 (<i>Dict. Class. Hist. nat.</i> , 14 : 297); <i>Proscopia gigantea</i> Klug, 1820, in Nees von Esenbeck, <i>Hor. phys. berol.</i> : 18) (Insecta, Orthoptera). Op. 149	available
<i>Prositala</i> Germain, 1915, <i>Bulletin du Muséum National d'Histoire Naturelle, Paris</i> , 21 : 283 (gender: feminine) (type species, by original designation: <i>Sitala (Prositala) fernandopoensis</i> Germain, 1915), ruled under the plenary power to be given precedence over the name <i>Massaihelix</i> Germain, 1913 whenever the two are considered to be synonyms (Gastropoda). Op. 2081	available
PROSOPIDIDAE Fallén, 1813, <i>Specimen novam Hymenoptera disponendi methodum exhibens</i> , p. 32 (type genus: <i>Prosopis</i> Fabricius, 1804), ruled under the plenary power that this name and other family-group names based on <i>Prosopis</i> are not to be given priority over COLLETIDAE Lepeletier, 1841 and other family-group names based on <i>Colletes</i> Latreille, 1802 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Prosopis</i> Fabricius, 1804, <i>Systema Piezatorum</i> , p. 293 (gender: feminine) (type species, by subsequent designation by Morice & Durrant, 1915, <i>Transactions of the Entomological Society of London</i> , 1914 : 416- 418; <i>Mellinus bipunctatus</i> Fabricius, 1798) (Insecta, Hymenoptera). Op. 1713	available
<i>Prospaltella</i> Ashmead, 1904, <i>Proc. entomol. Soc. Washington</i> , 6 : 126 (gender: feminine) (type species, by designation under the plenary power: <i>Coccophagus aurantii</i> Howard, 1894, <i>Insect Life</i> , 6 : 231) (Insecta, Hymenoptera). Op. 845	available
<i>Prospatangus</i> Lambert, 1902, <i>Mém. Soc. géol. France</i> (Pal.), 9 (No. 3) (Mém. 24): 55 (a junior objective synonym of <i>Spatangus</i> Gray, 1825). Op. 209	index
<i>Prostemma</i> Laporte, [1832], <i>Essai Class. syst. Hémipt.</i> (Sheet 1): 6, 12 (<i>Mag. Zool.</i> , 2 , Suppl.) (gender: neuter) (type species, by monotypy: <i>Reduvius guttula</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 2 : 314) (Insecta, Hemiptera). Direction 63	available
PROSTEMMATINAE Reuter, 1890 (as PROSTEMMINA), <i>Rev. Entomol. Caen</i> , 9 : 289 (type genus: <i>Prostemma</i> Laporte, [1832]) (Insecta, Hemiptera). Direction 109	available
PROSTEMMINA Reuter, 1890, <i>Rev. Entomol. Caen</i> , 9 : 289 (type genus: <i>Prostemma</i> Laporte, [1832]) (an incorrect original spelling for PROSTEMMATIDAE Reuter, 1890). Direction 109	index
' <i>Prosthète</i> ' Hesse, 1861, <i>Ann. Sci. nat. Paris</i> , (4) 15 : 109, 113 (a vernacular name). Op. 1229	index
<i>Prostremma</i> Kiritshenko, [1909], <i>Rev. russe Entomol.</i> , 8 : 238 (an incorrect subsequent spelling for <i>Prostemma</i> Laporte, [1832]). Direction 63	index
<i>protea</i> , <i>Heterogyna</i> , Nagy, 1969, <i>Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum, Hamburg</i> , no. 64, p. 8 (specific name of the type species of <i>Heterogyna</i> Nagy, 1969) (Insecta, Hymenoptera). Op. 1445	available

<i>Proteinus</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 9 (gender: masculine) (type species, by designation under the plenary power: <i>Dermestes brachypterus</i> Fabricius, 1792, <i>Entomol. syst.</i> , 1 : 235) (Insecta, Coleoptera). Op. 876	available
<i>Proteles</i> Geoffroy Saint-Hilaire, [September] 1824, <i>Bull. Sci. Soc. philomat. Paris</i> , 1824 : 139; <i>id.</i> , [post Sept.] 1824, <i>Mém. Mus. Hist. nat.</i> , Paris, 11 : 355, pl. 20 (gender: masculine) (type species, by original designation: <i>Proteles lalandii</i> Geoffroy Saint-Hilaire, 1824, <i>Bull. Sci. Soc. philomat. Paris</i> , 1824 : 139, valid name: <i>Viverra cristata</i> Sparrman, 1783) (Mammalia). Op. 384	available
PROTELIDAE (correction by Flower, 1869 (<i>Proc. zool. Soc. London</i> , 1869 : 37) of PROTELINA) Geoffroy Saint- Hilaire, 1851, <i>Cat. méth. Coll. Mamm. Ois.</i> (Mus. Hist. nat. Paris): xiv (type genus: <i>Proteles</i> Geoffroy Saint- Hilaire, 1824) (Mammalia). Direction 53	available
PROTELINA Geoffroy Saint-Hilaire, 1851, <i>Cat. méth. Coll. Mamm. Ois.</i> (Mus. Hist. nat. Paris): xiv (type genus: <i>Proteles</i> Geoffroy Saint-Hilaire, 1824) (an incorrect original spelling for PROTELIDAE Geoffroy Saint- Hilaire, 1851). Direction 53	index
<i>Proteocordylus</i> Eichwald, 1831, <i>Zoologia specialis</i> (3): 165 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 869	index
<i>Proteros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Proterythromera</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Proterythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>proteus, Merium</i> , Kirby, 1837, <i>Fauna Boreali Americana, The Insects</i> , part 4, p. 172 (specific name of the type species of <i>Meriellum</i> Linsley, 1957) (Insecta, Coleoptera). Op. 1525	available
<i>Prothechus</i> Rondani, 1856, <i>Dipterol. ital. Prodr.</i> , 1 : 139 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 597	index
PROTHYDRINAE Guignot, 1954, <i>Bull. Ann. Soc. entomol. Belg.</i> , 90 : 45 (type genus: <i>Prothydrus</i> Guignot, 1954) (a junior objective synonym of ENHYDRINI Régimbart, 1882). Op. 710	index
<i>Prothydrus</i> Guignot, 1954, <i>Bull. Ann. Soc. entomol. Belg.</i> , 90 : 45 (a junior objective synonym of <i>Enhydrus</i> Laporte, 1834). Op. 710	index

Protobalantidium Abé, 1927, *Dobutsugaku Zasshi*, **39**(412): 194 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915

index

Protocalliphora Hough, 1899, *Entomological News*, **10**: 65 (gender: feminine) (type species, by original designation: *Musca azurea* Fallén, 1817) (Insecta, Diptera). Op. 1618

available

Protoechinus Austin, 1860, *The Geologist*, **3**: 446 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 371

index

Protogonia Cope, 1881, *Proc. Amer. philos. Soc.*, **19**: 492 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 980

index

Protomomys Teilhard de Chardin, 1927, *Mém. Mus. roy. Hist. nat. Belg.*, **36**: 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 947

index

Protomonon Holmberg, 1917, *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 583 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069

index

Protopeltura Brögger, 1882, *Silur. Etagen 2 und 3 Kristianiagebiet u. Eker*: 105 (gender: feminine) (type species, by designation under the plenary power: *Peltura praecursor*) Westergaard, 1909, *Lunds Univ. Arsb. (n.s.) (Afd. 2)*, **5** (No. 3): 48 (Trilobita). Op. 499

available

Protophormia Townsend, 1908, *Smithsonian Miscellaneous Collections*, no. 1803, **51**(2): 123 (gender: feminine) (type species, by monotypy: *Phormia terraenovae*) Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 1618

available

Protoreaster Döderlein, 1916, *Zool. Jahrb. Syst.*, **40**: 420-424 (gender: masculine) (type species, by original designation: *Asterias nodosa* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 661) (Asteroidea). Op. 707

available

prototypica, Stalioa, Brusina, 1872, *Rad Jugoslavenske Akademije Znanosti i Umjetnosti*, **19**: 144 (specific name of the type species of *Bania* Brusina, 1896) (Gastropoda). Op. 1965

available

Protowarthia Ulrich & Schofield, 1897, *Geological and Natural History Survey of Minnesota* (Final Report), **3**(2): 848 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda, Archaeogastropoda). Op. 1470

index

PROTOWARTHIIDAE Ulrich & Schofield, 1897, *Geological and Natural History Survey of Minnesota* (Final Report), **3**(2): 847 (invalid because the name of the type genus, *Protowarthia* Ulrich & Schofield, 1897, has been suppressed under the plenary power) (Gastropoda, Archaeogastropoda). Op. 1470

index

<i>pruni</i> , <i>Aphis</i> , Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 497, as interpreted by reference to the description published by Réaumur, 1737 (<i>Mém. Hist. Ins.</i> , 3 (Mem. 9): 317) (conserved under the plenary power) (specific name of the type species of <i>Hyalopterus</i> Koch, [1854]) (Insecta, Hemiptera). Op. 397	available
<i>pruni</i> , <i>Aphis</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 138 (a junior primary homonym of <i>pruni</i> , <i>Aphis</i> , Geoffroy, 1762). Op. 397	index
PSALIDOPODIDAE Wood-Mason & Alcock, 1892, <i>Ann. Mag. nat. Hist.</i> , (6) 9 : 265 (type genus: <i>Psalidopus</i> Wood-Mason & Alcock, 1892) (Crustacea, Decapoda). Op. 470	available
<i>Psalidopus</i> Wood-Mason & Alcock, 1892, <i>Ann. Mag. nat. Hist.</i> , (6) 9 : 266 (gender: masculine) (type species, by designation by Holthuis, 1955 (<i>Zool. Verh.</i> , Leiden, 26 : 81); <i>Psalidopus huxleyi</i> Wood-Mason & Alcock, 1892, <i>Ann. Mag. nat. Hist.</i> , (6) 9 : 273) (Crustacea, Decapoda). Op. 470	available
<i>Psammobia</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 511 (gender: feminine) (type species, by designation by Children, 1823 (<i>Quart. J. Sci.</i> , 14 : 304); <i>Tellina fervensis</i> Gmelin, 1791, <i>in Linnaeus, Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3235 (Bivalvia). Op. 910	available
PSAMMOBIIDAE Fleming, 1828, <i>Hist. brit. Anim.</i> : 437 (type genus: <i>Psammobia</i> Lamarck, 1818) (an incorrect original spelling for PSAMMOBIIDAE Fleming, 1828). Op. 910	index
PSAMMOBIIDAE (correction of PSAMMOBIIDAE) Fleming, 1828, <i>Hist. brit. Anim.</i> : 437 (type genus: <i>Psammobia</i> Lamarck, 1818) (Bivalvia). Op. 910	available
<i>Psammochares</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 115 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 2	index
<i>Psammocollus</i> Grube, 1866, <i>Verhandlungen der Kaiserlich-Königlichen zoologisch-botanischen Gesellschaft in Wien</i> , 16 : 178 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Polychaeta). Op. 1636	index
<i>Psammylla</i> Rafinesque, 1817, <i>Amer. mon. Mag. crit. Review</i> , 2 : 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1133	index
<i>Psathyrocaris</i> Wood-Mason & Alcock, 1893, <i>Ann. Mag. nat. Hist.</i> , (6) 11 : 168 (gender: feminine) (type species, by monotypy: <i>Psathyrocaris fragilis</i> Wood-Mason & Alcock, 1893, <i>Ann. Mag. nat. Hist.</i> , (6) 11 : 168) (Crustacea, Decapoda). Op. 470	available
<i>Psednura</i> Burr, 1903, <i>in Wytsman, Genera Insectorum</i> , Fasc. 15, Orthoptera, Fam. Eumastacidae: 22 (gender: feminine) (type species, by designation by Kirby, 1910 (<i>Synonymic Cat. Orthoptera</i> , 3 , Orthoptera Saltatoria, Part 2 Locustidae vel Acrididae: 101); <i>Mesops pedestris</i> Erichson, 1842, <i>Arch. Naturges.</i> , Jahrg. 8, 1 : 250, 251) (Insecta, Orthoptera). Op. 1096	available

<i>pseudes</i> , <i>Cynips</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 554 (valid name at the date of Opinion 694 of the type species of <i>Blastophaga</i> Gravenhorst, 1829) (Insecta, Hymenoptera). Op. 694	available
<i>Psephidonus</i> Gistel, 1856, <i>Die Mysterien der europäischen Insectenwelt ...</i> , p. 29 (gender: masculine) (type species, by monotypy: <i>Geobius kunzei</i> Heer, 1839), ruled under the plenary power not to be given priority over the name <i>Geodromicus</i> Redtenbacher, 1857 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2077	available
<i>Psetites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 147 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pseudamussium</i> Mörch, 1853, <i>Catalogus Conchyliorum</i> (2): 59 (gender: neuter) (type species, by designation under the plenary power: <i>Pecten septemradiatus</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 248) (Bivalvia). Op. 714	available
<i>Pseudancylus</i> Walker, 1921, <i>Nautilus</i> , 35 : 58 (a junior objective synonym of <i>Ancylus</i> Müller, 1774). Op. 363	index
<i>Pseudanisakis</i> Layman & Borovkova, 1926, <i>Rab. parazit. Lab. Mosk. gos. Univ.</i> (1926): 17 (gender: feminine) (type species, by designation under the plenary power: <i>Pseudanisakis tricupola</i> Gibson, 1973, <i>J. nat. Hist.</i> , 7 : 321-334) (Nematoda). Op. 1086	available
<i>Pseudepipona</i> Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 309 (gender: feminine) (type species: <i>Odynerus herrichii</i> Saussure, 1856, <i>Et. Fam. Vespa.</i> , 3 : 309) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Pseuderichthus</i> Brooks, (May) 1886, <i>Johns Hopkins Univ. Circ.</i> , 5 (49): 83 (a junior objective synonym of <i>Pseudosquilla</i> Dana, 1852). Op. 785	index
<i>Pseuderichthus</i> Dames, (post Sept) 1886, <i>Zeitschr. Deutsch. geol. Ges.</i> , 38 : 571 (a junior homonym of <i>Pseuderichthus</i> Brooks, 1886). Op. 785	index
<i>Pseudibacus</i> Guérin-Méneville, 1855, <i>Rev. Mag. Zool.</i> , (2) 7 : 137 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 293	index
<i>Pseudoblanckaartia</i> Fuller & Wharton, 1951, <i>Psyche</i> , 58 (2): 85-88 (gender: feminine) (type species, by monotypy: <i>Pseudoblanckaartia bequaerti</i> Fuller & Wharton, 1951, <i>Psyche</i> , 58 (2): 85-88) (Arachnida). Op. 655	available
<i>pseudobrowniana</i> , <i>Scotia</i> , Kempf, 1971, <i>Eiszeitalter und Gegenwart</i> , 22 : 45 (specific name of the type species of <i>Scotia</i> Brady & Norman, 1889) (Ostracoda). Op. 1836	available
PSEUDOCALANIDAE Sars, 1901, <i>An account of the Crustacea of Norway</i> , vol. 4, p. 19 (type genus: <i>Pseudocalanus</i> Boeck, 1873) (Copepoda). Op. 1503	available
<i>Pseudocalanus</i> Boeck, 1873, <i>Förhandlingar i Videnskabsselskabet i Kristiania</i> , 1872 : 37 (gender: masculine) (type species, by monotypy: <i>Clausia elongata</i> Boeck, 1865, a junior subjective synonym of <i>Calanus minutus</i> Krøyer, 1845) (Copepoda). Op. 1503	available

<i>Pseudocaranx</i> Bleeker, 1863, <i>Natuurkundige Verhandelingen van de Hollandsche Maatschappij der Wetenschappen te Haarlem</i> , (2)18: 82 (gender: masculine) (type species, by monotypy: <i>Scomber dentex</i> Bloch & Schneider, 1801) (Osteichthyes, Perciformes). Op. 1841	available
<i>Pseudocarcinus</i> Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1: 407 (gender: masculine) (type species, by designation by Miers, 1886 (<i>Rep. Voy. 'Challenger'</i> (Zool.), 17 (No. 2): 141, nota 1): <i>Cancer gigas</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5: 272) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Pseudoclavella</i> Bassett-Smith, 1898, <i>Annals and Magazine of Natural History</i> , (7)2: 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Copepoda). Op. 1430	index
PSEUDOCOCCIDAE Cockerell, 1905, <i>Univ. Colorado Studies</i> , 2: 193 (type genus: <i>Pseudococcus</i> Westwood, 1840) (Insecta, Hemiptera). Op. 1247	available
<i>Pseudococcus</i> Westwood, 1840, <i>Introduction to modern classification of insects</i> , 2: 447, 488 (gender: masculine) (type species, by designation under the plenary power: <i>Dactylopius longispinus</i> Targioni-Tozzetti, 1867, <i>Mem. Soc. Ital. Sci. nat.</i> , 3: 75) (Insecta, Hemiptera). Op. 1247	available
<i>Pseudocorallium</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 147 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Pseudocorymbites</i> Fiori, 1898, <i>Atti. Soc. Nat. Modena</i> , (3)16: 162 (a junior objective synonym of <i>Harminius</i> Fairmaire, 1851). Op. 1334	index
<i>pseudodelphis</i> , <i>Delphinus</i> , Schlegel, 1841, <i>Abhandlungen aus dem Gebiete der Zoologie und vergleichenden Anatomie</i> , vol. 1 (Beiträge zur Characteristik der Cetaceen), p. 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Cetacea). Op. 1660	index
<i>Pseudodynerus</i> Saussure, 1855, <i>Et. Fam. Vesp.</i> , 3: 220 (gender: masculine) (type species: <i>Odynerus luctuosus</i> Saussure, 1855, <i>Et. Fam. Vesp.</i> , 3: 220) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Pseudofoenus</i> Kieffer, 1902, Hymenoptera, Fam., Evanidae in Wytsman, P. (Ed.), <i>Genera Insectorum</i> , fascicle 2, p. 6 (gender: masculine) (type species, by designation under the plenary power: <i>Foenus unguiculatus</i> Westwood, 1841) (Insecta, Hymenoptera). Op. 1912	available
<i>pseudogallarum</i> , <i>Acarus</i> , Vallot, 1836, <i>Mémoires de l'Académie des Sciences, Arts et Belles-Lettres de Dijon</i> , 1836: 189 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida, Acarina). Op. 1521	index
<i>Pseudogrammoceras</i> Buckman, 1901, <i>Proc. Cotteswold Nat. Field Club</i> , 13: 266 (gender: neuter) (type species, by monotypy: <i>Ammonites struckmanni</i> Denckmann, 1887, <i>Abh. geol. Specialkarte Preussen</i> , 8 (Heft 2): 72, pl. 3, fig. 1) (Cephalopoda). Op. 324	available

PSEUDOMOPIDAE Rehn, 1903, <i>Trans. amer. entomol. Soc.</i> , 29 : 260 (type genus: <i>Pseudomops</i> Audinet- Serville, 1831) (Insecta, Dictyoptera). Op. 1231	available
<i>Pseudomops</i> Audinet-Serville, 1831, <i>Ann. Sci. nat.</i> , Paris, 22 : 41 (gender: masculine) (type species, by monotypy: <i>Blatta oblongata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 425) (Insecta, Dictyoptera). Op. 1231	available
<i>pseudomutabilis</i> , <i>Ammonites</i> , de Loriol, 1874, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 23 : 28, pl. 5, figs. 1-3 (specific name of the type species of <i>Aulacostephanus</i> Tornquist, 1896) (Cephalopoda). Op. 302	available
<i>Pseudonevermannia</i> Baranov, 1926, <i>Neue Beiträge zur Systematischen Insektenkunde</i> , 3 : 164 (a junior objective synonym of <i>Cnetha</i> Enderlein, 1921 by the designation under the plenary power of <i>Simulium vernum</i> Macquart, 1826 as type species of both nominal genera) (Insecta, Diptera). Op. 1416	index
<i>Pseudopalaemon</i> Sollaud, 1911, <i>Bull. Mus. Hist. nat.</i> , Paris, 17 : 12, 15 (gender: masculine) (type species, by monotypy: <i>Pseudopalaemon bouvieri</i> Sollaud, 1911, <i>Bull. Mus. Hist. nat.</i> , Paris, 17 : 12) (Crustacea, Decapoda). Op. 470	available
<i>Pseudoperisphinctes</i> Schindewolf, 1923, <i>Centralbl. Min. Geol. Pal.</i> , 1923 : 236 (gender: masculine) (type species, by monotypy: <i>Perisphinctes rotundatus</i> Roemer, 1911, <i>Fauna Aspidoides-Schichten Lechstedt</i> (Inaug. Dissert.): 44, pl. 8, fig. 2, as interpreted by the lectotype designated by Arkell, 1950 (<i>J. Paleontol.</i> , 24 : 363)) (Cephalopoda). Op. 324	available
PSEUDOPERISPHINCTIDAE Schindewolf, 1925, <i>Neues Jahrb. Min.</i> , 52 (Abt. B): 319 (type genus: <i>Pseudoperisphinctes</i> Schindewolf, 1923) (Cephalopoda). Direction 14	available
<i>Pseudophilyra</i> Miers, 1879, <i>Proc. zool. Soc. London</i> , 1879 : 40 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28): <i>Pseudophilyra tridentata</i> Miers, 1879, <i>Proc. zool. Soc. London</i> , 1879 : 41) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Pseudopinnixa</i> Holmes, 1895, <i>Proc. Calif. Acad. Sci.</i> , (2) 4 : 565 (a junior homonym of <i>Pseudopinnixa</i> Ortmann, 1894). Direction 37	index
<i>Pseudopinnixa</i> Ortmann, 1894, <i>Zool. Jahrb.</i> , Jena (Syst.), 7 : 694 (gender: feminine) (type species, by monotypy: <i>Pseudopinnixa carinata</i> Ortmann, 1894, <i>Zool. Jahrb.</i> , Jena (Syst.), 7 : 694) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Pseudorhombila</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 58 (gender: feminine) (type species, by original designation: <i>Melia quadridentata</i> Latreille, [1828], <i>Ency. méth.</i> , 10 (Ins.): 706) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Pseudorthocladius</i> Edwards, 1932, <i>The Entomologist</i> , 65 : 141 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Diptera). Op. 2179	index
<i>Pseudorthocladius</i> Goetghebuer, 1943, <i>Die Fliegen der palaearktischen Region</i> , vol. 3, p. 93 (gender: masculine) (type species, by original designation: <i>Psectrocladius curtistylus</i> Goetghebuer, 1921) (Insecta, Diptera). Op. 2179	available

<i>Pseudoscaphirhynchus</i> Nikolski, 1900, <i>Ann. Mus. zool. Acad. Sci. Pétersbourg</i> , 5 (1-2): 257 (gender: masculine) (type species, by monotypy: <i>Pseudoscaphirhynchus rossikowi</i> Nikolski, 1900, <i>Ann. Mus. zool. Acad. Sci. Pétersbourg</i> , 5 (1-2): 257) (Osteichthyes). Op. 971	available
<i>Pseudoschwagerina</i> Dunbar & Skinner, 1935, <i>J. Paleontol.</i> , 10 : 83-91 (gender: feminine) (type species, by original designation: <i>Schwagerina uddeni</i> Beede & Kniker, 1924, <i>Univ. Texas Bull.</i> , No. 2433 : 27, pl. 1, figs. 1, 2; pl. 4, fig. 10; pl. 6, figs. 1, 2, 5-7) (Rhizopoda). Op. 213	available
<i>Pseudosquilla</i> Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 615, 621 (gender: feminine) (type species, by designation under the plenary power: <i>Squilla ciliata</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 333) (Crustacea, Stomatopoda). Op. 785	available
<i>Pseudosquelle</i> Eydoux & Souleyet, 1842, <i>Voy. Bonite</i> (Zool.), 1 (2): 263 (a vernacular (French) name). Op. 785	index
<i>Pseudothelphusa</i> Saussure, 1857, <i>Rev. Mag. Zool.</i> , (2) 9 : 305 (gender: feminine) (type species, by monotypy: <i>Pseudothelphusa americana</i> Saussure, 1857, <i>Rev. Mag. Zool.</i> , (2) 9 : 305) (Crustacea, Decapoda). Op. 73 PSEUDOTHELPHUSINAE Ortmann, 1893, <i>Zool. Jahrb. (Syst.)</i> , 7 : 487 (type genus: <i>Pseudothelphusa</i> De Saussure, 1857) ruled under the plenary power not to be given priority over POTAMIDAE Ortmann, 1896 by those who consider <i>Potamon</i> Savigny, 1816 and <i>Pseudothelphusa</i> De Saussure to belong to the same family-group taxon (Crustacea, Decapoda). Op. 712	available
<i>Pseudoxyrhopus</i> Günther, 1881, <i>Annals and Magazine of Natural History</i> , (5) 7 (41): 359 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Homalocephalus</i> Jan, 1863: <i>Homalocephalus heterurus</i> Jan, 1863) (Reptilia, Serpentes). Op. 1789	available
<i>Psiloceras</i> Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 3 : 72 (gender: neuter) (type species, by designation by Spath, 1924 (<i>Proc. Geol. Assoc.</i> , London, 35 : 191): <i>Ammonites planorbis</i> Sowerby, 1824, <i>Min. Conch.</i> , 5 : 69, pl. 448, fig. 1) (Cephalopoda). Op. 324	available
PSILOCERATIDAE Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 3 : 72 (type genus: <i>Psiloceras</i> Hyatt, 1867) (Cephalopoda). Direction 14	available
<i>Psittacus</i> Catesby, 1777, <i>Pisc. Serp. Ins. Imagines</i> : 29 (a junior homonym of <i>Psittacus</i> Linnaeus, 1758). Direction 44	index
<i>Psittacus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 96 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 52): <i>Psittacus erithacus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 99) (Aves). Op. 67 Psodos Treitschke, 1825, <i>in Ochsenheimer, Schmett. von Europa</i> , 5 (2): 434 (gender: feminine) (type species, by designation by Duponchel, 1829 (<i>in Godart, Hist. nat. Lépid. France</i> , 7 (2): 112): <i>Phalaena equestrata</i> Fabricius, 1777, <i>Gen. Ins.</i> : 288, valid name: <i>Phalaena quadrifaria</i> Sulzer, 1776) (Insecta, Lepidoptera). Op. 995	available
<i>Psoidos</i> Treitschke, 1825, <i>in Ochsenheimer, Schmett. von Europa</i> , 5 (2): 434 (ruled under the plenary power to be an incorrect original spelling for <i>Psodos</i> Treitschke, 1825). Op. 995	index
<i>Psopha</i> Fieber, 1852, <i>in Kelch, Grundl. Orth. Oberschles.</i> : 2 (a junior homonym of <i>Psopha</i> Billberg, 1828). Direction 5	index

Psopheticus Wood-Mason, 1892, *Ill. Zool. 'Investigator'*, Crust. (1): pl. 5, fig. 1 (gender: masculine) (type species, by monotypy: ***Psopheticus stridulans*** Wood-Mason, 1892, *Ill. Zool. 'Investigator'*, Crust. (1): pl. 5, fig. 1) (Crustacea, Decapoda). Op. 85, Direction 37

available

Psophia Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 154 (gender: feminine) (type species, by monotypy: ***Psophia crepitans*** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 154) (Aves). Op. 67 *psophia*, *Grus*, Pallas, 1767, *Spicil. Zool.*, 4: 1 (a junior objective synonym of *crepitans*, ***Psophia***, Linnaeus, 1758). Direction 55

available

Psophus Fieber, 1853, *Lotos*, 3: 122 (gender: masculine) (type species, by monotypy: ***Gryllus stridulus*** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 432) (Insecta, Orthoptera). Op. 149

available

Psoroptes Gervais, 1841, *Ann. Sci. nat.*, Paris (Zool.), (2)15: 9 (gender: masculine) (type species, by monotypy: ***Sarcoptes equi*** Raspail, 1834, *Bull. gén. Thér. méd. chir.*, Paris, 7 (Suppl.): 182) (Arachnida). Op. 104, Direction 66

available

Psucocephalus Latreille, 1828, *Dictionnaire Classique d'Histoire Naturelle*, vol. 14, p. 597 (gender: masculine) (type species, by monotypy: ***Curculio leprosus*** Olivier, 1807, a junior synonym of ***Curculio vitulus*** Fabricius, 1775), ruled under the plenary power not to be given priority over the name ***Aegorhinus*** Erichson, 1834 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2085

available

Psuphocephalus Imhoff, 1856, *Versuch einer Einführung in das Studium der Koleopteren*, p. 221 (an incorrect subsequent spelling of ***Psucocephalus*** Latreille, 1828) (Insecta, Coleoptera). Op. 2085

index

psyche, *Papilio*, [Hübner, 1790-1793], *Lep. linn.*: 9 (included in a work rejected for nomenclatural purposes). Op. 975

index

Psylla Geoffroy, 1762, *Hist. abrég. Ins. Paris*, 3: 482 (gender: feminine) (type species, by designation under the plenary power: ***Chermes alni*** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 454) (Insecta, Hemiptera). Op. 731

available

PSYLLIDAE Latreille, 1807, *Gen. Crust. Ins.*, 3: 168 (type genus: ***Psylla*** Geoffroy, 1762) (Insecta, Hemiptera). Op. 731

available

pteneres, *Anas*, Forster, 1844, *Descriptiones Animalium quae in itinere ad Maris Australis Terras per annos 1772, 1773 et 1774 suscepto collegit*, p. 338 (Aves, Anseriformes). Op. 1648

available

Ptenidium Erichson, 1845, *Naturgeschichte der Insekten Deutschlands*, 3: 34 (gender: neuter) (type species, by designation by Thomson, 1859 (*Skandinaviens Coleoptera*, I tom. Lund.: 63): ***Scaphidium pusillum*** Gyllenhal, 1808, *Insecta suecica*, part 1: 189) ruled under the plenary power to be given precedence over the generic name ***Anisarthria*** Stephens, 1830 whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1277

available

Ptenura Templeton, 1844, *Trans. entomol. Soc. London*, 3: 306 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1064

index

<i>Pterocerigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Pterochilus</i> Alder & Hancock, 1844, <i>Ann. Mag. nat. Hist.</i> , 14 : 329 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 782	index
<i>Pterodactylus</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 312 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>Pterodiscus</i> Pilsbry, 1893, Part 33, pp. 1-48 in: <i>Manual of Conchology. Structural and systematic. With illustrations of the species. Founded by George W. Tryon, Jr. Second series: Pulmonata</i> , vol. 9, p. 36 (a junior objective synonym of <i>Tropidoptera</i> Ancey, 1889) (Gastropoda). Op. 1845	index
<i>Pterodoris</i> Ehrenberg, 1831, <i>Symbolae physicae seu icones et descriptiones animalium evertabratrorum sepositis insectis quae ex itinere per Africam borealem et Asiam occidentalem. Decas 1 Mollusca</i> (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1375	index
<i>Pteroglossus</i> Chaudoir, 1843, <i>Bull. Soc. imp. Nat. Moscou</i> , 16 (3): 405 (a junior homonym of <i>Pteroglossus</i> Illiger, 1811). Direction 44	index
<i>Pteroglossus</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 202 (gender: masculine) (type species, by designation by Swainson, 1821 (<i>Zool. Illustr.</i> , (1) 1 : text to pl. 44); <i>Ramphastos aracari</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 104) (Aves). Op. 67 <i>Pterolamia</i> Springer, 1950, <i>Amer. Mus. Novit.</i> , 1451 : 7 (a junior homonym of <i>Pterolamia</i> Bruening, 1942). Op. 723	available
<i>Pterolamiops</i> Springer, 1951, <i>Copeia</i> , 1951 (3): 244 (gender: masculine) (type species, by original designation, through <i>Pterolamia</i> Springer, 1950 (<i>Amer. Mus. Novit.</i> , 1451 : 7); <i>Squalus (Carcharias) longimanus</i> Poey, 1861, <i>Mem. Hist. nat. Cuba</i> , 2 : 338) (Chondrichthyes). Op. 723	available
<i>Pteronura</i> Gray, 1837, <i>Mag. nat. Hist.</i> (n.s.), 1 : 580 (gender: feminine) (type species, by monotypy: <i>Pteronura sambachii</i> Gray, 1837, <i>Mag. nat. Hist.</i> (n.s.), 1 : 580, valid name: <i>Mustela lutris brasiliensis</i> Gmelin, 1788) (Mammalia). Op. 384	available
PTEROPHORIDAE Zeller, 1841, <i>Isis</i> (Jena), 1841 : 755 (type genus: <i>Pterophorus</i> Schäffer, 1766) (Insecta, Lepidoptera). Op. 703	available
<i>Pterophorus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 90 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Curtis, 1827, <i>British entomology</i> , vol. 4, text for pl. 161: <i>Phalaena pentadactyla</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 703, Op. 1754	available
<i>Pteropus</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 13, 153 (gender: masculine) (type species, by designation under the plenary power: <i>Vespertilio niger</i> Kerr, 1792), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Chiroptera). Op. 1894	available

Pterygometopidella Wedekind, 1912, *Zeitschrift der Deutschen Geologischen Gesellschaft (Abhandlungen und Monatsberichte)*, **63** (for 1911): 324 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Trilobita). Op. 1846

index

Pthirus [Leach, 1815], in Brewster's *Edinburgh Ency.*, **9**(1): 77 (gender: masculine) (type species, by monotypy: *Pediculus pubis* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 611) (Insecta, Anoplura). Op. 104

available

Ptilinus Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de Paris*, vol. 1, p. 64 (gender: masculine) (type species, by subsequent designation by Müller, 1776, *Zoologiae Danicae prodromus*, p. 81: *Ptilinus cylindricus* Müller, 1776, a suppressed senior subjective synonym of *Ptilinus fuscus* Geoffroy in Fourcroy, 1785) (Insecta, Coleoptera). Op. 1754

available

Ptilium Gyllenhal, 1827, *Insecta suecica*, part 4: 292 (gender: neuter) (type species, by designation under the plenary power: *Ptilium caesum* Erichson, 1845, *Naturgeschichte der Insekten Deutschlands*, **3**: 26) (Insecta, Coleoptera). Op. 1277

available

Ptilodon Hübner, 1808, *Erste Zutr. Samml. exot. Schmett.*: 4 (included in a work rejected for nomenclatural purposes). Op. 789

index

Ptilopus Schönherr, 1823, *Isis (von Oken)*, **1823**: col. 1140 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1451

index

Ptilorhis Agassiz, 1846, *Nomencl. zool. Index Univ.*: 316 (an unjustified emendation of *Ptiloris* Swainson, 1825). Direction 44

index

Ptilorhys Bonaparte, 1854, *C.R. Acad. Sci.*, Paris, **38**: 260 (an incorrect subsequent spelling for *Ptiloris* Swainson, 1825). Direction 44

index

Ptiloris Swainson, 1825, *Zool. J.*, **1**(4): 479 (gender: masculine) (type species, by monotypy: *Ptiloris paradiseus* Swainson, 1825, *Zool. J.*, **1**(4): 481) (Aves). Op. 67
Ptilornis Gray, 1869, *Handlist Birds*, **1**: 104, 105 (an incorrect subsequent spelling for *Ptiloris* Swainson, 1825). Direction 44

available

Ptinella Motschulsky, 1844, *Bull. Soc. Nat. Moscou*, **17**: 819 (gender: feminine) (type species, by designation under the plenary power: *Ptilium apterum* Guérin-Méneville, 1839, *Dict. pitt. hist. nat. phén. nature*: 621) (Insecta, Coleoptera). Op. 1307

available

PTINIDAE Latreille, 1802, *Histoire naturelle, générale et particulière, des crustacés et des insectes*, vol. 3, p. 112 (type genus: *Ptinus* Linnaeus, 1767) (Insecta, Coleoptera). Op. 1809

available

Ptinus Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 565 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, *Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides et des insectes*, p. 427: *Cerambyx fur* Linnaeus, 1758) (Insecta, Coleoptera). Op. 1809

available

<i>Ptochus</i> Schönherr, 1826, <i>Curculionidum dispositio methodica cum generum characteribus, descriptionibus atque observationibus variis</i> , p. 188 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Marshall, 1916, <i>The fauna of British India, including Ceylon and Burma. Coleoptera. Rhynchophora: Curculionidae (part 1)</i> , p. 259: <i>Ptochus porcellus</i> Boheman in Schönherr, 1834) (Insecta, Coleoptera). Op. 1616	available
<i>Ptychagnostus</i> Jaekel, 1909, <i>Zeitschrift der Deutschen Geologischen Gesellschaft</i> , 61 : 400, the paper <i>Über die Agnostiden</i> ruled under the plenary power to be treated as having been published in its entirety in 1909 and printed so that the definition of <i>Ptychagnostus</i> on p. 401 appeared at the top of p. 400 (gender: masculine) (type species, confirmed by the Commission to be by original designation: <i>Agnostus punctuosus</i> Angelin, 1851) (Trilobita). Op. 1701	available
<i>Ptychochilus</i> Boettger, 1881, <i>Conchologische Mitteilungen</i> , 1 (4): 47 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1823	index
<i>Ptychochylus</i> Boettger, 1881, <i>Conchologische Mitteilungen</i> , 1 (4): 48, alternate original spelling of <i>Ptychochilus</i> (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1823	index
<i>Ptychognathus</i> Owen, 1860, <i>Quart. J. geol. Soc. London</i> , 16 : 49 (a junior homonym of <i>Ptychognathus</i> Stimpson, 1858). Direction 37	index
<i>Ptychognathus</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 104 (gender: masculine) (type species, by monotypy: <i>Ptychognathus glaber</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 104) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Ptychopyge</i> Angelin, 1854, <i>Pal. scand.</i> [ed. 1], 2 : 51 (gender: feminine) (type species, by designation under the plenary power: <i>Asaphus angustifrons</i> Dalman, [1827], <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 1826 (2): 239) (Trilobita). Op. 538	available
PTYELINI Fowler, 1897, in Godman & Salvin, <i>Biologia cent.-amer.</i> (Homopt.), 2 : 174, 190-206 (type genus: <i>Ptyelus</i> Lepeletier & Serville, 1828) (Insecta, Hemiptera). Op. 590	available
<i>Ptyelus</i> Lepeletier & Serville, 1828, <i>Ency. méth.</i> , 10 (Ins.): 608 (gender: masculine) (type species, by designation by China, 1951 (<i>Entomol. mon. Mag.</i> , 87 : 279): <i>Ptyelus ferrumequinum</i> Lepeletier & Serville, 1828, <i>Ency. méth.</i> , 10 (Ins.): 608, valid name: <i>Tettigonia flavescens</i> Fabricius, 1794) (Insecta, Hemiptera). Op. 590	available
<i>Ptyxidium</i> Perty, 1852, <i>Kenntniss Kleinster Lebensformen</i> : 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	index
<i>pubis, Pediculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 611 (specific name of the type species of <i>Pthirus</i> [Leach, 1815]) (Insecta, Anoplura). Direction 64	available
<i>Puer</i> Ortmann, 1891, <i>Zool. Jahrb. (Syst.)</i> , 6 : 15, 37 (a junior homonym of <i>Puer</i> Lefebvre, 1842). Op. 519	index

<i>puer</i> , <i>Papilio</i> , Schrank, 1801, <i>Fauna boica</i> , 2 (1): 215, as interpreted by the lectotype designated by Hemming, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 268) (a junior objective synonym of <i>minimus</i> , <i>Papilio</i> , Fuessly, 1775). Op. 503	index
<i>puercensis</i> , <i>Phenacodus</i> , Cope, 1881, <i>Proc. Amer. philos. Soc.</i> , 19 : 492 (valid name at the date of Opinion 980 of the type species of <i>Tetraclenaenodon</i> Scott, 1892) (Mammalia). Op. 980	available
<i>Puerulus</i> Ortmann, 1897, <i>Amer. J. Sci.</i> , (4) 4 : 290 (gender: masculine) (type species, by designation by Calman, 1909 (<i>Ann. Mag. nat. Hist.</i> , (8) 3 : 442); <i>Panulirus angulatus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 81) (Crustacea, Decapoda). Op. 519	available
<i>Pugetomyia</i> Banner, 1948, <i>Trans. roy. canad. Inst.</i> , 27 (57): 104 (gender: feminine) (type species, by monotypy: <i>Pugetomyia litoralis</i> Banner, 1948, <i>Trans. roy. canad. Inst.</i> , 27 (57): 104-106, pl. 6, fig. 18, as interpreted by the lectotype designated by Holmquist, 1958 (<i>Medd. om Grønl.</i> , 159 (4): 6)) for the use of those who consider <i>Pugetomyia</i> Banner, 1948, as representing a taxon distinct from <i>Mysis</i> Latreille, [1802] (Crustacea, Mysidacea). Op. 578	available
<i>Pugnax</i> Hall & Clarke, 1894, <i>Nat. Hist. New York</i> (Pal.), 8 (2): 202 (gender: masculine) (type species, by original designation: <i>Terebratula acuminata</i> Sowerby, 1822, <i>Min. Conch.</i> , 4 : 23, pl. 324, fig. 1 (two upper figs. and middle fig.) as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 105, pl. 3, figs. 1a-c)) (Brachiopoda). Op. 420	available
<i>pugnax</i> , <i>Gelasimus</i> , Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 131 (Crustacea, Decapoda). Op. 522	available
<i>pugnax</i> , <i>Glyptoplax</i> , Smith, 1870, <i>Trans. Connecticut Acad. Arts Sci.</i> , 2 (1): 165 (specific name of the type species of <i>Glyptoplax</i> Smith, 1870) (Crustacea, Decapoda). Direction 36	available
<i>pugnus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. K[4], pl. 22, figs. 4, 5, to be interpreted by reference to the holotype refigured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 117, pl. 4, figs. 3a-c) (conserved under the plenary power) (Brachiopoda). Op. 419	available
<i>pulchella</i> , <i>Bolitochara</i> , Mannerheim, 1830, <i>Précis d'un nouvel arrangement de la famille des Brachélytres, de l'ordre des Insectes Coléoptères</i> , p. 83 (specific name of the type species of <i>Leptusa</i> Kraatz, 1856) (Insecta, Coleoptera). Op. 2113	available
<i>pulchella</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestre. fluviat. Hist.</i> , 2 : 30 (valid name at the date of Opinion 335 of the type species of <i>Vallonia</i> Risso, 1826) (Gastropoda). Op. 335	available
<i>pulchellum</i> , <i>Mymar</i> , Curtis, 1832, <i>Brit. Entomol.</i> , 9 : pl. 411 (specific name of the type species of <i>Mymar</i> Curtis, 1829) (Insecta, Hymenoptera). Op. 729	available
<i>pulchellum</i> , <i>Pisidium</i> , Jenyns, 1832, <i>Trans. Cambridge phil. Soc.</i> , 4 (2): 306 (Bivalvia). Op. 336	available
<i>pulcher</i> , <i>Attus</i> , Walckenaer, 1837, <i>Histoire naturelle des insectes aptères</i> , Paris, 1 : 439 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1340	index

<i>pulcher</i> , <i>Pompilus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 249 (specific name of the type species of <i>Pompilus</i> Fabricius, 1798) (Insecta, Hymenoptera). Direction 2	available
<i>pulcher</i> , <i>Pterochilus</i> , Alder & Hancock, 1844, <i>Ann. Mag. nat. Hist.</i> , 14 : 329 (specific name of the type species of <i>Embletonia</i> Alder & Hancock, 1851) (Gastropoda). Op. 782	available
<i>pulcher</i> , <i>Trigonocephalus</i> , Peters, 1862, <i>Monatsberichte der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1862 : 672, footnote, as defined by the female holotype (specimen no. ZMB 3868 in the Zoologisches Museum der Humboldt-Universität, Berlin) (Reptilia, Serpentes). Op. 1939	available
<i>pulchra</i> , <i>Aleochara</i> , Gravenhorst, 1806, <i>Mon. Coleopt. micr.</i> : 164 (specific name of the type species of <i>Bolitochara</i> Mannerheim, 1831) (Insecta, Coleoptera). Op. 599	available
<i>pulchra</i> , <i>Alona</i> , Hellich, 1874, <i>SitzBer. Königl.-böhm. Ges. Wiss.</i> , 1874 : 215, 219 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 532	index
<i>pulchra</i> , <i>Anniella</i> , Gray, 1852, <i>Annals and Magazine of Natural History</i> , (2) 10 (59): 440, as defined by the neotype (specimen no. 64656 in the Museum of Vertebrate Zoology, University of California, Berkeley, U.S.A.) designated under the plenary power (specific name of the type species of <i>Anniella</i> Gray, 1852) (Reptilia, Squamata). Op. 1735	available
<i>Pulex</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 614 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 444, 409); <i>Pulex irritans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 614) (Insecta, Siphonaptera). Op. 104, Direction 63	available
<i>pulex</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633 (specific name of the type species of <i>Gammarus</i> Fabricius, 1775) (Crustacea, Amphipoda). Direction 67	available
<i>pulicarius</i> , <i>Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 357 (Insecta, Coleoptera). Op. 876	available
<i>pullata</i> , <i>Cicindela</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>pulligera</i> , <i>Nerita</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1253 (specific name of the type species of <i>Neritina</i> Lamarck, 1816) (Gastropoda). Direction 73	available
<i>pulverulenta</i> , <i>Poeciloptera</i> , Guérin, 1844, <i>Icon. Règne Anim.</i> , Ins.: 361 (specific name of the type species of <i>Ormenoflata</i> Melichar, 1923) (Insecta, Hemiptera). Op. 598	available
<i>pulverulentus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 72 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>pumila</i> , <i>Buprestis</i> , Illiger, 1803, <i>Magazin für Insectenkunde</i> , 2 : 275 (Insecta, Coleoptera). Op. 2008	available

<i>pumila</i> , Buprestis , Klug, 1829, <i>Symbolae physicae seu icones et descriptiones insectorum quae ex itinere per Africam borealem et Asiam occidentalem Friderici Gulielmi Hemprich et Christiani Godofredi Ehrenberg ...</i> , fol. 5, p. 37, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of Buprestis pumila Illiger, 1803 (Insecta, Coleoptera). Op. 2008	available
<i>pumila</i> , Clausilia , Pfeiffer, 1828, <i>Naturgesch. deutsch. Land. Süßw. Moll.</i> , 3 : 41 (Gastropoda). Op. 336	available
<i>pumilio</i> , Bracon , Nees, 1834, <i>Hymenopterorum Ichneumonibus Affinium Monograph</i> , vol. 1, p. 90 (specific name of the type species of Gnamptodon Haliday, 1833) (Insecta, Hymenoptera). Op. 1424	available
<i>pumilio</i> , Papilio , Hoffmannsegg, 1803, <i>Mag. f. Insektenk.</i> (Illiger), 3 : 202 (specific name of the type species of Gegenes Hübner, [1819]) (Insecta, Lepidoptera). Op. 827	available
<i>pumilionis</i> , Musca , Bjerkauder, 1778, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 39 : 201 (specific name of the type species of Chlorops Meigen, 1803) (Insecta, Diptera). Op. 348	available
<i>punctata</i> , Anas , Burchell, 1822, <i>Trav. S. Afr.</i> , 1 : 243 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1078	index
<i>punctata</i> , Arquatula , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 53 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>punctata</i> , Gambusia , Poey, 1854, <i>Mém. Hist. nat. Cuba</i> , 1 : 384 (specific name of the type species of Gambusia Poey, 1854) (Osteichthyes). Op. 375	available
<i>punctata</i> , Hatteria , Gray, 1842, <i>Zool. Miscell.</i> (2): 72 (specific name of the type species of Sphenodon (emendation under the plenary power of <i>Sphaenodon</i>) Gray, 1831) (Reptilia). Op. 455	available
<i>punctata</i> , Helix , Müller, 1774, <i>Vermium terrestrium et fluviatilium, seu Animalium infusoriorum, Helminthicorum et Testaceorum, non marinorum, succincta historia</i> , vol. 2, p. 21 (Gastropoda). Op. 1996	available
<i>punctata</i> , Laplysia [recte <i>Aplysia</i>], Cuvier, 1803, <i>Ann. Mus. Hist. nat.</i> , Paris, 2 (10): 310 (Gastropoda). Op. 355	available
<i>punctata</i> , Lepralia , Hassall, 1841, <i>Ann. Mag. nat. Hist.</i> , 7 : 368, pl. ix, fig. 7, as interpreted by the neotype (specimen no. BMNH 1985.11.20.1 in the Natural History Museum, London, illustrated in <i>Bulletin of Zoological Nomenclature</i> , 43 : 289, fig. D) designated under the plenary power and replacing the neotype designated in Opinion 1016 which is set aside under the plenary power (specific name of the type species of Cribripina Gray, 1848) (Bryozoa). Op. 1016, Op. 1499	available
<i>punctata</i> , Lesteva , Erichson, 1839, <i>Die Käfer der Mark Brandenburg</i> , vol. 1, part 2, p. 618, ruled under the plenary power to be given precedence over Anthophagus villosus Waltl, 1838 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available

<i>punctata</i> , <i>Perca</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 43 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>punctata</i> , <i>Sigara</i> , Illiger, 1807, in Rossi, <i>Fauna Etrusca</i> (ed. 2): 354 (specific name of the type species of <i>Corixa</i> Geoffroy, 1762) (Insecta, Hemiptera). Op. 281	available
<i>punctata</i> , <i>Thaumantias</i> , Forbes, 1841, <i>Annals and Magazine of Natural History</i> , (1)7: 85 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>punctatellus</i> , <i>Philonthus</i> , Heer, 1839, <i>Fauna Coleopterorum Helvetica</i> , vol. 1, part 2, p. 275 (Insecta, Coleoptera). Op. 2053	available
<i>punctatellus</i> , <i>Philonthus</i> , Horn, 1884, <i>Transactions of the American Entomological Society</i> , 11: 215, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. punctatellus</i> Heer, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>punctatissima</i> , <i>Locusta</i> , Bosc, 1792, <i>Actes Soc. Hist. nat. Paris</i> , 1(1): 45 (specific name of the type species of <i>Leptophyes</i> Fieber, 1852) (Insecta, Orthoptera). Direction 5	available
<i>punctatissimus</i> , <i>Penaeus</i> , Bosc, [1801-1802], in Castel, Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 109, pl. 14, fig. 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 564	index
<i>punctato-fasciata</i> , <i>Lacerta muralis</i> , Eimer, 1881, <i>Arch. Naturgesch.</i> , 47(1): 368, tab. 13, fig. 10 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>punctato-striata</i> , <i>Lacerta muralis</i> , Eimer, 1881, <i>Arch. Naturgesch.</i> , 47(1): 340, tab. 13, figs. 4, 5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>punctatostriatus</i> , <i>Hydrobius</i> , Letzner, [1841], <i>Uebers. Arb. Veränd. schles. Ges. vaterländ Cultur</i> , Breslau, 1840: 81 (specific name of the type species of <i>Crenitis</i> Bedel, 1881) (Insecta, Coleoptera). Op. 583	available
<i>punctatus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630 (valid name at the date of Direction 36 of the type species of <i>Persephona</i> Leach, 1817) (Crustacea, Decapoda). Direction 36	available
<i>punctatus</i> , <i>Cataphractus</i> , Bloch, 1794, <i>Naturgeschichte der ausländischen Fische</i> , 8: 90, pl. 377, fig. 2, as interpreted by reference to the lectotype designated by Nijssen & Isbrücker, 1975 (<i>Bull. zool. Nomencl.</i> , 32: 63) (Osteichthyes). Op. 1169	available
<i>punctatus</i> , <i>Chaetodon</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 273 (specific name of the type species of <i>Drepane</i> Cuvier, 1831) (Osteichthyes). Op. 1046	available
<i>punctatus</i> , <i>Chilodus</i> , Müller & Troschel, 1844, <i>Arch. Naturg.</i> , Jahrgang 10, 1: 85 (specific name of the type species of <i>Chilodus</i> Müller & Troschel, 1844) (Osteichthyes). Op. 1150	available
<i>punctatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. R[3], pl. 37, figs. 6-8 (included in a work rejected for nomenclatural purposes). Op. 420	index

punctatus, *Entomostracites*, Wahlenberg, [1818], *Nov. Acta K. vet.-Soc. Upsala*, **8**: 32, pl. ii, fig. 1* [nec. fig. 1], as interpreted by the lectotype designated by Tripp & Whittard, 1956 (*Bull. zool. Nomencl.*, **12**: 260) (conserved under the plenary power) (specific name of the type species of *Encrinurus* Emmrich, 1844) (Trilobita). Op. 537, Direction 111

available

punctatus, *Labrus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 285, as defined by the lectotype (catalogue no. NRM 4 in the Swedish Museum of Natural History, Stockholm) designated by Kullander, 1983, *A revision of the South American cichlid genus Cichlasoma (Teleostei: Cichlidae)*, p. 84, ruled under the plenary power not to be given priority over the specific name of *Labrus schomburgkii* Müller & Troschel, 1849 whenever the two names are considered to be synonyms (Osteichthyes, Perciformes). Op. 1954

available

punctatus, *Productus*, Sowerby, 1822, *Min. Conch.*, **4**: 22, pl. 323, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (*Ann. Mag. nat. Hist.*, (12)**4**: 103, pl. 4, figs. 2a, b) (specific name of the type species of *Echinococonchus* Weller, 1914) (Brachiopoda). Op. 420

available

punctatus, *Ptinus*, de Geer, 1774, *Mém. Ins.*, **4**: 230 (specific name of the type species of *Anobium* Fabricius, 1775) (Insecta, Coleoptera). Op. 1062

available

punctatus, *Scarabaeus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 350 (specific name of the type species of *Pelidnota* MacLeay, 1819) (Insecta, Coleoptera). Op. 2054

available

punctatus, *Scarabaeus*, Villers, 1789, *Caroli Linnaei entomologia, fauna Suecicae ...*, vol. 1, p. 40, pl. 1, fig. 3, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of *Scarabaeus punctatus* Linnaeus, 1758 (specific name of the type species of *Pentodon* Hope, 1837) (Insecta, Coleoptera). Op. 2054

available

punctatus, *Scolytus*, Müller, 1776, *Zool. dan. Prodri.*: 57 (a junior objective synonym of *scolytus*, *Bosstrichus*, Fabricius, 1775). Op. 683

index

punctatus, *Trilobus*, all uses of, subsequent to Brünnich, 1781, and prior to the publication of *punctatus*, *Entomostracites*, Wahlenberg, [1818] (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 537

index

punctatus, *Trilobus*, Brünnich, 1781, *K. Danske Vidensk. Selsk. Skr. (n.s.)*, **1**: 394 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 537

index

puncticollis, *Ceratopogon*, Becker, 1903, *Mitteilungen aus dem Zoologischen Museum in Berlin*, **2**(3): 75, ruled under the plenary power to be given precedence over the subspecific name of *Ceratopogon pulicaris algescirensis* Strobl, 1900 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1643

available

punctifrons, *Mecistocephalus*, Newport, 1843, *Proceedings of the Zoological Society of London*, **10**: 179 (specific name of the type species of *Mecistocephalus* Newport, 1843) (Chilopoda). Op. 2218

available

PUNCTINAE Morse, 1864, *J. Portland Soc. nat. Hist.*, **1**: 27 (type genus: *Punctum* Morse, 1864) (Gastropoda). Direction 27

available

<i>punctipennis</i> , <i>Aphis</i> , Zetterstedt, 1828, <i>Fauna Ins. Lapp.</i> (1): 559 (specific name of the type species of <i>Euceraphis</i> Walker, 1870) (Insecta, Hemiptera). Op. 640	available
<i>punctipennis</i> , <i>Staphylinus</i> , Solier, 1849, <i>Zoologia</i> , 4: 319, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. punctipennis</i> Lacordaire, 1835 (Insecta, Coleoptera). Op. 2053	available
<i>punctipes</i> , <i>Chironomus</i> , Wiedemann, 1817, <i>Zool. Mag.</i> , Kiel, 1(1): 65 (Insecta, Diptera). Op. 616	available
<i>punctipes</i> , <i>Oncotylus</i> , Reuter, 1873, <i>Bihang K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 3 (No. 1): 42 (specific name of the type species of <i>Oncotylus</i> Fieber, 1858) (Insecta, Hemiptera). Op. 252	available
<i>punctoria</i> , <i>Aranea</i> , Villers, 1789, <i>Linn. Entomol. Faunae svec.</i> , 4: 128 (specific name of the type species of <i>Dysdera</i> Latreille, 1804) (Arachnida). Direction 67	available
<i>punctularia</i> , <i>Testudo</i> , Daudin, [1801], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 2: 249 (conserved under the plenary power) (Reptilia). Op. 660	available
<i>punctulata</i> , <i>Buprestis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 77 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>punctulata</i> , <i>Lesteva</i> , Latreille, 1804, <i>Histoire naturelle, générale et particulière, des crustacés et des insectes</i> , vol. 9, p. 369 (specific name of the type species of <i>Lesteva</i> Latreille, 1797) (Insecta, Coleoptera). Op. 2084	available
<i>punctulatissima</i> , <i>Apis</i> , Kirby, 1802, <i>Monographia Apum Angliae ...</i> , vol. 2, p. 231 (valid subjective synonym of the specific name of <i>Apis aterrima</i> Panzer, 1798, the type species of <i>Stelis</i> Panzer, 1806) (Insecta, Hymenoptera). Op. 1713	available
<i>punctulatus</i> , [<i>Trochus</i>], Martyn, 1784, <i>Univ. Conch.</i> , 1: fig. 36 (conserved under the plenary power) (specific name of the type species of <i>Mauriella</i> Oliver, 1926) (Gastropoda). Op. 479	available
<i>punctulatus</i> , <i>Staphylinus</i> , Goeze, 1777, <i>Entomol. Beiträge Linne 12. Ausgabe Natursystems</i> , 1: 730 (specific name of the type species of <i>Othius</i> Stephens, 1829, ex Leach MS) (Insecta, Coleoptera). Op. 1250	available
<i>punctulatus</i> , <i>Staphylinus</i> , Paykull, 1789, <i>Monographia Staphylinorum Sueciae</i> , p. 30, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Staphylinus punctulatus</i> Goeze, 1777 (Insecta, Coleoptera). Op. 2173	available
<i>Punctum</i> Morse, 1864, <i>J. Portland Soc. nat. Hist.</i> , 1: 5, 27 (gender: neuter) (type species, by monotypy: <i>Helix minutissima</i> Lea, 1841, <i>Trans. amer. phil. Soc.</i> , 9: 17) (Gastropoda). Op. 335	available
<i>punctum</i> , <i>Ichneumon</i> , Shaw, 1798, <i>Trans. linn. Soc. London</i> , 4: 189 (specific name of the type species of <i>Anaphes</i> Haliday, 1833) (Insecta, Hymenoptera). Op. 729	available
<i>punctumalbum</i> , <i>Curculio</i> , Herbst in Fuessly, 1784, <i>Archiv der Insekten geschichte</i> , Heft 5, pl. 74 (senior subjective synonym of <i>Curculio pseudacori</i> Fabricius, 1792, the type species of <i>Mononychus</i> Germar, 1824) (Insecta, Coleoptera). Op. 1529	available

<i>punctuosus</i> , <i>Agnostus</i> , Angelin, 1851, <i>Palaeontologia Scandinavica Pars 1. Crustacea Formationis Transitionis</i> , p. 8 (specific name of the type species of <i>Ptychagnostus</i> Jaekel, 1909) (Trilobita). Op. 1701	available
<i>punctus</i> , <i>Tachinus</i> , Gravenhorst, 1806, <i>Monographia coleopterorum micropteronum</i> , p. 27 (specific name of the type species of <i>Mycetoporus</i> Mannerheim, 1831) (Insecta, Coleoptera). Op. 1726	available
<i>pungens</i> , <i>Pulex</i> , Walckenaer, 1802, <i>Faune paris.</i> , 2: 354 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 389	index
<i>Pupa</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 88 (a junior objective synonym of <i>Cerion</i> [Röding], 1798). Direction 72	index
<i>Pupigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Pupilla</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 268 (gender: feminine) (type species, by monotypy: <i>Pupa marginata</i> Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 58) (Gastropoda). Op. 335	available
PUPILLADAЕ Turton, 1831, <i>Manual land & freshwater Shells brit. Islands</i> : 8 (type genus: <i>Pupilla</i> Fleming, 1828) (an incorrect original spelling for PUPILLIDAE Turton, 1831). Direction 27	index
PUPILLIDAE (correction by Kennard & Woodward, 1914 (<i>List brit. non-marine Moll.</i> : 2) of PUPILLADAЕ) Turton, 1831, <i>Manual land & freshwater Shells brit. Islands</i> : 8 (type genus: <i>Pupilla</i> Fleming, 1828) (Gastropoda). Direction 27	available
<i>Pupoïdes</i> Pfeiffer, 1854, <i>Malak. Bl.</i> , 1: 192 (gender: masculine) (type species, by designation by Gude, 1914 (<i>Fauna Brit. Ind., Moll.</i> , 2: 259): <i>Pupoïdes nitidulus</i> Pfeiffer, 1854, <i>Malak. Bl.</i> , 1: 192) (Gastropoda). Direction 72	available
<i>pupula</i> , <i>Eustixia</i> , Hübner, 1823, <i>Zuträge zur Sammlung exotischer Schmetterlinge</i> , vol. 1, p. 24 (specific name of the type species of <i>Eustixia</i> Hübner, 1823) (Insecta, Lepidoptera). Op. 1927	available
<i>pupula</i> , <i>Eustixis</i> , Hübner, [1831], <i>Zuträge zur Sammlung exotischer Schmetterlinge</i> , vol. 3, p. 24 (Insecta, Lepidoptera). Op. 1927	available
<i>pura</i> , <i>Helix</i> , Alder, 1830, <i>Trans. nat. Hist. Soc. Northumb.</i> , 1(1): 36 (Gastropoda). Op. 336	available
<i>Purpura</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Purpura</i> Bruguière, 1789, <i>Ency. Méth.</i> , Text, Vers 1(1): 15 (gender: feminine) (type species, by designation under the plenary power: <i>Buccinum persicum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 738) (Gastropoda). Op. 886	available
<i>Purpura</i> Martyn, 1784, <i>Universal Conchologist</i> , 2: fig. 56 (included in a work rejected for nomenclatural purposes). Op. 704	index

PURPURACEA Menke, 1828, <i>Synopsis meth. Moll.</i> : 34 (type genus: <i>Purpura</i> Bruguière, 1789) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 886	index
<i>purpurascens</i> , <i>Staphylinus</i> , Cameron, 1920, <i>Entomologist's Monthly Magazine</i> , 56 : 217, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. purpurascens</i> Nordmann, 1837 (Insecta, Coleoptera). Op. 2053	available
<i>purpurascens</i> , <i>Staphylinus</i> , Nordmann, 1837, <i>Symbolae ad monographiam staphylinorum</i> , p. 47 (Insecta, Coleoptera). Op. 2053	available
<i>purpurata</i> , [<i>Limax</i>], Martyn, 1784, <i>Univ. Conch.</i> , 7 : fig. 68 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>purpurata</i> , <i>Chrysis</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> , vol. 1, p. 283, ruled under the plenary power to be as defined by the female neotype (a Latreille specimen in the Spinola collection in the Museo Regionale di Scienze Naturali in Turin, Italy) designated by Pavesi & Strumia, 1998, <i>Bulletin of Zoological Nomenclature</i> , 55 : 195 (specific name of the type species of <i>Euchroeus</i> Latreille, 1809) (Insecta, Hymenoptera). Op. 1906	available
<i>purpurata</i> , <i>Mutilla</i> , Smith, 1879, <i>Descr. new spp. Hymenopt. Brit. Mus.</i> : 190 (Insecta, Hymenoptera). Op. 1000	available
<i>purpurea</i> , <i>Helix</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3656, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2 : fig. 68) as [<i>Limax</i>] <i>purpurata</i> (Gastropoda). Op. 479	available
<i>purpurea</i> , <i>Sagra</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 60, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Coleoptera). Op. 1820	available
<i>Purpureum</i> Omodeo, 1952, <i>Archivio Zoologico Italiano</i> , 37 : 46 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Oligochaeta). Op. 1403	index
<i>purpureus</i> , <i>Mytilus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 137 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>purpureus</i> , <i>Spatagus</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 236 (specific name of the type species of <i>Spatangus</i> Gray, 1825) (Echinoidea). Op. 209	available
PURPURIDAE Broderip, 1839, <i>Penny cyclop.</i> , 14 : 321 (type genus: <i>Purpura</i> Bruguière, 1789) ruled under the plenary power not to be given priority over the family-group name THAIDIDAE Jousseaume, 1888 whenever <i>Purpura</i> Bruguière, 1789 and <i>Thais</i> [Röding], 1798 are placed in the same family-group taxon (Gastropoda). Op. 886	available
<i>Purpurigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
PURPURINAE Swainson, 1840, <i>Treatise Malac.</i> : 71 (type genus: <i>Purpura</i> Bruguière, 1789) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 886	index

<i>purpurotincta</i> , <i>Bugula</i> , Norman, 1868, <i>Quart. J. microsc. Sci.</i> , 8 : 149 (Bryozoa). Op. 956	available
<i>purus</i> , <i>Halictus</i> , Say, 1837, <i>Boston Journal of Natural History</i> , 1 : 395 (specific name of the type species of <i>Augochlora</i> Smith, 1853) (Insecta, Hymenoptera). Op. 1952	available
<i>pusilla</i> , <i>Epacromia</i> , Walker, 1870, <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 4 : 778 (specific name of the type species of <i>Austroicetes</i> Uvarov, 1925) (Insecta, Orthoptera). Op. 357	available
<i>pusilla</i> , <i>Ocypoda</i> , Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 : 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>pusilla</i> , <i>Phoca</i> , Schreber, 1775, <i>Die Säugetiere in Abbildungen nach der Natur mit Beschreibungen</i> , vol. 2, part 13, pl. 85 (specific name of the type species of <i>Arctocephalus</i> Cuvier, 1826) (Mammalia, Pinnipedia). Op. 1962	available
<i>pusilla</i> , <i>Vertigo</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 124 (specific name of the type species of <i>Vertigo</i> Müller, 1774) (Gastropoda). Op. 335	available
<i>pusillum</i> , <i>Scaphidium</i> , Gyllenhal, 1808, <i>Insecta suecica</i> (1): 189 (specific name of the type species of <i>Ptenidium</i> Erichson, 1845) ruled under the plenary power to be given precedence over the specific name <i>melas</i> Marsham, 1802, as published in the binomen <i>Demerstes melas</i> , whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1277	available
<i>pusillus</i> , <i>Callionymus</i> , Delaroche, 1809, <i>Annales du Muséum d'Histoire Naturelle, Paris</i> , 13 (77): 315 (Osteichthyes, Perciformes). Op. 1658	available
<i>pusillus</i> , <i>Carbo</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 14 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>pusillus</i> , <i>Platyrhynchus</i> , Swainson, 1827, <i>Philosophical Magazine</i> , (n.s.) 1 (5): 366 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves, Passeriformes). Op. 1885	index
<i>pusillus</i> , <i>Spatagus</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 236 (specific name of the type species of <i>Echinocyamus</i> van Phelsum, 1774) (Echinoidea). Op. 207	available
<i>pusio</i> , <i>Procoptodon</i> , Owen, 1874, <i>Philosophical Transactions of the Royal Society of London</i> , 164 : 788 (Mammalia). Op. 1993	available
<i>pustularis</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>pustulatus</i> , <i>Oniscus</i> , Fabricius, 1781, <i>Species insectorum</i> ..., vol. 1, p. 379 (specific name of the type species of <i>Glomeris</i> Latreille, 1802) (Diplopoda). Op. 1897	available
<i>pustulosa</i> , <i>Fryeria</i> , Gray, 1853, <i>Annals and Magazine of Natural History</i> , (2) 11 : 221 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1663	index

<i>Putorius</i> Cuvier, [1816], <i>Règne Anim.</i> (ed. 1), 1 : 147 (gender: masculine) (type species, by absolute tautomy: <i>Mustela putorius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 46) (Mammalia). Op. 91 <i>putorius</i> , <i>Mustela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 46 (specific name of the type species of <i>Putorius</i> Cuvier, [1816]) (Mammalia). Direction 22	available
<i>putrescentiae, Acarus</i> , Schrank, 1781, <i>Enum. Ins. Austriae indig.</i> : 521 (specific name of the type species of <i>Tyrophagus</i> Oudemans, 1924) as interpreted by the neotype designated by Robertson, 1959 (<i>Austr. J. Zool.</i> , 7 (2): 151) (Arachnida). Op. 1298	available
<i>putrida, Drosophila</i> , Sturtevant, 1916, <i>Annals of the Entomological Society of America</i> , 9 : 339, as defined by the neotype (specimen labelled ‘ <i>Drosophila (D.) putrida</i> ’ Sturtevant, 1916, NEOTYPE, Det. D.A. Grimaldi’ from ‘U.S.A.: New Jersey: Morris County, Pompton Plains, June, 1986, D.A. Grimaldi, coll.’ in the American Museum of Natural History, New York) designated under the plenary power (Insecta, Diptera). Op. 1746	available
<i>putridus, Aphodius</i> , Sturm, 1805, <i>Deutschlands Fauna in Abbildungen nach der Natur mit Beschreibungen. V. Abtheilung. Die Insecten. Erstes Bändchen. Käfer</i> , p. 125 (a junior homonym of <i>Scarabaeus putridus</i> Geoffroy in Fourcroy, 1785) (Insecta, Coleoptera). Op. 2150	index
<i>putridus, Scarabaeus</i> , Geoffroy in Fourcroy, 1785, <i>Entomologia Parisiensis; sive Catalogus Insectorum quae in Agro Parisiensi reperiuntur; Secundum methodum Geoffraeanam in sectiones, genera & species distributus: Cus addita sunt nomina trivialia & fere trecentae novae Species. Pars Prima</i> , p. 12 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2150	index
<i>putridus, Scarabaeus</i> , Herbst, 1789, <i>Natursystem aller bekannten in- und ausländischen Insekten, als eine Fortsetzung der von Buffonschen Naturgeschichte. Nach dem System des Ritters von Linné und Fabricius zu bearbeiten angefangen von Carl Gustav Jablonsky. Der Käfer zweyter Theil</i> , p. 160f (a junior primary homonym of <i>Scarabaeus putridus</i> Geoffroy in Fourcroy, 1785 (Insecta, Coleoptera). Op. 2150	index
<i>putris, Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 774 (specific name of the type species of <i>Succinea</i> Draparnaud, [1801]) (Gastropoda). Op. 336	available
<i>Pycnocrossos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 553 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Pycnodiastictopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 549 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Pycnotrematos</i> Holmberg, 1918, <i>Physis</i> (Buenos Aires), 4 : 153 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>pygmaea, Anthoscopus</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12) 9 : 368 (a junior primary homonym of <i>pygmaea, Anthoscopus</i> , Horniman, 1940). Op. 480	index

<i>pygmaea</i> , <i>Anthoscopus</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>pygmaea</i> , <i>Cryptocheles</i> , Sars, 1870, <i>Fork. Vidensk.-Selsk. Christiania</i> , 1869 : 150 (specific name of the type species of <i>Cryptocheles</i> Sars, 1870) (Crustacea, Decapoda). Op. 470	available
<i>pygmaea</i> , <i>Helix</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 93 (Gastropoda). Op. 336	available
<i>pygmaea</i> , <i>Phryganea</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 202 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 589	index
<i>pygmaea</i> , <i>Platalea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 140 (specific name of the type species of <i>Eurynorhynchus</i> Nilsson, 1821) (Aves). Direction 43	available
<i>pygmaea</i> , <i>Pupa</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 57 (Gastropoda). Op. 336	available
<i>pygmaeum</i> , <i>Omalium</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropteronorum</i> , p. 206, ruled under the plenary power not to be given priority over <i>Omalium testaceum</i> Erichson, 1840 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>pygmaeus</i> , <i>Lygaeus</i> , Fallén, 1807, <i>Mon. Cimicum Svec.</i> : 73, as interpreted by the specimen described by Péricart, 1966 (<i>Bull. zool. Nomencl.</i> , 23 : 122) and designated as neotype under the plenary power (specific name of the type species of <i>Acompocoris</i> Reuter, 1875) (Insecta, Hemiptera). Op. 863	available
<i>pygmaeus</i> , <i>Sirex</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 929 (specific name of the type species of <i>Cephus</i> Latreille, [1802]) (Insecta, Hymenoptera). Direction 4	available
<i>pygmaeus</i> , <i>Staphylinus</i> , Paykull, 1800, <i>Fauna Suecica. Insecta</i> , vol. 3, p. 410 (a nomen protectum) (Insecta, Coleoptera). Op. 2053	available
<i>pygmaeus</i> , <i>Vespertilio</i> , Leach, 1825, <i>Zoological Journal</i> , 1 (4): 559, as defined by the neotype (adult, female specimen no. BMNH 1999.43 from Chew Valley Lake, Bath and North East Somerset, U.K.) designated under the plenary power (Mammalia). Op. 2028	available
<i>Pygophora</i> Schiner, 1868, <i>Nov. Reise, Diptera</i> : 295 (gender: feminine) (type species, by monotypy: <i>Pygophora apicalis</i> Schiner, 1868, <i>Nov. Reise, Diptera</i> : 295) (Insecta, Diptera). Op. 867	available
<i>Pylodictis</i> Rafinesque, 1819, <i>Journal de Physique, de Chimie et d'Histoire Naturelle, et des Arts</i> , 88 : 422 (gender: masculine) (type species, by monotypy: <i>Pylodictis limosus</i> Rafinesque, 1819, a junior subjective synonym of <i>Silurus olivaris</i> Rafinesque, 1818) (Osteichthyes, Siluriformes). Op. 1584	available
PYRALES Swinhoe, 1890, <i>Trans. entomol. Soc. London</i> , 1890 : 268 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index

PYRALIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 135 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index
PYRALIDAE (correction of PYRALITES) Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 192, 228 (type genus: <i>Pyralis</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
PYRALIDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 92 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index
PYRALIDIDAE Lederer, 1863, <i>Wien. entomol. Monats.</i> , 7 : 257 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index
PYRALIDIDES Zetterstedt, 1840, <i>Ins. lapp.</i> : vi, 969 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index
PYRALOIDAE Herrich-Schaeffer, 1856, <i>Syst. Bearbeit. Schmett. Europ.</i> , 6 , Syst. Lep.: 41 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index
<i>Pyralis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 533 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Phalaena farinalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 533) (Insecta, Lepidoptera). Op. 450	available
PYRALITES Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 192, 228 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect original spelling for PYRALIDAE Latreille, 1809). Op. 450	index
PYRALOIDI Guénée, 1845, <i>Europ. microlep. Index meth.</i> : 57 (type genus: <i>Pyralis</i> Linnaeus, 1758) (an incorrect subsequent spelling for PYRALIDAE (correction of PYRALITES) Latreille, 1809). Op. 450	index
<i>pyramidata</i> , <i>Clio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, p. 1094 (specific name of the type species of <i>Clio</i> Linnaeus, 1767) (Pteropoda). Op. 2133	available
<i>pyramidata</i> , <i>Helix</i> , Draparnaud, [1805], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 80 (Gastropoda). Op. 336	available
<i>Pyramidella</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 76 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Trochus dolabratus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 760) (Gastropoda). Op. 386	available
PYRAMIDELLIDAE Gray, 1840, <i>Syn. Contents Brit. Mus.</i> (ed. 42): 148 (type genus: <i>Pyramidella</i> Lamarck, 1799) (Gastropoda). Direction 54	available
<i>Pyramidelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Pyramidula</i> Fitzinger, 1833, <i>Beitr. Landesk. Oesterreich Enns</i> , 3 : 95 (gender: feminine) (type species, by monotypy: <i>Helix rupestris</i> Draparnaud, [1801], <i>Tabl. Moll. terrestre fluviat. France</i> : 71) (Gastropoda). Op. 335	available
PYRAMIDULIDAE Kennard & Woodward, 1914, <i>List brit. non-marine Moll.</i> : 1 (type genus: <i>Pyramidula</i> Fitzinger, 1833) (Gastropoda). Direction 27	available
<i>pyrausta</i> , <i>Phalaena</i> , Hübner, [1819], <i>Verzeichniss bekannter Schmettlinge</i> , p. 163 (specific name of the type species of <i>Ethmia</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 1544	available
<i>pyrenaica</i> , <i>Helicolimax</i> , Féruccac, 1821, <i>Tabl. syst. Anim. Moll. terrestre fluviat.</i> : 25 (Gastropoda). Op. 336	available
<i>Pyrgomorpha</i> Audinet-Serville, [1838], <i>Hist. nat. Ins. Orth.</i> : 583 (gender: feminine) (type species, by designation by Kirby, 1910 (<i>Syn. Cat. Orth.</i> , 3 : 324): <i>Truxalis rosea</i> Charpentier, 1825, <i>Horae entomologicae</i> : 128, valid name: <i>Acrydium conicum</i> Olivier, 1791) (Insecta, Orthoptera). Op. 969	available
PYRGOMORPHIDAE (correction of PYRGOMOPHIDEN) Brunner von Wattenwyl, 1874, <i>Verz. zool.- bot. Ges. Wien</i> , 24 : 225 (type genus: <i>Pyrgomorpha</i> Audinet-Serville, [1838]) ruled under the plenary power to be given precedence over	
POEKILOCERIDAE Burmeister, 1840 and PHYMATEIDAE Burmeister, 1840 under any circumstances that may lead to these names being regarded as synonymous and co-ordinate (Insecta, Orthoptera). Op. 969	available
<i>Pyrgus</i> Hübner, [1819], <i>Verz. bekannt. Schmett.</i> (7): 109 (gender: masculine) (type species, by designation by Westwood, 1841 (<i>in Humphreys & Westwood, Brit. Butts. Transformations</i> (ed. 1): 120): <i>Papilio alveolus</i> Hübner, [1800-03], <i>Samml. europ. Schmett.</i> : pl. <i>Pap.</i> 92, figs. 466, 467, valid name: <i>Papilio malvae</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 278	available
<i>pyri</i> , <i>Aphis</i> , Boyer de Fonscolombe, 1841, <i>Ann. Soc. entomol. France</i> , 10 : 189, 190 (Insecta, Hemiptera). Op. 1188	available
<i>pyri</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 150 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>pyri</i> , <i>Aphis</i> , Vallot, 1802, <i>Concordance systématique ... à l'ouvrage de Réaumur intitulé: Mémoires pour servir à l'histoire des Insectes</i> (Paris): 94 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1188	index
<i>pyri</i> , <i>Bombyx</i> , [Denis & Schiffermüller], 1775, <i>Ankündung [sic] eines systematischen Werkes von den Schmetterlingen der Wiener Gegend</i> , 2 (2): 149 (specific name of the type species of <i>Saturnia</i> Schrank, 1802) ruled under the plenary power to be given precedence over the specific name <i>major</i> Linnaeus, 1758, as published in the combination <i>Phalaena (Bombyx) pavonia major</i> , whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1170	available
<i>pyri</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 384 (specific name of the type species of <i>Phyllobius</i> Germar, 1824) (Insecta, Coleoptera). Op. 1179	available

<i>pyri</i> , Phytoptus , Pagenstecher, 1857, <i>Verhandlungen des naturhistorisch-medicinischen Vereins zu Heidelberg</i> , 1(2): 48 (specific name of the type species of Eriophyes von Siebold, 1851) (Arachnida, Acarina). Op. 1521	available
<i>pyriformis</i> , Bulla (Atya) , Adams, 1850, in Sowerby, <i>Thes. Conch.</i> , 2: 589 (specific name of the type species of Pyrunculus Pilsbry, 1895) (Trilobita). Op. 512	available
<i>pyriformis</i> , Geodia , Michelin, [1847], <i>Iconogr. zoophyt.</i> : 178 (specific name of the type species of Axopora Milne Edwards & Haime, [1850]) (Hydrozoa). Op. 790	available
<i>pyriformis</i> , Leucophrys , Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 96 (valid name at the date of Opinion 915 of the type species of Tetrahymena Furgason, 1940) (Ciliophora). Op. 915	available
<i>Pyrochroa</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 338 (gender: feminine) (type species, by subsequent designation by Westwood, [1838], <i>Synopsis of the British insects</i> , p. 30 (published with <i>An introduction to the modern classification of insects</i> , vol. 1, part 3): Cantharis coccinea Linnaeus, 1761) (Insecta, Coleoptera). Op. 1754	available
<i>Pyrophaena</i> Schiner, 1860, <i>Wiener Entomologische Monatschrift</i> , 4: 213 (gender: feminine) (type species, by monotypy: Syrphus rosarum Fabricius, 1787) (Insecta, Diptera). Op. 1744	available
<i>Pyrosoma</i> Dahlbom, 1854, <i>Hymen. Europ.</i> , 2: 96 (a nomen nudum). Direction 72	index
<i>Pyrosoma</i> Péron, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 4: 437, 440, pl. 72 (gender: neuter) (type species, by monotypy: Pyrosoma atlanticum Péron, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 4: 440) (Urochordata). Op. 77 <i>Pyrosoma</i> Smith & Kilborne, 1893, <i>Bull. U.S. Bur. Anim. Ind.</i> (No. 1): 67 (a junior homonym of Pyrosoma Péron, 1804). Direction 72	available
<i>Pyrrhocorax</i> [Tunstall], 1771, <i>Orn. Brit.</i> : 2 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: Upupa pyrrhocorax Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 118) (Aves). Op. 404	available
<i>Pyrrhocorax</i> Brisson, 1760, <i>Ornithologia</i> , 2: 30, 31 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 404	index
<i>Pyrrhocorax</i> Nozeman & Vosmaer, 1758, <i>Geslacht. Vogel.</i> : 1, 15 (Dutch translation of Moehring, 1752, <i>Avium Genera</i>) (included in a work rejected for nomenclatural purposes). Op. 404	index
<i>Pyrrhocorax</i> Vieillot, 1816, <i>Analyse nouv. Ornith. élém.</i> : 36 (a junior homonym of Pyrrhocorax [Tunstall], 1771). Op. 404	index
<i>pyrrhocorax</i> , Upupa , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 118 (specific name of the type species of Pyrrhocorax [Tunstall], 1771) (Aves). Op. 404	available
<i>pyrrhopterus</i> , Psittacus , Latham, 1801, <i>Index orn.</i> , Suppl.: xxii (specific name of the type species of Brotogeris Vigors, 1825) (Aves). Direction 43	available
<i>pyrrhulinus</i> , Emberiza , Swinhoe, 1876, <i>Ibis</i> , (3)5: 333, pl. VIII, fig. 2 (Aves). Op. 408	available

<i>Pyruligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>pyrum</i> , <i>Trichoda</i> , Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 96 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	index
<i>pyrum</i> , <i>Voluta</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1195 (specific name of the type species of <i>Turbinella</i> Lamarck, 1799) (Gastropoda). Op. 489	available
<i>Pyrunculus</i> Pilsbry, 1895, in Tryon & Pilsbry, <i>Man. Conch.</i> , (1)15: 181, 229 (gender: masculine) (type species, by original designation: <i>Bulla (Atya) pyriformis</i> Adams, 1850, in Sowerby, <i>Thes. Conch.</i> , 2: 589) (Gastropoda). Op. 512	available
<i>Pyura</i> Molina, 1782, <i>Sag. Stor. nat. Chili</i> : 196 (gender: feminine) (type species, by monotypy: <i>Pyura chilensis</i> Molina, 1782, <i>Sag. Stor. nat. Chili</i> : 348) (Asciidiacea). Op. 1182	available
PYURIDAE Hartmeyer, 1908, <i>Zool. Annalen</i> , 3: 7, 15, 26 (type genus: <i>Pyura</i> Molina, 1782) (Asciidiacea). Op. 1182	available
<i>Pyxidognathus</i> Milne Edwards, 1879, <i>Bull. Sci. Soc. philomat. Paris</i> , (7)3: 109 (gender: masculine) (type species, by monotypy: <i>Pyxidognathus granulosus</i> Milne Edwards, 1879, <i>Bull. Sci. Soc. philomat. Paris</i> , (7)3: 109) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>quadrangularis</i> , <i>Lynceus</i> , Leydig, 1860, <i>Naturgesch. Daphniden</i> : 221, pl. VIII, fig. 59 (a junior primary homonym of <i>quadrangularis</i> , <i>Lynceus</i> , Müller, 1776). Op. 532	index
<i>quadrangularis</i> , <i>Lynceus</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 72, 199, pl. IX, figs. 1-3 (specific name of the type species of <i>Alona</i> Baird, 1843) (Crustacea, Branchiopoda). Op. 532	available
<i>quadratus</i> , <i>Cancer</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1: 315 (Crustacea, Decapoda). Op. 262	available
<i>quadratus</i> , <i>Cancer</i> , Meuschen, 1778, <i>Mus. gronov.</i> : 84 (included in a work rejected for nomenclatural purposes). Op. 262	index
<i>quadratus</i> , <i>Cancer</i> , Meuschen, 1781, Index to Gronovius' <i>Zoophylac. gronov.</i> (included in a work rejected for nomenclatural purposes). Op. 262	index
<i>quadratus</i> , <i>Cymonomus</i> , Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8(1): 26 (specific name of the type species of <i>Cymonomus</i> Milne Edwards, 1880) (Crustacea, Decapoda). Op. 712	available
<i>quadratus</i> , <i>Lygaeus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 232, as interpreted under the plenary power by the neotype designated by Scudder & Wagner, 1964 (<i>Bull. zool. Nomencl.</i> , 21: 359) (Insecta, Hemiptera). Op. 798	available
<i>Quadrella</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 150 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>quadricincta</i> , <i>Apis</i> , Fabricius, [1777], <i>Genera insectorum</i> ..., p. 247 (specific name of the type species of <i>Halictus</i> Latreille, 1804) (Insecta, Hymenoptera). Op. 1713	available
<i>quadricollis</i> , <i>Nicrophorus</i> , Gistel, 1848, <i>Naturgeschichte des Thierreichs für höhere Schulen</i> , p. 190, ruled under the plenary power not to be given priority over <i>Nicrophorus olidus</i> Matthews, 1888 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2141	available
<i>quadricolor</i> , <i>Hervia</i> , Barnard, 1927, <i>Ann. S. Afr. Mus.</i> , 25 : 203 (specific name of the type species of <i>Godiva</i> Macnae, 1954) (Gastropoda). Op. 778	available
<i>quadricolor</i> , <i>Peneus</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 22 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>quadricornis</i> , <i>Doris</i> , Montagu, 1815, <i>Trans. linn. Soc. London</i> , 11 : 17 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1014	index
<i>quadricornis</i> , <i>Palinurus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 401 (a junior objective synonym of <i>elephas</i> , <i>Astacus</i> , Fabricius, 1787, and a junior homonym of <i>quadricornis</i> , <i>Pallinurus</i> , Weber, 1795). Op. 519	index
<i>quadricornis</i> , <i>Pallinurus</i> , Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 94 (a junior objective synonym of <i>elephas</i> , <i>Astacus</i> , Fabricius, 1787). Op. 519	index
<i>quadrident</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 107 (Gastropoda). Op. 336	available
<i>quadrident</i> , <i>Scarabaeus</i> , Fabricius, 1781, <i>Systema entomologiae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus</i> , p. 11, as defined by the lectotype designated by Krell (2003), <i>Bulletin of Zoological Nomenclature</i> , 60 : 306, smaller of two specimens of the Banks collection in the Natural History Museum, London, labelled 'LECTOTYPUS' (specific name of the type species of <i>Bolboceras</i> Kirby, 1819) (Insecta, Coleoptera). Op. 2138	available
<i>quadrident</i> , <i>Thalamitoides</i> , Milne Edwards, 1869, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 5 : 147 (specific name of the type species of <i>Thalamitoides</i> Milne Edwards, 1869) (Crustacea, Decapoda). Direction 36	available
<i>quadridentata</i> , <i>Cythere</i> , Baird, 1850, <i>The natural history of British Entomostraca</i> , London (Ray Society): 173 (specific name of the type species of <i>Celtia</i> Neale, 1973) (Crustacea, Ostracoda). Op. 1173	available
<i>quadridentata</i> , <i>Melia</i> , Latreille, [1828], <i>Ency. méth.</i> , 10 (Ins.): 706 (specific name of the type species of <i>Pseudorhombila</i> Milne Edwards, 1837) (Crustacea, Decapoda). Direction 36	available
<i>quadridentatus</i> , <i>Lithobius</i> , Menge, 1851, <i>Neueste Schriften der Naturforschenden Gesellschaft in Danzig</i> , 4 (2): 12 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Chilopoda). Op. 1816	index

<i>quadrifaria</i> , <i>Phalaena</i> , Sulzer, 1776, <i>Abgek. Gesch. Ins. Linn.</i> , 1 : 162 (valid name at the date of Opinion 995 of the type species of <i>Psodos</i> Treitschke, 1825) (Insecta, Lepidoptera). Op. 995	available
<i>quadrimaculatus</i> , <i>Carabus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 416 (specific name of the type species of <i>Dromius</i> Bonelli, 1810) (Insecta, Coleoptera). Op. 2149	available
<i>quadrimaculatus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>quadrimucronatus</i> , <i>Paradoxides</i> , Murchison, 1839, <i>Silurian System</i> : 658, pl. 14, fig. 10, ruled under the plenary power not to be given priority over the specific name <i>coronata</i> Salter, 1853, as published in the binomen <i>Acidaspis coronata</i> , whenever the two names are considered synonyms (Trilobita). Op. 1223	available
<i>quadripartita</i> , <i>Podophrya</i> , Claparède & Lachmann, 1859, <i>Mémoires de l'Institut National Génevois</i> , 6 : 382 (specific name of the type species of <i>Tokophrya</i> Bütschli, 1889) (Ciliophora, Suctoria). Op. 1778	available
<i>quadripunctatus</i> , <i>Cimex</i> , Villers, 1789, <i>Linn. Entomol.</i> : 535 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1326	index
<i>quadripunctatus</i> , <i>Erotylus</i> , Olivier, 1792, <i>Encyclopédie méthodique. Histoire naturelle des insectes</i> , vol. 6, p. 437 (specific name of the type species of <i>Ischyurus</i> Lacordaire, 1842) (Insecta, Coleoptera). Op. 1824	available
<i>quadripunctatus</i> , <i>Lygaeus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 172 (Insecta, Hemiptera). Op. 1326	available
<i>quadrastriata</i> , <i>Cicada</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, p. 2111 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Auchenorrhyncha). Op. 1935	index
<i>quadratuberculatus</i> , <i>Curculio</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> , vol. 1, p. 100 (specific name of the type species of <i>Phytobius</i> Dejean, 1835) (Insecta, Coleoptera). Op. 1529	available
<i>quadrupeda</i> , Syren, Custis, 1807, in King (Ed.), <i>An account of the Red River, in Louisiana, drawn up from the returns of Messrs. Freeman & Custis, to the War Office of the United States, who explored the same, in the year 1806</i> , p. 60 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia, Caudata). Op. 1733	index
<i>quarlesi</i> , <i>Anoa</i> , Ouwens, 1910, <i>Bull. Dép. Agric. Indes néerl.</i> , 38 : 1 (Mammalia). Op. 1349	available
<i>quartanae</i> , <i>Haemosporidium</i> , Lewkowicz, 1897, <i>Zbl. Bakt. (Abt. 1)</i> , 21 (4): 132 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index

<i>quartanae</i> , <i>Plasmodium malariae</i> M. & C., Varietà A, Celli & Sanfelice, 1891, <i>Ann. Ist. Igiene sper. Univ. Roma</i> (n.s.), 1 : 61 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>quartanae</i> , <i>Plasmodium malariae</i> , Kruse, 1892, <i>Hyg. Rdschr.</i> , 2 : 466 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>quater-radiatus</i> , <i>Coluber</i> , Gmelin, 1799, <i>Der Naturforscher</i> , Halle, 28 : 169, tab. 3, fig. 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 642	index
<i>quatuordecimlaminatus</i> , <i>Echeneis</i> , Storer, 1839, <i>Fishes of Massachusetts</i> : 155, in: <i>Reports on the Ichthyology and Herpetology of Massachusetts</i> , Boston (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1033	index
<i>quatuorlineatus</i> , <i>Coluber</i> , Lacepède, 1789, <i>Hist. nat. Quad. ovip. Serpens</i> , 2 : 82 (name of a species of which <i>Coluber sauromates</i> Pallas, [1814] is considered to be a subspecies) (Reptilia). Op. 490	available
QUEDIINI Kraatz, [1857], in Erichson, <i>Naturgeschichte der Insekten Deutschlands</i> , Abteilung 1 (Insecta, Coleoptera), vol. 2, p. 473 (type genus: <i>Quedius</i> Stephens, 1829), ruled under the plenary power that this name and other family-group names based on <i>Quedius</i> are to be given precedence over PLATYCNEMINI Nordmann, 1837 and other family-group names based on <i>Platycnemus</i> Nordmann, 1837 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1851	available
<i>Quedius</i> Stephens, 1829, <i>The nomenclature of British insects; being a compendious list of such species as are contained in the Systematic Catalogue of British insects, and forming a guide to their classification</i> ..., p. 22 (gender: masculine) (type species, by designation under the plenary power: <i>Staphylinus levicollis</i> Brullé, 1832) (Insecta, Coleoptera). Op. 1851	available
<i>Quenstedioceras</i> Hyatt, 1877, <i>Proc. Boston Soc. nat. Hist.</i> , 18 : 390 (an incorrect original spelling for <i>Quenstedtoceras</i> Hyatt, 1877). Op. 324	index
<i>Quenstedticeras</i> Teisseyre, 1889, <i>Neues Jahrb. Min.</i> , Beil.-Band, 6 : 148 (an unjustified emendation of the defective form <i>Quenstedioceras</i> , in which the name <i>Quenstedtoceras</i> Hyatt, 1877, was originally published). Op. 324	index
<i>Quenstedtoceras</i> (emendation of <i>Quenstedioceras</i>) Hyatt, 1877, <i>Proc. Boston Soc. nat. Hist.</i> , 18 : 391 (gender: neuter) (type species, by monotypy: <i>Ammonites leachi</i> Sowerby, 1819, <i>Min. Conch.</i> , 3 : 73, pl. 242, fig. 4) (Cephalopoda). Op. 324	available
<i>querucus</i> , <i>Cicada</i> , Fabricius, 1777, <i>Gen. Ins.</i> , Chilonii: 298 (specific name of the type species of <i>Typhlocyba</i> Germar, 1833) (Insecta, Hemiptera). Op. 605	available
<i>querquedulae</i> , <i>Pediculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 612, as interpreted by the neotype designated by Clay & Hopkins, 1950 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 1 : 244) (Insecta, Mallophaga). Op. 627	available
<i>quinquecincta</i> , <i>Scolia</i> , Fabricius, 1793, <i>Entomol. Syst.</i> , 2 : 234 (specific name of the type species of <i>Heterelis</i> Costa, 1887) (Insecta, Hymenoptera). Op. 1293	available

<i>quinquefaria</i> , <i>Scutella</i> , Say, [1826], <i>J. Acad. nat. Sci. Philadelphia</i> , 5 : 228 (specific name of the type species of <i>Mortonella</i> Pomel, 1883) (Echinoidea). Op. 358	available
<i>quinqueloba</i> , <i>Asterias</i> , Goldfuss, 1831, <i>Petref. German.</i> , 1 : 209, pl. 63, fig. 5, subfigs. 'u', 't', as interpreted by the lectotype designated under the plenary power (specific name of the type species of <i>Crateraster</i> Spencer, 1913) (Asteroidea). Op. 331	available
<i>Quinqueloculina</i> d'Orbigny, 1826, <i>Ann. Sci. nat.</i> , Paris, 7 (27): 301 (conserved under the plenary power) (gender: feminine) (type species, by designation by Parker & Jones, 1859 (<i>Ann. Mag. nat. Hist.</i> , (3) 3 : 480): <i>Serpula seminulum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 786, as interpreted by the neotype designated by Loeblich & Tappan, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 123)) (Rhizopoda). Op. 692	available
QUINQUELOCULININAE Cushman, 1917, <i>Bull. U.S. nat. Mus.</i> , 71 (6): 41 (type genus: <i>Quinqueloculina</i> d'Orbigny, 1826) (Rhizopoda). Op. 692	available
<i>quinquemaculata</i> , <i>Uroctea</i> , Dufour, 1820, <i>Annales générales des Sciences Physiques, Bruxelles</i> , 5 : 200 (specific name of the type species of <i>Uroctea</i> Dufour, 1820) (Cumacea). Op. 1593	available
<i>quinquespinosus</i> , <i>Rophites</i> , Spinola, 1808, <i>Insectorum Liguriae species novae aut rariores</i> , vol. 2, p. 72 (specific name of the type species of <i>Rophites</i> Spinola, 1808) (Insecta, Hymenoptera). Op. 1713	available
<i>Quinquevalvula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 154 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>quinquiesperforatus</i> , <i>Echinodiscus</i> , Leske, 1778, <i>Addit. J.T. Klein Nat. Disp. Echin.</i> : 197 (specific name of the type species of <i>Mellita</i> Agassiz, 1841) (Echinoidea). Op. 393	available
<i>quoll</i> , <i>Mustela</i> , Zimmermann, 1783, <i>Geographische Geschichte des Menschen</i> , vol. 3, p. 181 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Marsupialia). Op. 1460	index
<i>quotidianae</i> , <i>Plasmodium malariae</i> M. & C., Varietà C, Celli & Sanfelice, 1891, <i>Ann. Ist. Igiene sper. Univ. Roma</i> (n.s.), 1 : 61 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>radiatus</i> , <i>Echinus</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3174 (a junior objective synonym of <i>striatoradiatus</i> , <i>Spatangus</i> , Leske, 1778). Op. 321	index
<i>radicana</i> , <i>Griselda</i> , Heinrich, 1923, <i>Bull. U.S. nat. Mus.</i> , 123 : 186, pl. 7, fig. 36, pl. 49, fig. 329 (ruled under the plenary power to be an available name) (specific name of the type species of <i>Griselda</i> Heinrich, 1923) (Insecta, Lepidoptera). Op. 786	available
<i>radicana</i> , <i>Paedisca</i> , Walsingham, 1879, <i>Illustr. Lepid. Heter. Brit. Mus.</i> , 4 : 53, pl. 72, fig. 5 (Insecta, Lepidoptera). Op. 786	available
<i>radicula</i> , <i>Nautilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 71 (specific name of the type species by selection by Children, 1823 (Lamarck's <i>Genera of Shells</i> : 149) of <i>Nodosaria</i> [Lamarck, 1816]) (Rhizopoda). Op. 1003	available
<i>radigueli</i> , <i>Lartetia</i> , Bourguignat, 1869, <i>Cat. Moll. Paris</i> : 16 (Gastropoda). Op. 336	available

<i>Radiolichas</i> Reed, 1923, <i>Geol. Mag.</i> , 60 : 455 (gender: masculine) (type species, by monotypy: <i>Lichas aranea</i> Holzapfel, 1895, <i>Abh. K.-preuss. geol. Landesanst.</i> , 16 : 32) (Trilobita). Op. 615	available
<i>Radiolithigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>radix, Murex</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3527 (specific name of the type species of <i>Muricanthus</i> Swainson, 1840) (Gastropoda). Op. 886	available
<i>raibeliana</i> , <i>Cryptina</i> , Boué, 1835, <i>Mém. Soc. géol. France</i> , 2 : 47, pl. 4, figs. 8a-f (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 919	index
<i>Rallus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 153 (gender: masculine) (type species, by designation by Fleming, 1821 (<i>Mem. werner. nat. Hist. Soc.</i> , 3 : 176)): <i>Rallus aquaticus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 153) (Aves). Op. 67 <i>ramea, Madrepora</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 797, as defined by the lectotype designated by Zibrowius, 1980, <i>Mémoires de l'Institut Océanographique</i> (Monaco), 11 : 169 (specific name of the type species of <i>Dendrophyllia</i> Blainville, 1830) (Anthozoa). Op. 2061	available
<i>ramicornis, Ichneumon</i> , Fabricius, 1781, <i>Species insectorum</i> , vol. 1, p. 441 (specific name of the type species of <i>Eulophus</i> Geoffroy, 1762) (Insecta, Hymenoptera). Op. 1754	available
<i>ramosus, Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 747 (specific name of the type species of <i>Chicoreus</i> Montfort, 1810) (Gastropoda). Op. 911	available
<i>Ramphotyphlops</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 24 (gender: masculine) (type species, by original designation: <i>Typhlops multilineatus</i> Schlegel, 1839, <i>Abbildungen neuer oder unvollständig bekannter Amphibien</i> : 40) (Reptilia). Op. 1207	available
<i>Randallia</i> Stimpson, February 1857, <i>Proc. Boston Soc. nat. Hist.</i> , 6 : 85; <i>id.</i> , post February 1857, <i>Boston J. nat. Hist.</i> , 6 (No. 4): 471 (gender: feminine) (type species, by original designation: <i>Ilia ornata</i> Randall, 1840, <i>J. Acad. nat. Sci. Philadelphia</i> , 8 : 129) (Crustacea, Decapoda). Op. 73 <i>Rangifer</i> Gistl, [1847], <i>Handb. Naturgesch.</i> : 430 (a junior homonym of <i>Rangifer</i> Smith, 1827). Direction 24	available
<i>Rangifer</i> Smith, 1827, in Griffith's Cuvier, <i>Anim. Kingd.</i> , Mamm. Syn.: 304 (gender: masculine) (type species, by designation by Elliot, 1901 (<i>Field Mus. Publ. (Zool.)</i> , 2 : 35): <i>Cervus tarandus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 67) (Mammalia). Op. 91, Direction 24	available
<i>rangii, Holopus</i> , d'Orbigny, 1837, <i>Mag. Zool.</i> , 7 : 6-8, pl. 3 (specific name of the type species of <i>Holopus</i> d'Orbigny, 1837) (Crinoidea). Direction 73	available
<i>rangoonensis, Potamon</i> , Rathbun, 1904, <i>Nouvelles archives du Muséum d'Histoire Naturelle de Paris</i> , (4) 6 : 279 (specific name of the type species of <i>Ranguna</i> Bott, 1966) (Crustacea, Decapoda). Op. 1640	available

<i>Ranguna</i> Bott, 1966, <i>Senckenbergiana biologica</i> , 47 (6): 481 (gender: feminine) (type species, confirmed by the Commission to be by original designation: <i>Potamon rangoonensis</i> Rathbun, 1904) (Crustacea, Decapoda). Op. 1640	available
<i>Rantus</i> Dejean, 1833, <i>Cat. Coléopt.</i> (ed. 2): 54 (an incorrect original spelling for <i>Rhantus</i> Dejean, 1833). Op. 289	index
<i>rapax</i> , <i>Typhis</i> , Milne Edwards, 1830, <i>Annales des Sciences Naturelles</i> , 20 : 395 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphipoda). Op. 1889	index
<i>rapha</i> , <i>Procoptodon</i> , Owen, 1874, <i>Philosophical Transactions of the Royal Society of London</i> , 164 : 788 (Mammalia). Op. 1993	available
<i>Raphistoma</i> Hall, 1847, <i>Nat. Hist. New York</i> (Pal.), 1 : 28 (conserved under the plenary power) (gender: neuter) (type species, by designation by de Koninck, 1881 (<i>Ann. Mus. roy. Hist. nat. Belg.</i> (Sér. paléont.), 6 : 107); <i>Maclurea striatus</i> Emmons, 1842, <i>Nat. Hist. New York</i> (Geol.) (2 dist.): 312) (Gastropoda). Op. 225	available
<i>Raphistoma</i> Rafinesque, 1815, <i>Analyse Nature</i> : 89 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 225	index
<i>raricostatus</i> , <i>Ammonites</i> , Zieten, [1831], <i>Verstein. Würtemb.</i> (3): 18, pl. 13, fig. 4 (specific name of the type species of <i>Echioceras</i> Bayle, 1878) (Cephalopoda). Op. 324	available
<i>Rasenia</i> Salfeld, 1913, <i>Quart. J. geol. Soc. London</i> , 69 : 429 (gender: feminine) (type species, by designation under the plenary power: <i>Rasenia involuta</i> Spath, 1935, <i>Meddelelser Grønland</i> , 99 (No. 2): 48, pl. 10, figs. 5a, 5b) (Cephalopoda). Op. 426	available
RASENIINAE Schindewolf, 1925, <i>Neues Jahrb. Min.</i> , 52 (Abt. B): 333 (type genus: <i>Rasenia</i> Salfeld, 1913) for use by those who consider that <i>Rasenia</i> Salfeld and <i>Pictonia</i> Bayle, 1878 belong to different family-group taxa (Cephalopoda). Direction 14	available
<i>rathkii</i> , <i>Cuma</i> , Kröyer, 1841, <i>Naturhistorisk Tidsskrift</i> , 3 (6): 513, as defined by the lectotype (specimen no. ZMUC-CRU-7936 in the Zoological Museum of the University of Copenhagen) designated by Gerken, <i>Bulletin of Zoological Nomenclature</i> , 58 : 305 (specific name of the type species of <i>Diastylis</i> Say, 1818) (Cumacea). Op. 2020	available
<i>Rathumoutes</i> Templeton, 1843, <i>Trans. entomol. Soc. London</i> , 3 (4): 306 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 435	index
<i>ratna</i> , <i>Celaenorrhinus sumitra</i> , Fruhstorfer, 1908, <i>Entomologische Zeitschrift</i> , 22 : 49 Op. 2193	available
<i>Ratton</i> Brants, 1827, <i>Der Geslacht der Muizen door Linnaeus opgesteld</i> (Berlin): 184 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1232	index
<i>rauca</i> , <i>Buprestis</i> , Fabricius, 1787, <i>Mantissa insectorum</i> ..., vol. 1, p. 177 (senior synonym of <i>Buprestis geminatus</i> Illiger, 1803) (Insecta, Coleoptera). Op. 2008	available
<i>rava</i> , <i>Clavatula</i> , Hinds, 1843, <i>Proc. zool. Soc. London</i> , 1843 : 39 (specific name of the type species of <i>Clathurella</i> Carpenter, 1857) (Gastropoda). Op. 666	available

Realia Baird, 1850, *Nomencl. moll. Anim. & Shells Brit. Mus.*, **1** Cyclophoridae: 63, 64
(suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 973

index

REALIINAE Pfeiffer, 1858, *Mon. Pneumonopomorum viv.*, Suppl. 1: 153 (type genus: *Realia* Baird, 1850) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 973

index

Receptacules Defrance, 1827, *Dict. Sci. nat.*, **45**: 7 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 909

index

Receptaculites Deshayes, 1828, *Dict. class. Hist. nat.*, **14**: 486 (gender: masculine) (type species, by subsequent monotypy (Blainville, 1830): **Receptacules neptuni** Defrance, 1827, *Dict. Sci. nat.*, **45**: 7) (Receptaculitidae). Op. 909

available

rectangula, *Alona*, Sars, 1862, *Forh. Vidensk.-Selsk. Christiania*, **1861**: 278 (Crustacea, Branchiopoda). Op. 532

available

rectisectaria, *Gonodontis*, Herrich-Schäffer, [1855], *Sammlung neuer oder wenig bekannter aussereuropäischen Schmetterlinge*, vol. 1, part 1, pl. 58, fig. 325 (specific name of the type species of **Pero** Herrich-Schäffer, 1855) (Insecta, Lepidoptera). Op. 1379

available

Recurvirostra Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 151 (gender: feminine) (type species, by monotypy: **Recurvirostra avosetta** Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 151) (Aves). Op. 67 *redimacula*, *Agrotis*, Morrison, 1874, *Proc. Bost. Soc. nat. Hist.*, **17**: 165 (ruled under the plenary power to be an incorrect original spelling for *Agrotis redimicula* Morrison, 1874). Op. 1354

available

redimicula, *Agrotis*, Morrison, 1874, *Proc. Bost. Soc. nat. Hist.*, **17**: 165 (ruled under the plenary power to be a justified emendation of the specific name *redimacula* Morrison, 1874) (Insecta, Lepidoptera). Op. 1354

available

redmanii, *Livoneca*, Leach, 1818, *in* Cuvier (Ed.), *Dictionnaire des sciences naturelles*, vol. 12, p. 351 (specific name of the type species of *Livoneca* Leach, 1818) (Crustacea, Isopoda). Op. 1849

available

reducta, *Limenitis camilla* var., Staudinger, 1901, *in* Staudinger & Rebel, *Cat. Lepid. pal. Faunengeb.*, **1**: 22, ruled under the plenary power that the name *Papilio camillus* Cramer, [1780] and all uses of that name prior to the publication of **Papilio camillus** Fabricius, 1781 are suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy (Insecta, Lepidoptera). Op. 562, Op. 1917

available

REDUVIIDAE Latreille, 1807 (as REDUVINI), *Gen. Crust. Ins.*, Paris, **3**: 126 (type genus: **Reduvius** Fabricius, 1775) (Insecta, Hemiptera). Direction 109

available

REDUVINI Latreille, 1807, *Gen. Crust. Ins.*, Paris, **3**: 126 (type genus: **Reduvius** Fabricius, 1775) (an incorrect original spelling for **REDUVIIDAE** Latreille, 1807). Direction 109

index

<i>Reduvius</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 729 (gender: masculine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 433, 256): <i>Cimex personatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 446) (Insecta, Hemiptera). Op. 104, Direction 63	available
<i>Reepenia</i> Friese, 1909, <i>Ann. Mus. nat. Hist. Hung.</i> , 7 : 205 (gender: feminine) (type species, by monotypy: <i>Nomia variabilis</i> Friese, 1909, <i>Ann. Mus. nat. Hist. Hung.</i> , 7 : 205) (Insecta, Hymenoptera). Op. 788	available
<i>reflexus, Acarus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 426 (specific name of the type species of <i>Argas</i> Latreille, 1795) (Arachnida). Direction 90	available
<i>reflexus, Dorodotes</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 678 (specific name of the type species of <i>Dorodotes</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>refractifrons, Rhynchonella</i> , Bittner, 1890, <i>Abh. k.-k. geol. Reichsanst.</i> , 14 : 34 (specific name of the type species of <i>Norella</i> Bittner, 1890) (Brachiopoda). Op. 633	available
<i>regelationis, Tipula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 587 (specific name of the type species of <i>Atractocera</i> Meigen, 1803) (Insecta, Diptera). Op. 1174	available
<i>regia, Paradisaea</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 110 (specific name of the type species of <i>Cicinnurus</i> Vieillot, 1816) (Aves). Direction 43	available
<i>regia, Perca</i> , Asso, 1801, <i>An. Cienc. nat. Madrid</i> , 4 : 42, as interpreted by the neotype designated by Trewavas, 1966 (<i>Bull. zool. Nomencl.</i> , 23 : 4) (a senior objective synonym of <i>Cheilodipterus aquila</i> Lacepède, 1803, <i>Hist. Nat. Poiss.</i> , 5 : 684) (specific name of the type species of <i>Argyrosomus</i> de la Pylaie, 1835) (Osteichthyes). Op. 988	available
<i>Regina</i> Baird & Girard, 1853, <i>Cat. N. Amer. Rept. Mus. Smithson. Inst.</i> (1): 45 (gender: feminine) (type species, by designation under the plenary power: <i>Coluber septemvittatus</i> Say, 1825, <i>J. Acad. nat. Sci. Philadelphia</i> , 4 : 240) (Reptilia). Op. 632	available
<i>regius, Panulirus</i> , de Brito Capello, 1864, <i>Mem. Acad. Sci. Lisboa</i> (Cl. Sci. math. phys. nat.), (2)3: 5 (Crustacea, Decapoda). Op. 507	available
<i>regularis, Orthoceratites</i> , Schlotheim, 1820, <i>Die Petref.</i> : 54 (specific name of the type species of <i>Orthoceras</i> Bruguière, 1789) (Cephalopoda). Op. 1003	available
<i>regularis, Primnoa</i> , Duchassaing & Michelotti, 1860, <i>Mémoires de l'Académie des Sciences de Turin</i> , (2)19: 293, as defined by the neotype, specimen USNM 49385 in the United States National Museum, Washington, D.C., designated under the plenary power (specific name of the type species of <i>Narella</i> Gray, 1870) (Coelenterata). Op. 2122	available
<i>regulbiensis, Bulla</i> , Kanmacher, 1798, in Adams, <i>Essays Microsc.</i> (ed. 2): 640, pl. 14, fig. 28 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 568	index
<i>Regulus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 18, 27 (a junior homonym of <i>Regulus</i> Cuvier, 1800). Op. 470	index
<i>religiosus, Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 426 (specific name of the type species of <i>Mantis</i> Linnaeus, 1758) (Insecta, Orthoptera). Op. 299, Op. 1754	available

<i>Remora</i> Forster, 1771, <i>Cat. Anim. N. Amer.</i> : 20 (not made available in the work cited). Op. 242	index
<i>Remora</i> Gill, 1862, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1862 : 239 (gender: feminine) (type species, by absolute tautonymy: <i>Echeneis remora</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 260) (Osteichthyes). Op. 242	available
<i>Remora</i> Gouan, 1770, <i>Hist. Pisc.</i> : 10, [107], 183 (not made available in the work cited). Op. 242	index
<i>remora</i> , <i>Echeneis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 260 (specific name of the type species of <i>Remora</i> Gill, 1862) (Osteichthyes). Op. 242	available
<i>renales</i> , <i>Ascaris</i> , Goeze, 1782, <i>Versuch einer Naturgeschichte der Eingeweidewürmer thierischer Körper</i> , p. 73 (senior subjective synonym of the specific name of <i>Strongylus gigas</i> Rudolphi, 1802, the type species of <i>Dioctophyme</i> Collet-Meygret, 1802) (Nematoda). Op. 1552	available
<i>reniforme</i> , <i>Phalangium</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 619, ruled under the plenary power not to be given priority over the name <i>Phrynum ceylonicus</i> Koch, 1843 whenever the two are considered to be synonyms (Arachnida). Op. 2082	available
<i>Renoidea</i> Brown, 1827, <i>Illustrations of the conchology of Great Britain and Ireland</i> (Edinburgh and London): pl. 1, fig. 14 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1089	index
<i>renominanda</i> , <i>Mimecomutilla</i> , Bischoff, 1921, <i>Arch. Naturgesch. (A)</i> , 86 (4): 508 (specific name of the type species of <i>Mimecomutilla</i> Ashmead, 1903) (Insecta, Hymenoptera). Op. 1000	available
<i>repandus</i> , <i>Nautilus</i> , Fichtel & Moll, 1798, <i>Testacea microscopica aliaque minuta ex generibus Argonauta et Nautilus ad naturam picta et descripta</i> , p. 35, as defined by the holotype (Inv. no. MI-470 in the Naturhistorisches Museum, Vienna), the neotype designation by Loeblich & Tappan (1962) having been set aside under the plenary power (specific name of the type species of <i>Eponides</i> de Montfort, 1808) (Foraminiferida). Op. 1572	available
<i>reptans</i> , <i>Agromyza</i> , Fallén, 1823, <i>Diptera Sveciae ...</i> , vol. 2, Agromyzides, p. 1, as defined by the lectotype designated by Nowakowski, 1964, <i>Deutsche Entomologische Zeitschrift</i> , 11 : 188 (specific name of the type species of <i>Agromyza</i> Fallén, 1810) (Insecta, Diptera). Op. 1476	available
<i>reptans</i> , <i>Cypris</i> , Baird, [1836], <i>Berwickshire Nat. Hist. Club</i> , 1 (3): 99 (specific name of the type species of <i>Herpetocypris</i> Brady & Norman, 1889) (Crustacea, Ostracoda). Op. 533	available
<i>Reptomultisparsa</i> d'Orbigny, 1853, <i>Paléontologie française, terrains crétacés</i> , vol. 5, Bryozaires, p. 875 (gender: feminine) (type species, by designation under the plenary power: <i>Diastopora incrassata</i> d'Orbigny, 1850) (Bryozoa, Cyclostomata). Op. 1392	available
<i>restricta</i> , <i>Hippolyte</i> , Milne Edwards, 1878, <i>Bull. Sci. Soc. philomat. Paris</i> , (7) 2 : 231 (valid name at the date of Opinion 470 of the type species of <i>Trachycaris</i> Calman, 1906) (Crustacea, Decapoda). Op. 470	available

<i>resupinatus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Z[4], pl. 49, figs. 13, 14, as interpreted by the neotype designated by George & Ponsford, 1938 (<i>Trans. Leeds geol. Assoc.</i> , 5 (4): 288) (conserved under the plenary power) (specific name of the type species of <i>Schizophoria</i> King, 1850) (Brachiopoda). Op. 419	available
<i>Retepora</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 155 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Retes</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 155 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>reticularis</i> , <i>Gymnothorax</i> , Bloch, 1795, <i>Naturgesch. ausl. Fische</i> , 9 : 85 (specific name of the type species of <i>Gymnothorax</i> Bloch, 1795) (Osteichthyes). Direction 57	available
<i>reticulata</i> , <i>Amphisbaena</i> , Thunberg, 1787, <i>D.D. Mus. Nat. Acad. Upsaliensis</i> : 30 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1149	index
<i>reticulata</i> , <i>Boa</i> , Schneider, 1801, <i>Historiae Amphibiorum Naturalis et Literariae</i> , vol. 2, p. 264 (oldest available synonym of <i>Coluber oularsawa</i> Bonnaterre, 1790 and <i>Coluber oryzivorus</i> Suckow, 1798, both of which are suppressed under the plenary power) (Reptilia). Op. 1463	available
<i>reticulata</i> , <i>Camelopardalis giraffa</i> var., Weinland, 1863, <i>Zool. Gart.</i> , 4 : 205 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 944	index
<i>reticulata</i> , <i>Giraffa camelopardalis</i> , de Winton, 1899, <i>Ann. Mag. nat. Hist.</i> , (7) 4 : 212 (Mammalia). Op. 944	available
<i>reticulatus</i> , <i>Acarus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 428 (specific name of the type species of <i>Dermacentor</i> Koch, 1844) (Arachnida). Direction 67	available
<i>reticulatus</i> , <i>Bagrus</i> , Kner, 1858, <i>Ichthyologische Beiträge. II. Abtheilung. Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftlichen Classe</i> , Wien, 26 : 376 (specific name of the type species of <i>Piratinga</i> Bleeker, 1858) (Osteichthyes). Op. 2208	available
<i>reticulatus</i> , <i>Chaetodon</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 40 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>reticulatus</i> , <i>Limax</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 10 (Gastropoda). Op. 336	available
<i>Retinella</i> Fischer, 1877, <i>in</i> Shuttleworth, <i>Notitiae Malac.</i> , 2 : 5 (gender: feminine) (type species, by designation by Kobelt, [1879] (<i>Illustr. Conchylienbuch</i> : 223)): <i>Helix olivetorum</i> Gmelin, [1791], <i>in</i> Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3639 (Gastropoda). Op. 335	available
<i>retortaeformis</i> , <i>Strongylus</i> , Zeder, 1800, <i>in</i> Goeze, <i>Versuch Naturg. Eingeweidewürmer</i> , Erst. Nachtr.: 75 (specific name of the type species of <i>Trichostrongylus</i> Looss, 1905) (Nematoda). Direction 77	available

<i>Retusa</i> Brown, 1827, <i>Ill. Conch. Gt. Brit. Ireland</i> : pl. 38 (gender: feminine) (type species, by designation by Iredale, 1915 (<i>Proc. malac. Soc. London</i> , 11 : 300)): Bulla obtusa Montagu, 1803, <i>Test. brit.</i> : 223) (Gastropoda). Op. 568	available
<i>retusa</i> , Anomia , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 701 (specific name of the type species of Terebratulina d'Orbigny, 1847) (Brachiopoda). Op. 924	available
<i>retusa</i> , Bulla , Maton & Rackett, 1807, <i>Trans. linn. Soc. London</i> , 8 : 128 (a junior objective synonym of <i>truncata</i> , Bulla , Adams, 1800, and of truncatula , Bulla , Bruguière, [1792])). Op. 549	index
<i>retusa</i> , Unio , Lamarck, 1819, <i>Histoire naturelle des animaux sans vertèbres</i> , vol. 6, part 1, p. 72 (specific name of the type species of Obovaria Rafinesque, 1819) (Bivalvia). Op. 2188	available
RETUSIDAE Thiele, 1931, <i>Handb. Syst. Weichtierk.</i> , 1 : 189 (type genus: Retusa Brown, 1827) (Gastropoda). Op. 568	available
<i>retusus</i> , Scarabaeus , Fabricius, 1781, <i>Species insectorum exhibentes eorum differentias specificas synonyma auctorum ...</i> , vol. 1, p. 14 (specific name of the type species of Temnorhynchus Hope, 1837) (Insecta, Coleoptera). Op. 1838	available
<i>reversa</i> , Libellula , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 104 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>rex</i> , Balaeniceps , Gould, 1850, <i>Athenaeum</i> , 1850 : 1315 (specific name of the type species of Balaeniceps Gould, 1850) (Aves). Direction 19	available
<i>Reyfria</i> Yonow, 1986, <i>Journal of Natural History</i> , 20 : 1418 (a junior objective synonym of Fryeria Gray, 1853) (Gastropoda). Op. 1663	index
Rhabditis Dujardin, [1844], <i>Histoire naturelle des Helminthes</i> , p. 239 (gender: feminine) (type species, by subsequent designation by Stiles & Hassall, 1905, <i>Bulletin of the Bureau of Animal Industry</i> , 79 : 134: Rhabditis terricola Dujardin, [1844]) (Nematoda). Direction 120	available
<i>Rhabdodon</i> Fleischmann, 1831, <i>Dalmatiae nova serpentum genera</i> , p. 26, and all uses of the name prior to the publication of Rhabdodon Matheron, 1869 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Reptilia, Serpentes). Op. 1483	index
Rhabdodon Matheron, 1869, <i>Bulletin de la Société Géologique de France</i> , (2) 26 : 792 (gender: masculine) (type species, by monotypy: Rhabdodon priscus (correction of <i>priscum</i>) Matheron, 1869) (Reptilia, Ornithischia). Op. 1483	available
<i>Rhabdolites</i> Schmidt, 1870, <i>K. Akad. Wiss. Wien, Math.-Nat. Kl., Sitzungsber.</i> , Abt. 1, 61 (10): 680 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 805	index
Rhabdomeson Young & Young, 1874, <i>Annals and Magazine of Natural History</i> , (4) 13 : 337 (gender: neuter) (type species, by designation under the plenary power: Rhabdomeson progracile Wyse Jackson & Bancroft, 1995) (Bryozoa). Op. 1854	available

<p>Rhabdosphaera Haeckel, 1894, <i>Systematische Phylogenie der Protisten und Pflanzen</i>, 1: 111 (gender: feminine) (type species, by designation by Hay & Towe, 1962 (<i>Eclogae Geol. Helvet.</i>, 55: 504); Rhabdosphaera claviger Murray & Blackman, 1898, <i>Philos. Trans. roy. Soc. London B (Biol.)</i>, 190: 438, 439, pl. 15, figs. 13, 14) (Coccolithophorida). Op. 805</p>	available
<p>Rhagodes Pocock, 1897, <i>Annals and Magazine of Natural History</i>, (6)20: 252 (gender: feminine) (type species, by subsequent designation by Pocock, 1900, <i>The fauna of British India, including Ceylon and Burma</i>, vol. 6. Arachnida, p. 148; Galeodes melanus Olivier, 1807) (Arachnida). Op. 2095</p>	available
<p>Rhamphomyia Meigen, 1822, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i>, part 3, p. 42 (gender: feminine), (type species, ruled under the plenary power to be by subsequent designation by Curtis, 1834, <i>British entomology</i> ..., vol. 11, p. 517; Empis sulcata Meigen, 1804) (Insecta, Diptera). Op. 2117</p>	available
<p>Rhantus (emendation of <i>Rantus</i>) Dejean, 1833, <i>Cat. Coléopt.</i> (ed. 2): 54 (gender: masculine) (type species, by designation by Hope, 1839 (<i>Col. Man.</i>, 2: 131); Colymbetes pulverosus Stephens, 1828, <i>Ill. brit. Entomol.</i>, Mand. 2: 69, valid name: Colymbetes suturalis MacLeay, 1825) (Insecta, Coleoptera). Op. 289</p>	available
<p>Rhaphiodon Agassiz in Spix & Agassiz, 1829, <i>Selecta genera et species piscium quos in itinere per Brasiliam ... Collegit et pingendos curavit Dr. J.B. de Spix ... Digessit, descripsit et observationibus anatomicis illustravit Dr. L. Agassiz</i>, pp. 59, 76 (gender: masculine) (type species, by designation under the plenary power: Rhaphiodon vulpinus Spix & Agassiz, 1829), ruled under the plenary power to be given precedence over the name Cynodon Spix in Spix & Agassiz, 1829 whenever the two names are considered to be synonyms (Osteichthyes). Op. 2012</p>	available
<p>Rhaphiodontichthys Campos, 1945, <i>Arquivos de Zoologia do Estado de São Paulo</i>, 4: 473 (a junior objective synonym of Rhaphiodon Agassiz in Spix & Agassiz, 1829) (Osteichthyes). Op. 2012</p>	index
<p>Rhax Hermann, 1804, <i>Mémoire aptérologique</i>, p. 13 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Arachnida). Op. 2095</p>	index
<p>Rhechostica Simon, 1892, <i>Histoire Naturelle des Araignées</i>, Ed. 2, part 1, p. 162 (gender: feminine) (type species, by monotypy: Homoeomma texense Simon, 1892), ruled under the plenary power not to be given priority over Aphonopelma Pocock, 1901 whenever the two names are considered to be synonyms (Arachnida, Araneae). Op. 1637</p>	available
<p>Rhina Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i>, 3: 198 (a junior homonym of Rhina Schneider, 1801). Op. 345</p>	index
<p>Rhina Rafinesque, 1810, <i>Caratt. nuov. Gen. nuov. Spec. Anim. Sicilia</i>: 14 (a junior homonym of Rhina Schneider, 1801). Op. 345</p>	index
<p>Rhina Schaeffer, 1760, <i>Epistola Stud. ichthyol. Meth.</i>: 20 (included in a work rejected for nomenclatural purposes). Op. 345</p>	index

<i>Rhina</i> Schneider, 1801, in Bloch, <i>Syst. Ichthyol.</i> : 352 (gender: feminine) (type species, by indication under Opinion 6 (see <i>Copenhagen Decisions zool. Nomencl.</i> , No. 135: 72): <i>Rhina ancylostomus</i> Schneider, 1801, in Bloch, <i>Syst. Ichthyol.</i> : 352) (Chondrichthyes). Op. 345	available
<i>Rhina</i> Walbaum, 1792, <i>Artedi Ichthyol.</i> (ed. 2), 3 : 580 (included in a work rejected for nomenclatural purposes). Op. 345	index
Rhinapion Beguin-Billecocq, 1905, <i>Annales de la Société Entomologique de France</i> , 74 : 147 (gender: neuter) (type species, by subsequent designation by Kissinger, 1968, <i>Curculionidae subfamily Apioninae of North and Central America with reviews of the world genera of Apioninae and world subgenera of Apion</i> Herbst (Insecta, Coleoptera), p. 28: <i>Apion (Rhinapion) pauxillum</i> Beguin-Billecocq, 1905) (Insecta, Coleoptera). Op. 1694	available
<i>Rhinapion</i> Motschulsky, 1868, <i>Horae Societatis Entomologicae Rossiae</i> , 6 (supplement): 86, and all uses of the name prior to the publication of Rhinapion Beguin-Billecocq, 1905 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1694	index
<i>Rhinaspis</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 25 (a nomen nudum). Op. 698	index
RHINCOCYNETIDAE Sharp, 1893, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1893 : 118 (type genus: Rhynchocinetes Milne Edwards, 1837) (an incorrect subsequent spelling for RHYNCOCINETIDAE Ortmann, 1890). Op. 470	index
Rhincodon Smith, 1829, <i>Zool. Journ.</i> , 4 : 433, 434 (gender: masculine) (type species, under Article 68c: Rhiniodon typus Smith, 1828, <i>South African Commercial Advertiser</i> , 3 (145): 2) (Chondrichthyes). Op. 1278	available
RHINCODONTIDAE Müller & Henle, 1841, <i>Syst. Beschr. Plagiostomen</i> , Heft 2: 77 (as RHINODONTES, invalid under Article 32c(iii)) (type genus: Rhincodon Smith, 1829) (Chondrichthyes). Op. 1278	available
<i>Rhiniodon</i> Smith, 1828, <i>South African Commercial Advertiser</i> , 3 (145): 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1278	index
Rhinoclama Dall & Smith in Dall, 1886, <i>Bulletin of the Museum of Comparative Zoology</i> , Harvard, 12 : 300 (gender: feminine) (type species, by designation under the plenary power: Cuspidaria (Rhinoclama) adamsi Morgan & Heppell, 1981) (Bivalvia). Op. 1376	available
Rhinoclemmys Fitzinger, 1835, <i>Ann. Naturhist. Mus. Wien</i> , 1 : 115 (gender: feminine) (type species, by designation by Lindholm, 1929 (<i>Zool. Anz.</i> , 81 : 283): Testudo dorsata Schoepff, 1801, <i>Naturgesch. Schildkr.</i> , 158 : 158, tab. 34) (Reptilia). Op. 1309	available
<i>Rhinogale</i> Gray, [1865], <i>Proc. zool. Soc. London</i> , 1864 : 573 (a junior homonym of <i>Rhinogale</i> Gloger, 1841). Op. 384	index
rhinoides, Trypetes , Gyllenhal, 1836, in Schoenherr, <i>Gen. et Sp. Curc.</i> , III (2): 596 (specific name of the type species of Trypetes Schoenherr, 1836) (Insecta, Coleoptera). Op. 1005	available

<i>Rhinolophos</i> Kaup, 1835, <i>Thierr. Hauptform.</i> , 1 : 449 (an incorrect subsequent spelling for <i>Rhinolophus</i> Lacepède, 1799). Direction 24	index
<i>Rhinolophus</i> Lacepède, 1799, <i>Tabl. Mamm.</i> : 15 (gender: masculine) (type species, by monotypy: <i>Vespetilio ferrumequinum</i> Schreber, [1774], <i>Die Säugthiere</i> , 1 : 174, pl. 62) (Mammalia). Op. 91, Direction 24	available
<i>Rhinolophus</i> Fischer von Waldheim, 1803, <i>Ann. Mus. Hist. nat.</i> , Paris, 2 : 141 (an incorrect subsequent spelling for <i>Rhinolophus</i> Lacepède, 1799). Direction 24	index
<i>Rhinomacer</i> Fabricius, 1781, <i>Species insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adiectis observationibus, descriptionibus</i> , vol. 1, p. 199 (a junior homonym of <i>Rhinomacer</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 2111	index
<i>Rhinomacer</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 269 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754	index
RHINOMACERIDES Schoenherr, 1823, <i>Isis von Oken</i> , 1823 (10): col. 1136 (based on a misidentified type genus) (Insecta, Coleoptera). Op. 2111	index
Rhinoncus Schönherr, 1825, <i>Isis (von Oken)</i> , 1825 : col. 586 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Westwood, 1838, <i>Synopsis of the genera of British insects</i> , p. 38: <i>Curculio pericarpium</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1529	available
Rhinopteraspis Jaekel, 1919, <i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1919 : 74 (conserved under the plenary power) (gender: feminine) (type species, by original designation: <i>Palaeoteuthis dunensis</i> Roemer, 1855, <i>Palaeontographica</i> , 4 : 72) (Agnatha). Op. 438	available
<i>Rhinosimus</i> Duméril, Bibron & Duméril, 1854, in Roret's Suites à Buffon, <i>Erpét. Gén.</i> , 7 : 991 (a junior homonym of <i>Rhinosimus</i> Latreille, [1802]). Op. 698	index
<i>Rhinosiphon</i> Fitzinger, 1843, <i>Syst. Rept.</i> : 26 (a nomen nudum). Op. 698	index
<i>Rhinostoma</i> Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 56, 29 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 698	index
rhinostoma, Heterodon , Schlegel, 1837, <i>Essai Phys. Serpens</i> , 2 : 100 (specific name of the type species of <i>Simophis</i> Peters, 1860) (Reptilia). Op. 698	available
Rhinostomus Rafinesque, 1815, <i>Analyse Nature</i> : 115 (gender: masculine) (type species, by designation under the plenary power: <i>Curculio barbirostris</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 135) (Insecta, Coleoptera). Op. 345	available
Rhipicentor Nuttall & Warburton, 1908, <i>Proc. Cambridge phil. Soc.</i> , 14 : 398 (gender: masculine) (type species, by monotypy: <i>Rhipicentor bicornis</i> Nuttall & Warburton, 1908, <i>Proc. Cambridge phil. Soc.</i> , 14 : 399-401, figs. 12-16) (Arachnida). Op. 73	
Rhipicephalus Koch, 1844, <i>Arch. Naturgesch.</i> , 10 (1): 238 (gender: masculine) (type species, by designation by Neumann, 1901 (<i>Mém. Soc. zool. France</i> , 14 : 340): <i>Ixodes sanguineus</i> Latreille, 1806, <i>Gen. Crust. Ins.</i> , 1 : 615) (Arachnida). Op. 73, Direction 66	available

<p>Rhipidocotyle Diesing, 1858, <i>Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Classe der Kaiserlichen Akademie der Wissenschaften</i>, 32: 313 (gender: feminine) (type species, by subsequent designation by Nicoll, 1914, <i>Journal of the Marine Biological Association of the U.K.</i>, (2)10: 490: <i>Gasterostomum minimum</i> Wagener, 1852, a junior subjective synonym of Monostoma galeatum Rudolphi, 1819) (Trematoda). Op. 1717</p>	available
<p>Rhipidocystis Jaekel, 1901, <i>Zeitschrift der Deutschen geologischen Gesellschaft</i>, 52(4): 672 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Hecker, 1940, <i>Académie des Sciences de l'U.R.S.S. [Trudy] de l'Institut Paléontologique</i>, 9(4): 16: Rhipidocystis baltica Jaekel, 1901) (Eocrinidea). Op. 1760</p>	available
<p>Rhipidophyllum Sandberger, 1889, <i>Jahrb. nassau. Ver. Naturk.</i>, 42: 100 (gender: neuter) (type species, by monotypy: Rhipidophyllum vulgare Sandberger, 1889, <i>Jahrb. nassau. Ver. Naturk.</i>, 42: 100) (Anthozoa). Op. 223</p>	available
<p>Rhithropanopeus Rathbun, 1898, <i>Bull. Lab. nat. Hist. State Univ. Iowa</i>, 4: 273 (gender: masculine) (type species, by monotypy: Pilumnus harrisii Gould, 1841, <i>Rep. Invertebr. Massachusetts</i>: 326) (Crustacea, Decapoda). Op. 85, Direction 37</p>	available
<p>Rhizobius Burmeister, 1835, <i>Handbuch der Entomologie</i>, vol. 2, p. 87 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hemiptera). Op. 2137</p>	index
<p>Rhizocrinus Sars, 1865, <i>Forh. Vidensk.-Selsk. Christiania</i>, 1864: 127 (a nomen nudum). Direction 72</p>	index
<p>Rhizocrinus Sars, 1868, <i>Mém. serv. Conn. Crin. viv.</i>: 1, 38, 39 (gender: masculine) (type species, by monotypy: Rhizocrinus lofotensis Sars, 1868, <i>Mém. serv. Conn. Crin. viv.</i>: 1, 39) (Crinoidea). Op. 73, Direction 72</p>	available
<p>Rhizodus Owen, 1840, <i>Odontography</i>: 75 (gender: masculine) (type species, by monotypy: Rhizodus hibberti Owen, 1840, <i>Odontography</i>. Expl. pls.: 12, as interpreted by the neotype designated by Thomson, 1966 (<i>Bull. zool. Nomencl.</i>, 23: 119)) (Osteichthyes). Op. 930</p>	available
<p>Rhizoglyphus Claparède, (1869), <i>Z. wiss. Zool.</i>, 18: 506 (gender: masculine) (type species, by monotypy: Rhizoglyphus robini Claparède, (1869), <i>Z. wiss. Zool.</i>, 18: 506, 545, pl. xxxviii, figs. 8♂, 9♀, valid name: Tyroglyphus echinopus Fumouze & Robin, 1868) (Arachnida). Op. 104, Direction 66</p>	available
<p>Rhizograpsus Spencer, 1878, <i>Canadian Naturalist</i>, 8: 460 (ruled under the plenary power to be an incorrect original spelling for Rhizograpta Spencer, 1878). Op. 650</p>	index
<p>Rhizograpta (emendation of Rhizograpsus) Spencer, 1878, <i>Canadian Naturalist</i>, 8: 460 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: Rhizograpsus [sic] bulbosus Spencer, 1878, <i>Canadian Naturalist</i>, 8: 460) (Graptolithina). Op. 650</p>	available
<p>Rhizopa Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i>, 1858: 95 (gender: feminine) (type species, by monotypy: Rhizopa gracilipes Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i>, 1858: 95) (Crustacea, Decapoda). Op. 85, Direction 37</p>	available

<i>Rhizophagus</i> Herbst, 1793, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 5, p. 18 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Westwood, [1838], <i>Synopsis of the genera of British insects</i> , p. 13, published with <i>An introduction to the modern classification of insects ...</i> , vol. 1, part 1, pp. 1-48: <i>Lyctus bipustulatus</i> Fabricius, 1792), ruled under the plenary power to be the correct spelling of <i>Ryzophagus</i> (Insecta, Coleoptera). Op. 1810	available
<i>rhodostoma</i> , <i>Helix</i> , Draparnaud, [1801], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 86 (a junior objective synonym of <i>pisana</i> , <i>Helix</i> , Müller, 1774). Op. 431	index
<i>Rhogalia</i> Hübner, [1825], <i>Verzeichniss bekannter Schmetterlinge</i> , p. 396 (gender: feminine) (type species, by monotypy: <i>Phalaena epigena</i> Stoll, [1790]), ruled under the plenary power not to be given priority over <i>Rosema</i> Walker, 1855, whenever the two names are considered to be synonyms (Insecta, Lepidoptera). Op. 1617	available
<i>rhombi</i> , <i>Taenia</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 120 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Rhombiscus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 157 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Rhombites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 157 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>rhomboides</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 626 (valid name at the date of erection 36 of the type species of <i>Goneplax</i> [Leach, 1814]) (Crustacea, Decapoda). Direction 36	available
<i>Rhopalidia</i> Lepeletier, 1836, in Roret's Suites à Buffon, <i>Histoire naturelle des Insectes. Hyménoptères</i> , 1 : 538 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1051	index
RHOPALOCERINI Reitter, 1911, <i>Fauna Germanica. Die Käfer des deutschen Reiches</i> , vol. 3, p. 108 (type genus: <i>Rhopalocerus</i> W. Redtenbacher, 1842) (Insecta, Coleoptera). Op. 1397	available
<i>Rhopalocerus</i> W. Redtenbacher, 1842, <i>Die Gattungen der deutschen Käfer-Fauna</i> , p. 21 (gender: masculine) (type species, by monotypy: <i>Rhopalocerus setosus</i> Redtenbacher, 1842, a junior subjective synonym of <i>Monotoma rondanii</i> Villa & Villa, 1833) (Insecta, Coleoptera). Op. 1397	available
<i>Rhopalum</i> Stephens, 1829, <i>Nomencl. Brit. Ins.</i> : 34 (gender: neuter) (type species, by designation by Curtis, 1837 (<i>British Entomol.</i> , 14 : pl. 656): <i>Crabro rufiventris</i> Panzer, 1799, <i>Ins. Germ.</i> , heft 72, tab. 12, valid name: <i>Sphex clavipes</i> Linnaeus, 1757) (Insecta, Hymenoptera). Op. 1106	available
<i>Rhopalura</i> Giard, 1877, <i>Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris</i> , 85 : 813 (gender: feminine) (type species, by monotypy: <i>Rhopalura ophiocomae</i> Giard, 1877) (Orthonectida). Op. 2096	available
RHOPALURIDAE Stunkard, 1937, <i>American Museum Novitates</i> , 908 : 6 (type genus: <i>Rhopalura</i> Giard, 1877) (Orthonectida). Op. 2096	available

RHOPALURINAE Bücherl, 1971, *Venomous animals and their venoms*, vol. 3, p. 325,
ruled under the plenary power to be an incorrect original spelling of
RHOPALURUSINAE (Arachnida). Op. 2096

index

Rhopalurus Thorell, 1876, *Annals and Magazine of Natural History*, (4)17: 9 (gender:
masculine) (type species, by original designation: **Rhopalurus laticauda** Thorell, 1876)
(Arachnida). Op. 2096

available

RHOPALURUSINAE Bücherl, 1971, *Venomous animals and their venoms*, vol. 3, p.
325 (type genus: **Rhopalurus** Thorell, 1876), spelling emended by the ruling under the
plenary power that for the purposes of Article 29 of the Code the stem of the generic
name **Rhopalurus** Thorell, 1876 is RHOPALURUS- (Arachnida). Op. 2096

available

Rhygchium Saussure, 1853, *Et. Fam. Vespa.*, 1: xxxi, 276 (an incorrect subsequent
spelling for **Rhynchium** Spinola, 1806). Op. 747

index

Rhynchium (emendation under the plenary power of *Rygchium*) Spinola, 1806, *Ins.
Ligur.*, 1: 84 (gender: neuter) (type species, by monotypy: *Rygchium* [sic] *europaeum*
Spinola, 1806, *Ins. Ligur.*, 1: 86, valid name: **Vespa oculata** Fabricius, 1781) (Insecta,
Hymenoptera). Op. 747

available

RHYNCHOCEPHALIDAE Hoffmann, 1881, in Bronn, *Klass. Ordn. Thierr.*, 6(3) (Lief.
18/21): 1065 (type genus: *Rhynchocephalus* Owen, 1845) (invalid because the name of
the type genus is a junior homonym of *Rhynchocephalus* Fischer von Waldheim, 1806).
Op. 455

index

Rhynchocephalus Owen, 1845, *Trans. geol. Soc. London*, (2)7: 78 (a junior objective
synonym of **Sphenodon** Gray, 1831, and a junior homonym of *Rhynchocephalus* Fischer
von Waldheim, 1806). Op. 455

index

Rhynchocinetes Milne Edwards, 1837, *Ann. Sci. nat.*, Paris (Zool.), (2)7: 168 (gender:
masculine) (type species, by indication under Article 68(c): **Rhynchocinetes typus** Milne
Edwards, 1837, *Ann. Sci. nat.*, Paris (Zool.), (2)7: 168) (Crustacea, Decapoda). Op. 470

available

RHYNCHOCINETIDAE Ortmann, 1890, *Zool. Jahrb.*, Jena (Syst.), 5: 459 (type
genus: **Rhynchocinetes** Milne Edwards, 1837) (Crustacea, Decapoda). Op. 470

available

RHYNCHOCYNETIDAE Borradaile, 1907, *Ann. Mag. nat. Hist.*, (7)19: 467 (type
genus: **Rhynchocinetes** Milne Edwards, 1837) (an incorrect subsequent spelling for
RHYNCHOCINETIDAE Ortmann, 1890). Op. 470

index

Rhynchogale Thomas, 1894, *Proc. zool. Soc. London*, 1894: 139 (gender: feminine)
(type species, by monotypy through the replaced name *Rhinogale* Gray, [1865]:
Rhinogale melleri Gray, [1865], *Proc. zool. Soc. London*, 1864: 575, text-fig.)
(Mammalia). Op. 384

available

Rhyncolus Germar, 1817, *Magazin der Entomologie*, vol. 2, p. 340 (gender: masculine)
(type species, by designation under the plenary power: **Curculio ater** Linnaeus, 1758)
(Insecta, Coleoptera). Op. 1655

available

Rhynolophus Gray, 1821, *London med. Reposit.*, 15: 300 (an incorrect subsequent
spelling for **Rhinolophus** Lacepède, 1799). Direction 24

index

<i>Rhynotragus</i> Reck, 1925, <i>Illustrierte Zeitung</i> , Leipzig, 164 : 451 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia). Op. 2029	index
RHYPAROCHROMIDA Stål, 1862, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1862 : 213 (type genus: Rhyparochromus Hahn, 1826) (an incorrect subsequent spelling for RHYPAROCHROMINAE Amyot & Serville, 1843). Op. 676	index
RHYPAROCHROMIDES Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Hémiptères</i> : 251 (type genus: <i>Rhyparochromus</i> Hahn, 1826) (an incorrect original spelling for RHYPAROCHROMINAE Amyot & Serville, 1843). Op. 676	index
RHYPAROCHROMINA Stål, 1870, <i>Öfvers. K. Svensk. Vetensk.-Akad. Förhandl.</i> , 1870 : 663 (type genus: Rhyparochromus Hahn, 1826) (an incorrect subsequent spelling for RHYPAROCHROMINAE Amyot & Serville, 1843). Op. 676	index
RHYPAROCHROMINAE Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins., Hémiptères</i> : 251 (type genus: Rhyparochromus Hahn, 1826) (Insecta, Hemiptera). Op. 676	available
Rhyparochromus Hahn, 1826, <i>Icon. Cimic.</i> , fasc. 1 (gender: masculine) (type species, by monotypy: <i>Cimex pini</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 448) (Insecta, Hemiptera). Op. 676	available
Rhypodes Stål, 1868, <i>K. Svensk. Vetensk. Akad. Handl.</i> , Stockholm (n.f.), 7 (No. 11): 76 (gender: masculine) (type species, by monotypy: <i>Nysius zealandicus</i> Dallas, 1852, <i>List Spec. hemipt. Ins. Brit. Mus.</i> (2): 552, valid name: <i>Lygaeus clavicornis</i> Fabricius, 1794) (Insecta, Hemiptera). Op. 319	available
Rhyssoplax Thiele, 1893, <i>Das Gebiss der Schnecken</i> , 2 : 368 (gender: feminine) (type species, by designation under the plenary power: Chiton affinis Issel, 1869, <i>Malac. Mar Rosso</i> : 234, 235) (Polyplacophora). Op. 951	available
Rhyzophagus Gyllenhal, 1813, <i>Insecta suecica descripta. Classis I. Coleoptera sive Eleuterata</i> , vol. 1, part 3, p. 420 (an incorrect subsequent spelling of Rhizophagus Herbst, 1793) (Insecta, Coleoptera). Op. 1810	index
riccartonensis, Monograptus , Lapworth, 1876, <i>Geological Magazine</i> , (2) 3 : 355-356, as defined by the neotype (specimen BU 1585 in the Lapworth Museum, Birmingham University, U.K.) designated under the plenary power (Graptolithina). Op. 1883	available
Richardina Milne Edwards, 1881, <i>C.R. Acad. Sci.</i> , Paris, 93 : 933 (gender: feminine) (type species, by monotypy: Richardina spinicincta Milne Edwards, 1881, <i>C.R. Acad. Sci.</i> , Paris, 93 : 933) (Crustacea, Decapoda). Op. 712	available
richardsonii, Genetta , Thomson, 1842, <i>Ann. Mag. nat. Hist.</i> , 10 : 204 (specific name of the type species of Poiana Gray, [1865]) (Mammalia). Op. 384	available
richardsonii, Platychoerops , Charlesworth, 1855, <i>Rep. brit. Assoc. Adv. Sci.</i> , 24 (Liverpool, 1854): 80 (specific name of the type species of Platychoerops Charlesworth, 1855) (Mammalia). Op. 1123	available
RICINIDAE Neumann, 1890, <i>Bull. Soc. Hist. nat. Toulouse</i> , 24 : 55 (conserved under the plenary power) (type genus: Ricinus de Geer, 1778) (Insecta, Mallophaga). Op. 627	available

<i>Ricinus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 157 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ricinus</i> de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 69 (gender: masculine) (type species, by designation by Neumann, 1906 (<i>Bull. Soc. zool. France</i> , 20 : 56); <i>Ricinus fringillae</i> de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7 : 71, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3 : 237)) (Insecta, Mallophaga). Op. 627	available
<i>ricinus, Acarus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 615 (valid name under Article 24a of the type species of <i>Ixodes</i> Latreille, 1795) (Arachnida). Direction 110	available
<i>rigidus, Graptolithus</i> , Hall, 1858, <i>Geol. Surv. Canada, Rept. for 1857</i> : 121 (specific name of the type species of <i>Clonograptus</i> Hall & Nicholson, 1873) (Graptolithina). Op. 650	available
<i>Riisea</i> Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2) 19 : 294 (gender: feminine) (type species, by monotypy: <i>Riisea paniculata</i> Duchassaing & Michelotti, 1860), ruled under the plenary power to be the correct original spelling of <i>Rusea</i> (Anthozoa). Op. 1895	available
<i>riisei, Clavularia</i> , Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2) 19 : 310, ruled under the plenary power to be the correct original spelling of <i>Clavularia rusei</i> (Anthozoa). Op. 1895	available
<i>riisei, Desmophyllum</i> , Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2) 19 : 337, ruled under the plenary power to be the correct original spelling of <i>Desmophyllum rusei</i> (Anthozoa). Op. 1895	available
<i>ringens, Sabella</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1268 (specific name of the type species of <i>Melicerta</i> Schrank, 1803) (Rotifera). Op. 522	available
<i>Rioarribasaurus</i> Hunt & Lucas, 1991, <i>Palaeontologische Zeitschrift</i> , 65 : 191 (a junior objective synonym of <i>Coelophysis</i> Cope, 1889) (Reptilia, Saurischia). Op. 1842	index
<i>Riodina</i> Westwood, [1851], <i>Genera of diurnal Lepidoptera</i> , 2 (47): 430 (gender: feminine) (type species, by monotypy: <i>Papilio lysippus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 484) (Insecta, Lepidoptera). Op. 1073	available
RIODINIDAE Grote, 1895 (1827), <i>Mitt. RoemerMus.</i> , Hildesheim (1): 2 (type genus: <i>Riodina</i> Westwood, [1851]) (Insecta, Lepidoptera). Op. 1073	available
<i>Riparia</i> Forster, 1817, <i>Syn. Cat. Brit. Birds</i> : 17 (gender: feminine) (type species, by monotypy: <i>Hirundo riparia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 192) (Aves). Op. 610	available
<i>riparia, Ephydria</i> , Fallén, 1813, <i>K. Vetenskaps Akad. Handl.</i> , 1813 (2): 246 (specific name of the type species of <i>Ephydria</i> Fallén, 1810) (Insecta, Diptera). Op. 1321	available
<i>riparia, Hirundo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 192 (specific name of the type species of <i>Riparia</i> Forster, 1817) (Aves). Op. 610	available

<i>Ripidiorhynchus</i> Sartenaer, 1966, <i>Bull. Inst. roy. Sci. nat. Belg.</i> , 42 (30): 2 (gender: masculine) (type species, by original designation: <i>Terebratula livonica</i> von Buch, 1834, <i>Abh. König. Ak. Wiss. zu Berlin</i> : 57) (Brachiopoda). Op. 907	available
<i>Risomurex</i> Olsson & McGinty, 1958, <i>Bulletin of American Paleontology</i> , 39 (177): 40 (gender: masculine) (type species, by designation under the plenary power: <i>Ricinula deformis</i> Reeve, 1846) (Gastropoda). Op. 1623	available
<i>ristoria, Columba</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, p. 165 (priority maintained) (Aves) Op. 2215	available
<i>Rissoa</i> Desmarest, 1814, <i>Bulletin des Sciences, par la Société Philomatique de Paris</i> , (3) 1 : 7 (gender: feminine) (type species, by subsequent designation by Bucquoy, Dautzenberg & Dollfus, 1884, <i>Les mollusques marins de Roussillon</i> , vol. 1, part 7, p. 262: <i>Rissoa ventricosa</i> Desmarest, 1814) (Gastropoda). Op. 1664	available
<i>rissoana, Amathia</i> , Roux, 1828, <i>Crust. Médit.</i> (1): pl. 3 (specific name of the type species of <i>Anamathia</i> Smith, 1885) (Crustacea, Decapoda). Op. 712	available
RISSOIDAE Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 15 : 152 (type genus: <i>Rissoa</i> Desmarest, 1814), ruled under the plenary power that this name and other family-group names based on <i>Rissoa</i> are to be given precedence over TRUNCATELLIDAE Gray, 1840 and other family-group names based on <i>Truncatella</i> Risso, 1826 whenever their type genera are placed in the same family-group taxon (Gastropoda). Op. 1664	available
<i>rissonii, Palinurus</i> , Desmarest, 1825, <i>Consid. gén. Classe Crust.</i> : 185 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 507	index
<i>ritsemae, Onthophagus (Proagoderus)</i> , Lansberge, 1883, <i>Notes from the Leyden Museum</i> , 5 : 15 (specific name of the type species of <i>Proagoderus</i> Lansberge, 1883) (Insecta, Coleoptera). Op. 1708	available
<i>rivicola, Cyclas</i> , Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 558 (Bivalvia). Op. 336	available
<i>rivularis, Lepleurus</i> , Rafinesque, 1820, <i>Annals of Nature</i> , 1 : 7 (a junior objective synonym of <i>Gammarus minus</i> Say, 1818, through the neotype proposed by Holthuis, 1969 (<i>Bull. zool. Nomencl.</i> , 26 : 106) and designated under the plenary power). Op. 1133	index
<i>rivularis, Papilio</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 165, as interpreted by the lectotype designated by Hemming, 1959 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 20 : 326) (Insecta, Lepidoptera). Op. 562	available
<i>rivularis, Philonthus</i> , Cameron, 1932, <i>The fauna of British India including Ceylon and Burma. Coleoptera. Staphylinidae</i> , vol. 3, p. 138, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. rivularis</i> Kiesenwetter, 1858 (Insecta, Coleoptera). Op. 2053	available
<i>rivularis, Philonthus</i> , Kiesenwetter, 1858, <i>Berliner Entomologische Zeitschrift</i> , 2 : 61 (Insecta, Coleoptera). Op. 2053	available

<i>rivularis</i> , <i>Staphylinus</i> , Paykull, 1789, <i>Monographia Staphylinorum Sueciae</i> , p. 65, ruled under the plenary power to be given precedence over <i>Staphylinus cursor</i> Müller, 1776 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>rivularis</i> , <i>Trogophloeus</i> , Motschulsky, 1860, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 33(2): 552, ruled under the plenary power to be given precedence over <i>Carpelimus obscurus</i> Stephens, 1834 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>Rizzolia</i> Trinchese, 1877, <i>Rend. Acc. Sci. Inst. Bologna</i> , 1876-77: 147 (a junior objective synonym of <i>Cratena</i> Bergh, 1864). Op. 776	index
<i>Robertus</i> Pickard-Cambridge, 1879, <i>The Spiders of Dorset</i> , p. 103 (gender: masculine) (type species, by monotypy: <i>Robertus astutus</i> Pickard-Cambridge, 1879, a junior objective synonym of <i>Neriene neglectus</i> Pickard-Cambridge, 1871) (Arachnida, Araneae). Op. 1426	available
<i>robiniae</i> , <i>Microgaster</i> , Fitch, 1859, <i>New York State Agricultural Society Transactions</i> , 18: 836, ruled under the plenary power not to be given priority over the specific name of <i>Apanteles ornigis</i> Weed, 1887 whenever the two names are considered to be synonyms (Insecta, Hymenoptera). Op. 1480	available
<i>roboris</i> , <i>Aphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 452 (specific name of the type species of <i>Lachnus</i> Burmeister, 1835) (Insecta, Hemiptera). Op. 399	available
<i>robustulus</i> , <i>Holostaspis subbadius</i> , Berlese, 1904, <i>Redia</i> , 1: 264, ruled under the plenary power to be a correction of <i>rubustulus</i> Berlese, 1904 (Arachnida, Acarina). Op. 1638	available
<i>robustum</i> , <i>Omalium</i> , Broun, 1911, <i>Transactions of the New Zealand Institute</i> , 43: 96, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. robustum</i> Heer, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>robustum</i> , <i>Phymatoceras</i> , Hyatt, 1867, <i>Bull. Mus. comp. Zool.</i> , 1(5): 88 (specific name of the type species of <i>Phymatoceras</i> Hyatt, 1867) (Cephalopoda). Op. 575	available
<i>robustus</i> , <i>Eudyptes</i> , Oliver, 1953, <i>Emu</i> , 53: 185-187 (Aves). Op. 1056	available
<i>robustus</i> , <i>Periclimenaeus</i> , Borradaile, 1915, <i>Ann. Mag. nat. Hist.</i> , (8)15: 213 (specific name of the type species of <i>Periclimenaeus</i> , Borradaile, 1915) (Crustacea, Decapoda). Op. 470	available
<i>robynsii</i> , <i>Harpognathus</i> , Wesmael, 1833, <i>Recueil Encyclopédique Belge</i> , p. 121 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1597	index
<i>Rochinia</i> Milne Edwards, 1875, <i>Rech. zool. Hist. Faune Amér. centr. Mexique</i> , 5(3): 86 (gender: feminine) (type species, by monotypy: <i>Rochinia gracilipes</i> Milne Edwards, 1875, <i>Rech. zool. Hist. Faune Amér. centr. Mexique</i> , 5(3): 86, pl. 18, fig. 1) (Crustacea, Decapoda). Op. 712	available
<i>Rodens</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VI (included in a work rejected for nomenclatural purposes). Op. 436	index

<i>Rodens</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XVIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>rodgersii</i> , <i>Lachnopodus</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 32 (specific name of the type species of <i>Lachnopodus</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>Roeslerstammia</i> Zeller, 1839, <i>Isis</i> (von Oken), 1839 (3): col. 202 (gender: feminine) (type species, by designation under the plenary power: <i>Alucita exlebella</i> Fabricius, 1787) (Insecta, Lepidoptera). Op. 1910	available
<i>rolandri</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 448 (specific name of the type species of <i>Aphanus</i> Laporte, 1833) (Insecta, Hemiptera). Op. 676	available
<i>Roloffia</i> Stenholz Clausen, 1966, <i>Revue Zool. Bot. afr.</i> , 73 : 338 (a junior objective synonym of <i>Callopanchax</i> Myers, 1933). Op. 1010	index
<i>rolphii</i> , <i>Clausilia</i> , Turton, 1831, <i>Manual land & fresh-water Shells brit. Islands</i> : 71 (Gastropoda). Op. 336	available
<i>rondanii</i> , <i>Monotoma</i> , Villa & Villa, 1833, <i>Coleoptera Europae dupleta</i> , p. 36 (senior subjective synonym of <i>Rhopalocerus setosus</i> Redtenbacher, 1842, specific name of the type species of <i>Rhopalocerus</i> W. Redtenbacher, 1842) (Insecta, Coleoptera). Op. 1397	available
<i>Rophites</i> Spinola, 1808, <i>Insectorum Liguriae species novae aut rariores</i> , vol. 2, p. 8 (gender: masculine) (type species, by monotypy: <i>Rophites quinquespinosus</i> Spinola, 1808) (Insecta, Hymenoptera). Op. 1713	available
ROPHITIDAE Schenck, 1866, <i>Berliner Entomologische Zeitschrift</i> , 10 : 322 (type genus: <i>Rophites</i> Spinola, 1808), ruled under the plenary power that this name and other family-group names based on <i>Rophites</i> are not to be given priority over HALICTIDAE Thomson, 1869 and other family-group names based on <i>Halictus</i> Latreille, 1804 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Roptrocerus</i> Ratzeburg, 1848, <i>Die Ichneumonen</i> , 2 : 208 (conserved under the plenary power) (gender: masculine) (type species, by designation by Ashmead, 1904 (<i>Mem. Carnegie Mus.</i> , 1 (4): 388): <i>Pachyceras xylophagorum</i> Ratzeburg, 1844, <i>Die Ichneumonen</i> , 1 : 218) (Insecta, Hymenoptera). Op. 437	available
<i>roratus</i> , <i>Psittacus</i> , Müller, 1776, <i>Natursyst. Suppl.</i> : 77 (valid name at the date of Opinion 938 of the type species of <i>Eclectus</i> Wagler, 1832) (Aves). Op. 938	available
<i>Rosacea</i> Quoy & Gaimard, 1827, <i>Annales des Sciences Naturelles</i> (Series 1), 10 : 176–177 (gender: feminine), ruled under the plenary power that all previous fixations of type species are set aside and <i>Rosacea plicata</i> Bigelow, 1911 is designated as the type species (Cnidaria). Op. 2157	available
<i>rosae</i> , <i>Cynips</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 553 (specific name of the type species of <i>Diplolepis</i> Geoffroy, 1762) (Insecta, Hymenoptera). Op. 1754	available

<i>rosae</i> , Musca , Fabricius, 1794, <i>Entomologia systematica emendata et aucta</i> , vol. 4, p. 356, ruled under the plenary power not to be invalid by reason of being a junior primary homonym of <i>Musca rosae</i> De Geer, 1776 (specific name of the type species of <i>Chamaepsila</i> Hendel, 1917) (Insecta, Diptera). Op. 1938	available
<i>rosarum</i> , Syrphus , Fabricius, 1787, <i>Mantissa insectorum sistens eorum species ...</i> , vol. 2, p. 341 (specific name of the type species of <i>Pyrophaena</i> Schiner, 1860) (Insecta, Diptera). Op. 1744	available
<i>rosea</i> , <i>Aplysia</i> , Rathke, 1799, <i>Skr. naturh. Selsk. Kh.</i> , 5(1): 85, 147 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 355	index
<i>rosea</i> , <i>Aurellia</i> , Péron & Lesueur, [1810], <i>Ann. Mus. Hist. nat.</i> , Paris, 14(83): 358 (a junior objective synonym of <i>aurita</i> , <i>Medusa</i> , Linnaeus, 1758). Op. 515	index
<i>rosea</i> , <i>Patella</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 169 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>roseatus</i> , <i>Anthus</i> , Blyth, 1847, <i>J. asiat. Soc. Bengal</i> , 16: 437 (Aves). Op. 803	available
<i>Rosema</i> Walker, 1855, <i>List of the specimens of lepidopterous insects in the collection of the British Museum</i> , part 4, p. 1159 (gender: feminine) (type species, by subsequent designation by Kirby, 1892, <i>A synomeric catalogue of Lepidoptera Heterocera (Moths)</i> , vol. 1 (<i>Sphegines and Bombyces</i>), p. 581: <i>Rosema dorsalis</i> Walker, 1855), ruled under the plenary power to be given precedence over <i>Zelica</i> Hübner, [1825] and <i>Rhogalia</i> Hübner, [1825] whenever it is considered a synonym of either of those names (Insecta, Lepidoptera). Op. 1617	available
<i>roseus</i> , <i>Parapleurophrycoides</i> , Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12: 264 (specific name of the type species of <i>Parapleurophrycoides</i> Nobili, 1906) (Crustacea, Decapoda). Direction 36	available
ROSMARIDAE Gill, 1866, <i>Proc. Essex Inst.</i> , 5: 7, 11 (type genus: <i>Rosmarus</i> Brünnich, 1771) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 544	index
<i>Rosmarus</i> Brünnich, 1771, <i>Zool. Fund.</i> : 34, 38, 39 (a junior objective synonym of <i>Odobenus</i> Brisson, 1762). Op. 467	index
<i>rosmarus</i> , <i>Phoca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 38 (specific name of the type species of <i>Odobenus</i> Brisson, 1762) (Mammalia). Op. 467	available
<i>rossia</i> , <i>Mantis</i> , Rossi, 1790, <i>Fauna Etrusca</i> , 1: 259 (specific name of the type species of <i>Bacillus</i> Lepeletier de Saint-Fargeau & Serville, [1828]) (Insecta, Orthoptera). Direction 5	available
<i>Rostellariigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Rostrago</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 159 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>rostrata</i> , <i>Aelia</i> , all uses of, prior to <i>rostrata</i>, <i>Aelia</i> , Boheman, 1852, <i>Öfvers. k. Svensk. Vetensk.-Akad. Förhandl.</i> , 9 : 50 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 719	index
<i>rostrata</i>, <i>Aelia</i> , Boheman, 1852, <i>Öfvers. k. Svensk. Vetensk.-Akad. Förhandl.</i> , 9 : 50 (Insecta, Hemiptera). Op. 719	available
<i>rostrata</i> , <i>Aelia</i> , Fabricius, 1803, <i>Syst. Rhyng.</i> : 188 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 719	index
<i>rostrata</i>, <i>Muraena</i> , Lesueur, 1817, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (5): 81 (a name to be given precedence, by direction under the plenary power, over <i>bostoniensis</i> , <i>Muraena</i> , Lesueur, 1817) (Osteichthyes). Op. 569	available
<i>rostrata</i> , <i>Testudo</i> , Thunberg, 1787, <i>Museum Naturalium Academiae Upsaliensis</i> , part 2, p. 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Testudines). Op. 1659	index
<i>rostratus</i>, <i>Cancer</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 493 (Crustacea, Decapoda). Op. 763	available
<i>rostratus</i> , <i>Cimex</i> , de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 271 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 719	index
<i>rostratus</i>, <i>Lynceus</i> , Koch, 1841, <i>Deutschlands Crustaceen, Myriapoden und Arachniden, ein Beitrag zur deutschen Fauna</i> , Heft 36, species 12 (specific name of the type species of <i>Disparalona</i> Fryer, 1968) (Branchiopoda). Op. 1967	available
<i>rostratus</i> , <i>Monograptus communis</i> var., Elles & Wood, 1913, <i>Mon. Brit. Grapt.</i> (Palaeontogr. Soc.) (9): 481, pl. xliv, figs. 2a-c, text-fig. 337, as interpreted, by direction under the plenary power, by the lectotype designated by Bulman, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 315) (Graptolithina). Op. 571	available
<i>rostridentatus</i>, <i>Aristeus</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 189 (specific name of the type species of <i>Aristaeomorpha</i> Wood-Mason, 1891) (Crustacea, Decapoda). Op. 864	available
<i>rostrocrasso</i> , <i>Alauda</i> , Wilkes, [1796], <i>Encyclopaedia Londinensis</i> , vol. 1, p. 235 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>rostrolamellatus</i>, <i>Humerobates</i> , Grandjean, 1936, <i>Annales de la Société Entomologique de France</i> , 105 : 77 (specific name of the type species of <i>Humerobates</i> Sellnick, 1928) (Arachnida, Acari). Op. 1420	available
<i>rotatoria</i>, <i>Amoeba</i> , Mayer, [July] 1843, <i>Spicil. Observ. Anat. Organo electr. Raiis analectr. Haematoz.</i> : 11 (valid name at the date of Direction 77 of the type species of <i>Trypanosoma</i> Gruby, 1843) (Mastigophora). Direction 77	available
<i>rothschildi</i>, <i>Chaetopsylla</i> , Kohaut, 1903, <i>Allait. Közlem.</i> , Budapest, 2 : 40, pl. 4, figs. 7-9; pl. 5, figs. 3, 5, 6 (specific name of the type species of <i>Chaetopsylla</i> Kohaut, 1903) (Insecta, Siphonaptera). Op. 388	available

<i>Rotula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 103 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Rotularis, Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 102 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>rotunda</i> , <i>Ctenodonta</i> , Hicks, 1873, <i>Quart. J. geol. Soc. London</i> , 29 : 47 (unavailable under Article 11e). Op. 1022	index
<i>rotunda</i> , <i>Ctenodonta</i> , Salter, 1873, <i>Catalogue of the Cambrian and Silurian fossils contained in the Geological Museum of Cambridge</i> , Cambridge: 24 (a nomen nudum). Op. 1022	index
rotunda, Thelphusa , Quoy & Gaimard, 1824, in Freycinet, <i>Voy. autour du monde ... 'Uranie' et 'Physicienne'</i> , (Zool.): 527 (Crustacea, Decapoda). Op. 1205	available
rotundata, Apis , Fabricius, 1787, <i>Mant. ins.</i> , 1 : 303, as interpreted by the neotype designated under the plenary power (Insecta, Hymenoptera). Op. 1093	available
rotundata, Helix , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 29 (Gastropoda). Op. 336	available
rotundatus, Cancer , Olivi, 1792, <i>Zool. Adriat.</i> : 47 (valid name at the date of Opinion 712 of the type species of <i>Atelecyclus</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 712	available
rotundatus, Conchyliolithus Anomites , Martin, 1809, <i>Petrif. derb.</i> : sign. Z[3], pl. 48, figs. 11, 12 (included in a work rejected for nomenclatural purposes). Op. 420	index
rotundatus, Lupocyclus , Adams & White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 47 (specific name of the type species of <i>Lupocyclus</i> Adams & White, [1849]) (Crustacea, Decapoda). Direction 36	available
rotundatus, Perisphinctes , Roemer, 1911, <i>Fauna Aspidoides-Schichten Lechstedt</i> (Inaug. Dissert.): 44, pl. 8, fig. 2, as interpreted by the lectotype designated by Arkell, 1950 (<i>J. Paleontol.</i> , 24 : 363) (specific name of the type species of <i>Pseudoperisphinctes</i> Schindewolf, 1923) (Cephalopoda). Op. 324	available
rotundifrons, Heterozius , Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4) 7 : 275 (specific name of the type species of <i>Heterozius</i> Milne Edwards, 1867) (Crustacea, Decapoda). Direction 36	available
rousseauxi, Metasesarma , Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 188 (specific name of the type species of <i>Metasesarma</i> Milne Edwards, 1853) (Crustacea, Decapoda). Direction 36	available
rouxii, Caphyra , Guérin-Méneville, 1832, <i>Ann. Sci. nat.</i> , Paris, 25 : 287 (specific name of the type species of <i>Caphyra</i> Guérin-Méneville, 1832) (Crustacea, Decapoda). Direction 36	available
royerianus, Ammonites , d'Orbigny, 1841, <i>Pal. franç.</i> , Terr. crét., 1 : 365, pl. 112, figs. 3-5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 428	index

<i>ruber</i> , <i>Crotalus adamanteus</i> , Cope, 1892, <i>Proceedings of the United States National Museum</i> , 14 : 690, ruled under the plenary power to be given precedence over the specific name of <i>Crotalus exsul</i> Garman, 1884 whenever the two names are considered to be synonyms (Reptilia, Serpentes). Op. 1960	available
<i>ruber</i> , <i>Phoenicopterus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 139 (specific name of the type species of <i>Phoenicopterus</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>ruberrimus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>rubescens</i> , <i>Alauda</i> , [Tunstall], 1771, <i>Ornithologia britannica</i> : 2 (Aves). Op. 882	available
<i>rubicunda</i> , <i>Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 87 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>rubidus</i> , <i>Byrrhus</i> , Kugelann, 1792, <i>Neuestes Magazin für die Liebhaber der Entomologie</i> , 1 (2-4): 484 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1396	index
<i>rubiginosa</i> , <i>Phyllodoce (Carobia)</i> , Saint-Joseph, 1888, <i>Annales des Sciences Naturelles (Zoologie)</i> , (7) 5 : 282 (Polychaeta). Op. 1589	available
<i>rubra</i> , <i>Nepa</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 440, ruled under the plenary power not to be given priority over the specific name <i>cinerea</i> Linnaeus, 1758, as published in the binomen <i>Nepa cinerea</i> , whenever the two names are considered synonyms (Insecta, Hemiptera). Op. 1335	available
<i>rubra</i> , <i>Scolopax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 145 (specific name of the type species of <i>Eudocimus</i> Wagler, 1832) (Aves, Ciconiiformes). Op. 1674	available
<i>rubripes</i> , <i>Sesarma</i> , Rathbun, 1897, <i>Proc. biol. Soc. Washington</i> , 11 : 89-92, ruled under the plenary power to be given precedence over the specific name <i>trapezium</i> Dana, 1852, as published in the binomen <i>Sesarma trapezium</i> , whenever the two names are considered synonyms (Crustacea, Decapoda). Op. 1140	available
<i>rubrofasciatus</i> , <i>Cimex</i> , de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 349, pl. 35, fig. 12 (valid name at the date of Direction 64 of the type species of <i>Triatoma</i> Laporte, [1832]) (Insecta, Hemiptera). Direction 64	available
<i>rubromaculatus</i> , <i>Cancer (Liagore)</i> , de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 19; <i>id.</i> , [1835], <i>ibid.</i> : 49 (specific name of the type species of <i>Liagore</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>rubrum</i> , <i>Distoma</i> , Savigny, 1916, <i>Mémoires sur les animaux sans vertèbres</i> , part 2, p. 177 (specific name of the type species of <i>Eudistoma</i> Caullery, 1909) (Tunicata). Op. 1865	available
<i>rubustulus</i> , <i>Holostaspis subbadius</i> , Berlese, 1904, <i>Redia</i> , 1 : 264, ruled under the plenary power to be treated as an incorrect original spelling of <i>robustulus</i> (Arachnida, Acarina). Op. 1638	index

<i>ruderata</i> , <i>Helix</i> , Féussac, 1821, <i>Tabl. syst. Anim. moll. terrestr. fluviat.</i> : 44 (specific name of the type species of <i>Discus</i> Fitzinger, 1833) (Gastropoda). Op. 335	available
<i>rueppelli</i> , <i>Fryeria</i> , Bergh, 1869, <i>Naturhistorisk Tidsskrift, Kjøbenhavn</i> , (3) 5 : 514 (specific name of the type species of <i>Fryeria</i> Gray, 1853) (Gastropoda). Op. 1663	available
<i>rueppelli</i> , <i>Barbus</i> , Boulenger, 1902, <i>Ann. Mag. nat. Hist.</i> , (7) 10 : 423, 427, 428 (Osteichthyes). Op. 1285	available
<i>rueppellii</i> , <i>Labeo</i> , Pfeffer, 1896, <i>Die Fische Ost-Afrikas in Die Thierwelt Deutsch-ost-Afrikas u.d. Nachbargebiete</i> (3): 51, 52 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1285	index
<i>ruetimeyeri</i> , <i>Lagomeryx</i> , Thenius, 1948, <i>Anzeiger der Oesterreichischen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Klasse. Wien</i> , 14 : 221 (specific name of the type species of <i>Lagomeryx</i> Roger, 1904) (Mammalia, Artiodactyla). Op. 1790	available
<i>rufa</i> [sic], <i>Thrips (Aptinothrips)</i> , Haliday, 1836, <i>Entomol. Mag.</i> , 3 : 445, as interpreted by the neotype designated under the plenary power (specific name of the type species of <i>Aptinothrips</i> Haliday, 1836) (Insecta, Thysanoptera). Op. 1338	available
<i>rufa</i> , <i>Formica</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 580 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 424	index
<i>rufa</i> , <i>Formica</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 426, as conserved under the plenary power and as interpreted by the lectotype designated by Yarrow, 1954 (<i>Bull. zool. Nomencl.</i> , 9 : 316) (specific name of the type species of <i>Formica</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 424	available
<i>rufa</i> , <i>Simulia</i> , Meigen, 1838, <i>Systematische Beschreibung der bekannten Europäischen zweiflügeligen Insecten</i> , vol. 7, p. 54, ruled under the plenary power not to be given priority over the specific name of <i>Simulia ferruginea</i> Wahlberg, 1844 whenever the two names are considered to be synonyms (Insecta, Diptera). Op. 1496	available
<i>rufa</i> , <i>Tanagra</i> , Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i> : 44 (specific name of the type species of <i>Tachyphonous</i> Vieillot, 1816) (Aves). Direction 43	available
<i>rufescens</i> , <i>Oedipus</i> , Cope, 1869, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1869 : 104 (Amphibia). Op. 425	available
<i>rufescens</i> , <i>Polycheira</i> , Brandt, 1835, <i>Prodr. Descr. Anim. Mertens. Orb. Terr. Circumnav. observ.</i> : 59 (Holothuroidea). Op. 762	available
<i>ruffina</i> , <i>Voluta</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1192 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 841	index
<i>ruficauda</i> , <i>Muscicapa</i> , Swainson, 1838, <i>The Naturalist's Library, Flycatchers</i> : 251, as interpreted by the neotype proposed by Benson, 1979 (<i>Bull. zool. Nomencl.</i> , 36 : 184) and designated under the plenary power (Aves). Op. 1267	available

<i>ruficollis</i> , <i>Thamnophilus</i> , Spix, 1825, <i>Avium species novae ...</i> , 2 : 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1180	index
<i>ruficornis</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 578 (specific name of the type species of <i>Nomada</i> Scopoli, 1770) (Insecta, Hymenoptera). Op. 1713	available
<i>rufifrons</i> , <i>Drosophila</i> , Loew, 1873, <i>Berliner Entomologische Zeitschrift</i> , 17 : 50, as defined by the neotype (male specimen in the Hungarian Natural History Museum, Budapest, labelled as 'Neotype' on a red-margined card, and with label data: (1) K[iskunság] N. P.: Kunfehértó, <i>Morus alba</i> kicsorgó nedvén [oozing sap]; (2) 1982. VI. 15-23., leg. Papp L.) designated under the plenary power (Insecta, Diptera). Op. 1969	available
<i>rufipennis</i> , <i>Staphylinus</i> , Cameron, 1930, <i>Journal of the Federated Malay States Museums</i> , 16 : 156, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. rufipennis</i> Fabricius, 1801, <i>S. rufipennis</i> Gravenhorst, 1802 and <i>S. rufipennis</i> Solier, 1849 (Insecta, Coleoptera). Op. 2053	available
<i>rufipennis</i> , <i>Staphylinus</i> , Fabricius, 1801, <i>Systema eleutherorum secundum ordines ...</i> , vol. 2, p. 597 (Insecta, Coleoptera). Op. 2053	available
<i>rufipennis</i> , <i>Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsviscensia ...</i> , p. 40, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. rufipennis</i> Fabricius, 1801 (Insecta, Coleoptera). Op. 2053	available
<i>rufipes</i> , <i>Byrrhus</i> , Kugelann, 1792, <i>Neuestes Mag. Liebhaber Entomol.</i> , 1 (2-4): 485, ruled under the plenary power not to be given priority over the specific name <i>semistriatus</i> Fabricius, 1794, as published in the binomen <i>Byrrhus semistriatus</i> , whenever the two names are considered synonyms (Insecta, Coleoptera). Op. 1323	index
<i>rufipes</i> , <i>Carabus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 79 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>rufipes</i> , <i>Staphylinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 423 (specific name of the type species of <i>Tachinus</i> Gravenhorst, 1802) (Insecta, Coleoptera). Op. 1743	available
<i>rufirostris</i> , <i>Trogon</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 99 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>rufiventris</i> , <i>Accipiter</i> , Smith, 1830, <i>S. Afr. quart. J.</i> , (1) 1830 (April-June): 231 (Aves). Op. 1028	available
<i>rufiventris</i> , <i>Hydrobius</i> , Horn, 1873, <i>Proc. amer. phil. Soc.</i> , 13 : 135 (specific name of the type species of <i>Creniphilus</i> Horn, 1890) (Insecta, Coleoptera). Op. 583	available
<i>rufiventris</i> , <i>Turdus</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 86 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>rufofasciata</i> , <i>Triatoma</i> , van Duzee, 1917, <i>Univ. Calif. Publ.</i> , Tech. Bull. (Entomol.), 2 : 248, 893 (an incorrect subsequent spelling for <i>rubrofasciatus</i> , <i>Cimex</i> , de Geer, 1773). Direction 63	index

<i>rufospilota</i> , <i>Pentatoma</i> , Westwood, 1837, <i>A catalogue of Hemiptera in the collection of the Rev. F.W. Hope with short Latin descriptions of new species</i> , part 1, p. 44 (specific name of the type species of <i>Lincus</i> Stål, 1867) (Insecta, Heteroptera). Op. 1742	available
<i>rufulus</i> , <i>Cuculus</i> , Vieillot, 1817, <i>Nouv. Dict. Hist. nat.</i> (nouv. éd.), 8 : 234 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>rufum</i> , <i>Omalium</i> , Sachse, 1852, <i>Entomologische Zeitung herausgegeben von dem Entomologischen Vereine zu Stettin</i> , 13 : 148, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>O. rufum</i> Gravenhorst, 1802 (Insecta, Coleoptera). Op. 2053	available
<i>rufus</i> , <i>Scarabaeus</i> , De Geer, 1778, <i>Mémoires pour servir à l'histoire des insectes</i> , vol. 7, pp. 640, 946, as defined by the male lectotype in the Swedish Museum of Natural History, Stockholm, designated by Holm, 1994, <i>Bulletin of Zoological Nomenclature</i> , 51 : 122 (Insecta, Coleoptera). Op. 1890	available
<i>rufus</i> , <i>Scarabaeus</i> , Fabricius, 1792, <i>Entomologia systematica ...</i> , vol. 1, part 2, p. 39, as defined by the lectotype in the Zoological Museum, University of Copenhagen, designated by Landin, 1956, <i>Opuscula Entomologica</i> , 21 : 223, and ruled under the plenary power not to be invalid by reason of being a junior primary homonym of <i>Scarabaeus rufus</i> De Geer, 1778 and of <i>Scarabaeus rufus</i> Moll, 1782 (Insecta, Coleoptera). Op. 1890	available
<i>rufus</i> , <i>Scarabaeus</i> , Moll, 1782, <i>Neues Magazin für die Liebhaber der Entomologie</i> , 1 (4): 372, ruled under the plenary power not to be invalid by reason of being a junior primary homonym of <i>Scarabaeus rufus</i> De Geer, 1778 (Insecta, Coleoptera). Op. 1890	available
<i>ruga</i> , <i>Ammonites armatus</i> , Quenstedt, 1884, <i>Die Ammoniten des Schwäbischen Jura, I, Der Schwarze Jura (Lias)</i> , p. 206, ruled under the plenary power to be an available name (specific name of the type species of <i>Hyperderoceras</i> Spath, 1926) (Ammonoidea). Op. 2123	available
<i>rugosa</i> , <i>Gyrocoyle</i> , Diesing, 1850, <i>Systema Helminthum</i> , 1 : 408 (specific name of the type species of <i>Gyrocoyle</i> Diesing, 1850) (Cestoda). Op. 913	available
<i>rugosa</i> , <i>Pupa</i> , Draparnaud, 1801, <i>Tableau des Mollusques terrestres et fluviatiles de la France</i> , p. 63 (specific name of the type species of <i>Clausilia</i> Draparnaud, 1805) (Gastropoda). Op. 1455	available
<i>rugosa</i> , <i>Strophomena</i> , de Blainville, 1824, <i>Dictionnaire des Sciences Naturelles</i> , Ed. 2, vol. 32, p. 302 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1671	index
<i>rugosum</i> , <i>Faviphylum</i> , Hall, 1852, Geology and Paleontology, in Stansbury, Exploration and survey of the valley of the Great Salt Lake of Utah, including a reconnaissance of the new route through the Rocky Mountains, <i>U.S. 32nd Congress Special Session, Senate Executive Document</i> , 3 : 407, pl. 1, figs. 1a, 1b (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 813	index
<i>rugosus</i> , <i>Cenobita</i> , Milne Edwards, 1837, <i>Histoire naturelle des crustacés</i> , vol. 2, p. 241 (Decapoda). Op. 2052	available

<i>rugosus</i> , <i>Nectylus</i> , Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 : 41 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>rugosus</i> , <i>Pagurus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 412 (specific name of the type species of <i>Munida</i> Leach, 1820) (Crustacea, Decapoda). Op. 712	available
<i>rugosus</i> , <i>Plesiosaurus</i> , Owen, 1840, <i>Reports of the British Association for the Advancement of Science</i> , 9 : 82, as defined by the neotype (the postcranial skeleton, catalogue no. BMNH 14435 in the Natural History Museum, London) designated under the plenary power (specific name of the type species of <i>Eretmosaurus</i> Seeley, 1874) (Reptilia, Plesiosauria). Op. 1831	available
<i>rugosus</i> , <i>Staphylinus</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 267, ruled under the plenary power to be given precedence over <i>Staphylinus striatus</i> Ström, 1768 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>rumicis</i> , <i>Doralis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
Rumina Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4 : 79 (gender: feminine) (type species, by monotypy: <i>Helix decollata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 773) (Gastropoda). Op. 335	available
RUMININAE Thiele, 1931, <i>Handb. syst. Weichtierk.</i> , 2 : 554 (type genus: Rumina Risso, 1826) (Gastropoda). Direction 27	available
Runcina Forbes, 1851, in Forbes & Hanley, <i>Hist. brit. Moll.</i> , 3 : 611 (gender: feminine) (type species, by monotypy: <i>Runcina hancocki</i> Forbes, 1851, in Forbes & Hanley, <i>Hist. brit. Moll.</i> , 3 : 611, valid name: <i>Pelta coronata</i> Quatrefages, 1844) (Gastropoda). Op. 811	available
RUNCINIDAE (correction of RUNCINADAЕ) Gray, 1857, <i>Guide Syst. Distr. Moll. Brit. Mus.</i> : 205 (type genus: Runcina Forbes, 1851) (Gastropoda). Op. 811	available
<i>runtoniana</i> , <i>Nematurella</i> , Sandberger, 1880, <i>Palaeontographica</i> , 27 : 98 (Gastropoda). Op. 336	available
<i>Rupellarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>rupestris</i> , <i>Helix</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 71 (specific name of the type species of <i>Pyramidula</i> Fitzinger, 1833) (Gastropoda). Op. 335	available
Rupicapra Blainville, 1816, <i>Bull. Sci. Soc. philomat. Paris</i> , 1816 : 75 (gender: feminine) (type species, by absolute tautonymy: <i>Capra rupicapra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 68) (Mammalia). Op. 91 rupicapra , <i>Capra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 68 (specific name of the type species of Rupicapra Blainville, 1816) (Mammalia). Direction 22	available
<i>rüppelii</i> , <i>Fryeria</i> , Bergh, 1869, <i>Naturhistorisk Tidsskrift, Kjøbenhavn</i> , (3) 5 : 514 (an incorrect original spelling of <i>rueppelii</i>) (Gastropoda). Op. 1663	index

<i>Ruppellioides</i> Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4)7: 279 (gender: masculine) (type species, by monotypy: <i>Ruppellioides convexus</i> Milne Edwards, 1867, <i>Ann. Soc. entomol. France</i> , (4)7: 279) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Rusea</i> Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2)19: 294, ruled under the plenary power to be an incorrect original spelling of <i>Riisea</i> (Anthozoa). Op. 1895	index
<i>rusei</i> , <i>Clavularia</i> , Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2)19: 310, ruled under the plenary power to be an incorrect original spelling of <i>Clavularia riisei</i> (Anthozoa). Op. 1895	index
<i>rusei</i> , <i>Desmophyllum</i> , Duchassaing & Michelotti, 1860, <i>Memorie della Reale Accademia della Scienze di Torino</i> , (2)19: 337, ruled under the plenary power to be an incorrect original spelling of <i>Desmophyllum riisei</i> (Anthozoa). Op. 1895	index
<i>ruspatrix</i> , <i>Vespa</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 951 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1578	index
<i>ruspolii</i> , <i>Canentis</i> , Pavesi, 1897, <i>Annali del Museo Civico di Storia Naturale di Genova</i> , 38: 159 (specific name of the type species of <i>Canentis</i> Pavesi, 1897) (Arachnida). Op. 2094	available
<i>rustica</i> , <i>Apis</i> , Olivier, 1789, <i>Ency. méth.</i> , 4 (Ins.): 64 (Insecta, Hymenoptera). Op. 567	available
<i>rustica</i> , <i>Musca</i> , Fabricius, 1775, <i>Systema Entomologiae</i> ..., p. 777 (specific name of the type species of <i>Dexia</i> Meigen, 1826) (Insecta, Diptera). Op. 1475	available
<i>rustica</i> , <i>Nepa</i> , Fabricius, 1775, <i>Systema Entomologiae</i> ..., p. 691, and all uses of the name prior to the publication of <i>Nepa rustica</i> Fabricius, 1781 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Heteroptera). Op. 1850	index
<i>rustica</i> , <i>Nepa</i> , Fabricius, 1781, <i>Species insectorum</i> ..., vol. 2, p. 333, as defined by the lectotype designated by Polhemus, 1994, <i>Proceedings of the Entomological Society of Washington</i> , 96: 692 (specific name of the type species of <i>Diplonychus</i> Laporte, 1833) (Insecta, Heteroptera). Op. 1850	available
<i>rustica</i> , <i>Tenthredo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 556, as defined by the neotype (the female specimen labelled ‘ <i>Hylotoma atrata</i> Forst. Schwerin’; ‘coll. Konow’; ‘Neotype [female] <i>Tenthredo rustica</i> Linné, 1758’; and ‘ <i>Arge rustica</i> (Linné) [female] det. Blank & Taeger 1999’ in the Deutsches Entomologisches Institut, Eberswalde, Germany) designated under the plenary power (Insecta, Hymenoptera). Op. 1958	available
<i>rusticella</i> , <i>Phalaena</i> , Clerck, 1759, <i>Icones Insectorum rariorum</i> , pl. 10, fig. 11 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1528	index
<i>rusticola</i> , <i>Scolopax</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 146 (specific name of the type species of <i>Scolopax</i> Linnaeus, 1758) (Aves). Direction 17	available

<i>Rusticus</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	index
<i>Rusticus</i> Hübner, [1807], <i>Samml. exot. Schmett.</i> , 1 : pls. [102], [104] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 4	index
<i>Rusticus</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5, 6 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>rusticus</i> , <i>Conus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 714 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 753	index
<i>Rutellum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 160 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>rutila</i> , <i>Megarhinus</i> , Coquillett, 1896, <i>Canad. Entomol.</i> , 28 : 44 (Insecta, Diptera). Op. 548	available
<i>rutilans</i> , <i>Buprestis</i> , Fabricius, [1777], <i>Genera insectorum ...</i> , p. 235 (specific name of the type species of <i>Scintillatrix</i> Obenberger, 1956) (Insecta, Coleoptera). Op. 1825	available
<i>rutilipennis</i> , <i>Astenus</i> , Chevrolat, 1860, <i>Revue et Magazin de Zoologie</i> , (2) 12 : 410 (Insecta, Coleoptera). Op. 2139	available
<i>rutilipennis</i> , <i>Astenus</i> , Reitter, 1909, <i>Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet</i> , vol. 2, p. 151, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>A. rutilipennis</i> Chevrolat, 1860 (Insecta, Coleoptera). Op. 2139	available
<i>rutilus</i> , <i>Megarhinus</i> , Theobald, 1901, <i>Mon. Culic.</i> , 1 : 244 (an incorrect subsequent spelling for <i>rutila</i> , <i>Megarhinus</i> , Coquillett, 1896). Op. 548	index
<i>Ruvulus</i> de Natale, 1850, <i>Descriz. zool. Plojaria Crost. Messina</i> : 20 (a junior objective synonym of <i>Sicyonia</i> Milne Edwards, 1830). Op. 382	index
<i>Rychium</i> Billberg, 1820, <i>Enum. Ins.</i> : 109 (an incorrect subsequent spelling for <i>Rynchium</i> Spinola, 1806). Op. 747	index
<i>ryeii</i> , <i>Drymus sylvaticus</i> , Douglas & Scott, 1865, <i>The British Hemiptera</i> , vol. I <i>Hemiptera, Heteroptera</i> , p. 197, ruled under the plenary power to be defined by the lectotype designated by Jessop, 1984, <i>Bulletin of Zoological Nomenclature</i> , 41 : 263 (Insecta, Heteroptera). Op. 1411	available
<i>Rygchium</i> Spinola, 1806, <i>Ins. Ligur.</i> , 1 : 84 (ruled under the plenary power to be an incorrect original spelling for <i>Rynchium</i> Spinola, 1806). Op. 747	index
<i>Rynchium</i> Sturm, 1829, <i>Verz. Ins. Nuernberg</i> : 12 (an unjustified emendation of <i>Rygchium</i> Spinola, 1806). Op. 747	index
RYNCHOCINETIDAE Gurney, 1939, <i>Bibl. Larvae Decapod Crust.</i> : 72 (type genus: <i>Rhynchocinetes</i> Milne Edwards, 1837) (an incorrect subsequent spelling for RHYNCHOCINETIDAE Ortmann, 1890). Op. 470	index

<i>Ryncolithus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 157 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Ryparocoris</i> Schummel, [1827], <i>Uebers. Arb. Veränd. schles. Ges. vaterland. Cultur</i> , Breslau, 1826 : 22 (a junior objective synonym of <i>Reduvius</i> Fabricius, 1775). Direction 63	index
<i>Ryzophagus</i> Herbst, 1793, <i>Natursystem aller bekannten in- und ausländischen Insekten</i> . Der Käfer, part 5, p. 18, ruled under the plenary power to be an incorrect original spelling of <i>Rhizophagus</i> (Insecta, Coleoptera). Op. 1810	index
<i>saarensis</i> , <i>Vulpes minimus</i> , Skjöldebrand, 1777, <i>K. svenska Vetensk. Akad. Handl.</i> , 38 : 265-267 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1129	index
<i>Sabinea</i> Ross, 1835, <i>App. Narrat. 2nd Voy. N.W. Passage</i> : lxxxii (gender: feminine) (type species, by monotypy: <i>Crangon septemcarinatus</i> Sabine, 1824, <i>Suppl. App. Parry's Voy. N.W. Passage</i> : ccxxxvi) (Crustacea, Decapoda). Op. 470	available
<i>sabulicola</i> , <i>Carabus</i> , Panzer, 1796, <i>Fauna Insectorum Germaniae initia</i> , part 30, p. 4 (specific name of the type species of <i>Ophonus</i> Dejean, 1821) (Insecta, Coleoptera). Op. 1598	available
<i>sabulosa</i> , <i>Sphex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 569 (specific name of the type species of <i>Ammophila</i> Kirby, 1798) (Insecta, Hymenoptera). Direction 2	available
<i>sabulosus</i> , <i>Miliolites</i> , de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles</i> , vol. 1, p. 175 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1501	index
<i>saccharalis</i> , <i>Phalaena</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 3 (2): 238 (conserved under the plenary power) (valid name at the date of Opinion 594 of the type species of <i>Diatraea</i> Guilding, 1828) (Insecta, Lepidoptera). Op. 594	available
<i>sacchari</i> , <i>Crambus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 469 (a junior objective synonym of <i>saccharalis</i> , <i>Phalaena</i> , Fabricius, 1794). Op. 594	index
<i>saccharina</i> , <i>Lepisma</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608 (specific name of the type species of <i>Lepisma</i> Linnaeus, 1758) (Insecta, Thysanura). Direction 64	available
<i>saccharivora</i> , <i>Phalaena</i> , Peterkin, 1790, <i>A Treatise on Planting ...</i> (ed. 2): 6-10 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 594	index
SACCOPHARYNGIDAE Bleeker, 1859, <i>Acta Societatis Scientiarum Indo Neerlandicae</i> , 6 : xxxiii (type genus: <i>Saccopharynx</i> Mitchell, 1824) (Osteichthyes, Saccopharyngiformes). Op. 1603	available

<i>Saccopharynx</i> Mitchell, 1824, <i>Annals of the Lyceum of Natural History of New York</i> , 1(1): 86 (gender: masculine) (type species, by designation under the plenary power: <i>Saccopharynx flagellum</i> Cuvier, 1829, a junior subjective synonym of <i>Ophiognathus ampullaceus</i> Harwood, 1827), ruled under the plenary power to be the name of a then new nominal genus and not a replacement name for <i>Stylephorus</i> Shaw, 1791 (Osteichthyes, Saccopharyngiformes). Op. 1603	available
<i>Sacculus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 164 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>sacculus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Y[3], pl. 46, figs. 1, 2 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>sacculus</i> , <i>Terebratula</i> , Sowerby, 1824, <i>Min. Conch.</i> , 5: 65, pl. 446, fig. 1 (three top figs.), as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12)4: 114, pl. 5, figs. 1a-c) (Brachiopoda). Op. 420	available
<i>sachalinensis</i> , <i>Birulia</i> , Brashnikov, 1903, <i>Annu. Mus. zool. Acad. imp. Sci. St. Pétersbourg</i> , 8: xlv (specific name of the type species of <i>Birulia</i> Brashnikov, 1903) (Crustacea, Decapoda). Op. 470	available
<i>sachalinensis</i> , <i>Mactra</i> , Schrenck, 1862, <i>Bull. Acad. imp. Sci. St. Pétersbourg</i> , 4: 412 (Bivalvia). Op. 1366	available
<i>Saduria</i> Adams, 1852, <i>Sutherland's J. Voy. Baffin Bay Barrow Strait</i> , 2: ccvii (gender: feminine) (type species, by monotypy: <i>Oniscus entomon</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 636) (Crustacea, Isopoda). Op. 643, Addendum to Op. 643 (<i>Bulletin of Zoological Nomenclature</i> , 21: 92) <i>Saduria</i> White, 1847, <i>List Crust. Brit. Mus.</i> : 94 (unavailable because published in synonymy). Op. 643	available
<i>Saga</i> Charpentier, 1825, <i>Hor. Entomol.</i> : 95 (gender: feminine) (type species, by monotypy: <i>Locusta serrata</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2: 43) (Insecta, Orthoptera). Op. 149	available
<i>saghalinensis</i> , <i>Dryobates leucotos</i> , Yamashina, 1931, <i>Tori</i> , 7: 1 (a junior secondary homonym in the genus <i>Picoides</i> Lacepède, 1799, of <i>sakhalinensis</i> , <i>Picoides tridactylus</i> , Buturlin, 1907). Op. 402	index
<i>sagitta</i> , <i>Callionymus</i> , Pallas, 1770, <i>Spicilegia Zoologica</i> , vol. 1, part 8, p. 29, as defined by the neotype (specimen no. CAS-SU 41392: (female, 86.1 mm SL, INDIA: mouth of River Hooghli, Sundarbans, Bengal Province, ca 21°50'N 88°00'E, S.W. Kemp, 1911.) in the California Academy of Sciences, Stanford University Collection, San Francisco) designated under the plenary power (Osteichthyes, Callionymidae). Op. 1388	available
<i>sagitta</i> , <i>Vibrio</i> , Müller, 1786, <i>Animalcula Infusoria fluviatilia et marina ...</i> , p. 59 (specific name of the type species of <i>Trachelocerca</i> Ehrenberg, 1840) (Ciliophora). Op. 1923	available
<i>sagittata</i> , <i>Geoteuthis</i> , Münster, 1843, in Münster, G. Graf zu, Meyer, H.V. & Wagner, R. (Eds.), <i>Beiträge zur Petrefacten-Kunde ...</i> , p. 72 (specific name of the type species of <i>Paraplesioteuthis</i> Naef, 1921) (Cephalopoda, Coleoidea). Op. 1914	available

<i>Saissetia</i> Déplanche, 1859, <i>Messager de Tahiti, Papeete</i> , 8 (no. 9): 7 (gender: feminine) (type species, by designation under the plenary power: <i>Lecanium coffeae</i> Walker, 1852) (Insecta, Sternorrhyncha). Op. 1627	available
<i>salar</i> , <i>Salmo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 308 (specific name of the type species of <i>Salmo</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Salda</i> Fabricius, 1803, <i>Syst. Rhyng.</i> : 113 (gender: feminine) (type species, by designation under the plenary power: <i>Cimex littoralis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 442) (Insecta, Hemiptera). Op. 245	available
<i>salicis minor</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 154 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>salicis</i> , <i>Buprestis</i> , Fabricius, 1776, <i>Genera insectorum</i> , p. 237 (Insecta, Coleoptera). Op. 2008	available
<i>salicis</i> , <i>Buprestis</i> , Lewis, 1893, <i>Journal of the Linnean Society of London (Zoology)</i> , 24 : 337, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis salicis</i> Fabricius, 1776 (Insecta, Coleoptera). Op. 2008	available
<i>salicis</i> , <i>Pharalis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
<i>salicis</i> , <i>Thrips</i> , Reuter, 1879, <i>Öfvers. finska Vetensk. Soc. Förh.</i> , 21 : 220, 221 (specific name of the type species of <i>Physothrips</i> Karny, 1912) (Insecta, Thysanoptera). Op. 961	available
<i>salicornia</i> , <i>Cellularia</i> , Pallas, 1766, <i>Elench. zooph.</i> : 61 (a junior objective synonym of <i>Eschara fistulosa</i> Linnaeus, 1758, through the designation of a neotype under the plenary power). Op. 949	index
<i>salicornioides</i> , <i>Cellaria</i> , Lamouroux, 1816, <i>Hist. Poly. corall. flex.</i> : 127, as interpreted by the neotype designated under the plenary power (Bryozoa). Op. 949	available
<i>salinus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 634 (specific name of the type species of <i>Artemia</i> Leach, 1819) (Crustacea, Branchiopoda). Op. 1301	available
<i>salmachus</i> , <i>Sphinx</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 493 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1288	index
<i>Salmo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 308 (gender: masculine) (type species, by designation by Jordan & Gilbert, 1882 (<i>Bull. U.S. nat. Mus.</i> , 16 : 309): <i>Salmo</i> <i>salar</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 308) (Osteichthyes). Op. 77, Direction 56	available
<i>Salmoneus</i> Holthuis, 1955, <i>Zool. Verh.</i> , Leiden, 26 : 88 (gender: masculine) (type species, by original designation: <i>Jousseaumea serratidigitus</i> Coutière, 1897, <i>Bull. Mus. Hist. nat.</i> , Paris, 2 : 382) (Crustacea, Decapoda). Op. 673	available
<i>Salpa</i> Edwards, 1771, in Catesby, <i>Nat. Hist. Carolina</i> (ed. 3), 2 : 17 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 888	index

<i>Salpa</i> Forsskål, 1775, <i>Descr. Anim.</i> : 112 (gender: feminine) (type species, by designation by Waal, 1966 (<i>Bull. zool. Nomencl.</i> , 23 : 232): <i>Salpa maxima</i> Forsskål, 1775, <i>Descr. Anim.</i> : 112) (Urochordata). Op. 888	available
<i>saltator, Cancer (Gammarellus)</i> , Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 94 (specific name of the type species of <i>Talitrus</i> Bosc, [1802]) (Crustacea, Amphipoda). Op. 1133	available
<i>saltatrix, Cleobis</i> , Simon, 1879, <i>Annales de la Société Entomologique de France</i> , (5) 9 : 146 (specific name of the type species of <i>Ammotrechula</i> Roewer, 1934) (Arachnida). Op. 2050	available
<i>salvaguardia, Stellio</i> , Laurenti, 1768, <i>Specimen Medicum</i> : 57 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 540	index
<i>salvator, Stellio</i> , Laurenti, 1768, <i>Specimen Medicum</i> : 56 (Reptilia). Op. 540	available
<i>sambuci, Aphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 451 (specific name of the type species of <i>Aphis</i> Linnaeus, 1758) (Insecta, Hemiptera). Op. 677	available
<i>sanctipauli, Condylocardia</i> , Bernard, 1896, <i>Bull. Mus. Hist. nat. Paris</i> , 2 : 196 (specific name of the type species of <i>Condylocardia</i> Bernard, 1896) (Bivalvia). Op. 872	available
<i>sanctus, Cimex</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 709 (specific name of the type species of <i>Crinocerus</i> Burmeister, 1835) (Insecta, Hemiptera). Op. 1054	available
<i>sanctus, Somatodes</i> , Schönherr, 1823, <i>Isis</i> (von Oken), 1823 : col. 1139 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1770	index
<i>Sandbergeoceras</i> Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 332 (an incorrect original spelling for <i>Sandbergeroceras</i> Hyatt, 1884). Op. 392	index
<i>Sandbergeriella</i> Schlickum, 1968, <i>Archiv für Molluskenkunde</i> , 98 (1-2): 53 (a junior objective synonym of <i>Stalioa</i> Brusina, 1870) (Gastropoda). Op. 1965	index
<i>Sandbergeroceras</i> (emendation of <i>Sandbergeoceras</i>) Hyatt, 1884, <i>Proc. Boston Soc. nat. Hist.</i> , 22 : 332, 333, 334 (gender: neuter) (type species, by designation by Miller, 1938 (<i>Spec. Pap. Geol. Soc. Amer.</i> , 34 : 178): <i>Goniatites tuberculoscostatus</i> Sandberger & Sandberger, 1850, <i>Versteiner. rheinisch. Schichtensyst. Nassau</i> : 64, 65, pl. 4, figs. 1-1f, pl. 8, figs. 2, 2a) (Cephalopoda). Op. 392	available
SANDBERGEROCERATINAE Miller, 1938, <i>Spec. Pap. Geol. Soc. Amer.</i> , 38 : 24, 178 (type genus: <i>Sandbergeroceras</i> Hyatt, 1884) (Cephalopoda). Direction 54	available
<i>sandbergerorum</i> , <i>Sandbergeoceras</i> [sic], Miller, 1938, <i>Spec. Pap. Geol. Soc. Amer.</i> , 34 : 178 (a junior objective synonym of <i>tuberculoscostatus</i> , <i>Goniatites</i> , Sandberger & Sandberger, 1850). Op. 392	index
<i>sandrii</i> , <i>Cynopoecilus</i> , Faria & Muller, 1937, <i>Revista Naval</i> , 37 (3): 98 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Cyprinodontiformes). Op. 1762	index

<i>sanguineus</i> , <i>Ixodes</i> , Latreille, 1806, <i>Gen. Crust. Ins.</i> , 1 : 615 (specific name of the type species of <i>Rhipicephalus</i> Koch, 1844) (Arachnida). Direction 67	available
<i>sanguinipes</i> , <i>Gryllus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 195 (Insecta, Orthoptera). Op. 835	available
<i>Sanguinolarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>sanguinolenta</i> , <i>Cicada</i> , Scopoli, 1763, <i>Entomol. carn.</i> : 112 (specific name of the type species of <i>Cercopis</i> Fabricius, 1775) (Insecta, Hemiptera). Op. 317	available
<i>sanguinolentus</i> , <i>Pagurus</i> , Quoy & Gaimard, 1825, in Freycinet, <i>Voy. autour Monde 'Uranie' & 'Physicienne'</i> (Zool.): 532 (valid name at the date of Opinion 472 of the type species of <i>Dardanus</i> Paulson, 1875) (Crustacea, Decapoda). Op. 472	available
<i>Sao</i> Adams, 1854, <i>Gen. rec. Moll.</i> , 2 : 21 (a junior homonym of <i>Sao</i> Barrande, 1846). Op. 512	index
<i>Sao</i> Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 13 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Sao hirsuta</i> Barrande, 1846, <i>Not. prélim. Syst. silur. Trilob. Bohême</i> : 13) (Trilobita). Op. 512	available
<i>Sao</i> Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 135 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 512	index
SAOIDAE (correction of SAONIDES) Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 135 (type genus: <i>Sao</i> Billberg, 1820) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 512	index
SAOIDAE Hupé, 1953, in Piveteau, <i>Traité Paléont.</i> , 3 : 193 (type genus: <i>Sao</i> Barrande, 1846) (Trilobita). Op. 512	available
SAONIDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 135 (type genus: <i>Sao</i> Billberg, 1820) (an incorrect original spelling for SAOIDAE Billberg, 1820). Op. 512	index
<i>Saperda</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 184 (gender: feminine) (type species, by designation by Curtis, 1829 (<i>British Entomology</i> , 6 : 275): <i>Cerambyx scalaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 394) (Insecta, Coleoptera). Op. 1155	available
<i>sapho</i> , <i>Papilio</i> , Drury, 1782, <i>Illustrations of Natural History. Wherein are exhibited upwards of two hundred figures of exotic insects</i> , vol. 3, p. 54, ruled under the plenary power that the specific name is not invalid by reason of being a junior primary homonym of <i>Papilio sappho</i> Pallas, 1771 (Insecta, Lepidoptera). Op. 2152	available
<i>Saphylinus</i> Gistel, 1856, <i>Die Mysterien europ. Insektenwelt</i> : 10 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>sapidus</i> , <i>Callinectes</i> , Rathbun, 1896, <i>Proc. U.S. nat. Mus.</i> , 18 : 352 (specific name of the type species of <i>Callinectes</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 712	available
<i>Saponella</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 174 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>saportae</i> , <i>Papilio</i> , Geyer (nec Hübner), [1828-1832], in Hübner & Geyer, <i>Samml. europ. Schmett.</i> : pl. 188, figs. 922-925 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 972	index
<i>sappho</i> , <i>Papilio</i> , Pallas, 1771, <i>Reise durch verschiedene Provinzen des russischen Reichs. Erster Theil</i> , p. 471 (Insecta, Lepidoptera). Op. 2152	available
<i>Saprophilus</i> Stokes, 1887, <i>J. Trenton nat. Hist. Soc.</i> , 1 (3): 247 (a junior homonym of <i>Saprophilus</i> Streubel, 1839). Op. 915	index
<i>Sarcocystis</i> Lankester, 1882, <i>Quart. J. micr. Sci. (n.s.)</i> , 22 : 54, 60 (gender: feminine) (type species, by monotypy through Opinion 104 and Article 67e (1961 Code): <i>Synchytrium miescherianum</i> Kühn, 1865, <i>Mitt. landwirthsch. Inst. Halle</i> : 68) (Sporozoa). Op. 104, Direction 76	available
<i>Sarcoptes</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 67 (gender: masculine) (type species, by monotypy: <i>Acarus siro</i> [var.] <i>scabiei</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 616) (Arachnida). Op. 113, Direction 94	available
<i>Sardina</i> Antipa, 1904, <i>Anz. Akad. Wiss. Wien</i> , 41 : 302 (gender: feminine) (type species, by monotypy: <i>Sardina dobrogica</i> Antipa, 1904, <i>Anz. Akad. Wiss. Wien</i> , 41 : 302, valid name: <i>Clupea pilchardus</i> Walbaum, 1792) (Osteichthyes). Op. 799	available
<i>sareptensis</i> , <i>Colias hyale</i> , Alphéraky, 1875, <i>Trudy Russkago Entomologicheskago obshchestva</i> , 8 : 153–154, ruled under the plenary power not to be given priority over the name <i>Colias hyale alfacariensis</i> Ribbe, 1905 whenever the two are considered to be synonyms (Insecta, Lepidoptera). Op. 2180	available
<i>Sarmatium</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 247, 251 (gender: neuter) (type species, by monotypy: <i>Sarmatium crassum</i> Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 251) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>sarnica</i> , <i>Thaumantias</i> , Forbes, 1841, <i>Annals and Magazine of Natural History</i> , (1) 7 : 85 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>Saron</i> Thallwitz, 1891, <i>Zool. Anz.</i> , 14 : 99 (gender: masculine) (type species, by monotypy: <i>Hippolyte gibberosus</i> Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 378, valid name: <i>Palaemon marmoratus</i> Olivier, 1811) (Crustacea, Decapoda). Op. 470	available
<i>Sarotherodon</i> Rüppell, 1852, <i>Verzeichniss der in dem Museum der Senckenbergischen Naturforschenden Gesellschaft aufgestellten Sammlungen</i> , part 4, p. 21 (gender: masculine) (type species, by monotypy: <i>Sarotherodon melanotheron</i> Rüppell, 1852) (Osteichthyes, Perciformes). Op. 1548	available
SARROTRIIDAE Billberg, 1820, <i>Enumeratio Insectorum in Museo Gust. Joh. Billberg</i> , p. 9 (type genus: <i>Sarrotrium</i> Illiger, 1798) (replaced before 1961 as a name based on a junior generic synonym) (Insecta, Coleoptera). Op. 1811	index
<i>sarsi</i> , <i>Solenopus</i> , Koren & Danielssen, 1877, <i>Arch. Math. Naturv.</i> , 2 : 128 (Solenostigastres). Op. 1185	available

<i>Sastragala</i> Amyot & Serville, 1843, in Roret's Suites à Buffon, <i>Hist. nat. Ins. Hémipt.</i> : 155 (gender: feminine) (type species, by monotypy: <i>Cimex uniguttatus</i> Donovan, (1804), <i>Nat. Hist. Ins. Ind.</i> : text to pl. [14]) (Insecta, Hemiptera). Direction 63	available
<i>Saturnia</i> Schrank, 1802, <i>Fauna boica</i> (Ingolstadt, Krüll): 149 (gender: feminine) (type species, by designation by Grote, 1895 (<i>Canadian Entomol.</i> , 27 : 267): <i>Bombyx pyri</i> [Denis & Schiffermüller], 1775, <i>Ankündung [sic] eines systematischen Werkes von den Schmetterlingen der Wiener Gegend</i> : 49) (Insecta, Lepidoptera). Op. 1170	available
SATURNIIDAE Boisduval, 1837, <i>Icones historiques des Lépidoptères nouveaux ou peu connus</i> . Paris, Roret, 2 : 170 (type genus: <i>Saturnia</i> Schrank, 1802) (Insecta, Lepidoptera). Op. 1170	available
SATYRIDAE (correction of SATYRIDES) Boisduval, [1833], <i>Icon. hist. Lépid. nouv.</i> , 1 (12): 128 (type genus: <i>Satyrus</i> Latreille, 1810) (Insecta, Lepidoptera). Direction 99	available
SATYRIDES Boisduval, [1833], <i>Icon. hist. Lépid. nouv.</i> , 1 (12): 128 (type genus: <i>Satyrus</i> Latreille, 1810) (an incorrect original spelling for SATYRIDAE Boisduval, [1833]). Direction 99	index
<i>Satyrus</i> Latreille, 1810, <i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 335, 440 (gender: masculine) (type species, by designation under the plenary power: <i>Papilio actaea</i> Esper, [1780], <i>Die Schmett.</i> , 1 (Bd. 2) Forts. Tagschmett.: 37, pl. 57, figs. la♂, lb♀) (Insecta, Lepidoptera). Op. 142	available
<i>satyrus</i> , <i>Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	index
<i>Sauripteris</i> Hall, 1843, <i>Natural History of New York; Geology of New-York, part 4, comprising the Survey of the Fourth Geological District</i> , pp. 281-282, ruled under the plenary power to be an incorrect original spelling of <i>Sauripterus</i> (Osteichthyes). Op. 2089	index
<i>Sauripterus</i> Hall, 1843, <i>Natural History of New York; Geology of New-York, part 4, comprising the Survey of the Fourth Geological District</i> , pp. 281-282 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Sauritolepis</i> Hall, 1840: <i>Sauritolepis taylori</i> Hall, 1840) (Osteichthyes). Op. 2089	available
<i>saurita</i> , <i>Coluber</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 385, as interpreted by the neotype designated under the plenary power, namely the specimen described and figured by Schmidt & Conant, 1956 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 12 : 228-230, pl. 2) (restricted locality: 'Vicinity of Charleston, South Carolina, U.S.A.') (Reptilia). Op. 385	available
<i>Sauritolepis</i> Hall, 1840, <i>Fourth Annual Report of the Survey of the Fourth Geological District. Assembly Document, Albany Institute</i> , 50 : 453 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 2089	index
<i>Sauromalus</i> Duméril, 1856, <i>Archives du Muséum d'Histoire Naturelle, Paris</i> , 8 : 536 (gender: masculine) (type species, by monotypy: <i>Sauromalus ater</i> Duméril, 1856) (Reptilia). Op. 2072	available

<i>sauromates</i> , <i>Coluber</i> , Pallas, [1814], <i>Zoographia rosso-asiat.</i> , 3 : 42 (valid name at the date of Opinion 490 of the type species of <i>Elaphe</i> Fitzinger, 1833) (Reptilia). Op. 490	available
<i>saussurii</i> , <i>Panesthia</i> , Wood-Mason, 1876, <i>Journal of the Asiatic Society of Bengal</i> , 45 : 190 (specific name of the type species of <i>Caeparia</i> Stål, 1877) (Insecta, Dictyoptera). Op. 1373	available
<i>savignii</i> , <i>Cancer</i> , Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 378 (an incorrect original spelling for <i>savignyi</i> , <i>Cancer</i> , Milne Edwards, 1834). Direction 36	index
<i>savignyi</i> (correction of <i>savignii</i>), <i>Cancer</i> , Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 378 (valid name at the date of Direction 36 of the type species of <i>Actaea</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>saxatilis</i> , <i>Clubiona</i> , Blackwall, 1833, <i>London Phil. Mag. J. Sci.</i> , (3) 3 : 436 (specific name of the type species of <i>Coelotes</i> Blackwall, 1841) (Arachnida). Op. 1119	available
<i>Saxicavigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>scaber</i> , <i>Atys</i> , Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 345 (specific name of the type species of <i>Atya</i> Leach, 1816) (Crustacea, Decapoda). Op. 470	available
<i>scaber</i> , <i>Byzenus</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>scaber</i> , <i>Coluber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 223 (specific name of the type species of <i>Dasypeltis</i> Wagler, 1830) (Reptilia). Op. 387	available
<i>scaber</i> , <i>Pecten</i> , Pulteney, 1813, <i>Cat. Birds, Shells, Dorsetshire</i> (ed. 2): 107, fig. 4 (appended to the third edition of Hutchins' <i>History of Dorset</i>) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 311	index
<i>scaber</i> , <i>Porcellio</i> , Latreille, [1803-1804], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 7 : 45 (specific name of the type species of <i>Porcellio</i> Latreille, [1803-1804]) (Crustacea, Isopoda). Direction 67	available
<i>scaber</i> , <i>Stenus</i> , Fauvel, 1871, <i>Bulletin de la Société Linnéenne de Normandie</i> , (2) 5 : 20, ruled under the plenary power to be given precedence over <i>Stenus bituberculatus</i> Motschulsky, 1857 and <i>S. italicus</i> Baudi, 1870 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>scaber</i> , <i>Uranoscopus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 250 (specific name of the type species of <i>Uranoscopus</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>scabiei</i> , <i>Acarus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 430 (an incorrect subsequent spelling for <i>scabiei</i> , <i>Acarus siro</i> [var.], Linnaeus, 1758). Direction 94	index
<i>scabiei</i> , <i>Acarus siro</i> [var.], Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 616 (specific name of the type species of <i>Sarcopetes</i> Latreille, [1802]) (Arachnida). Direction 94	available

<i>scabriculus</i> , <i>Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. R[2], pl. 36, fig. 5 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>scabriculus</i> , <i>Productus</i> , Sowerby, 1814, <i>Min. Conch.</i> , 1 : 157, pl. 69, fig. 1, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 104, pl. 5, figs. 5a-c) (specific name of the type species of <i>Buxtonia</i> Thomas, 1914) (Brachiopoda). Op. 420	available
<i>scabrior</i> , <i>Eurhinus</i> , Kirby, 1819, <i>Trans. lnn. Soc. London</i> , 12 (2): 428 (specific name of the type species of <i>Eurhynchus</i> Kirby, 1828, <i>in</i> Kirby & Spence) (Insecta, Coleoptera). Op. 1352	available
<i>scabripes</i> , <i>Tetrias</i> , Rathbun, 1898, <i>Proc. U.S. nat. Mus.</i> , 21 (No. 1162): 608 (specific name of the type species of <i>Tetrias</i> Rathbun, 1898) (Crustacea, Decapoda). Direction 36	available
<i>Scalarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>scalaris</i> , <i>Cerambyx</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 394 (specific name of the type species of <i>Saperda</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1155	available
<i>scalaris</i> , <i>Graptolithus</i> , Linnaeus, 1768, <i>Systema Naturae</i> , Ed. 12, vol. 3, p. 174 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 197	index
<i>Scalopidia</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 95 (gender: feminine) (type species, by monotypy: <i>Scalopidia spinosipes</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 95) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Scalpellus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 174 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>scambus</i> , <i>Dolichopus</i> , Fallén, 1823, <i>Dipt. svec.</i> , 2 , <i>Mon. Dolichop.</i> (3): 19 (specific name of the type species of <i>Campsicnemus</i> Haliday, 1851) (Insecta, Diptera). Op. 531	available
<i>Scannoceras</i> Lange, 1924, <i>Jahrb. K.-preuss. geol. Landesanst.</i> , 44 : 198 (a junior objective synonym of <i>Schlottheimia</i> Bayle, 1878). Op. 323	index
<i>scamnorum</i> , <i>Melanesillo</i> , Verhoeff, 1938, <i>Arkiv för Zoologi</i> , A30 (16): 2 (a junior objective synonym of <i>Spherillo vitiensis</i> Dana, 1853) (Isopoda). Op. 1951	index
<i>scandiaca</i> , <i>Strix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 92 (a name having precedence over <i>Strix nyctea</i> Linnaeus, 1758, through the action of Lönnberg, 1931 (<i>Ibis</i> , (13) 1 : 306) as first reviser, and hence the valid name at the date of Direction 81 of the type species of <i>Nyctea</i> Stephens, 1826) (Aves). Direction 81	available
<i>Scaphander</i> Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 335 (gender: masculine) (type species, by monotypy: <i>Bulla lignaria</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 727) (Gastropoda). Op. 287	available
<i>Scapula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 174 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Scapularia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 174 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>scarabaeoides</i> , <i>Entomostracites</i> , Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 41 (specific name of the type species of <i>Peltura</i> (emendation under the plenary power of <i>Peltoura</i>) Milne Edwards, 1840) (Trilobita). Op. 499	available
<i>scarabaeoides</i> , <i>Scolytus</i> , Bernard, 1788, <i>Mém. pour servir à l'Hist. nat. de Provence</i> , 2 : 271 (specific name of the type species of <i>Phloeotribus</i> Latreille, 1796) (Insecta, Coleoptera). Op. 1144	available
<i>Scathops</i> Meigen, 1803, <i>Mag. f. Insektenk.</i> (Illiger), 2 : 264 (an incorrect subsequent spelling for <i>Scatopse</i> Geoffroy, 1762). Op. 441	index
<i>Scathopse</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 544, 545 (an incorrect original spelling for <i>Scatopse</i> Geoffroy, 1762). Op. 441	index
<i>Scathopsis</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 150 (an incorrect subsequent spelling for <i>Scatopse</i> Geoffroy, 1762). Op. 441	index
<i>Scatops</i> Meigen, 1804, <i>Klass. Beschr. zweifl. Ins.</i> , 9 (1): 105 (an incorrect subsequent spelling for <i>Scatopse</i> Geoffroy, 1762). Op. 441	index
<i>Scatopse</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 450, 544 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Tipula notata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 588) (Insecta, Diptera). Op. 441	available
SCATOPSIDAE (correction of SCATOPSITES) Newman, 1834, <i>Entomol. Mag.</i> , 2 : 379, 387 (type genus: <i>Scatopse</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
SCATOPSITES Newman, 1834, <i>Entomol. Mag.</i> , 2 : 379, 387 (type genus: <i>Scatopse</i> Geoffroy, 1762) (an incorrect original spelling for SCATOPSIDAE Newman, 1834). Op. 441	index
<i>Scelidosaurus</i> Owen, 1859, in: <i>Encyclopaedia Britannica</i> , Ed. 8, vol. 17, p. 150 (gender: masculine) (type species, by subsequent monotypy by Owen, 1861, <i>Monograph of the Palaeontographical Society</i> , 1 : 1: <i>Scelidosaurus harrisonii</i> Owen, 1861) (Reptilia, Ornithischia). Op. 1788	available
<i>Sceptrophorus</i> Foerster, 1856, <i>Hymenopterologische Studien</i> , 2 : 38, 39 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1110	index
<i>schachtii</i> , <i>Heterodera</i> , Schmidt, 1871, <i>Z. Rübenzucker</i> , 21 : 1-19, pl. 1, figs. 1-25 (specific name of the type species of <i>Heterodera</i> Schmidt, 1871) (Nematoda). Direction 77	available
<i>schaefferi</i> , <i>Meloe</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 420 (specific name of the type species of <i>Cerocoma</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>Schantungia</i> Lorenz, 1906, <i>Z. deutsch. geol. Ges.</i> , 58 (1): 79 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1261	index

- schelkovnikovi*, *Amphipsylla*, Wagner, 1909, *Mitt. Kaukas. Mus.*, **4**: 197 (Russian text), 201 (German text) (specific name of the type species of *Amphipsylla* Wagner, 1909) (Insecta, Siphonaptera). Op. 373 available
- schellebergii*, *Corixa*, Spinola, 1837, *Essai sur les genres d'insectes appartenants à l'ordre des Hémiptères, Lin. ou Rhyngotes, Fab. et à la section des Hétéroptères*, p. 57 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Heteroptera). Op. 1524 index
- schiffermulleri* [sic], *Limenitis*, Higgins, 1933, *Proc. entomol. Soc. London*, **7**: 61 (Insecta, Lepidoptera). Op. 562 available
- Schinomosa* Tottenham, 1939, *Proceedings of the Royal Entomological Society of London*, (B)**8**(12): 226 (a junior objective synonym of *Mycetoporus* Mannerheim, 1831) (Insecta, Coleoptera). Op. 1726 index
- schinzii*, *Pugmeodon*, Kaup, 1838, *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*, **1838**: 319, pl. 2 (specific name of the type species of *Halitherium* Kaup, 1838) (Mammalia, Sirenia). Op. 1535 available
- schistacea*, *Meliornis*, De Vis, 1897, *Ibis*, (7)**3**: 381 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684 index
- Schistochlamys* Reichenbach, 1850, *Avium Systema Naturale*, Atlas, pl. 77 (gender: feminine) (type species, ruled under the plenary power to be by designation by Sclater, 1886, *Catalogue of birds in the British Museum*, vol. 11 (Fringilliformes, part 2. Coerebidae, Tanagridae and Icteridae), p. 301: *Tanagra capistrata* Wied, 1821) (Aves). Op. 2004 available
- Schistosoma* Brady, 1877, *Proc. zool. Soc. London*, **1877**: 27 (a junior homonym of *Schistosoma* Weinland, 1858). Direction 76 index
- Schistosoma* Hansen, 1916, *Danish Ingolf Exped.*, **3**(5): 53 (a junior homonym of *Schistosoma* Weinland, 1858). Direction 76 index
- Schistosoma* Weinland, 1858, *Human Cest.*: 87 (conserved under the plenary power) (gender: neuter) (type species, by monotypy: *Distoma haematobium* Bilharz, [1852], in Siebold, *Z. wiss. Zool.*, **4**(1): 59-62) (Trematoda). Op. 77, Op. 226 available
- Schistosomum* Laveran & Blanchard, 1895, *Hématoz.*, **2**: 40 (an unjustified emendation of *Schistosoma* Weinland, 1858). Direction 76 index
- Schizaster* Agassiz, [1836], *Mém. Soc. Sci. nat. Neuchâtel*, **1**: 185 (gender: masculine) (type species, by designation under the plenary power: *Schizaster studeri* Agassiz, 1840, *Cat. syst. Ectyp. Echinodermat. Foss. Mus. Neocom.*: 3) (Echinoidea). Op. 209 available
- Schizodactylus* Brullé, 1835, *Hist. nat. Ins.*, **9** (Orth.): 161 (gender: masculine) (type species, by monotypy: *Gryllus monstruosus* Drury, [1773], *Ill. nat. Hist.*, **2**: index, 81) (Insecta, Orthoptera). Op. 149 available

<i>Schizophoria</i> King, 1850, <i>Monogr. Perm. Foss.</i> (Palaeontogr. Soc.): 105, 106 (gender: feminine) (type species, by original designation: <i>Conchyliolithus Anomites resupinatus</i> Martin, 1809, <i>Petrif. derb.</i> : sign. Z[4], pl. 49, figs. 13, 14, as conserved under the plenary power and as interpreted by the neotype designated by George & Ponsford, 1938 (<i>Trans. Leeds geol. Assoc.</i> , 5 (4): 288)) (Brachiopoda). Op. 419	available
SCHIZOPHORIIDAE Schuchert & LeVene, 1929, in Frech, <i>Foss. Cat.</i> , 1 (Anim.) (Pt. 42): 15 (type genus: <i>Schizophoria</i> King, 1850) (Brachiopoda). Direction 62	available
<i>Schizopus</i> Claparède & Lachmann, 1858, <i>Mémoires de l'Institut National Génevois</i> , 5 : 182 (a junior homonym of <i>Schizopus</i> Le Conte, 1858) (Protozoa). Op. 1727	index
<i>Schizopus</i> Le Conte, 1858, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1858 : 70 (gender: masculine) (type species, by monotypy: <i>Schizopus laetus</i> Le Conte, 1858) (Insecta, Coleoptera). Op. 1727	available
<i>Schizostoma</i> Bronn, [1834], <i>Letha Geognostica, oder Abbildungen und Beschreibung der für die Gebirgs- Formationen bezeichnendsten Versteinerungen</i> , vol. 1, p. 95 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda, Archaeogastropoda). Op. 1470	index
SCHIZOSTOMATIDAE Eichwald, 1871, <i>Geognostica-paläontologische Bemerkungen, über die Halbinsel Mangischlak und die Aleutischen Inseln</i> , p. 119 (invalid because the name of the type genus, <i>Schizostoma</i> Bronn, [1834], has been suppressed under the plenary power) (Gastropoda, Archaeogastropoda). Op. 1470	index
<i>schloenbachi, Procerites</i> , de Grossouvre, 1907, <i>Vie Congrès Assoc. Franc-Comtoise</i> (Vesoul, 1906): 8 (specific name of the type species of <i>Procerites</i> Siemiradzki, 1898) (Cephalopoda). Op. 301	available
<i>schloenbachi, Rotalia</i> , Reuss, 1863, <i>Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Classe</i> , 46 (1): 84, as defined by the lectotype (specimen no. 1685 in the Reuss collection in the Naturhistorisches Museum in Vienna) designated by Meyn & Vespermánn, 1994, <i>Senckenbergiana Lethaea</i> , 74 (1/2): 256 (Foraminiferida). Op. 1804	available
<i>schlosseri, Alcyonium</i> , Pallas, 1766, <i>Elench. zooph.</i> : 355 (valid name at the date of Direction 73 of the type species of <i>Botryllus</i> Gaertner, 1774) (Urochordata). Direction 73	available
<i>Schlotheimia</i> Bayle, 1878, <i>Explic. Carte géol. France</i> , 4 (Atlas): pl. 65, fig. 1 (gender: feminine) (type species, by monotypy: <i>Ammonites angulatus</i> Schlotheim, 1820, <i>Die Petrefactenk.</i> : 70, as interpreted by the lectotype designated by Lange, 1951 (<i>Palaeontographica</i> , 100 (Abt. A): [123] (expl. to pl.), pl. 1, fig. 2)) (Cephalopoda). Op. 323	available
SCHLOTHEIMIDAE Spath, 1923, <i>Quart. J. geol. Soc. London</i> , 89 : 79 (type genus: <i>Schlotheimia</i> Bayle, 1878) (an incorrect original spelling for SCHLOTHEIMIIDAE Spath, 1923). Direction 14	index
<i>schlotheimii, Terebratula</i> , von Buch, [1834], <i>Abh. K.-preuss. Akad. Wiss.</i> , Berlin, 1833 : 59 (specific name of the type species of <i>Stenoscisma</i> Conrad, 1839) (Brachiopoda). Op. 770	available

SCHLOTHEIMIIDAE (correction of SCHLOTHEIMIDAE) Spath, 1923, <i>Quart. J. geol. Soc. London</i> , 89 : 79 (type genus: <i>Schlotheimia</i> Bayle, 1878) (Cephalopoda). Direction 14	available
SCHLOTHEIMIINES Douvillé, 1916, <i>Mém. Acad. roy. Sci.</i> , Paris, (2) 54 : 17 (type genus: <i>Schlotheimia</i> Bayle, 1878) (a vernacular (French) name). Direction 14	index
<i>schmidti, Tremataspis</i> , Rohon, 1892, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , (7) 38 (13): 61 (specific name of the type species of <i>Tremataspis</i> Schmidt, 1866) (Agnatha). Op. 222	available
<i>schnmitti, Penaeus</i> , Burkenroad, 1936, <i>Annaes Acad. Brasil. Sci.</i> , 7 (4): 315 (Crustacea, Decapoda). Op. 817	available
<i>schneideri, Bryaxis</i> , Kugelann, 1794, <i>N. Mag. Lieb. Entomol. von Schneider</i> , 1 (5): 580-582 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 887	index
<i>schoenherri, Anthalia</i> , Zetterstedt, 1838, <i>Insecta lapponica</i> : 539 (specific name of the type species of <i>Anthalia</i> Zetterstedt, 1838) (Insecta, Diptera). Op. 1347	available
<i>scholtzi, Sigara</i> , Fieber, [1860], <i>Die europäischen Hemiptera</i> , p. 89, as defined by the lectotype designated by Jansson, 1986, <i>Acta Entomologica Fennica</i> , 47 : 12 (Insecta, Heteroptera). Op. 1505	available
<i>scholtzii, Sigara</i> , Scholtz, [1847], <i>Uebersicht der Arbeiten und Veränderungen der Schlesischen Gesellschaft für Vaterländische Kultur</i> , p. 106 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Heteroptera). Op. 1505	index
<i>schomburgkii, Polycentrus</i> , Müller & Troschel, 1849, <i>Fische in Schomburgk, M.R., Reisen in Britisch- Guiana in den Jahren 1840-1844 ...</i> , part 3 (<i>Versuch einer Zusammenstellung der Fauna und Flora von Britisch-Guiana</i>), no. 1 (Fauna), p. 622, as defined by the two subadult and 28 juvenile syntypes (catalogue nos. ZMB 1024 and ZMB 20604 in the Museum für Naturkunde der Humboldt-Universität, Berlin), ruled under the plenary power to be given precedence over the specific name of <i>Labrus punctatus</i> Linnaeus, 1758 whenever the two names are considered to be synonyms (Osteichthyes, Perciformes). Op. 1954	available
<i>schrankii, Tettix</i> , Fieber, 1844, <i>Abhandl. Böhm. Ges.</i> , (5) 3 : 412, No. 5, pl. 10, figs. 17-19 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>Schwagerina</i> von Möller, 1877, <i>Neues Jahrb. Min.</i> , 1877 : 143 (gender: feminine) (type species, by monotypy: <i>Borelis princeps</i> Ehrenberg, 1842, <i>Ber. Bekannt. geeignet. Verh. K. preuss. Acad. Wiss.</i> , Berlin, 1842 : 274) (Rhizopoda). Op. 213	available
<i>Sciaena</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 288 (gender: feminine) (type species, by designation under the plenary power: <i>Sciaena umbra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289) (Osteichthyes). Op. 988	available
<i>Scinci</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 300 (included in a work rejected for nomenclatural purposes). Op. 651	index

<i>Scincorum</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : index (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>scintillans, Glaucoma</i> , Ehrenberg, 1830, <i>Organization syst. geogr. Verhalt. Infusionsth.</i> : 98 (specific name of the type species of <i>Glaucoma</i> Ehrenberg, 1830) (Ciliophora). Op. 915	available
<i>Scintillatrix</i> Obenberger, 1956, <i>Acta Entomologica Musei Nationalis Pragae</i> , 30 : 41 (gender: feminine) (type species, by designation under the plenary power: <i>Buprestis rutilans</i> Fabricius, [1777]) (Insecta, Coleoptera). Op. 1825	available
<i>scipionianus, Ammonites</i> , d'Orbigny, 1844, <i>Pal. franç.</i> , Terr. jurass., 1 : 207, pl. 51, figs. 7, 8 (specific name of the type species of <i>Agassiceras</i> Hyatt, 1875) (Cephalopoda). Op. 324	available
<i>scirpi, Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 153 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>scitaria, Drepanodes</i> , Walker, 1862, <i>List of Lepidopterous insects in the British Museum</i> (Brit. Mus.), part 26: 1488 (valid name at the date of Opinion 1075 of the type species of <i>Striglina</i> Guénée, 1877) (Insecta, Lepidoptera). Op. 1075	available
<i>scitus, Staphylinus</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropteron</i> , p. 50, ruled under the plenary power to be given precedence over <i>Staphylinus analis</i> Fabricius, 1787 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>sciureus, Holochilus</i> , Wagner, 1842, <i>Archiv für Naturgeschichte</i> , 8 : 17 (specific name of the type species of <i>Holochilus</i> Brandt, 1835) (Mammalia). Op. 1984	available
<i>sciuri, Ceratopsyllus</i> , Kolenati, 1856, <i>Parasiten der Chiroptern</i> , Brünn ed.: 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 843	index
<i>sciuri, Monopsyllus</i> , Kolenati, 1857, <i>Wiener entomol. Monatschrift</i> , 1 : 65 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 843	index
<i>sciurorum, Pulex</i> , Schrank, 1803, <i>Fauna boica</i> , 3 (1): 195 (specific name of the type species of <i>Monopsyllus</i> Kolenati, 1857) (Insecta, Siphonaptera). Op. 843	available
<i>Sciurur</i> Temminck, [1844], in Siebold, <i>Fauna japon.</i> (Mamm.). 44 (an incorrect subsequent spelling for <i>Sciurus</i> Linnaeus, 1758). Direction 24	index
<i>Sciurus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 63 (gender: masculine) (type species, by Linnaean tautonomy: <i>Sciurus vulgaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 63) (Mammalia). Op. 91, Direction 24	available
<i>sclateri, Eudyptes</i> , Buller, 1888, <i>History of Birds of New Zealand</i> , 2 : plate facing p. 294 (Aves). Op. 1056	available
<i>Scleritoderma</i> Schmidt, 1879, <i>Die Spongiens des Meerbusen von Mexico</i> , Heft 1, p. 28 (gender: neuter) (type species, by designation under the plenary power: <i>Scleritoderma flabelliforme</i> Solles, 1888) (Porifera). Op. 2060	available

<i>Sclerocrangon</i> Sars, 1883, <i>Forh. Vidensk.-Selsk. Christiania</i> , 1882 (18): 7, 45 (gender: masculine) (type species, by monotypy: <i>Cancer boreas</i> Phipps, 1774, <i>Voy. North Pole</i> : 190) (Crustacea, Decapoda). Op. 470	available
<i>Scleroerinus</i> Jaekel, 1891, <i>Zeitschrift der Deutschen geologischen Gesellschaft</i> , 43 : 621 (gender: masculine) (type species, by subsequent designation by Rasmussen, 1961, <i>Biologiske Skrifter udgivet af Det Kongelige Danske Videnskabernes Selskab</i> , 12 : 217: <i>Scleroerinus strambergensis</i> Jaekel, 1891) (Crinoidea). Op. 2155	available
<i>Scleroplax</i> Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 (No. 933): 250 (gender: feminine) (type species, by monotypy: <i>Scleroplax granulatus</i> Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 (No. 933): 250) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Sclerostoma</i> Rudolphi, 1809, <i>Entozoorum</i> , 2 (1): 35 (a junior objective synonym of <i>Strongylus</i> Müller, 1780). Direction 76	index
<i>sclerotica</i> , <i>Elaphe</i> , Smith, 1941, <i>Copeia</i> , 1941 : 135, 136 (a junior objective synonym of <i>subocularis</i> , <i>Coluber</i> , Brown, 1901). Op. 745	index
<i>Scolixedion</i> Renier, [1804], <i>Prospetto Classe Vermi</i> : XX (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>scolopacea</i> , <i>Ardea</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 647 (specific name of the type species of <i>Aramus</i> Vieillot, 1816) (Aves). Direction 43	index
<i>Scolopax</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 145 (gender: feminine) (type species, by Linnaean tautonymy: <i>Scolopax rusticola</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 146) (Aves). Direction 17	available
<i>Scolopendra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 637 (gender: feminine) (type species, by designation under the plenary power: <i>Scolopendra morsitans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 638) (Chilopoda). Op. 454	available
<i>scolopendra</i> , <i>Coronis</i> , Latreille, 1828, <i>Ency. méth.</i> , 10 (Ins.): 474 (specific name of the type species of <i>Coronis</i> Desmarest, 1823) (Crustacea, Stomatopoda). Op. 785	available
SCOLOPENDRIDAE [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 434 (type genus: <i>Scolopendra</i> Linnaeus, 1758) (Chilopoda). Op. 454	available
<i>scolopendrina</i> , <i>Polynoe</i> , Savigny, 1822, in: <i>Description de l'Egypte</i> . Paris (L'Imprimerie Impériale), <i>Histoire naturelle</i> , 1 (3): 25 (specific name of the type species of <i>Polynoe</i> Savigny, 1818) (Polychaeta). Op. 1271	available
<i>Scolopendrites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 100 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Scolopostethus</i> Fieber, [1860], <i>Europ. Hemipt.</i> : 49, 188 (conserved under the plenary power) (gender: masculine) (type species, by designation by Distant, 1904 (<i>Fauna Brit. India</i> , Rhynch., 2 : 92): <i>Scolopostethus cognatus</i> Fieber, [1860], <i>Europ. Hemipt.</i> : 49, 188) (Insecta, Hemiptera). Op. 680	available

<i>scolops</i> , <i>Phymosoma</i> , Selenka, De Man & Bülow, 1884, <i>Reisen im Archipel der Philippinen von Dr C. Semper. Zweiter Theil. Wissenschaften Resultate</i> , p. 75 (Sipuncula). Op. 1532	available
<i>scolythus</i> [sic], <i>Dermestes</i> , Sulzer, 1776, <i>Gesch. Ins.</i> , 1 : 21 ; 2 : tab. 2, fig. 13k (a junior objective synonym of <i>scolytus</i> , <i>Bostrichus</i> , Fabricius, 1775). Op. 683	index
<i>scolyticida</i> , <i>Coeloides</i> , Wesmael, 1838, <i>Nouveaux Mémoires de l'Académie Royale des Sciences et Belles- Lettres de Bruxelles</i> , 11 : 61 (specific name of the type species of <i>Coeloides</i> Wesmael, 1838) (Insecta, Hymenoptera). Op. 1530	available
SCOLYTIDAE Westwood, 1838, <i>Introd. mod. Classif. Ins.</i> , 1 : 350 (type genus: <i>Scolytus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 683	available
<i>Scolytus</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 1 : 309 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Bostrichus scolytus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 59) (Insecta, Coleoptera). Op. 683	available
<i>scolytus</i> , <i>Bostrichus</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 59 (specific name of the type species of <i>Scolytus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 683	available
<i>Scomber</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 297 (gender: masculine) (type species, by designation by Gill, 1862 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1862 : 125): <i>Scomber scombrus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 297) (Osteichthyes). Op. 77, Direction 56	available
<i>scomberoides</i> , <i>Hydrocyon</i> , Cuvier, 1819, <i>Mémoires du Muséum d'Histoire naturelle</i> , Paris, 5 : 357, as defined by the holotype (specimen no. A.8659-81.87.2.3 in the Muséum National d'Histoire Naturelle, Paris) (specific name of the type species of <i>Hydrolycus</i> Müller & Troschel, 1844) (Osteichthyes, Cypriniformes). Op. 1581	available
<i>scombrus</i> , <i>Scomber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 297 (specific name of the type species of <i>Scomber</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Scoparipes</i> Signoret, 1880, <i>Annales de la Société Entomologique de France</i> , (5) 9 (4): clxxiii. (<i>Bulletin des Séances. Séance du 24 décembre 1879</i>) (gender: masculine) (type species, confirmed by the Commission to be by original designation: <i>Cydnus latipes</i> Westwood, 1837) (Insecta, Heteroptera). Op. 1707	available
<i>Scopelophis</i> Fitzinger, 1843, <i>Systema Reptilium</i> . <i>Fasciculus primus</i> (Amblyglossae), p. 26 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Serpentes). Op. 1856	index
<i>Scopula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 176 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Scorpaena</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 266 (gender: feminine) (type species, by designation by Bleeker, 1876 (<i>Versl. Akad. Wetensch. Amsterdam</i> , 1875 : 295): <i>Scorpaena porcus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 266) (Osteichthyes). Op. 77, Direction 56	available

<i>Scorpaenichthys</i> Girard, 1854, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 7: 131 (gender: masculine) (type species, by monotypy: <i>Scorpaenichthys marmoratus</i> Girard, 1854, a junior subjective synonym of <i>Hemitripterus marmoratus</i> Ayres, 1854) (Osteichthyes, Scorpaeniformes). Op. 1583	available
<i>Scorpio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 624 (gender: masculine) (type species, by designation under the plenary power: <i>Scorpio maurus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 624) (Arachnida). Op. 104, Direction 60	available
SCORPIONIDAE (correction of SCORPIONIDES) [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7(2): 412 (type genus: <i>Scorpio</i> Linnaeus, 1758) (Arachnida). Direction 60	available
SCORPIONIDES [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7(2): 412 (type genus: <i>Scorpio</i> Linnaeus, 1758) (an incorrect original spelling for SCORPIONIDAE [Leach, 1814]). Direction 60	index
<i>scorpius</i> , <i>Cottus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 265 (Osteichthyes). Direction 87	available
<i>scotica</i> , <i>Certhia familiaris</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12)9: 367 (a junior primary homonym of <i>scotica</i> , <i>Certhia familiaris</i> , Horniman, 1940). Op. 480	index
<i>scotica</i> , <i>Certhia familiaris</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>scotti</i> , <i>Metridia</i> , Giesbrecht, 1897, <i>Zoologischer Anzeiger</i> , 20: 254 (a junior objective synonym of <i>Pleuromma princeps</i> Scott, 1894, which is ruled under the plenary power not to be invalid by reason of its having been rejected before 1961 as a former secondary homonym of <i>Metridia princeps</i> Giesbrecht, 1889) (Copepoda). Op. 1590	index
<i>Scotia</i> Brady & Norman, 1889, <i>Scientific Transactions of the Royal Dublin Society</i> , (2)4(2): 72 (gender: feminine) (type species, by designation under the plenary power: <i>Scotia pseudobrowniana</i> Kempf, 1971) (Ostracoda). Op. 1836	available
<i>scottii</i> , <i>Halmaturus</i> , Krefft, 1870, <i>New South Wales Parliamentary Paper. Wellington Caves (Correspondence relative to exploration of)</i> , p. 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia). Op. 1993	index
<i>scripta</i> , <i>Testudo</i> , Schoepff, 1792, <i>Historia testudinum iconibus illustrata</i> : 16, pl. 3, figs. 4, 5 (Reptilia). Op. 1313	available
<i>scripta</i> , <i>Venus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 689 (valid name at the date of Opinion 1189 of the type species of <i>Circe</i> Schumacher, 1817) (Bivalvia). Op. 1189	available
<i>scrofa</i> , <i>Sus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 49 (specific name of the type species of <i>Sus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>scrophulariae</i> , <i>Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 356 (specific name of the type species of <i>Anthrenus</i> Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available

scrophulariae, *Phorodon*, Thomas, 1879, *Third Annual Report of the State Entomologist of Illinois*, **8**: 72 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Sternorrhyncha). Op. 1818

index

Scruparia Oken, 1815, *Lehrbuch der Naturgeschichte*, **3**: 89 (gender: feminine) (type species, by designation under the plenary power: *Sertularia chelata* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 816) (Bryozoa). Op. 902

available

sculpta, *Chelydra*, Hay, 1916, *Annual Report of the Florida State Geological Survey*, vol. 8, p. 73, ruled under the plenary power not to be given priority over the specific name of *Chelydra osceola* Stejneger, 1918 whenever the two names are considered to be synonyms (Reptilia, Testudines). Op. 1377

available

sculptilis, *Glyptus*, Brullé, 1835, *Hist. nat. Ins.*, **5** Coleoptera II: 84 (specific name of the type species of *Glyptus* Brullé, 1835) (Insecta, Coleoptera). Op. 1299

available

sculptilis, *Scarabaeus*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 61 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380

index

sculptipes, *Micropanope*, Stimpson, [1871], *Bull. Mus. comp. Zool.*, **2** (No. 2): 140 (specific name of the type species of *Micropanope* Stimpson, [1871]) (Crustacea, Decapoda). Direction 36

available

sculptus, *Polycheles*, Smith, 1880, *Proc. U.S. nat. Mus.*, **2**: 346 (Crustacea, Decapoda). Op. 702

available

scutaria, *Fungia*, Lamarck, 1801, *Système des animaux sans vertèbres*, p. 370, as defined by the neotype designated by Hoeksema, 1989, *Zoologische Verhandelingen, Leiden*, **254**: 131 (senior subjective synonym of the specific name of *Fungia dentigera* Leuckart, 1840, the type species of *Lobactis* Verrill, 1864) (Anthozoa). Op. 1649

available

scutata, *Echinocorys*, Leske, 1778, *Addit. J.T. Klein nat. Disp. Echin.*: 111 (175) (specific name of the type species of *Echinocorys* Leske, 1778) (Echinoidea). Op. 993

available

scutata, *Salamandra*, Temminck & Schlegel, [1838], in Siebold, P.F. de, *Fauna Japonica ... annis 1823- 1830 collegit. Reptilia Elaborantibus*, p. 119 (specific name of the type species of *Hemidactylum* Tschudi, 1838) (Amphibia, Caudata). Op. 1873

available

scutatus, *Echinocerus*, Knorr, 1768, in Walch, *Naturgesch. Versteinerung. z. Erlauterung. Knorr. Samml.*, **2**: 182, pl. E. IV., figs. 1, 2 (not made available in the work cited). Op. 321

index

scutellaris, *Tachys*, Stephens, 1828, *Illustrations of British entomology, Mandibulata*, vol. 2, p. 5 (specific name of the type species of *Tachys* Dejean, 1821) (Insecta, Coleoptera). Op. 1598

available

scutellata, *Hippa*, Fabricius, 1793, *Entomol. syst.*, **2**: 474, as interpreted by the neotype designated by Holthuis, 1962 (*Bull. zool. Nomencl.*, **19**: 126, pl. 4) (valid name at the date of Opinion 693 of the type species of *Thia* Leach, 1815) (Crustacea, Decapoda). Op. 693

available

SCUTELLUIDAE Richter & Richter, 1955, <i>Senckenbergiana leth.</i> , 36 : 291 (type genus: <i>Scutellum</i> Pusch, 1833) under the plenary power, the family-group name SCUTELLUIDAE Richter & Richter, 1955 is to be given precedence over the family-group names THYSANOPELTIDAE Hawle & Corda, 1847 and GOLDIIDAE Raymond, 1913 (Trilobita). Op. 1004	available
<i>Scutellum</i> Pusch, 1833, <i>Geognostische Beschreibung von Polen, sowie den übrigen Nord-Karpathenländern</i> (1): 119 (gender: neuter) (type species, by monotypy: <i>Scutellum costatum</i> Pusch, 1833, <i>Geognostische Beschreibung von Polen, sowie den übrigen Nord-Karpathenländern</i> (1): 119) (Trilobita). Op. 1004	available
<i>Scutopterus</i> Dejean, 1833, <i>Catalogue des coléoptères de la collection de M. le Comte Dejean</i> , Ed. 2, part 1, p. 54 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1725	index
<i>Scutosaurus</i> Hartmann-Weinberg, 1930, <i>Paläontologische Zeitschrift</i> , 12 (1): 59 (gender: masculine) (type species, by monotypy: <i>Pareiasaurus karpinskii</i> Amalitzky, 1922) (Reptilia). Op. 2025	available
<i>Scutulum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 176 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>scutulum, Testacellus</i> , Sowerby (G.B.), 1821, in Sowerby (J.), <i>Gen. rec. foss. Shells</i> (Part 1, <i>Testacellus</i>): figs. 3-6 (Gastropoda). Op. 336	available
<i>Scutum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 104 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>scybalaria</i> , <i>Scarabaeus</i> , Fabricius, 1781, <i>Species insectorum</i> , vol. 1, p. 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1890	index
<i>Scylla</i> de Haan, [1833], in Siebold, <i>Fauna japon.</i> (Crust.): 3, 11 (gender: feminine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28): <i>Cancer serratus</i> Forsskål, 1775, <i>Descr. Anim.</i> : 90) (Crustacea, Decapoda). Op. 73, Direction 37	available
SCYLLARIDAE (correction by White, 1847, of SCYLLARIDES) Latreille, 1825, <i>Fam. nat. Règne anim.</i> : 278 (type genus: <i>Scyllarus</i> Fabricius, 1775) (Crustacea, Decapoda). Op. 519	available
<i>Scyllarides</i> Gill, 1898, <i>Science</i> (n.s.), 7 : 98 (gender: masculine) (type species, by original designation: <i>Scyllarus aequinoctialis</i> Lund, 1793, <i>Skr. naturh. Selsk. Kbh.</i> , (2) 2 : 21) (Crustacea, Decapoda). Op. 293	available
SCYLLARIDES Latreille, 1825, <i>Fam. nat. Règne anim.</i> : 278 (type genus: <i>Scyllarus</i> Fabricius, 1775) (an incorrect original spelling for SCYLLARIDAE Latreille, 1825). Op. 519	index
<i>Scyllaridia</i> Bell, 1857, <i>Monogr. foss. malacostr. Crust. Great Brit.</i> , 1 : 35 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 293	index

<i>Scyllarus</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 413 (gender: masculine) (type species, by monotypy: <i>Cancer arctus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633, as interpreted by the lectotype designated by Holthuis, 1956 (<i>Bull. zool. Nomencl.</i> , 12 : 111, 112)) (Crustacea, Decapoda). Op. 519	available
<i>scyllarus</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633 (specific name of the type species of <i>Odontodactylus</i> Bigelow, 1893) (Crustacea, Stomatopoda). Op. 295	available
<i>scytale</i> , <i>Anguis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 228 (specific name of the type species of <i>Anilius</i> Oken, 1816) (Reptilia). Op. 651	available
<i>Sebastocles</i> Jordan & Hubbs, 1925, <i>Mem. Carnegie Mus.</i> , 10 (2): 260 (gender: masculine) (type species, by designation under the plenary power: <i>Sebastichthys hubbsi</i> Matsubara, 1937, <i>Copeia</i> , 1937 (1): 57) (Osteichthyes). Op. 1235	available
<i>sebrus</i> , (<i>Argus</i>), attributed to Boisduval, 1832, <i>Lep. Europe</i> , 1 : 72 (not made available in the work cited). Op. 970	index
<i>sebrus</i> , <i>Papilio</i> , Hübner, 1824-1826, <i>Sammel. europ. Schmett.</i> : pl. 172, figs. 851, 854 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 970	index
<i>secale</i> , <i>Pupa</i> , Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 59 (specific name of the type species of <i>Abida</i> Turton, 1831) (Gastropoda). Op. 335	available
<i>securiger</i> , <i>Pselaphus</i> , Reichenbach, 1816, <i>Mon. Pselaph.</i> : 45 (specific name of the type species of <i>Bythinus</i> Leach, 1817) (Insecta, Coleoptera). Op. 887	available
<i>sedecimanae</i> , <i>Haemosporidium</i> , Lewkowicz, 1897, <i>Zbl. Bakt. (Abt. 1)</i> , 21 (4): 133 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>sedentarius</i> , <i>Cancer</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 95 (specific name of the type species of <i>Phronima</i> Latreille, [1802]) (Crustacea, Amphipoda). Op. 1133	available
<i>sedgwickii</i> , <i>Dichograpus</i> [sic], Salter, 1863, <i>Quart. J. Geol. Soc. London</i> , 19 : 137 (specific name of the type species of <i>Dichograpta</i> Hall, 1865) (Graptolithina). Op. 650	available
<i>seemanni</i> , <i>Eurypelma</i> , Pickard-Cambridge, 1897, <i>Biologia Centrali-Americanana, Zoologia</i> , vol. 2, p. 26 (specific name of the type species of <i>Aphonopelma</i> Pocock, 1901) (Arachnida, Araneae). Op. 1637	available
<i>sefilata</i> , <i>Paradisea</i> [sic], Forster, 1781, <i>Indische Zool.</i> : 40 (specific name of the type species of <i>Parotia</i> Vieillot, 1816) (Aves). Direction 43	available
<i>Segestria</i> Latreille, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 134 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 424, 121); <i>Aranea florentina</i> Rossi, 1790, <i>Fauna Etrusca</i> , 2 : 133) (Arachnida). Op. 104, Direction 29	available
<i>Segestria</i> Walckenaer, 1805, <i>Tabl. Aran.</i> : 148 (a junior homonym of <i>Segestria</i> Latreille, 1804). Direction 29	index

SEGESTRIENS Simon, 1864, <i>Hist. nat. Araignées</i> (ed. 1): 98 (type genus: <i>Segestria</i> Latreille, 1804) (a vernacular (French) name). Direction 29	index
SEGESTRIINAE Simon, 1893, <i>Hist. nat. Araignées</i> (ed. 2), 1 (2): 310, 319 (type genus: <i>Segestria</i> Latreille, 1804) (Arachnida). Direction 29	available
<i>segmentata</i> , Claria , Kutikova, Markevich & Spiridonov, 1990, <i>Rotifera. Proceedings of the third All- Union Rotifer symposium</i> , p. 120 (specific name of the type species of <i>Claria</i> Kutikova, Markevich & Spiridonov, 1990) (Rotifera). Op. 2032	available
Segmentina Fleming, 1818, <i>Ency. brit.</i> , Suppl. 4th, 5th & 6th eds., 3 : 309 (gender: feminine) (type species, by monotypy: <i>Nautilus lacustris</i> Lightfoot, 1786, <i>Phil. Trans. roy. Soc.</i> , 76 : 163, valid name: <i>Planorbis nitidus</i> Müller, 1774) (Gastropoda). Op. 335	available
<i>segnis</i> , Pulex , Schoenherr, 1811, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 32 (No. 2): 98 (valid name at the date of Opinion 285 of the type species of <i>Leptopsylla</i> Jordan & Rothschild, 1911) (Insecta, Siphonaptera). Op. 285	available
<i>Seguenziceras</i> Levi, 1896, <i>Boll. Soc. geol. ital.</i> , 15 : 272 (a junior objective synonym of <i>Arieticeras</i> Seguenza, 1885). Op. 337	index
SEGUENZICERATIDAE Spath, 1924, <i>Pal. ind.</i> (n.s.), 9 (Mem. 1): 13 (type genus: <i>Seguenziceras</i> Levi, 1896) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 70	index
Selene Lacepède, 1803, <i>Hist. nat. Poissons</i> , 4 : 560 (gender: feminine) (type species, by designation by Jordan & Gilbert, 1883 (<i>Bull. U.S. nat. Mus.</i> , 16 : 439); <i>Selene argentea</i> Lacepède, 1803, <i>Hist. nat. Poissons</i> , 4 : 560) (Osteichthyes). Op. 569	available
<i>selenkae</i> , Chitra , Jaekel, 1911, <i>Die Pithecanthropus-Schichten auf Java. Geologische und Paläontologische Ergebnisse der Trinil-Expedition (1907 und 1908)</i> , p. 80, ruled under the plenary power not to be given priority over the name <i>Chitra chitra</i> Nutaphand, 1986 whenever the two are considered to be synonyms (Reptilia). Op. 2119	available
Selkirkia Walcott, 1911, <i>Smithson. misc. Colln.</i> , 57 (5): 120 (gender: feminine) (type species, by designation under the plenary power: <i>Selkirkia columbia</i> Conway Morris, 1977, <i>Special Pap. Palaeontology</i> , No. 20: 33) (Priapulida). Op. 1337	available
<i>selousi</i> , Cynictis , de Winton, 1896, <i>Ann. Mag. nat. Hist.</i> , (6) 18 : 469 (specific name of the type species of <i>Paracynictis</i> Pocock, 1916) (Mammalia). Op. 384	available
Selwynoceras Warren & Stelck, 1940, <i>Trans. roy. Soc. Canad.</i> , 34 (4): 151 (gender: neuter) (type species, by original designation: <i>Prionotropis borealis</i> Warren, 1930, <i>Trans. roy. Soc. Canad.</i> , 24 (4): 25, pl. 3, figs. 1-4, pl. 4, fig. 1) ruled under the plenary power not to be given priority over the generic name <i>Collignonoceras</i> Breistroffer, 1947 whenever the two names are considered synonyms (Cephalopoda). Op. 861	available
Semblis Fabricius, 1775, <i>Systema Entomologiae ...</i> , p. 305 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Van der Weele, 1910, Megaloptera. <i>Collections Zoologiques du Baron Edm. de Selys Longchamps. Catalogue Systématique et Descriptif</i> , fasc. 5, p. 55: <i>Phryganea phalaenoides</i> Linnaeus, 1758) (Insecta, Trichoptera). Op. 1596	available

<i>Semeioptera</i> Gray, 1859, <i>Literary Gazette</i> (new series), 39 : 406, ruled under the plenary power to be an incorrect original spelling of <i>Semioptera</i> (Aves, Paradisaeidae). Op. 1606	index
<i>Semele</i> Schumacher, 1817, <i>Essai vers test.</i> : 53, 165 (gender: feminine) (type species, by monotypy, through Article 70c: <i>Semele reticulata</i> Schumacher, 1817, <i>Essai vers test.</i> : 166, valid name: <i>Tellina proficua</i> Pulteney, 1799) (Bivalvia). Op. 1141	available
<i>Semiaphis</i> Van der Goot, 1913, <i>Tijdschr. Entomol.</i> , 56 : 105 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Aphis carotae</i> Koch, 1854, <i>Die Pflanzenläuse Aphiden</i> : 112, 113, valid name: <i>Aphis dauci</i> Fabricius, 1775) (Insecta, Hemiptera). Op. 646	available
<i>semiargenteus, Mithion</i> , Simon, 1884, <i>Bulletin de la Société Zoologique de France</i> , 9 : 4 (specific name of the type species of <i>Mithion</i> Simon, 1884) (Arachnida, Araneae). Op. 1625	available
<i>semicostatus, Hoplites plasticus</i> , Paulcke, 1906, <i>Ber. naturf. Ges. Freiburg</i> , 15 : 203, 204 (pp. 37, 38 of separate) (a junior objective synonym of the nominate subspecies of <i>Hoplites plasticus</i> Paulcke, 1906). Op. 554	index
<i>semilunata, Phrosina</i> , Risso, 1822, <i>J. Phys. Chim. Hist. nat. Arts</i> , 95 : 245 (specific name of the type species of <i>Phrosina</i> Risso, 1822) (Crustacea, Amphipoda). Op. 1133	available
<i>semimembranacea, Testudo</i> , Hermann, 1804, <i>Observ. Zool.</i> : 219 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index
<i>seminationis, Musca</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 786 (specific name of the type species of <i>Platystoma</i> Meigen, 1803) (Insecta, Diptera). Op. 1142	available
<i>seminulum, Serpula</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 786, as interpreted by the neotype designated by Loeblich & Tappan, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 123) (specific name of the type species of <i>Quinqueloculina</i> d'Orbigny, 1826) (Rhizopoda). Op. 692	available
<i>Semionotus</i> Agassiz, 1832, <i>Jahrbuch für Mineralogie, Geognosie und Petrefaktenkunde</i> , 1832 (3): 144 (gender: masculine) (type species, by designation under the plenary power: <i>Semionotus bergeri</i> Agassiz, 1833) (Osteichthyes). Op. 1438	available
<i>Semioptera</i> Gray, 1859, <i>Literary Gazette</i> (new series), 39 : 406 (gender: feminine) (type species, by monotypy: <i>Semioptera wallacii</i> Gray, 1859), ruled under the plenary power to be a correct spelling despite its publication as <i>Semeioptera</i> (Aves, Paradisaeidae). Op. 1606	available
<i>semireticulatus, Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. 0[3], pl. 32, figs. 1-3; pl. 33, fig. 4, as interpreted by the neotype designated by Muir-Wood, 1956 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 14 : 110, 111) (conserved under the plenary power) (specific name of the type species of <i>Dictyoclostus</i> Muir-Wood, 1930) (Brachiopoda). Op. 419	available
<i>semistriatus, Annomites</i> [sic], Sowerby, 1821, <i>Min. Conch.</i> , 4 : 15 (an incorrect subsequent spelling for <i>semireticulatus, Conchyliolithus Anomites</i> , Martin, 1809). Op. 419	index

<i>semistriatus</i> , <i>Byrrhus</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 437 (specific name of the type species of <i>Simplocaria</i> Stephens, 1829) ruled under the plenary power to be given precedence over the specific names <i>picipes</i> Olivier, 1790, as published in the binomen <i>Byrrhus picipes</i> , and <i>rufipes</i> Kugelann, 1792, as published in the binomen <i>Byrrhus rufipes</i> , whenever all three names or any two of them are considered synonyms (Insecta, Coleoptera). Op. 1323	available
<i>semistriatus</i> , <i>Campylonotus</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 768 (specific name of the type species of <i>Campylonotus</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>semiticus</i> , <i>Rhynotragus</i> , Reck, 1925, <i>Illustrierte Zeitung</i> , Leipzig, 164 : 451 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia). Op. 2029	index
<i>semivariegata</i> , <i>Dendrophis (Philothamnus)</i> , Smith, 1847, <i>Ill. Zool. S. Africa</i> : pls. lix, lx, lxi, figs. 1a-b (type locality, as restricted by Bogert, 1940 (<i>Bull. amer. Mus. nat. Hist.</i> , 77 : 56): 'Bushman Flat, Cape Province') (specific name of the type species of <i>Philothamnus</i> Smith, 1847) (Reptilia). Op. 328	available
SEMNOPITHECIDAE Owen, 1843, <i>Rep. brit. Assoc. Adv. Sci. for 1842</i> : 55 (type genus: <i>Semnopithecus</i> Desmarest, 1822) (Mammalia). Op. 1202	available
<i>Semnopithecus</i> Desmarest, 1822, <i>Encycl. méth. (Mammifères)</i> (2): 533 (gender: masculine) (type species, by designation by Lereboullet, 1838 (<i>Mém. Soc. Mus. Hist. nat. Strasbourg</i> , 2 (KK), table 1): <i>Simia entellus</i> Dufresne, 1797, <i>Bull. Sci. Soc. philom. Paris</i> , no. 7: 49) (Mammalia). Op. 1202	available
<i>senapis</i> , <i>Papilio</i> , Hübner, [1799-1800], <i>Samml. europ. Schmett.</i> : 64, pl. <i>Pap.</i> 82, figs. 410, 411 (an incorrect subsequent spelling for <i>sinapis</i> , <i>Papilio</i> , Linnaeus, 1758). Op. 584	index
<i>senator</i> , <i>Conus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 714 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 753	index
<i>senegalensis</i> , <i>Cystignathus</i> , Duméril & Bibron, 1841, <i>Erpét. gén.</i> , 8 : 418 (specific name of the type species of <i>Kassina</i> Girard, 1853) (Amphibia). Op. 849	available
<i>senegalensis</i> , <i>Galago</i> , Geoffroy Saint-Hilaire, 1796, <i>Magasin Encyclopédique, ou journal des sciences, des lettres et des arts</i> , (2) 1 (1): 49 (specific name of the type species of <i>Galago</i> Geoffroy Saint-Hilaire, 1796) (Mammalia). Op. 1995, Direction 22	available
<i>senegallensis</i> , <i>Picus</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 9 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>Senex</i> Pfeffer, 1881, <i>Verh. naturwiss. Ver. Hamburg</i> (n.f.), 5 : 30 (a junior objective synonym of <i>Panulirus</i> White, 1847). Op. 507	index
<i>senex</i> , <i>Unio</i> , Brown, 1849, <i>Illustr. foss. Conch. Gt. Brit. & Ireland</i> : 178 (Bivalvia). Op. 858	available

<i>senilis</i> , Priapus , Linnaeus, 1761, <i>Fauna svecica</i> (ed. 2): 510 (valid name at the date of Opinion 1269 of the type species of Metridium Blainville, 1824) (Anthozoa). Op. 1269	available
<i>Sepia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 658 (gender: feminine) (type species, by Linnaean tautonymy: <i>Sepia officinalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 658) (Cephalopoda). Op. 94, Direction 72	available
<i>Sepia</i> Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 109 (not made available in the work cited). Op. 233	index
<i>sepia</i> , <i>Octopodia</i> , Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 109 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 233	index
<i>Sepiola</i> Schneider, 1784, <i>Samml. verm. Abhandl. Aufklär. Zool.</i> : 116 (not made available in the work cited). Op. 233	index
<i>sepium</i> , <i>Orthotomos</i> , Horsfield, 1821, <i>Trans. linn. Soc. London</i> , 13 (1): 166 (Aves). Op. 409	available
<i>septemcarinatus</i> , <i>Crangon</i> , Sabine, 1824, <i>Suppl. App. Parry's Voy. N.W. Passage</i> : ccxxxvi (specific name of the type species of <i>Sabinea</i> Ross, 1835) (Crustacea, Decapoda). Op. 470	available
<i>septemfasciatum</i> , <i>Acridium</i> , Audinet-Serville, [1838], <i>Histoire Naturelle des Insectes. Orthoptères</i> , p. 661 (specific name of the type species of <i>Nomadacris</i> Uvarov, 1923) (Insecta, Orthoptera). Op. 1454	available
<i>septemguttata</i> , <i>Lestodiplosis</i> , Kieffer, 1894, <i>Bull. Soc. entomol. France</i> , 1894 : 280 (specific name of the type species of <i>Lestodiplosis</i> Kieffer, 1894) (Insecta, Diptera). Op. 526	available
<i>septemradiatus</i> , <i>Pecten</i> , Müller, 1776, <i>Zool. dan. Prodr.</i> : 248 (specific name of the type species of <i>Pseudamussium</i> Mörch, 1853) (Bivalvia). Op. 714	available
<i>septemspinosis</i> , <i>Cancer</i> , Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 325 (specific name of the type species of <i>Iphis</i> Leach, 1817) (Crustacea, Decapoda). Direction 49	available
<i>septemspiralis</i> , <i>Helix</i> , Razoumowsky, 1789, <i>Hist. nat. Jorat</i> , 1 : 278 (Gastropoda). Op. 336	available
<i>septemvittatus</i> , <i>Coluber</i> , Say, 1825, <i>J. Acad. nat. Sci. Philadelphia</i> , 4 : 240 (specific name of the type species of <i>Regina</i> Baird & Girard, 1853) (Reptilia). Op. 632	available
<i>septemvolva</i> , <i>Polygyra</i> , Say, 1818, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 1 (10): 278 (specific name of the type species of <i>Polygyra</i> Say, 1818) (Gastropoda). Op. 1691	available
<i>septenarius</i> , <i>Ammonites</i> , Quenstedt, 1857, <i>Der Jura</i> , p. 614 (specific name of the type species of <i>Ceratosphinctes</i> Ziegler, 1959) (Ammonoidea). Op. 2123	available
<i>septentrionalis</i> , <i>Lanius</i> , Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 306 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409	index

septentrionicola, *Eterusia aedea*, Felder & Felder, 1862, *Wiener Entomologische Monatschrift*, **6**: 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 2151

index

Septopproductus Frech, 1911, in Richthofen, F. von, *China, Ergebnisse eigener Reisen und darauf gegründeter Studien*, vol. 5, p. 132 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1928

index

sepulchralis, *Cicindela*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380

index

Sergestes Milne Edwards, 1830, *Ann. Sci. nat.*, Paris, (1)**19**: 348 (gender: masculine) (type species, by monotypy: *Sergestes atlanticus* Milne Edwards, 1830, *Ann. Sci. nat.*, Paris, (1)**19**: 349) (Crustacea, Decapoda). Op. 864

available

SERGESTIDAE Dana, 1852, *Proc. Acad. nat. Sci. Philadelphia*, **6**: 18 (type genus: *Sergestes* Milne Edwards, 1830) (Crustacea, Decapoda). Op. 864

available

sericea, *Chrysomela*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 374 (specific name of the type species of *Cryptocephalus* Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754

available

Sericulus Swainson, 1825, *Zool. J.*, **1**(4): 476 (gender: masculine) (type species, by monotypy: *Meliphaga chrysocephala* Lewin, 1808, *Birds New Holland*: 10) (Aves). Op. 67 *Seriola* Cuvier, [1816], *Règne Anim.* (ed. 1), **2**: 315 (gender: feminine) (type species, by original designation: *Caranx dumerili* Risso, 1810, *Ichth. Nice*: 175, pl. 6, fig. 20) (Osteichthyes). Op. 461

available

Seriola Topsent, 1892, *Résult. Camp. sci. Monaco*, **2**: 8 (a junior homonym of *Seriola* Cuvier, [1816]). Op. 461

index

serpens, *Campanularia*, Hassall, 1848, *Zoologist*, **6**: 2223 (specific name of the type specimen of *Filellum* Hincks, 1868) (Hydrozoa). Op. 1485

available

serpens, *Gempylus*, Cuvier, 1829, *Règne Anim.* (ed. 2), **2**: 200 (specific name of the type species of *Gempylus* Cuvier, 1829) (Osteichthyes). Op. 487

available

serpentina, *Testudo*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 199 (specific name of the type species of *Chelydra* Schweigger, 1812) (Reptilia). Direction 57

available

Serphus Schrank, 1780, *Schrift. Berlin Ges. nat. Freunde*, **1**: 307 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 2

index

Serpula Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, pp. 786-788 (gender: feminine) (type species, by designation under the plenary power: *Serpula vermicularis* Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 1267) (Polychaeta). Op. 767

available

SERPULIDAE (correction of SERPULÉES) Lamarck, 1818, *Hist. nat. Anim. sans Vertèbr.*, **5**: 357 (type genus: *Serpula* Linnaeus, 1758) (Polychaeta). Op. 767

available

<i>serra</i> , <i>Fucoides</i> , Brongniart, 1828, <i>Hist. Veget. foss.</i> , 1 : 71 (valid name at the date of Opinion 650 of the type species of <i>Tetragraptus</i> Salter, 1863) (Graptolithina). Op. 650	available
<i>Serranus</i> Cuvier, 1817, <i>Règne Anim.</i> (ed. 1), 2 : 276 (gender: masculine) (type species, by designation under the plenary power: <i>Perca cabrilla</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 294) (Osteichthyes). Op. 93 <i>serrata</i> , <i>Locusta</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 43 (specific name of the type species of <i>Saga</i> Charpentier, 1825) (Insecta, Orthoptera). Direction 5	available
<i>serrata</i> , <i>Tellina</i> , Renier, [1804], <i>Tav. alfab. Conch. adriat.</i> : VI (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>serrata</i> , <i>Valdivia</i> , White, 1847, <i>Proc. zool. Soc. London</i> , 15 : 85 (specific name of the type species of <i>Valdivia</i> White, 1847) (Crustacea, Decapoda). Direction 36	available
<i>serraticornis</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>serratidigitus</i> , <i>JousseauMEA</i> , Coutière, 1897, <i>Bull. Mus. Hist. nat.</i> , Paris, 2 : 382 (specific name of the type species of <i>Salmoneus</i> Holthuis, 1955) (Crustacea, Decapoda). Op. 673	available
<i>serratifrons</i> , <i>Ozius</i> (?), Kinahan, 1858, <i>J. roy. Dublin Soc.</i> , 1 (3): 113 (valid name at the date of Opinion 712 of the type species of <i>Pilumnopeus</i> Milne Edwards, 1867) (Crustacea, Decapoda). Op. 712	available
<i>Serratula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 185 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>serratus</i> , <i>Astacus</i> , Pennant, 1777, <i>British Zoology</i> , Ed. 4, vol. 4, p. 19, as defined by the lectotype (the specimen figured by Pennant, 1777, pl. 16, fig. 28) designated by Holthuis, 1988, <i>Bulletin of Zoological Nomenclature</i> , 45 : 121 (Crustacea, Decapoda). Op. 1576	available
<i>serratus</i> , <i>Cancer</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 90 (specific name of the type species of <i>Scylla</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>serratus</i> , <i>Oniscus</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> , p. 242 (specific name of the type species of <i>Sphaeroma</i> Bosc, 1802) (Isopoda). Op. 1574	available
<i>serratus</i> , <i>Penaeopsis</i> , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 183 (specific name of the type species of <i>Penaeopsis</i> Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>serratus</i> , <i>Styloceratulus</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 11 (specific name of the type species of <i>Styloceratulus</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>Serrella</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 185 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>serricornis</i> , <i>Moraba</i> , Walker, 1870, <i>Catalogue Dermaptera Saltatoria Brit. Mus.</i> (3): 505 (specific name of the type species of <i>Moraba</i> Walker, 1870) (Insecta, Orthoptera). Op. 1096	available

<i>serrifer</i> , <i>Discias</i> , Rathbun, 1902, <i>Proc. Washington Acad. Sci.</i> , 4 : 290 (specific name of the type species of <i>Discias</i> Rathbun, 1902) (Crustacea, Decapoda). Op. 433	available
<i>seripes</i> , <i>Myodochus</i> , Olivier, 1811, <i>Ency. méth.</i> , 8 (Ins.): 106 (specific name of the type species of <i>Myodocha</i> Latreille, 1807) (Insecta, Hemiptera). Op. 669	available
<i>servatus</i> , <i>Lepidophthalmus</i> , Fage, 1924, <i>C.R. Acad. Sci., Paris</i> , 178 : 2128 (specific name of the type species of <i>Lepidomysis</i> Clarke, 1961) (Crustacea, Mysidacea). Op. 693	available
<i>setacea</i> , <i>Sertularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 813 (specific name of the type species of <i>Plumularia</i> Lamarck, 1816) (Hydrozoa). Op. 1886	available
<i>seticaudata</i> , <i>Melicerta</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 110 (specific name of the type species of <i>Lysmata</i> Risso, 1816) (Crustacea, Decapoda). Op. 522	available
<i>seticornis</i> , <i>Asaphus</i> , Hisinger, 1840, <i>Lethaea svec.</i> , Suppl. sec.: 3 (specific name of the type species of <i>Tretaspis</i> McCoy, 1849) (Trilobita). Op. 505	available
<i>seticornis</i> , <i>Cancer</i> , Herbst, 1788, <i>Vers. Naturgesch. Krabben Krebse</i> , 1 (7): 229 (specific name of the type species of <i>Stenorhynchus</i> Lamarck, 1818) (Crustacea, Decapoda). Op. 763	available
<i>Setidium</i> Schmidt, 1879, <i>Die Spongien des Meerbusen von Mexico</i> , Heft 1, p. 30 (gender: neuter) (type species, by monotypy: <i>Setidium obtectum</i> Schmidt, 1879) (Porifera). Op. 2060	available
<i>setiferus</i> , <i>Cancer</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1054, as interpreted by the neotype designated by Burkenroad, 1939 (<i>Bull. Bingham oceanog. Coll.</i> , 6 (6): 17) (Crustacea, Decapoda). Op. 817	available
<i>setosa</i> , <i>Echinometra</i> , Leske, 1778, <i>Addit. J.T. Klein Nat. Disp. Echin.</i> : 35; pl. 37, figs. 1-12; pl. 47, figs. 1, 2 (specific name of the type species of <i>Diadema</i> Gray, 1825) (Echinoidea). Op. 206	available
<i>setosus</i> , <i>Cancer</i> , Fabricius, 1798, <i>Supplementum entomologiae systematicae</i> , p. 339, as defined by the neotype designated under the plenary power (male specimen collected from Ambon (RMNH-D-191) and housed in the Nationaal Natuurhistorisch Museum, Leiden) (Crustacea). Op. 2213	available
<i>setosus</i> , <i>Gammarus</i> , Dementieva, 1931, <i>Trans. State Oceanogr. Inst. Moscow</i> , 1 (2-3): 74-82, figs. 7, 8 (Crustacea, Amphipoda). Op. 1090	available
<i>setulosa</i> , <i>Anomaloptera</i> , Jakovlev, 1874, <i>Bull. Soc. imp. Nat. Moscou</i> , 1874 (No. 2): 261, pl. 10, fig. 5 (specific name of the type species of <i>Jakowleffia</i> Puton, 1875) (Insecta, Hemiptera). Op. 368	available
<i>sexdecimlamellata</i> , <i>Echeneis</i> , Eydoux & Gervais, 1838, <i>Poissons. Voyage de la Favorite</i> . Cl. IV, in: <i>Magasin de Zoologie</i> , 7 : 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1033	index
<i>sexdentatum</i> , <i>Camptandrium</i> , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 107 (specific name of the type species of <i>Camptandrium</i> Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available

<i>sexdentatus</i> , <i>Archias</i> , Paulson, 1875, <i>Izslyed. Rakoobr. krasn. Morya [Stud. Crust. Red Sea]</i> : 57 (specific name of the type species of <i>Archias</i> Paulson, 1875) (Crustacea, Decapoda). Direction 36	available
<i>sexdentatus</i> , <i>Cancer</i> , Herbst, 1783, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (2-5): 153 (a junior objective synonym of <i>feriatus</i> , <i>Cancer</i> , Linnaeus, 1758). Op. 712	index
<i>sexdentatus</i> , <i>Goneplax</i> , Risso, 1827, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 13 (specific name of the type species of <i>Brachynotus</i> de Haan, [1833]) (Crustacea, Decapoda). Op. 712	available
<i>sexmaculatus</i> , <i>Serranus</i> , Rüppell, 1830, <i>Atlas zu der Reise im nordlichen Afrika. Fische des rothen Meers</i> , p. 107 (Osteichthyes). Op. 1439	available
<i>sexpes</i> , <i>Cancer</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 344 (specific name of the type species of <i>Hexapus</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>sexpunctata</i> , <i>Crioceris</i> , Fabricius, 1792, <i>Entomologia systematica emendata et aucta ...</i> , vol. 1, part 2, p. 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1709	index
<i>sexsignata</i> , <i>Buprestis</i> , Say, 1839, <i>Transactions of the American Philosophical Society</i> , (2) 6 : 158, ruled under the plenary power to be given precedence over the names <i>Chrysobothris ignipes</i> Gory & Laporte, 1838 and <i>Chrysobothris germari</i> Gory & Laporte, 1838, whenever it and <i>Chrysobothris ignipes</i> Gory & Laporte 1838 and / or <i>Chrysobothris germari</i> Gory & Laporte, 1838 are considered to be synonyms (Insecta, Coleoptera). Op. 2174	available
<i>seychellensis</i> , <i>Psammophis</i> , Schlegel, 1837, <i>Essai sur la physionomie des serpens</i> , vol. 1 (Partie générale), p. 155 (specific name of the type species of <i>Lycognathophis</i> Boulenger, 1893) (Reptilia, Serpentes). Op. 1856	available
<i>Shantungia</i> Walcott, 1905, <i>Proc. U.S. nat. Mus.</i> , 29 (1415): 87 (an incorrect original spelling for <i>Shantungia</i> Walcott, 1905, by the first reviser action of Balk & Stubblefield, 1983 (<i>Bull. zool. Nomencl.</i> , 40 : 70)). Op. 1261	index
<i>Shantungia</i> Walcott, 1905, <i>Proc. U.S. nat. Mus.</i> , 29 (1415): 87 (gender: feminine) (type species, by original designation: <i>Shantungia spinifera</i> Walcott, 1905, <i>Proc. U.S. nat. Mus.</i> , 29 (1415): 87, 88) (a correct original spelling by the first reviser action of Balk & Stubblefield, 1983 (<i>Bull. zool. Nomencl.</i> , 40 : 70)) (Trilobita). Op. 1261	available
<i>sheppardi</i> , <i>Choragus</i> , Kirby, 1819, <i>Transactions of the Linnean Society of London</i> , 12 : 448 (specific name of the type species of <i>Choragus</i> Kirby, 1819) (Insecta, Coleoptera). Op. 1756	available
<i>Shoemakerella</i> Pirlot, 1936, <i>Siboga-Expeditie, Monographs</i> , 33e : 264 (gender: feminine) (type species, by designation under the plenary power: <i>Lysianax cubensis</i> Stebbing, 1897) (Amphipoda). Op. 1639	available
<i>Sialis</i> Latreille, 1802, <i>Histoire naturelle, générale et particulière des Crustacés et des Insectes</i> , vol. 3, p. 290 (gender: feminine) (type species, by monotypy: <i>Hemerobius lutarius</i> Linnaeus, 1758) (Insecta, Megaloptera). Op. 1596	available

- sibilla*, *Papilio*, Linnaeus, 1767, *Systema Naturae*, Ed. 12, vol. 1, part 2, p. 781
 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Lepidoptera). Op. 1917 index
- sibirica*, *Alauda*, Gmelin, [1789], in Linnaeus, *Systema Naturae*, Ed. 13, vol. 1, part 2, p. 799 (a junior secondary homonym in the genus *Melanocorypha* Boie, 1828, of *sibirica*, *Tanagra*, Sparrman, 1786). Op. 403 index
- sibirica*, *Ctenopsylla*, Wagner, 1898, *Hor. Soc. entomol. ross.*, **31**: 578, pl. 8, figs. 13, 14, as interpreted by Wagner, 1898, as being applicable to the female component of the composite nominal species *Pulex penicilliger* Grube, 1852 (Insecta, Siphonaptera). Op. 388 available
- sibirica*, *Typhlopsylla*, Wagner, 1901, *Hor. Soc. entomol. ross.*, **35**: 26, pl. 1, figs. 3, 4 (a junior secondary homonym in the genus *Amphipsylla* Wagner, 1909, of *sibirica*, *Ctenopsylla*, Wagner, 1898). Op. 491 index
- sibirica*, *Yerbua*, Forster, 1778, *K. Svensk. Vetensk.-Akad. Handl.*, **39**: 111 (Mammalia). Op. 730 available
- sibiricus*, *Erinaceus*, Erxleben, 1777, *Syst. regn. anim.*: 172, ruled under the plenary power not to be given priority over the specific name *dauuricus* Sundevall, 1842, as published in the binomen *Erinaceus dauuricus*, whenever the two names are considered synonyms (Mammalia). Op. 1243 available
- sibleyense*, *Conocardium*, La Rocque, 1948, *Univ. Microfilms Publ.*, No. 1059: 102 (included in a work issued in microfilm and rejected for nomenclatural purposes). Op. 318 index
- siccifolius*, *Gryllus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 425 (specific name of the type species of *Phyllum* Illiger, 1798) (Insecta, Orthoptera). Direction 5 available
- sichelii*, *Odynerus*, Saussure, 1855, *Et. Fam. Vespi.*, **3**: 206 (specific name of the type species of *Subancistrocerus* Saussure, 1855) (Insecta, Hymenoptera). Op. 893 available
- sicula*, *Gioënia*, Bruguière, 1792, *Ency. méth.*, Vers, **1**(2): 502 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 287 index
- sicula*, *Sepioteuthis*, Verany, 1851, *Mollusques Méditerranéens*, part 1 (Céphalopodes de la Méditerranée), p. 75 (a senior subjective synonym of *Chtenopteryx fimbriatus* Appellöf, 1890, the type species of *Chtenopteryx* Appellöf, 1890) (Cephalopoda, Coleoidea). Op. 1793 available
- Sicus* Fabricius, 1798, *Supplementum Entomologiae Systematicae*, pp. 547, 554 (a junior objective synonym of *Coenomyia* Latreille, 1796 and a junior homonym of *Sicus* Scopoli, 1763) (Insecta, Diptera). Op. 1870 index
- Sicus* Latreille, 1796, *Précis des caractères génériques des insectes, disposés dans un ordre naturel*, p. 158 (a junior homonym of *Sicus* Scopoli, 1763) (Insecta, Diptera). Op. 1870 index

<i>Sicus</i> Scopoli, 1763, <i>Entomologica carniolica exhibens insecta ...</i> , p. 369 (gender: masculine) (type species, by designation under the plenary power: <i>Conops ferrugineus</i> Linnaeus, 1761) (Insecta, Diptera). Op. 1870	available
<i>Sicyonella</i> Borradaile, 1910, <i>Trans. linn. Soc. London, Zool.</i> , (2) 13 : 259 (gender: feminine) (type species, by monotypy: <i>Sicyonella maldivensis</i> Borradaile, 1910, <i>Trans. linn. Soc. London, Zool.</i> , (2) 13 : 259) (Crustacea, Decapoda). Op. 864	available
<i>Sicyonia</i> Hübner, 1816, <i>Verz. bekannt. Schmett.</i> (1): 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 382	index
<i>Sicyonia</i> Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, 19 : 340 (conserved under the plenary power) (gender: feminine) (type species, by designation by Desmarest, 1858 (<i>in Chenu, Ency. Hist. nat. (Crust. Moll. Zooph.): 42</i>): <i>Sicyonia sculpta</i> Milne Edwards, 1830, <i>Ann. Sci. nat.</i> , Paris, 19 : 340, valid name: <i>Cancer carinatus</i> Brünnich, 1768) (Crustacea, Decapoda). Op. 382	available
SICYONINAE (correction of SICYONINAE) Ortmann, 1898, <i>in Bronn, Klass. Ordn. Thierr.</i> , 5 (2): 1121 (type genus: <i>Sicyonia</i> Milne Edwards, 1830) (Crustacea, Decapoda). Direction 54	available
SICYONINAE Ortmann, 1898, <i>in Bronn, Klass. Ordn. Thierr.</i> , 5 (2): 1121 (type genus: <i>Sicyonia</i> Milne Edwards, 1830) (an incorrect original spelling for SICYONINAE Ortmann, 1898). Direction 54	index
<i>Sidisia</i> Gray, 1858, <i>Proceedings of the Zoological Society of London</i> , 1858 : 532 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Anthozoa). Op. 1689	index
<i>Siduria</i> Milne Edwards, 1840, <i>in Roret's Suites à Buffon, Hist. nat. Crust.</i> , 3 : 126 (a vernacular name and a nomen nudum). Op. 643	index
<i>siebenrocki, Paratypton</i> , Balss, 1914, <i>Zool. Anz.</i> , 45 : 84 (specific name of the type species of <i>Paratypton</i> Balss, 1914) (Crustacea, Decapoda). Op. 470	available
<i>sieboldii, Bagrus</i> , Bleeker, 1846, <i>Natuur- en Geneeskundig Archief voor Neérland's Indië</i> , 3 : 155, ruled that the previous fixation of type specimen is not set aside (Osteichthyes). Op. 2011	available
<i>Siemiradzkia</i> Hyatt, 1900, <i>in Eastman's Zittel, Textb. Palaeontol.</i> , 1 : 582 (gender: feminine) (type species, by original designation: <i>Ammonites aurigerus</i> Oppel, 1857, <i>Württemb. naturw. Jahreshefte</i> , 13 : 178 (p. 476 of the reprint under the title <i>Die Juraformation Englands, Frankreichs und der Südwestlichen Deutschlands</i>)) (Cephalopoda). Op. 301	available
<i>Sigaloceras</i> Hyatt, 1900, <i>in Eastman's Zittel, Textb. Palaeontol.</i> , 1 : 587 (gender: neuter) (type species, by original designation: <i>Ammonites calloviensis</i> Sowerby, 1815, <i>Min. Conch.</i> , 2 : 3, pl. 104) (Cephalopoda). Op. 324	available
<i>Sigara</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 691 (gender: feminine) (type species, by monotypy: <i>Notonecta striata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439) (Insecta, Hemiptera). Op. 739	available

<i>Sigaretigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>signatus</i> , <i>Carpilius</i> , Adams & White, [1849], <i>Zool. 'Samarang'</i> , (4) Crust.: 37 (specific name of the type species of <i>Atergatopsis</i> Milne Edwards, 1862) (Crustacea, Decapoda). Direction 36	available
<i>signatus</i> , <i>Chironomus</i> , van der Wulp, 1858, <i>Tijdschr. Entomol.</i> , 2(3): 169 (specific name of the type species of <i>Tanytarsus</i> van der Wulp, 1874) (Insecta, Diptera). Op. 616	available
<i>signifer</i> , <i>Conus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 141 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>silaos</i> , <i>Odynerus</i> , Saussure, 1853, <i>Et. Fam. Vespa.</i> , 1: 213 (specific name of the type species of <i>Antepipona</i> Saussure, 1855) (Insecta, Hymenoptera). Op. 893	available
<i>silicea</i> , <i>Involutina</i> , Terquem, 1862, <i>Mém. Acad. imp. Metz</i> , 42: 450 (specific name of the type species of <i>Ammodiscus</i> Reuss, 1862) (Rhizopoda). Op. 706	available
<i>siliqua</i> , <i>Mya</i> , Spengler, 1793, <i>Skrifter af Naturhistorie-Selskabet</i> , 3: 48 (specific name of the type species of <i>Cyrtodaria</i> Reuss, 1801) (Bivalvia). Op. 1414	available
<i>Siliquarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Siliquastrum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2: 185 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>sillimani</i> , <i>Ornithoidichnites</i> , Hitchcock, 1843, <i>Rep. Assoc. amer. Geologists Naturalists</i> , 1843: 256 (specific name of the type species of <i>Anchisauripus</i> Lull, 1904) (Reptilia). Op. 535	available
<i>sillimanium</i> , <i>Brontozoum</i> , Hitchcock, 1847, <i>Amer. J. Sci.</i> , (2)4: 49 (a junior objective synonym of <i>sillimani</i> , <i>Ornithoidichnites</i> , Hitchcock, 1843). Op. 535	index
<i>Silo</i> Curtis, 1830, <i>Guide Arrang. Brit. Ins.</i> (ed. 1): 136 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 654	index
<i>Silo</i> Curtis, 1833, <i>Entomol. Mag.</i> , 1: 188, 189 (conserved under the plenary power) (gender: masculine) (type species, by designation by Westwood, 1839 (<i>Introd. mod. Classif. Ins.</i> , Gen. Synopsis: 50): <i>Phryganea pallipes</i> Fabricius, 1781, <i>Spec. Ins.</i> , 1: 388) (Insecta, Trichoptera). Op. 654	available
<i>Silurus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 304 (gender: masculine) (type species, by Linnaean tautonomy: <i>Silurus glanis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 304) (Osteichthyes). Op. 77, Direction 56	available
<i>silvestris</i> , <i>Felis catus</i> , Schreber, [1777], <i>Die Säugthiere</i> , 3: 397 (conserved under the plenary power) (Mammalia). Op. 465	available
<i>silvestris</i> , <i>Simia</i> , Schreber, [1800], <i>Säugthiere</i> , Abt. 5: legend of plate 8C (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1268	index

<i>Simia</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 25 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	index
<i>similis</i> , <i>Bulimus</i> , Bruguière, 1792, <i>Ency. méth.</i> , Vers, 1(2): 35 (Gastropoda). Op. 336	available
<i>similis</i> , <i>Monograptus fimbriatus</i> var., Elles & Wood, 1913, <i>Mon. Brit. Grapt.</i> (Palaeontogr. Soc.) (9): 483, pl. xlviii, figs. 5a-d, text-fig. 339, as interpreted, by direction under the plenary power, by the lectotype designated by Bulman, 1957 (<i>Bull. zool. Nomencl.</i> , 13: 314) (Graptolithina). Op. 571	available
<i>similis</i> , <i>Palaeopsylla</i> , Dampf, 1910, <i>Sehr. phys.-ökon. Ges. Königsberg</i> , 51: 327, figs. 4, 5d (specific name of the type species of <i>Palaeopsylla</i> Wagner, 1903) (Insecta, Siphonaptera). Op. 373	available
<i>similis</i> , <i>Trochus</i> , Sowerby, 1817, <i>Min. Conch.</i> , 2: 179, pl. 181, fig. 2 (conserved under the plenary power) (Gastropoda). Op. 582	available
<i>similus</i> [sic], <i>Trochus</i> , Sowerby, 1816, <i>Min. Conch.</i> , 2: 95, pl. 142 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 582	index
<i>simla</i> , <i>Saturnia</i> , Westwood, 1847, <i>Cab. orient. Entomol.</i> : 41 (specific name of the type species of <i>Dictyoploca</i> Jordan, 1911) (Insecta, Lepidoptera). Op. 545	available
<i>Simophis</i> Peters, 1860, <i>Monatsb. K. preuss. Akad. Wiss. Berlin</i> , 1860: 521 (gender: masculine) (type species, by monotypy: <i>Heterodon rhinostoma</i> Schlegel, 1837, <i>Essai Phys. Serpens</i> , 2: 100) (Reptilia). Op. 698	available
<i>simplex</i> , <i>Belopeltis</i> , Voltz, 1840, <i>Mémoires de la Société du Muséum d'Histoire Naturelle de Strasbourg</i> , 3: 23 (specific name of the type species of <i>Geopeltis</i> Regteren Altena, 1949) (Cephalopoda, Coleoidea). Op. 1914	available
<i>simplex</i> , <i>Megalopalpus</i> , Röber, 1886, <i>CorrespBl. entomol. Ver. Iris</i> , 1: 51, pl. 4, fig. 4 (specific name of the type species of <i>Megalopalpus</i> Röber, 1886) (Insecta, Lepidoptera). Op. 566	available
<i>simplicirostris</i> , <i>Bythocaris</i> , Sars, 1870, <i>Forh. Vidensk.-Selsk. Christiania</i> , 1869: 149 (specific name of the type species of <i>Bythocaris</i> Sars, 1870) (Crustacea, Decapoda). Op. 470	available
<i>Simplocaria</i> Stephens, 1829, <i>Nomenclature of British Insects</i> , Mandibulata, 3: 9 (gender: feminine) (type species, by designation by Jacquelin du Val, 1859 (<i>Genera des Coléoptères d'Europe ...</i> , 2(4): 267): <i>Byrrhus semistriatus</i> Fabricius, 1794, <i>Entomologia Systematica</i> , 4: 437) (Insecta, Coleoptera). Op. 1323	available
<i>Simrothiella</i> Pilsbry, 1898, in Tryon, <i>Manual of Conchology</i> , 17: 296 (gender: feminine) (type species, by designation under the plenary power: <i>Solenopus margaritaceus</i> Koren & Danielssen, 1877, <i>Arch. Math. Naturv.</i> , 2: 128) (Solenogastres). Op. 1185	available
<i>simulans</i> , <i>Phycocaris</i> , Kemp, 1916, <i>Rec. Indian Mus.</i> , 12: 392 (specific name of the type species of <i>Phycocaris</i> Kemp, 1916) (Crustacea, Decapoda). Op. 470	available

<i>simus</i> , <i>Coluber</i> , Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 375, to be interpreted, as directed under the plenary power, by reference to the description and figure published by Holbrook, 1842 (<i>North Amer. Herp.</i> , 4 : 57, pl. 15) under the name <i>Heterodon simus</i> (restricted locality: ‘Vicinity of Charleston, South Carolina, U.S.A.’) (Reptilia). Op. 390	available
<i>sinapis</i> , <i>Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 468 (specific name of the type species of <i>Leptidea</i> Billberg, 1820) (Insecta, Lepidoptera). Op. 584	available
<i>Sinemuria</i> de Christol, 1841, <i>Bull. Soc. géol. France</i> , (1) 12 : 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 292	index
<i>sinensis</i> , <i>Lycaena</i> , Alphéraky, 1881, <i>Hor. entomol. Ross.</i> , 16 : 383, pl. 14, fig. 7 (specific name of the type species of <i>Neolycaena</i> de Nicéville, 1890) (Insecta, Lepidoptera). Op. 899	available
<i>sinensis</i> , <i>Rhina</i> , Schneider, 1801, in Bloch, <i>Syst. Ichthyol.</i> : 352 (specific name of the type species of <i>Platyrhina</i> Müller & Henle, 1838) (Chondrichthyes). Op. 345	available
<i>sinensis</i> , <i>Trionyx (Aspidonectes)</i> , Wiegmann, 1834, <i>Nova Acta Acad. Caes. Leop. Carol.</i> , 17 : 189 (conserved under the plenary power by suppression of the specific name of <i>Testudo rostrata</i> Thunberg, 1787) (Reptilia). Op. 660, Op. 1659	available
<i>sinistratum</i> , <i>Cerithium</i> , Nyst, 1835, <i>Recherches sur les coquilles fossiles de la province d’Anvers</i> , p. 28, as defined by the neotype designated by Glibert, 1958, <i>Bulletin de l’Institut Royal des Sciences Naturelles de Belgique</i> , 34 (15): 10 (senior subjective synonym of <i>Laiochochlis</i> [sic] <i>pommeraniae</i> Dunker & Metzger, 1874, the type species of <i>Laeocochlis</i> Dunker & Metzger, 1874) (Gastropoda). Op. 1700	available
<i>sinuata</i> , <i>Clavella</i> , Gabb, [1866], <i>Geol. Surv. Calif., Paleontol.</i> , 2 (Sect. 1) (1): 5 (specific name of the type species of <i>Agasoma</i> Gabb, [1869]) (Gastropoda). Direction 73	available
<i>sinuatus</i> , <i>Cardinalis</i> , Bonaparte, 1838, <i>Proc. zool. Soc. London</i> , 1837 : 111 (Aves). Op. 784	available
<i>Sinuites</i> Koken, 1896, <i>Die Leitfossilien</i> , p. 393 (gender: masculine) (type species, by subsequent designation by Bassler, 1915, <i>U.S. National Museum Bulletin</i> , vol. 2, p. 1159: <i>Bellerophon bilobatus</i> Sowerby, 1839) (Gastropoda, Archaeogastropoda). Op. 1470	available
SINUITIDAE Dall, 1913, in Eastman & Zittel, <i>Textbook of Palaeontology</i> , Ed. 2, vol. 1, p. 521 (type genus: <i>Sinuites</i> Koken, 1896) (Gastropoda, Archaeogastropoda). Op. 1470	available
<i>sinuosa</i> , <i>Farcimia</i> , Hassall, 1840, <i>Ann. Mag. nat. Hist.</i> , 6 : 172 (specific name of the type species of <i>Cellaria</i> Ellis & Solander, 1786) (Bryozoa). Op. 949	available
<i>sinuosa</i> , <i>Rissoa</i> , Scacchi, 1836, <i>Catalogus conchyliorum regni Neapolitani</i> , p. 15 (a junior objective synonym of the specific name of <i>Turbo politus</i> Linnaeus, 1758) (Gastropoda). Op. 1780	index
<i>Sipalia</i> Mulsant & Rey, 1853, <i>Annales de la Société Linnéenne de Lyon</i> , (2) 1 : 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2113	index

<i>Siphamia</i> Weber, 1909, <i>Notes from the Leyden Museum</i> , 31 : 168 (gender: feminine) (type species, by monotypy: <i>Siphamia tubifer</i> Weber, 1909) (Osteichthyes, Perciformes). Op. 1481	available
<i>Siphona</i> Meigen, 1803, <i>Mag. f. Insektenkunde</i> , 2 : 281 (gender: feminine) (type species, by designation under the plenary power: <i>Musca geniculata</i> de Geer, 1776, <i>Mémoires pour servir à l'histoire des Insectes</i> , 6 : 38) (Insecta, Diptera). Op. 1008	available
<i>Siphonophora</i> Brandt, 1837, <i>Bull. sci. Acad. imp. Sci. St. Pétersbourg</i> , 1 (23): 178, 179 (gender: feminine) (type species, by monotypy: <i>Siphonophora portoricensis</i> Brandt, 1837, <i>Bull. sci. Acad. imp. Sci. St. Pétersbourg</i> , 1 (23): 178, 179) (Diplopoda). Op. 1212	available
<i>Siphonophora</i> Fischer von Waldheim, 1823, <i>Enchiridion generum animalium</i> (Moscow): 11 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1212	index
SIPHONOPHORIDAE Newport, 1844, <i>Proc. linn. Soc. London</i> , 1 : 195 (type genus: <i>Siphonophora</i> Brandt, 1837) (Diplopoda). Op. 1212	available
<i>Siredon</i> Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 209, 210 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649	index
<i>Siren</i> Hermann, 1783, <i>Tab. Affin. Anim.</i> : 120 (a junior homonym of <i>Siren</i> Linnaeus, 1766). Direction 56	index
<i>Siren</i> Linnaeus, 1766, <i>Amoen. Acad.</i> , 7 : 325 (gender: feminine) (type species, by monotypy: <i>Siren lacertina</i> Linnaeus, 1766, <i>Amoen. Acad.</i> , 7 : 325) (Amphibia). Op. 92 <i>Sirena</i> Fischer von Waldheim, 1808, <i>Zoognosia</i> (ed. 2): tab. iii (an unjustified emendation of <i>Siren</i> Linnaeus, 1766). Direction 56	available
<i>Sirene</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): 187 (an unjustified emendation of <i>Siren</i> Linnaeus, 1766, and included in a work rejected for nomenclatural purposes). Direction 56	index
<i>Sirenodon</i> Wiegmann, 1832, in Wiegmann & Ruthe, <i>Handb. Zool.</i> (ed. 2): 204 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649	index
<i>siro, Acarus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 616, as interpreted by Fabricius, 1794 (<i>Entomol. syst.</i> , 4 : 430) as first reviser as being objectively identical with <i>Acarus siro</i> [var.] <i>farinae</i> Linnaeus, 1758 (specific name of the type species of <i>Acarus</i> Linnaeus, 1758) (Arachnida). Direction 94	available
<i>sirtalis, Coluber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 222, interpreted from the description and type locality given by Harlan, 1827 (<i>J. Acad. nat. Sci. Philadelphia</i> , 5 : 352) (Reptilia). Op. 385, Op. 771	available
<i>sisymbrii, Tipula</i> , Schrank, 1803, <i>Fauna boica. Durchgedachte Geschichte der in Baiern einheimischen und zahmen Thiere</i> , vol. 3, part 1, p. 83 (specific name of the type species of <i>Dasineura</i> Rondani, 1840) (Insecta, Diptera). Op. 1911	available
<i>sisyphius, Araneus</i> , Clerck, [1758], <i>Aran. svec.</i> : 54 (Arachnida). Op. 517	available

<i>Sitophilus</i> Schoenherr, 1838, <i>Gen. Spec. Curcul.</i> , 4 (2): 967 (gender: masculine) (type species, by original designation: <i>Curculio oryzae</i> (emendation under the plenary power of <i>oryza</i>) Linnaeus, 1763, <i>Amoen. Acad.</i> , 6 : 395) (Insecta, Coleoptera). Op. 572	available
<i>Sitta</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 115 (gender: feminine) (type species, by monotypy: <i>Sitta europaea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 115) (Aves). Op. 67 <i>sivado</i> , <i>Alpheus</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 93 (specific name of the type species of <i>Pasiphaea</i> Savigny, 1816) (Crustacea, Decapoda). Op. 470	available
<i>sjoestedti</i> , <i>Fundulus</i> , Lönnberg, 1895, <i>Öfvers. K. Svensk. Vetensk.-Akad. Forh. Stockh.</i> , 52 : 191 (valid name at the date of Opinion 1010 of the type species of <i>Fundulopanchax</i> Myers, 1924) (Osteichthyes). Op. 1010	available
<i>skyensis</i> , <i>Troglodytes troglodytes</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12) 9 : 367 (a junior primary homonym of <i>skyensis</i> , <i>Troglodytes troglodytes</i> , Horniman, 1940). Op. 480	index
<i>skyensis</i> , <i>Troglodytes troglodytes</i> , Horniman, 1940, <i>Prelim. Descr. new Birds</i> : 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>slabberi</i> , <i>Podopsis</i> , Van Beneden, 1861, <i>Mém. Acad. roy. Belg.</i> , Cl. Sci., 33 : 18, pl. 7 (specific name of the type species of <i>Mesopodopsis</i> Czerniavsky, 1882) (Crustacea, Mysidacea). Op. 603	available
<i>Slaphylinus</i> Fairmaire & Germain, 1861, <i>Ann. Soc. entomol. France</i> , (4) 1 : 431 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>smaragdus</i> , [<i>Helix</i>], Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 73 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>smaragdus</i> , <i>Turbo</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3595 (a junior primary homonym of <i>smaragdus</i> , <i>Turbo</i> , Gmelin, [1791], <i>ibid.</i> : 3602, through the first reviser selection made by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 397)). Op. 479	index
<i>smaragdus</i> , <i>Turbo</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3602, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2 : fig. 73) as [<i>Helix</i>] <i>smaragdus</i> (a name possessing precedence over <i>Turbo smaragdus</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3595, through the first reviser selection made by Fleming et al., 1957 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 16 : 397)) (Gastropoda). Op. 479	available
<i>Smaris</i> Cuvier, 1814, <i>Bull. Soc. Philom.</i> , Paris: 2 (a junior homonym of <i>Smaris</i> Latreille, 1796). Op. 960	index
<i>smaris</i> , <i>Sparus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 278 (Osteichthyes). Op. 960	available
<i>Smerdis</i> Leach, 1817, <i>Tuckey's Narrat. Exped. River Zaire</i> (app. 4): unnumbered plate (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 785	index

<i>Sminthurides</i> Börner, 1900, <i>Zool. Anz.</i> , 23 : 616 (gender: masculine) (type species, by designation by Börner, 1906 (<i>Mitt. naturh. Mus. Hamburg</i> , 23 : 182); <i>Sminthurus aquaticus</i> Bourlet, 1842, <i>Ann. Soc. entomol. France</i> , 10 , Bull.: xli) (Insecta, Collembola). Op. 291	available
<i>Sminthurinus</i> Börner, 1901, <i>Zool. Anz.</i> , 24 : 343 (gender: masculine) (type species, by designation under the plenary power: <i>Smynthurus niger</i> Lubbock, 1868, <i>Trans. linn. Soc. London</i> , 26 : 297) (Insecta, Collembola). Op. 1027	available
<i>Sminthurus</i> (emendation of <i>Smynthurus</i>) Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 72 (gender: masculine) (type species, by designation by Börner, 1906 (<i>Mitt. naturh. Mus. Hamburg</i> , 23 : 183); <i>Podura viridis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608) (Insecta, Collembola). Op. 291	available
<i>smithi, Biomphalaria</i> , Preston, 1910, <i>Ann. Mag. nat. Hist.</i> , (8) 6 (35): 535, pl. 7, figs. 26, 26a (specific name of the type species of <i>Biomphalaria</i> Preston, 1910 (Gastropoda). Op. 735	available
<i>smithii, Goniatites</i> , Brown, 1841, <i>Trans. geol. Soc. Manchester</i> , 1 : 218 (specific name of the type species of <i>Homoceras</i> Hyatt, 1884) (Cephalopoda). Op. 1061	available
<i>Smynthurella</i> Houlbert, 1924, <i>Thysanoures, Dermoptères et Orthoptères de France et de la faune européenne</i> , 1 : 157 (a junior objective synonym of <i>Sminthurinus</i> Börner, 1901). Op. 1027	index
<i>Smynthurus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 72 (an incorrect original spelling for <i>Sminthurus</i> Latreille, [1802]). Op. 291	index
<i>sociabile, Tethyum</i> , Gunnerus, 1765, <i>K. norske Vidensk. Selsk. Skr.</i> , 3 : 81-102 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1172	index
<i>soemmeringii, Aeolidiella</i> , Bergh, 1882, <i>Verh. zool.-bot. Ges. Wien</i> , 1882 : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1315	index
<i>soemmerringii, Eolida</i> , Leuckart, 1828, <i>Breves Animalium</i> : 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1315	index
<i>solani, Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 151 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>Solarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Soldat.[us]</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 89 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>soleae, Bomolochus</i> , Claus, 1864, <i>Z. wiss. Zool.</i> , 14 : 374, pl. 35, figs. 16-20, pl. 36, fig. 28 (specific name of the type species of <i>Bomolochus</i> Von Nordmann, 1832) (Crustacea, Copepoda). Op. 732	available

<i>Solearia</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 186 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Solenigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: <i>Tav. VII</i> (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Solenius</i> Lepeletier & Brullé, 1834, <i>Ann. Soc. entomol. France</i> , 3 : 713 (gender: masculine) (type species, by designation under the plenary power: <i>Solenius interruptus</i> Lepeletier & Brullé, 1834, <i>Ann. Soc. entomol. France</i> , 3 : 716) (Insecta, Hymenoptera). Op. 1015	available
<i>Solenocera</i> Lucas, 1849, <i>Rev. Mag. Zool.</i> , (2) 1 : 300 (gender: feminine) (type species, by monotypy: <i>Peneus siphonoceros</i> Philippi, 1840, <i>Arch. Naturgesch.</i> , 6 (1): 190, valid name: <i>Peneus mebranaceus</i> Risso, 1816) (Crustacea, Decapoda). Op. 611	available
SOLENOCERINA Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 9 : 271 (type genus: <i>Solenocera</i> Lucas, 1849) (an incorrect original spelling for SOLENOCERINAE Wood-Mason & Alcock, 1891). Op. 611	index
SOLENOCERINAE (correction of SOLENOCERINA) Wood-Mason & Alcock, 1891, <i>Ann. Mag. nat. Hist.</i> , (6) 9 : 271 (type genus: <i>Solenocera</i> Lucas, 1849) (Crustacea, Decapoda). Op. 611	available
<i>solenoides</i> , <i>Ceratiocaris</i> , McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 4 : 413 (specific name of the type species of <i>Ceratiocaris</i> McCoy, 1849) (Crustacea, Archaeostraca). Op. 690	available
<i>Solenopotes</i> Enderlein, 1904, <i>Zool. Anz.</i> , 28 : 144 (gender: masculine) (type species, by monotypy: <i>Solenopotes capillatus</i> Enderlein, 1904, <i>Zool. Anz.</i> , 28 : 144) (Insecta, Anoplura). Op. 1050	available
<i>solida</i> , <i>Cyclas</i> , Normand, 1844, <i>Notice Cyclades Valenciennes</i> : 6 (Bivalvia). Op. 336	available
<i>solitarius</i> , <i>Stentor</i> , Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): 45 (included in a work rejected for nomenclatural purposes). Op. 418	index
<i>solum</i> , <i>Taenia</i> , Linnaeus, 1758, <i>Systema Natura</i> e, Ed. 10, vol. 1, p. 819 (specific name of the type species of <i>Taenia</i> Linnaeus, 1758) (Cestoda). Op. 272	available
<i>Solpuga</i> Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 216 (gender: feminine) (type species, by subsequent designation by Pocock, 1897, <i>Annals and Magazine of Natural History</i> , (6) 20 : 255: <i>Solpuga chelicornis</i> Lichtenstein, 1796), ruled under the plenary power to be available despite having been published in a suppressed work (Solifugae). Op. 1820	available
<i>soluta</i> , <i>Bulla</i> , Gmelin, [1791], in Linnaeus, <i>Systema Natura</i> e, Ed. 13, vol. 1, part 6, p. 3434 (Gastropoda). Op. 539	available
<i>Somatodes</i> Schönherr, 1823, <i>Isis</i> (von Oken), 1823 : col. 1139, and all uses of the name prior to the publication of <i>Somatodes</i> Schönherr, 1840 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1770	index

<i>Somatodes</i> Schönherr, 1840, <i>Genera et species curculionidum</i> , vol. 5, part 2, p. 800 (gender: masculine) (type species, by monotypy: <i>Somatodes misumenus</i> Gyllenhal in Schönherr, 1840) (Insecta, Coleoptera). Op. 1770	available
SOMATODINAE Lacordaire, 1863, <i>Histoire naturelle des insectes. Genera des coléopterès. 6. Curculionides</i> , p. 319 (type genus: <i>Somatodes</i> Schönherr, 1840) (Insecta, Coleoptera). Op. 1770	available
SOMATODINI Schönherr, 1823, <i>Isis</i> (von Oken), 1823 : col. 1139 (unavailable because the name of its type genus has been suppressed) (Insecta, Coleoptera). Op. 1770	index
<i>sommeringii</i> , <i>Aeolidiella</i> , Suter, 1913, <i>Man. N.Z. Moll.</i> : 581 (an incorrect subsequent spelling for <i>soemmerringii</i> , <i>Eolida</i> , Leuckart, 1828). Op. 780	index
<i>sonchi pruinosa</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 149 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>sonchi viridifurcata</i> , <i>Aphis</i> , Kittel, 1827, <i>Mém. Soc. linn. Paris</i> , 5 : 149 (included in a work rejected for nomenclatural purposes). Op. 1188	index
<i>sonnerati</i> , Chrysodema , Laporte & Gory, 1835, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 3 (specific name of the type species of Chrysodema Laporte & Gory, 1835) (Insecta, Coleoptera). Op. 2076	available
<i>sophorae</i> , Papilio , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 471 (specific name of the type species of Brassolis Fabricius, 1807) (Insecta, Lepidoptera). Op. 232	available
<i>sorbi</i> , Omalium , Gyllenhal, 1810, <i>Insecta Suecica descripta</i> , vol. 1, part 2, p. 206, ruled under the plenary power to be given precedence over <i>Omalium testaceum</i> Gravenhorst, 1806 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>sorecis</i> , <i>Ceratophyllus</i> , Dale, 1878, <i>History of Glanville's Wootton in the County of Dorset</i> : 291 (an incorrect original spelling for <i>soricis</i> , <i>Ceratophyllus</i> , Dale, 1878). Op. 1125	index
<i>Sorex</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 53 (gender: masculine) (type species, by Linnaean tautonymy: <i>Sorex araneus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 53) (Mammalia). Op. 91, Direction 24	available
<i>sorex</i> , <i>Aplysia</i> , Rang, 1828, <i>Histoire naturelle des Aplysiens, première famille de l'ordre des Tectibranches</i> , p. 57 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1844	index
<i>soricis</i> , <i>Ceratophyllus</i> , Dale, 1878, <i>History of Glanville's Wootton in the County of Dorset</i> : 291, as interpreted by reference to the neotype proposed by Smit, 1960 (<i>Bull. brit. Mus. (nat. Hist.) Entomol.</i> , 9 : expl. fig. 10, 378; <i>Entomol. Gazette</i> , 11 : 197) and designated under the plenary power (Insecta, Siphonaptera). Op. 1125	available
<i>Sorites</i> Ehrenberg, [1839], <i>Physikalische Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin</i> , 1838 (1840)[1839]: 134 (gender: masculine) (type species, by designation under the plenary power: <i>Nautilus orbiculus</i> Forsskål, 1775) (Foraminiferida). Op. 1536	available

SORITIDAE Ehrenberg, [1839], <i>Physikalische Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin</i> , 1838 (1840)[1839]: 109 (type genus: <i>Sorites</i> Ehrenberg, [1839]) (Foraminiferida). Op. 1536	available
southwoodi , <i>Stenocoris</i> , Ahmad, 1965, <i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , Suppl., 5 : 24 (specific name of the type species of <i>Erbula</i> Stål, 1873) (Insecta, Hemiptera). Op. 853	available
<i>sowerbii</i> , <i>Limax</i> , Féruccac, 1823, <i>Hist. nat. gén. partic. Moll. terrestre str. fluviat.</i> , 2 (1) Suppl. Limaces: 96 (an incorrect original spelling for <i>sowerbyi</i> , <i>Limax</i> , Féruccac, 1823). Op. 336	index
<i>sowerbyi</i> (correction of <i>sowerbii</i>), <i>Limax</i> , Féruccac, 1823, <i>Hist. nat. gén. partic. Moll. terrestre str. fluviat.</i> , 2 (1) Suppl. Limaces: 96 (Gastropoda). Op. 336	available
<i>Sowerbyus</i> Hoek, 1887, <i>Tijdschr. Nederl. dierk. Ver.</i> , (2) 1 : ccviii (a nomen nudum). Op. 588	index
<i>Spalacopsylla</i> Oudemans, 1906, <i>Tijdschr. Entomol.</i> , 49 : liii (a junior objective synonym of <i>Typhlopsylla</i> Taschenberg, 1880). Op. 741	index
<i>Spalacopsylla</i> Oudemans, 1908, <i>Entomol. Ber. Amst.</i> , 2 : 220 (a junior objective synonym of <i>Ctenophthalmus</i> Kolenati, 1856, and a junior homonym of <i>Spalacopsylla</i> Oudemans, 1906). Op. 741	index
<i>Spalerosophis</i> Jan, 1865, in Filippi, <i>Note Viaggio Persia</i> : 356 (gender: masculine) (type species, by monotypy: <i>Sphalerosophis microlepis</i> Jan, 1865, in Filippi, <i>Note Viaggio Persia</i> : 356, 357) (Reptilia). Op. 794	available
SPARIDAE Bonaparte, [1832], <i>Saggio Distrib. met. Anim. Vert.</i> : 91, 105 (type genus: <i>Sparus</i> Linnaeus, 1758) (Osteichthyes). Direction 34	available
<i>Sparisoma</i> Swainson, 1839, <i>The natural history and classification of fishes, amphibians, and reptiles, or monocardian animals</i> , vol. 2, p. 227 (gender: neuter) (type species, by designation under the plenary power: <i>Scarus chrysopterus</i> Bloch & Schneider, 1801) (Osteichthyes, Perciformes). Op. 1945	available
<i>SPAROIDES</i> Cuvier, 1817, <i>Règne Anim.</i> (ed. 1), 2 : 269 (type genus: <i>Sparus</i> Linnaeus, 1758) (a vernacular (French) name). Direction 34	index
<i>Spartycerus</i> Motschulsky, 1837, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 1837 (5): 100 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1397	index
<i>Sparus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 277 (gender: masculine) (type species, by designation by Bleeker, 1876 (<i>Arch. néerl. Sci. nat.</i> , Haarlem, 11 : 281): <i>Sparus aurata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 277) (Osteichthyes). Direction 34	available
<i>Spatagoides</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 190 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Spatagoides</i> Klein, 1778, <i>Nat. Disp. Echin.</i> (Leske's ed.): 234 (not made available in the work cited). Op. 321	index
<i>Spatagoides</i> Leske, 1778, in Klein, <i>Nat. Disp. Echin.</i> (Leske's ed.): 234 (not made available in the work cited). Op. 321	index
<i>spatagoideus</i> , <i>Echinites</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 104 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Spatagus</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : xxix, 236 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 608	index
<i>spatagus</i> , <i>Echinus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 665 (Echinoidea). Op. 608	available
SPATANGIDAE Gray, 1825, <i>Ann. Phil.</i> , 26 : 430 (type genus: <i>Spatangus</i> Gray, 1825) (Echinoidea). Op. 608	available
<i>Spatangoida</i> Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3197 (not made available in the work cited). Op. 321	index
<i>Spatangus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 190 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Spatangus</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 430 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Spatagus</i> [sic] <i>purpureus</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 236) (Echinoidea). Op. 209	available
<i>Spatangus</i> Leske, 1778, <i>Addit. J.T. Klein nat. Disp. Echin.</i> : 230 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209	index
<i>Spatangus</i> Modeer, 1793, <i>K. Vetensk.-Akad. Nya Handl.</i> , Stockholm, 14 : 14 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209	index
<i>Spatangus</i> , any use of, prior to <i>Spatangus</i> Gray, 1825 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 209	index
<i>spathulatus</i> , <i>Tydeus</i> , Oudemans, 1928, <i>Entomologische Berichten</i> , 7 : 380 (specific name of the type species of <i>Tydeus</i> Koch, 1836) (Arachnida) Op. 2190	available
<i>spechti</i> , <i>Macropodus</i> , Schreitmüller, 1936, <i>Das Aquarium</i> , 10 : 181, ruled that priority is maintained over its junior objective synonym <i>Macropodus concolor</i> Ahl, 1937 (Osteichthyes). Op. 2145	available
<i>speciosa</i> , <i>Acanthoteuthis</i> , Münster, 1839, in Münster, G. Graf zu (Ed.), <i>Beiträge zur Petrefacten-Kunde</i> , part 1, p. 94 (specific name of the type species of <i>Acanthoteuthis</i> Wagner in Münster, 1839) (Cephalopoda, Coleoidea). Op. 1860	available
<i>speciosa</i> , <i>Nucia</i> , Dana, 1852, <i>U.S. Explor. Exped.</i> , 13 : 397 (specific name of the type species of <i>Nucia</i> Dana, 1852) (Crustacea, Decapoda). Direction 36	available

<i>speciosus</i> , <i>Macacus</i> , Geoffroy, 1826, <i>Dict. class. Hist. nat.</i> , 9 : 589 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 920	index
<i>spectabilis</i> , <i>Oxypoda</i> , Maerkel, 1844, <i>Z. Entomol.</i> (Germar), 5 : 217 (specific name of the type species of <i>Oxypoda</i> Mannerheim, 1831) (Insecta, Coleoptera). Op. 463	available
<i>spectabilis</i> , <i>Platychirograpsus</i> , de Man, 1896, <i>Zool. Anz.</i> , 19 : 292 (specific name of the type species of <i>Platychirograpsus</i> de Man, 1896) (Crustacea, Decapoda). Direction 36	available
<i>spectrum</i> , <i>Psittacus</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13, ref. Edwards' pl. 315 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>spectrum</i> , <i>Psittacus</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13, ref. Edwards' pl. 316 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>specularis</i> , <i>Cyprinus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 47 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>speleus</i> , <i>Odocoileus</i> , Rafinesque, 1832, <i>Atlantic J.</i> (3): 109 (specific name of the type species of <i>Odocoileus</i> Rafinesque, 1832) (Mammalia). Op. 581	available
<i>Speloeophorus</i> Milne Edwards, 1865, <i>Ann. Soc. entomol. France</i> , (4) 5 : 148 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28); <i>Oreophorus nodosus</i> Bell, 1855, <i>Proc. linn. Soc. London</i> , 2 : 434) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>spengleri</i> , <i>Nautilus</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1(6), p. 3371 (specific name of the type species of <i>Calcarina</i> d'Orbigny, 1826) (Foraminiferida). Op. 1569	available
<i>spengleri</i> , <i>Testudo</i> , Gmelin, 1789, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 3, p. 1043 (specific name of the type species of <i>Geoemyda</i> Gray, 1834) (Reptilia). Op. 1309	available
<i>Speocarcinus</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 58 (gender: masculine) (type species, by monotypy: <i>Speocarcinus carolinensis</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 59) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Speothos</i> Lund, [April] 1839, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2) 11 : 224 ; <i>id.</i> , 1839, <i>Echo Monde savant</i> , 5 (No. 430): 245 (gender: masculine) (type species, by monotypy: <i>Speothos pacivorus</i> Lund, [April] 1839, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2) 11 : 224) (Mammalia). Op. 384	available
<i>Sperchius</i> Rafinesque, 1820, <i>Annals of Nature</i> , 1 : 7 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1133	index
<i>spetsbergensis</i> , <i>Gammarus</i> , Vosseler, 1889, <i>Arch. Naturges.</i> , 55 (1) Heft 2: 158, pl. 8, figs. 25-31 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1090	index

<i>Sphaenodon</i> Gray, 1831, <i>Zool. Miscell.</i> (1): 14 (an incorrect original spelling for <i>Sphenodon</i> Gray, 1831, rejected under the plenary power). Op. 455	index
<i>sphaericus, Ammonites</i> , Sowerby, 1814, <i>Min. Conch.</i> , 1 : 116, pl. 53, figs. 2 (left & right), as interpreted by reference to the holotype, figured by Stubblefield, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : pl. 7, figs. 1a-c) (specific name of the type species of <i>Goniatites</i> de Haan, 1825) (Cephalopoda). Op. 420	available
<i>sphaericus, Conchyliolithus Nautilites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. D[2], pl. 7, figs. 3-5 (included in a work rejected for nomenclatural purposes). Op. 420	index
SPHAERIIDAE Deshayes, 1854 (1820), <i>Catalogue of the Conchifera or bivalve shells in the collection of the British Museum</i> , part 2, p. 261 (type genus: <i>Sphaerium</i> Scopoli, 1777) (Bivalvia). Op. 1331, Op. 1957	available
SPHAERIIDAE Erichson, 1845, <i>Naturges. Ins. Deutschland</i> , Abth. 1, 3 : 38 (type genus: <i>Sphaerius</i> Waltl, 1838) (an incorrect original spelling following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Sphaerius</i> Waltl, 1838 is SPHAERIUS-). Op. 1331, Op. 1957	index
<i>Sphaerillo</i> Verhoeff, 1926, <i>Nova Caledonia, Zoologie</i> , 4 (2): 250 (an unjustified emendation of <i>Spherillo</i> Dana, 1852) (Isopoda). Op. 1951	index
<i>Sphaerium</i> Charpentier, 1825, <i>Hor. Entomol.</i> : 78 (a junior homonym of <i>Sphaerium</i> Scopoli, 1777). Direction 72	index
<i>Sphaerium</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 397 (gender: neuter) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 184): <i>Tellina cornea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 678) (Bivalvia). Op. 94, Direction 72	available
<i>Sphaerius</i> Waltl, 1838, <i>Isis</i> (Oken), 1838 : column 272 (gender: masculine) (type species, by monotypy: <i>Sphaerius acaroides</i> Waltl, 1838) (Insecta, Coleoptera). Op. 1331	available
SPHAERIUSIDAE Erichson, 1845, <i>Naturgeschichte der Insecten Deutschlands</i> , 3 : 38 (type genus: <i>Sphaerius</i> Waltl, 1838), spelling emended from SPHAERIIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Sphaerius</i> Waltl, 1838 is SPHAERIUS- (Insecta, Coleoptera). Op. 1957	available
<i>Sphaerocarcinus</i> Zehntner, 1894, <i>Rev. Suisse Zool.</i> , 2 : 163 (gender: masculine) (type species, by monotypy: <i>Sphaerocarcinus bedoti</i> Zehntner, 1894, <i>Rev. Suisse Zool.</i> , 2 : 164) (Crustacea, Decapoda). Op. 73 <i>Sphaerocera</i> Latreille, 1804, <i>Nouveau dictionnaire d'histoire naturelle</i> , vol. 24, p. 197 (gender: feminine) (type species, by subsequent monotypy by Latreille, 1805, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 14, p. 394: <i>Sphaerocera curvipes</i> Latreille, 1805) (Insecta, Diptera). Op. 1863	available
<i>Sphaeroceras</i> Bayle, 1878, <i>Explic. Carte géol. France</i> , 4 (Atlas): pls. 52, 53 (conserved under the plenary power) (gender: neuter) (type species, by designation by Douvillé, 1879 (<i>Bull. Soc. géol. France</i> , (3) 7 C.R.: 91): <i>Ammonites brongniarti</i> Sowerby, 1817, <i>Min. Conch.</i> , 2 : 190) (Cephalopoda). Op. 300	available

<i>Sphaeroceras</i> Hope, 1840, <i>Coleopterist's Manual</i> , 3 : 143 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 300	index
SPHAEROCERATIDAE Buckman, 1920, <i>Type Ammonites</i> , 3 : 22 (type genus: <i>Sphaeroceras</i> Bayle, 1878) (Cephalopoda). Direction 14	available
<i>Sphaerocoryphe</i> Angelin, 1854, <i>Pal. Scand.</i> (1): 65 (gender: feminine) (type species, by designation under the plenary power: <i>Sphaerocoryphe dentata</i> Angelin, 1854, <i>Pal. Scand.</i> (1): 66, pl. 34, fig. 6) (Trilobita). Op. 614	available
<i>Sphaerogaster</i> Zetterstedt, 1842, <i>Diptera Scandinaviae. Disposita et descripta</i> , vol. 1, p. 233 (a junior homonym of <i>Sphaerogaster</i> Sturm, 1826) (Insecta, Diptera). Op. 1545	index
<i>sphaeroidalis, Hindia</i> , Duncan, 1879, <i>Annals and Magazine of Natural History</i> , (5) 4 : 91 (specific name of the type species of <i>Hindia</i> Duncan, 1879) (Porifera). Op. 2134	available
<i>Sphaerolites</i> Hinde, 1875, <i>Abstracts of the Proceedings of the Geological Society of London</i> , 305 : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Porifera). Op. 2134	index
<i>Sphaeroma</i> Bosc, 1802, <i>Histoire naturelle des Crustacés, contenant leur description et leurs moeurs</i> , 2 : 182 (gender: neuter) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides, et des Insectes; avec un tableau méthodique de leurs genres, disposés en familles</i> , p. 423: <i>Oniscus serratus</i> Fabricius, 1787) (Isopoda). Op. 1574	available
SPHAEROMATIDAE Latreille, 1825, <i>Familles naturelles du règne animal, exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres</i> , p. 294, correction by Dahl, 1916, <i>Die Asseln oder Isopoden Deutschlands</i> , p. 28, of SPHAEROMIDES (type genus: <i>Sphaeroma</i> Bosc, 1802) (Isopoda). Op. 1574	available
<i>Sphaerometopus</i> Angelin, 1854, <i>Pal. Scand.</i> (1): IV, corrigenda (a nomen nudum). Op. 614	index
<i>Sphaerozius</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 35 (gender: masculine) (type species, by monotypy: <i>Sphaerozius nitidus</i> Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 35) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Sphalerosophis</i> Jan, 1865, in Filippi, <i>Note Viaggio Persia</i> : 356 (an incorrect original spelling for <i>Spalerosophis</i> Jan, 1865, by the action of Marx, 1959 (<i>Fieldiana (Zool.)</i> , 39 : 348) as first reviser). Op. 794	index
<i>Sphargis</i> Merrem, 1820, <i>Tent. Syst. Amph.</i> : 19 (a junior objective synonym of <i>Dermochelys</i> Blainville, 1816). Direction 56	index
<i>Sphecodes</i> Latreille, 1804, Tableau méthodique des insectes. Pp. 129-200 in: <i>Nouveau Dictionnaire d'Histoire Naturelle</i> , vol. 24 (Caractères et Tables), p. 182 (gender: masculine) (type species, by monotypy: <i>Sphex gibba</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1713	available

SPHECODIDAE Schenck, [1869], <i>Beschreiben der nassauischen Bienen, zweiter Nachtrag ...</i> , p. 316 (type genus: <i>Sphecodes</i> Latreille, 1804), ruled under the plenary power that this name and other familygroup names based on <i>Sphecodes</i> are not to be given priority over HALICTIDAE Thomson, 1869 and other family-group names based on <i>Halictus</i> Latreille, 1804 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Sphecomorpha</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>sphenocephala</i> , <i>Rana halecina</i> , Cope, 1886, <i>Proceedings of the American Philosophical Society</i> , 23 : 517, ruled under the plenary power to be given precedence over the specific name of <i>Rana utricularius</i> Harlan, 1826 whenever the two names are considered to be synonyms (Amphibia, Anura). Op. 1685	available
<i>Sphenodon</i> (emendation under the plenary power of <i>Sphaenodon</i>) Gray, 1831, <i>Zool. Miscell.</i> (1): 14 (gender: masculine) (type species, by monotypy: <i>Hatteria punctata</i> Gray, 1842, <i>Zool. Miscell.</i> (2): 72) (Reptilia). Op. 455	available
SPHENODONTIDAE Cope, 1870, <i>Proc. amer. Assoc. Adv. Sci.</i> , 19 : 235 (type genus: <i>Sphenodon</i> Gray, 1831) (Reptilia). Op. 455	available
<i>Sphenophorus</i> Breitfuss, 1898, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , (8) 6 : 4, 5 (a junior homonym of <i>Sphenophorus</i> Schoenherr, 1838). Op. 572	index
<i>Sphenophorus</i> Newberry, 1890, <i>Mon. U.S. geol. Surv.</i> , 16 : 91 (a junior homonym of <i>Sphenophorus</i> Schoenherr, 1838). Op. 572	index
<i>Sphenophorus</i> Schoenherr, 1838, <i>Gen. Spec. Curcul.</i> , 4 (2): 874 (conserved under the plenary power) (gender: masculine) (type species, by original designation: <i>Curculio abbreviatus</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 99) (Insecta, Coleoptera). Op. 572	available
<i>Sphenorynchus</i> [sic] Lichtenstein, 1823, <i>Verz. doubl. zool. Mus. Berlin</i> : 76 (gender: masculine) (type species, by monotypy: <i>Ciconia abdimii</i> Lichtenstein, 1823, <i>Verz. doubl. zool. Mus. Berlin</i> : 76) (Aves). Op. 67 <i>sphenurus</i> , <i>Apogon</i> , Klunzinger, 1884, <i>Fische des Rothen Meeres</i> , p. 20 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1564	available
<i>Spherillo</i> Dana, 1852, <i>American Journal of Science and Arts</i> , (2) 14 : 301 (gender: masculine) (type species, by designation under the plenary power: <i>Spherillo vitiensis</i> Dana, 1853) (Isopoda). Op. 1951	available
<i>Sphex</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 569 (gender: masculine) (type species, by designation under the plenary power: <i>Sphex flavipennis</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 201) (Insecta, Hymenoptera). Op. 180	available
<i>Sphincterochila</i> Ancey, 1887, <i>The Conchologists' Exchange</i> , 2 (2): 23 (gender: feminine) (type species, by subsequent designation by Pilsbry, 1895, <i>Manual of Conchology</i> , (2) 9 (33a, 36), p. 234: <i>Helix boissieri</i> Charpentier, 1847) (Gastropoda). Op. 2135	available

SPHINCTEROCHILIDAE Zilch, 1960, *Handbuch der Paläozoologie*, Band 6, Lief. 4, *Gastropoda*, p. 663 (type genus: *Sphincterochila* Ancey, 1887), to take the priority of LEUCOCHROIDAE Westerlund, 1886 (*Gastropoda*). Op. 2135

available

SPHINDIDAE Jacquelin du Val, [1861], *Manuel entomologique. Genera des coléoptères d'Europe, comprenant leur classification en familles naturelles, la description de tous les genres ...*, vol. 3, p. 224 (type genus: *Sphindus* Megerle in Dejean, 1821), ruled under the plenary power that this name and other family-group names based on *Sphindus* are to be given precedence over **ASPIDIPHORIDAE** Kiesenwetter, 1877 (1859) and other family-group names based on *Aspidiphorus* Ziegler in Dejean, 1821 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1862

available

Sphindus Megerle in Dejean, 1821, *Catalogue de la collection de coléoptères de M. le Baron Dejean*, p. 102 (gender: masculine) (type species, by monotypy: *Nitidula dubia* Gyllenhal, 1808) (Insecta, Coleoptera). Op. 1862

available

SPHINGES Scopoli, 1777, *Introd. Hist. nat.*: 413 (not clearly published as the name for a family-group taxon). Direction 41

index

SPHINGIADAЕ Harris, 1839, *Amer. J. Sci.*, **36**: 290 (type genus: *Sphinx* Linnaeus, 1758) (an incorrect subsequent spelling for **SPHINGIDAE** (correction of SPHINGIDES) Latreille, [1802]). Direction 41

index

SPHINGIDA Haeckel, 1896, *Syst. Phyl.*, **2** (Wirbellosen Thiere): 710 (type genus: *Sphinx* Linnaeus, 1758) (an incorrect subsequent spelling for **SPHINGIDAE** (correction of SPHINGIDES) Latreille, [1802]). Direction 41

index

SPHINGIDAE (correction by Samouelle, 1819 (*Entomol. useful Compendium*: 243) of SPHINGIDES) Latreille, [1802], *in* Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **3**: 400 (type genus: *Sphinx* Linnaeus, 1758) (Insecta, Lepidoptera). Direction 41

available

SPHINGIDES Latreille, [1802], *in* Sonnini's Buffon, *Hist. nat. gén. partic. Crust. Ins.*, **3**: 400 (type genus: *Sphinx* Linnaeus, 1758) (an incorrect original spelling for **SPHINGIDAE** Latreille, [1802]). Direction 41

index

SPHINGITES Newman, 1835, *Grammar Entomol.*: 174 (type genus: *Sphinx* Linnaeus, 1758) (an incorrect subsequent spelling for **SPHINGIDAE** (correction of SPHINGIDES) Latreille, [1802]). Direction 41

index

SPHINGOIDAE Wallengren, 1865, *K. Svensk. Vetensk.-Akad. Handl.*, Stockholm (n.s.), **5**(4): 17 (type genus: *Sphinx* Linnaeus, 1758) (an incorrect subsequent spelling for **SPHINGIDAE** (correction of SPHINGIDES) Latreille, [1802]). Direction 41

index

SPHINGOIDES Burmeister, 1829, *De Ins. Syst. Nat.*: 27 (type genus: *Sphinx* Linnaeus, 1758) (an incorrect subsequent spelling for **SPHINGIDAE** (correction of SPHINGIDES) Latreille, [1802]). Direction 41

index

Sphingonothus Fieber, 1852, *in* Kelch, *Grundl. Orth. Oberschles.*: 2 (an incorrect original spelling for *Sphingonotus* Fieber, 1852). Direction 5

index

<i>Sphingonotus</i> (emendation of <i>Sphingonothus</i>) Fieber, 1852, in Kelch, <i>Grundl. Orth. Oberschles.</i> : 2 (gender: masculine) (type species, by monotypy: <i>Gryllus caerulans</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 701) (Insecta, Orthoptera). Op. 149	available
<i>Sphinx</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 489 (gender: feminine) (type species, by designation under the plenary power: <i>Sphinx ligustri</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 489) (Insecta, Lepidoptera). Op. 379	available
<i>sphinx</i> , <i>Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 25, as interpreted by the neotype designated by Delson & Napier, 1976 (<i>Bull. zool. Nomencl.</i> , 33 : 54) (specific name of the type species of <i>Mandrillus</i> Ritgen, 1824) (Mammalia). Op. 1199	available
<i>Spicara</i> Rafinesque, 1810, Aprile, <i>Caratt. nuovi gen. nuove Spec. Anim. Sicilia</i> : 51 (gender: feminine) (type species, by monotypy: <i>Spicara flexuosa</i> Rafinesque, 1810, Aprile, <i>Caratt. nuovi gen. nuove Spec. Anim. Sicilia</i> : 51) (Osteichthyes). Op. 960	available
<i>Spilogale</i> Gray, 1865, <i>Proc. zool. Soc. London</i> , 1865 : 150 (gender: feminine) (type species, by monotypy: <i>Mephitis interrupta</i> Rafinesque, 1820, <i>Annals of Nature</i> : 3) (Mammalia). Op. 384	available
<i>spilomma</i> , <i>Hyla</i> , Cope, 1877, <i>Proc. amer. phil. Soc.</i> , 17 (100): 86 (Amphibia). Op. 520	available
<i>Spilothyrus</i> Duponchel, 1835, in Godart, <i>Hist. nat. Lépid. France</i> , Suppl., 1 (Diurnes): 415 (a junior objective synonym of <i>Carcharodus</i> Hübner, [1819]). Op. 270	index
<i>spinacipellitum</i> , <i>Scyllium</i> ?, Vaillant, 1888, in: Masson (Ed.), <i>Expéditions scientifiques du Travailleur et du Talisman pendant les années 1880-83</i> , p. 60 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Chondrichthyes, Carcharhiniformes). Op. 1732	index
<i>spinatus</i> , <i>Ammonites</i> , Bruguière, [1789], <i>Ency. méth.</i> , Vers, 1 (1): 40 (specific name of the type species of <i>Pleuroceras</i> Hyatt, 1867) (Cephalopoda). Op. 324	available
<i>Spindalis</i> Jardine & Selby, 1836, <i>Ill. Ornithol.</i> (n.s.) (No. 1): pl. ix (gender: masculine) (type species, by monotypy: <i>Spindalis bilineatus</i> Jardine & Selby, 1836, <i>Ill. Ornithol.</i> (n.s.) (No. 1): pl. ix, valid name: <i>Tanagra nigriceps</i> Jameson, 1835) (Aves). Op. 67	available
<i>spinicarpus</i> , <i>Prionoplax</i> , Milne Edwards, 1852, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 18 : 163 (specific name of the type species of <i>Prionoplax</i> Milne Edwards, 1852) (Crustacea, Decapoda). Direction 36	available
<i>spinicauda</i> , <i>Chlorotocus</i> , de Man, 1902, <i>Abh. Senckenb. naturf. Ges.</i> , 25 : 856 (specific name of the type species of <i>Chlorotocoides</i> Kemp, 1925) (Crustacea, Decapoda). Op. 470	available
<i>spinicauda</i> , <i>Glyphocrangon</i> , Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 3 (specific name of the type species of <i>Glyphocrangon</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>spinicauda</i> , <i>Sipunculus (Phymosomum)</i> , De Quatrefages, 1865, <i>Histoire Naturelle des Annelés marins et d'eau douce. Annélides et Géphyriens</i> , p. 621 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Sipuncula). Op. 1532	index

<i>spinicincta</i> , Richardina , Milne Edwards, 1881, <i>C.R. Acad. Sci.</i> , Paris, 93 : 933 (specific name of the type species of Richardina Milne Edwards, 1881) (Crustacea, Decapoda). Op. 712	available
<i>spinidorsalis</i> , Hemipenaeus , Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 186 (specific name of the type species of Hemipenaeus , Bate, 1881) (Crustacea, Decapoda). Op. 864	available
<i>spinifera</i> , Shantungia , Walcott, 1905, <i>Proc. U.S. nat. Mus.</i> , 29 (1415): 87, 88 (specific name of the type species of Shantungia Walcott, 1905) (Trilobita). Op. 1261	available
<i>spiniferus</i> , Productus , Howse, 1848, <i>Trans. Tyneside Nat. Field Club</i> , 1 (3): 257 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 625	index
<i>spiniferus</i> , Productus , Murchison & de Verneuil, 1845, <i>Géologie de la Russie d'Europe</i> , 1 : 223 (a nomen nudum). Op. 625	index
<i>spinifrons</i> , Hippolyte , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 377 (valid name at the date of Opinion 470 of the type species of Alope White, 1847) (Crustacea, Decapoda). Op. 470	available
<i>spiniger</i> , Athous , Candèze, 1860, <i>Mém. Soc. r. Sci. Liège</i> , 15 : 460, 461 (specific name of the type species of Harminius Fairmaire, 1851) (Insecta, Coleoptera). Op. 1334	available
<i>spinigerum</i> , Gnathostoma , Owen, [1837], <i>Proc. zool. Soc. London</i> , 4 : 125 (specific name of the type species of Gnathostoma Owen, [1837]) (Nematoda). Direction 77	available
<i>spinipes</i> , Plesionika , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 646 (valid name at the date of Opinion 470 of the type species of Parapandalus Borradaile, 1899) (Crustacea, Decapoda). Op. 470	available
<i>spinosa</i> , Acantholoma [sic], Conrad, 1841, <i>Fifth Ann. Rep. Pal. State New York</i> , Assembly No. 150: 31 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 498	index
<i>spinosipes</i> , Scalopidia , Stimpson, 1858, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1858 : 95 (specific name of the type species of Scalopidia Stimpson, 1858) (Crustacea, Decapoda). Direction 36	available
<i>spinosum</i> , Astacoderma , Harley, 1861, <i>Quarterly Journal of the Geological Society of London</i> , 17 : 550 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Conodonta). Op. 1580	index
<i>spinosus</i> , Ammonites , Sowerby, 1826, <i>Min. Conch.</i> , 6 : 78 (specific name of the type species of Kosmoceras Waagen, 1869) (Cephalopoda). Op. 303	available
<i>spinosus</i> , Crangon , Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 346 (specific name of the type species of Pontophilus Leach, [1817]) (Crustacea, Decapoda). Op. 522	available
<i>spinosus</i> , Erimetopus , Rathbun, 1894, <i>Proc. U.S. nat. Mus.</i> , 17 (No. 980): 26 (specific name of the type species of Erimetopus Rathbun, 1894) (Crustacea, Decapoda). Direction 36	available

<i>spinosus</i> , <i>Ostracion</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 35 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>spinosus</i> , <i>Sphex</i> , Forster, 1771, <i>New Sp. Ins.</i> : 87 (specific name of the type species of <i>Nysson</i> Latreille, 1796) (Insecta, Hymenoptera). Op. 1115	available
<i>spinosus</i> , <i>Stenopus</i> , Risso, 1827, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 66 (Crustacea, Decapoda). Op. 522	available
<i>Spinturnia</i> van der Hoeven, 1849, <i>Handb. Dierk.</i> (ed. 2), 1 : 670 (an unjustified emendation of <i>Spinturnix</i> von Heyden, 1826). Direction 66	index
<i>Spinturnix</i> von Heyden, 1826, <i>Isis</i> (Oken), 1826 : 612 (gender: feminine) (type species, by designation under the plenary power: <i>Pteropus myoti</i> Kolenati, [1856], <i>Paras. Chiropt.</i> : 26) (Arachnida). Op. 128	available
<i>spinulosus</i> , <i>Achaeopsis</i> , Stimpson, 1857, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 9 : 219 (specific name of the type species of <i>Achaeopsis</i> Stimpson, 1857) (Crustacea, Decapoda). Op. 712	available
<i>spinulosus</i> , <i>Entomostracites</i> , Wahlenberg, [1818], <i>Nova Acta K. vet.-Soc. Upsala</i> , 8 : 38 (specific name of the type species of <i>Parabolina</i> Salter, 1849) (Trilobita). Op. 496	available
<i>spinulosus</i> , <i>Productus</i> , Sowerby, 1814, <i>Min. Conch.</i> , 1 : 155 (specific name of the type species of <i>Krotovia</i> Fredericks, 1928) (Brachiopoda). Op. 625	available
<i>spinus</i> , <i>Cancer</i> , Sowerby, 1805, <i>Brit. Miscell.</i> , 4 : 47 (specific name of the type species of <i>Spirontocaris</i> Bate, 1888) (Crustacea, Decapoda). Op. 588	available
<i>spiratissimus</i> , <i>Ammonites</i> , Quenstedt, 1851, <i>Handbuch der Petrefaktenkunde</i> , p. 355 (specific name of the type species of <i>Vermiceras</i> Hyatt, 1889) (Ammonoidea). Op. 2123	available
<i>Spirifer</i> Sowerby, 1816, <i>Min. Conch.</i> , 2 : 41 (gender: masculine) (type species, by designation under the plenary power: <i>Conchyliolithus Anomites striatus</i> Martin, 1809, <i>Petrif. derb.</i> : sign. L[1], pl. 23, figs. 1, 2 and explic., as conserved under the plenary power and interpreted by the neotype designated by Muir-Wood, 1956 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 14 : 115, 116)) (Brachiopoda). Op. 100, Op. 419	available
<i>Spirifera</i> Murray, 1831, <i>Edinburgh new phil. J.</i> , 11 : 148 (an unjustified emendation of <i>Spirifer</i> Sowerby, 1816). Direction 72	index
<i>Spiroglyphus</i> Daudin, 1800, <i>Recueil de mémoires et de notes sur des espèces inédites ou peu connues de Mollusques, de Vers, et de Zoophytes</i> , p. 39 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>Spirontocaris</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 576, 595 (gender: feminine) (type species, by monotypy: <i>Cancer spinus</i> Sowerby, 1805, <i>Brit. Miscell.</i> , 4 : 47) (Crustacea, Decapoda). Op. 588	available
<i>Spirula</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 80 (gender: feminine) (type species, by monotypy: <i>Nautilus spirula</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 710) (Cephalopoda, Coleoidea). Op. 315	available

<i>spirula</i> , <i>Nautilus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 710 (specific name of the type species of <i>Spirula</i> Lamarck, 1799) (Cephalopoda). Op. 315	available
<i>Spirulaea</i> Agassiz, 1845, <i>Nomencl. zool.</i> (Moll.): 84 (an unjustified emendation of <i>Spirula</i> Lamarck, 1799). Op. 315	index
<i>Spirulaea</i> Oken, 1835, <i>Allgem. Naturgesch.</i> , 5 (1): 531 (a junior objective synonym of <i>Spirula</i> Lamarck, 1799). Op. 315	index
<i>spirulaeformis</i> , <i>Stoa</i> , De Serres, 1855, <i>Annales des Sciences Naturelles, Paris. Zoologie</i> , (4) 4 : 241 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>Spirularius</i> Duméril, 1806, <i>Zool. analyt.</i> : 157 (a junior objective synonym of <i>Spirula</i> Lamarck, 1799). Op. 315	index
<i>Spirulea</i> Péron & Lesueur, 1807, <i>Voy. Aust.</i> , Atlas, 1 : pl. xxx (an unjustified emendation of <i>Spirula</i> Lamarck, 1799). Op. 315	index
<i>spixii</i> , <i>Micrurus</i> , Wagler, 1824, in Spix, <i>Serpentium brasiliensium</i> ... (Munich): 48 (specific name of the type species of <i>Micrurus</i> Wagler, 1824) (Reptilia). Op. 1201	available
<i>splendens</i> , <i>Cynolebias</i> , Myers, 1942, <i>Stanford Ichthyological Bulletin</i> , 2 (4): 110 (Osteichthyes, Cyprinodontiformes). Op. 1762	available
<i>splendens</i> , <i>Staphylinus</i> , Fabricius, 1793, <i>Entomologiae Systematicae</i> ..., vol. 1, part 2, p. 523, ruled under the plenary power to be given precedence over <i>Staphylinus niger</i> Müller, 1764 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>splendidissima</i> , <i>Sphex</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 105 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>splendidulus</i> , <i>Scymnus</i> , Stenius, 1952, <i>Notulae Entomologicae</i> , 32 : 155, as defined by the neotype (type number 2659 in the Zoological Museum, Helsinki) designated by Fürsch, 1965, <i>Mitteilungen der Münchener Entomologischen Gesellschaft</i> , 55 : 204 and confirmed under the plenary power (Insecta, Coleoptera). Op. 2010	available
<i>splendidus</i> , <i>Tachinus</i> , Gravenhorst, 1806, <i>Monographia coleopterorum micropterorum</i> , p. 24 (specific name of the type species of <i>Ischnosoma</i> Stephens, 1829) (Insecta, Coleoptera). Op. 1726	available
SPONDYLIASPIDINAE (correction of SPONDYLIASPINAE) Schwarz, 1898, <i>Proc. entomol. Soc. Washington</i> , 4 : 70 (type genus: <i>Spondylaspis</i> Signoret, 1879) (Insecta, Hemiptera). Op. 725	available
<i>Spondylaspis</i> Signoret, 1879, <i>Ann. Soc. entomol. France</i> , (5) 9 Bull.: lxxxvi (gender: feminine) (type species, by designation by Taylor, 1960 (<i>Aust. J. Zool.</i> , 8 : 384); <i>Spondylaspis bancrofti</i> Signoret, 1879, <i>Ann. Soc. entomol. France</i> , (5) 9 Bull.: lxxxvi) (Insecta, Hemiptera). Op. 725	available
<i>Spondyligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Spongelia</i> Nardo, 1834, <i>Isis</i> (von Oken), 1834 : col. 714 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Porifera, Keratosa). Op. 1550	index
<i>spongicola</i> , <i>Typton</i> , Costa, 1844, <i>Ann. Accad. Aspir. Nat. Napoli</i> , 2 : 289 (specific name of the type species of <i>Typton</i> Costa, 1844) (Crustacea, Decapoda). Op. 470	available
<i>Spongiolites</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 198 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>spongiosus</i> , <i>Iphiculus</i> , Adams & White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 57 (specific name of the type species of <i>Iphiculus</i> Adams & White, [1849]) (Crustacea, Decapoda). Direction 36	available
<i>spongites</i> , <i>Eschara</i> , Pallas, 1766, <i>Elenchus Zoophytorum</i> : 45 (specific name of the type species of <i>Stylopoma</i> Levinsen, 1909) (Bryozoa). Op. 1194	available
<i>sponsa</i> , <i>Anas</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 128 (specific name of the type species of <i>Aix</i> Boie, 1828) (Aves). Direction 43	available
<i>sprengerae</i> , <i>Iodotropheus</i> , Oliver & Loiselle, 1972, <i>Revue de Zoologie et de Botanique Africaines</i> , 85 (3- 4): 310, as defined by the neotype (the male specimen PSU 2721 in the Fish Museum, Pennsylvania State University, U.S.A.) designated under the plenary power (specific name of the type species of <i>Iodotropheus</i> Oliver & Loiselle, 1972) (Osteichthyes, Perciformes). Op. 1871	available
<i>sprengleri</i> , <i>Curculio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 609 (an incorrect original spelling for <i>spengleri</i> , <i>Curculio</i> , Linnaeus, 1767). Op. 572	index
<i>spumans</i> , <i>Gryllus</i> , Thunberg, 1787, <i>Mus. Nat. Acad. Upsal.</i> , 5 : 59 (specific name of the type species of <i>Dictyophorus</i> Thunberg, 1815) (Insecta, Orthoptera). Op. 969	available
<i>spumaria</i> , <i>Cicada</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 437, as interpreted by the lectotype designated by Ossiannilsson, 1957 (<i>Opuscula Entomol.</i> , 22 : 1) (specific name of the type species of <i>Philaenus</i> Stål, 1864) (Insecta, Hemiptera). Op. 590	available
<i>spuria</i> , <i>Aplysia</i> , Krauss, 1848, <i>Die sudafric. Moll.</i> : 71, 72 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 560	index
<i>squamata</i> , <i>Asterias</i> , Della Chiaje, 1828, <i>Memorie sulla storia e notomia degli animali senza vertebre del Regno di Napoli</i> , vol. 3, p. 77 (Ophiuroidea). Op. 1560	available
<i>squammosa</i> , <i>Virgulina</i> , d'Orbigny, 1826, <i>Annales des Sciences Naturelles</i> , 7 : 267, as defined by the neotype (specimen no. P 52796 in the Micropalaeontology Collections of the Natural History Museum, London) designated by Revets, 1995, <i>Bulletin of Zoological Nomenclature</i> , 52 : 176 (specific name of the type species of <i>Furstenkoina</i> Loeblich & Tappan, 1961) (Foraminiferida). Op. 1834	available
<i>Squilla</i> Fabricius, 1780, <i>Fauna groenl.</i> : 248 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index

<i>Squilla</i> Fabricius, 1781, <i>Spec. Ins.</i> , 1 : 514 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>Squilla</i> Fabricius, 1787, <i>Mantissa Ins.</i> , 1 : 333 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Cancer mantis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 633) (Crustacea, Stomatopoda). Op. 186	available
<i>Squilla</i> Gronovius, 1760, <i>Acta Helv.</i> , 4 : 38 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>Squilla</i> Gronovius, 1764, <i>Zoophylac. gronov.</i> , 2 : 232 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>Squilla</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 197 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>Squilla</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 405 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>Squilla</i> , any use of, prior to <i>Squilla</i> Fabricius, 1787 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Direction 1	index
<i>squilla</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 632 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 564	index
SQUILLIDAE (correction of SQUILLARES) Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 36 (type genus: <i>Squilla</i> Fabricius, 1787) (Crustacea, Stomatopoda). Op. 785	available
<i>quinado</i> , <i>Cancer</i> , Herbst, 1788, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (7): 214 (specific name of the type species of <i>Maja</i> Lamarck, 1801) (Crustacea, Decapoda). Op. 511	available
<i>stagnalis</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 774 (specific name of the type species of <i>Lymnaea</i> Lamarck, 1799) (Gastropoda). Op. 336	available
<i>stagnata</i> , <i>Phalaena</i> , Donovan, 1806, <i>Natural History of British Insects</i> , vol. 11, p. 10 (specific name of the type species of <i>Nymphula</i> Schrank, 1802) (Insecta, Lepidoptera). Op. 1406	available
<i>stairi</i> , <i>Caloenas (Phlegoenas)</i> , Gray, 1856, <i>Proc. zool. Soc. London</i> , 24 : 7 (Aves). Op. 409	available
<i>Stalioa</i> Brusina, 1870, <i>Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien</i> , 20 : 937 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Cossmann, 1893, <i>Annales de la Société Royale Malacologique de Belgique</i> , 28 : 15: <i>Paludina desmarestii</i> Prevost, 1821) (Gastropoda). Op. 1965	available

<i>Stalioia</i> Fischer, 1885, in: <i>Manuel de conchyliologie et de paléontologie conchyliologique ou histoire naturelle des mollusques vivants et fossiles</i> , p. 731 (an unnecessary substitute name and junior objective synonym of <i>Stalioa</i> Brusina, 1870) (Gastropoda). Op. 1965	index
<i>stannii, Akrostomum</i> , Grube, 1840, <i>Actinien, Echinodermen und Würmer des Adriatischen- und Mittelmeers</i> , p. 57 (specific name of the type species of <i>Akrostomum</i> Grube, 1840) (Nemertea). Op. 2016	available
<i>Staphylinus</i> Reed, 1874, <i>Anal. Univ. Chile</i> , 45 : 353 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Staphilinus</i> Brahm, 1790, <i>Insecktenkalendar f. Samml. u. Oekonomien</i> (1): xxviii (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Staphilynus</i> Schaeffer, 1779, <i>Icon. Ins.</i> , 3 : index (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Staphlinus</i> Rau, 1944, <i>Entomol. News</i> , 55 : 15 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>staphylaea, Chrysomela</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 370 (specific name of the type species of <i>Chrysolina</i> Motschulsky, 1860) (Insecta, Coleoptera). Op. 1279	available
STAPHYLINIDAE (correction by Westwood, 1838, of STAPHYLINII) Latreille, [1803-1804], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 9 : 172 (type genus: <i>Staphylinus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 546	available
STAPHYLINII Latreille, [1803-1804], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 9 : 172 (type genus: <i>Staphylinus</i> Linnaeus, 1758) (an incorrect original spelling for STAPHYLINIDAE Latreille, [1803- 1804]). Op. 546	index
<i>Staphylinius</i> Redtenbacher, 1857, <i>Fauna austriac.</i> (ed. 2): 133 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Staphylinns</i> Perty, 1830, <i>Del. anim. artic. Brazil</i> : 4 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Staphylinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 421 (gender: masculine) (type species, by designation under the plenary power: <i>Staphylinus erythropterus</i> (emendation under the plenary power of <i>erythropterus</i>) Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 422) (Insecta, Coleoptera). Op. 546	available
<i>Staphytinus</i> Dauguet, 1946, <i>L'Entomologiste</i> , 2 : 238 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Stapilinus</i> Berkenhout, 1795, <i>Syn. nat. Hist. Brit.</i> (ed. 3), 1 : 318 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Staplylinus</i> Thomson, 1860, <i>Skand. Coleopt.</i> , 2 : 135 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index

<i>Staphylinus</i> Fairmaire & Laboulbène, 1856, <i>Faun. entomol. franç.</i> , 1 : 377 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
STATOMYDAE [sic] Latreille, [1802], in Sonnini's <i>Buffon, Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 445 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect original spelling for STRATOMYIDAE Latreille, [1802]). Op. 442	index
<i>statzi, Drosophila</i> , Ashburner & Bächli, 2004, <i>Bulletin of Zoological Nomenclature</i> , 61 : 166 (replacement name for <i>Drosophila elegans</i> Statz, 1940) (Insecta, Diptera). Op. 2143	available
<i>Staurodoris</i> Bergh, 1878, in Semper (Ed.), <i>Reisen im Archipel der Philippinen</i> , Theil 2, Band 2, p. 578 (a junior objective synonym of <i>Doris</i> Linnaeus, 1758) (Gastropoda). Op. 1980	index
<i>Staurogmus</i> Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 28 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5) 5 : 144) (a junior objective synonym of <i>Sao</i> Barrande, 1846). Op. 512	index
<i>Staurograpsus</i> Emmons, 1855, <i>Amer. Geol.</i> , 1 : 108 (ruled under the plenary power to be an incorrect original spelling for <i>Staurograptus</i> Emmons, 1855). Op. 650	index
<i>Staurograptus</i> (emendation of <i>Staurograpsus</i>) Emmons, 1855, <i>Amer. Geol.</i> , 1 : 108 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Staurograpsus</i> [sic] <i>dichotomous</i> Emmons, 1855, <i>Amer. Geol.</i> , 1 : 109) (Graptolithina). Op. 650	available
<i>stearnsii, Loligo</i> , Hemphill, 1892, <i>Zoë</i> , 3 : 51, ruled under the plenary power not to be given priority over the specific name <i>opalescens</i> Berry, 1911, as published in the binomen <i>Loligo opalescens</i> , by those who regard both as denoting the same taxon (Cephalopoda). Op. 1122	available
<i>Stegomyia</i> Theobald, 1901, in Howard, <i>Mosquitoes</i> : 127, fig. 1 (gender: feminine) (type species, by designation by Neveu-Lemaire, 1902 (<i>Mém. Soc. zool. France</i> , 12 : 212); <i>Culex fasciatus</i> Fabricius, 1805, <i>Syst. Antiat.</i> : 36) (Insecta, Diptera). Op. 711	available
<i>Stegopontonia</i> Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 258 (gender: feminine) (type species, by monotypy: <i>Stegopontonia commensalis</i> Nobili, 1906, <i>Bull. Mus. Hist. nat.</i> , Paris, 12 : 258) (Crustacea, Decapoda). Op. 470	available
<i>Stegoporus</i> Wiegmann, 1832, in Wiegmann & Ruthe, <i>Handb. Zool.</i> (ed. 2): 204 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 649	index
<i>Stegopterus</i> Burmeister & Schaum, 1840, <i>Zeitschrift für die Entomologie</i> , 2 (2): 404 (gender: masculine) (type species, by subsequent designation by Smith, 2004, <i>Coleopterists' Bulletin</i> , 58 (2): 288; <i>Trichius suturalis</i> Gory & Percheron, 1833) (Insecta, Coleoptera). Op. 2162	available
<i>steindachneri, Trionyx</i> , Siebenrock, 1906, <i>Zool. Anzeiger</i> , 30 : 579 (Reptilia). Op. 1236	available

STELIIDAE Schenck, 1860, <i>Stettiner Entomologische Zeitung</i> , 21 : 141 (type genus: <i>Stelis</i> Panzer, 1806), ruled under the plenary power that this name and other family-group names based on <i>Stelis</i> are not to be given priority over ANTHIDIIDAE Ashmead, 1899 and other family-group names based on <i>Anthidium</i> Fabricius, 1804 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 1713	available
<i>Stelis</i> Panzer, 1806, <i>Kritische Revision der Insektenfaune Deutschlands ...</i> , vol. 2, p. 246 (gender: feminine) (type species, by monotypy: <i>Apis aterrima</i> Panzer, 1798, a junior homonym of <i>Apis aterrima</i> Christ, 1791 and a subjective synonym of <i>Apis punctulatissima</i> Kirby, 1802) (Insecta, Hymenoptera). Op. 1713	available
<i>stellaris, Ammonites</i> , Sowerby, 1815, <i>Min. Conch.</i> , 1 : 211, pl. 93 (specific name of the type species of <i>Asteroceras</i> Hyatt, 1866) (Cephalopoda). Op. 324	available
<i>Stellarum</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 62 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>stellata, Calcarina</i> , Féruccac, 1827, <i>Bulletin des Sciences Naturelles et de Géologie</i> , 10 : 182 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1464	index
<i>Stellatum, Corallium</i> , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 60 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>stellatus, Cancer (Astacus)</i> , Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 89 (specific name of the type species of <i>Upogebia</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 434	available
<i>Stellio</i> Daudin, [1802], in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 4 : 5 (a junior homonym of <i>Stellio</i> Laurenti, 1768). Op. 565	index
STELLIONIDAE Bell, 1825, <i>Zool. J.</i> , 1 : 457 (type genus: <i>Stellio</i> Daudin, [1802]) (invalid because the name of the type genus is a junior homonym). Op. 565	index
STELLIONIDAE Gray, 1825, <i>Ann. Phil.</i> , (2) 10 : 196 (type genus: <i>Stellio</i> Daudin, [1802]) (a junior objective synonym of STELLIONIDAE Bell, 1825, and invalid because the name of the type genus is a junior homonym). Op. 565	index
<i>Stenancistrocerus</i> Saussure, 1863, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 17 : 216 (gender: masculine) (type species: <i>Odynerus atropos</i> Lepeletier, 1841, in Roret's Suites à Buffon, <i>Hymenopt.</i> , 2 : 661) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Stenella</i> Gray, 1866, <i>Proceedings of the Zoological Society of London</i> , 1866 : 213 (gender: feminine) (type species, by monotypy: <i>Steno attenuatus</i> Gray, 1846) (Mammalia, Cetacea). Op. 1660	available
<i>Stenochisma</i> Schuchert, 1897, <i>Bull. U.S. geol. Surv.</i> , 87 : 413 (an incorrect subsequent spelling for <i>Stenoscisma</i> Conrad, 1839). Op. 770	index
<i>Stenoscisma</i> Hall, 1847, <i>Nat. Hist. New York</i> , Paleontol., 1 : 142 (an incorrect subsequent spelling for <i>Stenoscisma</i> Conrad, 1839). Op. 770	index

<i>Stenocoris</i> Burmeister, 1839, <i>Hand. Entomol.</i> , 2 : 1010 (gender: masculine) (type species, by monotypy: <i>Cimex tipuloides</i> de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 354) (Insecta, Hemiptera). Op. 800	available
<i>Stenocorus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 1, p. 221 (gender: masculine) (type species, by designation under the plenary power: <i>Leptura meridiana</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1754	available
<i>Stenodema</i> Laporte, [1833], <i>Essai. Class. syst. Hémipt.</i> : 36-40 (gender: neuter) (type species, by monotypy: <i>Cimex virens</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 730) (Insecta, Hemiptera). Op. 898	available
STENODEMINI China, 1943, <i>Gen. Names Brit. Ins.</i> , 8 : 255, 296 (type genus: <i>Stenodema</i> Laporte, [1833]) (Insecta, Hemiptera). Op. 898	available
<i>Stenodynerus</i> Saussure, 1863, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 17 : 228 (gender: masculine) (type species: <i>Odynerus chinensis</i> Saussure, 1863, <i>Mém. Soc. Phys. Hist. nat. Genève</i> , 17 : 230) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>Stenopelmatus</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2) (No. 1): 720 (gender: masculine) (type species, by designation by Kirby, 1906 (<i>Syn. Cat. Orthopt.</i> , 2 : 111): <i>Stenopelmatus talpa</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2) (No. 1): 721) (Insecta, Orthoptera). Op. 149	available
STENOPIDAE Huxley, [1879], <i>Proc. zool. Soc. London</i> , 1878 : 785 (type genus: <i>Stenopus</i> Latreille, 1819) (an incorrect original spelling for STENOPODIDAE Huxley, [1879]). Op. 522	index
<i>Stenopoda</i> Laporte, [1833], <i>Essai class. Syst. Hemipt., Mag. Zool.</i> , 2 Suppl.: 26 (gender: feminine) (type species, by monotypy: <i>Stenopoda cinerea</i> Laporte, [1833], <i>Essai class. Syst. Hemipt., Mag. Zool.</i> , 2 Suppl.: 26) (Insecta, Hemiptera). Op. 868	available
STENOPODAINAE (emendation under the plenary power of STENOPODIDA) Stål, 1859, <i>Berlin entomol. Zeit.</i> , 3 : 328 (type genus: <i>Stenopoda</i> Laporte, [1833]) (Insecta, Hemiptera). Op. 868	available
STENOPODIDAE (correction by Smith & Weldon, 1909, of STENOPIDAE) Huxley, [1879], <i>Proc. zool. Soc. London</i> , 1878 : 785 (type genus: <i>Stenopus</i> Latreille, 1819) (Crustacea, Decapoda). Op. 522	available
STENOPODINAE (emendation of STENOPODIDA) Stål, 1859, <i>Berlin entomol. Zeit.</i> , 3 : 328 (type genus: <i>Stenopoda</i> Laporte, [1833]) (an incorrect original spelling for STENOPODAINAE Stål, 1859). Op. 868	index
<i>Stenops</i> Illiger, 1811, <i>Prodromus systematis Mammalium et Avium ...</i> , p. 73 (a junior objective synonym of <i>Loris</i> E. Geoffroy Saint-Hilaire, 1796) (Mammalia, Primates). Op. 1922	index
<i>Stenopus</i> Latreille, 1819, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 30 : 71 (gender: masculine) (type species, by monotypy: <i>Palaemon hispidus</i> Olivier, 1811, <i>Ency. méth.</i> , 8 (Ins.): 666) (Crustacea, Decapoda). Op. 522	available

<i>Stenorhynchus</i> (emendation under the plenary power of <i>Stenorhynchus</i>) Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 236 (gender: masculine) (type species, by designation under the plenary power: <i>Cancer seticornis</i> Herbst, 1788, <i>Vers. Naturgesch. Krabben Krebse</i> , 1 (7): 229) (Crustacea, Decapoda). Op. 763	available
<i>Stenorhynchus</i> Smith, 1849, <i>Illustrations of the zoology of South Africa ... Reptilia, Appendix</i> , pp. 23-24 (a junior homonym of <i>Stenorhynchus</i> Hemrich, 1820) (Amphibia, Anura). Op. 1921	index
<i>Stenorhynchus</i> Lamarck, 1818, <i>Hist. nat. Anim. sans Vertèbr.</i> , 5 : 236 (ruled under the plenary power to be an incorrect original spelling for <i>Stenorhynchus</i> Lamarck, 1818). Op. 763	index
<i>Stenoschisma</i> Oehlert, 1887, in Fischer, <i>Manuel Conchyl.</i> : 1309 (an unjustified emendation of <i>Stenoscisma</i> Conrad, 1839). Op. 770	index
STENOSCHISMATINAE Oehlert, 1887, in Fischer, <i>Man. Conchyl.</i> : 1304 (type genus: <i>Stenoscisma</i> Conrad, 1839) (an incorrect original spelling for STENOSCISMATINAE Oehlert, 1887). Op. 770	index
<i>Stenoscisma</i> Conrad, 1839, <i>Second ann. Rept. New York geol. Surv.</i> : 59 (gender: neuter) (type species, by monotypy: <i>Terebratula schlotheimii</i> von Buch, [1834], <i>Abh. K.-preuss. Akad. Wiss., Berlin</i> , 1833 : 59) (Brachiopoda). Op. 770	available
STENOSCISMATINAE (correction of STENOSCHISMATINAE) Oehlert, 1887, in Fischer, <i>Man. Conchyl.</i> : 1304 (type genus: <i>Stenoscisma</i> Conrad, 1839) (Brachiopoda). Op. 770	available
<i>Stentor</i> Geoffroy Saint-Hilaire, 1812, <i>Ann. Mus. Hist. nat.</i> , Paris, 19 (110): 107 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 418	index
<i>Stentor</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): 45 (gender: masculine) (type species, by designation under the plenary power: <i>Stentor muelleri</i> Ehrenberg, [1832], <i>Abh. K.-preuss. Akad. Wiss., Berlin</i> , 1831 : 99, as interpreted by reference to the description and figures published by Ehrenberg, 1838 (<i>Die Infusionsth.</i> : 262)) (Ciliophora). Op. 418	available
<i>stentorea</i> , <i>Hydra</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1321 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 418	index
<i>Stentorella</i> Reichenbach, 1828, <i>Allg. Taschenb. Naturwiss.</i> , 5 (Zool. 1): 95 (a junior objective synonym of <i>Stentor</i> Oken, 1815). Op. 418	index
<i>stentoria</i> , <i>Hydra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 817 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 418	index
STENTORIDAE (correction of STENTORINA) Stein, 1867, <i>Organ. Infus.</i> , 2 : 217 (type genus: <i>Stentor</i> Oken, 1815) (Ciliophora). Direction 62	available
STENTORINA Stein, 1867, <i>Organ. Infus.</i> , 2 : 217 (type genus: <i>Stentor</i> Oken, 1815) (an incorrect original spelling for STENTORIDAE Stein, 1867). Direction 62	index

<i>Stephanoceras</i> Waagen, 1869, <i>Geogn.-Pal. Beitr.</i> , 2 : 248 (gender: neuter) (type species, by designation by Buckman, 1898 (<i>Quart. J. geol. Soc. London</i> , 54 : 454): <i>Ammonites humphriesianus</i> Sowerby, 1825, <i>Min. Conch.</i> , 5 : 161, pl. 500, fig. 1) (Cephalopoda). Op. 324	available
STEPHANOCERATINAE (correction by Zittel, 1884 (<i>Grundzüge Paläont.</i> : 467) of STEPHANOCERATINEN) Neumayr, 1875, <i>Z. deutsche geol. Ges.</i> , 27 : 905 (type genus: <i>Stephanoceras</i> Waagen, 1869) (Cephalopoda). Direction 14	available
STEPHANOCERATINEN Neumayr, 1875, <i>Z. deutsche geol. Ges.</i> , 27 : 905 (type genus: <i>Stephanoceras</i> Waagen, 1869) (an incorrect original spelling for STEPHANOCERATIDAE Neumayr, 1875). Direction 14	index
STEPHANURIDA Molin, 1861, <i>Mem. Ist. Veneto Sci. Lett. Arti</i> , 9 : 436, 578 (type genus: <i>Stephanurus</i> Diesing, 1839) (an incorrect original spelling for STEPHANURIDAE Molin, 1861). Direction 28	index
STEPHANURIDAE (correction by Railliet, Henry & Bauche, 1919 (<i>Bull. Soc. Path. exot.</i> , 12 (6): 324) of STEPHANURIDA Molin, 1861, <i>Mem. Ist. Veneto Sci. Lett. Arti</i> , 9 : 436, 578 (type genus: <i>Stephanurus</i> Diesing, 1839) (Nematoda). Direction 28	available
<i>Stephanurus</i> Diesing, 1839, <i>Ann. wiener Mus. Naturgesch.</i> , 2 (2): 232 (gender: masculine) (type species, by monotypy: <i>Stephanurus dentatus</i> Diesing, 1839, <i>Ann. wiener Mus. Naturgesch.</i> , 2 (2): 232) (Nematoda). Op. 340	available
<i>stepheni</i> , <i>Tychius</i> , Schönherr, 1836, <i>Genera et species Curculionidum, cum synonymia</i> , vol. 3, part 1, p. 412 (an incorrect original spelling of <i>Tychius stephensi</i>) (Insecta, Coleoptera). Op. 1387	index
<i>stephensi</i> , <i>Tychius</i> , Schönherr, 1836, <i>Genera et species Curculionidum, cum synonymia</i> , vol. 3, part 1, p. 412, correct original spelling of <i>Tychius stepheni</i> , as defined by the lectotype designated by Clark, 1971, <i>Brigham Young University Science Bulletin</i> , 13 (3): 10 (Insecta, Coleoptera). Op. 1387	available
<i>stephensonii</i> , <i>Physcosoma</i> , Stephen, 1942, <i>Annals of the Natal Museum</i> , 10 (2): 250 (Sipuncula). Op. 1532	available
<i>Stepheoceras</i> Buckman, 1898, <i>Quart. J. geol. Soc. London</i> , 54 : 454 (a junior objective synonym of <i>Stephanoceras</i> Waagen, 1869). Op. 324	index
STEPHEOCERATIDAE Buckman, 1898, <i>Quart. J. geol. Soc. London</i> , 54 : 461 (type genus: <i>Stepheoceras</i> Buckman, 1898) (a junior objective synonym of STEPHANOCERATIDAE (correction of STEPHANOCERATINEN) Neumayr, 1875, the respective type genera of the two families having the same nominal species as type species). Direction 14	index
<i>stercoralis</i> , <i>Rhabditis</i> , Bavay, 1876, <i>C.R. Acad. Sci.</i> , Paris, 83 : 694-696 (valid name at the date of Direction 77 of the type species of <i>Strongyloides</i> Grassi, 1879) (Nematoda). Direction 77	available
<i>stercorarius</i> , <i>Scarabaeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 349 (specific name of the type species of <i>Geotrupes</i> Latreille, 1796) (Insecta, Coleoptera). Op. 346	available

<i>Stereomastis</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 154 (conserved under the plenary power) (gender: feminine) (type species, by designation by Holthuis, 1962 (<i>Bull. zool. Nomencl.</i> , 19 : 183); <i>Pentacheles suhmi</i> Bate, 1878, <i>Ann. Mag. nat. Hist.</i> , (5) 2 : 278) (Crustacea, Decapoda). Op. 702	available
<i>Sterna</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 137 (gender: feminine) (type species, by Linnaean tautonymy: <i>Sterna hirundo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 137) (Aves). Direction 17	available
<i>sternalis</i> , <i>Spatangus</i> , Lamarck, 1816, <i>Hist. nat. Anim. sans Vertèbr.</i> , 3 : 31 (specific name of the type species of <i>Metalia</i> Gray, 1855) (Echinoidea). Op. 608	available
<i>sternberghii</i> , <i>Xanthodius</i> , Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 52 (specific name of the type species of <i>Xanthodius</i> Stimpson, 1859) (Crustacea, Decapoda). Direction 36	available
STERNOTHAERINA Bell, 1825, <i>Zoological Journal</i> , 2 : 302, unavailable since the type genus is suppressed under the plenary power (type genus: <i>Sternothaerus</i> Bell, 1825) (Reptilia, Testudines). Op. 1534	index
<i>Sternotherus</i> Gray, 1825, <i>Annals of Philosophy</i> , (2) 10 : 211 (gender: masculine) (type species, by subsequent designation by Stejneger, 1902, <i>Proceedings of the Biological Society of Washington</i> , 15 : 237; <i>Testudo odorata</i> Latreille, 1801) (Reptilia, Testudines). Op. 1534	available
<i>Stethaspis</i> Hope, 1837, <i>Coleopt. Man.</i> : 105 (gender: feminine) (type species, by designation under the plenary power: <i>Melolontha suturalis</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 34) (Insecta, Coleoptera). Op. 1244	available
<i>stewarti</i> , <i>Cetiosauriscus</i> , Charig, 1980, in Jacobs (Ed.), <i>Aspects of vertebrate history: essays in honor of Edwin Harris Colbert</i> , p. 242 (specific name of the type species of <i>Cetiosauriscus</i> Huene, 1927) (Reptilia, Sauropodomorpha). Op. 1801	available
<i>stewarti</i> , <i>Nephropsis</i> , Wood-Mason, 1872, <i>Proc. asiat. Soc. Bengal</i> , 1872 : 151 (specific name of the type species of <i>Nephropsis</i> Wood-Mason, 1872) (Crustacea, Decapoda). Op. 559	available
<i>Stichocera</i> Hine, 1920, <i>Ohio J. Sci.</i> , 20 : 185 (a junior objective synonym of <i>Elaphella</i> Bezzi, 1913). Op. 530	index
<i>Stictostroma</i> Parks, 1936, <i>University of Toronto Studies, Geological Series</i> , 39 : 77 (gender: neuter) (type species, by designation under the plenary power: <i>Stictostroma gorriense</i> Stearn, 1995), the generic name ruled under the plenary power to be available despite the lack of a validly fixed type species at the time of publication (Stromatoporoidea). Op. 1843	available
<i>stigmatellus</i> , <i>Anthocoris</i> , Zetterstedt, 1838, <i>Ins. Lapp.</i> : 266 (Insecta, Hemiptera). Op. 863	available

<i>stigmatosoma</i> , <i>Culex</i> , Dyar, 1907, <i>Proceedings of the United States National Museum</i> , 32 (1516): 121 (Insecta, Diptera). Op. 1644	available
<i>stigmatosus</i> , <i>Julus</i> , Eichwald, 1830, <i>Zoologia specialis</i> , Pars altera: 124 (specific name of the type species of <i>Strongylosoma</i> Brandt, 1833) (Diplopoda). Op. 936	available
<i>Stilesia</i> Stiles & Hassall, 1893, <i>Bull. U.S. Bur. Anim. Ind.</i> , 4 : 73 (gender: feminine) (type species, by original designation: <i>Taenia globipunctata</i> Rivolta, 1874, <i>Sopra alcune specie Tenie pecore</i> : 3) (Cestoda). Op. 77, Direction 76	available
<i>Stilpon</i> Loew, 1859, <i>Programm der Königlichen Realschule zu Meseritz</i> , 1859 : 35 (gender: masculine) (type species, by subsequent designation by Loew, 1864, <i>Zeitschrift für Entomologie</i> (Breslau), 14 (for 1860): 5: <i>Tachydromia graminum</i> Fallén, 1815) (Insecta, Diptera). Op. 1881	available
<i>stirynchus</i> (emendation under the plenary power of <i>stirynchus</i>), <i>Axius</i> , Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 343 (specific name of the type species of <i>Axius</i> Leach, 1815) (Crustacea, Decapoda). Op. 712	available
<i>stirynchus</i> , <i>Axius</i> , Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 343 (ruled under the plenary power to be an incorrect original spelling for <i>stirynchus</i> , <i>Axius</i> , Leach, 1815). Op. 712	index
<i>Stoa</i> De Serres, 1855, <i>Annales des Sciences Naturelles, Paris. Zoologie</i> , (4) 4 : 238 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1425	index
<i>Stolephorus</i> Lacepède, 1803, <i>Hist. nat. Poissons</i> , 5 : 381 (gender: masculine) (type species, by designation under the plenary power: <i>Stolephorus commersonii</i> Lacepède, 1803, <i>Hist. nat. Poissons</i> , 5 : 381) (Osteichthyes). Op. 93, Op. 749	available
<i>Stoliva</i> Fuchs, 1877, <i>Zeitschrift der Deutschen Geologischen Gesellschaft</i> , 29 (4): 682 (an incorrect subsequent spelling of <i>Staliaoa</i> Brusina, 1870) (Gastropoda). Op. 1965	index
<i>stollii</i> , <i>Zaitha</i> , Amyot & Serville, 1843, <i>Histoire naturelle des insectes. Hémiptères</i> , p. 40 (Insecta, Heteroptera). Op. 1850	available
<i>Stolotermes</i> Hagen, 1858, <i>Linnaea Entomologica</i> , 12 : 105 (gender: masculine) (type species, by monotypy: <i>Hodotermes</i> (<i>Stolotermes</i>) <i>brunneicornis</i> Hagen, 1858) (Insecta, Isoptera). Op. 2124	available
STOLOTERMITINAE Holmgren, 1910, <i>Zoologischer Anzeiger</i> , 35 : 285 (type genus: <i>Stolotermes</i> Hagen, 1858), ruled under the plenary power that it and other family-group names based on <i>Stolotermes</i> are not to be given priority over TERMOPSIDAE Holmgren, 1911 and other family-group names based on <i>Termopsis</i> Heer, 1849 whenever their type genera are placed in the same family-group taxon (Insecta, Isoptera). Op. 2124	available
<i>Stomatiigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
STOMOXIDAE Meigen, 1824, <i>Syst. Beschr. zweifl. Ins.</i> , 4 : xi (type genus: <i>Stomoxys</i> Geoffroy, 1762) (an incorrect original spelling for STOMOXYIDAE Meigen, 1824). Op. 441	index

STOMOXYDINAE Bezzi, 1894, <i>Atti Soc. Veneto-Trentino Sci. nat. Padova</i> , (2)1(2): 314 (type genus: <i>Stomoxys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STOMOXYIDAE (correction of STOMOXIDAE) Meigen, 1824). Op. 441	index
STOMOXYIDAE (correction of STOMOXIDAE) Meigen, 1824, <i>Syst. Beschr. zweifl. Ins.</i> , 4: xi (type genus: <i>Stomoxys</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
<i>Stomoxys</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 797 (a junior homonym of <i>Stomoxys</i> Geoffroy, 1762). Op. 441	index
<i>Stomoxys</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2: 449, 538 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Conops calcitrans</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 604) (Insecta, Diptera). Op. 441	available
<i>Stophylinus</i> Zetterstedt, 1828, <i>Fauna Ins. lapp.</i> (1): 45 (an incorrect subsequent spelling for <i>Staphylinus</i> Linnaeus, 1758). Op. 546	index
<i>Storeria</i> Baird & Girard, 1853, <i>Cat. N. Amer. Rept. Mus. Smithson. Inst.</i> (1): 135 (gender: feminine) (type species, by original designation: <i>Tropidonotus dekayi</i> Holbrook, 1842, <i>North Amer. Herpet.</i> , 4: 54) (Reptilia). Op. 632	available
<i>Storthodon</i> Zittel, 1881, <i>Handb. Paläont., Paläozool.</i> , 2: 62 (a junior objective synonym of <i>Cardinia</i> Agassiz, [1841]). Op. 292	index
<i>strambergensis, Sclerocrinus</i> , Jaekel, 1891, <i>Zeitschrift der Deutschen geologischen Gesellschaft</i> , 43: 623 (specific name of the type species of <i>Sclerocrinus</i> Jaekel, 1891) (Crinoidea). Op. 2155	available
<i>stramineus, Hybognathus</i> , Cope, 1865, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 16(8): 283, as defined by the lectotype (catalogue no. ANSP 4131 in the Museum of Zoology, University of Michigan) designated by Fowler, 1910, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 62: 274 (Osteichthyes). Op. 1991	available
STRATIOMIDAE Westwood, 1840, <i>Introd. mod. Class. Ins.</i> , 2: 531 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIOMYDAE [sic]) Latreille, [1802])). Op. 442	index
STRATIOMYADA Harris, 1841, <i>Rep. Ins. Mass. injur. Veget.</i> : 408 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIOMYDAE [sic]) Latreille, [1802])). Op. 442	index
STRATIOMYDAE Latreille, 1803, <i>Nouv. Dict. Hist. nat.</i> , 21: 246 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIOMYDAE [sic]) Latreille, [1802])). Op. 442	index
STRATIOMYDES [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9(1): 161; [id], [1817], <i>ibid.</i> 12: 156 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIOMYDAE [sic]) Latreille, [1802])). Op. 442	index
STRATIOMYDIDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 115 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIOMYDAE [sic]) Latreille, [1802])). Op. 442	index

<i>Stratiomyia</i> Macquart, 1838, <i>Mém. Soc. r. Sci. Lille</i> , 1838 (2): 183 (an unjustified emendation of <i>Stratiomys</i> Geoffroy, 1762). Op. 442	index
STRATIOMYIDAE (correction by Loew, 1860 (<i>Dipt. Fauna Sudafrica</i> : vii, 1) of STATIONYDAE [sic] Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 445 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (Insecta, Diptera). Op. 442	available
STRATIOMYIIDAE Comstock & Comstock, 1893, <i>Man. Study Ins.</i> : 418, 455 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIONYDAE [sic] Latreille, [1802])). Op. 442	index
<i>Stratiomys</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 449, 475 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: Musca chamaeleon Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 589) (Insecta, Diptera). Op. 442	available
STRATIOMYTES Blanchard, 1845, <i>Hist. Ins.</i> , 2 : 472 (type genus: <i>Stratiomys</i> Geoffroy, 1762) (an incorrect subsequent spelling for STRATIOMYIDAE (correction of STATIONYDAE [sic] Latreille, [1802])). Op. 442	index
<i>strepitans</i> , <i>Cicadetta</i> , Kirkaldy, 1909, <i>Trans. N.Z. Inst.</i> , 41 : 28 (Insecta, Hemiptera). Op. 1136	available
<i>strepitans</i> , <i>Columbina</i> , Spix, 1825, <i>Avium Spec. nov. Brasil.</i> , 2 : 57 (specific name of the type species of <i>Columbina</i> Spix, 1825) (Aves). Direction 35	available
<i>Streptograptus</i> Yin, 1937, <i>Bulletin of the Geological Society of China</i> , 16 : 297 (gender: masculine) (type species, by designation under the plenary power: Graptolithus plumosus Baily, 1871) (Graptolithina). Op. 1714	available
<i>Streptoprocne</i> Oberholser, 1906, <i>Proc. biol. Soc. Washington</i> , 19 : 69 (gender: feminine) (type species, by original designation: <i>Hirundo zonaris</i> Shaw, 1796, in Miller, <i>Cimelia physica</i> : 100) (Aves). Op. 457	available
<i>streptopus</i> , <i>Thaumastocaris</i> , Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 244 (specific name of the type species of <i>Thaumastocaris</i> Kemp, 1922) (Crustacea, Decapoda). Op. 470	available
<i>striata</i> , <i>Aglaope</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>striata</i> , <i>Calyptraea</i> , Gray, 1825, <i>Ann. Philos. (N.S.)</i> , 9 (= 25): 407 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1097	index
<i>striata</i> , <i>Calyptraea</i> , Say, 1826, <i>J. Acad. nat. Sci. Philadelphia</i> , 6 : 216 (Gastropoda). Op. 1097	available
<i>striata</i> , <i>Chama</i> , Smith, 1817, <i>Strata Syst. organ. Foss.</i> : 45 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 310	index
<i>striata</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 38 (Gastropoda). Op. 336	available

<i>striata</i> , <i>Notonecta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 439, as interpreted by the neotype designated under the plenary power (Insecta, Hemiptera). Op. 1274	available
<i>striata</i> , <i>Voluta</i> , Gmelin, 1791, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3455 (valid name at the date of Opinion 740 of the type species of <i>Pisania</i> Bivona, 1832) (Gastropoda). Op. 740, Direction 108	available
<i>striatoradiatus</i> , <i>Spatangus</i> , Leske, 1778, <i>Addit. J.T. Klein Nat. Disp. Echin.</i> : 170 (specific name of the type species of <i>Hemipneustes</i> Agassiz, 1836) (Echinoidea). Op. 321	available
<i>striatula</i> , <i>Anomia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 702 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 925	index
<i>striatulus</i> , <i>Staphylinus</i> , Fabricius, 1792, <i>Entomologia systematica emendata et aucta ...</i> , vol. 1, part 2, p. 525 (specific name of the type species of <i>Coprophilus</i> Latreille, 1829) (Insecta, Coleoptera). Op. 1722	available
<i>striatum</i> , <i>Lithostrotion</i> , Fleming, 1828, <i>Hist. brit. Anim.</i> : 508 (specific name of the type species of <i>Lithostrotion</i> Fleming, 1828) (Anthozoa). Direction 77	available
<i>striatum</i> , <i>Omalium</i> , Gravenhorst, 1802, <i>Coleoptera microptera Brunsicensia nec non exoticorum quotquot exstant in collectionibus entomologorum Brunsicensium in genera, familiae et species distribuit</i> , p. 119 (specific name of the type species of <i>Acrolocha</i> Thomson, 1858) (Insecta, Coleoptera). Op. 1722	available
<i>striatus</i> , <i>Bradypus</i> , Perry, 1810, <i>Arcana</i> : sign. Y1 (valid name at the date of Opinion 818 of the type species of <i>Ictonyx</i> Kaup, 1835) (Mammalia). Op. 818	available
<i>striatus</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 449 (specific name of the type species of <i>Miris</i> Fabricius, 1794) (Insecta, Hemiptera). Op. 898	available
<i>striatus</i> , <i>Conchylolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. L[1], pl. 23, figs. 1, 2 et explic, as interpreted by the neotype designated by Muir-Wood, 1956 (<i>Ops. Decls. int. Comm. zool. Nomencl.</i> , 14: 115, 116) (conserved under the plenary power) (specific name of the type species of <i>Spirifer</i> Sowerby, 1816) (Brachiopoda). Op. 419	available
<i>striatus</i> , <i>Drepanites</i> , Benett, 1831, <i>A catalogue of the organic remains of the County of Wilts.</i> , p. 3, pl. 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Cephalopoda, Ammonoidea). Op. 1609	index
<i>striatus</i> , <i>Maclurea</i> , Emmons, 1842, <i>Nat. Hist. New York</i> (Geol.) (2 dist.): 312 (specific name of the type species of <i>Raphistoma</i> Hall, 1847) (Gastropoda). Op. 225	available
<i>striatus</i> , <i>Staphylinus</i> , Olivier, 1795, <i>Entomologie ou Histoire Naturelle des Insectes ... Coléoptères</i> . 3, genus 42, p. 28, ruled under the plenary power to be given precedence over <i>Staphylinus angularis</i> Paykull, 1800, whenever they are considered to be synonyms, and not invalid by reason of being a junior primary homonym of <i>Staphylinus striatus</i> Ström, 1768 (Insecta, Coleoptera). Op. 2086	available

<i>striatus</i> , <i>Staphylinus</i> , Ström, 1768, <i>Det Kongelige Norske Videnskabers Selskabs Skrifter</i> , 4 : 333, ruled under the plenary power not to be given priority over <i>Staphylinus rugosus</i> Fabricius, 1775 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>strichnocera</i> , <i>Dictyonota</i> , Fieber, 1844, <i>Entomol. Monogr.</i> : 95 (specific name of the type species of <i>Dictyonota</i> Curtis, 1827) (Insecta, Hemiptera). Op. 251	available
<i>stridulans</i> , <i>Psopheticus</i> , Wood-Mason, 1892, <i>Illustr. Zool. 'Investigator'</i> , Crust.: pl. 5, fig. 1 (specific name of the type species of <i>Psopheticus</i> Wood-Mason, 1892) (Crustacea, Decapoda). Direction 36	available
<i>stridulus</i> , <i>Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 432 (specific name of the type species of <i>Psophus</i> Fieber, 1853) (Insecta, Orthoptera). Direction 5	available
<i>strigilatus</i> , <i>Lanius</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>Striglina</i> Guénée, 1877, <i>Ann. Soc. entomol. France</i> , 7 : 283 (gender: feminine) (type species, by designation by Whalley, 1964 (<i>Ann. Mag. nat. Hist.</i> , (13) 7 : 126): <i>Striglina lineola</i> Guénée, 1877, <i>Ann. Soc. entomol. France</i> , 7 : 283, valid name: <i>Drepanodes scitaria</i> Walker, 1862) ruled under the plenary power to be given precedence over the generic name <i>Daristane</i> Walker, 1859 whenever the two names are considered synonyms (Insecta, Lepidoptera). Op. 1075	available
<i>Stringocephalus</i> Defrance, 1827, in Blainville, <i>Man. malac.</i> : pl. 53, figs. 1-1c (an incorrect subsequent spelling for <i>Stringocephalus</i> Defrance, 1825). Op. 807	index
<i>Strigops</i> Gray, 1845, <i>Genera Birds</i> , 2 : 426 (gender: feminine) (type species, by monotypy: <i>Strigops habroptilus</i> Gray, 1845, <i>Genera Birds</i> , 2 : 427) (Aves). Op. 67 <i>Strigopsis</i> Bonaparte, (1849), <i>Conspl. Gen. Avium</i> , 1 : 8 (an unjustified emendation of <i>Strigops</i> Gray, 1845). Direction 44	available
<i>strigosa</i> , <i>Spongia</i> , Pallas, 1766, <i>Elenchus Zoophytorum sistens Generum Adumbrationes Generaliores et Specierum Cognitarum succinctas Descriptiones cum Selectis Auctorum Synonymis</i> , p. 397 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Porifera). Op. 2091	index
<i>Strigosula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 205 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>strigosus</i> , <i>Cancer</i> , Linnaeus, 1761, <i>Fauna svec.</i> (ed. 2): 495 (specific name of the type species of <i>Galathea</i> Fabricius, 1793) (Crustacea, Decapoda). Op. 434	available
STRINGOCEPHALIDAE (correction of STRIGOCEPHALIDAE) King, 1850, <i>Mon. Perm. Foss.</i> (Palaeontogr. Soc.): 141 (type genus: <i>Stringocephalus</i> Defrance, 1825) (Brachiopoda). Op. 807	available
<i>Stringocephalus</i> Defrance, 1825, in Blainville, <i>Man. malac.</i> : 511 (gender: masculine) (type species, by monotypy: <i>Terebratula burtini</i> Defrance, 1824, <i>Dict. Sci. nat.</i> , 32 : 301) (Brachiopoda). Op. 807	available

<i>Stringops</i> Finsch, 1867, <i>Papageien</i> , 1 : 233, 241 (an incorrect subsequent spelling for <i>Strigops</i> Gray, 1845). Direction 44	index
<i>Stringopsis</i> van der Hoeven, 1855, <i>Handb. Dierk.</i> (ed. 2), 2 : 692 (an incorrect subsequent spelling for <i>Strigops</i> Gray, 1845). Direction 44	index
<i>striolata, Helix</i> , Pfeiffer, 1828, <i>Naturgesch. deutsch. Land. Sussw. Moll.</i> , 3 : 28 (Gastropoda). Op. 336	available
<i>stroemii, Cyclops</i> , Baird, 1837, <i>Mag. Zool. Bot.</i> , 1 : 330 (specific name of the type species of <i>Heterolaophonte</i> Lang, 1948) (Crustacea, Copepoda). Op. 1356	available
<i>Stromatoporella</i> Nicholson, 1886, A monograph of the British Stromatoporoids, <i>Palaeontogr. Soc.</i> : 92-95 (gender: feminine) (type species, by original designation: <i>Stromatopora granulata</i> Nicholson, 1873, <i>Ann. Mag. nat. Hist.</i> , (4) 12 : 94) (Stromatoporoidea). Op. 1215	available
<i>Strombiformis</i> Da Costa, 1778, <i>Historia naturalis testaceorum Britanniae or, the British conchology ...</i> , p. 107 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 1718	index
<i>Strombigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Strongylocassis</i> Hincks, 1950, <i>Annals and Magazine of Natural History</i> , (12) 3 : 511 (gender: feminine) (type species, by designation under the plenary power: <i>Cassida atripes</i> Le Conte, 1859), replacement name for <i>Strongylaspis</i> Spaeth, 1936 (Insecta, Coleoptera). Op. 1453	available
<i>Strongylocentrotus</i> Brandt, 1835, <i>Prodr. Descr. Anim. Mertens. Orb. Terr. Circumnavig.</i> <i>observ.</i> , 1 : 63 (conserved under the plenary power as of subgeneric status) (gender: masculine) (type species, by designation under the plenary power: <i>Echinus drøbachiensis</i> Müller, 1776, <i>Zool. dan. Prodr.</i> : 235) (Echinoidea). Op. 208	available
<i>Strongylogaster</i> Dahlbom, 1835, <i>Conspectus Tenthredinidum, Siricidum et Oryssinorum Scandinaviae, quas Hymenopterorum familias</i> , pp. 4, 13 (gender: feminine) (type species, by designation under the plenary power: <i>Tenthredo multifasciata</i> Geoffroy in Fourcroy, 1785) (Insecta, Hymenoptera). Op. 1953	available
<i>Strongyloides</i> Grassi, 1879, <i>Med. contemp. Milano</i> , An 2 (3): 497 (gender: masculine) (type species, by monotypy: <i>Anguillula intestinalis</i> Bavay, 1877, <i>C.R. Acad. Sci.</i> , Paris, 84 : 266-268, valid name: <i>Rhabditis stercoralis</i> Bavay, 1876) (Nematoda). Op. 66, Direction 76	available
<i>Strongylopus</i> Tschudi, 1838, <i>Mémoires de la Société des Sciences Naturelles de Neuchâtel</i> , 2 : 38, 78-79, issued in the serial in [1839] but published as a separate in 1838 (gender: masculine) (type species, by designation under the plenary power: <i>Rana fasciata</i> Smith, 1849) (Amphibia, Anura). Op. 1920	available
<i>Strongylosoma</i> Brandt, 1833, <i>Bull. Soc. imp. Nat. Moscou</i> , 6 : 205 (gender: neuter) (type species, by monotypy: <i>Julus stigmatosus</i> Eichwald, 1830, <i>Zoologia specialis</i> , Pars altera: 124) (Diplopoda). Op. 936	available

<i>Strongylus</i> Herbst, 1792, <i>in Jablonsky, Nat. Ins.</i> (Käfer), 4 : 179 (a junior homonym of <i>Strongylus</i> Müller, 1780). Direction 76	index
<i>Strongylus</i> Müller, 1780, <i>Zool. dan.</i> , 2 : pl. 42 (gender: masculine) (type species, by monotypy: <i>Strongylus equinus</i> Müller, 1780, <i>Zool. dan.</i> , 2 : pl. 42) (Nematoda). Op. 104	available
<i>Strophalosia</i> King, 1844, <i>Ann. Mag. nat. Hist.</i> , 14 : 313 (gender: feminine) (type species, by designation under the plenary power: <i>Strophalosia gerardi</i> King, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 93) (Brachiopoda). Op. 625	available
<i>Strophomena</i> de Blainville, 1824, <i>Dictionnaire des Sciences Naturelles</i> , Ed. 2, vol. 32, p. 302 (gender: feminine) (type species, by designation under the plenary power: <i>Leptaena planumbona</i> Hall, 1847) (Brachiopoda). Op. 1671	available
<i>struckmanni, Ammonites</i> , Denckmann, 1887, <i>Abh. geol. Specialkarte Preussen</i> , 8 (Heft 2): 72, pl. 3, fig. 1 (specific name of the type species of <i>Pseudogrammoceras</i> Buckman, 1901) (Cephalopoda). Op. 324	available
<i>struthersii, Ibidorhyncha</i> , Vigors, [1832], <i>Proc. zool. Soc. London</i> , 1 (1830-31): 174 (specific name of the type species of <i>Ibidorhyncha</i> Vigors, [1832]) (Aves). Direction 43	available
<i>Struthio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 155 (gender: masculine) (type species, by designation by Gray, 1840 (<i>List Genera Birds</i> : 63): <i>Struthio camelus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 155 (type locality, as restricted by Rothschild, 1910 (<i>Bull. brit. Ornithol. Club</i> , 39 : 83) and Stresemann, 1926 (<i>Ornithol. Monatsber.</i> , 34 : 139): Sennar, North Africa)) (Aves). Op. 67, Op. 413, Direction 74	available
<i>Struthiolaria</i> Lamarck, 1816, <i>Ency. méth.</i> , Vers Coqu. Moll. Polyp., 1 : 173 (expl. to pl. 431); <i>ibid.</i> , 3 : pl. 431, figs. 1a, 1b (gender: feminine) (type species, by monotypy: <i>Struthiolaria nodulosa</i> Lamarck, 1816, <i>Ency. méth.</i> , Vers Coqu. Moll. Polyp., 1 : 173 (expl. to pl. 431); <i>ibid.</i> , 3 : pl. 431, figs. 1a, 1b, valid name: <i>Buccin[um] papulosum</i> Martyn, 1784) (Gastropoda). Op. 479	available
STRUTHIOLARIIDAE Fischer, 1884, <i>Man. Conchyl.</i> : 677 (type genus: <i>Struthiolaria</i> Lamarck, 1816) (Gastropoda). Op. 479	available
<i>struthoides, Dinornis</i> , Owen, 1844, <i>Trans. zool. Soc. London</i> , 3 (3): 244 (Aves). Op. 229	available
<i>Strygocephale</i> Defrance, 1825, <i>in Blainville, Man. malac.</i> : 511 (ruled under the plenary power to be an incorrect original spelling for <i>Stringocephalus</i> Defrance, 1825). Op. 807	index
<i>Strygocephalus</i> Goldfuss, 1842, <i>in d'Archiac & de Verneuil, Trans. geol. Soc. London</i> , (2)6 : 369, pl. 56, figs. 5, 5a (an incorrect subsequent spelling for <i>Stringocephalus</i> Defrance, 1825). Op. 807	index
<i>Strygops</i> des Murs, [1853], <i>in Chenu, Ency. Hist. nat.</i> , Ois., 1 : 202 (an incorrect subsequent spelling for <i>Strigops</i> Gray, 1845). Direction 44	index

<i>Strymon</i> Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 22, no. 61 ; <i>id., Verz. bekannt. Schmett.</i> (5): 74 (gender: masculine) (type species, by designation by Riley, 1922 (<i>J. Bombay nat. Hist. Soc.</i> , 28 : 472): <i>Strymon melinus</i> Hübner, 1818, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 22, pl. [21], figs. 121, 122) (Insecta, Lepidoptera). Op. 541	available
STRYMONIDI Tutt, [1907], <i>Nat. Hist. Brit. Butts.</i> , 2 : 86, 136 (type genus: <i>Strymon</i> Hübner, 1818) (Insecta, Lepidoptera). Op. 541	available
<i>Strymonidia</i> Tutt, [1908], <i>Nat. Hist. Brit. Butts.</i> , 2 : 483 (gender: feminine) (type species, by original designation for the replaced name <i>Leechia</i> Tutt, [1907]: <i>Thecla thalia</i> Leech, [1893], <i>Butts. China Japan Corea</i> (2) (Text part 3): 367 ; (2) (Pl. part 3/4): pl. 30, fig. 15♂) (Insecta, Lepidoptera). Op. 541	available
<i>studeri</i> , <i>Halianassa</i> , von Meyer, 1838, <i>Neues Jahrbuch für Mineralogie, Geologie und Paläontologie</i> , 1838 : 667, as defined by the neotype (the fossil premolar from Flonheim, Germany, bearing the number Az 48 in the Hessisches Landesmuseum, Darmstadt, the holotype of <i>Pugmeodon schinzii</i> Kaup, 1838) designated under the plenary power (a junior objective synonym of the specific name of <i>Pugmeodon schinzii</i> Kaup, 1838) (Mammalia, Sirenia). Op. 1535	index
<i>studeri</i> , <i>Schizaster</i> , Agassiz, 1840, <i>Cat. syst. Ectyp. Echinodermat. Foss. Mus. Neocom.</i> : 3 (specific name of the type species of <i>Schizaster</i> Agassiz, [1836]) (Echinoidea). Op. 209	available
<i>stuertzi</i> , <i>Nahecaris</i> , Jaekel, 1921, <i>Zeitschrift der Deutschen Geologischen Gesellschaft</i> , 72 : 290 (specific name of the type species of <i>Nahecaris</i> Jaekel, 1921) (Malacostraca). Op. 2109	available
<i>stultorum</i> , <i>Cardium</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 681 (specific name of the type species of <i>Mactra</i> Linnaeus, 1767) (Bivalvia). Direction 73	available
<i>sturio</i> , <i>Acipenser</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 237 (specific name of the type species of <i>Acipenser</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Sturnella</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 34 (gender: feminine) (type species, by monotypy: <i>Alauda magna</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 167) (Aves). Op. 67 <i>Sturnus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 167 (gender: masculine) (type species, by Linnaean tautonymy: <i>Sturnus vulgaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 167) (Aves). Op. 67 STYLEPHORIDAE Swainson, 1839, <i>On the natural history and classification of fishes, amphibians and reptiles or monocardian animals</i> , vol. 2, p. 47 (type genus: <i>Stylephorus</i> Shaw, 1791) (Osteichthyes, Saccopharyngiformes). Op. 1603	available
<i>Stylephorus</i> Shaw, 1791, <i>Philosophical Transactions of the Royal Society of London</i> , 1 : 90 (gender: masculine) (type species, by monotypy: <i>Stylephorus chordatus</i> Shaw, 1791), it being ruled under the plenary power that <i>Saccopharynx</i> Mitchell, 1824 is deemed to be the name of a then new nominal genus, and not a replacement name for <i>Stylephorus</i> Shaw, 1791 (Osteichthyes, Saccopharyngiformes). Op. 1603	available
<i>styliferus</i> , <i>Palaemon</i> , H. Milne Edwards, 1840, <i>Histoire Naturelle des Crustacés</i> , vol. 3, p. 638 (Crustacea, Decapoda). Op. 1576	available
<i>styliferus</i> , <i>Penaeus</i> , Milne Edwards, 1837, <i>Hist. Nat. Crust.</i> , 2 : 418 (specific name of the type species of <i>Parapenaeopsis</i> Alcock, 1901) (Crustacea, Decapoda). Op. 864	available

STYLODACTYLIDAE Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 481, 850 (type genus: <i>Stylodactylus</i> Milne Edwards, 1881) (Crustacea, Decapoda). Op. 470	available
<i>Stylodactylus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 11 (gender: masculine) (type species, by monotypy: <i>Stylodactylus serratus</i> Milne Edwards, 1881, <i>Ann. Sci. nat.</i> , Paris (Zool.), (6) 11 (4): 11) (Crustacea, Decapoda). Op. 470	available
<i>Stylopoma</i> Levinsen, 1909, <i>Morphological and systematic studies on the cheilostomatous Bryozoa</i> (Copenhagen): 324 (gender: neuter) (type species, by designation by Canu & Bassler, 1920 (<i>Bull. U.S. nat. Mus.</i> , 125 : 359): <i>Eschara spongites</i> Pallas, 1766, <i>Elenchus Zoophytorum</i> : 45) (Bryozoa). Op. 1194	available
<i>Styloptocuma</i> Băcescu & Muradian, 1974, <i>Revue Roumaine de Biologie</i> , 19 : 74 (gender: neuter) (type species, ruled under the plenary power to be by original designation: <i>Styloptocuma antipai</i> Băcescu & Muradian, 1974) (Cumacea). Op. 1769	available
<i>subaculeatus, Productus</i> , Murchison, 1840, <i>Bull. Soc. géol. France</i> , 11 : 255 (specific name of the type species of <i>Productella</i> Hall, 1867) (Brachiopoda). Op. 625	available
<i>Subancistrocerus</i> Saussure, 1855, <i>Et. Fam. Vespa</i> , 3 : 206 (gender: masculine) (type species: <i>Odynerus sichelii</i> Saussure, 1855, <i>Et. Fam. Vespa</i> , 3 : 206) (ruled under the plenary power to be available from the date of publication by H. de Saussure) (Insecta, Hymenoptera). Op. 893	available
<i>subantiqua, Fenestrella</i> (sic), d'Orbigny, 1850, <i>Prodr. Paléontol.</i> , 1 : 44, as interpreted by the neotype designated by Elias, 1956 (<i>J. Paleontol.</i> , 30 : 317, 319-321, pl. 43, figs. 1-4) (specific name of the type species of <i>Fenestella</i> Lonsdale, 1839) (Bryozoa). Op. 622	available
<i>subcoleoptrata, Conops</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1006 (specific name of the type species of <i>Phasia</i> Latreille, 1804) (Insecta, Diptera). Op. 896	available
<i>subconcinna, Rhynchonella</i> , Davidson, 1852, <i>Monograph brit. foss. Brachiopoda</i> (<i>Palaeontogr. Soc.</i>), 1 (3): 10, pl. 1, figs. 5a-c, as interpreted by the neotype designated under the plenary power (Brachiopoda). Op. 1183	available
<i>subconicus, Conchylolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Z[2], pl. 47, figs. 6-8, as interpreted by the neotype designated by North, 1921 (<i>Quart. J. geol. Soc. London</i> , 76 : 203) (conserved under the plenary power) (Brachiopoda). Op. 419	available
<i>subcunctans, Tipula</i> , Alexander, 1921, <i>Ann. entomol. Soc. America</i> , 14 : 127 (Insecta, Diptera). Op. 1160	available
<i>subcylindrica, Helix</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1248 (senior subjective synonym of <i>Truncatella costulata</i> Risso, 1826, the type species of <i>Truncatella</i> Risso, 1826) (Gastropoda). Op. 344, Op. 1664	available
<i>Subesta</i> Cotton, 1944, <i>Trans. roy. Soc. S. Australia</i> , 68 : 292 (gender: feminine) (type species, by original designation: <i>Alvania seminodosa</i> May, 1916, <i>Proc. roy. Soc. Tasmania</i> , 1915 : 94, 95, valid name: <i>Cingula australiae</i> Frauenfeld, 1867) (Gastropoda). Op. 1181	available
<i>subfuscus, Limax</i> , Draparnaud, [1805], <i>Hist. nat. Moll. terrestr. fluviat. France</i> : 125 (Gastropoda). Op. 336	available

<i>subgentoni</i> , Mantelliceras , Spath, 1926, <i>Geol. Mag.</i> , 63 : 83 (Cephalopoda). Op. 557	available
<i>subglobosa</i> , Iliacantha , Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (2): 155 (specific name of the type species of Iliacantha Stimpson, [1871]) (Crustacea, Decapoda). Direction 36	available
<i>subgutturosa</i> , Antilope , Güttenstaedt, 1780, <i>Acta Acad. Sci. imp. Petrop.</i> , 1778 (No. 1): 251 (Mammalia). Direction 23	available
<i>sublaevis</i> , Ammonites , Sowerby, 1814, <i>Min. Conch.</i> , 1 : 117, pl. 54 (specific name of the type species of Cadoceras Fischer, 1882) (Cephalopoda). Op. 324	available
<i>sublucanus</i> , <i>Cancer</i> , Forsskål, 1775, <i>Descriptiones animalium, avium, amphibiorum, piscium, insectorum, vermium, quae in itinere orientali, observavit</i> : 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1367	index
<i>sublyncoides</i> , Cypraea , d'Orbigny, 1852, <i>Prodr. Pal.</i> , 3 : 48 (specific name of the type species of Jousseaumea Sacco, 1894) (Gastropoda). Op. 673	available
<i>submetallicum</i> , Camptopoeum , Spinola, 1851, in Gay, <i>Historia Fisica y Politica de Chile</i> , vol. 6, p. 198 (specific name of the type species of Acamptopoeum Cockerell, 1905) (Insecta, Hymenoptera). Op. 1759	available
<i>subnigra</i> , Testudo , Bonnaterre, 1790, <i>Tableau encyclopédique et méthodique des trois règnes de la nature; erpétoologie</i> , p. 30 (specific name of the type species of Pelusios Wagler, 1830) (Reptilia, Testudines). Op. 1534	available
<i>subocularis</i> , Coluber , Brown, 1901, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1901 : 492 (ruled under the plenary power not to be invalidated by its senior secondary homonym, <i>Bascanion suboculare</i> Cope, 1866) (Reptilia). Op. 745	available
<i>subquadrata</i> , Fabia , Dana, 1851, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 5 : 253 (specific name of the type species of Fabia Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>subquadrata</i> , <i>Protogonia</i> , Cope, 1881, <i>Proc. Amer. philos. Soc.</i> , 19 : 492 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 980	index
<i>subradiatus</i> , Ammonites , Sowerby, 1823, <i>Min. Conch.</i> , 5 : 23, pl. 421, fig. 2 (specific name of the type species of Oppelia Waagen, 1869) (Cephalopoda). Op. 324	available
<i>subrufescens</i> , Helix , Miller, 1822, <i>Ann. Phil.</i> , 19 : 379 (Gastropoda). Op. 336	available
<i>subspinosa</i> , Crioceris , Fabricius, 1781, <i>Species Insectorum</i> , vol. 1, p. 155 (specific name of the type species of Zeugophora Kunze, 1818) (Insecta, Coleoptera). Op. 1382	available
<i>substriata</i> , Alaea , Jeffreys, 1833, <i>Trans. linn. Soc. London</i> , 16 (3): 515 (Gastropoda). Op. 336	available
<i>subsultans</i> , Musca , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 993 (Insecta, Diptera). Op. 1863	available

<i>subsultans</i> , <i>Syrphus</i> , Fabricius, 1794, <i>Entomologia systematica emendata et aucta ...</i> , vol. 4, p. 304 (senior subjective synonym of <i>Mosillus arcuatus</i> Latreille, 1805, the type species of <i>Mosillus</i> Latreille, 1804, and the specific name of the type species of <i>Gymnomyza</i> Fallén, 1810) (Insecta, Diptera). Op. 1748	available
<i>subtaeniata</i> , <i>Psammophis sibilans</i> var., Peters, 1882, <i>Reise nach Moçambique</i> , 3 : 121 (Reptilia). Op. 1210	available
<i>subterraneus</i> , <i>Cancer (Astacus)</i> , Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 88 (specific name of the type species of <i>Callianassa</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 434	available
<i>subterraneus</i> , <i>Crangonyx</i> , Bate, 1859, <i>Nat. Hist. Rev. Dublin</i> , 6 (<i>Proc. Dublin zool. bot. Ass.</i> , Feb. 18, 1859): 165 (specific name of the type species of <i>Crangonyx</i> Bate, 1859) (Crustacea, Amphipoda). Op. 1133	available
<i>subtruncatum</i> , <i>Pisidium</i> , Malm, 1855, <i>Götheborgs K. Vet. & Vitt. Samh. Handl.</i> , 3 : 92 (Bivalvia). Op. 336	available
<i>Subulina</i> Beck, 1837, <i>Index Moll. Mus. Ch. Fred.</i> : 76 (gender: feminine) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 177): <i>Bulimus octonus</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers, 1 (1): 325) (Gastropoda). Op. 335	available
SUBULINIDAE Thiele, 1931, <i>Handb. syst. Weichtierk.</i> , 2 : 549 (type genus: <i>Subulina</i> Beck, 1837) (Gastropoda). Direction 27	available
<i>subvirescens</i> , <i>Helix</i> , Bellamy, 1839, <i>Nat. Hist. South Devon</i> : 420 (Gastropoda). Op. 336	available
<i>succincta</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 576 (specific name of the type species of <i>Colletes</i> Latreille, 1802) (Insecta, Hymenoptera). Op. 1713	available
<i>succinctus</i> , <i>Gryllus Locusta</i> , Linnaeus, 1763, <i>Amoen. Acad.</i> , 6 : 398, as interpreted by the neotype designated under the plenary power (specific name of the type species of <i>Patanga</i> Uvarov, 1923) (Insecta, Orthoptera). Op. 998	available
<i>Succinea</i> Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 32, 55 (gender: feminine) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 171): <i>Helix putris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 774) (Gastropoda). Op. 94, Direction 72	available
<i>Suchonella</i> Spizharsky, 1937, <i>Trudy Tsentral'nogo Nauchno-Issledovatel'skogo Geologo-Razvedochnogo Instituta [Transactions of the Central Geological Prospecting Institute]</i> , 97 : 159 (gender: feminine) (type species, by designation under the plenary power: <i>Suchonella typica</i> Spizharsky, 1939) (Ostracoda). Op. 1915	available
<i>suhmi</i> , <i>Pentacheles</i> , Bate, 1878, <i>Ann. Mag. nat. Hist.</i> , (5)2 : 278 (specific name of the type species of <i>Stereomastis</i> Bate, 1888) (Crustacea, Decapoda). Op. 702	available
<i>sulcata</i> , <i>Buprestis</i> , Fischer von Waldheim, 1824, <i>Entomographia Imperii Russici. Genera Insectorum systematica exposita et analysi iconographica instructa</i> . Coleoptera, vol. 2, p. 197, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of <i>Buprestis sulcata</i> Thunberg, 1789 (Insecta, Coleoptera). Op. 2008	available

<i>sulcata</i> , <i>Buprestis</i> , Thunberg, 1789, <i>Novas Insectorum species</i> . 5. Dissertation, p. 90 (Insecta, Coleoptera). Op. 2008	available
<i>sulcata</i> , <i>Empis</i> , Meigen, 1804, <i>Klassifikazion und Beschreibung der europäischen zweiflügeligen Insekten (Diptera Linn.)</i> , Abt. 2, p. 229 (specific name of the type species of <i>Rhamphomyia</i> Meigen, 1822) (Insecta, Diptera). Op. 2117	available
<i>sulcata</i> , <i>Venus</i> , Hermann, 1781, <i>Der Naturforscher</i> , Halle, 15 : 127-129, pl. IV, figs. 9, 10, as interpreted by the lectotype designated by Cox, 1951 (<i>Bull. zool. Nomencl.</i> , 6 : 83) (specific name of the type species of <i>Trigonia</i> Bruguière, [1789]) (Bivalvia). Op. 327	available
<i>sulcatifrons</i> , <i>Parapasiphaë</i> , Smith, 1884, <i>Rep. U.S. Comm. Fish</i> , 10 : 384 (specific name of the type species of <i>Parapasiphaë</i> Smith, 1884) (Crustacea, Decapoda). Op. 470	available
<i>Sulcatula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 209 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>sulcatus</i> , [<i>Trochus</i>], Martyn, 1784, <i>Univ. Conch.</i> , 1 : fig. 35 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>sulcatus</i> , <i>Ceraphron</i> , Jurine, 1807, <i>Nouv. Méth. class. Hyménopt.</i> : 303 (specific name of the type species of <i>Ceraphron</i> Jurine, 1807) (Insecta, Hymenoptera). Direction 2	available
<i>sulcatus</i> , <i>Dytiscus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 412 (specific name of the type species of <i>Acilius</i> Leach, 1817) (Insecta, Coleoptera). Op. 619	available
<i>sulcatus</i> , <i>Gyrinus</i> , Wiedemann, 1821, <i>Mag. Entomol. (Germar)</i> , 4 : 119 (specific name of the type species of <i>Enhydrus</i> Laporte, 1834) (Insecta, Coleoptera). Op. 710	available
<i>sulcatus</i> , <i>Pteroglossus</i> , Swainson, July 1820, <i>Quart. J. Sci. Lit. Arts</i> , 9 (18): 267 (specific name of the type species of <i>Aulacorhynchus</i> Gould, 1834) (Aves). Direction 43	available
<i>sulcatus</i> , <i>Taeniolabis</i> , Cope, 1882, <i>American Naturalist</i> , 16 : 604 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Multituberculata). Op. 1516	index
<i>sulcatus</i> , <i>Turbo</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3592, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 1 : fig. 35) as [<i>Trochus</i>] <i>sulcatus</i> (specific name of the type species of <i>Cookia</i> Lesson, [1832]) (Gastropoda). Op. 479	available
<i>sulphuratus</i> , <i>Cuculus</i> , Lichtenstein, 1793, <i>Cat. Rerum. nat. rariss. Hamb.</i> , 1 : 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 407	index
<i>sulphurella</i> , <i>Cicadula</i> , Zetterstedt, 1828, <i>Fauna Ins. lapp.</i> : 297 (valid name at the date of Opinion 603 of the type species of <i>Elymana</i> de Long, 1936) (Insecta, Hemiptera). Op. 603	available
<i>sumatranus</i> , <i>Gnomulus</i> , Thorell, 1891, <i>Annali del Museo Civico di Storia Naturale di Genova</i> , (2) 10 : 759, as defined by the lectotype (male specimen from Mount Singalang, West Sumatra, in the Museo Civico di Storia Naturale, Genoa) designated by Schwendinger & Martens, 1999, <i>Revue Suisse de Zoologie</i> , 106 (4): 958 (specific name of the type species of <i>Gnomulus</i> Thorell, 1890) (Arachnida). Op. 1966	available

<i>sumatrensis</i> , Rhinoceros , Fischer, 1814, <i>Zoognosie</i> , 3 : 301 (specific name of the type species of Dicerorhinus Gloger, 1841) (Mammalia). Op. 1080	available
<i>sumichrasti</i> , Henicognathus , Bocourt, 1886, <i>Mission scientifique au Mexique</i> (10): 628-630, pl. 41, fig. 5 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 744	index
<i>sumptuosa</i> , Chrysodema , Laporte & Gory, 1835, <i>Histoire naturelle et iconographie des insectes coléoptères</i> , vol. 1, p. 2 (specific name of the type species of Iridotaenia Deyrolle, 1864) (Insecta, Coleoptera). Op. 2076	available
<i>sundewalli</i> , Phaenomerus , Boheman, 1836, in Schoenherr, <i>Gen. Spec. Curc.</i> , 3 : 632 (specific name of the type species of Phaenomerus Schoenherr, 1836) (Insecta, Coleoptera). Op. 621	available
<i>superba</i> , Ophiolepis , Clark, 1915, <i>Spolia Zeylanica</i> , 10 : 89 (specific name of the type species of Ophiolepis Müller & Troschel, 1840) (Ophiuroidea). Op. 1187	available
<i>superba</i> , Portunus , Costa, 1838, <i>Fauna Regno Napoli</i> , Crust. (Addiz. Dec. Brach.): 19 (valid name at the date of Direction 36 of the type species of Bathynectes Stimpson, [1871]) (Crustacea, Decapoda). Direction 36	available
<i>superbus</i> , Dorylaimus , de Man, 1880, <i>Tijdschrift der Nederlandsche Dierkundige Vereeniging</i> , 5 : 79, as defined by the female lectotype from Katwijk, The Netherlands (catalogue no. V.As 253 in the Zoological Museum, Instituut voor Taxonomische Zoologie, Amsterdam), designated by Loof, 1961, <i>Beaufortia</i> , 8 : 237 (specific name of the type species of Aporcelaimus Thorne & Swanger, 1936) (Nematoda). Op. 1904	available
<i>superbus</i> , Oedipus , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 25 (specific name of the type species of Coralliocaris Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>supinum</i> , Pisidium , Schmidt, [February 1851], <i>Z. f. Malakzool.</i> , 7 : 119 (Bivalvia). Op. 336	available
<i>Suricata</i> Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 15 (gender: feminine) (type species, by monotypy: <i>Suricata capensis</i> Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 15, valid name: <i>Viverra suricata</i> Schreber, [1776]) (Mammalia). Op. 384	available
<i>suricata</i> , Viverra , Schreber, [1776], <i>Die Säugthiere</i> , 3 : pl. 97 (valid name at the date of Opinion 384 of the type species of Suricata Desmarest, 1804) (Mammalia). Op. 384	available
SURICATIDAE Cope, 1882, <i>Proc. amer. phil. Soc.</i> , 20 (112): 474 (type genus: Suricata Desmarest, 1804) for use by those who consider that Suricata Desmarest and Herpestes Illiger, 1811 belong to different family-group taxa (Mammalia). Direction 53	available
<i>Surnia</i> Duméril, 1806, <i>Zoologie analytique</i> , p. 34 (gender: feminine) (type species, by subsequent monotypy by Froriep, 1806, <i>C. Duméril's analytische Zoologie aus dem französischen mit Zusätzen</i> , p. 35: <i>Strix hudsonia</i> Gmelin, 1788, of which the valid name at the time of the Commission's ruling was <i>Strix caparoch</i> Müller, 1766) (Aves). Direction 122	available

<i>Sus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 49 (gender: masculine) (type species, by Linnaean tautonymy: <i>Sus scrofa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 49) (Mammalia). Op. 75 <i>Susu</i> Lesson, 1828, <i>Histoire Naturelle générale et particulière des Mammifères et des Oiseaux découverts depuis 1788 jusqu'à nos jours</i> , vol. 1, p. 212 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Cetacea). Op. 1565	available
<i>sutularis</i> , <i>Trichius</i> , Kirby, 1827, <i>Zoological Journal</i> , 3(10): 156 (Insecta, Coleoptera). Op. 2162	index
<i>suturalis</i> , <i>Colymbetes</i> , MacLeay, 1825, <i>Annul. javan.</i> (ed. 1): 135 (valid name at the date of Opinion 289 of the type species of <i>Rhantus</i> Dejean, 1833) (Insecta, Coleoptera). Op. 289	available
<i>suturalis</i> , <i>Melolontha</i> , Fabricius, 1775, <i>Syst. Entomol.</i> : 34 (specific name of the type species of <i>Stethaspis</i> Hope, 1837) (Insecta, Coleoptera). Op. 1244	available
<i>suturalis</i> , <i>Trichius</i> , Gory & Percheron, 1833, <i>Monographie des Cétoines et genres voisins ...</i> , p. 48 (specific name of the type species of <i>Stegopterus</i> Burmeister & Schaum, 1840) (Insecta, Coleoptera). Op. 2162	available
<i>swainsonii</i> , <i>Gampsonyx</i> , Vigors, 1825, <i>Zool. J.</i> , 2(5): 69 (specific name of the type species of <i>Gampsonyx</i> Vigors, 1825) (Aves). Direction 43	available
<i>sybillae</i> , <i>Mactra</i> , Valenciennes, 1858, <i>C.R. Acad. Sci.</i> , 46: 760 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1366	index
<i>Sycionia</i> Hübner, [1826], <i>Verz. bekannt. Schmett.</i> , Anz.: 7 (emendation of <i>Sicyonia</i> Hübner, 1816) (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 382	index
<i>Sycocrypta</i> Coquerel, 1855, <i>Rev. Mag. Zool.</i> , (2)7: 367, 422-425, pl. 10, fig. 3 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 682	index
<i>sycophanta</i> , <i>Onthophagus</i> , Fairmaire, 1887, <i>Annales de la Société Entomologique de Belgique</i> , 31: 100 (all uses of the name before Fairmaire (1887) suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Coleoptera). Op. 2200	available
<i>sycophanta</i> , <i>Onthophagus</i> , Mulsant, 1842, <i>Histoire Naturelle des Coléoptères de France. Lamellicornes</i> , p. 106 (Coleoptera). Op. 2200	index
<i>Syllarus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 98 (a junior objective synonym of <i>Scyllarus</i> Fabricius, 1775). Op. 522	index
<i>sylvanus</i> , <i>Papilio</i> , Drury, 1773, <i>Illustrations of natural history; wherein are exhibited ... figures of exotic insects</i> , vol. 2, p. 5 (Insecta, Lepidoptera). Op. 1944	available
<i>sylvanus</i> , <i>Papilio</i> , Esper, 1777, <i>Die Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen</i> , Theil 1 (Europäische Gattungen), pl. 36, suppl. 12, fig. 1, ruled under the plenary power not to be invalid by reason of being a junior primary homonym of <i>Papilio sylvanus</i> Drury, 1773 (Insecta, Lepidoptera). Op. 1944	available

<i>sylvarum</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 592 (specific name of the type species of <i>Xylota</i> Meigen, 1822) (Insecta, Diptera). Op. 1747	available
<i>sylvaticus</i> , <i>Pipunculus</i> , Meigen, 1824, <i>Syst. Beschr. zweifl. Ins.</i> , 4 : 20 (specific name of the type species of <i>Tomosvaryella</i> Aczél, 1939) (Insecta, Diptera). Op. 597	available
<i>sylvestris</i> , <i>Cimex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 449 (specific name of the type species of <i>Ligyrocoris</i> Stål, 1872) (Insecta, Hemiptera). Direction 63	available
<i>sylvestris</i> , <i>Simia</i> , Link, 1795, <i>Beyträge Naturges.</i> , 1 (2): 61 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1268	index
<i>sylvicola</i> , <i>Simia (Papio)</i> , Kerr, 1792, <i>The Animal Kingdom</i> , Mammalia: 61 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 935	index
<i>sylvius</i> , <i>Encyrtus</i> , Dalman, 1820, <i>K. svenska Vetenskaps Akad. Handl.</i> , (1) 20 : 154 (specific name of the type species of <i>Microterys</i> Thomson, [1876]) (Insecta, Hymenoptera). Op. 1110	available
<i>Symathus</i> Rafinesque, 1815, <i>Analyse Nature</i> : 98 (an incorrect subsequent spelling for <i>Symethus</i> Rafinesque, 1814). Op. 522	index
<i>symbiotes</i> , <i>Dasycaris</i> , Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 240 (specific name of the type species of <i>Dasycaris</i> Kemp, 1922) (Crustacea, Decapoda). Op. 470	available
<i>Symethus</i> Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 23 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>symmysta</i> , <i>Cancer</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630 (specific name of the type species of <i>Albunea</i> Weber, 1795) (Crustacea, Decapoda). Op. 522	available
<i>Symnista</i> Rafinesque, 1815, <i>Analyse Nature</i> : 98 (a junior objective synonym of <i>Albunea</i> Weber, 1795). Op. 522	index
<i>Symphaedra</i> Hübner, 1819, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 7, pl. [1], figs. 1, 2 (gender: feminine) (type species, by designation by Scudder, 1875 (<i>Proc. amer. Acad. Arts Sci.</i> , Boston, 10 : 272); <i>Symphaedra alcandra</i> Hübner, 1819, <i>Zutr. Samml. exot. Schmett.</i> , 1 : 7, pl. [1], figs. 1, 2) by direction under the plenary power, not available for use in preference to <i>Euthalia</i> Hübner, [1819] (type species: <i>Papilio lubentina</i> Cramer, [1777]), but available for use by those who do not consider the type species of these two genera to be congeneric with one another (Insecta, Lepidoptera). Direction 2	available
<i>Sympysopus</i> Tilesius von Tilenum, 1818, <i>Ann. wetterau. Ges. Naturk.</i> , 4 : 9 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 864	index
<i>sympyti</i> , <i>Longitarsus</i> , Heikertinger, 1912, <i>Entomologische Blätter</i> , 8 (3): 69 (Insecta, Coleoptera). Op. 1656	available

<i>Synalpheus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 572 (gender: masculine) (type species, by monotypy: <i>Synalpheus falcatus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 574, valid name: <i>Alpheus comatularum</i> Haswell, 1882) (Crustacea, Decapoda). Op. 470	available
<i>Synaptiphilus</i> Canu & Cuénot, 1892, <i>in</i> Cuénot, <i>Rev. Biol. Nord. France</i> , 5 : 19, 21, 22 (gender: masculine) (type species, by monotypy: <i>Synaptiphilus luteus</i> Canu & Cuénot, 1892, <i>in</i> Cuénot, <i>Rev. Biol. Nord. France</i> , 5 : 19, 21, 22) (Crustacea, Copepoda). Op. 815	available
<i>Synapturanus</i> Carvalho, 1954, <i>Occasional Papers of the Museum of Zoology, University of Michigan</i> , 555 : 17 (gender: masculine) (type species, by designation under the plenary power: <i>Synapturanus mirandaribeiroi</i> Nelson & Lescure, 1975) (Amphibia, Anura). Op. 1513	available
<i>Syncaris</i> Holmes, 1900, <i>Occ. Pap. Calif. Acad. Sci.</i> , 7 : 211 (gender: feminine) (type species, by original designation: <i>Miersia pacifica</i> Holmes, 1895, <i>Proc. Calif. Acad. Sci.</i> , (2) 4 : 577) (Crustacea, Decapoda). Op. 470	available
<i>syndactyla, Simia</i> , Raffles, 1821, <i>Trans. linn. Soc. London</i> , 13 : 241, ruled under the plenary power to be given precedence over the specific name <i>gibbon</i> Miller, 1779, as published in the binomen <i>Simia gibbon</i> , whenever the two names are considered synonyms (Mammalia). Op. 1224	available
<i>Syngamus</i> Siebold, 1836, <i>Arch. Naturgesch.</i> , 2 (1): 105 (gender: masculine) (type species, by monotypy and through Opinion 104 and Article 67e (1961 Code): <i>Fasciola trachea</i> Montagu, 1811, <i>Mem. werner. nat. Hist. Soc.</i> , 1 : 197) (Nematoda). Op. 104	available
<i>Syngnathus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 336 (gender: masculine) (type species, by designation by Jordan, 1912 (<i>Smithson. Publ.</i> , 2060 : 103): <i>Syngnathus acus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 337) (Osteichthyes). Op. 77, Direction 56	available
<i>Syngnathus</i> Rafinesque, 1810, <i>Ind. Itt. Sic.</i> : 57 (a junior homonym of <i>Syngnathus</i> Linnaeus, 1758). Direction 56	index
<i>Synurella</i> Wrzesniowski, 1877, <i>in</i> Hoyer, <i>Zeitschr. wiss. Zool.</i> , 28 : 403 (gender: feminine) (type species, by monotypy: <i>Synurella polonica</i> Wrzesniowski, 1877, <i>in</i> Hoyer, <i>Zeitschr. wiss. Zool.</i> , 28 : 403) (Crustacea, Amphipoda). Op. 1133	available
<i>syriacus, Struthio camelus</i> , Rothschild, 1910, <i>Bull. brit. Ornith. Club</i> , 39 : 83 (type locality: 'Syrian desert') (Aves). Op. 413	available
<i>syricta, Simia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 29 (valid name at the date of Direction 22 of the type species of <i>Tarsius</i> Storr, 1780) (Mammalia). Direction 22	available
<i>Syringothyris</i> Winchell, 1863, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1863 : 6 (gender: feminine) (type species, by original designation through Article 68c: <i>Syringothyris typa</i> Winchell, 1863, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1863 : 6) (Brachiopoda). Op. 100	available

<i>Syrrhaptes</i> Illiger, 1811, <i>Prodr. Syst. Mamm. Avium</i> : 243 (gender: masculine) (type species, by monotypy: <i>Tetrao paradoxa</i> Pallas, 1773, <i>Reise russ. Reichs</i> , 2: 712) (Aves). Op. 67 <i>Syrrhopus</i> Cope, 1878, <i>Am. Nat.</i> , 12: 253 (gender: masculine) (type species, by monotypy: <i>Syrrhopus marnockii</i> Cope, 1878, <i>Am. Nat.</i> , 12: 253) (Amphibia). Op. 1024	available
<i>Systellaspis</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 757 (gender: feminine) (type species, by original designation: <i>Systellaspis lanceocaudata</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24: 758) (Crustacea, Decapoda). Op. 470	available
<i>tabacaria, Fistularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 312 (specific name of the type species of <i>Fistularia</i> Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Tachina</i> Meigen, 1803, <i>Magazin für Insektenkunde (Illiger)</i> , 2: 280 (gender: feminine) (type species, by subsequent designation by Brauer, 1893, <i>Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien</i> , 43: 489; <i>Musca grossa</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1743	available
TACHINIDAE Fleming, 1821, in: <i>Supplement to the fourth, fifth and sixth editions of the Encyclopaedia Britannica</i> , vol. 5, p. 49, spelling emended to TACHINUSIDAE following the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Tachinus</i> Gravenhorst, 1802 is TACHINUS- (Insecta, Coleoptera). Op. 1743	index
TACHINIDAE Robineau-Desvoidy, 1830, <i>Mémoires présentés par divers savants à l'Académie Royale des Sciences de l'Institut de France</i> , (2)2: 185 (type genus: <i>Tachina</i> Meigen, 1803) (Insecta, Diptera). Op. 1743	available
<i>Tachinus</i> Gravenhorst, 1802, <i>Coleoptera microptera Brunsicensia</i> ..., p. 134 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composants les classes des crustacés, des arachnides, et des insectes</i> ..., p. 427; <i>Staphylinus rufipes</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 1743	available
TACHINUSIDAE Fleming, 1821, in: <i>Supplement to the fourth, fifth and sixth editions of the Encyclopaedia Britannica</i> , vol. 5, p. 49 (type genus: <i>Tachinus</i> Gravenhorst, 1802), spelling emended from TACHINIDAE by the ruling under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Tachinus</i> Gravenhorst, 1802 is TACHINUS-, ruled under the plenary power that this name and other family-group names based on <i>Tachinus</i> are not to be given priority over TACHYPORIDAE MacLeay, 1825 and other family-group names based on <i>Tachyporus</i> Gravenhorst, 1802 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1743	available
<i>Tachyophis</i> Mertens, 1934, <i>Arch. Naturgesch. (N.F.)</i> , 3: 197 (a junior homonym of <i>Tachyophis</i> Rochebrune, 1884). Op. 524	index

<p>Tachyphonus Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i>: 33 (gender: masculine) (type species, by monotypy: Tanagra rufa Boddaert, 1783, <i>Tabl. Pl. enlum. Hist. nat. Daubenton</i>: 44) (Aves). Op. 67 TACHYPORIDAE MacLeay, 1825, <i>Annulosa Javanica</i>, no. 1, p. 49 (type genus: Tachyporus Gravenhorst, 1802), ruled under the plenary power that this name and other family-group names based on Tachyporus are to be given precedence over TACHINUSIDAE Fleming, 1821 and other family-group names based on Tachinus Gravenhorst, 1802 whenever their type genera are placed in the same familygroup taxon (Insecta, Coleoptera). Op. 1743</p>	available
<p>Tachyporus Gravenhorst, 1802, <i>Coleoptera microptera Brunsvicensia</i> ..., p. 124 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux composants les classes des crustacés, des arachnides, et des insectes</i> ..., p. 427: Staphylinus chrysomelinus Linnaeus, 1758) (Insecta, Coleoptera). Op. 1743</p>	available
<p>Tachys Dejean, 1821, <i>Catalogue de la collection de Coléoptères de M. le Baron Dejean</i>, p. 16 (gender: masculine) (type species, by designation under the plenary power: Tachys scutellaris Stephens, 1828) (Insecta, Coleoptera). Op. 1598</p>	available
<p>Tachyusa Erichson, 1837, <i>Käf. Mark. Brandenb.</i>, 1: 307 (gender: feminine) (type species, by designation under the plenary power: Tachyusa constricta Erichson, 1837, <i>Käf. Mark. Brandenb.</i>, 1: 307) (Insecta, Coleoptera). Op. 600</p>	available
<p>taczanowskii, Acragas, Mello-Leitão, 1948, <i>An. Acad. Brasil Cien.</i>, 20(2): 187, fig. 27 (specific name of the type species of Hypaeus Simon, 1900) (Arachnida). Op. 889</p>	available
<p>Taenia Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 819 (gender: feminine) (type species, by designation under the plenary power: Taenia solium Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 819) (Cestoda). Op. 84, Op. 272</p>	available
<p>Taenia Pallas, 1766, <i>Elench. Zooph.</i>: 415 (a junior homonym of Taenia Linnaeus, 1758). Direction 76</p>	index
<p>Taenia Walker, 1866, <i>List lep. Ins. Brit. Mus.</i> (4): 927 (a junior homonym of Taenia Linnaeus, 1758). Direction 76</p>	index
<p>taenia, Cobitis, Linnaeus, 1758, <i>Systema Naturae</i>, Ed. 10, vol. 1, p. 303 (specific name of the type species of Cobitis Linnaeus, 1758) (Osteichthyes, Cypriniformes). Op. 1500</p>	available
<p>taeniaides, Thalassema, Ikeda, 1902, <i>Dobutsugaku Zasshi [The Zoological Magazine, Japan]</i>, 14(159): plate (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Echiura). Op. 2048</p>	index
<p>taeniatus, Calomicrus, Wollaston, 1867, <i>Coleoptera Hesperidum, being an enumeration of the coleopterous insects of the Cape Verde archipelago</i>, London (van Voorst): 145 (Insecta, Coleoptera). Op. 1164</p>	available
<p>taeniatus, Dytiscus, Rossi, 1795, <i>Fauna Etrusca</i> (ed. 2), 1: 414 (a junior objective synonym of bilineatus, Dytiscus, de Geer, 1774). Op. 618</p>	index
<p>taeniodoides, Thalassema, Ikeda, 1904, <i>Journal of the College of Science, Imperial University of Tokyo</i>, 20(4): 63 (specific name of the type species of Ikeda Wharton, 1913) (Echiura). Op. 2048</p>	available

<i>Taeniolabis</i> Cope, 1882, <i>American Naturalist</i> , 16 : 604 (gender: masculine) (type species, by designation under the plenary power: <i>Polymastodon taoensis</i> Cope, 1882) (Mammalia, Multituberculata). Op. 1516	available
TAENIOPTERYGIDAE Klapálek, 1905, <i>Ceské společ. Entomol. Casopis</i> , 2 : 30 (type genus: <i>Taeniopteryx</i> Pictet, 1842) (Insecta, Plecoptera). Op. 653	available
<i>Taeniopteryx</i> Pictet, 1842, <i>Hist. nat. Ins. Neur.</i> , Perlides: 335 (gender: feminine) (type species, by original designation: <i>Phryganea nebulosa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 549) (Insecta, Plecoptera). Op. 653	available
<i>Taeniorhynchus</i> Lynch-Arribálzaga, 1891, <i>Rev. Mus. La Plata</i> , 1 : 374 ; <i>ibid.</i> , 2 : 143 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 550	index
<i>taeniorhynchus, Culex</i> , Wiedemann, 1821, <i>Dipt. exot.</i> : 43 (Insecta, Diptera). Op. 550	available
<i>taierensis, Chelifer</i> , With, 1907, <i>Journal of the Linnean Society, Zoology</i> , 30 : 55 (specific name of the type species of <i>Thalassochernes</i> Beier, 1940) (Arachnida, Pseudoscorpionida). Op. 1667	available
TALITRIDAE (correction of TALITRIDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 101 (type genus: <i>Talitrus</i> Bosc, [1802]) ruled under the plenary power to be given precedence over ORCHESTIIDAE Leach, 1814 whenever <i>Talitrus</i> Bosc and <i>Orchestia</i> Leach, 1814 are placed in the same family-group taxon (Crustacea, Amphipoda). Op. 1133	available
<i>Talitrus</i> Bosc, [1802], <i>Hist. nat. Crust.</i> , 2 : 148 (gender: masculine) (type species, by designation under the plenary power: <i>Cancer (Gammarellus) saltator</i> Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 94) (Crustacea, Amphipoda). Op. 1133	available
<i>Talorchestia</i> Dana, 1852, <i>Amer. J. Sci. Arts</i> , (2) 14 : 310 (gender: feminine) (type species, by subsequent monotypy (Dana, 1853, <i>U.S. Explor. Exped.</i> , 13 (2): 861): <i>Talitrus gracilis</i> Dana, 1852, <i>Proc. Amer. Acad. Sci.</i> , 2 : 201) (Crustacea, Amphipoda). Op. 1133	available
<i>Talpa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 52 (gender: feminine) (type species, by Linnaean tautonymy: <i>Talpa europaea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 52) (Mammalia). Op. 75 <i>talpa, Madrepora</i> , Houttuyn, 1772, <i>Natuurlyke Historie of Uitvoerige Beschrywing der Dieren, Planten en Mineraalen</i> , vol. 1, part 17, p. 116 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Anthozoa). Op. 1573	available
<i>talpa, Stenopelmatus</i> , Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2) (No. 1): 721 (specific name of the type species of <i>Stenopelmatus</i> Burmeister, 1838) (Insecta, Orthoptera). Direction 5	available
<i>talpae, Ctenophthalmus</i> , Kolenati, 1856, <i>Parasiten der Chiroptern</i> (Brünn ed.): 33 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 741	index
<i>talpina, Fungia</i> , Lamarck, 1801, <i>Système des animaux sans vertèbres</i> , p. 370 (Anthozoa). Op. 1573	available

<i>talpoida</i> , Hippa , Say, 1817, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 (7): 160 (Crustacea, Decapoda). Op. 522	available
<i>talpoides</i> , Hemimerus , Walker, [1871], <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 5 Suppl. Dermapt. Salt.: 2 (specific name of the type species of Hemimerus Walker, [1871]) (Insecta, Dermaptera). Direction 5	available
<i>tamaricis</i> , Dicyphus , Puton, 1886, <i>Exp. Sci. Tunis.</i> : 19 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 958	index
<i>tanaceti</i> , Chrysomela , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 369 (specific name of the type species of Galeruca Geoffroy, 1762) (Insecta, Coleoptera). Op. 1754	available
<i>tanaceti</i> , Pharalis , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 218 (a nomen nudum). Op. 646	index
<i>Tanagra</i> Linnaeus, 1764, <i>Mus. Adolph. Frid.</i> , 2 , Prodr.: 30 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 852	available
<i>Tanagra</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 313 (a junior homonym of <i>Tanagra</i> Linnaeus, 1764). Op. 852	available
TANAGRIDAE Bonaparte, 1838, <i>Geogr. Comp. List of Birds of Europe and North America</i> : 35 (type genus: <i>Tanagra</i> Linnaeus, 1764 or <i>Tanagra</i> Linnaeus, 1766) (invalid because based either on a name suppressed under the plenary power or on a name rejected as a junior homonym). Op. 852	available
<i>tanakai</i> , Kedania , Kishida, 1909, <i>Notes on the Trombidiidae of Japan (Tokio)</i> : page not known (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 1218	available
<i>tanganyikae</i> , Limnocardina , Calman, 1899, <i>Proc. zool. Soc. London</i> , 1899 : 704 (specific name of the type species of Limnocardina Calman, 1899) (Crustacea, Decapoda). Op. 470	available
<i>tangeri</i> , Gelasimus , Eydoux, 1835, <i>Mag. Zool. Paris</i> , 5 (7): unnumbered page (Crustacea, Decapoda). Op. 1262	available
<i>Taningia</i> Joubin, 1931, <i>Annales de l'Institut Océanographique</i> , 10 : 181 (gender: feminine) (type species, by monotypy: <i>Taningia danae</i> Joubin, 1931) (Cephalopoda, Coleoidea). Op. 1768	available
<i>tantilla</i> , Pupa , Gould, 1847, <i>Proceedings of the Boston Society of Natural History</i> , 2 : 197 (specific name of the type species of Nesopupa Pilsbry, 1900) (Gastropoda). Op. 1823	available
<i>Tanystropheus</i> von Meyer, [1852], <i>Zur Fauna der Vorwelt</i> (2): 42 (gender: masculine) (type species, by monotypy: <i>Tanystropheus conspicuus</i> von Meyer, [1852], <i>Zur Fauna der Vorwelt</i> (2): 42) (Reptilia). Op. 1186	available
TANYTARSINI Goetghebuer, 1938, in Lindner, <i>Die Fliegen</i> , Fam. 13c: 73 (type genus: <i>Tanytarsus</i> van der Wulp, 1874) (Insecta, Diptera). Op. 616	available

<i>Tanytarsus</i> van der Wulp, 1874, <i>Tijdschr. Entomol.</i> , 17 : 134 (gender: masculine) (type species, by designation under the plenary power: <i>Chironomus signatus</i> van der Wulp, 1858, <i>Tijdschr. Entomol.</i> , 2 (3): 169) (Insecta, Diptera). Op. 616	available
<i>taoenensis</i> , <i>Polymastodon</i> , Cope, 1882, <i>American Naturalist</i> , 16 : 684 (specific name of the type species of <i>Taeniolabis</i> Cope, 1882) (Mammalia, Multituberculata). Op. 1516	available
<i>Tapaia</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): vi [Table of Contents] (an incorrect original spelling for <i>Tapaja</i> Oken, 1816, by selection by Smith, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 270), and invalid also because included in a work rejected for nomenclatural purposes). Op. 565	index
<i>Tapaia</i> Oken, 1817, <i>Isis</i> (Oken), 1817 : 1183, a spelling selected by Smith, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 270), as first reviser, in preference to <i>Tapaya</i> Oken, 1817 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 565	index
<i>Tapaja</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): 295, a spelling selected by Smith, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 270), as first reviser, in preference to <i>Tapaia</i> Oken, 1816 (invalid because included in a work rejected for nomenclatural purposes). Op. 565	index
<i>Tapaya</i> Fitzinger, 1826, <i>Neue Classif. Rept.</i> : 17 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 565	index
<i>Tapaya</i> Oken, 1817, <i>Isis</i> (Oken), 1817 : 1183 (an incorrect original spelling for <i>Tapaia</i> Oken, 1817, by selection by Smith, 1957 (<i>Bull. zool. Nomencl.</i> , 13 : 270)). Op. 565	index
<i>Tapaya</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 197 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 565	index
<i>Taphius</i> Adams & Adams, 1855, <i>Gen. rec. Moll.</i> , 2 : 262 (gender: masculine) (type species, by original designation: <i>Planorbis andecolus</i> d'Orbigny, 1835, <i>Mag. Zool.</i> , 5 : 26) ruled under the plenary power not to be given priority over <i>Biomphalaria</i> Preston, 1910 whenever the two names are considered synonyms (Gastropoda). Op. 735	available
<i>Tapinotetartos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 572 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Tapirus</i> Brisson, 1762, <i>Regnum Animale in classes IX distributum, sive synopsis methodica</i> , Ed. 2, pp. 12, 81 (gender: masculine) (type species, by designation under the plenary power: <i>Hippopotamus terrestris</i> Linnaeus, 1758), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Perissodactyla). Op. 1894	available
<i>tarandi</i> , <i>Oestrus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 584 (specific name of the type species of <i>Oedemagena</i> Latreille, 1818) (Insecta, Diptera). Direction 64	available
<i>tarandus</i> , <i>Cervus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 67 (specific name of the type species of <i>Rangifer</i> Smith, 1827) (Mammalia). Direction 22	available

<i>Tardigradus</i> Boddaert, 1785, <i>Elenchus Animalium</i> , vol. 1 (Sistens Quadrupedia), pp. 64, 67 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1922	index
<i>tardigradus</i> , <i>Lemur</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 29, as defined by the lectotype (specimen no. NRM 532011 in the Swedish Museum of Natural History, Stockholm) designated by Gentry, Groves & Jenkins, 1998, <i>Bulletin of Zoological Nomenclature</i> , 55: 119 (specific name of the type species of <i>Loris</i> E. Geoffroy Saint-Hilaire, 1796) (Mammalia, Primates). Op. 1922	available
<i>tardus</i> , <i>Thinobius</i> , Notman, 1921, <i>Journal of the New York Entomological Society</i> , 29(3-4): 149 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2129	index
<i>tarsatus</i> , <i>Hydroporus</i> , Laporte, 1835, <i>Études entomologiques</i> , part 1 (Carnassiers), p. 106 (specific name of the type species of <i>Vatellus</i> Aubé, [1837]) (Insecta, Coleoptera). Op. 1681	available
<i>Tarsius</i> Storr, 1780, <i>Prod. meth. Mamm.</i> : 32, Tab. A (gender: masculine) (type species, by designation by Palmer, 1904 (<i>N. Amer. Fauna</i> , 23: 664); <i>Lemur tarsier</i> Erxleben, 1777, <i>Syst. Regni Anim.</i> : 71, valid name: <i>Simia syrichta</i> Linnaeus, 1758) (Mammalia). Op. 122, Direction 24	available
<i>tarsius</i> , <i>Tarsius</i> , Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 10 (an unjustified emendation of <i>tarsier</i> , <i>Lemur</i> , Erxleben, 1777). Direction 24	index
<i>tatarica</i> , <i>Buprestis</i> , Pallas, 1773, <i>Reisen durch verschiedene Provinzen des Russischen Reiches, vom Jahr 1771</i> , vol. 2, p. 464 (specific name of the type species of <i>Cyphosoma</i> Mannerheim, 1837) (Insecta, Coleoptera). Op. 2083	available
<i>Tatu</i> Blumenbach, 1779, <i>Handbuch der Naturgeschichte</i> , p. 74 (a junior objective synonym of <i>Dasypus</i> Linnaeus, 1758) (Mammalia, Xenarthra). Op. 1926	index
<i>Tatura</i> Butler, [1888], <i>Proc. zool. Soc. London</i> , 1887(4): 572 (gender: feminine) (type species, by designation under the plenary power: <i>Hypolycaena lebona</i> Hewitson, [1865], <i>Ill. diurn. Lep., Lyc.</i> (2): 51, pl. 23) (Insecta, Lepidoptera). Op. 994	available
<i>taurus</i> , <i>Bos</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 71 (specific name of the type species of <i>Bos</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>taurus</i> , <i>Carcharias</i> , Rafinesque, 1810, <i>Caratteri di alcuni nuovi generi e nuove specie di Animali e Piante della Sicilia con varie osservazioni sopra i medesimi</i> , p. 10 (specific name of the type species of <i>Carcharias</i> Rafinesque, 1810) (Chondrichthyes, Lamniformes). Op. 1459	available
<i>Taxidea</i> Waterhouse, [1839], <i>Proc. zool. Soc. London</i> , 6: 153 (gender: feminine) (type species, by monotypy: <i>Ursus labradorius</i> Gmelin, 1788, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 1, p. 102, valid name: <i>Ursus taxus</i> Schreber, [1777]) (Mammalia). Op. 384	available
TAXIDEINAE (correction of TAXIDIINAE) Pocock, [1922], <i>Proc. zool. Soc. London</i> , 1921: 835 (type genus: <i>Taxidea</i> Waterhouse, [1839]) for use by those who consider that <i>Taxidea</i> Waterhouse and <i>Meles</i> Brisson, 1762 belong to different family-group taxa (Mammalia). Direction 53	available

<i>Taxidia</i> Hodgson, 1847, <i>J. asiat. Soc. Bengal</i> , 16 : 763 (an unjustified emendation of <i>Taxidea</i> Waterhouse, [1839]). Op. 384	index
<i>TAXIDIINAE</i> Pocock, [1922], <i>Proc. zool. Soc. London</i> , 1921 : 835 (type genus: <i>Taxidea</i> Waterhouse, [1839]) (an incorrect original spelling for TAXIDEINAE Pocock, [1922]). Direction 53	index
<i>Taxonus</i> Hartig, 1837, <i>Die Aderflügler Deutschlands mit besonderer Berücksichtigung ihres Larvenzustandes und ihres Wirkens in Wäldern und Gärten für Entomologen, Wald- und Gartenbesitzer ...</i> , vol. 1, p. 297 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Rohwer, 1911, U.S. <i>Department of Agriculture, Bureau of Entomology, Technical Series</i> , 20 (2): 90: <i>Tenthredo (Allatus) nitida</i> Klug, 1817, a junior subjective synonym of <i>Tenthredo agrorum</i> Fallén, 1808) (Insecta, Hymenoptera). Op. 1963	available
<i>Taxus</i> Cuvier & Geoffroy Saint-Hilaire, 1795, <i>Magazin Encyclopédique</i> , 2 : 184, 187 (a junior objective synonym of <i>Meles</i> Brisson, 1762) (Mammalia, Carnivora). Op. 1894	index
<i>taxus, Ursus</i> , Schreber, [1777], <i>Die Säugthiere</i> , 3 : 520; <i>id.</i> , [1778], <i>ibid.</i> , 3 : pl. 142B (valid name at the date of Opinion 384 of the type species of <i>Taxidea</i> Waterhouse, 1839) (Mammalia). Op. 384	available
<i>taylorensis, Anomalina</i> , Carsey, 1926, <i>Univ. Texas Bull.</i> (No. 2612): 1-53 (Rhizopoda). Op. 873	available
<i>taylori, Sauritolepis</i> , Hall, 1840, <i>Fourth Annual Report of the Survey of the Fourth Geological District. Assembly Document, Albany Institute</i> , 50 : 453, as defined by the lectotype (catalogue no. AMNH 3341 in the American Museum of Natural History, New York) designated by Jeffery, Davis, Shubin & Daeschler, 2002, <i>Bulletin of Zoological Nomenclature</i> , 59 : 199 (specific name of the type species of <i>Sauripterus</i> Hall, 1843) (Osteichthyes). Op. 2089	available
<i>tcheric, Motacilla</i> , Wilkes, 1817, <i>Encyclopaedia Londinensis</i> , vol. 16, p. 94 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>Teba</i> Beck, 1847, <i>Amtlicher Bericht über die Versammlung Deutscher Naturforscher und Ärzte in Kiel im September 1846</i> , 24 (2): 122 (an incorrect subsequent spelling of <i>Theba</i> Risso, 1826) (Gastropoda). Op. 2135	index
<i>Teba</i> Turton, 1831, <i>A manual of the land and fresh-water shells of the British Islands</i> , p. 36 (an incorrect subsequent spelling of <i>Theba</i> Risso, 1826) (Gastropoda). Op. 2135	index
<i>Tectarius</i> Valenciennes, [1832], in Humboldt & Bonpland, <i>Voy. Rég. équinox, nouv. Continent, Zoology</i> , 2 : 271 (gender: masculine) (type species, by designation by Clench & Abbott, 1942 (<i>Johnsonia</i> , 1 (4): 1): <i>Tectarius coronatus</i> Valenciennes, [1832], in Humboldt & Bonpland, <i>Voy. Rég. équinox, nouv. Continent, Zoology</i> , 2 : 271, valid name: <i>Trochus grandinatus</i> Gmelin, 1791) (Gastropoda). Op. 871	available
<i>tectus, Ptinus</i> , Boieldieu, 1856, <i>Annales de la Société Entomologique de France</i> , (3) 4 : 652, ruled under the plenary power to be treated as the name of a then new nominal species (Insecta, Coleoptera). Op. 2055	available

<i>teguixin</i> , <i>Lacerta</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 208 (valid name at the date of Opinion 1300 of the type species of <i>Tupinambis</i> Daudin, 1802) (Reptilia). Op. 1300	available
<i>tegulatus</i> , <i>Ammonites pictus</i> , Quenstedt, 1887, <i>Die Ammoniten des Schwäbischen Jura, III, Der Weisse Jura</i> , p. 1051, ruled under the plenary power to be an available name (specific name of the type species of <i>Taramelliceras</i> (<i>Strebliticeras</i>) Hölder, 1955) (Ammonoidea). Op. 2123	available
TEIIDAE Gray, 1827, <i>Phil. Mag.</i> , (2)1: 53 (type genus: <i>Teius</i> Merrem, 1820) ruled under the plenary power to be given precedence over the family-group name AMEIVIDAE Fitzinger, 1826 whenever <i>Teius</i> Merrem, 1820 and <i>Ameiva</i> Meyer, 1795 are placed in the same family-group taxon (Reptilia). Op. 1300	available
<i>Teius</i> Merrem, 1820, <i>Tent. Syst. Amph.</i> : 13, 60 (gender: masculine) (type species, by designation by Burt & Burt, 1933 (<i>Trans. Acad. Sci. St. Louis</i> , 28: 76): <i>Teius viridis</i> Merrem, 1820, <i>Tent. Syst. Amph.</i> : 60, junior synonym of <i>Lacerta teyou</i> Daudin, 1802) (Reptilia). Op. 1300	available
<i>telarius</i> , <i>Acarus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 616 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 968	index
<i>telchinum</i> , <i>Ceratophyllus</i> , Rothschild, 1905, <i>Novit. zool.</i> , 12: 153, pl. 8, fig. 21 (specific name of the type species of <i>Malaraeus</i> Jordan, 1933) (Insecta, Siphonaptera). Op. 388	available
<i>telemus</i> , <i>Monoculus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 635 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 288	index
<i>Teleosteus</i> Volger, 1860, <i>Ber. Offenbach. Ver. Naturk.</i> , 1: 37 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 223	index
<i>Telicota</i> Moore, [1881], <i>Lep. Ceylon</i> , 1(4): 169 (gender: feminine) (type species, by designation under the plenary power: <i>Papilio colon</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 531) (Insecta, Lepidoptera). Op. 831	available
<i>Telipna</i> Aurivillius, 1895, <i>Entomol. Tidskr.</i> , 16: 198 (gender: feminine) (type species, by original designation: <i>Liptena acraea</i> Westwood, [1851], in Doubleday, <i>Gen. diurn. Lep.</i> (2): pl. 77, fig. 6) (Insecta, Lepidoptera). Op. 566	available
<i>Tellinella</i> Mörch, 1853, <i>Cat. Conchyl. Yoldi</i> , 2: 13 (gender: feminine) (type species, by designation by Stoliczka, 1870 (<i>Cretaceous fauna S. India</i> , 3, <i>Pelecyopoda, Mem. geol. Surv. India, Palaeont. Indica</i> , (6)3: 116): <i>Tellina virgata</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 674) (Bivalvia). Op. 987	available
<i>Tellinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Telmessus</i> Stål, 1866, <i>Hemipt. Afric.</i> , 4: 211 (a junior homonym of <i>Telmessus</i> White, 1846). Direction 37	index

<i>Telmessus</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 17 (Suppl.): 497 (gender: masculine) (type species, by monotypy: <i>Telmessus serratus</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 17 (Suppl.): 497, valid name: <i>Cancer cheiragonus</i> Tilesius, 1815) (Crustacea, Decapoda). Op. 73 <i>temesa</i> , <i>Thecla</i> , Hewitson, [1868], <i>Descr. new Spec. Lycaenidae</i> : 1, No. 2 (specific name of the type species of <i>Iaspis</i> Kaye, 1904) (Insecta, Lepidoptera). Op. 821	available
<i>temminckii</i> , <i>Chelonura</i> , Troost, 1835, in Harlan, <i>Med. Phys. Res.</i> : 158 (conserved under the plenary power) (Reptilia). Op. 660	available
<i>Temnocrinus</i> Springer, 1902, <i>Am. Geol.</i> , 30 : 94 (gender: masculine) (type species, by original designation: <i>Cyathocrinites tuberculatus</i> Miller, 1821, <i>Nat. Hist. Crinoidea</i> : 88) (Crinoidea). Op. 917	available
<i>Temnorhynchus</i> Hope, 1837, <i>The coleopterist's manual, containing the lamellicorn insects of Linneus and Fabricius</i> , p. 47 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Coptorhinus</i> Dejean, 1833: <i>Scarabaeus retusus</i> Fabricius, 1781) (Insecta, Coleoptera). Op. 1838	available
<i>temporalis</i> , <i>Philopterus</i> , Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3 : 292 (a junior objective synonym of <i>mergiserrati</i> , <i>Ricinus</i> , de Geer, 1778). Op. 627	index
<i>tenax</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 591 (specific name of the type species of <i>Eristalis</i> Latreille, 1804) (Insecta, Diptera). Op. 1747	available
<i>tenebricola</i> , <i>Linyphia</i> , Wider, 1834, <i>Mus. Senckenberg (Abh. Gebiete beschr. Naturges. von Mitgl. senck. naturk. Ges. in Frankfurt-am-Main)</i> , 1 : 260, 261, pl. 18, figs. 2a, 2b, as interpreted by the neotype proposed by Locket, Millidge & van Helsdingen, 1978 (<i>Bull. zool. Nomencl.</i> , 35 : 46) and designated under the plenary power (Arachnida). Op. 1245	available
<i>tenellum</i> , <i>Eudendrium</i> , Allman, 1877, <i>Memoirs of the Museum of Comparative Zoology at Harvard College</i> , 5 (2): 8, as defined by Allman's type material deposited in the collection of the Museum of Comparative Zoology at Harvard University (a jar labelled 'MCZ 50235; colony without gonophores, U.S.A., off Florida, off Double-Head Shot Key, Gulf Stream Expedition, n, 23 57'30"N, 80 29'15"W, alcohol preserved, 10.iii.1869, 862 m, leg. L.F. de Pourtalés, det. G.J. Allman, holotype, with no hydranths') (Hydrozoa). Op. 2175	available
<i>tenellus</i> , <i>Limax</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 11 (Gastropoda). Op. 336	available
<i>tentaculata</i> , <i>Caecilia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 229 (specific name of the type species of <i>Caecilia</i> Linnaeus, 1758) (Amphibia, Gymnophiona). Op. 1462	available
<i>tentaculata</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 774 (specific name of the type species of <i>Bithynia</i> Leach, 1818) (Gastropoda). Op. 475	available
<i>tenuicornis</i> , <i>Palaemon</i> , Say, 1818, <i>J. Acad. nat. Sci. Philadelphia</i> , 1 : 249 (Crustacea, Decapoda). Op. 564	available
<i>tenuicornis</i> , <i>Tettix</i> , Sahlberg, 1893, <i>Meddel. Soc. Faun. Flor. Fenn.</i> , 19 : 47 (Insecta, Orthoptera). Op. 1103	available

<i>tenuilineatum</i> , <i>Pisidium</i> , Stelfox, 1918, <i>J. Conchol.</i> , 15 : 296 (Bivalvia). Op. 336	available
<i>tenuimanus</i> , <i>Cherax</i> , Smith, 1912, <i>Proceedings of the Zoological Society of London</i> , 1912 : 166 (Crustacea) Op. 2212	available
<i>tenuipes</i> , <i>Carupa</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 85 (specific name of the type species of <i>Carupa</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>tenuipes</i> , <i>Palaemonella</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 25 (specific name of the type species of <i>Palaemonella</i> Dana, 1852) (Crustacea, Decapoda). Op. 470	available
<i>tenuis</i> , <i>Cyrtopeltis</i> , Reuter, 1895, <i>Rev. Entomol. Fr.</i> , 14 : 139 (Insecta, Hemiptera). Op. 958	available
<i>tenuis</i> , <i>Mastax</i> , Perty, 1832, <i>Del. Anim. artic. Brazil</i> (2): 123 (specific name of the type species of <i>Eumastax</i> Burr, 1899) (Insecta, Orthoptera). Direction 5	available
<i>tenuis</i> , <i>Mycetoporus</i> , Mulsant & Rey, 1853, <i>Opuscula Entomologica</i> , 2 : 54 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2078	index
<i>tenuis</i> , <i>Pinophilus</i> , Fagel, 1963, <i>Exploration du Parc National de la Garamba. Mission H. de Saeger</i> , 37 : 216, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. tenuis</i> Sharp, 1876 (Insecta, Coleoptera). Op. 2139	available
<i>tenuis</i> , <i>Pinophilus</i> , Sharp, 1876, <i>Transactions of the Entomological Society of London</i> , 1876 : 323 (Insecta, Coleoptera). Op. 2139	available
<i>tenuissima</i> , <i>Clymenia</i> , Ørsted, 1844, <i>De regionibus marinis. Elementa topographiae historiconaturalis, Freti Øresund</i> . [Dissertation], p. 79 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Polychaeta). Op. 1636	index
<i>tephra</i> , <i>Dasychira</i> , Hübner, [1809], <i>Sammel. exot. Schmett.</i> , 1 : pl. [178] (specific name of the type species of <i>Dasychira</i> Hübner, [1809]) (Insecta, Lepidoptera). Op. 1283	available
<i>Terebelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Terebra</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Terebratula</i> Müller, 1776, <i>Zoologiae Danicae prodromus seu animalium Daniae et Norvegiae indigenarum characteres, nomina, et synonyma imprimis popularium</i> , p. 249 (gender: feminine) (type species, by designation under the plenary power: <i>Anomia terebratula</i> Linnaeus, 1758) (Brachiopoda). Op. 1959	available
<i>terebatula</i> , <i>Anomia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 703, as defined by the neotype (catalogue no. BM(NH) BG152 in the Natural History Museum, London) designated by Lee & Brunton, 1998, <i>Bulletin of Zoological Nomenclature</i> , 55 : 222 (specific name of the type species of <i>Terebratula</i> Müller, 1776) (Brachiopoda). Op. 1959	available
<i>Terebratuligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index

<i>Terebratulina</i> d'Orbigny, 1847, <i>C.R. Acad. Sci.</i> , Paris, 25 , (Aug.): 268 (gender: feminine) (type species, by designation under the plenary power: <i>Anomia retusa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 701) (Brachiopoda). Op. 924	available
<i>Terebrigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Teredigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Teredo</i> Hübner, [1809]-[1813], <i>Erste Zutr. Samml. exot. Schmett.</i> : 6 (ref. to <i>Zutr. Samml. exot. Schmett.</i> , 1 : pl. [25]) (a junior homonym of <i>Teredo</i> Linnaeus, 1758). Direction 72	index
<i>Teredo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 651 (gender: feminine) (type species, by designation by Children, 1822 (<i>Quart. J. Sci. Lit. Arts</i> , 15 : 82); <i>Teredo navalis</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 651) (Bivalvia). Op. 94, Direction 72	available
TERGIPEDINAE Bergh, 1889, in Carus, <i>Prodr. Faun. Medit.</i> , 2 : 209 (type genus: <i>Tergipes</i> Cuvier, 1805) (Gastropoda). Op. 773	available
<i>Tergipes</i> Cuvier, 1805, <i>Ann. Mus. Hist. nat.</i> , Paris, 6 : 433 (gender: masculine) (type species, by monotypy: <i>Limax tergipes</i> Forsskål, 1775, <i>Descr. Anim.</i> : 99) (Gastropoda). Op. 773	available
<i>Tergipes</i> Fleming, 1828, <i>Hist. brit. Anim.</i> : 283 (a junior homonym of <i>Tergipes</i> Cuvier, 1805). Op. 773	index
<i>Tergipes</i> Risso, 1818, <i>J. Phys.</i> , 87 : 372 (a junior homonym of <i>Tergipes</i> Cuvier, 1805). Op. 773	index
<i>tergipes</i> , <i>Limax</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 99 (specific name of the type species of <i>Tergipes</i> Cuvier, 1805) (Gastropoda). Op. 773	available
<i>teriae</i> , <i>Varanus</i> , Sprackland, 1991, <i>Memoirs of the Queensland Museum</i> , 30 (3): 570 (a junior objective synonym of <i>Odatria keithhornei</i> Wells & Wellington, 1985) (Reptilia). Op. 1970	index
<i>terminalis</i> , <i>Staphylinus</i> , Erichson, 1839, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , vol. 1, p. 396 (Insecta, Coleoptera). Op. 2053	available
<i>terminalis</i> , <i>Staphylinus</i> , Laporte, 1840, <i>Histoire naturelle des insectes coléoptères</i> , vol. 1, p. 176, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. terminalis</i> Erichson, 1839 (Insecta, Coleoptera). Op. 2053	available
<i>terminifera</i> , <i>Epacromia</i> , Walker, 1870, <i>Cat. Dermapt. Saltat. Brit. Mus.</i> , 4 : 777 (specific name of the type species of <i>Chortoicetes</i> Brunner von Wattenwyl, 1893) (Insecta, Orthoptera). Op. 357	available

TERMOPSIDAE Holmgren, 1911, <i>Kungliga Svenska Vetenskaps-Akademiens Handlingar</i> , 46 (6): 35 (type genus: Termopsis Heer, 1849), ruled under the plenary power that it and other family-group names based on Termopsis are to be given precedence over STOLOTERMITINAE Holmgren, 1910 and other family-group names based on Stolotermes Hagen, 1858 whenever their type genera are placed in the same family-group taxon (Insecta, Isoptera). Op. 2124	available
Termopsis Heer, 1849, <i>Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatién. Zweiter Theil: Heuschrecken, Florfliegen, Aderflügler, Schmetterlinge und Fliegen</i> , p. 23 (gender: feminine) (type species, by designation under the plenary power: Termopsis bremii Heer, 1849) (Insecta, Isoptera). Op. 2124	available
ternatensis, Heliases , Bleeker, 1856, <i>Natuurkundig Tijdschrift voor Nederlandsch-Indië</i> , 10 : 377 (Osteichthyes, Perciformes). Op. 1563	available
Terpne Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 6 (included in a work rejected for nomenclatural purposes). Op. 789	index
terraenovae, Phormia , Robineau-Desvoidy, 1830, <i>Mémoires présentés par divers savants à l'Académie Royale des Sciences de l'Institut de France</i> , 2 : 467 (specific name of the type species of Protophormia Townsend, 1908) (Insecta, Diptera). Op. 1618	available
terraereginae, Mus , Alston, 1879, <i>Proc. zool. Soc. London</i> , 1879 : 646 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1116	index
Terrakea Booker, 1930, <i>J. Proc. roy. Soc. N.S.W.</i> , 64 : 66 (gender: feminine) (type species, by designation under the plenary power: Productus brachythaeerus Morris, 1845, in <i>de Strzelecki, Phys. Descript. N.S. Wales and van Diemen's Land</i> : pl. 14, fig. 4c, as conserved under the plenary power and as interpreted by reference to the specimen figured by Morris and refiuged by Hill, 1950 (<i>Univ. Qld. Papers, Dept. Geol.</i> , 3 (2): 19), now preserved in the British Museum (Natural History), London) (Brachiopoda). Op. 486	available
terrestris, Apis , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 578, defined under the plenary power by the neotype (the queen specimen with a red label reading 'NEOTYPE <i>Apis terrestris</i> L., 1758', a white label reading 'Upl. Rådmansö Västernäs 7.8.1970 leg. S. Erlandsson', a white label reading ' <i>Bombus terrestris</i> (L.) A. Løken det.' and a blue label reading 'Naturhistoriska Riksmuseet Stockholm Loan 262/94' designated under the plenary power (specific name of the type species of Bombus Latreille, 1802) (Insecta, Hymenoptera). Op. 220, Op. 1828	available
terrestris, Aranea , Wider, 1834, <i>Mus. Senck.</i> , 1 : 215 (Arachnida). Op. 1119	available
terrestris, Hippopotamus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 74 (specific name of the type species of Tapirus Brisson, 1762) (Mammalia, Perissodactyla). Op. 1894	available
terrestris, Lumbricus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 647, as interpreted by the neotype designated by Sims, 1973 (<i>Bull. zool. Nomencl.</i> , 30 : 32, 33) (specific name of the type species of Lumbricus Linnaeus, 1758) (Oligochaeta). Op. 1102	available

<i>terrestris</i> , <i>Testudo</i> , Fermin, 1765, <i>Hist. nat. Hollande équinox.</i> : 51 (included in a work rejected for nomenclatural purposes). Op. 660	index
<i>terrestris</i> , <i>Testudo</i> , Forsskål, 1775, <i>Descr. Anim.</i> : VIII, 12 (conserved under the plenary power) (Reptilia). Op. 660	available
<i>terricola</i> , <i>Rhabditis</i> , Dujardin, [1844], <i>Histoire naturelle des Helminthes</i> , p. 340 (specific name of the type species of <i>Rhabditis</i> Dujardin, [1844]) (Nematoda). Direction 120	available
<i>tertianae</i> , <i>Haemosporidium</i> , Lewkowicz, 1897, <i>Zbl. Bakt. (Abt. 1)</i> , 21 (4): 132 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>tertianae</i> , <i>Plasmodium malariae</i> , Kruse, 1892, <i>Hyg. Rdschr.</i> , 2 : 466 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>tertianae</i> , <i>Plasmodium malariae</i> , M. & C., Varietà B, Celli & Sanfelice, 1891, <i>Ann. Ist. Igiene sper. Univ. Roma</i> (n.s.), 1 : 61 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>tessacourbe</i> , <i>Muscicapa</i> , Scopoli, 1786, <i>Delic. Flor. Faun. insubr.</i> , 2 : 95 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>tesselatus</i> , <i>Grapsus</i> , Latreille, 1812, in Milbert, <i>Voy. Ile de France</i> , 2 : 275 (specific name of the type species of <i>Lybia</i> Milne Edwards, 1834) (Crustacea, Decapoda). Direction 36	available
<i>tessellata</i> , <i>Acrophylla</i> , Westwood, 1859, <i>Cat. Phasm.</i> : 115 (and later uses in combination with <i>Acrophylla</i> Gray, 1835 and <i>Ctenomorpha</i> Gray, 1833) (an incorrect subsequent spelling for <i>tessulata</i> , <i>Ctenomorpha</i> , Gray, 1835). Op. 641	index
<i>tessellatus</i> , <i>Conus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 140 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>tessini</i> , <i>Paradoxides</i> , Brongniart, 1822, in Brongniart & Desmarest, <i>Hist. nat. Crust. foss.</i> : 31 (a junior objective synonym of <i>paradoxissimus</i> , <i>Entomostracites</i> , Wahlenberg, [1818]). Op. 496	index
<i>tessulata</i> , <i>Ctenomorpha</i> , Gray, 1835, <i>Synops. Ins. Phasm.</i> : 44 (Insecta, Phasmida). Op. 641	available
<i>Testacelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>testaceum</i> , <i>Omalium</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , vol. 1, p. 885, ruled under the plenary power to be given precedence over <i>Omalium pygmaeum</i> Gravenhorst, 1806, whenever they are considered to be synonyms, and not invalid by reason of being a junior primary homonym of <i>Omalium testaceum</i> Gravenhorst, 1806 (Insecta, Coleoptera). Op. 2086	available

<i>testaceum</i> , <i>Omalium</i> , Gravenhorst, 1806, <i>Monographia Coleopterorum Micropteron</i> , p. 218, ruled under the plenary power not to be given priority over <i>Omalium sorbi</i> Gyllenhal, 1810 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>testaceus</i> , <i>Staphylinus</i> , Fabricius, 1801, <i>Systema eleutherorum secundum ordines ...</i> , vol. 2, p. 595, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. testaceus</i> Paykull, 1789 (Insecta, Coleoptera). Op. 2053	available
<i>testudinarius</i> , <i>Pleurobranchus</i> , Cantraine, 1835, <i>Bulletins de l'Académie Royale des Sciences et Belles- Lettres de Bruxelles</i> , 2 : 385 (Gastropoda). Op. 1767	available
<i>Tetarteryhos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 583 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Tethya</i> Lamarck, [1814], <i>Mém. Mus. Hist. nat. Paris</i> , 1 (1): 69 (gender: feminine) (type species, by designation by Milne Edwards, 1849 (<i>in</i> Cuvier, <i>Règne Animal</i> , ed. 4 (Disciples' Edition), 20 (1836-1849), pl. 95): <i>Alcyonium lyncurium</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1295, valid name: <i>Alcyonium aurantium</i> Pallas, 1766) (Porifera). Op. 1182	available
TETHYDIDAE (correction of TETHYDAE) Rafinesque, 1815 (as TETHYDIA), <i>Analyse Nature</i> : 141 (type genus: <i>Tethys</i> Linnaeus, 1767) (Gastropoda). Op. 1182	available
TETHYDIDAE (as TETHYADAE) Gray, 1867, <i>Proc. zool. Soc. London</i> , 1867 : 540 (type genus: <i>Tethya</i> Lamarck, [1814]) (Porifera). Op. 1182	available
TETHYDIDAE (as TETHYDIA) Rafinesque, 1815, <i>Analyse Nature</i> : 141 (type genus: <i>Tethys</i> Linnaeus, 1767) (ruled under the plenary power to be an incorrect original spelling for TETHYDIDAE Rafinesque, 1815). Op. 1182	index
TETHYDIDAE Huntsman, 1912, <i>Trans. Canad. Inst.</i> , No. 21, 9 (2): 133 (type genus: <i>Tethyum</i> Gunnerus, 1765) (a junior homonym of TETHYDIDAE Gray, 1867). Op. 1182	index
<i>Tethys</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 653 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy, apart from the use in combination with the specific names <i>leporina</i> and <i>limacina</i>). Op. 200	index
<i>Tethys</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1089 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Tethys fimbria</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1089) (Gastropoda). Op. 200	available
<i>Tethys</i> , all uses of, prior to <i>Tethys</i> Linnaeus, 1767 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 200	index
<i>Tethyum</i> Gunnerus, 1765, <i>K. norske Vidensk. Selskab. Skr.</i> , 3 : 102 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1182	index

<i>Tetigonia</i> Blanchard, 1852, <i>in Gay, Hist. Chile (Zool.)</i> , 7 : 282 (a junior homonym of <i>Tettigonia</i> Linnaeus, 1758). Op. 299, entry on the Official Index of Rejected and Invalid Names in Zoology deleted in Op. 1754	index
<i>Tetigonia</i> Fourcroy, 1785, <i>Entomol. paris.</i> , 1 : 193 (a junior homonym of <i>Tettigonia</i> Linnaeus, 1758). Op. 299, entry on the Official Index of Rejected and Invalid Names in Zoology deleted in Op. 1754	index
<i>Tetigonia</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 1 : 429 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 299, Op. 1754	index
tetracanthus , <i>Strongylus</i> , Mehlis, 1831, <i>Isis von Oken</i> , 24 : 79, as defined by the neotype (specimen no. 087757.00 in the U.S. National Parasite Collection, Beltsville, Maryland, collected by A. Looss in 1899) designated under the plenary power (specific name of the type species of <i>Cyathostomum</i> Molin, 1861) (Nematoda). Op. 1972	available
tetracera , <i>Limnadia</i> , Krynicki, 1830, <i>Bull. Soc. imp. Nat. Moscou</i> , 2 (11): 176 (specific name of the type species of <i>Cyzicus</i> Audouin, 1837) (Crustacea, Branchiopoda). Op. 553	available
<i>Tetrachila</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
Tetraclaeodon Scott, 1892, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1892 : 299 (gender: masculine) (type species, by monotypy: <i>Mioclaenus floverianus</i> Cope, 1888, <i>Trans. Amer. philos. Soc.</i> , 16 : 330, valid name: <i>Phenacodus puerensis</i> Cope, 1881) (Mammalia). Op. 980	available
tetradactyla , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 542, as defined by the neotype (the lectotype of <i>Phalaena tridactyla</i> Linnaeus, 1758) designated under the plenary power, ruled by the Commission to be a junior objective synonym of <i>Phalaena tridactyla</i> Linnaeus, 1758 (Insecta, Lepidoptera). Op. 2041	index
<i>Tetragonosaurus</i> Parks, 1931, <i>Univ. Toronto Stud. (Geol. Ser.)</i> , 31 : 1-11 (a nomen nudum). Direction 1	index
tetragonus , <i>Diademodon</i> , Seeley, 1894, <i>Phil. Trans. roy. Soc. London (B)</i> , 185 : 1030 (specific name of the type species of <i>Diademodon</i> Seeley, 1894) (Reptilia). Op. 1324	available
Tetragrapsus Rathbun, 1916, <i>Bull. U.S. nat. Mus.</i> , 97 : 273 (gender: masculine) (type species, by monotypy: <i>Brachynotus (Heterograpsus) jouyi</i> Rathbun, 1893, <i>Proc. U.S. nat. Mus.</i> , 16 : 247) (Crustacea, Decapoda). Op. 650	available
<i>Tetragrapsus</i> Salter, 1863, <i>Quart. J. geol. Soc. London</i> , 19 : 140 (ruled under the plenary power to be an incorrect original spelling for <i>Tetragraptus</i> Salter, 1863). Op. 650	index
Tetragraptus (emendation of <i>Tetragrapsus</i>) Salter, 1863, <i>Quart. J. geol. Soc. London</i> , 19 : 140 (conserved under the plenary power) (gender: masculine) (type species, by original designation: <i>Graptolithus bryonoides</i> Hall, 1858, <i>Geol. Surv. Canada</i> , Rept. for 1857: 126, valid name: <i>Fucoides serra</i> Brongniart, 1828) (Graptolithina). Op. 650	available
<i>Tetrahymen</i> Mast & Pace, 1946, <i>Physiol. Zool.</i> , 19 (3): 232 (an unjustified emendation of <i>Tetrahymena</i> Furgason, 1940). Op. 915	index

- Tetrahymena** Furgason, 1940, *Arch. Protistenk.*, **94**(2): 258 (gender: feminine) (type species, by original designation: *Tetrahymena geleii* Furgason, 1940, *Arch. Protistenk.*, **94**(2): 258, valid name: *Leucophrys pyriformis* Ehrenberg, 1830) (Ciliophora). Op. 915 available
- Tetrahymenia* Mugard, 1949, *Ann. Sci. nat., Zool. Biol. animale*, (3)**10**(2): 182 (an incorrect subsequent spelling for **Tetrahymena** Furgason, 1940). Op. 915 index
- TETRAHYMENIDAE** Corliss, 1952, *Proc. Soc. Protozool.*, **3**: 3 (type genus: **Tetrahymena** Furgason, 1940) (Ciliophora). Op. 915 available
- Tetrameres** Creplin, 1846, *Arch. Naturgesch.*, **12**: 130 (gender: masculine) (type species, by monotypy: *Tetrameres haemochrous* Creplin, 1846, *Arch. Naturgesch.*, **12**: 130) (Nematoda). Op. 892 available
- Tetraneura** Hartig, 1841, *Z. Entomol. (Germar)*, **3**: 366 (gender: feminine) (type species, by subsequent monotypy: *Aphis ulmi* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 451) (Insecta, Hemiptera). Op. 1019 available
- Tetrapedia** Klug, 1810, *Gesellschaft Naturforschender Freunde zu Berlin, Magazin für neuesten Entdeckungen in der gesammten Naturkunde*, **4**: 33-35 (gender: feminine) (type species, by monotypy: *Tetrapedia diversipes* Klug, 1810) (Insecta, Hymenoptera). Op. 2070 available
- TETRASTICHINAE** (correction of TETRASTICHOIDAE) Foerster, 1856, *Hymenopterologische Studien* (2): 19 (type genus: *Tetrastichus* Haliday, 1844) (Insecta, Hymenoptera). Op. 720 available
- TETRASTICHOIDAE Foerster, 1856, *Hymenopterologische Studien* (2): 19 (type genus: *Tetrastichus* Haliday, 1844) (an incorrect original spelling for **TETRASTICHINAE** Foerster, 1856). Op. 720 index
- Tetrastichus** Haliday, 1844, *Trans. entomol. Soc. London*, **3**: 297 (gender: masculine) (type species, by monotypy: *Cirrospilus attalus* Walker, 1839, *Ann. Mag. nat. Hist.*, **2**: 353, valid name: *Eulophus miser* Nees, 1834) (Insecta, Hymenoptera). Op. 720 available
- Tetrastichus* Walker, 1842, *Ann. Mag. nat. Hist.*, **10**: 116 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 720 index
- Tetrastichus*, all uses of, prior to that by Haliday, 1844, *Trans. entomol. Soc. London*, **3**: 297 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 720 index
- tetrataenia, Eutaenia sirtalis**, Cope in Yarrow, 1875, *Report upon geographical and geological explorations and surveys west of the one hundredth meridian*, vol. 5 (Zoology), part 4, p. 546, as defined by the lectotype (USNM 21384 in the United States National Museum, Washington, D.C.) designated by Fitch, 1941, *American Midland Naturalist*, **26**(3): 581, 585 (Reptilia, Serpentes). Op. 1961 available
- Tetraxanthus** Rathbun, 1898, *Bull. Lab. nat. Hist. State Univ. Iowa*, **4**: 275 (gender: masculine) (type species, by monotypy: *Xanthodes bidentatus* Milne Edwards, 1880, *Miss. Sci. Mexique, Rech. zool.*, **5** (fasc. 8): 353, pl. 53, figs. 5-5b) (Crustacea, Decapoda). Op. 85, Direction 37 available

- Tetrias* Rathbun, 1898, *Proc. U.S. nat. Mus.*, **21** (No. 1162): 607 (gender: masculine)
 (type species, by monotypy: *Tetrias scabripes* Rathbun, 1898, *Proc. U.S. nat. Mus.*, **21** (No. 1162): 608) (Crustacea, Decapoda). Op. 85, Direction 37 available
- Tetraphthalmus* Kirby, 1827, *Zoological Journal*, **3**(10): 156 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2162 index
- Tetropium* Kirby, 1837, in Richardson, *Fauna Boreali-Americanana*, part 4, p. 174
 (gender: neuter) (type species, by subsequent designation by Thomson, 1864, *Mémoires de la Société Royale des Sciences de Liège*, **19**: 266: *Tetropium cinnamopterum* Kirby, 1837) (Insecta, Coleoptera). Op. 1473 available
- Tettigella* China & Fennah, 1945, *Ann. Mag. nat. Hist.*, (11)**12**: 711 (a junior objective synonym of *Cicadella* Latreille, 1817). Op. 647 index
- TETTIGELLINAE** Evans, 1947, *Trans. roy. entomol. Soc. London*, **98**(6): 157 (type genus: *Tettigella* China & Fennah, 1945) (a junior objective synonym of **CICADELLIDAE** Latreille, 1825). Op. 647 index
- Tettigonia* Fabricius, 1775, *Syst. Entomol.*: 678 (a junior homonym of *Tettigonia* Linnaeus, 1758). Op. 299 index
- Tettigonia* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 429 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: *Gryllus viridissimus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 430) (Insecta, Orthoptera). Op. 299 available
- TETTIGONIDES** Amyot & Serville, 1843, in Roret's Suites à Buffon, *Hist. nat. Ins., Hémiptères*: 569 (type genus: *Tetigonia* Geoffroy, 1762) (invalid because the name of the type genus was rejected for nomenclatural purposes). Op. 647 index
- TETTIGONIIDAE** Krauss, 1902, *Zool. Anz.*, **25**: 541 (type genus: *Tettigonia* Linnaeus, 1758) (Insecta, Orthoptera). Op. 647 available
- Tetyra* Fabricius, 1803, *Syst. Rhyng.*: 128 (gender: feminine) (type species, by designation under the plenary power: *Cimex antillarum* Kirkaldy, 1909, *Cat. Hemipt. (Heteropt.)*, **1** (Cimicidae): 284) (Insecta, Hemiptera). Op. 255 available
- Teuthis* Schneider, 1784, *Samml. verm. Abhandl. Aufklär. Zool.*: 113 (not made available in the work cited). Op. 233 index
- teuthis, Octopodia*, Schneider, 1784, *Samml. verm. Abhandl. Aufklär. Zool.*: 113
 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 233 index
- Teuthras* Stål, 1874, *Recensio Orthopterorum. Revue critique des Orthoptères décrits par Linné, De Geer et Thunberg*, vol. 2, p. 102 (a junior objective synonym of *Phisis* Stål, 1861, the Commission having confirmed that *Listroscelis pectinata* Guérin, 1831 is the type species of both nominal genera) (Orthoptera, Grylloptera). Op. 1490 index
- Teuthys* Linck, 1790, *Mag. N. Phys. Naturg.*, **6**(3): 32 (an incorrect subsequent spelling for *Teuthis* Linnaeus, 1758). Direction 56 index

<i>texana, Melitaea</i> , Edwards, 1863, <i>Proc. entomol. Soc. Philadelphia</i> , 2 : 81 (specific name of the type species of <i>Anthanassa</i> Scudder, 1875) (Insecta, Lepidoptera). Op. 839	available
<i>texense, Homoeomma</i> , Simon, 1892, <i>Actes de la Société Linnéenne de Bordeaux</i> , (5) 4 : 320 (specific name of the type species of <i>Rhechostica</i> Simon, 1892) (Arachnida, Araneae). Op. 1637	available
<i>teyou, Lacerta</i> , Daudin, 1802, in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 3 : 195 (senior synonym of <i>Teius viridis</i> Merrem, 1820, the type species of <i>Teius</i> Merrem, 1820) (Reptilia). Op. 1300	available
THAIDIDAE (correction of THAISIDAE) Jousseaume, 1888, <i>Mem. Soc. zool. Fr.</i> , 1 (2): 176, 179 (type genus: <i>Thais</i> [Röding], 1798) ruled under the plenary power to be given precedence over the family-group name PURPURIDAE Broderip, 1839 whenever <i>Thais</i> [Röding], 1798 and <i>Purpura</i> Bruguière, 1789 are placed in the same family-group taxon (Gastropoda). Op. 886	available
<i>Thais</i> [Röding], 1798, <i>Mus. bolten.</i> : 54 (gender: feminine) (type species, by designation by Iredale, 1915 (<i>Trans. N.Z. Inst.</i> , 47 : 472): <i>Murex fucus</i> Gmelin, [1791], <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3538, valid name: <i>Nerita nodosa</i> Linnaeus, 1758) (Gastropoda). Op. 886	available
<i>Thalamita</i> Latreille, 1829, in Cuvier, <i>Règne Anim.</i> (ed. 2), 4 : 33, nota (gender: feminine) (type species, by monotypy: <i>Cancer admete</i> Herbst, [1803], <i>Versuch. Naturgesch. Krabben Krebse</i> , 3 (3): 40) (Crustacea, Decapoda). Op. 73 <i>thalamita, Melybia</i> , Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 144 (specific name of the type species of <i>Melybia</i> Stimpson, [1871]) (Crustacea, Decapoda). Direction 36	available
<i>Thalamitoides</i> Milne Edwards, 1869, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 5 : 147 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28): <i>Thalamitoides quadridens</i> Milne Edwards, 1869, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 5 : 147) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Thalamonyx</i> Milne Edwards, 1873, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 9 : 168 (gender: masculine) (type species, by designation by Rathbun, 1922 (<i>Smithson. misc. Coll.</i> , 73 (No. 1): 28): <i>Goniosoma danae</i> Milne Edwards, 1869, <i>Nouv. Arch. Mus. Hist. nat.</i> , Paris, 5 : 153) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Thalarctos</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 62 (gender: masculine) (type species, by monotypy: <i>Thalarctos polaris</i> Gray, 1825, <i>Ann. Phil.</i> , 26 : 62, valid name: <i>Ursus maritimus</i> Linnaeus, 1758) (Mammalia). Op. 384	available
<i>Thalarctus</i> Agassiz, 1846, <i>Nomencl. zool. Index Univ.</i> : 367 (an unjustified emendation of <i>Thalarctos</i> Gray, 1825). Op. 384	index
<i>Thalascaris</i> Bate, 1878, <i>Ann. Mag. nat. Hist.</i> , (5) 2 : 282 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1012	index
<i>Thalassalpes</i> Bosc, 1813, <i>Nouv. Bull. Sci. Soc. philomat. Paris</i> , 3 (66): 233 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 434	index

<i>Thalassarachna</i> Packard, 1871, <i>American Journal of Science</i> , 3 : 108 (gender: feminine) (type species, by original designation: <i>Thalassarachna verrillii</i> Packard, 1871, a junior subjective synonym of <i>Acarus basteri</i> Johnston, 1836) (Arachnida). Op. 2051	available
<i>Thalassides</i> Berger, 1833, <i>Neues Jahrb. Min.</i> , 1833 : 69 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 292	index
<i>Thalassina</i> Latreille, 1806, <i>Gen. Crust. Ins.</i> , 1 : 51 (gender: feminine) (type species, by monotypy: <i>Thalassina scorpionides</i> Latreille, 1806, <i>Gen. Crust. Ins.</i> , 1 : 52, valid name: <i>Cancer (Astacus) anomalus</i> Herbst, 1804) (Crustacea, Decapoda). Op. 434	available
THALASSINIDAE (correction by White, 1847 (<i>List Crust. Coll. Brit. Mus.</i> : 70) of THALASSINIDES) Latreille, 1831, <i>Cours Entomol.</i> : 377 (type genus: Thalassina Latreille, 1806) (Crustacea, Decapoda). Op. 434	available
THALASSINIDES Latreille, 1831, <i>Cours Entomol.</i> : 377 (type genus: Thalassina Latreille, 1806) (an incorrect original spelling for THALASSINIDAE Latreille, 1831). Op. 434	index
<i>Thalassites</i> Quenstedt, 1843, <i>Floezgeb. Wuertemb.</i> : 143 (a junior homonym of <i>Thalassites</i> Swainson, 1837). Op. 292	index
THALASSOCARIDAE Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : lxxvii, 481, 682 (type genus: <i>Thalassocaris</i> Stimpson, 1860) (an incorrect original spelling for THALASSOCARIDIDAE Bate, 1888). Op. 470	index
THALASSOCARIDIDAE (correction by Holthuis, 1955 (<i>Zool. Verh.</i> , Leiden, 26 : 12, 128) of THALASSOCARIDAE) Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : lxxvii, 481, 682 (type genus: <i>Thalassocaris</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>Thalassocaris</i> Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 42 (gender: feminine) (type species, by designation by Kingsley, 1880 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1879 : 426): <i>Regulus lucidus</i> Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 27) (Crustacea, Decapoda). Op. 470	available
<i>Thalassochernes</i> Beier, 1940, <i>Zoologische Jahrbücher, Abteilung für Systematik, Ökologie und Geographie der Tiere</i> , 74 : 182 (gender: masculine) (type species, by designation under the plenary power: <i>Chelifer taierensis</i> With, 1907) (Arachnida, Pseudoscorpionida). Op. 1667	available
<i>Thalia</i> Blumenbach, 1798, <i>Abbild. nat. Gögenstände</i> , Göttingen: 30 (gender: feminine) (type species, by designation under the plenary power: <i>Salpa democratica</i> Forsskål, 1775, <i>Descr. Anim.</i> : 112) (Urochordata). Op. 888	available
<i>thalia, Papilio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 467 (specific name of the type species of <i>Actinote</i> Hübner, [1819]) (Insecta, Lepidoptera). Op. 214	available
<i>thalia, Thecla</i> , Leech, [1893], <i>Butts. China Japan Corea</i> (2) (Text part 3): 367; (2) (Pl. part 3/4): pl. 30, fig. 15♂ (specific name of the type species of <i>Strymonidia</i> Tutt, [1908]) (Insecta, Lepidoptera). Op. 541	available

<i>Thamnophilus</i> Schoenherr, 1823, <i>Isis</i> (Oken), 1823 : 1136 (a junior homonym of <i>Thamnophilus</i> Vieillot, 1816, and a junior objective synonym of <i>Magdalitis</i> Germar, 1817). Op. 345	index
<i>Thamnophilus</i> Vieillot, 1816, <i>Analyse nouv. Ornithol. élém.</i> : 40 (gender: masculine) (type species, by designation by Swainson, 1824 (<i>Zool. J.</i> , 1 (3): 301): <i>Lanius doliatus</i> Linnaeus, 1764, <i>Mus. Adolph. Frid.</i> , 2 : 12) (Aves). Op. 67 <i>Thaumaleus</i> Krøyer, 1849, <i>Naturhistorisk Tidsskrift</i> , Ny Haefte, 2 (6): 604 (gender: masculine) (type species, by monotypy: <i>Thaumatoessa typica</i> Krøyer in Gaimard, [1842]) (Copepoda). Op. 1869	available
<i>Thaumastocaris</i> Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 244 (gender: feminine) (type species, by monotypy: <i>Thaumastocaris streptopus</i> Kemp, 1922, <i>Rec. Indian Mus.</i> , 24 : 244) (Crustacea, Decapoda). Op. 470	available
<i>Thaumastocheles</i> Wood-Mason, 1874, <i>Proc. asiat. Soc. Bengal</i> , 1874 : 181 (gender: masculine) (type species, by monotypy: <i>Astacus zaleucus</i> Thomson, 1873, <i>Nature</i> , London, 8 : 246, 247) (Crustacea, Decapoda). Op. 519	available
<i>Thaumastolemur</i> Filhol, 1895, <i>Bulletin du Muséum National d'Histoire Naturelle</i> , 1 (1): 13 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Primates). Op. 1737	index
<i>Thaumastoplax</i> Miers, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 261 (gender: feminine) (type species, through Article 68b(i): <i>Thaumastoplax anomalipes</i> Miers, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 261) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Thaumatoessa</i> Heine, 1863, <i>Journal für Ornithologie</i> , 11 (63): 209-210 (a junior objective synonym of <i>Loddigesia</i> Gould in Bonaparte, 1849 and a junior homonym of <i>Thaumatoessa</i> Krøyer in Gaimard, [1842]) (Aves). Op. 1869	index
<i>Thaumatoessa</i> Krøyer in Gaimard, [1842], <i>Atlas de zoologie</i> ..., pl. 42, figs. 4a-e (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Copepoda). Op. 1869	index
<i>Theba</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4 : 73 (gender: feminine) (type species, by designation by Gray, 1847 (<i>Proc. zool. Soc. London</i> , 15 : 173): <i>Helix pisana</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 60) (Gastropoda). Op. 431	available
THEBINI Wenz, 1923, <i>Fossilium Catalogus, I: Animalia</i> , pars 18(2) [1923], p. 381 (type genus: <i>Theba</i> Risso, 1826), ruled under the plenary power that the name is not invalid by reason of its type genus being misidentified and that fixation of the type species had been overlooked; not to take the priority of CARTHUSIANINI Kobelt, 1904 (Gastropoda). Op. 2135	available
<i>Thecosoma</i> Moquin-Tandon, 1860, <i>Elem. Zool. méd.</i> : 342 (a junior objective synonym of <i>Schistosoma</i> Weinland, 1858). Direction 76	index
<i>Thelxiopae</i> Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
THELXIOPEIDAE Rathbun, 1937, <i>Bull. U.S. nat. Mus.</i> , 166 : 62 (type genus: <i>Thelxiopae</i> Rafinesque, 1814) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 522	index

<i>Thenus</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 335, 338 (gender: masculine) (type species, by monotypy: <i>Thenus indicus</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 : 338, valid name: <i>Scyllarus orientalis</i> Lund, 1793) (Crustacea, Decapoda). Op. 519	available
<i>Theodoxus</i> Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 351 (gender: masculine) (type species, by original designation: <i>Theodoxus lutetianus</i> Montfort, 1810, <i>Conch. syst. Class. méth. Coquilles</i> , 2 : 351, valid name: <i>Nerita fluviatilis</i> Linnaeus, 1758) (Gastropoda). Op. 335	available
<i>Thereva</i> Fabricius, 1798, <i>Supplementum entomologiae systematicae</i> , p. 549 (a junior homonym of <i>Thereva Latreille</i> , 1797) (Insecta, Diptera). Op. 2142	index
<i>Thereva</i> Latreille, 1797, <i>Précis des caractères génériques des insectes, déposés dans un ordre naturel par le Citoyen Latreille</i> , p. 168 (gender: feminine), ruled under the plenary power that all previous fixations of type species are set aside and <i>Musca plebeja</i> Linnaeus, 1758 is designated as the type species (Insecta, Diptera). Op. 2142	available
THERIDIIDAE (correction of THERIDIIDES) Sundevall, 1833, <i>Consp. Arach.</i> (1): 15 (type genus: <i>Theridion</i> Walckenaer, 1805) (Arachnida). Op. 517	available
THERIDIIDES Sundevall, 1833, <i>Consp. Arach.</i> (1): 15 (type genus: <i>Theridion</i> Walckenaer, 1805) (an incorrect original spelling for THERIDIIDAE Sundevall, 1833). Op. 517	index
<i>Theridio</i> Simon, 1864, <i>Hist. nat. Araignées</i> : 165 (an unjustified emendation of <i>Theridion</i> Walckenaer, 1805). Op. 517	index
<i>Theridion</i> Walckenaer, 1805, <i>Tabl. Aran.</i> : 72 (gender: neuter) (type species, by designation under the plenary power: <i>Aranea picta</i> Walckenaer, 1802, <i>Faune paris.</i> , 2 : 207) (Arachnida). Op. 517	available
THERIDIONIDAE Simon, 1881, <i>Arachn. France</i> , 5 (1): 13 (type genus: <i>Theridion</i> Walckenaer, 1805) (an incorrect subsequent spelling for THERIDIIDAE Sundevall, 1833). Op. 517	index
<i>Theridium</i> Leach, 1824, <i>Ency. Brit.</i> (Suppl. 4th-6th eds.), 1 (2): 438 (an unjustified emendation of <i>Theridion</i> Walckenaer, 1805). Op. 517	index
<i>Thermophilus</i> Fitzinger, 1843, <i>Systema Reptilium ...</i> , p. 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Sauria). Op. 1422	index
<i>Thia</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 (2): 312 (gender: feminine) (type species, by monotypy: <i>Thia polita</i> Leach, 1815, <i>Trans. linn. Soc. London</i> , 11 (2): 312, valid name: <i>Hippa scutellata</i> Fabricius, 1793) (Crustacea, Decapoda). Op. 693	available
THIIDAE Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 86 (type genus: <i>Thia</i> Leach, 1815) (Crustacea, Decapoda). Op. 693	available
THINNINAE Whitley, 1955, <i>Proc. roy. zool. Soc. N.S. Wales</i> , 1953-1954 : 51, 52 (type genus: <i>Thinnus</i> S.D. W[ood?], 1837) (invalid because the name of the type genus has been suppressed under the plenary power). Op. 809	index

<i>Thinnus</i> W[ood?], (S.D.), 1837, <i>Analyst</i> , 18 : 108 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 809	index
<i>Thinonoma</i> Thomson, 1859, <i>Skand. Coleopt.</i> , 1 : 35 (gender: feminine) (type species, by monotypy: <i>Aleochara atra</i> Gravenhorst, 1806, <i>Mon. Coleopt. micr.</i> : 162) (Insecta, Coleoptera). Op. 600	available
<i>Thoa</i> Lamouroux, 1816, <i>Histoire des polypiers coralligènes flexibles, vulgairement nommés zoophytes</i> (Caen): 210 (ruled under the plenary power to be a junior objective synonym of <i>Haleciuum</i> Oken, 1815). Op. 1220	index
<i>Tholaster</i> Spencer, 1913, <i>Phil. Trans. Roy. Soc. (B)</i> , 204 : 137 (a junior homonym of <i>Tholaster</i> Seunes, 1891). Op. 331	index
<i>Tholasterina</i> Valette, 1915, <i>Bull. Soc. Sci. Hist. nat. Yonne</i> , 68 (2): 57 (a junior objective synonym of <i>Valettaster</i> Lambert, 1914). Op. 331	index
<i>thompsoni, Eoparafusulina</i> , Skinner & Wilde, 1965, <i>Univ. Kansas Paleontol. Contr., Protozoa</i> , 6 : 77 (Rhizopoda). Op. 916	available
<i>thompsoni, Thaumantias</i> , Forbes, 1841, <i>Annals and Magazine of Natural History</i> , (1) 7 : 84 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Hydrozoa). Op. 1465	index
<i>thomsoni, Dorhynchus</i> , Thomson, 1873, <i>Depths of the Sea</i> : 174, 175 (specific name of the type species of <i>Dorhynchus</i> Thomson, 1873) (Crustacea, Decapoda). Op. 712	available
<i>thomsonii, Halmaturus</i> , Krefft, 1870, <i>New South Wales Parliamentary Paper. Wellington Caves (Correspondence relative to exploration of)</i> , p. 9 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia). Op. 1993	index
<i>Thor</i> Kingsley, 1878, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1878 : 94 (gender: masculine) (type species, by monotypy: <i>Thor floridanus</i> Kingsley, 1878, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1878 : 95) (Crustacea, Decapoda). Op. 470	available
<i>thoracicus, Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsviscensia ...</i> , p. 170, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. thoracicus</i> Geoffroy, 1785 and <i>S. thoracicus</i> Villers, 1789 (Insecta, Coleoptera). Op. 2053	available
<i>Thoralus</i> Holthuis, 1947, <i>Siboga Exped. Mon.</i> , 39 (A)(8): 45 (gender: masculine) (type species, by original designation: <i>Hippolyte cranchii</i> Leach, [1817], <i>Malac. podophth. Brit.</i> (16): pl. 38, figs. 17-21) (Crustacea, Decapoda). Op. 347	available
THORINAE Kingsley, 1878, <i>Bull. Essex Inst.</i> , 10 : 64 (type genus: <i>Thor</i> Kingsley, 1878) for use by those who consider that <i>Thor</i> Kingsley belongs to a different family-group taxon from both <i>Hippolyte</i> [Leach, 1814] and <i>Lysmata</i> Risso, 1816 but not to be used in preference to HIPPOLYTIDAE Bate, 1888 by those who consider that <i>Thor</i> Kingsley belongs to the same family-group taxon as <i>Hippolyte</i> [Leach] (Crustacea, Decapoda). Op. 470	available

<i>Thorius</i> Cope, 1869 (May), <i>American Naturalist</i> , 3 (4): 222 (gender: masculine) (type species, by monotypy: <i>Thorius pennatibus</i> Cope, 1869 (May) (= <i>pennatus</i> Cope, 1869 (June))) (Amphibia, Caudata). Op. 1605	available
THRAUPIDAE Cabanis, 1847, <i>Arch. Naturges.</i> , 1847 , 1 : 316 (type genus: <i>Thraupis</i> Boie, 1826) (Aves). Op. 852, Op. 1069	available
<i>Thraupis</i> Boie, 1826, <i>Isis</i> (Oken), 1826 : 974 (gender: feminine) (type species, by monotypy: <i>Tanagra archiepiscopus</i> Desmarest, 1806, <i>Hist. Nat. Tangaras</i> , livr. 7, pl. 17, valid name: <i>Tanagra ornata</i> Sparrman, 1789) (Aves). Op. 852	available
<i>Threskiornis</i> Gray, 1842, <i>Appendix to a list of the genera of birds</i> , p. 13 (gender: masculine) (type species, by original designation: <i>Tantalus aethiopicus</i> Latham, 1790) (Aves, Ciconiiformes). Op. 1674	available
THRESKIORNITHIDAE Poche, 1904, <i>Zoologischer Anzeiger</i> , 27 : 498 (type genus: <i>Threskiornis</i> Gray, 1842), ruled under the plenary power that this name and other family-group names based on <i>Threskiornis</i> are to be given precedence over PLATALEIDAE Bonaparte, 1838 and EUDOCIMIDAE Bonaparte, 1854 and other family-group names based on <i>Platalea</i> Linnaeus, 1758 and <i>Eudocimus</i> Wagler, 1831 whenever their type genera are placed in the same family-group taxon, or on any other family-group name whose type genus is placed in the same family-group taxon as <i>Threskiornis</i> (Aves, Ciconiiformes). Op. 1674	available
<i>thriambus</i> , <i>Culex</i> , Dyar, 1921, <i>Insecutor Inscitiae Menstruus</i> , 9 : 33 (Insecta, Diptera). Op. 1644	available
<i>Thriops</i> Ghigi, 1921, <i>Atti. Soc. Ital. Sci. nat.</i> , 60 : 161-188 (an incorrect subsequent spelling for <i>Triops</i> Schrank, 1803). Op. 502	index
<i>Thrix</i> Doherty, 1891, <i>J. Asiat. Soc. Bengal</i> , 60 (2): 35 (gender: feminine) (type species, by designation under the plenary power: <i>Neucheritra nisibis</i> de Nicéville, 1895, <i>J. Bombay nat. Hist. Soc.</i> , 9 (3): 316, pl. P, fig. 45) (Insecta, Lepidoptera). Op. 894	available
<i>thujae</i> , <i>Hylesinus</i> , Perris, 1855, <i>Ann. Soc. entomol. France</i> , (3) 3 : lxxvii, lxxviii (specific name of the type species of <i>Phloeosinus</i> Chapuis, 1869) (Insecta, Coleoptera). Op. 1167	available
THUNNINAE Starks, 1910, <i>J. Morph.</i> , 21 (1): 70-80 (type genus: <i>Thunnus</i> South, 1845) (Osteichthyes). Op. 809	available
<i>Thunnus</i> South, 1845, <i>Encycl. Metrop.</i> , 25 : 620 (gender: masculine) (type species, by tautonymy, through <i>Thynnus</i> Cuvier, 1817 (<i>Règne Animal</i> , 2 : 313); <i>Scomber thynnus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 297, 298) (Osteichthyes). Op. 809	available
<i>Thyene</i> Simon, 1885, <i>Bulletin de la Société Zoologique de France</i> , 10 : 4 (gender: feminine) (type species, by monotypy: <i>Attus imperialis</i> Rossi, 1847), ruled under the plenary power to be given precedence over <i>Mithion</i> Simon, 1884 whenever the two names are considered to be synonyms (Arachnida, Araneae). Op. 1625	available
<i>Thylacites</i> Germar, 1817, <i>Magazin der Entomologie</i> , 2 : 341 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1440	index

THYLACITINAE Kirby, 1837, <i>Fauna Boreali-Americanæ</i> ..., vol. 4, p. 207 (invalid because the name of its type genus <i>Thylacites</i> Germar, 1817 has been suppressed under the plenary power) (Insecta, Coleoptera). Op. 1440	index
<i>Thymele</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1180 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 232	index
<i>Thymele</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 287 (a junior objective synonym of <i>Erynnis</i> Schrank, 1801). Op. 232	index
<i>thymi</i> , <i>Lygaeus</i> , Wolff, 1804, <i>Icon. Cimicum</i> (4): 149 (specific name of the type species of <i>Nysius</i> Dallas, 1852) (Insecta, Hemiptera). Op. 319	available
<i>Thynnus</i> Cuvier, 1817, <i>Règne Animal</i> , 2 : 313 (a junior homonym of <i>Thynnus</i> Fabricius, 1775). Op. 809	index
<i>thynnus</i> , <i>Scomber</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, pp. 297, 298 (specific name of the type species of <i>Thunnus</i> South, 1845) (Osteichthyes). Op. 809	available
<i>thyroidus</i> , <i>Helix</i> , Say, 1817, <i>Journal of the Academy of Natural Sciences of Philadelphia</i> , 1 (6): 123 (specific name of the type species of <i>Mesodon</i> Féruccac, 1821) (Gastropoda). Op. 1691	available
<i>Thysanosoma</i> Diesing, 1835, <i>Med. Jahrb. öst. Staat</i> (n.f.), 7 : 105 (gender: neuter) (type species, by monotypy: <i>Thysanosoma actinoides</i> Diesing, 1835, <i>Med. Jahrb. öst. Staat</i> (n.f.), 7 : 105) (Cestoda). Op. 77 <i>Thysanosomum</i> Galli-Valerio, 1897, <i>Moderno Zooiatro</i> , 8 : 7, 8 (an unjustified emendation of <i>Thysanosoma</i> Diesing, 1835). Direction 76	available
<i>tianshanicus</i> , <i>Dendrocopus</i> [sic] <i>major</i> , Buturlin, 1910, <i>Orn. Mitt. Moskau</i> , 1910 (3): 200 (a junior secondary homonym in the genus <i>Picoides</i> Lacepède, 1799, of <i>tianschanicus</i> , <i>Picoides tridactylus</i> , Buturlin, 1907). Op. 402	index
<i>tibeticum</i> , <i>Ophiceras</i> , Griesbach, 1880, <i>Rec. geol. Surv. Ind.</i> , 13 : 109, pl. 3, fig. 4 (specific name of the type species of <i>Ophiceras</i> Griesbach, 1880) (Cephalopoda). Direction 1	available
<i>tibialis</i> , <i>Chrysomela</i> , Duftschmid, 1825, <i>Fauna Austriae</i> , 3 : 202, and all uses of that name prior to its use by Suffrian, 1851, <i>Linnaea Entomol.</i> , 5 : 259 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1270	index
<i>tibialis</i> , <i>Chrysomela</i> , Suffrian, 1851, <i>Linnaea Entomol.</i> , 5 : 259 (Insecta, Coleoptera). Op. 1270	available
<i>tibiaria</i> , <i>Daristane</i> , Walker, 1859, <i>J. linn. Soc. London</i> , 3 : 194 (specific name of the type species of <i>Daristane</i> Walker, 1859) (Insecta, Lepidoptera). Op. 1075	available
<i>tibiatrix</i> , <i>Hyla</i> , Laurenti, 1768, <i>Specimen Medicum</i> : 34 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 520	index
<i>tibicen</i> , <i>Cancer</i> , Herbst, 1791, <i>Versuch Naturgesch. Krabben Krebse</i> , 2 (1): 25 (specific name of the type species of <i>Calcinus</i> Dana, 1851) (Crustacea, Decapoda). Op. 712	available

<i>tigrina, Salamandra</i> , Green, 1825, <i>J. Acad. nat. Sci. Philadelphia</i> , 5 : 116, ruled under the plenary power to be given precedence over <i>Gyrinus mexicanus</i> Shaw, 1798 by those who consider that both names apply to the same species (Amphibia). Op. 662, Op. 1025	available
<i>tigrinum, Buccinum</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3745 (a junior objective synonym of <i>maculosum, Buccin[um]</i> , Martyn, 1784). Op. 479	index
<i>tigris, Trochus</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3585, as interpreted by reference to the holotype, namely the specimen figured by Martyn, 1784 (<i>Univ. Conch.</i> , 2 : fig. 75) as <i>Trochus tigris</i> (specific name of the type species of <i>Maurea</i> Oliver, [20th] December, 1926) (Gastropoda). Op. 479	available
<i>tigris, Trochus</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2 : fig. 75 (included in a work rejected for nomenclatural purposes). Op. 479	index
<i>tiliae, Coccus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 456 (specific name of the type species of <i>Eulecanium</i> Cockerell, 1893) (Insecta, Hemiptera). Op. 1303	available
<i>tiliarium, Trombidium</i> , Hermann, 1804, <i>Mem. Apt.</i> : 42, 43, as interpreted by the neotype designated by Boudreux & Dosse, 1963 (<i>Bull. zool. Nomencl.</i> , 20 : 365) (Arachnida). Op. 968	available
<i>timama, Holothuria</i> , Lesson, 1830, <i>Centurie zoologique, ou choix d'animaux rares, nouveaux ou imparfaitement connus</i> : 118 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 762	index
<i>timidus, Lepus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 57 (specific name of the type species of <i>Lepus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>timorensis, Python</i> , Müller, 1844, <i>Verh. Natuurl. Gesch. Ned. Overz. Bez., Land- en Volkenkunde</i> (7): 211, 221 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 939	index
<i>timoriensis, Liasis</i> , Peters, 1876, <i>Monatsber. k. preuss. Akad. Wiss.</i> , Berlin: 533, pl. (Reptilia). Op. 939	available
<i>timoriensis, Python</i> , Müller, 1857, <i>Reizen en Onderzoeken in den Indischen Archipel, gedaan op last der Nederlandsche Indische Regeering, tusschen de Jaren 1828 en 1836</i> , 2 : 172 (an incorrect subsequent spelling for <i>timorensis, Python</i> , Müller, 1844). Op. 939	index
<i>Tinaea</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 25, 173 (a junior objective synonym of <i>Tinea</i> Linnaeus, 1758). Op. 450, Op. 1754	index
TINAEIDAE Corbet & Tams, 1943, <i>Entomologist</i> , 76 : 113, 114 (type genus: <i>Tinaea</i> Geoffroy, 1762) (invalid (i) because the name of the type genus was published in a work rejected for nomenclatural purposes and (ii) because a junior objective synonym of TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
<i>Tinea</i> Griffith, 1897, <i>Trans. ophthal. Soc. U.K.</i> , 17 : 225 (an incorrect subsequent spelling for <i>Taenia</i> Linnaeus, 1758, and a junior homonym of <i>Tinea</i> Linnaeus, 1758). Op. 450	index

<i>Tinea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 534 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Phalaena pellionella</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 536) (Insecta, Lepidoptera). Op. 450	available
TINEACEA Zeller, 1839, <i>Isis</i> (Oken), 1839 : 168 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINEAE Guénée, 1845, <i>Europ. microlep. Index meth.</i> : 68 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINEAEDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 93 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINEARIA Gravenhorst, 1843, <i>Vergleich. Zool.</i> : 167 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINEARIAE Zetterstedt, 1840, <i>Ins. lapp.</i> : vi, 990 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINEIDA [Leach, 1815], in Brewster's <i>Edinburgh Ency.</i> , 9 (1): 133 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINEIDAE (correction of TINEITES) Latreille, 1810, <i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 347, 363 (type genus: <i>Tinea</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
TINEITES Latreille, 1810, <i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 347, 363 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect original spelling for TINEIDAE Latreille, 1810). Op. 450	index
TINEODEA Burmeister, 1837, <i>Handb. nat.</i> (2): 618 (type genus: <i>Tinea</i> Linnaeus, 1758) (an incorrect subsequent spelling for TINEIDAE (correction of TINEITES) Latreille, 1810). Op. 450	index
TINGIDAE (emendation of TINGINI) Costa, 1838, <i>Cimicum Regni Neap. Centuria prima</i> : 18 (type genus: <i>Tingis</i> Fabricius, 1803) (form for this family name designated in Opinion 143) (Insecta, Hemiptera). Direction 6	available
TINGIDAE Dohrn, 1859, <i>Cat. Hemipt.</i> : 42 (type genus: <i>Tingis</i> Fabricius, 1803) (a junior homonym of TINGIDAE (emendation of TINGINI) Costa, 1838). Direction 6	index
TINGIDAE Westwood, 1840, <i>Introd. mod. Class. Ins.</i> , 2 : 120 (type genus: <i>Tingis</i> Fabricius, 1803) (a junior homonym of TINGIDAE (emendation of TINGINI) Costa, 1838). Direction 6	index

- TINGIDARIA Distant, 1903, *Fauna Brit. Ind.*, Rhynch., **2**: 130 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- TINGIDES Amyot & Serville, 1843, *in Roret's Suites à Buffon, Hist. nat. Ins. Hémipt.*: 295 (type genus: *Tingis* Fabricius, 1803) (a vernacular (French) name). Direction 6 index
- TINGIDIDAE Fieber, 1861, *Europ. Hemipt.*: 24, 35, 116 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- TINGIDIDEA Flor, 1860, *Rhynchothen Livlands*, **1**: 65, 317 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- TINGIDINA Douglas & Scott, 1865, *Brit. Hemipt.*, **1** (Heteropt.): 23 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- TINGIDINAE Van Duzee, 1917, *Univ. Calif. Publ.*, Tech. Bull. (Entomol.), **2**: 211 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- TINGIDITES Laporte, [1832], *Essai Class. syst. Hémipt.*: 4-47 (*Mag. Zool.*, **2**, Suppl.) (type genus: *Tingis* Fabricius, 1803) (a vernacular (French) name). Direction 6 index
- TINGIDITES Spinola, 1837, *Essai Genres Ins. Ordre Hémipt.*: 68 (type genus: *Tingis* Fabricius, 1803) (a vernacular (French) name). Direction 6 index
- TINGIIDAE Baker, 1922, *Science*, **55** (1456): 603 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- TINGINI Costa, 1838, *Cimicum Regni Neap. Centuria prima*: 18 (type genus: *Tingis* Fabricius, 1803) (an incorrect original spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index
- Tingis* Fabricius, 1803, *Syst. Rhyng.*: 124 (gender: feminine) (type species, by designation by Latreille, 1810 (*Consid. gén. Anim. Crust. Arach. Ins.*: 433, 258): *Cimex cardui* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 443) (Insecta, Hemiptera). Direction 4 available
- TINGITARIA Stål, 1873, *K. Svensk. Vetensk.-Akad. Handl.*, Stockholm (n.s.), **11** (No. 2): 118 (type genus: *Tingis* Fabricius, 1803) (an incorrect subsequent spelling for **TINGIDAE** (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6 index

TINGITIDAE Stål, 1873, <i>K. svensk. Vetensk.-Akad. Handl.</i> , Stockholm (n.s.), 11 (No. 2): 115 (type genus: <i>Tingis</i> Fabricius, 1803) (an incorrect subsequent spelling for TINGIDAE (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6	available
TINGITINA Stål, 1873, <i>K. svensk. Vetensk.-Akad. Handl.</i> , Stockholm (n.s.), 11 (No. 2): 116 (type genus: <i>Tingis</i> Fabricius, 1803) (an incorrect subsequent spelling for TINGIDAE (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6	index
TINGITINI Champion, 1897, in Godman & Salvin, <i>Biol. cent.-amer.</i> , Heteropt., 2 : 5 (type genus: <i>Tingis</i> Fabricius, 1803) (an incorrect subsequent spelling for TINGIDAE (emendation of TINGINI) Costa, 1838, the form for this family name designated in Opinion 143). Direction 6	index
Tingra Boisduval, 1847, in Delegorgue, <i>Voy. Afrique austr.</i> , 2 : 589 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 566	index
Tinoporus de Montfort, 1808, <i>Conchyliologie systématique et classification méthodique des coquilles. Coquilles univalves, cloisonnées</i> , vol. 1, p. 147 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Foraminiferida). Op. 1569	index
TINTINNIDAE Claparède & Lachmann, 1858, <i>Mém. Inst. natn. génev.</i> , 5 (3): 76, 192 (type genus: <i>Tintinnus</i> Schrank, 1803) (Ciliophora). Op. 926	available
TINTINNIDIIDAE Kofoid & Campbell, 1929, <i>Univ. Calif. Publ. Zool.</i> , 34 : 6, 9 (type genus: <i>Tintinnidium</i> Kent, 1881) (Ciliophora). Op. 926	available
<i>Tintinnidium</i> Kent, 1881, <i>Man. Infusoria</i> : 611 (gender: neuter) (type species, by designation under the plenary power: <i>Tintinnus fluviatilis</i> Stein, 1863, <i>Amtl. Ber. Dt. Naturf. u. Aertze</i> : 161) (Ciliophora). Op. 926	available
<i>Tintinnus</i> Schrank, 1803, <i>Fauna boica</i> , 3 (1): 317 (gender: masculine) (type species, by designation by Brandt, 1907 (<i>Ergebn. Plankton-Exped. Humboldt-Stiftung</i> , III L. a.: 14): <i>Trichoda inquilina</i> Müller, 1776, <i>Zool. Dan.</i> , appendix: 218) (Ciliophora). Op. 926	available
<i>tiphia</i> , Motacilla , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 186 (valid name at the date of Direction 43 of the type species of <i>Aegithina</i> Vieillot, 1816) (Aves). Direction 43	available
Tipula Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 585 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arachn. Ins.</i> : 442, 379): <i>Tipula oleracea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 585) (Insecta, Diptera). Op. 1160	available
TIPULARIAE Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 419 (type genus: <i>Tipula</i> Linnaeus, 1758) (an incorrect original spelling for TIPULIDAE Latreille, [1802]). Op. 1160	index
<i>tipularius</i> , Cimex , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 451 (specific name of the type species of <i>Neides</i> Latreille, 1802) (Insecta, Heteroptera). Op. 1504	available

TIPULIDAE (correction of TIPULARIAE) Latreille, [1802], <i>in</i> Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 419 (type genus: Tipula Linnaeus, 1758) (Insecta, Diptera). Op. 1160	available
<i>tipuliformis</i> , Sphinx , Clerck, 1759, <i>Icones Insectorum rariorum ... e C. Linn. Syst. Nat. allegatis</i> (1): pl. 9, fig. 1 (Insecta, Lepidoptera). Op. 1288	available
<i>tipuloides</i> , Cimex , de Geer, 1773, <i>Mém. Hist. Ins.</i> , 3 : 354 (specific name of the type species of Stenocoris Burmeister, 1839) (Insecta, Hemiptera). Op. 800	available
<i>tisboides</i> , Dactylopus , Claus, 1863, <i>Die frei lebenden Copepoden</i> : 126 (specific name of the type species of Dactylopusia Norman, 1903) (Crustacea, Copepoda). Op. 1356	available
<i>Titan</i> Matthews, 1858, <i>Zoologist</i> , 16 : 6108 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1307	index
<i>titan</i> , Phasma , MacLeay, 1826, <i>in</i> King, <i>Narr. Surv. Coasts Aust.</i> , 2 : 454 (specific name of the type species of Acrophylla Gray, 1835) (Insecta, Phasmida). Op. 641	available
<i>titan</i> , Trichopteryx , Newman, 1834, <i>Entomol. Mag.</i> , 2 : 201 (valid name at the date of Opinion 1307 of the type species of Nephantes Thomson, 1859) (Insecta, Coleoptera). Op. 1307	available
<i>Titania</i> Meigen, 1800, <i>Nouv. Class. Mouches deux Ailes</i> : 35, 36 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 348	index
<i>titillans</i> , Culex , Walker, 1848, <i>List Dipt. Brit. Mus.</i> (1): 5 (specific name of the type species of Mansonia Blanchard, 1901) (Insecta, Diptera). Op. 550	available
<i>titillator</i> , Ichneumon , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 565, as interpreted by the lectotype designated by van Rossem, 1965 (<i>Bull. zool. Nomencl.</i> , 22 : 259) (Insecta, Hymenoptera). Op. 1017	available
<i>titus</i> , Hesperia , Fabricius, 1793, <i>Entomol. syst.</i> , 3 (1): 297 (Insecta, Lepidoptera). Op. 541	available
<i>tiziani</i> , Ammonites , Oppel, 1863, <i>Palaeontol. Mitt.</i> , 1 (3): 246 (specific name of the type species of Orthosphinctes Schindewolf, 1925) (Cephalopoda). Op. 504	available
<i>Tlos</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 57 (gender: masculine) (type species, by monotypy: <i>Tlos muriger</i> Adams & White, [1849], <i>Zool. 'Samarang'</i> (4) Crust.: 58) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Tlos</i> White, 1847, <i>List Crust. Coll. Brit. Mus.</i> : 129 (a nomen nudum). Direction 37	index
<i>tobianus</i> , Ammodytes , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 247 (specific name of the type species of Ammodytes Linnaeus, 1758) (Osteichthyes). Direction 57	available
<i>Toernquistia</i> (correction of <i>Törnquistia</i>) Reed, 1896, <i>Quart. J. geol. Soc. London</i> , 52 : 433 (gender: feminine) (type species, by monotypy: <i>Cyphaspis</i> (<i>Törnquistia</i> [sic]) <i>nicholsoni</i> Reed, 1896, <i>Quart. J. geol. Soc. London</i> , 52 : 433) (Trilobita). Op. 367	available

TOERNQUISTIIDAE Hupé, 1953, in Piveteau's <i>Traité Paléont.</i> , 3 : 198 (type genus: <i>Toernquistia</i> Reed, 1896) (Trilobita). Direction 41	available
Tokophrya Bütschli, 1889, in Bronn, <i>Klassen und Ordnungen des Thier-Reichs</i> , Band 1 (Protozoa), p. 1928 (gender: feminine) (type species, by subsequent designation by Curds, 1985, <i>Bulletin of the British Museum (Natural History)</i> , Zoology, 49 : 169: <i>Podophrya quadripartita</i> Claparède & Lachmann, 1859) (Ciliophora, Suctoria). Op. 1778	available
Tolema Iredale, 1929, <i>Rec. Australian Mus.</i> , 17 (4): 186 (gender: feminine) (type species, by designation under the plenary power: <i>Tolema australis</i> Laseron, 1955, <i>Proc. R. zool. Soc. N.S.W.</i> , 1953-54 : 70, 71, figs. 1, 2) (Gastropoda). Op. 911	available
tolteca, Stenoderma , Saussure, 1860, <i>Revue et Magasin de Zoologie Pure et Appliquée</i> , (2) 12 : 427, as defined by the holotype (specimen MHNG no. 516.13 in the Muséum d'Histoire Naturelle de Genève), the neotype designation by Davis, 1969, <i>Southwestern Naturalist</i> , 14 (1): 26, having been set aside by the ruling of the Commission (Mammalia, Chiroptera). Op. 1446	available
tomentosus, Actumnus , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 82 (specific name of the type species of <i>Actumnus</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>tomentosus, Curculio</i> , Herbst, 1795, <i>Natursystem aller bekannten in- und ausländischen Insekten ... Die Käfer</i> , vol. 6, p. 278 (a junior primary homonym of <i>Curculio tomentosus</i> Olivier, 1790) (Insecta, Coleoptera). Op. 1387	index
<i>tomentosus, Inachus</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 21 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
tomentosus, Staphylinus , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia</i> ..., p. 161, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. tomentosus</i> Rossi, 1792 (Insecta, Coleoptera). Op. 2053	available
Tomicus Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 203 (gender: masculine) (type species, by monotypy: <i>Dermestes piniperda</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 355) (Insecta, Coleoptera). Op. 670	available
Tomiopsis Benediktova, 1956, <i>Voprosy Geologii Kuzbassa, I, Materialy Vtorogo Soveshchaniya po Stratigrafiî Uglenosnykh Otlozhennii</i> , p. 169 (gender: feminine) (type species, by original designation: <i>Brachythyris kumpani</i> Yanischevsky, 1935) (Brachiopoda, Spiriferida). Op. 1395	available
<i>Tomiopsis</i> Cope, 1893, <i>Proceedings of the American Philosophical Society</i> , 31 (42): 317-318, and all uses of the name prior to the publication of <i>Tomiopsis</i> Benediktova, 1956 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Mammalia). Op. 1395	index
Tomocerus Nicolet, [1842], <i>Neue Denkschr. allgem. Schweiz. Ges.</i> , 6 : 31, 67 (gender: masculine) (type species, by designation under the plenary power: <i>Macrotoma minor</i> Lubbock, 1862, <i>Trans. linn. Soc. London (Zool.)</i> , 23 : 598) (Insecta, Collembola). Op. 239	available

<i>Tomosvaryella</i> Aczél, 1939, <i>Zool. Anz.</i> , 125 : 20, 22 (gender: feminine) (type species, by original designation: <i>Pipunculus sylvaticus</i> Meigen, 1824, <i>Syst. Beschr. zweifl. Ins.</i> , 4 : 20) (Insecta, Diptera). Op. 597	available
<i>Tonna</i> Brünnich, 1771, <i>Zool. Fund.</i> : 248, 232 (gender: feminine) (type species, by designation by Suter, 1913 (<i>Manual N.Z. Moll.</i> : 314): <i>Buccinum galea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 734) (Gastropoda). Op. 237	available
<i>topeka, Cliola (Hybopsis)</i> , Gilbert, 1884, <i>Bulletin of the Washburn College Laboratory of Natural History</i> , 1 (1): 13 (Osteichthyes, Cypriniformes). Op. 1821	available
<i>torda, Alca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 130 (specific name of the type species of <i>Alca</i> Linnaeus, 1758) (Aves). Op. 271	available
<i>toreuma, Glyptagnostus</i> , Whitehouse, 1936, <i>Memoirs of the Queensland Museum</i> , 11 : 102 (specific name of the type species of <i>Glyptagnostus</i> Whitehouse, 1936) (Trilobita). Op. 1701	available
<i>Torinia</i> Gray, 1842, <i>Mollusca</i> . P. 60 in: <i>Synopsis of the contents of the British Museum</i> , Ed. 44, Woodfall & Son, London (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Gastropoda). Op. 2185	index
<i>Tornatellina</i> Pfeiffer, 1842, <i>Symbolae ad historiam heliceorum</i> , part 2, p. 5 (gender: feminine) (type species, by subsequent designation by Gray, 1847, <i>Proceedings of the Zoological Society of London</i> , 1847 , p. 125: <i>Tornatellina clausa</i> Pfeiffer, 1842, a junior subjective synonym of <i>Clausilia (Strobilis) bilamellatus</i> Anton, 1839) (Gastropoda). Direction 119	available
<i>Tornquistia</i> Paeckelmann, 1930, <i>Abh. K.-preuss. geol. Landesanst.</i> (n.s.), 122 : 218, 277 (gender: feminine) (type species, by original designation: <i>Leptaena (Chonetes) polita</i> McCoy, 1852, <i>Ann. Mag. nat. Hist.</i> , (2) 10 : 421) (Brachiopoda). Op. 367	available
<i>torquatus, Sceloporus</i> , Wiegmann, 1828, <i>Isis</i> (Oken), 1828 : 369 (ruled under the plenary power not to have been permanently rejected as a junior secondary homonym of <i>Stellio torquatus</i> Wied, 1820) (Reptilia). Op. 759	available
<i>Torquesia</i> Douvillé, 1929, <i>Pal. ind.</i> (n.s.), 10 (Mem. 3, fasc. 2): 55 (gender: feminine) (type species, by designation under the plenary power: <i>Turritella granulata</i> Sowerby, 1827, <i>Min. Conch.</i> , 6 : 125) (Gastropoda). Op. 493	available
<i>torquilla, Jynx</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 112 (specific name of the type species of <i>Jynx</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Tortaxis</i> Pilsbry, 1906, in: Tryon, <i>Manual of Conchology</i> , ser. 2, vol. 18 (Pulmonata), p. 5 (gender: masculine) (type species, by original designation: <i>Achatina erecta</i> Benson, 1842) (Gastropoda). Op. 1766	available
TORTRICES Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 415 (type genus: <i>Tortrix</i> Linnaeus, 1758) (an incorrect original spelling for TORTRICIDAE Latreille, [1802]). Op. 450	index

TORTRICIDA [Leach, 1815], <i>in</i> Brewster's <i>Edinburgh Ency.</i> , 9 (1): 135 (type genus: <i>Tortrix</i> Linnaeus, 1758) (an incorrect subsequent spelling for TORTRICIDAE (correction of TORTRICES) Latreille, [1802]). Op. 450	index
TORTRICIDAE (correction of TORTRICES) Latreille, [1802], <i>in</i> Sonnini's <i>Buffon, Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 415 (type genus: <i>Tortrix</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
TORTRICIDES Billberg, 1820, <i>Enum. Ins. Mus. Billberg</i> : 90 (type genus: <i>Tortrix</i> Linnaeus, 1758) (an incorrect subsequent spelling for TORTRICIDAE (correction of TORTRICES) Latreille, [1802]). Op. 450	index
TORTRICITES Newman, 1835, <i>Grammar Entomol.</i> : 179 (type genus: <i>Tortrix</i> Linnaeus, 1758) (an incorrect subsequent spelling for TORTRICIDAE (correction of TORTRICES) Latreille, [1802]). Op. 450	index
<i>Tortrix</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 530 (conserved under the plenary power as of subgeneric status) (gender: feminine) (type species, by designation under the plenary power: <i>Phalaena viridana</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 530) (Insecta, Lepidoptera). Op. 450	available
<i>Tortrix</i> Oppel, 1811, <i>Ann. Mus. Hist. nat.</i> , Paris, 16 (95): 377, 381 (a junior homonym of <i>Tortrix</i> Linnaeus, 1758). Op. 450	index
<i>tortus, Ammonites lineatus</i> , Quenstedt, 1885, <i>Die Ammoniten des Schwäbischen Jura, I, Der Schwarze Jura (Lias)</i> , p. 309, ruled under the plenary power to be an available name (specific name of the type species of <i>Derolytoceras</i> Rosenberg, 1909) (Ammonoidea). Op. 2123	available
<i>Torymus</i> Dalman, 1820, <i>K. Vetensk.-Akad. Handl.</i> , Stockholm, 1820 (1): 125, 135 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Ichneumon bedeguaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 567) (Insecta, Hymenoptera). Op. 155	available
<i>townsendi, Collocalla francica</i> , Oberholser, 1906, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 58 : 181 (Aves). Op. 409	available
<i>Toxorhynchites</i> Theobald, 1901, <i>J. trop. Med.</i> , 4 : 234 (gender: masculine) (type species, by monotypy: <i>Toxorhynchites brevipalpis</i> Theobald, 1901, <i>Mon. Culic.</i> , 1 : 235) (Insecta, Diptera). Op. 548	available
<i>Toxorhynchites</i> Theobald, June 1901, <i>in</i> Howard, <i>Mosquitoes</i> : 154, 155, 235, 240 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 548	index
TOXORHYNCHITINAE Theobald, 1905, <i>in</i> Wytsmann, <i>Gen. Ins.</i> , 26 : 5 (type genus: <i>Toxorhynchites</i> Theobald, 1901) (Insecta, Diptera). Op. 548	available
<i>Toxosphinctes</i> Buckman, 1923, <i>Type Ammonites</i> , 5 : pl. 447 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 306	index
<i>trachea, Fasciola</i> , Montagu, 1811, <i>Mem. werner. nat. Hist. Soc.</i> , 1 : 197 (specific name of the type species of <i>Syngamus</i> Siebold, 1836) (Nematoda). Direction 77	available

<i>trachealis</i> , <i>Syngamus</i> , Siebold, 1836, <i>Arch. Naturgesch.</i> , 2 (1): 105 (a junior objective synonym of <i>trachea</i> , <i>Fasciola</i> , Montagu, 1811). Direction 76	index
TRACHEIDAE Laporte, 1835, <i>Revue Entomologique</i> , 3 : 166, spelling emended from TRACHISIDAE by the ruling under the plenary power that the stem of <i>Trachys</i> Fabricius Fabricius, 1801 is <i>Trache-</i> (Coleoptera). Op. 2222	index
<i>Trachelocerca</i> Ehrenberg, [1834], <i>Abhandlungen der Preussischen Akademie der Wissenschaften zu Berlin</i> , 1833 : 316, issued in the serial in 1835 but published as a separate in 1834, and all uses of that name prior to the publication of <i>Trachelocerca</i> Ehrenberg, 1840 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Ciliophora). Op. 1923	index
<i>Trachelocerca</i> Ehrenberg, 1840, <i>Monatsberichte und Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin</i> , 1840 : 202 (gender: feminine) (type species, by monotypy: <i>Vibrio sagitta</i> Müller, 1786) (Ciliophora). Op. 1923	available
<i>Trachinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 250 (gender: masculine) (type species, by monotypy: <i>Trachinus draco</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 250) (Osteichthyes). Op. 75 <i>Trachycarcinus</i> Faxon, 1893, <i>Bull. Mus. comp. Zool.</i> , 24 : 156 (gender: masculine) (type species, by monotypy: <i>Trachycarcinus corallinus</i> Faxon, 1893, <i>Bull. Mus. comp. Zool.</i> , 24 : 156) (Crustacea, Decapoda). Op. 73	available
<i>Trachycaris</i> Calman, 1906, <i>Ann. Mag. nat. Hist.</i> , (7) 17 : 31, 33 (gender: feminine) (type species, by monotypy: <i>Platybema rugosus</i> Bate, 1888, <i>Rep. Voy. 'Challenger'</i> , (Zool.), 24 : 579, valid name: <i>Hippolyte restricta</i> Milne Edwards, 1878) (Crustacea, Decapoda). Op. 470	available
TRACHISIDAE Laporte, 1835, <i>Revue Entomologique</i> , 3 : 166, an incorrect original spelling (Coleoptera). Op. 2222	index
TRACHYDINI Reitter, 1911, <i>Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytische Methode bearbeite</i> , vol. 3, p. 180, incorrectly derived from <i>Trachys</i> Fabricius, 1801 (Coleoptera). Op. 2222	index
TRACHYINI Gavoy, 1901, <i>Bulletin de la Société d'Études Scientifiques de l'Aude</i> , 12 : 113, incorrectly derived from <i>Trachys</i> Fabricius, 1801 (Coleoptera). Op. 2222	index
TRACHYNI Kerremans, 1893, <i>Annales de la Société Entomologique de Belgique</i> , 37 : 121, incorrectly derived from <i>Trachys</i> Fabricius, 1801 (Coleoptera). Op. 2222	index
TRACHYNINI Kraatz, 1869, <i>Verzeichniss der Käfer Deutschlands</i> , p. 36, incorrectly derived from <i>Trachys</i> Fabricius, 1801 (Coleoptera). Op. 2222	index
<i>Trachypenaeopsis</i> (emendation under the plenary power of <i>Trachypeneopsis</i>) Burkenroad, 1934, <i>Bull. Bingham oceanogr. Coll.</i> , 4 (7): 40 (gender: feminine) (type species, by original designation: <i>Metapenaeus mobilispinis</i> Rathbun, 1915, <i>Proc. biol. Soc. Washington</i> , 28 : 117) (Crustacea, Decapoda). Op. 864	available
<i>Trachypenaeus</i> (emendation under the plenary power of <i>Trachypeneus</i>) Alcock, 1901, <i>Descr. Cat. Indian Deep Sea Crust.</i> : 15 (gender: masculine) (type species, by original designation: <i>Penaeus anchoralis</i> Bate, 1881, <i>Ann. Mag. nat. Hist.</i> , (5) 8 : 181) (Crustacea, Decapoda). Op. 864	available
<i>Trachypeneopsis</i> Burkenroad, 1934, <i>Bull. Bingham oceanogr. Coll.</i> , 4 (7): 40 (ruled under the plenary power to be an incorrect original spelling for <i>Trachypenaeopsis</i> Burkenroad, 1934). Op. 864	index
<i>Trachypeneus</i> Alcock, 1901, <i>Descr. Cat. Indian Deep Sea Crust.</i> : 15 (ruled under the plenary power to be an incorrect original spelling for <i>Trachypenaeus</i> Alcock, 1901). Op. 864	index

Trachys Fabricius, 1801, *Systema Eleutherorum secundum ordines, genera, species: adjectis synonymis, locis, observationibus, descriptionibus. Tomus II*, p. 218 (gender, as ruled under the plenary power: masculine), stem ruled under the plenary power to be *Trache-*, type species by subsequent designation by Westwood (1838) *Buprestis minuta* Linnaeus, 1758 (Coleoptera). Op. 2222

index

Tragardhula Berlese, 1912, *Redia*, **8**: 4 (a junior objective synonym of *Blankaartia* Oudemans, 1911). Op. 655

index

Tragulus Boddaert, 1785, *Elenchus Animalium*, vol. 1 (Sistens Quadrupedia), pp. 49, 131 (a junior homonym of *Tragulus* Brisson, 1762) (Mammalia, Artiodactyla). Op. 1894

index

Tragulus Brisson, 1762, *Regnum Animale in classes IX distributum, sive synopsis methodica*, Ed. 2, pp. 12, 65 (gender: masculine) (type species, by designation under the plenary power: *Cervus javanicus* Osbeck, 1765), ruled under the plenary power to be taken as first available from Brisson, 1762, despite that being a work rejected for nomenclatural purposes (Mammalia, Artiodactyla). Op. 1894

available

Tragulus Pallas, 1767, *Spicilegia Zoologica*, fasc. 1, p. 6 (a junior homonym of *Tragulus* Brisson, 1762) (Mammalia, Artiodactyla). Op. 1894

index

Tramea Hagen, 1861, *Smithsonian Miscellaneous Collections*, **4**: 143 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Kirby, 1889, *Transactions of the Zoological Society of London*, **12**: 268: *Libellula carolina* Linnaeus, 1763) (Insecta, Odonata). Op. 2158

available

transbaikalica, Rhadinopsylla (Ralipsylla) li, Ioff & Tiflov, 1946, *Med. Parasitol. Moscow*, **15** (No. 6): 94 (Insecta, Siphonaptera). Op. 314

available

transfuga, Blatta, Brünnich, 1763, in Pontoppidan, *Den Danske Atlas*, **1**: 679, pl. 29, ruled under the plenary power not to be given priority over the specific name *germanica* Linnaeus, 1767, as published in the binomen *Blatta germanica*, whenever the two names are considered synonyms (Insecta, Dictyoptera). Op. 1231

available

transversa, Corisa, Fieber, 1848, *Bulletin de la Société Impériale des Naturalistes de Moscou*, **21**(1): 520 (specific name of the type species of *Parasigara* Poisson, 1957) (Insecta, Heteroptera). Op. 1555

available

transversa, Cyclas, Say, 1829, *Disseminator useful Knowledge*, New Harmony, **2**: 356 (Bivalvia). Op. 336

available

transversarius, Ammonites, Quenstedt, 1847, *Petrefactenkunde Deutschlands. Die Cephalopoden*, p. 199 (specific name of the type species of *Gregoryceras* Spath, 1924) (Ammonoidea). Op. 2123

available

transversus, Opisthopus, Rathbun, 1893, *Proc. U.S. nat. Mus.*, **16** (No. 933): 252 (specific name of the type species of *Opisthopus* Rathbun, 1893) (Crustacea, Decapoda). Direction 36

available

Trapecia Berthold, 1827, *Latreille's natürliche Familien des Thierreichs aus dem Französischen mit Anmerkungen und Zusätzen*, p. 255 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Crustacea, Decapoda). Op. 1614

index

<i>Trapezia</i> Latreille, 1828, <i>Encyclopédie méthodique d'Histoire naturelle (Insectes)</i> , vol. 10, p. 695 (gender: feminine) (type species, by subsequent designation by H. Milne Edwards, 1842, vol. 18 - Les Crustacés, in Cuvier, <i>Le Règne Animal</i> , Disciples Edition, pl. 14: <i>Trapezia dentifrons</i> Latreille, 1828, a junior subjective synonym of <i>Cancer cymodoce</i> Herbst, 1801) (Crustacea, Decapoda). Op. 1614	available
TRAPEZIDAE Lamy, 1920, <i>Journal de Conchyliologie</i> , 64 (4): 265 (type genus: <i>Trapezium</i> Megerle von Mühlfeld, 1811), it being ruled under the plenary power that for the purposes of Article 29 of the Code the stem of the generic name <i>Trapezium</i> Megerle von Mühlfeld, 1811 is TRAPEZ- (Bivalvia). Op. 1615	available
<i>trapeziformis, Holothuriophilus</i> , Nauck, 1880, <i>Z. wiss. Zool.</i> , 34 : 66 (specific name of the type species of <i>Holothuriophilus</i> Nauck, 1880) (Crustacea, Decapoda). Direction 36	available
TRAPEZIIDAE Miers, 1886, <i>Report of the scientific results of the voyage of H.M.S. Challenger</i> , (Zoology, Part 49), vol. 17, p. 163 (type genus: <i>Trapezia</i> Latreille, 1828) (Crustacea, Decapoda). Op. 1615	available
<i>Trapezium</i> Megerle von Mühlfeld, 1811, <i>Magazin für die neuesten Entdeckungen in der gesammten Naturkunde von Der Gesellschaft Naturforschung Freunde zu Berlin</i> , 5 : 68 (gender: neuter) (type species, by subsequent designation by Stewart, 1930, <i>Academy of Natural Sciences of Philadelphia</i> , Spec. pub. no. 3, p. 173: <i>Trapezium perfectum</i> Megerle von Mühlfeld, 1811, a junior subjective synonym of <i>Chama oblonga</i> Linnaeus, 1758) (Bivalvia). Op. 1615	available
<i>trapezium, Sesarma</i> , Dana, 1852, Crustacea, in: <i>U.S. Exploring Expedition under the command of Charles Wilkes, U.S.N.</i> , 13 (1): 354, ruled under the plenary power not to be given priority over the specific name <i>rubripes</i> Rathbun, 1897, as published in the binomen <i>Sesarma rubripes</i> , whenever the two names are considered synonyms (Crustacea, Decapoda). Op. 1140	available
<i>Trapezostigma</i> Hagen, 1849, <i>Entomologische Zeitung, Stettin</i> , 10 (6): 174 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Odonata). Op. 2158	index
<i>Traumatomutilla</i> André, 1901, <i>Z. f. Hymen. Dipt.</i> , 1 : 257, 258 (gender: feminine) (type species, by designation by André, 1903 (in Wytsman's <i>Gen. Ins.</i> , 1 (fasc. 11): 55): <i>Mutilla indica</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 583) (Insecta, Hymenoptera). Op. 542	available
<i>tredecimguttata, Aranea</i> , Rossi, 1790, <i>Fauna Etrusca</i> , 2 : 136 (specific name of the type species of <i>Latrodectus</i> Walckenaer, 1805) (Arachnida). Direction 67	available
<i>Tremataspis</i> Schmidt, 1866, <i>Verh. russ. min. Ges. St. Petersburg</i> , (2) 1 : 233 (gender: feminine) (type species, by designation under the plenary power: <i>Tremataspis schmidtii</i> Rohon, 1892, <i>Mém. Acad. imp. Sci. St. Pétersbourg</i> , (7) 38 (13): 61) (Agnatha). Op. 222	available
<i>Trematospira</i> Hall in Davidson, 1858, <i>The Geologist</i> , 1 : 412, and all uses of the name prior to the publication of <i>Trematospira</i> Hall, 1859 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Brachiopoda). Op. 1900	index

<i>Trematospira</i> Hall, 1859, <i>New York State Cabinet of Natural History, Annual Report</i> , 12 : 27 (gender: feminine) (type species, ruled under the plenary power to be by subsequent designation by Hall & Clarke, 1893, <i>Paleontology of New York</i> , 8 (2): 126: <i>Spirifer multistriatus</i> Hall, 1857) (Brachiopoda). Op. 1900	available
<i>tremula, Holothuria</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1090 (specific name of the type species of <i>Holothuria</i> Linnaeus, 1767) (Holothuroidea). Direction 73	available
<i>Trepsichrois</i> Hübner, 1816, <i>Verz. bekannt. Schmett.</i> (1): 16 (gender: feminine) (type species, by designation under the plenary power: <i>Papilio mulciber</i> Cramer, 1777, <i>Util. Kapellen</i> , 2 : 45, 150, pl. 127, figs. C, D) (Insecta, Lepidoptera). Op. 990	available
<i>tesselata, Lybia</i> , Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1 : 431 (an incorrect subsequent spelling for <i>tesselatus, Grapsus</i> , Latreille, 1812). Direction 37	index
TRETASPINAE Whittington, 1941, <i>J. Paleontol.</i> , 15 : 23 (type genus: <i>Tretaspis</i> McCoy, 1849) (Trilobita). Op. 505	available
<i>Tretaspis</i> McCoy, 1849, <i>Ann. Mag. nat. Hist.</i> , (2) 4 : 410 (conserved under the plenary power) (gender: feminine) (type species, by designation by Bassler, 1915 (<i>Bull. U.S. nat. Mus.</i> , 92 : 1285): <i>Asaphus seticornis</i> Hisinger, 1840, <i>Lethaea svec.</i> , Suppl. sec.: 3) (Trilobita). Op. 505	available
<i>Tretaspis</i> Murchison, 1839, <i>Silurian System</i> : 217, nota (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 505	index
Triacanthagyna Selys, 1883, <i>Bulletin de l'Académie Royal de Belgique</i> , (3) 5 : 745 (gender: feminine) (type species, by monotypy: <i>Gynacantha trifida</i> Rambur, 1842) (Insecta, Odonata). Op. 2148	available
<i>Triacodon</i> Marsh, 1871, <i>American Journal of Science</i> , (3) 2 : 123 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Carnivora). Op. 1517	index
<i>Triaena</i> Tullberg, 1871, <i>Öfvers. K. Vetensk. Akad. Förh.</i> , 28 : 155 (a junior homonym of <i>Triaena</i> Hübner, 1818). Op. 1049	index
<i>triangularis, Ambalodus</i> , Branson & Mehl, 1933, <i>University Missouri Studies</i> , 8 (2): 128, pl. 10, figs. 35-37 (specific name of the type species of <i>Ambalodus</i> Branson & Mehl, 1933) (Conodonta). Op. 796	available
<i>triangularis, Conchylolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Q[3], pl. 36, fig. 2 (included in a work rejected for nomenclatural purposes). Op. 420	index
<i>triangularis, Spirifer</i> , Sowerby, 1827, <i>Min. Conch.</i> , 6 : 120, pl. 562, figs. 5, 6, as interpreted by the lectotype designated and figured by Muir-Wood, 1951 (<i>Ann. Mag. nat. Hist.</i> , (12) 4 : 106, pl. 5, figs. 3a-d) (Brachiopoda). Op. 420	available
<i>triangulata, Amicytheridea</i> , Bate, 1975, <i>Bulletin of the British Museum (Natural History), Geology</i> , 26 (5): 192 (specific name of the type species of <i>Amicytheridea</i> Bate, 1975) (Ostracoda). Op. 1740	available

<i>triangulatus</i> , <i>Rastrites</i> , Harkness, 1851, <i>Quart. J. geol. Soc. London</i> , 7 : 59, pl. 1, figs. 3a-d (Graptolithina). Op. 571	available
<i>triangulum</i> , <i>Coluber</i> , Lacepède, 1788, <i>Hist. nat. Quad. ovip. Serpens</i> , 2 : (table méthodique) 86, 331, ruled under the plenary power to be an available name despite being published in a work ruled to be unavailable (Reptilia). Op. 804	available
<i>triangulum</i> , <i>Vespa</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 373 (Insecta, Hymenoptera). Op. 1578	available
<i>triangulus</i> , <i>Mitobates</i> , Sundevall, 1833, <i>Conspectus arachnidum</i> , p. 34, footnote (Arachnida, Opiliones). Op. 1703	available
<i>triangulus</i> , <i>Terebratula</i> , Valenciennes, 1819, in Lamarck, <i>Histoire naturelle des Animaux sans Vertèbres</i> , vol. 6, p. 250 (Brachiopoda). Op. 1466	available
<i>Triatoma</i> Laporte, [1832], <i>Essai Class. syst. Hémipt.</i> : 11 (<i>Mag. zool.</i> , 2 , Suppl.) (gender: feminine) (type species, by monotypy: <i>Reduvius gigas</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 729, valid name: <i>Cimex rubrofasciatus</i> de Geer, 1773) (Insecta, Hemiptera). Op. 104, Direction 63	available
TRIATOMINI Jeannel, 1919, <i>Insectes Hémiptères</i> , 3 <i>Voy. Ch. Alluaud et R. Jeannel en Afrique Orientale</i> : 176, 177, 309 (type genus: <i>Triatoma</i> Laporte, [1832]) (Insecta, Hemiptera). Direction 109	available
<i>Tribolbina</i> Latham, 1932, <i>Trans. roy. Soc. Edinburgh</i> , 57 : 358 (gender: feminine) (type species, by original designation: <i>Tribolbina carnegiei</i> Latham, 1932, <i>Trans. roy. Soc. Edinburgh</i> , 57 : 358, 359) (Crustacea, Ostracoda). Op. 1118	available
<i>Tribolium</i> MacLeay, 1825, <i>Annulosa Javanica</i> , p. 47 (gender: neuter) (type species, by monotypy: <i>Colydium castaneum</i> Herbst, 1797) (Insecta, Coleoptera). Op. 1495	available
<i>Tribonophora</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 5 (included in a work rejected for nomenclatural purposes). Op. 789	index
<i>tribulus</i> , <i>Cancer</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1045 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 708	index
<i>Tricelia</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VI (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Trichaporus</i> Foerster, 1856, <i>Hymenopterologische Studien</i> , 2 Heft. <i>Chalcididae und Proctotrupini</i> . Ernst Meer, Aachen: 84 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1351	index
<i>Trichechus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 34 (gender: masculine) (type species, by monotypy: <i>Trichechus manatus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 34) (Mammalia). Op. 112	available
<i>Trichechus</i> Linnaeus, 1766, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 1, p. 49 (a junior homonym of <i>Trichechus</i> Linnaeus, 1758). Direction 24	index

<i>Trichia</i> De Haan, 1839, <i>Fauna Japonica</i> , fasc. 4, pl. 29, fig. 4; pl. H (gender: feminine) (type species, by monotypy: <i>Trichia dromiaeformis</i> De Haan, 1839) (Brachyura). Op. 2079	available
<i>Trichia</i> Hartmann, 1840, <i>Erd- und Süßwasser-Gasteropoden</i> , p. xiii, footnote (a junior primary homonym of <i>Trichia</i> De Haan, 1839) (Gastropoda). Op. 2079	index
<i>Trichia</i> Hong, 1981, <i>Eocene fossil Diptera Insecta in amber in Fushun coalfield</i> , p. 28 (a junior homonym of <i>Trichia</i> De Haan, 1839) (Insecta, Diptera). Op. 2079	index
TRICHIINAE Ložek, 1956, <i>Klíc Ceskoslovenských Měkkysů</i> . [Key to Czechoslovakian Mollusca], p. 200 (based on <i>Trichia</i> Hartmann, 1840, a junior primary homonym of <i>Trichia</i> De Haan, 1839) (Gastropoda). Op. 2079	index
<i>Trichinus</i> Kirby, 1827, <i>Zoological Journal</i> , 3(10): 156 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2162	index
<i>Trichiotoinus</i> Casey, 1915, <i>Memoirs on the Coleoptera</i> , 6: 381 (gender: masculine) (type species, by original designation: <i>Trichius piger</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 2162	available
<i>Trichius</i> Fabricius, 1775, <i>Systema Entomologiae, sistens Insectorum classes, ordines, genera, species</i> , p. 40 (gender: masculine) (type species, by subsequent designation by Latreille, 1810, <i>Considérations générales sur l'ordre naturel des animaux, composant les classes des crustacés, des arachnides et des insectes; avec un tableau méthodique de leurs genres, disposés en familles</i> , p. 428: <i>Scarabaeus fasciatus</i> Linnaeus, 1758) (Insecta, Coleoptera). Op. 2079	available
<i>Trichocratomerus</i> Richter, 1949, Buprestidae. <i>Fauna of the U.S.S.R.</i> , vol. 13, no. 2, p. 102 (gender: masculine) (type species, by original designation: <i>Buprestis manca</i> Linnaeus, 1767) (a junior objective synonym of <i>Anthaxia</i> Eschscholtz, 1829) (Insecta, Coleoptera). Op. 2009	available
TRICHODACTYLINAE Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3)20: 163 (type genus: <i>Trichodactylus</i> Latreille, [1828]) ruled under the plenary power not to be given priority over POTAMIDAE Ortmann, 1896 by those who consider <i>Potamon</i> Savigny, 1816 and <i>Trichodactylus</i> Latreille to belong to the same family-group taxon (Crustacea, Decapoda). Op. 712	available
<i>Trichodactylus</i> Dufour, 1839, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2)11: 276 (a junior homonym of <i>Trichodactylus</i> Latreille, [1828]). Direction 37	index
<i>Trichodactylus</i> Latreille, [1828], <i>Ency. méth.</i> , 10 (Ins.): 705 (gender: masculine) (type species, by monotypy: <i>Trichodactylus fluviatilis</i> Latreille, [1828], <i>Ency. méth.</i> , 10 (Ins.): 705) (Crustacea, Decapoda). Op. 73, Direction 37	available
<i>Trichodectes</i> Nitzsch, 1818, <i>Mag. Entomol. (Germar)</i> , 3: 294 (gender: masculine) (type species, by designation by Johnston & Harrison, 1911 (<i>Proc. linn. Soc. N.S. Wales</i> , 36: 326): <i>Ricinus canis</i> de Geer, 1778, <i>Mém. Hist. Ins.</i> , 7: 81, as interpreted by the neotype designated by Clay & Hopkins, 1954 (<i>Bull. Brit. Mus. (nat. Hist.) Entomol.</i> , 3: 244)) (Insecta, Mallophaga). Op. 627	available

TRICHODECTIDAE Kellogg, 1896, <i>Proc. Calif. Acad. Sci.</i> , (2)6: 63 (type genus: <i>Trichodectes</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 627	available
<i>Trichodes</i> Herbst, 1792, in Jablonsky, <i>Natursyst. aller bek. in-und ausl. Ins.</i> , Der Käfer: 154 (gender: masculine) (type species, by designation by Hope, 1840 (<i>Coleopterist's Manual</i> , 3: 137): <i>Attelabus aparius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 388) (Insecta, Coleoptera). Op. 1273	available
<i>Trichoglossus</i> Stephens, 1826, in Shaw, <i>Gen. Zool. (Aves)</i> , 14(1): 129 (to be treated as having priority over <i>Trichoglossus</i> Vigors & Horsfield, 1826) (gender: masculine) (type species, by designation by Lesson, 1828 (<i>Manuel Ornithol.</i> , 2: 147): <i>Psittacus haematodus</i> (spelling-out of the abbreviated form 'haematod.') Linnaeus, 1771, <i>Mantissa Plant.</i> (2): 524, as interpreted by the first reviser action by Jardine & Selby, [1831] (<i>Ill. Ornithol.</i> : expl. to pls. 111, 112)) (Aves). Op. 67, Direction 82	available
<i>Trichoglossus</i> Vigors & Horsfield, 1826, <i>Trans. linn. Soc. London</i> , 15(1): 287 (a junior homonym of <i>Trichoglossus</i> Stephens, 1826). Direction 82	index
TRICHOMONADIDAE Grassi, 1882, <i>Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale</i> , 24: 141 (type genus: <i>Trichomonas</i> Donné, 1836) (Mastigophora). Op. 1447	available
<i>Trichomonas</i> Donné, 1836, <i>Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences</i> , Paris, 3: 386 (gender: feminine) (type species, by monotypy: <i>Trichomonas vaginalis</i> Donné, 1836), ruled under the plenary power to be the correct original spelling of <i>Tricomonas</i> (Mastigophora). Op. 1447	available
<i>Trichopeltarion</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8: 19 (gender: neuter) (type species, by monotypy: <i>Trichopeltarion nobile</i> Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8: 20) (Crustacea, Decapoda). Op. 73 <i>Trichoporus</i> Ashmead, 1900, in Smith, <i>Insects of New Jersey, 27th Annual Report State Board of Agr., Trenton</i> . Supplement: 561 (an incorrect subsequent spelling for <i>Trichaporus</i> Foerster, 1856). Op. 1351	available
<i>Trichopsylla</i> Ewing & Fox, 1943, <i>Misc. Publ. U.S. Dep. Agric.</i> , No. 500: 55 (a junior homonym of <i>Trichopsylla</i> Kolenati, 1863). Op. 388	index
<i>Trichopsylla</i> Jordan & Rothschild, 1920, <i>Ectoparasites</i> , 1: 63 (a junior homonym of <i>Trichopsylla</i> Kolenati, 1863). Op. 388	index
<i>Trichopsylla</i> Kolenati, 1863, <i>Hor. Soc. entomol. ross.</i> , 2: 32 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 388	index
<i>Trichostrongylus</i> Looss, 1905, <i>Zbl. Bakt. (Abt. 1)</i> , 39: 413 (gender: masculine) (type species, by original designation: <i>Strongylus retortaeformis</i> Zeder, 1800, in Goeze, <i>Versuch Naturg. Eingeweidewürmer</i> , Erst. Nachtr.: 75) (Nematoda). Op. 66, Direction 76	available
<i>Tricla</i> Philipsson, 1788, <i>Dissertatio Hist. nat. syst. nova Test. Gen.</i> : 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 287	index

<i>Tricoelia</i> [sic] Renier, [1804], <i>Prospetto Classe Vermi</i> : XVIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>tricolor</i> , <i>Encarsia</i> , Foerster, 1878, <i>Verh. naturf. Ver. preuss. Rheinl.</i> , 35 : 66 (specific name of the type species of <i>Encarsia</i> Foerster, 1878) (Insecta, Hymenoptera). Op. 1351	available
<i>tricolor</i> , <i>Eubranchus</i> , Forbes, 1838, <i>Malac. Mon.</i> : 5 (specific name of the type species of <i>Eubranchus</i> Forbes, 1838) (Gastropoda). Op. 774	available
<i>tricolor</i> , <i>Syrphus</i> , Fabricius, 1798, <i>Supplementum entomologiae systematicae</i> , p. 563 (specific name of the type species of <i>Eumerus</i> Meigen, 1822) (Insecta, Diptera). Op. 1747	available
<i>tricolorata</i> , <i>Aglaja</i> , [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII, as interpreted by the neotype designated by Lemche, 1974 (<i>Bull. zool. Nomencl.</i> , 31 : 196-198) (ruled under the plenary power to be an available name) (specific name of the type species of <i>Aglaja</i> [Renier], [1807]) (Gastropoda). Op. 1079	available
<i>tricupola</i> , <i>Pseudanisakis</i> , Gibson, 1973, <i>J. nat. Hist.</i> , 7 : 321-334 (specific name of the type species of <i>Pseudanisakis</i> Layman & Borovkova, 1926) (Nematoda). Op. 1086	available
<i>tricuspidens</i> , <i>Plesiadapis</i> , Gervais, 1877, <i>J. Zool. Paris</i> , 6 : 76 (specific name of the type species of <i>Plesiadapis</i> Gervais, 1877) (Mammalia). Op. 1123	available
<i>tridacnae</i> , <i>Conchodytes</i> , Peters, 1852, <i>Ber. Bekannt. geeignet. Verh. K.-preuss. Akad. Wiss.</i> , Berlin, 1852 : 594 (specific name of the type species of <i>Conchodytes</i> Peters, 1852) (Crustacea, Decapoda). Op. 383	available
<i>Tridacnigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Tridacnocaris</i> Nobili, 1899, <i>Ann. Mus. Stor. nat. Genova</i> , 40 : 235 (a junior objective synonym of <i>Anchistus</i> Borradaile, 1898). Op. 470	index
<i>tridactyla</i> , <i>Myrmecophaga</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 35 (specific name of the type species of <i>Myrmecophaga</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>tridactyla</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 542, as defined by the lectotype designated by Robinson & Nielsen, 1983, <i>Systematic Entomology</i> , 8 : 234, ruled by the Commission to have precedence over the name of its objective synonym <i>Phalaena tetradactyla</i> Linnaeus, 1758 (Insecta, Lepidoptera). Op. 2041	available
<i>tridactylum</i> , <i>Amphiuma</i> , Cuvier, 1827, <i>Mémoires du Muséum d'Histoire Naturelle</i> , 14 : 7 (Amphibia, Caudata). Op. 1733	available
<i>Tridactylus</i> Olivier, 1789, <i>Ency. méth.</i> , 4 (Ins.): 26 (gender: masculine) (type species, by monotypy: <i>Tridactylus paradoxus</i> Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 276) (Insecta, Orthoptera). Op. 149	available
<i>tridactylus</i> , <i>Aceratherium</i> , Osborn, 1893, <i>Bull. amer. Mus. nat. Hist.</i> , 5 : 85, 86 (Mammalia). Op. 659	available

<i>tridactylus</i> , <i>Bradypus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 34 (specific name of the type species of <i>Bradypus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>tridens</i> , <i>Cancer</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 340 (a junior primary homonym of <i>tridens</i> , <i>Cancer</i> , Herbst, 1790). Op. 712	index
<i>tridens</i> , <i>Cancer</i> , Herbst, 1790, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (8): 267 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 712	index
<i>tridens</i> , <i>Geryon</i> , Krøyer, 1837, <i>Naturhist. Tidsskrift</i> , 1 (1): 10, 21 (specific name of the type species of <i>Geryon</i> Krøyer, 1837) (Crustacea, Decapoda). Direction 36	available
<i>tridens</i> , <i>Ocypode (Helice)</i> , de Haan, [1835], in Siebold, <i>Fauna japon.</i> (Crust.): 28, 57 (specific name of the type species of <i>Helice</i> de Haan, [1833]) (Crustacea, Decapoda). Direction 36	available
<i>tridens</i> , <i>Opilio</i> , Koch, 1836, <i>Die Arachniden</i> , 3 : 14, 15, pl. 78, figs. 173, 173a (specific name of the type species of <i>Oligolophus</i> Koch, 1872) (Arachnida). Op. 942	available
<i>tridens</i> , <i>Urellia</i> , Hendel, 1910, <i>Wiener entomol. Zeitung</i> , 29 : 106, 107 (specific name of the type species of <i>Goniurellia</i> Hendel, 1927) (Insecta, Diptera). Op. 1208	available
<i>tridentata</i> , <i>Anomia</i> , Forsskål, 1775, <i>Descr. Anim.</i> : 124 (valid name at the date of Opinion 883 of the type species of <i>Cavolinia</i> (emendation of <i>Cavolina</i> Abildgaard, 1791) (Gastropoda). Op. 288, Op. 883	available
<i>tridentata</i> , <i>Parathelphusa</i> , Milne Edwards, 1853, <i>Ann. Sci. nat.</i> , Paris (Zool.), (3) 20 : 213 (specific name of the type species of <i>Parathelphusa</i> Milne Edwards, 1853) (Crustacea, Decapoda). Direction 36	available
<i>tridentata</i> , <i>Pseudophilyra</i> , Miers, 1879, <i>Proc. zool. Soc. London</i> , 1879 : 41 (specific name of the type species of <i>Pseudophilyra</i> Miers, 1879) (Crustacea, Decapoda). Direction 36	available
<i>tridentatus</i> , <i>Coenophthalmus</i> , Milne Edwards, 1879, <i>Miss. Sci. Mex.</i> , Rech. zool., 5 (fasc. 6): 237, pl. 42, fig. 2 (specific name of the type species of <i>Coenophthalmus</i> Milne Edwards, 1879) (Crustacea, Decapoda). Direction 36	available
<i>Tridentula</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 229 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Tridiastictopeltis</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 562 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>trifasciata</i> , <i>Lamia</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 174 (specific name of the type species of <i>Diastocera</i> Dejean, 1835) (Insecta, Coleoptera). Op. 1407	available
<i>trifasciata</i> , <i>Nemoura</i> , Pictet, 1832, <i>Annales des Sciences Naturelles</i> , 26 : 379 (specific name of the type species of <i>Brachyptera</i> Newport, 1848) (Insecta, Plecoptera). Op. 1916	available

<i>trifida, Gynacantha</i> , Rambur, 1842, <i>Histoire naturelle des insectes. Névroptères</i> , p. 210 (specific name of the type species of <i>Triacanthagyna</i> Selys, 1883) (Insecta, Odonata). Op. 2148	available
<i>Triglochis</i> Müller & Henle, 1837, <i>Arch. Naturgesch.</i> , 3 (1): 396; <i>Ber. Verh. preuss. Akad. Wiss.</i> , 1837 : 113 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 723	index
<i>trigonalis, Conchyliolithus Anomites</i> , Martin, 1809, <i>Petrif. derb.</i> : sign. Q[2], pl. 36, fig. 1, as interpreted by the neotype designated by Muir-Wood, 1956 (<i>Ops. Decl. int. Comm. zool. Nomencl.</i> , 14 : 112, 113) (conserved under the plenary power) (Brachiopoda). Op. 419	available
<i>trigonalis, Myalina</i> , Etheridge, 1876, <i>Ann. Mag. nat. Hist.</i> , (4) 18 : 103, pl. 4, fig. 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 634	index
<i>Trigonella</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 229 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Trigonia</i> Bruguière, [1789], <i>Ency. méth.</i> , Vers, 1 (1): xiv (gender: feminine) (type species, by designation under the plenary power: <i>Venus sulcata</i> Hermann, 1781, <i>Der Naturforscher</i> , Halle, 15 : 127-129, pl. IV, figs. 9, 10, as interpreted by the lectotype designated by Cox, 1951 (<i>Bull. zool. Nomencl.</i> , 6 : 83)) (Bivalvia). Op. 327	available
<i>Trigonigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Trigonodema</i> Laporte, 1843, <i>Essai sur le système silurien de L'Amérique septentrionale</i> : 27 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 726	index
<i>Trigonograpsus</i> Nicholson, 1869, <i>Ann. Mag. nat. Hist.</i> , (4) 4 : 231 (ruled under the plenary power to be an incorrect original spelling for <i>Trigonograpthus</i> Nicholson, 1869). Op. 650	index
<i>Trigonograpthus</i> (emendation of <i>Trigonograpsus</i>) Nicholson, 1869, <i>Ann. Mag. nat. Hist.</i> , (4) 4 : 231 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Trigonograpsus</i> [sic] <i>lanceolatus</i> Nicholson, 1869, <i>Ann. Mag. nat. Hist.</i> , (4) 4 : 231) (Graptolithina). Op. 650	available
<i>trigonus, Carabus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 79 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>trigonus, Ichthyosaurus</i> , Owen, 1840, <i>Report of the 9th Meeting of the British Association for the Advancement of Science</i> , 1839, 8 : 124, as defined by the holotype (specimen no. ANSP 10124 in the Vertebrate Paleontology collection of the Academy of Natural Sciences, Philadelphia, U.S.A., figured by Spamer, Bogan & Torrens, 1989, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 141 : 144, pl. 13, figs. 1a-c), it being confirmed by the Commission that Lydekker, 1889, did not validly designate a neotype (specific name of the type species of <i>Macropterygius</i> von Huene, 1922) (Reptilia, Ichthyopterygia). Op. 1734	available

<i>trigonus</i> , <i>Palinurus</i> , Siebold, 1824, <i>Hist. nat. Japon.</i> : 15 (specific name of the type species of <i>Linuparus</i> White, 1847) (Crustacea, Decapoda). Op. 519	available
<i>trilineata</i> , <i>Musca</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 980 (Insecta, Diptera). Op. 1444	available
<i>trilineatus</i> , <i>Atractus</i> , Wagler, 1828, <i>Isis von Oken</i> , 21 (7): column 742 (specific name of the type species of <i>Atractus</i> Wagler, 182) (Reptilia) Op. 2210	available
<i>trilinguis</i> , <i>Madrepura</i> , Boddaert, 1768, <i>Lyst der Plant-Dieren</i> , p. 613, pl. 14 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Anthozoa). Op. 1573	index
<i>Triliopelte</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 561 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>trilobata</i> , <i>Rana</i> , Mocquard, 1899, <i>Bulletin de la Société Philomatique de Paris</i> , (9) 1 (4): 158 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia, Anura). Op. 1776	index
<i>trimacula</i> , <i>Phalaena</i> , [Denis & Schiffermüller], 1775, <i>Ankündigung syst. Werkes Schmett. Wien. Gegend</i> : 59 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 494	index
<i>trimaculatus</i> , <i>Philopotamus</i> , Curtis, 1834, <i>London Edinburgh phil. Mag.</i> , (3) 4 (21): 213 (valid name at the date of Opinion 691 of the type species of <i>Cyrnus</i> Stephens, 1836) (Insecta, Trichoptera). Op. 691	available
<i>trimeresurus</i> , <i>Coluber dipsas</i> , Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 : 263 (included in a work rejected for nomenclatural purposes). Op. 651	index
<i>Trimononerythros</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 583 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Trimurus</i> Caldwell, 1934, <i>Abstr. Diss. Univ. Cambridge</i> , 1933-1934: 56 (a nomen nudum). Op. 297	index
<i>Trinchesia</i> Ihering, 1879, <i>Zool. Anz.</i> , 2 : 137 (gender: feminine) (type species, by designation by Pruvot- Fol, 1954 (<i>Faune de France</i> , 58 : 380): <i>Doris caerulea</i> Montagu, 1804, <i>Trans. linn. Soc. London</i> , 7 : 78) (Gastropoda). Op. 777	available
<i>Tringa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 148 (gender: feminine) (type species, by Linnaean tautonymy: <i>Tringa ochropus</i> (emendation of <i>ocrophus</i>) Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 149) (Aves). Direction 17	available
<i>trinitatis</i> , <i>Echimys</i> , Allen & Chapman, 1893, <i>Bulletin of the American Museum of Natural History</i> , 5 : 223 (specific name of the type species of <i>Proechimys</i> Allen, 1899) (Mammalia). Op. 1984	available
<i>Trinoculus</i> Voigt, 1836, in Cuvier, <i>Das Thierreich</i> (ed. 2), 4 : 275 (a junior objective synonym of <i>Lepidurus</i> Leach, 1819). Op. 502	index

<i>Trinomys</i> Thomas, 1921, <i>Annals and Magazine of Natural History</i> , (9)8: 140 (gender: masculine) (type species, by original designation: <i>Echimys albispinus</i> Geoffroy Saint-Hilaire, 1838) (Mammalia). Op. 1984	available
<i>Trinoton</i> Perry, 1876, <i>Proc. lit. phil. Soc. Liverpool</i> , 30: lxxxi (an incorrect subsequent spelling for <i>Trinoton</i> Nitzsch, 1818). Op. 629	index
<i>Trinoton</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3: 300 (gender: neuter) (type species, by monotypy: <i>Liotheum (Trinoton) conspurcatum</i> Nitzsch, 1818, <i>Mag. Entomol.</i> (Germar), 3: 300, valid name: <i>Pediculus anserinus</i> Fabricius, 1805) (Insecta, Mallophaga). Op. 629	available
TRINOTONIDAE Eichler, 1941, <i>Arch. Naturgesch. (N.F.)</i> , 10: 382 (type genus: <i>Trinoton</i> Nitzsch, 1818) for use by those who consider that <i>Menopon</i> Nitzsch, 1818 and <i>Trinoton</i> Nitzsch, 1818 belong to different family-group taxa (Insecta, Mallophaga). Op. 629	available
<i>Trinotum</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2(2): 440 (an incorrect subsequent spelling for <i>Trinoton</i> Nitzsch, 1818). Op. 629	index
TRINUCLEEN Emmrich, 1844, <i>Naturgesch. Trilobiten</i> : 16 (type genus: <i>Trinucleus</i> Murchison, 1839) (a vernacular (German) name). Op. 505	index
TRINUCLEIDAE (correction of TRINUCLEIDES) Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 36 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5)5: 152) (type genus: <i>Trinucleus</i> Murchison, 1839) (Trilobita). Op. 505	available
TRINUCLEIDES Hawle & Corda, 1847, <i>Prodrom Mon. böhm. Trilob.</i> : 36 (also published in 1848 in <i>Abh. Königl.-böhm. Ges. Wiss.</i> , (5)5: 152) (type genus: <i>Trinucleus</i> Murchison, 1839) (an incorrect original spelling for TRINUCLEIDAE Hawle & Corda, 1847). Op. 505	index
<i>Trinucleus</i> Link, 1807, <i>Beschr. nat.-Samml. Univ. Rostock</i> , 4: 6 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 505	index
<i>Trinucleus</i> Murchison, 1839, <i>Silurian System</i> : 659 (conserved under the plenary power) (gender: masculine) (type species, by designation by Vogdes, 1890 (<i>Bull. U.S. geol. Survey</i> , 63: 84); <i>Trinucleus fimbriatus</i> Murchison, 1839, <i>Silurian System</i> : 660, as interpreted by the lectotype designated by Stubblefield & Whittington, 1956 (<i>Bull. zool. Nomencl.</i> , 12: 51)) (Trilobita). Op. 505	available
<i>triiodona</i> , <i>Squilla</i> , Rafinesque, 1814, <i>Précis Découv. Trav. somiolog.</i> : 24 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>Trioeidomera</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28: 578 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>Triopes</i> Schrank, 1803, <i>Fauna boica</i> , 3(1): 251 (an incorrect original spelling for <i>Triops</i> Schrank, 1803). Op. 502	index

<i>Triops</i> Schrank, 1803, <i>Fauna boica</i> , 3 (1): 180 (conserved under the plenary power) (gender: masculine) (type species, by designation under the plenary power: <i>Apus cancriiformis</i> Bosc, [1801-1802], in Castel's Buffon, <i>Hist. nat. Crust.</i> , 2 : 244) (Crustacea, Branchiopoda). Op. 502	available
TRIOPSIDAE Keilhack, 1909, Brauer's <i>Süsswasserf. Deutschl.</i> , 10 : 7 (type genus: <i>Triops</i> Schrank, 1803) (Crustacea, Branchiopoda). Op. 502	available
<i>triplicatus</i> , <i>Pecten</i> , Pulteney, 1813, <i>Cat. Birds, Shells, Dorsetshire</i> (ed. 2): appended to the third edition of Hutchins' <i>History of Dorset</i> (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 311	index
<i>triquetus</i> , <i>Terebratulites</i> , Parkinson, 1811, <i>Organic Remains of a Former World</i> , vol. 3, p. 229, pl. 16 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Brachiopoda). Op. 1466	index
<i>triseriatus</i> , <i>Uropsophus</i> , Wagler, 1830, <i>Natürl. Syst. Amph.</i> : 176 (Reptilia). Op. 366	available
<i>trispinosa</i> , <i>Cuma</i> , Goodsir, 1843, <i>Edinburgh New Philosophical Journal</i> , 34 : 126 (specific name of the type species of <i>Iphinoe</i> Bate, 1856) (Cumacea). Op. 1593	available
<i>trispinosus</i> , <i>Betaeus</i> , Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 32 (specific name of the type species of <i>Alpheopsis</i> Coutière, 1897) (Crustacea, Decapoda). Op. 559	available
<i>trispinosus</i> , <i>Palaemonetes</i> , Aurivillius, 1898, <i>Bihang. K. svensk. Vetensk.-Akad. Handl.</i> , Stockholm, 24 (4)(1): 29 (specific name of the type species of <i>Desmocaris</i> Sollaud, 1911) (Crustacea, Decapoda). Op. 470	available
<i>tristis</i> , <i>Carpilodes</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 77 (specific name of the type species of <i>Carpilodes</i> Dana, 1851) (Crustacea, Decapoda). Direction 36	available
<i>tristis</i> , <i>Moniana</i> , Girard, 1856, <i>Researches upon the cyprinoid fishes inhabiting the fresh waters of the United States, west of the Mississippi Valley, from specimens in the museum of the Smithsonian Institution</i> , p. 37 (first issued as a separate in September 1856; published in the <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 8 : 201 in 1857), as defined by the lectotype (specimen no. MNHN 427 in the Muséum National d'Histoire Naturelle, Paris) designated by Mayden & Gilbert, 1989, <i>Copeia</i> , 1989 (4): 1087 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Cypriniformes). Op. 1821	index
<i>tristis</i> , <i>Pemphredon</i> , van der Linden, 1829, <i>Nouv. Mém. Acad. roy. Sci. Belg.</i> , 5 : 78 (specific name of the type species of <i>Diodontus</i> Curtis, 1834) (Insecta, Hymenoptera). Op. 844	available
<i>Tritaenia</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 567 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index

trithrix, *Eretmia*, Gosse, 1886, in Hudson & Gosse, *The Rotifera or Wheel Animalcules both British & Foreign*, **2**: 134, pl. 28, fig. 2 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 816

index

tritici, *Vibrio*, Steinbuch, 1799, *Der Naturforscher*, Halle, **28**: 251 (specific name of the type species of *Anguina* Scopoli, 1777) (Nematoda). Op. 341

available

Tritoma Fabricius, 1775, *Systema Entomologiae* ..., p. 68 (gender: feminine) (type species, by subsequent designation by Latreille, 1810, *Considerations générales sur ... les classes des crustacés, des arachnides et des insectes*, p. 432: *Tritoma bipustulata* Fabricius, 1775) (Insecta, Coleoptera). Op. 1754

available

Tritoma Geoffroy, 1762, *Histoire abrégée des insectes qui se trouvent aux environs de Paris*, vol. 1, p. 335, and all uses of the name prior to the publication of **Tritoma** Fabricius, 1775 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Coleoptera). Op. 1754

index

Tritomacera Costa, 1841, *Ann. Soc. entomol. France*, (1)**10**: 296, 297 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 680

index

Tritomocera Agassiz, 1846, *Nomencl. zool. Index Univ.*: 376 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 680

index

Triton Montfort, 1810, *Conch. Syst. Class. méth. Coquilles*, **2**: 586 (a junior homonym of *Triton* Linnaeus, 1758). Op. 886

index

Tritonalia Fleming, 1828, *Hist. Brit. Anim.*: corrigenda (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 886

index

Tritonia Cuvier, [1797], *Tabl. élém. Hist. nat. Anim.*: 387 (gender: feminine) (type species, by designation under the plenary power: *Tritonia hombergii* Cuvier, 1803, *Ann. Mus. Hist. nat.*, Paris, **1**: 483) (Gastropoda). Op. 668

available

TRITONIADAЕ Bergh, 1884, Semper's *Reis. Philipp.*, **II**, *Malac. Unters.*, **III** (15): 698 (type genus: **Tritonia** Cuvier, [1797]) (an incorrect subsequent spelling for TRITONIIDAE Adams & Adams, 1858). Op. 668

index

TRITONIIDAE Adams & Adams, 1858, *Gen. rec. Moll.*, **2**: 62 (type genus: **Tritonia** Cuvier, [1797]) (Gastropoda). Op. 668

available

tritonis, *Murex*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 754 (specific name of the type species of *Charonia* Gistl, [1847]) (Gastropoda). Op. 886

available

Tritropis Fitzinger, 1843, *Syst. Rept.*: 59 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 955

index

trivirgatus, *Paradoxurus*, Gray, 1832, *Proc. zool. Soc. London*, **2**: 68 (specific name of the type species of *Arctogalidia* Merriam, 1897) (Mammalia). Op. 384

available

trivittata, Beanea, Steindachner, 1902, *Anzeiger der Akademie der Wissenschaften, Wien*, **39**: 337 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes, Perciformes). Op. 1481

index

Trochigenus [Renier], [1807], [*Tav. serv. Class. Conn. Anim.*]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427

index

Trochocochlea Mörch, 1852, *Catalogus conchyliorum quae reliquit D. Alphonso d'Aguirra & Gadea Comes de Yoldi ...*, part 1, p. 154 (a junior objective synonym of *Osilinus* Philippi, 1847) (Gastropoda). Op. 1930

index

TROCHULINAE Lindholm, 1927, *Archiv für Molluskenkunde*, **59**(2): 122 (type genus: *Trochulus* Chemnitz, 1786) (Gastropoda). Op. 2079

available

Trochulus Chemnitz, 1786, *Neues Systematisches Conchylien-Cabinet*, vol. 9, part 2, p. 52 (gender: masculine) (type species, by monotypy: *Helix hispida* Linnaeus, 1758) (Gastropoda). Op. 2079

available

Troglocaris Dormitzer, 1853, *Lotos*, **3**: 85 (gender: feminine) (type species, by monotypy: *Troglocaris schmidti* Dormitzer, 1853, *Lotos*, **3**: 85, valid name: *Palaemon anophthalmus* Kollar, 1848) (Crustacea, Decapoda). Op. 470

available

Troglodytes Vieillot, [1809], *Histoire naturelle des oiseaux de l'Amérique septentrionale ...*, vol. 2, p. 52 (gender: masculine) (type species, by subsequent designation by Baird, 1858, *Pacific Railroad Reports. Reports of Explorations and Surveys for a Railroad from the Mississippi River to the Pacific Ocean*, 1853- 6, **9**(2): 366: *Troglodytes aedon* Vieillot, [1809]) (Aves, Passeriformes). Op. 1893

available

troglodytes, *Simia*, Blumenbach, 1775, *De generis humani varietate nativa*, p. 37 (specific name of the type species of *Pan* Oken, 1816) (Mammalia). Op. 1368, Corrigenda in *Bulletin of Zoological Nomenclature*, **45**: 304 *Trombidion* Agassiz, 1845, *Nomencl. zool.* (Arach.): 13 (an unjustified emendation of *Trombidium* Fabricius, 1775). Direction 66

available

Trombidium Fabricius, 1775, *Syst. Entomol.*: 430 (gender: neuter) (type species, by designation by Latreille, 1810 (*Consid. gén. Anim. Crust. Arach. Ins.*: 425, 131): *Acarus holosericeus* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 617) (Arachnida). Op. 104, Direction 66

available

trompe, *Oestrus*, Modeer, 1786, *K. Vetensk.-Akad. Nya Handl.*, Stockholm, **7**: 134 (specific name of the type species of *Cephenemyia* Latreille, 1818) (Insecta, Diptera). Direction 64

available

Trophon Montfort, 1810, *Conch. syst. Class. méth. Coquilles*, **2**: 482 (gender: masculine) (type species, by original designation: *Murex magellanicus* Gmelin, 1791, *in* Linnaeus, *Systema Naturae*, Ed. 13, vol. 1, part 66, p. 3548, valid name: *Buccinum geversianum* Pallas, 1774) (Gastropoda). Op. 911

available

tropica, *Plasmodium*, Koch, 1899 (a name erroneously alleged by subsequent workers to have been made available). Op. 283

index

tropicalis, *Globigerina*, Blow & Banner, 1962, *in* Eames et al., *Fundamentals of mid-Tertiary Stratigraphic correlation*: 124 (Rhizopoda). Op. 1316

available

<i>tropicalis</i> , <i>Tingra</i> , Boisduval, 1847, in Delegorgue, <i>Voy. Afrique austr.</i> , 2 : 589 (specific name of the type species of <i>Pentila</i> Westwood, [1851]) (Insecta, Lepidoptera). Op. 566	available
<i>Tropidogaster</i> Duméril & Bibron, 1837, <i>Erpét. gén.</i> , 4 : 329 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 955	index
<i>Tropidoptera</i> Ancey, 1889, <i>Bulletin de la Société Malacologique de France</i> , 6 : 191 (gender: feminine) (type species, by designation under the plenary power: <i>Endodonta wesleyi</i> Sykes, 1896) (Gastropoda). Op. 1845	available
<i>Tropiphorus</i> Schönherr, 1842, <i>Synonymia Insectorum. Genera et Species Curculionidum</i> , p. 257 (gender: masculine) (type species, by original designation: <i>Curculio mercurialis</i> Fabricius, 1801) (Insecta, Coleoptera). Op. 1474	available
<i>Tropisurus</i> Diesing, 1835, <i>Oesterr. Med. Jahr.</i> , 16 : 83 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 892	index
<i>trots</i> , <i>Papilio</i> , Fabricius, 1793, <i>Entomol. syst.</i> , 3 : 10 (Insecta, Lepidoptera). Op. 620	available
<i>truncata</i> , <i>Bulla</i> , Adams, 1800, <i>Trans. linn. Soc. London</i> , 5 : 1 (a junior primary homonym of <i>truncata</i> , <i>Bulla</i> , Gmelin, [1791], and a junior objective synonym of <i>truncatula</i> , <i>Bulla</i> , Bruguière, [1792]). Op. 549	index
<i>truncata</i> , <i>Mya</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 670 (specific name of the type species of <i>Mya</i> Linnaeus, 1758) (Bivalvia). Direction 73	available
<i>truncata</i> , <i>Tellina</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1118 (Bivalvia). Op. 910	available
<i>Truncatella</i> Risso, 1826, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 4 : 124 (gender: feminine) (type species, by subsequent designation by Lowe, 1855 (<i>Proceedings of the Zoological Society of London</i> , 22 : 217): <i>Truncatella costulata</i> Risso, 1826, a junior subjective synonym of <i>Helix subcylindrica</i> Linnaeus, 1767) (Gastropoda). Op. 344, Op. 1664	available
<i>truncatella</i> , <i>Bursaria</i> , Müller, 1773, <i>Verm. terrestr. fluviat. Hist.</i> , 1 (1): 62 (specific name of the type species of <i>Bursaria</i> Müller, 1773) (Ciliophora). Direction 77	available
TRUNCATELLIDAE Gray, 1840, <i>Syn. Contents Brit. Mus.</i> (ed. 42): 117 (type genus: <i>Truncatella</i> Risso, 1826), ruled under the plenary power that this name and other family-group names based on <i>Truncatella</i> Risso, 1826 are not to be given priority over RISSOIDAE Gray, 1847 and other family-group names based on <i>Rissoa</i> Desmarest, 1814 whenever their type genera are placed in the same family-group taxon (Gastropoda). Op. 344, Op. 1664	available
<i>Truncatellina</i> Lowe, 1852, <i>Ann. Mag. nat. Hist.</i> , (2) 9 : 275 (gender: feminine) (type species, by monotypy: <i>Pupa (Truncatellina) linearis</i> Lowe, 1852, <i>Ann. Mag. nat. Hist.</i> , (2) 9 : 275) (Gastropoda). Op. 335	available
<i>truncatula</i> , <i>Bulla</i> , Bruguière, [1792], <i>Ency. méth.</i> , Vers, 1 : 377, as interpreted, by direction under the plenary power, by reference to the holotype of <i>Bulla truncata</i> Adams, 1800 (<i>Trans. linn. Soc. London</i> , 5 : 1) (Gastropoda). Op. 549	available

<i>Truncatuliana</i> Servain, 1881, <i>Histoire malacologique du lac Balaton en Hongrie</i> , p. 63 (a junior objective synonym of <i>Galba</i> Schrank, 1803) (Gastropoda). Op. 1896	index
<i>truncatum, Buccinum</i> , Müller, 1774, <i>Vermium terrestrium et fluviatilium, seu animalium infusoriorum, helminthicorum et testaceorum, non marinorum, succincta historia</i> , vol. 2, p. 130 (specific name of the type species of <i>Galba</i> Schrank, 1803) (Gastropoda). Op. 336, Op. 1896	available
<i>truncatus, Betaeus</i> , Dana, 1852, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 23 (specific name of the type species of <i>Betaeus</i> Dana, 1852) (Crustacea, Decapoda). Op. 470	available
<i>truncatus, Delphinus</i> , Montagu, 1821, <i>Memoirs of the Wernerian Natural History Society</i> , 3 : 75, pl. 3 (Mammalia, Cetacea). Op. 1413	available
<i>truncatus, Metopocarcinus</i> , Stimpson, 1860, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 216 (specific name of the type species of <i>Metopocarcinus</i> Stimpson, 1860) (Crustacea, Decapoda). Direction 36	available
<i>truncatus, Palinustus</i> , Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 66 (specific name of the type species of <i>Palinustus</i> Milne Edwards, 1880) (Crustacea, Decapoda). Op. 519	available
<i>Trunculariopsis</i> Cossmann, 1921, <i>Revue crit. Paléozool.</i> , 25 : 79 (gender: feminine) (type species, by monotypy: <i>Murex trunculus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 747) (Gastropoda). Op. 911	available
<i>trunculatus, Pagurus</i> , Rafinesque, 1817, <i>Amer. mon. Mag.</i> , 2 : 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 522	index
<i>trunculus, Murex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 747 (specific name of the type species of <i>Trunculariopsis</i> Cossmann, 1921) (Gastropoda). Op. 911	available
<i>Trychosis</i> Foerster, 1868, <i>Verh. naturh. Ver. preuss. Rheinl.</i> , 25 : 187 (gender: feminine) (type species, by designation under the plenary power: <i>Cryptus ambiguus</i> Tschech, 1870, <i>Verh. zool.-bot. Ges. Wien</i> , 20 : 145) (Insecta, Hymenoptera). Op. 1017	available
<i>Trypanosoma</i> Gruby, [November] 1843, <i>C.R. Acad. Sci.</i> , Paris, 17 : 1134 (gender: neuter) (type species, by monotypy: <i>Trypanosoma sanguinis</i> Gruby, [November] 1843, <i>C.R. Acad. Sci.</i> , Paris, 17 : 1134, valid name: <i>Amoeba rotatoria</i> Mayer, 1843) (Mastigophora). Op. 95, Direction 76	available
<i>Trypetes</i> Schoenherr, 1836, <i>Gen. et Sp. Curc.</i> , III (2): 595 (gender: masculine) (type species, by original designation: <i>Trypetes rhinoides</i> Gyllenhal, 1836, <i>in</i> Schoenherr, <i>Gen. et Sp. Curc.</i> , III (2): 596) (Insecta, Coleoptera). Op. 1005	available
TRYPETIDINAE Pierce, 1919, <i>Proc. Entomol. Soc. Washington</i> , 21 : 33 (type genus: <i>Trypetes</i> Schoenherr, 1836) (Insecta, Coleoptera). Op. 1005	available
<i>tschegrava, Sterna</i> , Lepechin, 1770, <i>Novi Comment. Acad. Sci. imp. Petrop.</i> , 14 (1): 500 (a name included in a non-binomial work). Op. 904	index
<i>Tuba</i> [Renier], [1807], [Tav. serv. Class. Conn. Anim.]: Tav. VI (included in a work rejected for nomenclatural purposes). Op. 436	index

<i>Tuba</i> Barrande, 1848, in Verneuil, <i>Bull. Soc. géol. France</i> , (2)5: 376 (a junior homonym of <i>Tuba</i> Lea, 1833). Op. 436	index
<i>Tuba</i> Duchassaing & Michelotti, 1864, <i>Natuurk. Verh. Wetensch. Haarlem</i> , (3)21 (No. 3): 44 (a junior homonym of <i>Tuba</i> Lea, 1833). Op. 436	index
<i>Tuba</i> Fabricius, [1823], <i>Fortegnelse over afg. Biskop Fabriciusses eft. Natur.</i> : 80 (a nomen nudum). Op. 436	index
<i>Tuba</i> Lea, 1833, <i>Contrib. Geol.</i> : 127 (gender: feminine) (type species, by designation by Cossmann, 1912 (<i>Essais Paléoconch. comp.</i> (Livr. 9): 13): <i>Tuba alternata</i> Lea, 1833, <i>Contrib. Geol.</i> : 128) (Gastropoda). Op. 436	available
<i>Tuba</i> Oken, 1815, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (1): 383 (included in a work rejected for nomenclatural purposes). Op. 436	index
<i>Tuba</i> Quenstedt, 1851, <i>Handb. Petrefaktenk.</i> : 422 (a junior homonym of <i>Tuba</i> Lea, 1833). Op. 436	index
<i>Tubaria</i> Thienemann, 1828, <i>Lehrbuch Zool.</i> : 12 (a junior objective synonym of <i>Stentor</i> Oken, 1815). Op. 418	index
<i>tuber</i> , <i>Merope</i> , Newman, 1838, <i>Entomol. Mag.</i> , 5(2): 180 (specific name of the type species of <i>Merope</i> Newman, 1838) (Insecta, Mecoptera). Direction 4	available
<i>tuberata</i> , <i>Boryhaena</i> [sic], Ameghino, 1887, <i>Bol. Mus. de la Plata</i> , 1: 8 (specific name of the type species of <i>Borhyaena</i> Ameghino, 1887) (Mammalia). Op. 1209	available
<i>tuberculata</i> , <i>Alona</i> , Hudendorff, 1876, <i>Bull. Soc. imp. Nat. Moscou</i> , 51(1): 54, pl. II, fig. 6 (a junior homonym of <i>tuberculata</i> , <i>Alona</i> , Kurz, 1874). Op. 532	index
<i>tuberculata</i> , <i>Crania</i> , Nilsson, 1826, <i>Kungliga Svenska Vetenskapsakademiens Handlingar</i> , 1825: 326 (Brachiopoda). Op. 1469	available
<i>tuberculata</i> , <i>Lagria</i> , Fabricius, 1792, <i>Entomologia systematica emendata et aucta</i> , vol. 1(2), p. 78 (specific name of the type species of <i>Phymatestes</i> Pascoe, 1867) (Insecta, Coleoptera). Op. 1525	available
<i>tuberculata</i> , <i>Mystacina</i> , Gray, 1843, in Dieffenbach, <i>Travels in New Zealand; with contributions to the geography, geology, botany, and natural history of that country</i> , vol. 2, p. 296 (specific name of the type species of <i>Mystacina</i> Gray, 1843) (Mammalia). Op. 1994	available
<i>tuberculatus</i> , <i>Acidaspis</i> , Conrad, 1840, <i>Third Ann. Rep. pal. Dep. geol. Surv. New York</i> , Assembly No. 50: 205 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 498	index
<i>tuberculatus</i> , <i>Acidaspis</i> , Hall, 1859, <i>Nat. Hist. New York (Paleontol.)</i> , 3: 368-370 (conserved as a binomen under the plenary power) (Trilobita). Op. 498	available
<i>tuberculatus</i> , <i>Alastor</i> , Saussure, 1853, <i>Et. Fam. Vespa</i> , 1: 253 (specific name of the type species of <i>Paralastor</i> Saussure, 1856) (Insecta, Hymenoptera). Op. 893	available

<i>tuberculatus, Battus</i> , Kloeden, 1834, <i>Verstein. Mark Brandenburg</i> : 112 (Crustacea, Ostracoda). Op. 1196	available
<i>tuberculatus, Chorismus</i> , Bate, 1888, <i>Rep. Voy. 'Challenger'</i> (Zool.), 24 : 617 (specific name of the type species of <i>Chorismus</i> Bate, 1888) (Crustacea, Decapoda). Op. 470	available
<i>tuberculatus, Cyathocrinites</i> , Miller, 1821, <i>Nat. Hist. Crinoidea</i> : 88 (specific name of the type species of <i>Temnocrinus</i> Springer, 1902) (Crinoidea). Op. 917	available
<i>tuberculatus, Portunus</i> , Roux, 1828, <i>Crust. Médit.</i> : pl. 32, figs. 1-5 (valid name at the date of Opinion 394 of the type species of <i>Macropipus</i> Prestandrea, 1833) (Crustacea, Decapoda). Op. 394	available
<i>tuberculatus, Trilobus</i> , Brünnich, 1781, <i>Nye Samling, af det Kongelige Danske Videnskabers Selskabs Skrifter</i> , 1 : 389 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Trilobita). Op. 1433	index
<i>tuberculatus, Trinucleus</i> , Link, 1807, <i>Beschr. nat.-Samml. Univ. Rostock</i> , 4 : 6 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 505	index
<i>tuberculatus, Turrilites</i> , Bosc, [1802], <i>Histoire naturelle des coquilles</i> , vol. 5. In: <i>Histoire naturelle de Buffon classée ... d'après le système de Linné</i> , par R.R. Castel, p. 189, pl. 42, fig. 8, as defined by the neotype (specimen no. BMNH C5762a in the collections of the Natural History Museum, London) designated by Kennedy & Wright, 1997, <i>Bulletin of Zoological Nomenclature</i> , 54 : 224) (Cephalopoda, Ammonoidea). Op. 1925	available
<i>tuberculatus, Vesperilio</i> , J.R. Forster, 1844, <i>Descriptiones Animalium quae in Itinere ad Maris Australis Terras per Annos 1772, 1773 et 1774 suscepto ...</i> , p. 62, ruled under the plenary power to be not invalid (under Article 49 of the Code) as a consequence of the inclusion by Gray (1843) of the taxon within the nominal species <i>Mysticina</i> <i>tuberculata</i> Gray, 1843 (specific name of the type species of <i>Chalinolobus</i> Peters, 1866) (Mammalia). Op. 1994	available
<i>tuberculosostatus, Goniatites</i> , Sandberger & Sandberger, 1850, <i>Versteiner. rheinisch. Schichten-syst. Nassau</i> : 64, 65, pl. 4, figs. 1-1f, pl. 8, figs. 2, 2a (specific name of the type species of <i>Sandbergeroceras</i> (emendation of <i>Sandbergeoceras</i>) Hyatt, 1884) (Cephalopoda). Op. 392	available
<i>tuberculosus, Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>tuberosa, Acineta</i> , Ehrenberg, [1834], <i>Physikalische Mathematische Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin</i> , 1833 : 287, published in the serial in 1835 but issued as a separate in 1834 (specific name of the type species of <i>Acineta</i> Ehrenberg, [1834]) (Ciliophora, Suctoria). Op. 1778	available
<i>tuberosa, Osachila</i> , Stimpson, [1871], <i>Bull. Mus. comp. Zool.</i> , 2 (No. 2): 154 (specific name of the type species of <i>Osachila</i> Stimpson, [1871]) (Crustacea, Decapoda). Direction 36	available

<i>tuberosa</i> , <i>Vorticella</i> , Müller, 1786, <i>Animalcula Infusoria fluviatilia et marina</i> ..., p. 308 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Ciliophora, Suctoria). Op. 1778	index
<i>tuberosus</i> , <i>Brachionus</i> , Pallas, 1766, <i>Elenchus Zoophytorum</i> ..., p. 105 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Ciliophora, Suctoria). Op. 1778	index
<i>tuberosus</i> , <i>Cancer</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 7 (specific name of the type species of <i>Ebalia</i> Leach, [1817]) (Crustacea, Decapoda). Direction 36	available
<i>Tubicinelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>tubifer</i> , <i>Siphonia</i> , Weber, 1909, <i>Notes from the Leyden Museum</i> , 31 : 168 (specific name of the type species of <i>Siphonia</i> Weber, 1909) (Osteichthyes, Perciformes). Op. 1481	available
<i>Tubifex</i> Lamarck, 1816, <i>Histoire naturelle des animaux sans vertèbres</i> , p. 224 (gender: masculine) (type species, by subsequent designation by Beddard, 1895, <i>A monograph of the order Oligochaeta</i> , p. 243: <i>Lumbricus tubifex</i> Müller, 1774) (senior objective synonym of <i>Tubifex rivulorum</i> Lamarck, 1816) (Annelida). Op. 2167	available
<i>tubifex</i> , <i>Lumbricus</i> , Müller, 1774, <i>Vermium Terrestrium et Fluviatilium, seu Animalium Infusoriorum, Helminthicorum et Testaceorum, non Marinorum, Succincta Historia</i> , vol. 1, part 2, p. 27 (specific name of the type species of <i>Tubifex</i> Lamarck, 1816) (Annelida). Op. 2167	available
TUBIFICIDAE Vejdovský, 1876, <i>Sitzungsberichte der k. Böhmischen Gesellschaft der Wissenschaften, Prag</i> , 1875 : 193 (type genus: <i>Tubifex</i> Lamarck, 1816) (Annelida). Op. 2167	available
<i>tubiformis</i> , <i>Sabella</i> , Pennant, 1777, <i>British Zoology</i> , Crust., Moll., Test., 4 : 148 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1225	index
<i>Tubina</i> (Barrande MS) Owen, 1859, <i>Ency. Brit.</i> (ed. 8), 17 : 111 (gender: feminine) (type species, by monotypy: <i>Tubina armata</i> (Barrande MS) Owen, 1859, <i>Ency. Brit.</i> (ed. 8), 17 : 111, fig. 17) (Gastropoda). Op. 436	available
TUBULANIDAE Bürger, 1904 (1874), in: Nemertini <i>Das Tierreich</i> , Lief. 20, p. 10 (type genus: <i>Tubulanus</i> Renier, [1804]), under Article 40.2 of the Code a name having precedence over, but taking the date of, its senior subjective synonym CARINELLIDAE McInstosh, 1874 (type genus: <i>Carinella</i> Johnston, 1833) (Nemertea). Op. 1486; original entry amended as per BZN 64 :208	available
TUBULANIDAE Bürger, 1904 (1874), in: Nemertini <i>Das Tierreich</i> , Lief. 20, p. 10 (type genus: <i>Tubulanus</i> Renier, [1804]), under Article 40.2 of the Code a name having precedence over, but taking the date of, its senior subjective synonym CARINELLIDAE McInstosh, 1874 (type genus: <i>Carinella</i> Johnston, 1833) (Nemertea). Op. 1486; original entry amended as per BZN 64 :208	available
<i>Tubulanus</i> Renier, [1804], <i>Prospetto della Classe dei Vermi</i> : 20, ruled under the plenary power to be available despite the work having been rejected in Op. 316 as not properly published (gender: masculine) (type species, by monotypy: <i>Tubulanus polymorphus</i> Renier, [1804]). Op. 427, Op. 1486	available

<i>tubusvermicularis</i> , <i>Teredo</i> , Bergius, 1765, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 26 : 229 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 767	index
<i>tucotuco</i> , <i>Ratton</i> , Brants, 1827, <i>Der Geslacht der Muizen door Linnaeus opgesteld</i> (Berlin): 187 (a vernacular name). Op. 1232	index
<i>tujafilina</i> , <i>Lachniella</i> , Del Guercio, 1909, <i>Redia</i> , 5 : 288, ruled under the plenary power to be given precedence over the specific name of <i>Lachnus greeni</i> Schouteden, 1905 whenever the two are considered to be synonyms (Insecta, Hemiptera). Op. 2172	available
<i>tulipae</i> , <i>Eriophyes</i> , Keifer, 1938, <i>Bulletin of the California Department of Agriculture</i> , 7 (2): 185 (specific name of the type species of <i>Aceria</i> Keifer, 1944) (Arachnida, Acarina). Op. 1521	available
<i>Tullbergia</i> Lubbock, 1876, <i>Ann. Mag. nat. Hist.</i> , (4) 18 : 324 (gender: feminine) (type species, by monotypy: <i>Tullbergia antarctica</i> Lubbock, 1876, <i>Ann. Mag. nat. Hist.</i> , (4) 18 : 324) (Insecta, Collembola). Op. 291	available
<i>tumidus</i> , <i>Unio</i> , Philipsson, 1788, <i>Dissertatio Hist. nat. sist. nova Test. Gen.</i> : 17 (Bivalvia). Op. 336	available
<i>tunetanus</i> , <i>Gammarus</i> , Simon, 1885, <i>Explor. sci. Tunésie</i> : 6 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 992	index
<i>TUPINAMBIDAE</i> Gray, 1825, <i>Ann. Philos.</i> , 26 (n.s. 10): 199 (type genus: <i>Tupinambis</i> Daudin, 1802) (invalid because the name of the type genus was not regarded as valid when the family-group name was established). Op. 1300	index
<i>Tupinambis</i> Daudin, 1802, in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 3 : 5 (gender: masculine) (type species, by absolute tautonomy through <i>Temapara tupinambis</i> Ray, 1693 (<i>Synopsis methodica animalium quadrupedum et serpentini generis</i> : 265); <i>Tupinambis monitor</i> Daudin, 1802, in Sonnini's Buffon, <i>Hist. nat. Rept.</i> , 3 : 20, valid name: <i>Lacerta teguixin</i> Linnaeus, 1758) (Reptilia). Op. 1300	available
<i>Tupus</i> Sellards, 1906, <i>Amer. J. Sci.</i> , (4) 22 : 249 (gender: masculine) (type species, by monotypy: <i>Tupus permianus</i> Sellards, 1906, <i>Amer. J. Sci.</i> , (4) 22 : 249) (Insecta, Protodonata). Op. 1317	available
<i>turbida</i> , <i>Cythereis</i> , Müller, 1894, <i>Fauna und Flora des Golfes von Neapel</i> , Monogr. 21 : 371, 372 (specific name of the type species of <i>Hiltermannicythere</i> Bassiouni, 1970) (Crustacea, Ostracoda). Op. 1173	available
<i>turbinatus</i> , <i>Trochus</i> , Born, 1778, <i>Rerum Naturalium Musei Caesarei Vindobonensis</i> , part 1 (Testacea), p. 340 (specific name of the type species of <i>Osilinus</i> Philippi, 1847) (Gastropoda). Op. 1930	available
<i>Turbinella</i> Bory de St. Vincent, [1827], <i>Ency. méth.</i> , Zooph.: 525 (a junior homonym of <i>Turbinella</i> Lamarck, 1799). Op. 489	index
<i>Turbinella</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 73 (conserved under the plenary power) (gender: feminine) (type species, by monotypy: <i>Voluta pyrum</i> Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1195) (Gastropoda). Op. 489	available

TURBINELLIDAE Swainson, 1840, <i>Treatise Malac.</i> : 75 (type genus: <i>Turbinella</i> Lamarck, 1799) (Gastropoda). Op. 489	available
<i>Turbinelligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Turbinellum</i> Webb, 1948, <i>Handb. Shell Collectors</i> (ed. 8): 233 (an incorrect subsequent spelling for <i>Turbinella</i> Lamarck, 1799). Op. 489	index
<i>Turbinellus</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 83 (an unjustified emendation of <i>Turbinella</i> Lamarck, 1799). Op. 489	index
<i>Turbinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
TURBINOIDAE d'Orbigny, 1840, in R. de la Sagra, <i>Hist. fis. pol. nat. Isla de Cuba</i> : 34, 35, 38 (invalid because not based on the name of an included genus). Op. 552	index
<i>Turbanella</i> Webb, 1948, <i>Handb. Shell Collectors</i> (ed. 8): 107 (an incorrect subsequent spelling for <i>Turbinella</i> Lamarck, 1799). Op. 489	index
<i>Turchiniella</i> Grassé & de Boissezon, 1929, <i>Bull. Soc. zool. France</i> , 54 (3): 187 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 915	index
<i>turcicus, Laemophloeus</i> , Grouvelle, 1876, <i>Ann. Soc. entomol. Fr.</i> , (5) 4 : xxxii (Insecta, Coleoptera). Op. 802	available
<i>turneri, Ammonites</i> , Sowerby, 1824, <i>Min. Conch.</i> , 5 : 75, pl. 452 (specific name of the type species of <i>Euasteroceras</i> Donovan, 1953) (Cephalopoda). Op. 482	available
<i>turpior, Dicynodon</i> , Huene, 1935, <i>Die fossilen Reptilien des südamerikanischen Gondwanalandes an der Zeitenwende. Ordnung Anomodontia</i> , Lieferung 1, p. 76 (senior subjective synonym of the specific name of <i>Dinodontosaurus oliveirai</i> Romer, 1943, the type species of <i>Dinodontosaurus</i> Romer, 1943) (Reptilia, Synapsida). Op. 1802	available
<i>Turritiligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>turritus, Gryllus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 427 (specific name of the type species of <i>Acrida</i> Linnaeus, 1758) (Insecta, Orthoptera). Op. 299	available
<i>turtoni, Fusus</i> , Bean, 1834, <i>Mag. nat. Hist.</i> , 7 : 493 (Gastropoda). Op. 469	available
<i>Tutufa</i> Jousseaume, 1881, <i>Bull. Soc. zool. France</i> , 6 : 175 (gender: feminine) (type species, by designation under the plenary power: <i>Murex rana bubo</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 748) (Gastropoda). Op. 1074	available
<i>Tychea</i> Koch, 1857, <i>Die Pflanzenläuse, Aphiden</i> (1854-1857), p. 296 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Sternorrhyncha). Op. 1654	index

<i>Tydeus</i> Koch, 1836, <i>Deutschlands Crustaceen, Myriapoden und Arachniden. Ein Beitrag zur deutschen Fauna</i> , Heft 4=137, unnumbered page (gender: masculine) (type species by designation under the plenary power: <i>Tydeus spathulatus</i> Oudemans, 1928) (Arachnida) Op. 2190	available
<i>Tylelenchus</i> Bastian, 1865, <i>Trans. linn. Soc. London</i> , 25 (2): 82, 83, 94 (an incorrect original spelling for <i>Tylenchus</i> Bastian, 1865). Op. 341	index
TYLENCHIDAE Örley, 1880, <i>Természetr. Füz.</i> , 4 : 55, 57, 164, 165 (type genus: <i>Tylenchus</i> Bastian, 1865) (Nematoda). Direction 28	available
<i>Tylenchus</i> Bastian, 1865, <i>Trans. linn. Soc. London</i> , 25 (2): 125-128 (gender: masculine) (type species, by designation by Bastian, 1905 (<i>in</i> Stiles & Hassall, <i>Bull. U.S. Bur. Anim. Ind.</i> , 79 : 147): <i>Tylenchus davaunei</i> (correction of <i>davainii</i>) Bastian, 1865, <i>Trans. linn. Soc. London</i> , 25 (2): 126) (Nematoda). Op. 341	available
TYLIDAE Czerny, 1930, <i>in</i> Lindner, <i>Die Fliegen</i> , 5 (42a): 1 (type genus: <i>Tylos</i> Meigen, 1800) (a junior objective synonym of MICROPEZIDAE Loew, 1862, the respective type genera of the two families having the same nominal species as type species). Direction 41	index
TYLINAE Dana, 1852, <i>Amer. J. Sci.</i> , (2) 14 : 301 (type genus: <i>Tylos</i> Audouin, [1826]) (Crustacea, Isopoda). Direction 41	available
<i>Tylocidaris</i> Pomel, 1883, <i>Classification méthodique et générale des Echinides vivants et fossiles</i> , p. 109 (gender: feminine) (type species, by designation under the plenary power: <i>Cidaris clavigera</i> Mantell, 1822) (Echinoidea). Op. 1458	available
<i>Tylopsis</i> Fieber, 1853, <i>Lotos</i> , 3 : 172 (gender: feminine) (type species, by monotypy: <i>Locusta lilifolia</i> Fabricius, 1793, <i>Entomol. syst.</i> , 2 : 36) (Insecta, Orthoptera). Op. 154	available
<i>Tylos</i> (Latireille MS) Audouin, [1826], <i>in</i> Savigny, <i>Descr. Egypte</i> , 1 (4) (Expl. somm. Planch. Crust.): 96 (conserved under the plenary power) (gender: masculine) (type species, by monotypy: <i>Tylos latreillei</i> Audouin, [1826], <i>in</i> Savigny, <i>Descr. Egypte</i> , 1 (4) (Expl. somm. Planch. Crust.): 97) (Crustacea, Isopoda). Op. 369	available
<i>Tylos</i> Meigen, 1800, <i>Nouv. Class. Mouches deux Ailes</i> : 31 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 369	index
<i>Tylos</i> von Heyden, 1826, <i>Isis</i> (Oken), 1826 : 610 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 369	index
<i>Tylosteus</i> Leidy, 1872, <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 1872 : 40 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Reptilia, Dinosauria). Op. 1371	index
<i>typa, Callianidea</i> , H. Milne Edwards, 1837, <i>Histoire naturelle des crustacés, comprenant l'anatomie, la physiologie et la classification de ces animaux</i> , vol. 2, p. 320, ruled under the plenary power to be given precedence over the specific name of <i>Isea elongata</i> Guérin[-Méneville], 1832 whenever the two names are considered to be synonyms (Crustacea, Decapoda). Op. 1522	available

<i>typa, Syringothyris</i> , Winchell, 1863, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1863 : 6 (specific name of the type species of <i>Syringothyris</i> Winchell, 1863) (Brachiopoda). Direction 73	available
<i>Typhlechinus</i> Neumayr, 1889, <i>Stämme des Thierr.</i> , 1 : 363 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 372	index
TYPHLOCARIDINAE Annandale & Kemp, 1913, <i>J. asiat. Soc. Bengal</i> (n.s.), 9 (6): 245 (type genus: <i>Typhlocaris</i> Calman, 1909) (Crustacea, Decapoda). Op. 470	available
<i>Typhlocaris</i> Calman, 1909, <i>Trans. linn. Soc. London</i> (Zool.), (2) 11 : 93, 94 (gender: feminine) (type species, by monotypy: <i>Typhlocaris galilea</i> Calman, 1909, <i>Trans. linn. Soc. London</i> (Zool.), (2) 11 : 93) (Crustacea, Decapoda). Op. 470	available
<i>Typhlocyba</i> Germar, 1833, <i>Revue Entomol.</i> (Silbermann), 1 : 180 (gender: feminine) (type species, by designation by Woodworth, 1899 (<i>Psyche</i> , 5 : 211): <i>Cicada quercus</i> Fabricius, 1777, <i>Gen. Ins.</i> , Chilonii: 298) (Insecta, Hemiptera). Op. 605	available
TYPHLOCYBIDAE Kirschbaum, 1868, <i>Jahrb. nassau. Ver. Naturk.</i> , 21/22 : 16 (type genus: <i>Typhlocyba</i> Germar, 1833) (Insecta, Hemiptera). Op. 605	available
<i>Typhlocypris</i> Vejdovský, 1882, <i>Thierisch. Organism. Brunnenwässer</i> : 64 (gender: feminine) (type species, by monotypy: <i>Cypris eremita</i> Vejdovský, 1880, <i>Jahresb. k.-böh. Ges. Wiss.</i> , Prague, 1880 : L) for use by those who consider that <i>Typhlocypris</i> Vejdovský represents a taxon distinct from <i>Candonia</i> Baird, [1846] (Crustacea, Ostracoda). Op. 533	available
<i>typhlops, Polycheles</i> , Heller, 1862, <i>SitzBer. Kais. Acad. Wiss. Wien</i> , 45 (1): 392 (specific name of the type species of <i>Polycheles</i> Heller, 1862) (Crustacea, Decapoda). Op. 519	available
<i>typhlus, Bathypalax</i> , Milne Edwards, 1880, <i>Bull. Mus. comp. Zool.</i> , 8 : 16 (specific name of the type species of <i>Bathypalax</i> Milne Edwards, 1880) (Crustacea, Decapoda). Direction 36	available
<i>typhon, Podacanthus</i> , Gray, 1833, <i>Entomol. Aust.</i> , 1 : 17, pl. 2, fig. 1, as interpreted by the lectotype designated by Key, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 235) (specific name of the type species of <i>Podacanthus</i> Gray, 1833) (Insecta, Phasmida). Op. 641	available
<i>typica, Garzonia</i> , Ameghino, 1891, <i>Rev. arg. Hist. nat.</i> , 1 : 307 (specific name of the type species of <i>Garzonia</i> Ameghino, 1891) (Mammalia). Op. 1241	available
<i>typica, Leptodactylus ocellatus</i> ‘forma’, Cei, 1948, <i>Acta Zoologica Lilloana</i> , 6 : 308 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Amphibia). Op. 2044	index
<i>typica, Suchonella</i> , Spizharsky, 1939, in Likharev, B. (Ed.), <i>Atlas rukovodyashchikh form iskopaemykh faun SSSR</i> [<i>The atlas of the leading forms of the fossil fauna USSR</i>], vol. 6 (Permskaya Sistema, [Permian]), p. 194, pl. 46, fig. 6 (specific name of the type species of <i>Suchonella</i> Spizharsky, 1937) (Ostracoda). Op. 1915	available
<i>typica, Thaumatoessa</i> , Kröyer in Gaimard, [1842], <i>Atlas de zoologie ...</i> , pl. 42, figs. 4a-e (specific name of the type species of <i>Thaumaleus</i> Kröyer, 1849) (Copepoda). Op. 1869	available

<i>typicum</i> , Kotoceras , Kobayashi, 1934, <i>J. Fac. Sci. imp. Univ. Tokyo</i> , (2)3: 392 (specific name of the type species of Kotoceras Kobayashi, 1934) (Cephalopoda). Op. 555	available
<i>typicus</i> , Chasmocarcinus , Rathbun, 1898, <i>Bull. Lab. nat. Hist. State Univ. Iowa</i> , 4: 285 (specific name of the type species of Chasmocarcinus Rathbun, 1898) (Crustacea, Decapoda). Direction 36	available
<i>typicus</i> , <i>Ifionyx</i> , Krøyer, 1846 (?), in Gaimard, <i>Voy. Comm. Sci. Nord ... 'Recherche'</i> , (Zool.): pl. 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 733	index
TYPIDAE Handlirsch, 1919, <i>Denkschr. Akad. Wiss. Wien, math.-nat. Kl.</i> , 96: 62 (type genus: <i>Typus</i> Sellards, 1909) (invalid because the name of its type genus is an unjustified emendation of <i>Tupus</i> Sellards, 1906). Op. 1317	index
<i>Typton</i> Costa, 1844, <i>Ann. Accad. Aspir. Nat. Napoli</i> , 2: 288 (gender: masculine) (type species, by monotypy: <i>Typton spongicola</i> Costa, 1844, <i>Ann. Accad. Aspir. Nat. Napoli</i> , 2: 289) (Crustacea, Decapoda). Op. 470	available
<i>Typus</i> Sellards, 1909, <i>Amer. J. Sci.</i> , (4)27: 151 (an unjustified emendation of <i>Tupus</i> Sellards, 1906). Op. 1317	index
<i>typus</i> , Caridina , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 363 (specific name of the type species of Caridina Milne Edwards, 1837) (Crustacea, Decapoda). Op. 470	available
<i>typus</i> , Leucifer , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 469 (specific name of the type species of Lucifer Thompson, 1830) (Crustacea, Decapoda). Op. 864	available
<i>typus</i> , Oplophorus , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2: 424 (specific name of the type species of Oplophorus Milne Edwards, 1837) (Crustacea, Decapoda). Op. 470	available
<i>typus</i> , Rhiniodon , Smith, 1828, <i>South African Commercial Advertiser</i> , 3 (no. 145): 2 (specific name of the type species of Rhincodon Smith, 1829) (Chondrichthyes). Op. 1278	available
<i>typus</i> , Rhynchocinetes , Milne Edwards, 1837, <i>Ann. Sci. nat.</i> , Paris (Zool.), (2)7: 168 (specific name of the type species of Rhynchocinetes Milne Edwards, 1837) (Crustacea, Decapoda). Op. 470	available
<i>Tyrannula</i> Swainson, May 1827, <i>Phil. Mag.</i> (n.s.), 1(5): 367, 368 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 414	index
<i>tyrannulus</i> , Sericornis , De Vis, 1905, <i>Ann. Queensl. Mus.</i> , No. 6: 42 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 684	index
<i>Tyroglyphus</i> Latreille, 1796, <i>Précis Caract. Ins.</i> : 185 (a junior objective synonym of Acarus Linnaeus, 1758). Direction 94	index

TYROPHAGIDAE Oudemans, 1924, <i>Entomol. Ber. Amsterdam</i> , 6 : 203, 207 (type genus: <i>Tyrophagus</i> Oudemans, 1924) (Arachnida). Op. 1298	available
<i>Tyrophagus</i> Oudemans, 1924, <i>Entomol. Ber. Amsterdam</i> , 6 : 250 (gender: masculine) (type species, by original designation: <i>Acarus putrescentiae</i> Schrank, 1781, <i>Enum. Ins. Austriae indig.</i> : 521) (Arachnida). Op. 1298	available
<i>Tyrrheneis</i> Kirkaldy, 1909, <i>Canad. Entomol.</i> , 41 : 31 (a junior objective synonym of <i>Artheneis</i> Spinola, 1837). Op. 319	index
<i>Uca</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 430 (gender: feminine) (type species, by monotypy: <i>Cancer vocans major</i> Herbst, 1782, <i>Versuch Naturgesch. Krabben Krebse</i> , 1 (1): 83) (Crustacea, Decapoda). Op. 712	available
<i>Uca</i> Latreille, 1819, <i>Nouv. Dict. Hist. nat.</i> (ed. 2), 35 : 96 (a junior homonym of <i>Uca</i> [Leach, 1814]). Op. 712	index
<i>uchauxensis, Acteonella</i> , Cossmann, 1896, <i>Essais paléoconch. comp.</i> , 2 : 166 (specific name of the type species of <i>Acteonella</i> d'Orbigny, 1842) (Gastropoda). Op. 954	available
<i>uddeni, Schwagerina</i> , Beede & Kniker, 1924, <i>Univ. Texas Bull.</i> (No. 2433): 27, pl. 1, figs. 1, 2; pl. 4, fig. 10; pl. 6, figs. 1, 2, 5-7 (specific name of the type species of <i>Pseudoschwagerina</i> Dunbar & Skinner, 1935) (Rhizopoda). Op. 213	available
<i>Udea</i> Guénée, 1844, in Duponchel, <i>Cat. méth. Lépid. Eur.</i> : 209 (gender: feminine) (type species, by monotypy: <i>Pyralis ferrugalis</i> Hübner, 1796, <i>Samml. europ. Schmett.</i> : pl. Pyr. 9, fig. 54) (Insecta, Lepidoptera). Op. 536	available
<i>uka, Cancer</i> , Shaw & Nodder, 1803, <i>Naturalist's Miscellany</i> , 14 : pl. 588 (a junior objective synonym of <i>Cancer vocans major</i> Herbst, 1782). Op. 1262	index
<i>Ukanomalos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 547 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>ulmi, Aphis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 451 (specific name of the type species of <i>Tetraneura</i> Hartig, 1841) (Insecta, Hemiptera). Op. 1019	available
<i>ulmi, Doralis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
<i>Uloma</i> Dejean, 1821, <i>Catalogue de la collection de Coléoptères</i> [ed. 2]: 67 (gender: feminine) (type species, by designation under the plenary power: <i>Tenebrio culinaris</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 417) (Insecta, Coleoptera). Op. 1039	available
<i>ulvae, Turbo</i> , Pennant, 1777, <i>Brit. Zool.</i> (ed. 4), 4 : 114, pl. 80, fig. 107 (Gastropoda). Op. 336	available
<i>umbellatus, Tetrao</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 11 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index

<i>Umbellula</i> Cuvier, [1797], <i>Tableau élémentaire de l'histoire naturelle des animaux</i> , p. 675 (gender: feminine) (type species, by subsequent monotypy by Gray, 1870, <i>Catalogue of the sea-pens or Pennatulariidae in the collection of the British Museum</i> , p. 38; <i>Isis encrinus</i> Linnaeus, 1758), ruled under the plenary power to be the correct original spelling of <i>Ombellula</i> (Anthozoa). Op. 1903	available
<i>Umbellularia</i> Lamarck, 1801, <i>Syst. Anim. sans Vertèbr.</i> : 380 (original entry on Official List emended to record its deletion from the Official List and placed on the Official Index, being a junior objective synonym of <i>Umbellula</i> Cuvier, [1797]. Op. 636, Op. 1903	index
UMBELLULARIIDAE Gray, 1840, <i>Synopsis of the contents of the British Museum</i> , Ed. 42, p. 75 (type genus: <i>Umbellularia</i> Lamarck, 1801, a junior objective synonym of <i>Umbellula</i> Cuvier, [1797]), replaced under Article 40.2 by UMBELLULIDAE Lindahl, 1874 (1840) (Anthozoa). Op. 1903	index
UMBELLULIDAE Lindahl, 1874 (1840), <i>Kongliga Svenska Vetenskapsakademiens Handlingar</i> , 13(3): 25 (type genus: <i>Umbellula</i> Cuvier, [1797]) (Anthozoa). Op. 1903	available
<i>umbilicata</i> , <i>Bulla</i> , [Röding], 1798, <i>Mus. bolten.</i> : 15 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 549	index
<i>umbilicata</i> , <i>Bulla</i> , Montagu, 1803, <i>Test. brit.</i> , 1: 222 (conserved under the plenary power) (Gastropoda). Op. 549	available
<i>umbra</i> , <i>Sciaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289, as interpreted by the neotype designated by Trewavas, 1966 (<i>Bull. zool. Nomencl.</i> , 23: 5) (specific name of the type species of <i>Sciaena</i> Linnaeus, 1758) (Osteichthyes). Op. 988	available
<i>umbretta</i> , <i>Phasma</i> , Lichtenstein, 1796, <i>Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta</i> , p. 78, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Phasmida). Op. 1820	available
<i>Umbrina</i> Cuvier, 1817, <i>Règn. Anim.</i> , 2: 297 (gender: feminine) (type species, by monotypy: <i>Sciaena cirrosa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 289) (Osteichthyes). Op. 988	available
<i>umbrina</i> , <i>Holothuria</i> , Rüppell & Leuckardt, 1828, <i>Atlas zu Rüppell</i> , (5), <i>Wirbellose Thiere</i> : 10 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 914	index
<i>umbrosa</i> , <i>Helix</i> , Pfeiffer, 1828, <i>Naturgesch. deutsch. Land. Süssw. Moll.</i> , 3: 27 (Gastropoda). Op. 336	available
<i>una</i> , <i>Uca</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7(2): 430 (a junior objective synonym of <i>Cancer vocans major</i> Herbst, 1782). Op. 712	index
<i>unaliaschkenensis</i> , <i>Hirundo</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 1025 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 409	index

<i>undalis, Phalaena</i> , Fabricius, 1781, <i>Spec. Ins.</i> , 2 : 272 (specific name of the type species of <i>Hellula</i> Guénée, 1854) (Insecta, Lepidoptera). Op. 536	available
<i>undata, Lacerta</i> , A. Smith, 1838, <i>Magazine of Natural History</i> , (2) 14 : 93, as defined by the neotype (adult male specimen NMW 31886 from near Windhoek, Namibia, in the Naturhistorisches Museum, Wien) designated under the plenary power (Reptilia). Op. 1992	available
<i>undatum, Buccinum</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 740 (specific name of the type species of <i>Buccinum</i> Linnaeus, 1758) (Gastropoda). Direction 73	available
<i>undatus, Curculio</i> , Fabricius, 1781, <i>Species insectorum ...</i> , 1 : 189 (specific name of the type species of <i>Polydrusus</i> Germar, 1817) (Insecta, Coleoptera). Op. 1179	available
<i>undatus, Erotylus</i> , Olivier, 1792, <i>Encyclopédie méthodique. Histoire naturelle des insectes</i> , vol. 6, p. 434 (specific name of the type species of <i>Megischyrus</i> Crotch, 1873) (Insecta, Coleoptera). Op. 1824	available
<i>undecimanae, Haemosporidium</i> , Lewkowicz, 1897, <i>Zbl. Bakt. (Abt. 1)</i> , 21 (4): 133 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>undecimnotata, Coccinella</i> , Schneider, [1792], <i>Neuestes Magazin für die Liebhaber der Entomologie</i> , 1 (3): 379 (Insecta, Coleoptera). Op. 1693	available
<i>undecimpunctata, Diabrotica</i> , Mannerheim, 1843, <i>Bulletin de la Société Impériale des Naturalistes de Moscou</i> , 16 : 309, as defined by the lectotype designated by Smith & Lawrence, 1967, <i>University of California Publications in Entomology</i> , 45 : 136 (Insecta, Coleoptera). Op. 1709	available
<i>undulalis, Pyralis</i> , Hübner, 1796, <i>Samml. europ. Schmett.</i> : pl. Pyr. 14, fig. 93 (an incorrect subsequent spelling for <i>undalis, Phalaena</i> , Fabricius, 1781). Op. 536	index
<i>undularis, Liptena</i> , Hewitson, [1866], <i>Ill. exot. Butts.</i> , 3 : [120], pl. [60], fig. 7 (specific name of the type species of <i>Liptena</i> Westwood, [1851]) (Insecta, Lepidoptera). Op. 566	available
<i>undulatum, Acrydium</i> , Sowerby, 1806, <i>Brit. Miscell.</i> (no. 12): 78, as interpreted by the neotype designated by Kevan (1961, <i>Bull. zool. Nomencl.</i> , 18 : 381) (Insecta, Orthoptera). Op. 1204	available
<i>undulatus, Byrrhus</i> , Kugelann, 1792, <i>Neuestes Magazin für die Liebhaber der Entomologie</i> , 1 (2-4): 484 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 1396	index
<i>unguiculatus, Foenus</i> , Westwood, 1841, <i>Annals and Magazine of Natural History</i> , 7 : 537 (specific name of the type species of <i>Pseudofoenus</i> Kieffer, 1902) (Insecta, Hymenoptera). Op. 1912	available
<i>Unguis</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 80 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>ungulata, Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 598 (specific name of the type species of <i>Dolichopus</i> Latreille, 1796) (Insecta, Diptera). Direction 49	available

<i>Ungulinigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>unicolor</i> , <i>Cornufer</i> , Tschudi, 1838, <i>Classif. der Batrachier</i> [preprint of <i>Mém. Soc. Sci. nat. Neuchâtel</i> , 2]: 28, and all uses of that name prior to its publication by Stejneger, 1904, in the binomen <i>Eleutherodactylus unicolor</i> (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1104	index
<i>unicolor</i> , <i>Cyornis</i> , Blyth, 1843, <i>J. Asiatic Soc. Bengal</i> , 12: 1007 (Aves). Op. 1267	available
<i>unicolor</i> , <i>Eleutherodactylus</i> , Stejneger, 1904, <i>Report U.S. Nat. Mus. for 1902</i> : 597 (Amphibia). Op. 1104	available
<i>unicolor</i> , <i>Quedius</i> , Kiesenwetter, 1847, <i>Histoire naturelle des insectes coléoptères</i> , vol. 1, p. 75, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Q. unicolor</i> Stephens, 1832 (Insecta, Coleoptera). Op. 2053	available
<i>unicolor</i> , <i>Spatangus brissus</i> var., Leske, 1778, <i>Addit. J.T. Klein Nat. Disp. Echin.</i> : 248, pl. 26, figs. B, C (specific name of the type species of <i>Brissus</i> Gray, 1825) (Echinoidea). Op. 209	available
<i>unicolor</i> , <i>Sunius</i> , Mulsant & Rey, 1878, <i>Annales de la Société Linnéenne de Lyon</i> , (n. ser.) 24(1877): 276, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>S. unicolor</i> Stephens, 1839 or <i>S. unicolor</i> Curtis, 1840 (each is a nomen oblitum under Article 23.9.2) (Insecta, Coleoptera). Op. 2139	available
<i>unidentatus</i> , <i>Ctenophthalmus</i> , Kolenati, 1859, <i>Jh. k.k. mähr. schl. Ges. Ackerbau, Natur- und Landeskunde</i> , 1858: 65 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 741	index
<i>uniguttatus</i> , <i>Cimex</i> , Donovan, (1804), <i>Nat. Hist. Ins. Ind.</i> : text to pl. [14] (specific name of the type species of <i>Sastragala</i> Amyot & Serville, 1843) (Insecta, Hemiptera). Direction 63	available
<i>Uniigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Unio</i> Philipsson, 1788, <i>Dissertatio Hist. nat. sist. nova Test. Gen.</i> : 17 (gender: masculine) (type species, by designation under the plenary power: <i>Mya pictorum</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 671) (Bivalvia). Op. 495	available
UNIONIDAE Rafinesque, 1820, <i>Ann. gén. Sci. phys.</i> , Bruxelles, 5: 290 (type genus: <i>Unio</i> Philipsson, 1788) (Bivalvia). Op. 495	available
<i>uniseriatum</i> , <i>Colpocephalum</i> , Piaget, 1880, <i>Pédiculines</i> : 562, pl. 47, fig. 2 (specific name of the type species of <i>Actornithophilus</i> Ferris, 1916) (Insecta, Mallophaga). Op. 342	available
<i>unispinosus</i> , <i>Ammonites athleta</i> , Quenstedt, 1847, <i>Petrefactenkunde Deutschlands. Die Cephalopoden</i> , p. 190, ruled under the plenary power to be an available name (specific name of the type species of <i>Unipeltoceras</i> Jeannet, 1951) (Ammonoidea). Op. 2123	available

<i>universa</i> , <i>Orbulina</i> , d'Orbigny, 1839, in Sagra, <i>Hist. phys. pol. nat. Ile de Cuba</i> : 3 (specific name of the type species of <i>Orbulina</i> d'Orbigny, 1839) (Rhizopoda). Op. 552	available
<i>Upogebia</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 400 (gender: feminine) (type species, by monotypy: <i>Cancer (Astacus) stellatus</i> Montagu, 1808, <i>Trans. linn. Soc. London</i> , 9 : 89) (Crustacea, Decapoda). Op. 434	available
UPOGEBIINAE Borradaile, 1903, <i>Ann. Mag. nat. Hist.</i> , (7) 12 : 542 (conserved under the plenary power) (type genus: <i>Upogebia</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 434	available
<i>Upupa</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 117 (gender: feminine) (type species, by Linnaean tautonomy: <i>Upupa eops</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 117) (Aves). Direction 17	available
<i>Urania</i> [Illiger], 1807, <i>Allgem. Lit. Ztg.</i> , Halle (Jena), 1807 (No. 2): 1181 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 232	index
<i>Urania</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 279 (conserved under the plenary power) (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 440, 356): <i>Papilio leilus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 462) (Insecta, Lepidoptera). Op. 232	available
<i>Uranoscopus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 250 (gender: masculine) (type species, by monotypy: <i>Uranoscopus scaber</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 250) (Osteichthyes). Op. 75 <i>Uratelornis</i> Rothschild, 1895, <i>Novit. zool.</i> , 2 : 479 (gender: masculine) (type species, by original designation through Article 68b(i): <i>Uratelornis chinaera</i> Rothschild, 1895, <i>Novit. zool.</i> , 2 : 479) (Aves). Op. 67 <i>Urbanus</i> Hübner, [1806], <i>Tentamen</i> : [1] (included in a work rejected for nomenclatural purposes). Op. 278	available
URECHIDAE Fisher & MacGinitie, 1928, <i>Ann. Mag. nat. Hist.</i> , (10) 1 : 200 (type genus: <i>Urechis</i> Seitz, 1907) (Echiuroidea). Op. 941	available
<i>Urechis</i> Seitz, 1907, <i>Zool. Jahrb., Abt. Anat.</i> , 24 : 323 (gender: masculine) (type species, by original designation: <i>Echiurus chilensis</i> Diesing, 1859, <i>SitzBer. Kais. Akad. Wiss. Wien</i> , 37 : 778) (Echiuroidea). Op. 941	available
URIECHINAE Cope, 1893, <i>Amer. Nat.</i> : 480 (type genus: <i>Uriechis</i> Peters, 1854) ruled under the plenary power not to be given priority over APARALLACTINAE Bourgeois, 1968 whenever <i>Uriechis</i> Peters, 1854 and <i>Aparallactus</i> Smith, 1849 are placed in the same family-group taxon (Reptilia). Op. 1201	available
<i>Uriechis</i> Peters, 1854, <i>Monatsber. Akad. Wiss. Berlin</i> : 623 (gender: masculine) (type species, by monotypy: <i>Uriechis lunulatus</i> Peters, 1854, <i>Monatsber. Akad. Wiss. Berlin</i> : 623) (Reptilia). Op. 1201	available
<i>uri</i> , <i>Cidaris</i> , Fleming, 1828, <i>Hist. brit. Anim.</i> : 478 (specific name of the type species of <i>Archaeocidaris</i> McCoy, 1844) (Echinoidea). Op. 370	available
URINATORES Vieillot, 1818, <i>Nouv. Dict. Hist. nat.</i> , 27 : 120 (type genus: <i>Urinator</i> Lacepède, 1799) (an incorrect original spelling for URINATORIDAE Vieillot, 1818). Direction 75	index

URINATORIDAE (correction by Baird, Brewer & Ridgeway, 1884 (<i>Hist. N. Amer. Birds</i> , Waterbirds, 2 : 444) of URINATORES Vieillot, 1818, <i>Nouv. Dict. Hist. nat.</i> , 27 : 120 (type genus: <i>Urinator</i> Lacepède, 1799) (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 75	index
<i>urna, Amphiptyches</i> , Grube & Wagener, 1852, in Wagener, <i>Arch. Anat. Physiol. Wiss. Med.</i> , 1852 : 543-554, pls. 14, 15 (specific name of the type species of <i>Amphiptyches</i> Wagener, 1852) (Cestoda). Op. 913	available
<i>Urocerus</i> Geoffroy, 1762, <i>Histoire abrégée des insectes qui se trouvent aux environs de Paris</i> , vol. 2, p. 264 (gender: masculine) (type species, by subsequent monotypy by Fourcroy, 1785, <i>Entomologia Parisiensis</i> , vol. 2, p. 363: <i>Ichneumon gigas</i> Linnaeus, 1758) (Insecta, Hymenoptera). Op. 1754	available
<i>Uroctea</i> Dufour, 1820, <i>Annales générales des Sciences Physiques, Bruxelles</i> , 5 : 198 (gender: feminine) (type species, by monotypy: <i>Uroctea quinquemaculata</i> Dufour, 1820) (Cumacea). Op. 1593	available
<i>Urocyon</i> Baird, 1857, <i>Mamm. N. Amer.</i> : 121, 138 (gender: masculine) (type species, by designation by Elliot, [March] 1901 (<i>Field. Mus. Publ. (Zool.)</i> , 2 : 307): <i>Canis virginianus</i> Schreber, [1776], <i>Die Säugthiere</i> , 3 : 361, pl. 92B, valid name: <i>Canis cinereoargenteus</i> Schreber, [1776]) (Mammalia). Op. 384	available
<i>urogenitalis</i> , <i>Amoeba</i> , Baelz, 1883, <i>Berl. klin. Wschr.</i> , 20 (16): 237 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 312	index
<i>urophasianus, Tetrao</i> , Bonaparte, 1827, <i>Zool. J.</i> , 3 (10): 213 (specific name of the type species of <i>Centrocercus</i> Swainson, [1832]) (Aves). Direction 43	available
<i>Uroplata</i> Chevrolat, 1835, in Dejean, <i>Catalogue des coléoptères de la collection de M. le comte Dejean</i> : 365 (gender: feminine) (type species, by designation by White, 1981 (<i>Proc. entomol. Soc. Washington</i> , 83 (4): 714): <i>Hispa mucronata</i> Olivier, 1808, <i>Entomologie, ou histoire naturelle des insectes ...</i> , 6 Coléoptères: 765) (Insecta, Coleoptera). Op. 1359	available
UROPLATIIDAE (correction of UROPLATIDAE) Boulenger, 1884, <i>Ann. Mag. nat. Hist.</i> , (5)14 : 119 (type genus: <i>Uroplatus</i> Duméril, 1806) (Reptilia). Op. 1359	available
UROPLATINI Leng, 1920, <i>Catalogue of the Coleoptera of America, north of Mexico</i> : 303 (type genus: <i>Uroplata</i> Chevrolat, 1835) (Insecta, Coleoptera). Op. 1359	available
<i>Uroplatus</i> Duméril, 1806, <i>Zoologie analytique, ou méthode naturelle de classification des animaux</i> : 80 (gender: feminine) (type species, by monotypy: <i>Stellio fimbriatus</i> Schneider, 1792, <i>Amphibiorum physiologiae specimen alterum</i> : 32) (Reptilia). Op. 1359	available
<i>ursina, Phoca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 37 (specific name of the type species of <i>Callorhinus</i> Gray, 1859) (Mammalia, Pinnipedia). Op. 1962	available
<i>ursinus, Bradypus</i> , Shaw, 1791, <i>Nat. Miscell.</i> , 2 : pls. 58, 59 (valid name at the date of Opinion 384 of the type species of <i>Melursus</i> Meyer, 1793) (Mammalia). Op. 384	available

Ursus Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 47 (gender: masculine) (type species, by Linnaean tautonymy: *Ursus arctos* Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 47) (Mammalia). Op. 75 *ursus*, *Arctus*, Dana, 1852, *Proc. Acad. nat. Sci. Philadelphia*, **6**: 14 (a junior objective synonym of *arctus*, *Cancer*, Linnaeus, 1758). Op. 519

available

ursusmajor, *Cancer (Astacus)*, Herbst, 1793, *Versuch Naturgesch. Krabben Krebse*, **2**(3): 82, as interpreted by the lectotype designated by Holthuis, 1956 (*Bull. zool. Nomencl.*, **12**: 111) (a junior objective synonym of *antarcticus*, *Scyllarus*, Lund, 1793). Op. 519

index

ursusminor, *Cancer (Astacus)*, Herbst, 1793, *Versuch Naturgesch. Krabben Krebse*, **2**(3): 83, as interpreted by the lectotype designated by Holthuis, 1956 (*Bull. zool. Nomencl.*, **12**: 112) (a junior objective synonym of *arctus*, *Cancer*, Linnaeus, 1758). Op. 519

index

urticae, *Cimex*, Fabricius, 1775, *Syst. Entomol.*: 231 (specific name of the type species of *Heterogaster* Schilling, 1829) (Insecta, Hemiptera). Op. 679

available

urticae, *Dermestes*, Fabricius, 1792, *Entomologia Systematica*, vol. 1, part 1, p. 235 (specific name of the type species of *Brachypterus* Kugelann, 1794) (Insecta, Coleoptera). Op. 1916

available

urticae, *Heterodera*, Cooper, 1955, A preliminary key to British species of *Heterodera* for use in soil examination, in: *Soil Zoology, Proceedings of the University of Nottingham Second Easter School in Agricultural Science*, Kevan (ed.), Butterworth, London: 279 (Nematoda). Op. 1336

available

urticae, *Tetranychus*, Koch, 1836, *Deut. Crust., Myr., Arach.* (1): 10, as interpreted by the neotype designated by Boudreux & Dosse, 1963 (*Bull. zool. Nomencl.*, **20**: 365, 366) (Arachnida). Op. 968

available

utahensis, *Artemia*, Lockington, 1876, in [Lawson, H.] (Ed.), *The Monthly Microscopical Journal: Transactions of the Royal Microscopical Society, and Record of Histological Research at Home and Abroad*, **15**: 137 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Branchiopoda). Op. 1704

index

Utica Hewitson, [1865], *Ill. diurn. Lep.*, Lycaenidae: 56 (a junior homonym of *Utica* White, 1847). Direction 37

index

Utica White, 1847, *Proc. zool. Soc. London*, **15**: 85 (gender: feminine) (type species, by monotypy: *Utica gracilipes* White, 1847, *Proc. zool. Soc. London*, **15**: 86) (Crustacea, Decapoda). Op. 85, Direction 37

available

utricularius, *Rana*, Harlan, 1826, *American Journal of Science and Arts*, (1)**10**: 60, ruled under the plenary power not to be given priority over the subspecific name of *Rana halecina sphenocephala* Cope, 1886 whenever the two names are considered to be synonyms (Amphibia, Anura). Op. 1685

available

Utriculus Brown, [1844], *Ill. Conch. Gt. Brit. Ireland* (ed. 2): 58, pl. xix (a junior homonym of *Utriculus* Schumacher, 1817, and a junior objective synonym of *Retusa* Brown, 1827). Op. 568

index

<i>Utritos</i> Holmberg, 1917, <i>Anales del Museo Nacional de Historia Natural de Buenos Aires</i> , 28 : 579 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Insecta, Hymenoptera). Op. 2069	index
<i>uva, Turbo</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 765 (specific name of the type species of <i>Cerion</i> [Röding], 1798) (Gastropoda). Direction 73	available
<i>uvarius</i> , <i>Curculio</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 68 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>vagans, Pelastoneurus</i> , Loew, 1861, <i>Neue Beiträge zur Kenntniss der Dipteren</i> , Beitrag 8, p. 39 (specific name of the type species of <i>Pelastoneurus</i> Loew, 1861) (Insecta, Diptera). Op. 2087	available
<i>vaginalis, Amoeba</i> , Blanchard, 1885, <i>Traité Zool. médic.</i> , 1 : 15 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 312	index
<i>vaginalis, Trichomonas</i> , Donné, 1836, <i>Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences</i> , Paris, 3 : 386 (specific name of the type species of <i>Trichomonas</i> Donné, 1836) (Mastigophora). Op. 1447	available
<i>vaigiensis, Gerres</i> , Quoy & Gaimard, 1824, <i>Voy. 'Uranie'</i> (Zool.): 292 (specific name of the type species of <i>Gerres</i> Quoy & Gaimard, 1824) (Osteichthyes). Op. 962	available
<i>vaillantii, Platystoma</i> , Valenciennes in Cuvier & Valenciennes, 1840, <i>Histoire naturelle des poissons. Tome quinzième. Suite du livre dix-septième. Siluroïdes</i> , p. 21 (specific name of the type species of <i>Brachyplatystoma</i> Bleeker, 1862) (Osteichthyes). Op. 2208	available
<i>Valanga</i> Uvarov, 1923, <i>Ann. Mag. nat. Hist.</i> , (9) 12 : 345 (gender: feminine) (type species, by original designation: <i>Acridium nigricorne</i> Burmeister, 1838, <i>Handb. Entomol.</i> , 2 (2): 629) (Insecta, Orthoptera). Op. 998	available
<i>Valanginites</i> Sayn in Kilian, 1910, <i>Lethaea geognostica</i> , Teil 2 (Das Mesozoicum), Band 3 (Kreide), Lieferung 2, p. 194 (gender: masculine) (type species, ruled under the plenary power to be by subsequent designation by Roman, 1938, <i>Les ammonites jurassiques et crétacées. Essai de genera</i> , p. 386: <i>Ammonites nucleus</i> Roemer, 1841) (Cephalopoda, Ammonoidea). Op. 1610	available
<i>valdani, Ammonites</i> , d'Orbigny, 1844, <i>Paléontol. franç., Terr. jurass.</i> , 1 : 255, pl. 71, as interpreted by the lectotype designated by Getty, 1970 (<i>Bull. zool. Nomencl.</i> , 27 : 107, pl. 3) (specific name of the type species of <i>Acanthopleuroceras</i> Hyatt, 1900) (Cephalopoda). Op. 996	available
<i>Valdivia</i> Ragonot, 1888, <i>Nouv. gen. esp. Phycit. Gall.</i> : 27 (a junior homonym of <i>Valdivia</i> White, 1847). Direction 37	index
<i>Valdivia</i> Shannon, 1927, <i>Proc. U.S. nat. Mus.</i> , 70 (Article 9): 31 (a junior homonym of <i>Valdivia</i> White, 1847). Direction 37	index
<i>Valdivia</i> White, 1847, <i>Proc. zool. Soc. London</i> , 15 : 85 (gender: feminine) (type species, by monotypy: <i>Valdivia serrata</i> White, 1847, <i>Proc. zool. Soc. London</i> , 15 : 85) (Crustacea, Decapoda). Op. 73 <i>Valdivianemertes</i> Stiasny-Wijnhoff, 1923, <i>Quarterly Journal of Microscopical Science</i> , 67 : 643 (a junior objective synonym of <i>Akrostomum</i> Grube, 1840) (Nemertea). Op. 2016	available

Valettaster Lambert, 1914, <i>Rev. crit. Paleozool.</i> , 1914 : 27 (gender: masculine) (type species, by designation by Rasmussen, 1950 (<i>Dansk. geol. Unders.</i> , 2 (No. 77): 93): Oreaster ocellatus Forbes, 1848, <i>Mem. geol. Surv. Great Brit.</i> , 2 : 468) (Asteroidea). Op. 331	available
Vallonia Risso, 1826, <i>Hist. nat. princip. Product. Europ. mérid.</i> , 4 : 101 (gender: feminine) (type species, by monotypy: Vallonia rosalia Risso, 1826, <i>Hist. nat. princip. Product. Europ. mérid.</i> , 4 : 102, valid name: Helix pulchella Müller, 1774) (Gastropoda). Op. 335	available
VALLONIIDAE Pilsbry, 1900, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1900 : 564 (type genus: Vallonia Risso, 1826) (Gastropoda). Direction 27	available
Valvata Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 198 (gender: feminine) (type species, by monotypy: Valvata cristata Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2 : 198) (Gastropoda). Op. 335	available
VALVATIDAE Gray, 1840, in Turton, <i>Manual land & freshwater Shells brit. Islands</i> (ed. 2): 79 (type genus: Valvata Müller, 1774) (Gastropoda). Direction 27	available
<i>vandellii</i> , <i>Osteoglossum</i> , Cuvier, 1829, <i>Le règne animal distribué d'après son organisation pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée</i> , Ed. 2, vol. 2, p. 328, ruled under the plenary power that all first reviser actions regarding the specific names <i>vandellii</i> Cuvier, 1829, as published in combination with the manuscript generic name <i>Ischnosoma</i> , are set aside and that <i>bicirrhosum</i> Cuvier, 1829 is deemed a senior objective synonym of <i>vandellii</i> Cuvier, 1829 (Osteichthyes, Osteoglossiformes). Op. 1621	index
Vanessa Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 281 (gender: feminine) (type species, by designation by Latreille, 1810 (<i>Consid. gén. Anim. Crust. Arach. Ins.</i> : 440, 354); Papilio atalanta Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 478) ruled under the plenary power to be given precedence over Cynthia Fabricius, 1807 (Insecta, Lepidoptera). Op. 156	available
<i>Vanicora</i> Paetel, 1887, <i>Cat. Conch.</i> (ed. 4), 1 : 511 (an unjustified emendation of Vanikoro Quoy & Gaimard, 1832). Op. 1009	index
<i>Vanicoro</i> Gray, 1840, <i>Syn. Brit. Mus.</i> (ed. 42), [issue 2]: 152 (an unjustified emendation of Vanikoro Quoy & Gaimard, 1832). Op. 1009	index
VANICOROIDAE Gray, 1840, <i>Syn. Brit. Mus.</i> (ed. 42) [issue 2]: 121 (type genus: Vanikoro Quoy & Gaimard, 1832) (an incorrect original spelling for VANIKORIDAE Gray, 1840). Op. 1009	index
<i>Vanikora</i> Whitfield, 1891, <i>Bull. Am. Mus. nat. Hist.</i> , 3 : 387, 388 (an unjustified emendation of Vanikoro Quoy & Gaimard, 1832). Op. 1009	index
VANIKORIDAE Gray, 1840 (a justified emendation of VANICOROIDAE) <i>Syn. Brit. Mus.</i> (ed. 42) [issue 2]: 121 (type genus: Vanikoro Quoy & Gaimard, 1832) (Gastropoda). Op. 1009	available

<i>Vanikoro</i> Quoy & Gaimard, 1832, <i>Voy. Astrolabe, Zool.</i> , 2 : 239 (made available under the plenary power) (gender, as ruled under the plenary power: feminine) (type species, by monotypy: <i>Sigaretus cancellatus</i> Lamarck, 1822, <i>Hist. Nat. Anim. sans Vert.</i> , 6 (2): 208) (Gastropoda). Op. 1009	available
<i>Vanikoroa</i> Cossman, 1924, <i>Essais Paléoconch. comp.</i> , 13 : 163 (an unjustified emendation of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009	index
<i>Vanikoroia</i> Martin, 1914, <i>Sammel. Geol. Reichs-Mus. Leiden</i> (n.f.), 2 (4): 170 (an unjustified emendation of <i>Vanikoro</i> Quoy & Gaimard, 1832). Op. 1009	index
<i>variabilis</i> , <i>Cerambyx</i> , Linnaeus, 1761, <i>Fauna Svecica</i> , Editio altera, p. 192 (specific name of the type species of <i>Phymatodes</i> Mulsant, 1839) (Insecta, Coleoptera). Op. 1525	available
<i>variabilis</i> , <i>Donax</i> , Say, 1822, <i>Jour. Acad. nat. Sci. Philadelphia</i> , 2 : 305 (Bivalvia). Op. 1057	available
<i>variabilis</i> , <i>Donax</i> , Schumacher, 1817, <i>Essai d'un nouveau système des vers testacés</i> (Copenhagen): 156 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1057	index
<i>variabilis</i> , <i>Nomia</i> , Friese, 1909, <i>Ann. Mus. nat. Hist. Hung.</i> , 7 : 205 (specific name of the type species of <i>Reepenia</i> Friese, 1909) (Insecta, Hymenoptera). Op. 788	available
<i>varians</i> , <i>Hippolyte</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 431 (specific name of the type species of <i>Hippolyte</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 470	available
<i>varians</i> , <i>Palaemon</i> , [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 432 (specific name of the type species of <i>Palaemonetes</i> Heller, 1869) (Crustacea, Decapoda). Op. 470	available
<i>variegata</i> , <i>Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 87 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>variegata</i> , <i>Hippobosca</i> , Megerle, [1803], <i>Appendix ad catalogum insectorum, quae mense Novembris MDCCCII Viennae Austriae auctionis lege vendita fuere</i> , p. [17], ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Diptera). Op. 1710	available
<i>variegata</i> , <i>Mantis</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 82 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>variegata</i> , <i>Nika</i> , Risso, 1816, <i>Hist. nat. Crust. Nice</i> : 86 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 606	index
<i>variegata</i> , <i>Simia (Papio)</i> , Kerr, 1792, <i>The Animal Kingdom</i> , Mammalia: 62 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 935	index
<i>variegata</i> , <i>Terebra</i> , Gray, 25 November 1834, <i>Proc. zool. Soc. London</i> , 1834 : 61 (Gastropoda). Op. 1156	available

- variegatum*, *Oestrum*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 106 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380 index
- variegatus*, *Gryllus Locusta*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 432 (Insecta, Orthoptera). Op. 969 available
- variegatus*, *Oniscus*, Villers, 1789, *Caroli Linnaei entomologia, faunae Suecicae descriptionibus aucta*, vol. 4, p. 188 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Isopoda). Op. 1897 index
- variegatus*, *Portumnus*, [Leach, 1814], in Brewster's *Edinburgh Ency.*, 7(2): 391 (a junior objective synonym of *latipes*, *Cancer*, Pennant, 1777). Direction 84 index
- variegatus*, *Stichopus*, Semper, 1868, *Reisen im Archipel de Philippinen*, 2: 73 (Holothuroidea). Op. 762 available
- variocostatus*, *Ammonites*, Buckland, 1836, *Bridgewater Treatise*, 6: pl. 42, fig. 7 (no text) (specific name of the type species of *Perisphinctes* Waagen, 1869) (Cephalopoda). Op. 303 available
- variolaris*, *Calymene*, Brongniart, 1822, *Histoire naturelle des Crustacés fossiles ... les Trilobites*: 14, 15, as interpreted by the neotype designated by Tripp, Temple & Gass, 1977 (*Bull. zool. Nomencl.*, 33: 251) (Trilobita). Op. 1216 available
- variolata*, *Cidaris*, Bertrand, 1763, *Dict. Univ. Foss. Propres Foss. Accid.*, 2: 102 (included in a work rejected for nomenclatural purposes). Op. 592 index
- variolosa*, *Buprestis*, Fabricius, 1801, *Systema Eleutherorum*, vol. 2, p. 190, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of *Buprestis variolosa* Paykull, [1799] (Insecta, Coleoptera). Op. 2008 available
- variolosa*, *Buprestis*, Paykull, [1799], *Fauna Suecica. Insecta*, vol. 2, p. 219 (specific name of the type species of *Poecilonota* Eschscholtz, 1829) (Insecta, Coleoptera). Op. 1825 available
- varius*, *Gordius*, Leidy, 1851, *Proc. Acad. nat. Sci. Philadelphia*, 5: 262, 263 (specific name of the type species of *Paragordius* Camerano, 1897) (Nematomorpha). Direction 77 available
- varius*, *Gymnotus*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 37 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380 index
- Varuna* Milne Edwards, 1830, *Dict. class. Hist. nat.*, 16: 511 (gender: feminine) (type species, by monotypy: *Cancer litteratus* Fabricius, 1798, *Suppl. Entomol. syst.*: 342) (Crustacea, Decapoda). Op. 85, Direction 37 available
- vastus*, *Sipunculus*, Selenka, De Man & Bülow, 1884, *Reisen im Archipel der Philippinen von Dr C. Semper. Zweiter Theil. Wissenschaften Resultate*, p. 103 (Sipuncula). Op. 1532 available

<p>Vatellus Aubé, [1837], Hydrocanthares. In Dejean (Ed.), <i>Iconographie et histoire naturelle des coléoptères d'Europe</i>, vol. 5, p. 221 (gender: masculine) (type species, by monotypy of the replaced nominal genus <i>Leucorea</i> Laporte, 1835: Hydroporus tarsatus Laporte, 1835) (Insecta, Coleoptera). Op. 1681</p>	available
<p>Vejdovskyella Michaelsen, 1903, <i>Mitteilungen aus dem Naturhistorischen Museum in Hamburg</i>, 19(2): 184 (gender: feminine) (type species, by monotypy of the replaced nominal genus <i>Bohemilla</i> Vejdovsky, 1883: Bohemilla comata Vejdovsky, 1883), ruled under the plenary power to be given precedence over Macrochaetina Bretscher, 1899 whenever the two names are considered to be synonyms (Oligochaeta). Op. 1835</p>	available
<p><i>velox</i>, <i>Delphinus</i>, Cuvier, 1829, <i>Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à d'anatomie comparée</i>, Ed. 2, vol. 1, p. 288 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Cetacea). Op. 1660</p>	index
<p><i>velox</i>, <i>Lacerta</i>, Pallas, 1771, <i>Reise Russland</i>, 1: 457 (specific name of the type species of <i>Eremias</i> Wiegmann, 1834) (Reptilia). Op. 1318</p>	available
<p><i>velutina</i>, <i>Mystacina</i>, Hutton, 1872, <i>Transactions and Proceedings of the New Zealand Institute</i>, 4: 185 (a junior objective synonym of <i>Mystacina tuberculata</i> Gray, 1843) (Mammalia). Op. 1994</p>	index
<p><i>venatica</i>, <i>Felis</i>, Griffith, 1821, <i>Descr. vert. Anim.</i> (Carn.): 93 (valid name at the date of Opinion 384 of the type species of <i>Acinonyx</i> Brookes, 1828) (Mammalia). Op. 384</p>	available
<p><i>venaticus</i>, <i>Icticyon</i>, Lund, 1842, <i>Overs. K. Dansk Vidensk. Selsk. Forhandl. Kjøbenhavn</i>, 1842(6): 80 (specific name of the type species of <i>Icticyon</i> Lund, 1842) (Mammalia). Op. 384</p>	available
<p><i>Venericardigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427</p>	index
<p><i>Venerigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427</p>	index
<p><i>veneta</i>, <i>Achatina</i>, Strobel, 1855, <i>Giornale di Malacologia</i>, 2: 137, ruled under the plenary power to maintain precedence over <i>Achatina janii</i> De Betta & Martinati, 1855 (Gastropoda). Op. 2080</p>	available
<p><i>Venilia</i> Bate, 1856, <i>Annals and Magazine of Natural History</i>, (2)17: 460 (a junior homonym of <i>Venilia</i> Duponchel, 1829) (Cumacea). Op. 1593</p>	index
<p><i>ventilabrum</i>, <i>Spongia</i>, Linnaeus, 1767, <i>Systema Naturae</i>, Ed. 12, vol. 1, p. 1296, as defined by the neotype designated by Alvarez & Willan, 2003, <i>Bulletin of Zoological Nomenclature</i>, 60: 17 in the Natural History Museum, London, BMNH 10.1.1.2687 (specific name of the type species of <i>Phakellia</i> Bowerbank, 1862) (Porifera). Op. 2091</p>	available
<p><i>ventralis</i>, <i>Buprestis</i>, Laporte & Gory, 1838, <i>Histoire naturelle et iconographie des insectes coléoptères</i>, vol. 1, p. 158 (Insecta, Coleoptera). Op. 2008</p>	available

<i>ventralis</i> , Buprestis , Waterhouse, 1882, in Godman & Salvin (Eds.), <i>Biologia Centrali-Americana</i> , vol. 3, part 1 (Insecta, Coleoptera, Buprestidae), p. 14, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of Buprestis ventralis Laporte & Gory, 1838 (Insecta, Coleoptera). Op. 2008	available
<i>ventricosa</i> , Emys , Gray, 1855, <i>Catalogue of shield reptiles in the collection of British Museum</i> . Part I. Testudinata (tortoises): 28, pl. 14 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1313	index
<i>ventricosa</i> , Pupa , Draparnaud, [1801], <i>Tabl. Moll. terrestr. fluviat. France</i> : 62 (Gastropoda). Op. 336	available
<i>ventricosa</i> , Rissoa , Desmarest, 1814, <i>Bulletin des Sciences, par la Société Philomatique de Paris</i> , (3)1: 8 (specific name of the type species of Rissoa Desmarest, 1814) (Gastropoda). Op. 1664	available
<i>Ventrosia</i> Radoman, 1977, <i>Serbian Academy of Sciences and Arts Monographs Department of Sciences</i> , 57: 208 (gender: feminine) (type species, by designation under the plenary power: Turbo ventrosus Montagu, 1803) (Gastropoda). Op. 2034	available
<i>ventrosus</i> , Turbo , Montagu, 1803, <i>Testacea Britannica or natural history of British shells ...</i> , vol. 2, p. 317, as defined by the lectotype (specimen no. BMNH 197872 in the Natural History Museum, London) designated by Bank, Butot & Gittenberger, 1979, <i>Basteria</i> , 43: 57 (specific name of the type species of Ventrosia Radoman, 1977) (Gastropoda). Op. 2034	available
<i>venulosa</i> , Rana , Laurenti, 1768, <i>Specimen Medicum</i> : 31, to be interpreted, as directed under the plenary power, by reference to the type specimen of <i>Hyla zonata</i> Spix, 1824, <i>Anim. nov. ... Testud. Ran. ... Brasil.</i> : 41 (specific name of the type species of Phrynohyas Fitzinger, 1843) (Amphibia). Op. 520	available
<i>Venus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 684 (gender: feminine) (type species, by designation under the plenary power: Venus verrucosa Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 685) (Bivalvia). Op. 195	available
<i>venusta</i> , Lepidopa , Stimpson, 1859, <i>Ann. Lyc. nat. Hist. New York</i> , 7: 79 (specific name of the type species of Lepidopa Stimpson, 1858) (Crustacea, Decapoda). Op. 693	available
<i>Venustas</i> Finlay, 10 March 1927, <i>Trans. New Zealand Inst.</i> , 57: 360 (a junior objective synonym of Maurea Oliver, [20] December 1926). Op. 479	index
<i>venustus</i> , Dermacentor , Banks, 1908, <i>U.S. Dept. Agric. tech. Ser.</i> (15): 46, 47 (a junior primary homonym of <i>Dermacentor venustus</i> Marx MS. in Neumann, 1897). Op. 1107	index
<i>venustus</i> , Dermacentor , Marx MS. in Neumann, 1897, <i>Mém. Soc. zool. France</i> , 10: 365 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1107	index
<i>venustus</i> , Syrphus , Meigen, 1822, <i>Syst. Beschr. zweifl. Ins.</i> , 3: 299 (Insecta, Diptera). Op. 978	available

<i>veranyi</i> , <i>Diplocera</i> , Blanchard, 1848, <i>Ann. Sci. nat.</i> , Paris, (3)9: 187 (a nomen nudum). Op. 782	index
<i>verconis</i> , <i>Notocypraea</i> , Cotton & Godfrey, 1932, <i>South Austr. Nat.</i> , 13: 41 (a junior objective synonym of <i>Cypraea angustata</i> Gmelin, 1791). Op. 1197	index
<i>Vermetus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1: 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Vermicularigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>vermicularis</i> , <i>Serpula</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 1267 (specific name of the type species of <i>Serpula</i> Linnaeus, 1758) (Polychaeta). Op. 767	available
<i>vermiculata</i> , <i>Helix</i> , Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 20 (Gastropoda). Op. 336	available
<i>Vermiculus</i> Dunglison, 1895, <i>Med. Lex.</i> (ed. 21): 1150 (a junior homonym of <i>Vermiculus</i> Dalyell, 1853). Direction 102	index
<i>Vermiculus</i> Goodrich, 1892, <i>Zool. Anz.</i> , 15: 474 (a junior homonym of <i>Vermiculus</i> Dalyell, 1853). Direction 102	index
<i>Vermiculus</i> Mörch, 1860, <i>J. Conchyliol.</i> , 8: 28 (a junior homonym of <i>Vermiculus</i> Dalyell, 1853). Direction 102	index
<i>vermis</i> , <i>Buccin[um]</i> , Martyn, 1784, <i>Univ. Conch.</i> , 2: fig. 53 (specific name of the type species of <i>Pelicaria</i> Gray, 1857) (conserved under the plenary power) (Gastropoda). Op. 479	available
<i>Vermivora</i> Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>vermivora</i> , <i>Motacilla</i> , Gmelin, [1789], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 2, p. 951 (specific name of the type species of <i>Helmitheros</i> Rafinesque, 1819) (Aves). Op. 412	available
<i>verna</i> , <i>Tingis</i> , Fallén, 1826, <i>Supplementum Monographiae Cimicum Sveciae</i> (Lund): 16, as interpreted by the lectotype designated by Péricart, 1977 (<i>Bull. zool. Nomencl.</i> , 34: 98) (specific name of the type species of <i>Campylosteira</i> Fieber, 1844) (Insecta, Hemiptera). Op. 1222	available
<i>vernus</i> , <i>Pelicaria</i> , Gray, 1857, <i>Guide Syst. Distrib. Moll. Brit. Mus.</i> : 77 (an incorrect subsequent spelling for <i>vermis</i> , <i>Buccin[um]</i> , Martyn, 1784). Op. 479	index

vernum, *Simulia*, Macquart, 1826, *Recueil des Travaux de la Société d'Amateurs des Sciences, de l'Agriculture et des Arts à Lille*, **1823/1824**: 79, ruled by the Commission to be defined by reference to the specimens described and figured by Davies, 1966, *Transactions of the Royal Entomological Society of London*, **118**(14): 413-511, and 1968, *Scientific Publications of the Freshwater Biological Association*, no. 24, pp. 1-126, under the name *Simulium (Eusimulium) latipes* (specific name of the type species of *Cnetha* Enderlein, 1921 and *Pseudonevermannia* Baranov, 1926) (Insecta, Diptera). Op. 1416

available

Verrallia Mik, 1899, *Wien. entomol. Ztg.*, **18**: 137 (gender: feminine) (type species, by original designation: *Cephalops aucta* Fallén, 1817, *Dipt. suec.*, **1** (Syrphici) (6): 61) (Insecta, Diptera). Op. 597

available

verrucosa, *Alona*, Lutz, 1879, *SitzBer. naturf. Ges. Leipzig*, **5**: 44 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 532

index

verrucosa, *Alona*, Sars, 1901, *Arch. Math. Naturvidensk.*, **23**(3): 56, pl. IX, figs. 7, 7a (Crustacea, Branchiopoda). Op. 532

available

verrucosa, *Doris*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 653, as defined by the neotype (specimen labelled as the neotype, in the Muséum National d'Histoire Naturelle, Paris, collected from Castropol, Asturias, Spain) designated under the plenary power (specific name of the type species of *Doris* Linnaeus, 1758) (Gastropoda). Op. 1980

available

verrucosa, *Eolidia*, Sars, 1829, *Bidr. Soedyr. Naturh.*: 9 (valid name at the date of Opinion 781 of the type species of *Coryphella* Gray, 1850) (Gastropoda). Op. 781

available

verrucosa, *Rana*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 19 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380

index

verrucosa, *Sphenophryne*, Boulenger, 1898, *Annali Mus. Genova* (2), xviii: 707 (specific name of the type species of *Cophixalus* Boettger, 1892) (Amphibia). Op. 1266

available

verrucosa, *Venus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 685 (specific name of the type species of *Venus* Linnaeus, 1758) (Bivalvia). Op. 195

available

verrucosus, *Cancer*, Forsskål, 1775, *Descr. Anim.*: 93 (valid name at the date of Opinion 712 of the type species of *Eriphia* Latreille, 1817) (Crustacea, Decapoda). Op. 712

available

verrucosus, *Silurus*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 46 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380

index

versicolor, *Hyla*, Le Conte, 1825, *Annals of the Lyceum of Natural History of New York*, **1**: 281, as defined by the neotype (specimen no. 84483 in the American Museum of Natural History, New York, of which the tetraploid karyotype is no. AMNH K207) designated by Smith, Fitzgerald & Guillette, 1992, *Bulletin of Zoological Nomenclature*, **49**: 152 (Amphibia, Anura). Op. 1716

available

vertebralis, *Leptophis*, Duméril, Bibron & Duméril, 1854, *in Roret's Suites à Buffon, Erpét. Gén.*, **7**: 543, 544 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 756

index

<i>verticalis</i> , <i>Corisa</i> , Fieber, 1851, <i>Species generis Corisa</i> , p. 24 (preprint from <i>Abhandlungen der Böhmischen Gesellschaft der Wissenschaften</i> , 7 (1852), p. 236) (Insecta, Heteroptera). Op. 1626	available
VERTIGINIDAE Stimpson, 1851, <i>Shells New Engl.</i> : 53 (type genus: <i>Vertigo</i> Müller, 1774) (Gastropoda). Direction 27	available
<i>Vertigo</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 124 (gender: feminine) (type species, by monotypy: <i>Vertigo pusilla</i> Müller, 1774, <i>Verm. terrestr. fluviat. Hist.</i> , 2: 124) (Gastropoda). Op. 335	available
<i>vesiculosus</i> , <i>Heteronucia</i> , Alcock, 1896, <i>J. asiat. Soc. Bengal</i> , 65(2): 177 (specific name of the type species of <i>Heteronucia</i> Alcock, 1896) (Crustacea, Decapoda). Direction 36	available
VESPERTILIA Rafinesque, 1815, <i>Analyse Nature</i> : 54 (type genus: <i>Vespertilio</i> Linnaeus, 1758) (an incorrect original spelling for VESPERTILIONIDAE Rafinesque, 1815). Direction 98	index
<i>Vespertilio</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 31 (gender: masculine) (type species, by Linnaean tautonomy: <i>Vespertilio murinus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 32, to be interpreted, as directed under the plenary power, in the manner adopted by Nilsson, 1847 (<i>Skand. Fauna</i> , Dagg. Djur.: 17-20) and therefore to have as its type specimen the type specimen of the nominal species <i>Vespertilio discolor</i> (Natterer MS) Kuhl, 1817, <i>Die dtsch. Fledermäuse</i> : 43) (Mammalia). Op. 91, Direction 98	available
<i>Vespertilio</i> Mörch, 1852, <i>Cat. Conchyl. Yoldi</i> , 1: 123 (a junior homonym of <i>Vespertilio</i> Linnaeus, 1758). Direction 24	index
VESPERTILIONIDAE (correction of VESPERTILIA) Rafinesque, 1815, <i>Analyse Nature</i> : 54 (type genus: <i>Vespertilio</i> Linnaeus, 1758) (Mammalia). Direction 98	available
<i>vespertilionis</i> , all uses of, in combination with the generic name <i>Acarus</i> Linnaeus, 1758 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66	index
<i>vespertilionis</i> , all uses of, in combination with the generic name <i>Acrocholidia</i> Kolenati, 1857 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66	index
<i>vespertilionis</i> , all uses of, in combination with the generic name <i>Celeripes</i> Montagu, 1808 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66	index
<i>vespertilionis</i> , all uses of, in combination with the generic name <i>Diplostaspis</i> Kolenati, 1857 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66	index
<i>vespertilionis</i> , all uses of, in combination with the generic name <i>Gamasus</i> Latreille, [1802] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66	index

vespertilionis, all uses of, in combination with the generic name *Ichoronyssus* Kolenati, 1858 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Liponissus* [sic] Kolenati, 1858 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Listropoda* Kolenati, 1857 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Megistopoda* Macquart, 1852 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Nycteribia* Latreille, 1796 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Penicillidia* Kolenati, 1863 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Periglischrus* Kolenati, 1857 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Sarcoptes* Latreille, [1802] (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Spinturnix* von Heyden, 1826 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, all uses of, in combination with the generic name *Strebla* Wiedemann, 1824 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, *Dermanyssus*, Dugès, 1834, *Ann. Sci. nat.*, Paris (Zool.), (2)1: 18 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, *Hippobosca*, Schrank, 1803, *Fauna boica*, 3(1): 175 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, *Pediculus*, Linnaeus, 1758, *Systema Naturae*, Ed. 10, vol. 1, p. 611 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, *Phthiridium*, Hermann, 1804, *Mém. apt.*: 120 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, *Pteroptus*, Dufour, 1832, in Audouin, *Ann. Sci. nat.*, Paris, **25**: 409 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 66

index

vespertilionis, *Pulex*, Dugès, 1832, *Ann. Sci. nat.*, Paris, **27**: 161, 164, pl. 4, fig. 4 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 389

index

vespoides, *Sphex*, Scopoli, 1763, *Entomologia Carniolica, exhibens insecta Carnioliae indigena ...*, p. 296 (specific name of the type species of *Metopius* Panzer, 1806) (Insecta, Hymenoptera). Op. 1772

available

vestigiatus, *Hoplocephalus*, De Vis, 1884, *The Brisbane Courier*, **39**, No. 8324: 5 (Reptilia, Serpentes). Op. 1940

available

vestigium, *Crotaphytus insularis*, Smith & Tanner, 1972, *Great Basin Naturalist*, **32**: 29 (Reptilia). Op. 2014

available

vetusta, *Buprestis*, Boisduval, 1835, *Voyage de découvertes de l'Astrolabe exécutéeé, ... pendant les années 1826-1827-1828-1829, sous les commandement de M.J. Dumont d'Urville. Faune entomologique de l'Océan Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage*. Deuxième partie (Coléoptères et autres ordres), p. 85, ruled under the plenary power to be treated as not invalid by reason of having been originally published as a junior primary homonym of *Buprestis vetusta* Ménétries, 1832 (specific name of the type species of *Nascio* Laporte & Gory, 1838) (Insecta, Coleoptera). Op. 2008

available

vetusta, *Buprestis*, Ménétries, 1832, *Catalogue raisonné des objets de zoologie recueillis dans un voyage au Caucase et jusqu'aux frontières actuelles de la Perse*, p. 152 (Insecta, Coleoptera). Op. 2008

available

vetusta, *Paolia*, Smith, 1871, *American Journal of Science and Arts*, (3)**1**: 44, as defined by the holotype (specimen no. HCM A72/51 in the Hanover College Museum, Hanover, Indiana, U.S.A.), the neotype designation by Laurentiaux (1950) being set aside under the plenary power (specific name of the type species of *Paolia* Smith, 1871) (Insecta, Protorthoptera). Op. 1705

available

vetusta, *Phryganeolitha*, Germar, 1813, *Magazin Entomol.* (Germar), **1**: 17 (specific name of the type species of *Phryganeolitha* Germar, 1813) (Insecta, Trichoptera). Op. 1327

available

vexillifera, *Coryphaena*, Houttuyn, [1787], *Anim. Mus. Houtt. Index*: 39 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380

index

Vianellia Nardo, 1847, *Sinon. modern. Spec. Lag. Golfo Veneto*: 8 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 671

index

<i>viaticus</i> , <i>Achorutes</i> , Tullberg, 1872, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , Stockholm (n.s.), 10 (No. 10): 50 (specific name of the type species of <i>Hypogastrura</i> Bourlet, 1839) (Insecta, Collembola). Op. 435	available
<i>viaticus</i> , <i>Sphex</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 570, as interpreted by the lectotype designated by van der Vecht, 1958 (<i>Entomol. Berichten</i> , 18 : 47) (Insecta, Hymenoptera). Op. 1157	available
<i>vicarius</i> , <i>Oeciacus</i> , Horváth, 1912, <i>Ann. Mus. nat. Hist. Hungary</i> , 10 : 261 (Insecta, Hemiptera). Op. 1360	available
<i>vicina</i> , <i>Calliphora</i> , Robineau-Desvoidy, 1830, <i>Mémoires présentés par divers savants à l'Académie des Sciences de l'Institut de France</i> , (2) 2 : 435 (Insecta, Diptera). Op. 1670	available
<i>victrix</i> , <i>Myrsidea</i> , Waterston, 1915, <i>Entomol. mon. Mag.</i> , 51 : 13 (specific name of the type species of <i>Myrsidea</i> Waterston, 1915) (Insecta, Mallophaga). Op. 627	available
<i>vicugna</i> , <i>Camelus</i> , Molina, 1782, <i>Saggio sulle storia naturale del Chile</i> , p. 313, ruled under the plenary power to be not invalid by reason of being pre-dated by a name based on a domestic form (Mammalia). Op. 2027	available
<i>viduatorius</i> , <i>Cryptus</i> , Fabricius, [1804-1805], <i>Syst. Piezat.</i> : 70 (specific name of the type species of <i>Cryptus</i> Fabricius, [1804-1805]) (Insecta, Hymenoptera). Direction 4	available
<i>viduatus</i> , <i>Staphylinus</i> , Fabricius, 1801, <i>Systema Eleutherorum ...</i> , vol. 2, p. 591 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Coleoptera). Op. 2039	index
<i>viduus</i> , <i>Philonthus</i> , Cameron, 1933, <i>Journal of the Federated Malay States Museums</i> , 17 (2): 346, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>P. viduus</i> Erichson, 1840 (Insecta, Coleoptera). Op. 2053	available
<i>viduus</i> , <i>Philonthus</i> , Erichson, 1840, <i>Genera et species Staphylinorum insectorum coleopterorum familiae</i> , part 2, p. 506 (Insecta, Coleoptera). Op. 2053	available
<i>viennensis</i> , <i>Kolon</i> , Herbst, 1797, <i>Natursystem aller bekannten in- und ausländischen Insekten. Der Käfer</i> , part 7, p. 225 (specific name of the type species of <i>Colon</i> Herbst, 1797) (Insecta, Coleoptera). Op. 1810	available
<i>vigesimo-tertiae</i> , <i>Haemosporidium</i> , Lewkowicz, 1897, <i>Zbl. Bakt. (Abt. 1)</i> , 21 (4): 133 (published as a technical designation, not as a specific name, and therefore possesses no status under the Code). Op. 283	index
<i>vigil</i> , <i>Arctomys</i> , Thunberg, 1811, <i>Mémoires de l'Académie Impériale des Sciences de St. Petersbourg</i> , 3 : 308 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Mammalia, Rodentia). Op. 1586	index
<i>vigil</i> , <i>Portunus</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 363 (a junior objective synonym of <i>vigil</i> , <i>Portunus</i> , Weber, 1795). Direction 37	index
<i>vigil</i> , <i>Portunus</i> , Weber, 1795, <i>Nomencl. entomol. Syst. Fabr.</i> : 93 (valid name at the date of Direction 36 of the type species of <i>Podophthalmus</i> Lamarck, 1801) (Crustacea, Decapoda). Direction 36	available

<i>vigilax</i> , <i>Culex</i> , Skuse, 1889, <i>Proc. linn. Soc. N.S. Wales</i> , (2)3: 1731 (Insecta, Diptera). Op. 979	available
<i>villosa</i> , <i>Cicada</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 86 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>villosa</i> , <i>Phryganea</i> , Fabricius, 1798, <i>Suppl. Entomol. syst.</i> : 200 (specific name of the type species of <i>Chaetopteryx</i> Stephens, 1829) (Insecta, Trichoptera). Op. 596	available
<i>villosa</i> , <i>Tiphia</i> , Fabricius, 1793, <i>Entomologia systematica</i> ..., vol. 2, p. 227 (specific name of the type species of <i>Luditia</i> Nagy, 1967) (Insecta, Hymenoptera). Op. 1559	available
<i>villosus</i> , <i>Anthophagus</i> , Waltl, 1838, <i>Isis, encyclopädische Zeitschrift, vorzüglich für Naturgeschichte, vergleichende Anatomie und Physiologie</i> , p. 268, ruled under the plenary power not to be given priority over <i>Lesteva punctata</i> Erichson, 1839 whenever they are considered to be synonyms (Insecta, Coleoptera). Op. 2086	available
<i>vincentianum</i> , <i>Pisidium</i> , Woodward, 1913, <i>Cat. brit. Spec. Pisidium</i> : 127 (Bivalvia). Op. 336	available
<i>vinetella</i> , <i>Tinea</i> , Fabricius, 1787, <i>Mantissa Insectorum</i> ..., p. 242 (specific name of the type species of <i>Eucarphia</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 1426	available
<i>violacea</i> , <i>Apis</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 578 (specific name of the type species of <i>Xylocopa</i> Latreille, [1802]) (Insecta, Hymenoptera). Op. 743	available
<i>violacea</i> , <i>Diazona</i> , Savigny, 1816, <i>Mém. Anim. sans Vertèbr.</i> , 2: 35 (specific name of the type species of <i>Diazona</i> Savigny, 1816) (Urochordata). Direction 73	available
<i>violacea</i> , <i>Musophaga</i> , Isert, 1789, <i>Schrift. Berlin Ges. Nat. Freunde</i> , 9: 18, pl. 1 (specific name of the type species of <i>Musophaga</i> Isert, 1789) (Aves). Direction 43	available
<i>violacea</i> , <i>Porcellana</i> , Guérin, 1829, in Duperrey, <i>Voy. 'Coquille'</i> , Zool., 2(2): pl. 3, fig. 2 (specific name of the type species of <i>Petrolisthes</i> Stimpson, 1858) (Crustacea, Decapoda). Op. 701	available
<i>violaceipennis</i> , <i>Ammophila</i> , Lepeletier, 1845, in Roret's Suites à Buffon, <i>Hyménopt.</i> , 2: 370 (specific name of the type species of <i>Podalonia</i> Fernald, 1927) (Insecta, Hymenoptera). Op. 857	available
<i>violaceus</i> , <i>Cerambyx</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 73 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>violaceus</i> , <i>Curculio</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 378 (specific name of the type species of <i>Magdalisa</i> Germar, 1817) (Insecta, Coleoptera). Op. 345	available
<i>violaceus</i> , <i>Dermestes</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 356 (specific name of the type species of <i>Necrobia</i> Olivier, 1795) (Insecta, Coleoptera). Op. 604	available
<i>violaceus</i> , <i>Sipunculus (Phascolosomum)</i> , De Quatrefages, 1865, <i>Histoire Naturelle des Annelés marins et d'eau douce. Annélides et Géphyriens</i> , p. 619 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Sipuncula). Op. 1532	index

<i>violaceus</i> , <i>Staphylinus</i> , Gravenhorst, 1802, <i>Coleoptera Microptera Brunsvicensia</i> , p. 162, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Staphylinus violaceus</i> Olivier, 1795 (Insecta, Coleoptera). Op. 2039	available
<i>violascens</i> , <i>Coenobita</i> , Heller, 1862, <i>Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien</i> , 12 : 524 (Decapoda). Op. 2052	available
<i>violascens</i> , <i>Diura</i> , Gray, 1833, <i>Entomol. Aust.</i> , 1 : 21, 27, pl. 6, fig. 1 (and later uses in combination with <i>Acrophylla</i> Gray, <i>Cyphocrania</i> Burmeister, <i>Didymuria</i> Kirby, etc.) (an incorrect subsequent spelling for <i>violescens</i> , <i>Phasma</i> , Leach, 1814). Op. 641	index
<i>violellus</i> , <i>Nemotois</i> , Herrich-Schaeffer in Stainton, 1851, <i>Systematische Bearbeitung der Schmetterlinge von Europa</i> , Band 5 (Die Schaben und Federmotten). Tineides, p. 19 (Insecta, Lepidoptera). Op. 2067	available
<i>violescens</i> , <i>Phasma</i> , Leach, 1814, <i>Zool. Miscell.</i> , 1 : 26, pl. 9 (specific name of the type species of <i>Didymuria</i> Kirby, 1904) (Insecta, Phasmida). Op. 641	available
<i>Vipio</i> Latreille, 1804, in: <i>Nouveau dictionnaire d'histoire naturelle</i> ..., Ed. 1, vol. 24, p. 173 (gender: masculine) (type species, by designation under the plenary power: <i>Agathis longicauda</i> Boheman, 1853) (Insecta, Hymenoptera). Op. 1758	available
<i>virens</i> , <i>Cimex</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 730 (specific name of the type species of <i>Stenodema</i> Laporte, [1833]) (Insecta, Hemiptera). Op. 898	available
<i>virens</i> , <i>Monoculus</i> , Jurine, 1820, <i>Hist. Monocles</i> : 174 (specific name of the type species of <i>Eucypris</i> Vávra, 1891) (Crustacea, Ostracoda). Op. 718	available
<i>Vireo</i> Vieillot, 1807, <i>Ois. Amér. sept.</i> , 1 : 83 (gender: masculine) (type species, by designation by Gadow, 1833 (<i>Cat. Birds Brit. Mus.</i> , 8 : 292, 301): <i>Vireo musicus</i> Vieillot, 1807, <i>Ois. Amér. sept.</i> , 1 : 83, valid name: <i>Tanagra grisea</i> Boddaert, 1783) (Aves). Op. 67, Direction 81	available
<i>virescens</i> , <i>Cicada</i> , Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 46 (a junior primary homonym of <i>virescens</i> , <i>Cicada</i> , Gmelin, 1790). Op. 603	index
<i>virescens</i> , <i>Cicada</i> , Gmelin, 1790, in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 4, p. 2111 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 603	index
<i>virescens</i> , <i>Litosoma</i> , Douglas & Scott, 1865, <i>The British Hemiptera-Heteroptera</i> , p. 339, valid subjective synonym of <i>Capsus chloropterus</i> Kirschbaum, 1856, the type species of <i>Pachylops</i> Fieber, 1858 (Insecta, Heteroptera). Op. 1943	available
<i>virgata</i> , <i>Cochlea</i> , da Costa, 1778, <i>Hist. nat. Test. Brit.</i> : 79 (Gastropoda). Op. 336	available
<i>virgata</i> , <i>Tellina</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 674 (specific name of the type species of <i>Tellinella</i> Mörch, 1853) (Bivalvia). Op. 987	available
<i>virginiana</i> , <i>Dama</i> , Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 129 (Mammalia). Op. 581	available
<i>virginiana</i> , <i>Ostrea</i> , [Röding], 1798, <i>Mus. bolten.</i> (2): 169 (an incorrect subsequent spelling for <i>virginica</i> , <i>Ostrea</i> , Gmelin, [1791]). Op. 338	index

<i>virginica</i> , <i>Ostrea</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3336 (specific name of the type species of <i>Crassostrea</i> Sacco, 1897) (Bivalvia). Op. 338	available
<i>virginiensis</i> , <i>Erycina</i> , Guérin-Méneville, [1831], <i>Icon. Règne Anim.</i> , Ins.: 489 (specific name of the type species of <i>Calephelis</i> Grote & Robinson, 1869) (Insecta, Lepidoptera). Op. 755	available
<i>virgula</i> , <i>Gryphaea</i> , Deshayes, 1831, <i>Descr. Coquilles caract. Terrains</i> : 90, pl. v, figs. 12, 13 (Bivalvia). Op. 310	available
<i>viridana</i> , <i>Phalaena</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 530 (specific name of the type species of <i>Tortrix</i> Linnaeus, 1758) (Insecta, Lepidoptera). Op. 450	available
<i>viridescens</i> , <i>Triturus</i> , Rafinesque, 1820, <i>Annals of Nature</i> : 5 (a name selected by Cope, 1859 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 11: 126), as first reviser, in preference to <i>miniatus</i> , <i>Triturus</i> , Rafinesque, 1820) (Amphibia). Op. 635	available
<i>viridiaenea</i> , <i>Chrysomela</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 66 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>viridiaenea</i> , <i>Cicindela</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>viridiauratus</i> , <i>Macropodus</i> , Lacepède, 1801, <i>Histoire naturelle des poissons</i> , vol. 3, p. 416 (specific name of the type species of <i>Macropodus</i> Lacepède, 1801) (Osteichthyes). Op. 2058	available
<i>viridicollis</i> , <i>Curculio</i> , Fabricius, 1792, <i>Entomologia Systematica emendata et aucta</i> , vol. 1, p. 469 (Insecta, Coleoptera). Op. 1655	available
<i>viridiflavus</i> , <i>Coluber</i> , Lacepède, 1789, <i>Histoire naturelle des quadrupèdes ovipares et des serpens</i> , vol. 2 (<i>Histoire naturelle des serpens</i>), p. 86, ruled under the plenary power to be available despite having been published in a rejected work (Reptilia, Serpentes). Op. 1686	available
<i>viridis</i> , <i>Aplysia</i> , Montagu, 1804, <i>Transactions of the Linnean Society of London</i> , 7: 76 (Gastropoda). Op. 1471	available
<i>viridis</i> , <i>Bulimus</i> , Poiret, 1801, <i>Coquilles fluviatiles et terrestres observées dans le département de l'Aisne et aux environs de Paris</i> , pp. 44–47 (specific name of the type species of <i>Bythinella</i> Moquin-Tandon, 1856) (Gastropoda). Op. 2161	available
<i>viridis</i> , <i>Cercaria</i> , Müller, 1786, <i>Animalcula Infusoria, Fluviatilia et Marina</i> , p. 126 (specific name of the type species of <i>Euglena</i> Ehrenberg, 1830) (Flagellata). Op. 1549	available
<i>viridis</i> , <i>Certhia</i> , [anon.], [1840], <i>Verz. Java Samml. Thier. Holzapfel</i> : No. 115 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 273	index
<i>viridis</i> , <i>Cicada</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 438 (specific name of the type species of <i>Cicadella</i> Latreille, 1817) (Insecta, Hemiptera). Op. 647	available
<i>viridis</i> , <i>Cicindela</i> , Houttuyn, [1787], <i>Anim. Mus. Hoult. Index</i> : 76 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index

<i>viridis</i> , Isotoma , Bourlet, 1839, <i>Mém. Soc. r. Sci. Lille</i> , 1839 (1): 401 (specific name of the type species of Isotoma Bourlet, 1839) (Insecta, Collembola). Op. 291	available
<i>viridis</i> , Laplisia , Bosc, 1801, <i>Histoire naturelle des Vers, contenant leur description et leurs moeurs; avec figures d'après nature</i> , vol. 1, p. 64, and all uses of the name prior to the publication of <i>Aplysia viridis</i> Montagu, 1804 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Gastropoda). Op. 1471	index
<i>viridis</i> , Monstrilla , Dana, 1849, <i>Conspectus Crustaceorum quae in Orbis Terrarum circumnavigatione ..., pars I and II</i> , p. 53 (specific name of the type species of Monstrilla Dana, 1849) (Copepoda). Op. 1869	available
<i>viridis</i> , Motacilla , Wilkes, 1817, <i>Encyclopaedia Londinensis</i> , vol. 16, p. 80 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Aves). Op. 1859	index
<i>viridis</i> , Podura , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 608 (specific name of the type species of Sminthurus (emendation of <i>Smynthurus</i>) Latreille, [1802]) (Insecta, Collembola). Op. 291, Op. 1043	available
<i>viridis</i> , Pomacentrus , Cuvier, 1830, <i>Histoire Naturelle des Poissons</i> , vol. 5, p. 420, as defined by the lectotype designated by Randall, Bouchet & Desoutter, 1985, <i>Cybium</i> , 9 (4): 412 (Osteichthyes, Perciformes). Op. 1563	available
<i>viridis</i> , Thecla , Edwards, 1862, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1862 : 223, as interpreted by the lectotype designated by Brown & Clench, 1969 (<i>Bull. zool. Nomencl.</i> , 25 : 189) (Insecta, Lepidoptera). Op. 953	available
<i>viridi-squamosa</i> , Testudo , Lacepède, 1788, <i>Hist. nat. Quad. ovip. Serpens</i> , 1 , Synops. method.: 92 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 660	index
<i>viridissimus</i> , Gryllus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 430 (specific name of the type species of Tettigonia Linnaeus, 1758) (Insecta, Orthoptera). Op. 299	available
<i>viriditibialis</i> , Pamphilius , Takeuchi, 1930, <i>Trans. Kansai entomol. Soc.</i> , 1 : 13 (specific name of the type species of <i>Viscaccia</i> Oken, 1816, <i>Lehrb. Naturgesch.</i> , 3 (Zool.) (2): 835 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Direction 24	available
<i>viscivorus</i> , Turdus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 168 (Aves). Op. 551	available
<i>vite</i> , Litosoma , Skrjabin & Shikhobalova, 1948, <i>Opredelitel' paraziticheskikh nematod, spiruraty i filiyareti</i> , Moscow: 227 (an unjustified emendation of Litomosa viteae Krepkogorskaya, 1933). Op. 1158	index
<i>viteae</i> , Litomosa , Krepkogorskaya, 1933, <i>Zool. Anzeiger</i> , 102 : 88 (ruled under the plenary power to be the correct original spelling) (Nematoda). Op. 1158	available
<i>vitei</i> , Litosoma , Sassuchin, Tiflow & Schulz, 1935, <i>Zeitschr. Parasitenk.</i> , 7 : 636 (an incorrect subsequent spelling for Litomosa viteae Krepkogorskaya, 1933). Op. 1158	index

<i>vitiensis</i> , <i>Halophila</i> , Girard, 1853, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 6 : 423 (specific name of the type species of <i>Cornufer</i> Tschudi, 1838) (Amphibia). Op. 1104	available
<i>vitiensis</i> , <i>Spherillo</i> , Dana, 1853, Isopoda in: <i>United States exploring expedition during the years 1838, 1839, 1840, 1841, 1842, under the command of Charles Wilkes, U.S.N.</i> , vol. 14 (Crustacea 2), p. 721, as defined by the neotype (catalogue no. 7635 in the Swedish Museum of Natural History, Stockholm) designated by Lehtinen, Taiti & Ferrara, 1998, <i>Bulletin of Zoological Nomenclature</i> , 55 : 218 (specific name of the type species of <i>Spherillo</i> Dana, 1852) (Isopoda). Op. 1951	available
<i>vitis</i> , <i>Pharalis</i> , Leach, 1827, in Risso, <i>Hist. nat. princip. Prod. Europ. mérid.</i> , 5 : 217 (a nomen nudum). Op. 646	index
<i>Vitrea</i> Fitzinger, 1833, <i>Beitr. Landesk. Oesterreich Enns</i> , 3 : 99 (gender: feminine) (type species, by monotypy: <i>Helix diaphana</i> Studer, 1820, in Meisner's <i>Naturw. Anz., Allg. Schweiz. Ges.</i> , 3 : 86 (also as separate with title: <i>Syst. Verz. schweiz. Conch.</i> : 13)) (Gastropoda). Op. 335	available
VITREINAE Thiele, 1931, <i>Handb. syst. Weichtierek.</i> , 2 : 587 (type genus: <i>Vitrea</i> Fitzinger, 1833) (Gastropoda). Direction 27	available
<i>Vitrella</i> Clessin, 1877, <i>Dtsch. Excurs. Moll. Fauna</i> : 321, 334 (a junior homonym of <i>Vitrella</i> Swainson, 1840). Op. 539	index
<i>Vitrella</i> Swainson, 1840, <i>Treatise Malac.</i> : 360 (a junior objective synonym of <i>Akera</i> Müller, 1776). Op. 539	index
<i>Vitria</i> Hall, 1867, <i>Ann. Rep. New York State Cab. nat. Hist.</i> , 20 : 42 (an incorrect subsequent spelling for <i>Vitrina</i> Draparnaud, [1801]). Direction 72	index
<i>Vitrina</i> Draparnaud, [1801], <i>Tabl. Moll. terrestre. fluviat. France</i> : 33, 98 (gender: feminine) (type species, by monotypy: <i>Helix pellucida</i> Müller, 1774, <i>Verm. terrestre. fluviat. Hist.</i> , 2 : 15) (Gastropoda). Op. 119, Direction 72	available
<i>Vitrinus</i> Montfort, 1810, <i>Conch. Syst. Class. méth. Coquilles</i> , 2 : 238 (an unjustified emendation of <i>Vitrina</i> Draparnaud, [1801]). Direction 72	index
<i>vitripennis</i> , <i>Perla</i> , Burmeister, 1839, <i>Handb. Entomol.</i> , 2 (2): ii, 850 (specific name of the type species of <i>Marthamea</i> Klapálek, 1907) (Insecta, Plecoptera). Op. 1276	available
<i>vittata</i> , <i>Biformalia</i> , Sjöstedt, 1920, <i>Arkiv för Zoologi</i> , 12 (20): 49 (Insecta, Orthoptera). Op. 1489	available
<i>vittata</i> , <i>Hippolysmata</i> , Stimpson, 1860, <i>Proc. Acad. nat. Sci. Philadelphia</i> , 1860 : 26 (specific name of the type species of <i>Hippolysmata</i> Stimpson, 1860) (Crustacea, Decapoda). Op. 470	available
<i>vittata</i> , <i>Zonitis</i> , Fabricius, 1801, <i>Systema Eleutherorum</i> , vol. 2, p. 24 (specific name of the type species of <i>Nemognatha</i> Illiger, 1807) (Insecta, Coleoptera). Op. 1918	available

<i>vittatus, Buthus</i> , Guérin-Méneville, [1838], in Lesson (Ed.), <i>Voyage autour du monde, exécuté par ordre du Roi, sur la corvette de sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825. Par L.I. Duperrey. Zoologie</i> , vol. 2, part 2.1, p. 50, ruled under the plenary power not to be invalid despite being a junior primary homonym of <i>Buthus vittatus</i> Say, 1821 (Arachnida, Scorpionida). Op. 1680	available
<i>vittatus, Buthus</i> , Say, 1821, <i>Journal of the Philadelphia Academy of Sciences</i> , 1 : 61, as defined by the neotype (the adult male specimen in the U.S. National Museum, Washington, D.C., labelled ‘ <i>Buthus vittatus</i> Say, 1821 NEOTYPE, Det. S.A. Stockwell’ from ‘Brackettville, Kinney Co., Texas, 21 May 1984 (S.A. Stockwell)’) designated under the plenary power (Arachnida, Scorpionida). Op. 1680	available
<i>vittatus, Chaetodon</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 40 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>vittatus, Sparus</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 42 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>vittipennis, Podisus</i> , Herrich-Schaeffer, 1851, in: <i>Die wanzenartigen Insecten</i> , vol. 9, part 6, p. 339 (specific name of the type species of <i>Podisus</i> Herrich-Schaeffer, 1851) (Insecta, Heteroptera). Op. 1755	available
<i>vitulina, Phoca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 38 (specific name of the type species of <i>Phoca</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>vitulus, Curculio</i> , Fabricius, 1775, <i>Systema Entomologiae</i> , p. 152 (senior synonym of <i>Curculio leprosus</i> Olivier, 1807, the specific name of the type species of <i>Psichocephalus</i> Latreille, 1828) (Insecta, Coleoptera). Op. 2085	available
<i>vivax, Haemamoeba</i> , Grassi & Feletti, May 1890, <i>Arch. Ital. Biol.</i> , 13 (2): 300 (Sporozoa). Op. 283	available
<i>Viverra</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 43 (gender: feminine) (type species, by designation by Sclater, 1900 (<i>Fauna S. Africa</i> , Mamm., 1 : 50); <i>Viverra zibetha</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 44) (Mammalia). Op. 384	available
<i>Viverravus</i> Marsh, 1872, <i>American Journal of Science</i> , (3) 4 : 127 (gender: masculine) (type species, by monotypy: <i>Viverravus gracilis</i> Marsh, 1872) (Mammalia, Carnivora). Op. 1517	available
<i>Viverricula</i> Hodgson, 1838, <i>Ann. nat. Hist.</i> , 1 (2): 152 (gender: feminine) (type species, by designation by Sclater, 1891 (<i>Cat. Mamm. Ind. Mus.</i> , 2 : 238); <i>Viverra indica</i> Desmarest, 1804, <i>Nouv. Dict. Hist. nat.</i> , 24 (Tab.): 17) (Mammalia). Op. 384	available
VIVERRIDAE Gray, 1821, <i>London med. Reposit.</i> , 15 : 301 (type genus: <i>Viverra</i> Linnaeus, 1758) (Mammalia). Direction 53	available
<i>viverrinus, Prototomus</i> , Cope, 1874, <i>Ann. Rep. Chief Engineers (U.S.)</i> , Appendix F F (Mammalia). Op. 1263	available
<i>Vivipara</i> Kobelt, 1906, <i>NachBl. deutsch. Malakozool. Ges.</i> , 38 : Inhalt [2] (an incorrect subsequent spelling for <i>Viviparus</i> Montfort, 1810). Op. 573	index

<i>Vivipara</i> Martini, 1767, [Kurze Abhandl. Conch.: 97] (a name not made available in the work cited, itself rejected for nomenclatural purposes). Op. 543	index
<i>Vivipara</i> Sowerby, 1813, Min. Conch., 1(6): 75 (an incorrect subsequent spelling for <i>Viviparus</i> Montfort, 1810). Op. 573	index
<i>vivipara</i> , <i>Helix</i> , Linnaeus, 1758, Systema Naturae, Ed. 10, vol. 1, p. 772, as interpreted under the plenary power by the lectotype designated by Watson, 1955 (Proc. malac. Soc. London, 31: 171) (specific name of the type species of <i>Viviparus</i> Montfort, 1810) (Gastropoda). Op. 573	available
<i>Viviparella</i> Rafinesque, 1815, Analyse Nature: 144 (an unjustified emendation of <i>Viviparus</i> Montfort, 1810). Op. 573	index
VIVIPARIDAE Gray, 1847, Proc. zool. Soc. London, 15(178): 155 (conserved under the plenary power) (type genus: <i>Viviparus</i> Montfort, 1810) (Gastropoda). Op. 573	available
<i>Viviparous</i> Collinge, 1891, Conchologist, 1: 31 (an incorrect subsequent spelling for <i>Viviparus</i> Montfort, 1810). Op. 573	index
<i>Viviparus</i> Montfort, 1810, Conch. syst. Class. méth. Coquilles, 2: 246 (gender: masculine) (type species, by original designation: <i>Helix vivipara</i> Linnaeus, 1758, Systema Naturae, Ed. 10, vol. 1, p. 772, as interpreted under the plenary power by the lectotype designated by Watson, 1955 (Proc. malac. Soc. London, 31: 171)) (Gastropoda). Op. 573	available
<i>v-luteum</i> , <i>Cimex</i> , Lichtenstein, 1796, Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta, p. 106, ruled under the plenary power to be available despite having been published in a suppressed work (Insecta, Heteroptera). Op. 1820	available
<i>voarula</i> , <i>Motacilla</i> , Linnaeus, 1776, Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.: 12 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>volans</i> , <i>Draco</i> , Linnaeus, 1758, Systema Naturae, Ed. 10, vol. 1, p. 199 (specific name of the type species of <i>Draco</i> Linnaeus, 1758) (Reptilia). Direction 57	available
<i>volans</i> , <i>Lemur</i> , Linnaeus, 1758, Systema Naturae, Ed. 10, vol. 1, p. 30 (specific name of the type species of <i>Cynocephalus</i> Boddaert, 1768) (Mammalia). Op. 1077	available
<i>volgense</i> , <i>Lathrobium</i> , Hochhuth, 1851, Bulletin de la Société Impériale des Naturalistes de Moscou, 24(2)(3): 42, ruled under the plenary power to be given precedence over the name <i>Lathrobium boreale</i> Hochhuth, 1851 whenever the two are considered to be synonyms and not to be given priority over <i>Lathrobium geminum</i> Kraatz, 1857 whenever the two are considered to be synonyms (Insecta, Coleoptera). Op. 2126	available
<i>Volsella</i> Modeer, 1793, K. Vetensk.-Akad. Nya Handl., Stockholm, 14: 179 (a junior homonym of <i>Volsella</i> Scopoli, 1777). Op. 325	index
<i>Volsella</i> Scopoli, 1777, Introd. Hist. nat.: 397 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 325	index

<i>volubilis</i> , <i>Sertularia</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 811 (specific name of the type species of <i>Campanularia</i> Lamarck, 1816) (Hydrozoa). Op. 1345	available
<i>Voluccella</i> Fabricius, 1794, <i>Entomol. syst.</i> , 4 : 412 (an incorrect subsequent spelling for <i>Volucella</i> Geoffroy, 1762). Op. 441	index
<i>Volucella</i> Bechstein, 1800, in Pennant, <i>Allg. Uebers. vierfüss. Thiere</i> , 2 : 352 (a junior homonym of <i>Volucella</i> Geoffroy, 1762). Op. 441	index
<i>Volucella</i> Geoffroy, 1762, <i>Hist. abrég. Ins. Paris</i> , 2 : 449, 540 (conserved under the plenary power) (gender: feminine) (type species, by designation under the plenary power: <i>Musca pellucens</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 595) (Insecta, Diptera). Op. 441	available
VOLUCELLIDAE (correction of VOLUCELLITES) Newman, 1834, <i>Entomol. Mag.</i> , 2 : 379, 394 (type genus: <i>Volucella</i> Geoffroy, 1762) (Insecta, Diptera). Op. 441	available
VOLUCELLITES Newman, 1834, <i>Entomol. Mag.</i> , 2 : 379, 394 (type genus: <i>Volucella</i> Geoffroy, 1762) (an incorrect original spelling for VOLUCELLIDAE Newman, 1834). Op. 441	index
<i>voluta</i> , <i>Bulla</i> , Gmelin, [1791], in Linnaeus, <i>Systema Naturae</i> , Ed. 13, vol. 1, part 6, p. 3433 (specific name of the type species of <i>Oleacina</i> [Röding], 1798) (Gastropoda). Direction 73	available
<i>volutata</i> , <i>Oleacina</i> , [Röding], 1798, <i>Mus. bolten.</i> (2): 110 (a junior objective synonym of <i>voluta</i> , <i>Bulla</i> , Gmelin, [1791]). Direction 72	index
<i>Volutigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Volvarigenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VIII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>Volverella</i> Bory de St Vincent, [1827], in: <i>Encyclopédie Méthodique. Histoire naturelle des Zoophytes, ou Animaux rayonnés</i> , p. 781 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Ciliophora, Suctoria). Op. 1778	index
<i>Volvicerasmus</i> Stoliczka, 1871, <i>Cret. Fauna S. India</i> , Pelecypoda: 394 (gender: masculine) (type species, by original designation: <i>Inoceramus involutus</i> Sowerby, 1828, <i>Min. Conch.</i> , 6 : 160) (Bivalvia). Op. 473	available
<i>volvoides</i> , <i>Cancer</i> , Houttuyn, [1787], <i>Anim. Mus. Houtt. Index</i> : 109 (included in a work suppressed under the plenary power for nomenclatural purposes). Op. 380	index
<i>Volvox</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 820 (gender: feminine) (type species, by designation by Apstein, 1915 (<i>SitzBer. Ges. naturf. Freunde Berlin</i> , 1915 : 122): <i>Volvox globator</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 820) (Mastigophora). Op. 75, Direction 76	available
<i>volvulans</i> , <i>Filaria</i> , Railliet, 1893, <i>Traité Zool. med. agricole</i> [ed. 2]: 522 (an incorrect subsequent spelling for <i>volvulus</i> (emendation of <i>volvulas</i>), <i>Filaria</i> , Leuckart, [1892]). Op. 509	index

<i>volvulas</i> , <i>Filaria</i> , Leuckart, [1892], in Manson, <i>Trans. Seventh [9th] int. Congr. Hyg. Demogr.</i> (London 1891), 1 (Sect. 1): 88 (an incorrect original spelling for <i>volvulus</i> , <i>Filaria</i> , Leuckart, [1892]). Op. 509	index available
<i>volvulus</i> (emendation under the plenary power of <i>volvulas</i>), <i>Filaria</i> , Leuckart, [1892], in Manson, <i>Trans. Seventh [9th] int. Congr. Hyg. Demogr.</i> (London 1891), 1 (Sect. 1): 88, the authorship of this name being determined under the plenary power (Nematoda). Op. 509	available
<i>volvulus</i> , <i>Musca</i> , Fabricius, 1794, <i>Entomologia systematica emendata et aucta ...</i> , vol. 4, p. 328 (specific name of the type species of <i>Phyllomya</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 1475	available
<i>volvulus</i> , <i>Filaria</i> , Manson, 1893, in Davidson, <i>Hygiene Diseases warm Climates</i> : 963 (an incorrect subsequent spelling for <i>volvulus</i> (emendation of <i>volvulas</i>), <i>Filaria</i> , Leuckart, [1892]). Op. 509	index available
<i>vomer</i> , <i>Zeus</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 266 (Osteichthyes). Op. 569	available
<i>vomitoria</i> , <i>Musca</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 595 (specific name of the type species of <i>Calliphora</i> Robineau-Desvoidy, 1830) (Insecta, Diptera). Op. 274	available
<i>Vormela</i> Blasius, 1884, <i>Ber. Naturf. Ges. Bamberg</i> , 13 : 9, 14 (gender: feminine) (type species, by original designation: <i>Mustela sarmatica</i> Pallas, 1771, <i>Reise russ. Reichs</i> , 1 : 453, valid name: <i>Mustela peregusna</i> Güldenstaedt, 1770) (Mammalia). Op. 384	available
<i>vortex</i> , <i>Helix</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 770 (Gastropoda). Op. 336	available
<i>vorticulus</i> , <i>Planorbis</i> , Troschel, 1834, <i>De Limnaeaceis</i> : 51 (Gastropoda). Op. 336	available
<i>vulgare</i> , <i>Octopus</i> , Cuvier, [1797], <i>Tabl. élém. Hist. nat. Anim.</i> : 380 (<i>Octopus vulgaris</i> [recte] Cuvier, [1797] recorded as the valid junior objective synonym of <i>Sepia octopus</i> Gmelin, [1791], the type species of <i>Octopus</i> Cuvier, [1797]) (Cephalopoda). Op. 233, Op. 1861	available
<i>vulgare</i> , <i>Orchelimum</i> , Harris, 1841, <i>Rep. Ins. Mass. injur. Veget.</i> : 130 (specific name, through the suppression of <i>Xiphidium glaberrimum</i> Burmeister, 1838, under the plenary power, of the type species of <i>Orchelimum</i> Audinet-Serville, 1838) (Insecta, Orthoptera). Op. 1148	available
<i>vulgare</i> , <i>Rhipidophyllum</i> , Sandberger, 1889, <i>Jahrb. nassau. Ver. Naturk.</i> , 42 : 100 (specific name of the type species of <i>Rhipidophyllum</i> Sandberger, 1889) (Anthozoa). Op. 223	available
<i>vulgaris</i> , <i>Arcella</i> , Ehrenberg, [1830], <i>Abh. K.-preuss. Akad. Wiss., Berlin</i> , 1830 : 40, pl. 1, fig. 6 (specific name of the type species of <i>Arcella</i> Ehrenberg, [1830]) (Rhizopoda). Direction 77	available

<i>vulgaris</i> , Armadillo , Latreille, 1804, <i>Histoire naturelle, générale et particulière des crustacés et des insectes</i> , vol. 7, p. 47 (senior subjective synonym of <i>Armadillidium commutatum</i> Brandt in Brandt & Ratzeburg, [1831], the type species of <i>Armadillidium</i> Brandt in Brandt & Ratzeburg, [1831]) (Isopoda). Op. 1897	available
<i>vulgaris</i> , Chromadora , Bastian, 1865, <i>Transactions of the Linnean Society of London</i> , 25 : 167 (specific name of the type species of <i>Euchromadora</i> de Man, 1886) (Nematoda). Op. 1815	available
<i>vulgaris</i> , Diaptomus , Schmeil, 1897, <i>Biblioth. zool.</i> , 21 : 168 (Crustacea, Copepoda). Op. 203	available
<i>vulgaris</i> , Eschara , Moll, 1803, <i>Eschara ex Zoophyt.</i> : 55, 56, pl. 3, figs. 10A, 10B [nec figs. 11A-C], as interpreted by the lectotype designated by Brown, 1952 (<i>Tert. Cheiostomatous Polyzoa New Zealand</i> : 228) (specific name of the type species of <i>Escharina</i> Milne Edwards, 1836) (Bryozoa). Op. 458	available
<i>vulgaris</i> , Homarus , Milne Edwards, 1837, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 2 : 334 (a junior objective synonym of <i>gammarus</i> , Cancer , Linnaeus, 1758). Direction 51	index
<i>vulgaris</i> , Loligo , Lamarck, 1798, <i>Bulletin des Sciences, par la Société Philomathique de Paris</i> , 17 : 130 (specific name of the type species of <i>Loligo</i> Lamarck, 1798) (Cephalopoda, Coleoidea). Op. 1861	available
<i>vulgaris</i> , Lynx , Kerr, 1792, <i>Anim. Kingd.</i> : 157 (a junior objective synonym of <i>lynx</i> , Felis , Linnaeus, 1758). Direction 22	index
<i>vulgaris</i> , Palinurus , Latreille, [1802], in Sonnini's Buffon, <i>Hist. nat. gén. partic. Crust. Ins.</i> , 6 : 191 (a junior objective synonym of <i>homarus</i> , Cancer , Linnaeus, 1758). Op. 519	index
<i>vulgaris</i> , Palinurus , Latreille, 1804, <i>Ann. Mus. Hist. nat.</i> , Paris, 3 : 391 (a junior objective synonym of <i>elephas</i> , Astacus , Fabricius, 1787, and a junior homonym of <i>vulgaris</i> , <i>Palinurus</i> , Latreille, [1802]). Op. 519	index
<i>vulgaris</i> , Scapula , Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 2 : 174 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>vulgaris</i> , Sciurus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 63 (specific name of the type species of <i>Sciurus</i> Linnaeus, 1758) (Mammalia). Direction 22	available
<i>vulgaris</i> , Sturnus , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 167 (specific name of the type species of <i>Sturnus</i> Linnaeus, 1758) (Aves). Direction 43	available
<i>Vulpes</i> Frisch, 1775, <i>Das Natur-System der vierfüßigen Thiere</i> : 15 (gender: feminine) (type species, by designation under the plenary power: <i>Canis vulpes</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 40) (Mammalia). Op. 1129	available
<i>Vulpes</i> Skjöldebrand, 1777, <i>K. Svensk. Vetensk. Akad. Handl.</i> , 38 : 265-267 (a junior homonym of <i>Vulpes</i> Frisch, 1775). Op. 1129	index
<i>vulpes</i> , Canis , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 40 (specific name of the type species of <i>Vulpes</i> Frisch, 1775) (Mammalia). Op. 1129	available

<i>vulpinus</i> , <i>Cynodon</i> , Cuvier, 1829, <i>Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée</i> , Ed. 2, vol. 2, p. 312 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy) (Osteichthyes). Op. 2012	index
<i>vulpinus</i> , <i>Rhaphiodon</i> , Spix & Agassiz, 1829, <i>Selecta genera et species piscium quos in itinere per Brasiliam ... Collegit et pingendos curavit Dr. J.B. de Spix ... Digessit, descripsit et observationibus anatomicis illustravit Dr. L. Agassiz</i> , p. 76 (specific name of the type species of <i>Rhaphiodon</i> Agassiz in Spix & Agassiz, 1829) (Osteichthyes). Op. 2012	available
<i>Vulsella</i> [Humphrey], 1797, <i>Mus. Calonn.</i> : 44 (included in a work rejected for nomenclatural purposes). Op. 325	index
<i>Vulsella</i> [Röding], 1798, <i>Mus. bolten.</i> (2): 156 (gender: feminine) (type species, by absolute tautonomy: <i>Mya vulsellula</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 671) (Bivalvia). Op. 325	available
<i>Vulsella</i> Lamarck, 1799, <i>Mém. Soc. Hist. nat. Paris</i> , 1799 : 82 (a junior homonym of <i>Vulsella</i> [Röding], 1798). Op. 325	index
<i>vulsella</i> , <i>Mya</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 671 (specific name of the type species of <i>Vulsella</i> [Röding], 1798) (Bivalvia). Op. 325	available
<i>Vulselligenus</i> [Renier], [1807], [<i>Tav. serv. Class. Conn. Anim.</i>]: Tav. VII (included in a work rejected for nomenclatural purposes). Op. 427	index
<i>vulturina</i> , <i>Numida</i> , Hardwicke, 1834, <i>Proc. zool. Soc. London</i> , 2 (1834): 52 (specific name of the type species of <i>Acryllium</i> Gray, 1840) (Aves). Direction 43	available
<i>vulvarius</i> , <i>Hysterolithes</i> , Schlotheim, 1820, <i>Die Petrefactenk.</i> : 247 (Brachiopoda). Op. 925	available
<i>Waagenoconcha</i> Chao, 1927, <i>China Geological Survey, Palaeontology Sinica</i> , (B) 5 (2): 85 (gender: feminine) (type species, by original designation: <i>Productus humboldti</i> d'Orbigny, 1842) (Brachiopoda). Op. 1928	available
<i>wagneri</i> , <i>Solenopsis saevissima</i> , Santschi, 1916, <i>Physis</i> (Buenos Aires), 2 : 380 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Insecta, Hymenoptera). Op. 1976	index
<i>wahlbergi</i> , <i>Emesa</i> , Stål, 1855, <i>Öfvers. k. Vetenskaps Akad. Handl.</i> , 12 : 45 (specific name of the type species of <i>Orthunga</i> Dohrn, 1859) (Insecta, Hemiptera). Op. 1260	available
<i>wahlenbergii</i> , <i>Cryptonymus</i> , Eichwald, 1825, <i>Geogn.-zool. Ingriam Mar. balt. Prov. Trilob. Observ.</i> : 50 (Trilobita). Op. 508	available
<i>wallacei</i> , <i>Paradisaea</i> (<i>Semeioptera</i>), Gray, 1859, <i>Literary Gazette</i> , (n.s.) 39 : 406, ruled under the plenary power to be an incorrect original spelling of <i>wallacii</i> (Aves, Paradisaeidae). Op. 1606	index

<i>wallacii</i> , <i>Paradisaea (Semioptera)</i> , Gray, 1859, <i>Literary Gazette</i> (new series), 39 : 406, ruled under the plenary power to be a correct spelling despite its publication as <i>Wallacei</i> (specific name of the type species of <i>Semioptera</i> Gray, 1859) (Aves, Paradisaeidae). Op. 1606	available
<i>wallengreni</i> , <i>Apatania</i> , McLachlan, 1871, <i>Entomol. mon. Mag.</i> , 7 : 281 (specific name of the type species of <i>Apatania</i> Kolenati, 1847) (Insecta, Trichoptera). Op. 586	available
<i>wallicus</i> , <i>Psittacus</i> , Kerr, 1792, <i>Anim. Kingd.</i> : 581 (valid name at the date of Direction 43 of the type species of <i>Pezoporus</i> Illiger, 1811) (Aves). Direction 43	available
<i>Weberides</i> Reed, 1942, <i>Ann. Mag. nat. Hist.</i> , (11) 9 : 653 (gender: masculine) (type species, by original designation: <i>Phillipsia mucronata</i> McCoy, 1844, <i>Syn. Char. Carb. Limest. Foss. Ireland</i> : 162, pl. iv, fig. 8) (Trilobita). Op. 352	available
<i>websteri</i> , <i>Polydora</i> , Hartman in Loosanoff & Engle, 1943, <i>Biological Bulletin</i> , 85 : 70, as defined by the lectotype (specimen LACM-AHF POLY 1628 collected in the mouth of Milford River, Long Island Sound, Connecticut, by J.B. Engle in 1943 and kept in the Allan Hancock Foundation Polychaete Collection, Los Angeles County Museum of Natural History, described by Radashevsky, 1999, <i>Ophelia</i> , 51 (2): 107-113) designated under the plenary power, ruled under the plenary power to be treated as the specific name of a then new nominal species and not as a substitute name for <i>Polydora caeca</i> Webster, 1879 (Polychaeta). Op. 1974	available
<i>weeksii</i> , <i>Ctenopoma</i> , Boulenger, 1896, <i>Annals and Magazine of Natural History</i> , (6) 17 : 310 (confirmed by the Commission that the Principle of Priority is to be applied to the specific name of this nominal species) (Osteichthyes, Perciformes). Op. 1562	available
<i>wenckeri</i> , <i>Thinobius</i> , Fauvel, 1863, <i>Catalogue des Coléoptères de France et matériaux pour servir à la faune des Coléoptères français</i> , p. 41 (a nomen oblitum) (Insecta, Coleoptera). Op. 2129	index
<i>wesleyi</i> , <i>Endodonta (Pterodiscus)</i> , Sykes, 1896, <i>Proceedings of the Malacological Society of London</i> , 2 (3): 127 (specific name of the type species of <i>Tropidoptera</i> Ancey, 1889) (Gastropoda). Op. 1845	available
<i>Westenoceras</i> Foerste, 1924, <i>Denison Univ. Bull. Sci. Lab. J.</i> , 20 : 196, 253, 254 (ruled under the plenary power to be an incorrect original spelling for <i>Westonoceras</i> Foerste, 1924). Op. 593	index
<i>Westonoceras</i> (emendation under the plenary power of <i>Westenoceras</i>) Foerste, 1924, <i>Denison Univ. Bull. Sci. Lab. J.</i> , 20 : 196, 253, 254 (gender: neuter) (type species, by original designation: <i>Cyrtoceras manitobense</i> Whiteaves, 1890, <i>Proc. Trans. roy. Soc. Canada</i> , 7 (4): 80) (Cephalopoda). Op. 593	available
WESTONOCERATIDAE Teichert, 1933, <i>Palaeontographica</i> , 78 , Abt. A: 216 (type genus: <i>Westonoceras</i> Foerste, 1924) (Cephalopoda). Op. 593	available
<i>whitei</i> , <i>Geophilus</i> , Newport, 1845, <i>Transactions of the Linnean Society of London</i> , 19 (9): 436 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Chilopoda). Op. 2071	index
<i>whitei</i> , <i>Prodotiscus</i> , Grant, 1956, <i>Ann. Mag. nat. Hist.</i> , (12) 9 : 366 (a junior primary homonym of <i>whitei</i> , <i>Prodotiscus</i> , Horniman, 1940). Op. 480	index

<i>whitei</i> , <i>Prodotiscus</i> , Horniman, 1940, <i>Prelim. Descr. New Birds</i> : 1 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 480	index
<i>whitfieldi</i> , <i>Lingulops</i> , Hall, 1872, <i>23rd Report State Cabinet Nat. Hist. Palaeontology New York</i> : expl. pl. 13, figs. 1, 2 (specific name of the type species of <i>Lingulops</i> Hall, 1872) (Brachiopoda). Op. 1151	available
<i>wiedii</i> , <i>Poecilma</i> , Germar, 1824, <i>Insectorum, species novae aut minus cognitae, descriptionibus illustratae</i> , vol. 1, Coleoptera, p. 259 (specific name of the type species of <i>Zygops</i> Schönherr, 1825) (Insecta, Coleoptera). Op. 1450	available
<i>wilkinsoni</i> , <i>Podacanthus</i> , Macleay, 1881, <i>Proc. linn. Soc. N.S. Wales</i> , 6 : 538, as interpreted by the lectotype designated by Key, 1960 (<i>Bull. zool. Nomencl.</i> , 17 : 235) (Insecta, Phasmida). Op. 641	available
<i>Willemoesia</i> Grote, 1873, <i>Nature</i> , London, 8 : 485 (gender: feminine) (type species, by monotypy through the replaced name <i>Deidamia</i> von Willemoes-Suhm, 1873: <i>Deidamia leptodactyla</i> von Willemoes-Suhm, 1873, in Thomson, <i>Nature</i> , London, 8 : 51) (Crustacea, Decapoda). Op. 519	available
<i>Williamia</i> Monterosato, 1884, <i>Nomenclatura generica e specifica di alcune Conchiglie mediterranee</i> , p. 150 (gender: feminine) (type species, by monotypy: <i>Ancylus gussoni</i> Costa, 1829) (Gastropoda). Op. 1410	available
<i>wilsoni</i> , <i>Terebratula</i> , Sowerby, 1816, <i>Min. Conch.</i> , 2 : 38, pl. 118, fig. 3 (Brachiopoda). Op. 925	available
<i>wite</i> , <i>Litomosa</i> , Krepkogorskaya, 1933, <i>Zool. Anzeiger</i> , 102 : 88 (the original spelling suppressed under the plenary power). Op. 1158	index
<i>witei</i> , <i>Litosoma</i> , McIntosh & McIntosh, 1935, <i>Proc. helminthol. Soc. Washington</i> , 2 : 62 (an unjustified emendation of <i>Litomosa viteae</i> Krepkogorskaya, 1933). Op. 1158	index
<i>Woehrmannia</i> Boehm, 1895, <i>Palaeontographica</i> , 42 : 227 (gender: feminine) (type species, by designation under the plenary power: <i>Woehrmannia boehmi</i> Kittl, 1899, <i>Ann. Naturh. Hofmus. Wien</i> , 14 : 19) (Gastropoda). Op. 639	available
<i>wollastonii</i> , <i>Mymar</i> , Westwood, 1879, <i>Trans. linn. Soc. London</i> , (2) 1 : 585 (specific name of the type species of <i>Mymarilla</i> Westwood, 1879) (Insecta, Hymenoptera). Op. 729	available
<i>woodi</i> , <i>Ixodes angustus</i> , Bishopp, 1911, <i>Proceedings of the Biological Society of Washington</i> , 24 : 205 (Arachnida, Acari). Op. 1624	available
<i>woodwardi</i> , <i>Funchalia</i> , Johnson, 1868, <i>Proc. zool. Soc. London</i> , 1867 : 895 (specific name of the type species of <i>Funchalia</i> Johnson, 1868) (Crustacea, Decapoda). Op. 864	available
<i>woollgari</i> , <i>Ammonites</i> , Mantell, 1822, <i>Fossils of the South Downs</i> : 141, 197 (specific name of the type species of <i>Collignoniceras</i> Breistroffer, 1947) (Cephalopoda). Op. 861	available
<i>woosteri</i> , <i>Euthyris</i> , MacGillivray, 1891, <i>Proc. roy. Soc. Victoria</i> , n.s., 3 : 77 (specific name of the type species of <i>Neoeuthyris</i> Bretnall, 1921) (Bryozoa). Op. 617	available

<i>wordiei</i> , <i>Prohysteroferas</i> , Spath, 1922, <i>Trans. r. Soc. Edinburgh</i> , 53 : 143 (specific name of the type species of <i>Prohysteroferas</i> Spath, 1921) (Cephalopoda). Op. 1254	available
<i>wrighti</i> , <i>Bulinus reticulatus</i> , Mandahl-Barth, 1965, <i>Bulletin of the World Health Organisation</i> , 33 (1): 41, ruled under the plenary power to be not invalid by reason of being a junior primary homonym of <i>Bulinus wrightii</i> Sowerby, 1853 (Gastropoda). Op. 1973	available
<i>wrightii</i> , <i>Bulinus</i> , Sowerby, 1853, <i>Description of a new Bulinus</i> . 1853. <i>Bulinus wrightii</i> ; G.B. Sowerby, Sen. [Pamphlet] (Gastropoda). Op. 1973	available
<i>wrightii</i> , <i>Eudendrium</i> , Hartlaub, 1905, <i>Zoologische Jahrbücher</i> , Supplement 6, 3 : 547 (a junior objective synonym of <i>Eudendrium arbuscula</i> Wright, 1859) (Hydrozoa). Op. 1956	index
<i>wrzesniowskii</i> , <i>Euryrhynchus</i> , Miers, [1878], <i>Proc. zool. Soc. London</i> , 1877 : 662 (specific name of the type species of <i>Euryrhynchus</i> Miers, [1878]) (Crustacea, Decapoda). Op. 518	available
<i>wyomingensis</i> , <i>Troodon</i> , Gilmore, 1931, <i>Proceedings of the U.S. National Museum</i> , 79 (9): 1 (senior subjective synonym of the specific name of <i>Pachycephalosaurus grangeri</i> Brown & Schlaikjer, 1943, the type species of <i>Pachycephalosaurus</i> Brown & Schlaikjer, 1943) (Reptilia, Dinosauria). Op. 1371	available
<i>wyvillei</i> (correction of <i>wyvillii</i>), <i>Metacrinus</i> , Carpenter, 1884, <i>Rep. Voy. 'Challenger'</i> (Zool.), 11 (32): 358 (specific name of the type species of <i>Metacrinus</i> Carpenter, 1882) (Crinoidea). Direction 73	available
<i>Xaiva</i> MacLeay, 1838, in Smith's <i>Illustr. Zool. S. Afr.</i> (Invert.): 62 (gender: feminine) (type species, by monotypy: <i>Xaiva pulchella</i> MacLeay, 1838, in Smith's <i>Illustr. Zool. S. Afr.</i> (Invert.): 62, valid name: <i>Portunus biguttatus</i> Risso, 1816) (Crustacea, Decapoda). Op. 712	available
XANCIDAE Woodring, 1928, <i>Publ. Carnegie Inst. Washington</i> , No. 385 : 250-252 (type genus: <i>Xancus</i> [Röding], 1798) (invalid (i) because the name of the type genus has been suppressed under the plenary power and (ii) because it is a junior objective synonym of TURBINELLIDAE Swainson, 1840). Op. 489	index
<i>Xancus</i> [Röding], 1798, <i>Mus. bolten.</i> , 2 : 134 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 489	index
<i>Xanthasia</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 176 (gender: feminine) (type species, by monotypy: <i>Xanthasia murihera</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 177) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Xanthia</i> Fairmaire, 1893, <i>Ann. Soc. entomol. France</i> , 62 : 31 (a junior homonym of <i>Xanthia</i> Ochsenheimer, 1816). Op. 789	index
<i>Xanthia</i> Hübner, 1808, <i>Erste Zutr. Samml. exot. Schmett.</i> : 4 (included in a work rejected for nomenclatural purposes). Op. 789	index
XANTHIDAE MacLeay, 1838, in Smith, <i>Illustrations Zoology South Africa</i> (Invertebratae): 59 (type genus: <i>Xantho</i> [Leach, 1814]) (Crustacea, Decapoda). Op. 423	available

<i>Xantho</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 430 (gender: masculine) (type species, by monotypy: <i>Cancer incisus</i> [Leach, 1814], in Brewster's <i>Edinburgh Ency.</i> , 7 (2): 391) (Crustacea, Decapoda). Op. 423	available
<i>Xantho</i> Dutrochet, 1819, <i>Bull. Sci. Soc. philomat. Paris</i> , 1819 : 155 (a junior homonym of <i>Xantho</i> [Leach, 1814]). Op. 423	index
<i>Xanthocastnia</i> Houlbert, 1918, in Oberthür, <i>Etudes Lépidopt. comp.</i> , 15 : 257 (gender: feminine) (type species, by original designation: <i>Papilio evalthe</i> Fabricius, 1775, <i>Syst. Entomol.</i> : 480) (Insecta, Lepidoptera). Op. 620	available
<i>Xanthodius</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 52 (gender: masculine) (type species, by monotypy: <i>Xanthodius sternberghii</i> Stimpson, 1859, <i>Ann. Lyceum nat. Hist. New York</i> , 7 : 52) (Crustacea, Decapoda). Op. 85, Direction 37	available
XANTHOLININI Erichson, 1839, <i>Genera et species staphylinorum insectorum coleopterorum familiae</i> , part 1, p. 28 (type genus: <i>Xantholinus</i> Dejean, 1821), ruled under the plenary power that this name and other family-group names based on <i>Xantholinus</i> are to be given precedence over AGRODINI Nordmann, 1837 and GYROHYPNINI Kirby, 1837 and other family-group names based on <i>Agrodes</i> Nordmann, 1837 and <i>Gyrohypnus</i> Samouelle, 1819 whenever their type genera are placed in the same family-group taxon (Insecta, Coleoptera). Op. 1851	available
<i>Xantholinus</i> Dejean, 1821, ex Dahl, <i>Cat. coll. coleopt. Dejean</i> : 23 (gender: masculine) (type species, by designation under the plenary power: <i>Staphylinus linearis</i> Olivier, 1794, <i>Entomologie, hist. nat. Ins.</i> , 3 (42): 19, pl. 4, fig. 38) (Insecta, Coleoptera). Op. 1250	available
<i>Xanthus</i> Agassiz, 1843, <i>Nomencl. Zool.</i> (Crust.): 28 (an unjustified emendation of <i>Xantho</i> [Leach, 1814]). Op. 423	index
<i>xanthus</i> , <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, p. 751 (an incorrect original spelling for <i>xuthus</i> , <i>Papilio</i> , Linnaeus, 1767). Op. 286	index
<i>Xenocrepis</i> Foerster, 1856, <i>Hym. Stud. Aachen</i> (2): 64 (gender: feminine) (type species, by designation under the plenary power: <i>Xenocrepis pura</i> Mayr, 1904, <i>Verh. zool.-bot. Ges. Wien</i> , 54 , Heft 8, 9: 584, valid name: <i>Pteromalus morys</i> Walker, 1848) (Insecta, Hymenoptera). Op. 1297	available
<i>Xenogale</i> Allen, 1919, <i>J. Mamm.</i> , 1 : 27 (gender: feminine) (type species, by original designation: <i>Xenogale microdon</i> Allen, 1919, <i>J. Mamm.</i> , 1 : 27) (Mammalia). Op. 384	available
<i>Xenophora</i> Fischer von Waldheim, 1807, <i>Museum-Demidoff</i> , 3 : 213 (conserved under the plenary power) (gender: feminine) (type species, by designation by Harris, 1897 (<i>Cat. Tertiary Moll. B.M.(N.H.)</i> , part 1, <i>The Australasian Tertiary Mollusca</i> : 253): <i>Xenophora laevigata</i> Fischer von Waldheim, 1807, <i>Museum- Demidoff</i> , 3 : 213, valid name: <i>Trochus conchyliophorus</i> Born, 1780) (Gastropoda). Op. 715	available
XENOPHORIDAE Philippi, 1853, <i>Handb. Conchyliol. Malacozool.</i> , 1853 : 185 (type genus: <i>Xenophora</i> Fischer von Waldheim, 1807) (Gastropoda). Op. 715	available

<i>Xenophthalmodes</i> Richters, 1880, <i>in Moebius, Beitr. Meeresf. Insel Mauritius Seychellen</i> (3) Decap.: 155 (gender: masculine) (type species, through Article 68b(i): <i>Xenophthalmodes moebii</i> Richters, 1880, <i>in Moebius, Beitr. Meeresf. Insel Mauritius Seychellen</i> (3) Decap.: 155) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Xenophthalmus</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 177 (gender: masculine) (type species, by monotypy: <i>Xenophthalmus pinnotheroides</i> White, 1846, <i>Ann. Mag. nat. Hist.</i> , 18 : 178) (Crustacea, Decapoda). Op. 85, Direction 37	available
<i>Xenostegium</i> Walcott, 1924, <i>Smithson. misc. Coll.</i> , 75 (2): 60, pl. 13, fig. 5 (gender: neuter) (type species, by designation under the plenary power: <i>Megalaspis belemnurus</i> White, 1874, U.S. Army, <i>Geogr. Geol. Expl. Surv. W. 100th Meridian, Prelim. Rep. Invert. Foss.</i> : 11) (Trilobita). Op. 672	available
<i>Xerambobates</i> Popov, 1951, <i>Trudy Zoologicheskogo Instituta</i> , 9 (3): 904 (gender: masculine) (type species, by designation under the plenary power: <i>Ammobates oxianus</i> Popov, 1951) (Insecta, Hymenoptera). Op. 1853	available
<i>Xeromunda</i> Monterosato, 1892, <i>Atti della Reale Accademia di Scienze, Lettere e Belle Arti di Palermo</i> , (3) 2 : 25 (gender: feminine) (type species, by designation under the plenary power: <i>Helix candiota</i> Pfeiffer, 1849) (Gastropoda). Op. 1719	available
<i>Xerophila</i> Held, 1837, <i>Isis</i> (Oken), 1837 : 913 (a junior objective synonym of <i>Theba</i> Risso, 1826). Op. 431	index
XEROPHILIDAE Mörch, 1864, <i>Videnskabelige Meddelelser fra den Naturhistorisk Forening i Kjøbenhavn</i> , 17–22 (1863): 281 (based on <i>Xerophila</i> Held, 1837, a generic name placed on the Official Index in Opinion 431) (Gastropoda). Op. 2135	index
<i>Xilocopa</i> Latreille, 1802, <i>Hist. nat. Fourmis</i> : 432 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 743	index
<i>Xiphias</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 248 (gender: masculine) (type species, by monotypy: <i>Xiphias gladius</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 248) (Osteichthyes). Op. 75 <i>Xiphisura</i> Brünnich, 1771, <i>Zool. Fund.</i> : 184 (an incorrect original spelling for <i>Xiphosura</i> Brünnich, 1771). Op. 320	available
<i>Xiphiurus</i> Smith, 1847, <i>Illustrations of the Zoology of South Africa</i> , Pisces, pl. xxxi (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1200	index
<i>Xiphocaridina</i> Bouvier, 1909, <i>C.R. Acad. Sci., Paris</i> , 148 : 1729 (a junior objective synonym of <i>Paratyia</i> Miers, 1882). Op. 470	index
<i>Xiphocaris</i> von Martens, 1872, <i>Arch. Naturgesch.</i> , 38 (1): 139 (gender: feminine) (type species, by monotypy: <i>Hippolyte elongatus</i> Guérin-Méneville, 1856, <i>in Sagra, Hist. Cuba, Hist. nat.</i> , 7 : xx) (Crustacea, Decapoda). Op. 470	available
<i>Xiphopenaeus</i> (emendation under the plenary power of <i>Xiphopeneus</i>) Smith, 1869, <i>Trans. Connect. Acad. Arts Sci.</i> , 2 : 27 (gender: masculine) (type species, by monotypy: <i>Xiphopeneus harttii</i> Smith, 1869, <i>Trans. Connect. Acad. Arts Sci.</i> , 2 : 27, valid name: <i>Penaeus kroyeri</i> Heller, 1862) (Crustacea, Decapoda). Op. 864	available

<i>Xiphopeneus</i> Smith, 1869, <i>Trans. Connect. Acad. Arts Sci.</i> , 2 : 27 (ruled under the plenary power to be an incorrect original spelling for <i>Xiphopenaeus</i> Smith, 1869). Op. 864	index
<i>Xiphosura</i> Brünnich, 1771, <i>Zool. Fund.</i> : 208 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 320	index
<i>Xiphosura</i> Gronovius, 1764, <i>Zoophylac. gronov.</i> , 2 : 220 (included in a work rejected for nomenclatural purposes). Op. 320	index
<i>Xiphosura</i> Meuschen, 1778, <i>Mus. gronov.</i> : 83 (included in a work rejected for nomenclatural purposes). Op. 320	index
<i>Xiphosura</i> Scopoli, 1777, <i>Introd. Hist. nat.</i> : 405 (a junior homonym of <i>Xiphosura</i> Brünnich, 1771). Op. 320	index
<i>xuthus</i> (emendation of <i>xanthus</i>), <i>Papilio</i> , Linnaeus, 1767, <i>Systema Naturae</i> , Ed. 12, vol. 1, part 2, <i>Corrigenda</i> (ref. to <i>Papilio xanthus</i> on page 751) (Insecta, Lepidoptera). Op. 286	available
<i>Xyleborus</i> Bowdich, 1825, <i>Excursions in Madeira & Porto Santo</i> 1823: xii, 149, figs. 35a-d (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 848	index
<i>Xyleborus</i> Eichhoff, 1864, <i>Berlin entomol. Z.</i> , 8 : 37 (gender: masculine) (type species, by designation by Lacordaire, 1866 (<i>Gen. Coléopt.</i> , 7 : 381)): <i>Bostrichus monographus</i> Fabricius, 1792, <i>Entomol. Syst.</i> , 1 : 365) (Insecta, Coleoptera). Op. 848	available
<i>Xyletinus</i> Latreille, 1809, <i>Gen. Crust. Ins.</i> , 4 : 376 (gender: masculine) (type species, by designation under the plenary power: <i>Ptilinus ater</i> Creutzer, 1796, <i>in Panzer, Ins. Germ.</i> , heft 35, tab. 9) (Insecta, Coleoptera). Op. 966	available
<i>Xylocopa</i> Latreille, [1802], <i>in Sonnini's Buffon, Hist. nat. gén. partic. Crust. Ins.</i> , 3 : 379 (gender: feminine) (type species, by designation by Westwood, 1840 (<i>Introd. mod. Classific. Ins., Gen. Synopsis</i> : 86)): <i>Apis violacea</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 578) (Insecta, Hymenoptera). Op. 743	available
XYLOCOPIDAE (correction of 'Des Xylocopites') Latreille, 1802, <i>Hist. nat. Ins., Hyménopt.</i> , 2 : 147 (type genus: <i>Xylocopa</i> Latreille, [1802]), ruled under the plenary power that this and other family-group names based on <i>Xylocopa</i> Latreille, [1802] are not to be given priority over ANTHOPHORIDAE Dahlbom, 1835 and other family-group names based on <i>Anthophora</i> Latreille, 1803 whenever their type genera are placed in the same family-group taxon (Insecta, Hymenoptera). Op. 743, Op. 1713	available
<i>xylophagorum</i> , <i>Pachyceras</i> , Ratzeburg, 1844, <i>Die Ichneumonen</i> , 1 : 218 (specific name of the type species of <i>Roptrocerus</i> Ratzeburg, 1848) (Cephalopoda). Op. 437	available
<i>xylostella</i> , <i>Phalaena (Tinea)</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 538 (Insecta, Lepidoptera). Op. 1002	available
<i>Xylosteon</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 64 (included in a work rejected for nomenclatural purposes). Op. 592	index

<i>Xylota</i> Meigen, 1822, <i>Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten</i> , vol. 3, p. 211 (gender: feminine) (type species, by monotypy of the replaced nominal genus <i>Helophilus</i> Meigen, 1803: <i>Musca sylvarum</i> Linnaeus, 1758) (Insecta, Diptera). Op. 1747	available
<i>Xymene</i> Iredale, 1915, <i>Trans. N.Z. Inst.</i> , 47 : 471 (gender: masculine) (type species, by original designation: <i>Trophon plebejus</i> Hutton, 1873, <i>Cat. marine Moll. N.Z.</i> : 9) (Gastropoda). Op. 911	available
<i>xyphothyreus</i> , <i>Gryllus (Bulla)</i> , Schrank, 1781, <i>Enum. Ins. Austr.</i> : 243, No. 462 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1103	index
<i>Xyrichtys</i> Cuvier, 1814, <i>Bulletin des Sciences, par la Société Philomathique de Paris</i> , 1814 : 87 (gender: masculine) (type species, by subsequent designation by Jordan & Gilbert, 1883, <i>Bulletin of the United States National Museum</i> , 16 : 605: <i>Coryphaena novacula</i> Linnaeus, 1758) (Osteichthyes, Perciformes). Op. 1799	available
<i>Yakovlevia</i> Fredericks, 1925, <i>Rec. geol. Comm. Russian Far East</i> , 40 : 7 (gender: feminine) (type species, by monotypy: <i>Yakovlevia kaluzinensis</i> Fredericks, 1925, <i>Rec. geol. Comm. Russian Far East</i> , 40 : 7) (Brachiopoda). Op. 368	available
<i>Yakovlevia</i> Vologdin, 1931, <i>Archaeocyathinae Siber.</i> , 1 : 36 (a junior homonym of <i>Yakovlevia</i> Fredericks, 1925). Op. 368	index
<i>yampiensis</i> , <i>Ctenotus decaneurus</i> , Storr, 1975, <i>Records of The Western Australian Museum</i> , 3 : 235, as defined by the neotype (specimen labelled as 'type of <i>Ctenotus yampiensis</i> ' from Wotjulum, West Kimberley, Western Australia in the Western Australian Museum, registration number R11741) designated under the plenary power (Reptilia). Op. 2090	available
<i>yeltonensis</i> , <i>Alauda</i> , Forster, 1767, <i>Phil. Trans. roy. Soc.</i> , 57 (2): 350 (Aves). Op. 403	available
<i>Yerbua</i> Forster, 1778, <i>K. Svensk. Vetensk.-Akad. Handl.</i> , 39 : 111 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 730	index
<i>Yetus</i> Bertrand, 1763, <i>Dict. Univ. Foss. Propres Foss. Accid.</i> , 1 : 143 (included in a work rejected for nomenclatural purposes). Op. 592	index
<i>Yoldia</i> Möller, 1842, <i>Index Moll. Groenl.</i> : 18 (gender: feminine) (type species, by designation under the plenary power: <i>Yoldia hyperborea</i> Torell, 1859, <i>Bidrag till Spitsbergens molluskfauna</i> : 145-152) (Bivalvia). Op. 769	available
<i>Yoldiella</i> Verrill & Bush, 1897, <i>Amer. J. Sci.</i> , 3 : 55 (gender: feminine) (type species, by original designation: <i>Yoldia lucida</i> Lovén, 1846, <i>Öfvers. k. Vetenskaps Akad. Förh.</i> , 3 (6): 188) (Bivalvia). Op. 1306	available
<i>Yphima</i> Hübner, 1818, <i>Zutr. z. Samml. exot. Schmett.</i> , 1 : 17 (gender: feminine) (type species, by designation under the plenary power: <i>Yphima huebneri</i> Kirby, 1871, <i>Syn. Cat. diurn. Lep.</i> : 95) (Insecta, Lepidoptera). Op. 819	available

<i>yuccae</i> , <i>Eudamus</i> ?, Boisduval & Leconte, [1837], <i>Hist. gén. Icon. Lépid. Chen. Amér. sept.</i> , 1: pl. 70, 6 figs. [no text] (specific name of the type species of <i>Megathymus</i> Scudder, 1872) (Insecta, Lepidoptera). Op. 483	available
ZALASIIINAE Serène, 1968, UNESCO Special Publication, Singapore, 1 (Fauna 3, Cc3), p. 62 (based on <i>Zalasius</i> Rathbun, 1897, an unnecessary substitute name for <i>Trichia</i> De Haan, 1839) (Brachyura). Op. 2079	index
<i>Zalasius</i> Rathbun, 1897, <i>Proceedings of the Biological Society of Washington</i> , 11: 166 (an unnecessary substitute name for <i>Trichia</i> De Haan, 1839) (Brachyura). Op. 2079	index
<i>zaleucus</i> , <i>Astacus</i> , Thomson, 1873, <i>Nature</i> , London, 8: 246, 247 (specific name of the type species of <i>Thaumastocheles</i> Wood-Mason, 1874) (Crustacea, Decapoda). Op. 519	available
<i>zanana</i> , <i>Serranus</i> , Valenciennes in Cuvier & Valenciennes, 1828, <i>Histoire naturelle des poissons</i> , vol. 2, p. 339 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy) (Osteichthyes). Op. 1439	index
<i>Zanclea</i> Gegenbaur, 1856, <i>Zeitschrift für Wissenschaftliche Zoologie</i> , 8(2): 229 (gender: feminine) (type species, by monotypy: <i>Zanclea costata</i> Gegenbaur, 1856) (Hydrozoa). Op. 1752	available
<i>zebra</i> , <i>Antilope</i> , Gray, 1838, <i>Ann. nat. Hist.</i> , 1(1): 27, ruled under the plenary power to be given precedence over the specific name <i>doria</i> Ogilby, 1837, as published in the binomen <i>Antilope doria</i> , whenever the two names are considered synonyms (Mammalia). Op. 1291	available
<i>zebra</i> , <i>Colpocephalum</i> , Burmeister, 1838, <i>Hand. Entomol.</i> , 2(2): 438 (specific name of the type species of <i>Colpocephalum</i> Nitzsch, 1818) (Insecta, Mallophaga). Op. 342	available
<i>zebra</i> , <i>Pterois</i> , Cuvier, 1829, in Cuvier & Valenciennes, <i>Histoire naturelle des Poissons</i> , 4: 269 (Osteichthyes). Op. 1190	available
<i>zebra</i> , <i>Pterois</i> , Quoy & Gaimard, 1825, <i>Voyage autour du monde ... sur les corvettes de S.M. 'l'Uranie' et 'la Physicienne' pendant les années 1817-1820</i> , Zoologie, 4: 329 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 1190	index
<i>zebrata</i> , <i>Antilope</i> , Robert, 1836, <i>Echo du Monde savant</i> , 1 May 1836, <i>Sci. nat. géogr.</i> , first page (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 1291	index
<i>zebratus</i> , <i>Aphytus</i> , Mercet, 1917, <i>Boletin de la Real Sociedad Española de Historia Natural</i> , 17(2): 138 (specific name of the type species of <i>Metaphycus</i> Mercet, 1917) (Insecta, Hymenoptera). Op. 1898	available
<i>Zelica</i> Hübner, [1825], <i>Verzeichniss bekannter Schmetterlinge</i> , p. 396 (gender: feminine) (type species, by monotypy: <i>Phalaena zelica</i> Stoll, [1790]), ruled under the plenary power not to be given priority over <i>Rosema</i> Walker, 1855 whenever the two names are considered to be synonyms (Insecta, Lepidoptera). Op. 1617	available

<i>zelica, Phalaena</i> , Stoll, [1790], <i>Aanhangsel van het Werk, de Uitlandsche Kapellen, voorkomende in de drie Waeeld-Deelen Asia, Africa en America, door den Heere Pieter Cramer</i> , p. 73 (specific name of the type species of <i>Zelica</i> Hübner, [1825]) (Insecta, Lepidoptera). Op. 1617	available
<i>Zelima</i> Fabricius, 1807, <i>Mag. f. Insektenk.</i> (Illiger), 6 : 279 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 678	index
<i>Zenis</i> Godman, [1900], in Godman & Salvin, <i>Biol. centr.-amer.</i> , Lep. Rhop., 2 : 588 (gender: feminine) (type species, by designation under the plenary power: <i>Hesperia jebus</i> Plötz, 1882, <i>Entomol. Ztg.</i> , Stettin, 43 : 443) (Insecta, Lepidoptera). Op. 832	available
<i>zerda, Canis</i> , Zimmermann, 1780, <i>Geogr. Gesch. Mens.</i> , 2 : 247 (valid name at the date of Opinion 384 of the type species of <i>Fennecus</i> Desmarest, 1804) (Mammalia). Op. 384	available
<i>Zeriassa</i> Pocock, 1897, <i>Through unknown African countries</i> , p. 252 (gender: feminine) (type species, by original designation: <i>Zeria bicolor</i> Pocock, 1897), ruled under the plenary power to be given precedence over the name <i>Canentis</i> Pavesi, 1897 whenever the two names are considered to be synonyms (Arachnida). Op. 2094	available
<i>Zerynthia</i> Ochsenheimer, 1816, <i>Schmett. Europa</i> , 4 : 29 (gender: feminine) (type species, through <i>Thais</i> Fabricius, 1807, non Röding, 1798: <i>Papilio hypsipyle</i> Fabricius, 1776, <i>Gen. Ins. Mantissa</i> : 265, valid name: <i>Papilio polyxena</i> [Denis & Schiffermüller], 1775) (Insecta, Lepidoptera). Op. 1134	available
<i>Zeugophora</i> Kunze, 1818, <i>Neue Schriften der Naturforschenden Gesellschaft zu Halle</i> , 2(4) : 71 (gender: feminine) (type species, by subsequent designation by Westwood, 1838, <i>An introduction to the modern classification of insects (Synopsis of the genera of British Insecta)</i> , p. 42: <i>Crioceris subspinosa</i> Fabricius, 1781) (Insecta, Coleoptera). Op. 1382	available
<i>Zeus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 266 (gender: masculine) (type species, by designation by Gill, 1862 (<i>Proc. Acad. nat. Sci. Philadelphia</i> , 1862 : 126): <i>Zeus faber</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 267) (Osteichthyes). Op. 77, Direction 56	available
<i>zeylanica, Sanguisuga</i> , Moquin-Tandon, [July] 1827, <i>Monogr. Fam. Hirudin.</i> : 120 (a junior objective synonym of <i>ceylanica, Hirudo</i> , Blainville, [June] 1827). Direction 76	index
<i>zeylonicus, Turdus</i> , Linnaeus, 1776, <i>Cat. Birds Beasts Fishes Ins. Edwards' nat. Hist.</i> : 13 (suppressed under the plenary power for the purposes of both the Principle of Priority and the Principle of Homonymy). Op. 412	index
<i>zibetha, Viverra</i> , Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 44 (specific name of the type species of <i>Viverra</i> Linnaeus, 1758) (Mammalia). Op. 384	available
<i>zieglerella, Tinea</i> , Hübner, [1805-1810], <i>Samml. europ. Schmett.</i> , Tab. Tinea 44, fig. 306 (specific name of the type species of <i>Cosmopterix</i> Hübner, 1825) (Insecta, Lepidoptera). Op. 866	available
<i>zimmeri, Bathypalaemonella</i> , Balss, 1914, <i>Zool. Anz.</i> , 44 : 598 (specific name of the type species of <i>Bathypalaemonella</i> Balss, 1914) (Crustacea, Decapoda). Op. 470	available

<i>zonaris</i> , <i>Hirundo</i> , Shaw, 1796, in Miller, <i>Cimelia physica</i> : 100 (specific name of the type species of <i>Streptoprocne</i> Oberholser, 1906) (Aves). Op. 457	available
<i>zonata</i> , <i>Hyla</i> , Spix, 1824, <i>Anim. nov. ... Testud. Ran. ... Brasil.</i> : 41 (a junior objective synonym of <i>venulosa</i> , <i>Rana</i> , Laurenti, 1768, through action taken under the plenary power). Op. 520	index
<i>zonatus</i> , <i>Dytiscus</i> , Hoppé, 1795, <i>Enum. Ins. Elyt.</i> : 33 (Insecta, Coleoptera). Op. 618	available
ZONITIDINAE Mulsant, 1857, <i>Histoire naturelle des Coléoptères de France. Vésicants</i> , p. 164, correct original spelling of ZONITINAE (type genus: <i>Zonitis</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1918	available
ZONITINAE Mulsant, 1857, <i>Histoire naturelle des Coléoptères de France. Vésicants</i> , p. 164, incorrect original spelling of ZONITIDINAE (Insecta, Coleoptera). Op. 1918	index
Zonitis Fabricius, 1775, <i>Systema Entomologiae ...</i> , p. 126 (gender: feminine) (type species, by subsequent designation by Selander, 1987, <i>Deutsche Entomologische Zeitschrift</i> , (n.s.)34: 341; <i>Zonitis flava</i> Fabricius, 1775) (Insecta, Coleoptera). Op. 1918	available
Zonitoides Lehmann, 1862, <i>Malak. Bl.</i> , 9: 111 (gender: masculine) (type species, by monotypy: <i>Helix nitida</i> Müller, 1774, <i>Verm. terrestre. fluviat. Hist.</i> , 2: 32) (Gastropoda). Op. 335	available
Zonocerus Stål, 1873, <i>Öfvers. K. svensk. Vetensk.-Akad. Förh.</i> , 30(4): 51 (gender: masculine) (type species, by designation by Kirby, 1910 (<i>Syn. Cat. Orth.</i> , 3: 315); <i>Gryllus elegans</i> Thunberg, 1815, <i>Mém. Acad. Sci. St. Pétersbourg</i> , 5: 226) (Insecta, Orthoptera). Op. 969	available
zonula , <i>Tenthredo</i> , Klug, 1817, <i>Der Gesellschaft naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesammten Naturkunde</i> , Berlin, 8(1814): 137 (Insecta, Hymenoptera). Op. 1602	available
Zorilla Geoffroy, 1826, <i>Dict. Class. Hist. nat.</i> , 10: 215 (suppressed under the plenary power for the purposes of the Principle of Priority but not for those of the Principle of Homonymy). Op. 818	index
Zosimus Leach, 1823, in Desmarest, <i>Dict. Sci. nat.</i> , 28: 228 (gender: masculine) (type species, by monotypy: <i>Cancer aeneus</i> Linnaeus, 1758, <i>Systema Naturae</i> , Ed. 10, vol. 1, p. 630) (Crustacea, Decapoda). Op. 85, Direction 37	available
Zosimus Schaufuss, 1886, <i>Tijdschr. Entomol.</i> , 29: 293 (a junior homonym of <i>Zosimus</i> Leach, 1823). Direction 37	index
Zozymodes Heller, 1861, <i>Verh. zool.-bot. Ges. Wien</i> , 11 (Abh.): 8; <i>id.</i> , 1861, <i>SitzBer. Kais. Acad. Wiss. Wien</i> (Math.-nat. Cl.), 43 (No. 1): 327 (gender: masculine) (type species, by monotypy: <i>Zozymodes carinipes</i> Heller, 1861, <i>Verh. zool.-bot. Ges. Wien</i> , 11 (Abh.): 8; <i>id.</i> , 1861, <i>SitzBer. Kais. Acad. Wiss. Wien</i> (Math.-nat. Cl.), 43 (No. 1): 327) (Crustacea, Decapoda). Op. 85, Direction 37	available
Zozymus Milne Edwards, 1834, in Roret's Suites à Buffon, <i>Hist. nat. Crust.</i> , 1: 383 (an incorrect subsequent spelling for <i>Zosimus</i> Leach, 1823). Direction 37	index

zwierleini, **Plutonium**, Cavanna, 1881, *Bollettino della Società Entomologica Italiana*, **13**: 169 (specific name of the type species of **Plutonium** Cavanna, 1881) (Chilopoda). Op. 1880

available

Zygops Schönherr, 1825, *Isis* (von Oken), **1825**: col. 586 (gender: masculine) (type species, by original designation: **Poecilma wiedii** Germar, 1824) (Insecta, Coleoptera). Op. 1450

available

zymna, **Pentila**, Westwood, [1851], in Doubleday, *Gen. diurn. Lep.* (2): pl. 76, fig. 6 (Insecta, Lepidoptera). Op. 566

available

Zygnis Oken, 1816, *Lehrb. Naturgesch.*, **3**: 284 (included in a work rejected for nomenclatural purposes). Op. 651

index

Zyras Stephens, 1835, *Ill. Brit. Entomol.* (Mand.), **5**: 430 (gender: masculine) (type species, by monotypy: **Aleochara haworthi** Stephens, 1832, *Ill. Brit. Entomol.* (Mand.), **5**: 126) (Insecta, Coleoptera). Op. 599

available

Zyrus Cameron, 1939, *Fauna Brit. India*, Coleopt. Staph., **4**(2): 688 (an incorrect subsequent spelling for **Zyras** Stephens, 1835). Op. 599

index