Date: 1999-09-24

Supersedes SC 2 N 3312

ISO/IEC JTC 1/SC 2

CODED CHARACTER SETS

SECRETARIAT: JAPAN (JISC)

DOC TYPE: Text for FDAM ballot

TITLE: Revised Text of ISO/IEC 10646-1/FPDAM 28, Universal Multiple-Octet Coded

Character Set (UCS) -- Part 1: Architecture and Basic Multilingual Plane --

AMENDMENT 28: Ideographic description characters

SOURCE: Mr. Bruce Paterson, Project Editor

PROJECT: JTC 1.02.18.01.28

STATUS: This document is submitted to ITTF for FDAM processing.

ACTION ID: FYI

DUE DATE:

DISTRIBUTION: P, O and L Members of ISO/IEC JTC 1/SC 2

WG Conveners and Secretariats Secretariat, ISO/IEC JTC 1

ISO/IEC ITTF

NO. OF PAGES: 8

ACCESS LEVEL: Defined

WEB ISSUE #: 063

Contact: Secretariat ISO/IEC JTC 1/SC 2 - Toshiko KIMURA

IPSJ/ITSCJ (Information Processing Society of Japan/Information Technology Standards Commission of Japan)*

Room 308-3, Kikai-Shinko-Kaikan Bldg., 3-5-8, Shiba-Koen, Minato-ku, Tokyo 105-0011 JAPAN

Tel: +81 3 3431 2808; Fax: +81 3 3431 6493; E-mail: kimura@itscj.ipsj.or.jp

*A Standard Organization accredited by JISC

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane
AMENDMENT 28: Ideographic description characters

Page 11, Clause 19

In the list of Block names, after the entry BRAILLE PATTERNS (see Amd. 16) insert new entries as follows:

IDEOGRAPHIC DESCRIPTION CHARACTERS 2FF0 - 2FFF

Page 15, Clause 25, Figure 4 (see Amendment 5)

In Figure 4 (Amd.5), in the cross-hatched area for rows 28 to 2F, insert a zone corresponding to 2FF0 to 2FFF containing the words:

Ideographic Description Characters


centred on a white background.

After page 113

Add the following new tables titled:

Table 247 - Row 2F: IDEOGRAPHIC DESCRIPTION CHARACTERS

Table 247 - Row 2F: IDEOGRAPHIC DESCRIPTION CHARACTERS



G = 00P = 00

Table 247 - Row 2F: IDEOGRAPHIC DESCRIPTION CHARACTERS

dec	hex	Name	dec	hex	Name
240	F0	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO			
241	F1	RIGHT IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO			
242	F2	BELOW IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO			
243	F3	MIDDLE AND RIGHT IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW			
244	F4	DEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND			
245	F5	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE			
246	F6	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW			
247	F7	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LEFT			
248	F8	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT			
249	F9	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT			
250 251	FA FB	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LOWER LEFT IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID			
252	FC	(This position shall not be used)			
253 254	FD FE	(This position shall not be used) (This position shall not be used)			
255	FF	(This position shall not be used)			

Group 00 Plane 00 Row 2F

Page 700, Annex A

In the list of collection numbers and names, after 206 NUMERIC SHAPE SELECTORS insert a new entry as follows:
207 IDEOGRAPHIC DESCRIPTION CHARACTERS 2FF0 - 2FFF

and in the the entry:

251 SCRIPT-SPECIFIC FORMAT CHARACTERS amend the second line to read:

Collections 204 - 207

Page 708. Annex D - Alternate format characters

Add the following text at the end of the Annex.

D.3 Ideographic description characters

An Ideographic Description Character (IDC) is a graphic character, which is used with a sequence of other graphic characters to form an Ideographic Description Sequence (IDS). Such a sequence may be used to describe an ideographic character which is not specified within this International Standard.

The IDS describes the ideograph in the abstract form. It is not interpreted as a composed character and does not imply any specific form of rendering.

NOTE - An IDS is not a character and therefore is not a member of the repertoire of ISO/IEC 10646.

D.3.1 Syntax of an ideographic description sequence

An IDS consists of an IDC followed by a fixed number of Description Components (DC). A DC may be any one of the following :

- a coded ideograph
- a coded radical
- another IDS

NOTE - The above description implies that any IDS may be nested within another IDS.

Each IDC has four properties as summarized in Table-D.1 below.

- the number of DCs used in the IDS that commences with that IDC,
- the definition of its acronym,
- the syntax of the corresponding IDS,
- the relative positions of the DCs in the visual representation of the ideograph that is being described in its abstract form.

The syntax of the IDS introduced by each IDC is indicated in the "IDS Acronym and Syntax" column of the table by the abbreviated name of the IDC (e.g. IDC-LTR) followed by the corresponding number of DCs, i.e. $(D_1 D_2)$ or $(D_1 D_2 D_3)$.

NOTE - An IDS is restricted to no more than 16 characters in length. Also no more than six ideographs and/or radicals occur between any two instances of an IDC character within an IDS.

D.3.2 Individual definitions of the ideographic description characters

IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO RIGHT (2FF0):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 on the left and D_2 on the right.

IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO BELOW (2FF1):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 above D_2 .

IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO MIDDLE AND RIGHT (2FF2):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 on the left of D_2 , and D_2 on the left of D_3 .

IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW (2FF3):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 above D_2 , and D_2 above D_3 .

IDEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND (2FF4):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 surrounding D_2 .

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE (2FF5):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 above D_2 , and surrounding D_2 on both sides.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW (2FF6):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 below D_2 , and surrounding D_2 on both sides.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LEFT (2FF7):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 on the left of D_2 , and surrounding D_2 above and below.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT (2FF8):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 at the top left corner of D_2 , and partly surrounding D_2 above and to the left.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT (2FF9):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 at the top right corner of D_2 , and partly surrounding D_2 above and to the right.

IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LOWER LEFT (2FFA):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 at the bottom left corner of D_2 , and partly surrounding D_2 below and to the left.

IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID (2FFB):

The IDS introduced by this character describes the abstract form of the ideograph with D_1 and D_2 overlaying each other.

Add Table D.1 (see overleaf) after the preceding text.

Page 729, Annex E

After the entry IDEOGRAPHIC DEPARTING TONE MARK insert the following character name entries:

- 2FF1 IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO
- 2FF3 IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW
- 2FF4 IDEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND
- 2FF2 IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO MIDDLE
- AND RIGHT
 2FF0 DEOGRAPHIC DESCRIPTION CHARACTER LEFT TO RIGHT
- 2FFB IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID
- 2FF5 IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE
- 2FF6 IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW
- 2FF7 IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND
- FROM LEFT
 2FFA IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND
 FROM LOWER LEFT
- 2FF8 IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT
- 2FF9 IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT

Page 751, Annex L

After the entry for GB 2312-1980 insert new entry as follows.

GBK (Guo Biao Kuo) Han character internal code extension specification: Jishu Biaozhun Chubanshe (Technical Standards Publishing)

Table D.1: Properties of ideographic description characters

Table D.1: Properties of Ideog	iupino c	•			
Character Name: IDEOGRAPHIC DESCRIPTION CHARACTER	no. of DCs	IDS Acronym and Syntax	Relative positions of DCs	Example of IDS	IDS example represents:
LEFT TO RIGHT	2	IDC-LTR D ₁ D ₂	D ₁ D ₂	Ⅲ亻母	母
ABOVE TO BELOW	2	IDC-ATB D ₁ D ₂	D ₁	⊟八天	矣
LEFT TO MIDDLE AND RIGHT	3	IDC-LMR D ₁ D ₂ D ₃	D ₁ D ₂ D ₃	Ⅲℓ訁亍	衍
ABOVE TO MIDDLE AND BELOW	3	IDC-AMB D ₁ D ₂ D ₃	D ₁ D ₂ D ₃	■从从日	谷
FULL SURROUND	2	IDC-FSD D ₁ D ₂	D ₁	□口巷	巷
SURROUND FROM ABOVE	2	IDC-SAV D ₁ D ₂	D ₁	□門卞	閇
SURROUND FROM BELOW	2	IDC-SBL D ₁ D ₂	D ₂	凹口士	由
SURROUND FROM LEFT	2	IDC-SLT D ₁ D ₂	D ₁ D ₂	巨厂虎	虎
SURROUND FROM UPPER LEFT	2	IDC-SUL D ₁ D ₂	D ₁	□广舞	麡
SURROUND FROM UPPER RIGHT	2	IDC-SUR D ₁ D ₂	D ₁	□力去	匒
SURROUND FROM LOWER LEFT	2	IDC-SLL D ₁ D ₂	D ₂	凹辶交	这
OVERLAID	2	IDC-OVL D₁ D₂	D ₁	回从工	巫

^{*} NOTE: D_1 and D_2 overlap each other. This diagram does not imply that D_1 is on the top left corner and D_2 is on the bottom right corner.

G8 Explanatory Report

EXPLANATORY REPORT	ISO/IEC 10646-1/FDAM 28		
ISO/IEC JTC 1/SC 2 N 3363			
Will supersede: SC 2 N 3312	Secretariat: JAPAN (JISC)		

This form should be sent to ITTF, together with the committee draft, by the secretariat of the joint technical committee or sub-committee concerned.

The accompanying document is submitted for circulation to member body vote as an FDIS, following consensus of the P-members of the committee obtained on:

1999-08-13

by postal ballot initiated on: 1999-04-07

P-members in favour: (22) Brazil; Canada; China; Denmark; Egypt; Finland; France; Germany; Greece; Ireland; Israel; Italy, Japan; Korea, Rep. of; Netherlands; Norway; Poland; Romania, Russian Federation; Sweden; UK; USA

P-members voting against: (0)

P-members abstaining: (1)Australia

P-members who did not vote (14): Armenia, Austria; Belgium; Iceland; India; Iran, Islamic Republic of; Morocco; Singapore; Slovenia; Thailand; Tunisia; Turkey; Viet Nam; Yugoslavia

Remarks:

<u>History</u>

- Project subdivision SC 2 Resolution M08.13 (SC 2 N 3077), JTC 1 endorsement: JTC 1 N 5481
- Combined PDAM registration and consideration Letter ballot: SC 2 N 3186, Summary of voting: SC 2 N 3241, Disposition of comments report: SC 2 N 3282
- FPDAM Letter ballot: SC 2 N 3312, Summary of voting: SC 2 N 3347, Disposition of Comments Report: SC 2 N 3362

On the recommendation of WG 2 (Res. M37.3 of the Copenhagen meeting, 1999-09-13/16), this document is submitted to ITTF for a two-month FDAM ballot.

Project: JTC 1.02.18.01.28

I hereby confirm that this draft meets the requirements of part 3 of the IEC/ISO Directives

Date: 1999-09-24

Name and signature of secretary:

Toshiko Kimura

Secretariat, ISO/IEC JTC 1/SC 2